

INDEX

- Ability tests, 462, 463
Absolute threshold, 55
ABSs (antilock brake systems), 1575
Abstraction hierarchy analysis, 1210–1211
Abstract task analysis, 1466
ABWS (advance brake warning system), 313–314
ACC, *see* Adaptive cruise control
Accessibility, 1460
Accessibility bias, 307
Accessibility design, of web sites, 1334–1336
Accidents, 737
Accident investigation, 1099–1104
 basic principles of, 1100
 epidemiologic approaches to, 1100–1102
 and “Swiss cheese” metaphor, 1103–1104
 systems safety techniques for, 1102–1103
Accommodation, 61, 120
Acculturation, 492
ACGIH (American Conference of Governmental Industrial Hygienists), 953, 1513
Achievement and Success Index, 466
Achromatic colors, 68
Acoustics, *see* Sound
Acoustical calibrators, 620
Acoustic trauma, 627
Acquired needs, McClelland’s theory of, 392–393
Action implementation automation, 1578
Action selection, 90–99
 and dimensional overlap, 93
 in multiple-task performance, 93–99
 in single-task performance, 90–91
 and stimulus-response compatibility, 91–93
Action selection automation, 1577–1578
Action slips, 709
Active errors, 1532
Active failures, 1103
Active jobs, 803
Active noise reduction (ANR), 626, 639
Active participation, 1530
Active surveillance, 881
Active touch, 76
Activity network models, 999–1002
 and OP diagrams, 1001–1003
 and task analysis, 999–1002
Activity theory, 554–555
ACT-R, *see* Adaptive Control of Thought–Rational cognitive architecture
ADA (Americans with Disabilities Act), 1509, 1510
Adams’s equity theory, 398–399
Adaptability, defined, 1464
Adaptability Test, 466
Adaptable automation, 1581
Adaptation-oriented design, 1468–1469
Adaptive automation, 260–261, 1581
Adaptive Control of Thought–Rational (ACT-R) cognitive architecture, 970, 983–987
 and AMBR, 987–989
 modeling for, 988–993
Adaptive cruise control (ACC), 1571–1572, 1579
Adaptive production, 1600
Additive factors logic, 60
Administrative data, and accident investigation, 1101
Advance brake warning system (ABWS), 313–314
Advanced search, 1326–1327
Advanced traveler information systems (ATISs), 1553
Adverse events, 737, 744
Aesthetics, *see* Industrial design and aesthetics
AET (Arbeitswissenschaftliche Erhebungsverfahren zur Tätigkeitsanalyse), 1118
Affect:
 defined, 544, 548, 554
 dopaminergic theory of positive, 546
 emotions vs., 548
 theories of, 554–558
Affect grid, 562–563
Affect heuristic, 556–557
Affective appreciation, 544
Affective design, 543–569
 activity theory for, 554–555
 and arousal, 555
 checklists for, 563
 and cognitive systems, 545–546
 and consumer process, 550
 and customer satisfaction, 550–552
 and emotions vs. pleasures of mind, 555
 and endowment effect, 557
 evaluating, 548–553
 experience sampling method, 562
 and facial expressions, 564–565
 functionality and usability, 552–553
 and hedonic tone, 555
 and hierarchy of needs, 557–558
 and kansei engineering, 559–560
 in marketing, 547
 and measurement, 558–567
 need structures of, 552
 PANAS scales, 564
 perception in, 545–546
 performance measures of, 567
 Philip’s questionnaire, 564
 product emotion measurement instrument, 564
 psychology of, 548
 psychophysical measures of, 566–567
 ratings of product characteristics, 559–562
 reverse endowment effect, 557
 self-reports, 562
 subjective ratings of emotions, 562–565
 theory of flow, 555–556
 use of interviews for, 563–564
 and user’s experience, 549
 vocal measures of, 565–566
Affective processes, 546
Affective user-designer model, 548–549
Affinity bias, 307
Affordability analysis, 1135
Affordance, 155
Age/aging, 1418–1440. *See also under* Elderly
 attentional factors, 1428–1430
 auditory perception, 1425
 balance, 1427
 cognition, 1428–1434
 defined, 1420
 and driving, *see* Elderly drivers
 driving/vehicular concerns of, *see* Elderly drivers
 effect of, on work systems, 780
 force control, 1428
 and human resource management, 1620–1621
 language factors, 1434–1435
 locomotion, 1427
 and lower back pain, 819–820
 memory, 1430–1434
 movement speed and control, 1426–1427
 muscular strength, 1427–1428
 and presbyopia, 663
 telemedicine (case study), 1435–1440
 visual perception, 663, 1420–1424
 websites for, 1335
Ageism, 1435
Agent(s):
 automation as, 1578
 biological, 951–953
Agent (virtual human figure), 1055
Age-related disease, design for people with, 1398
Age-related macular degeneration (AMD), 299
Age-related macular degeneration (ARMD), 1421–1422
Agglomerative hierarchical methods, 1169
Agile manufacturing, 1599
Aging process, 112
Agreement on Technical Cooperation Between ISO and CEN (Vienna Agreement), 1495
AIHA (American Industrial Hygiene Association), 1511
Air traffic control, and SA research, 244

- Alcohol, and driving performance, 1543–1544
- Alderfer's ERG theory, 388–389
- ALS, design for people with, 1397
- Alzheimer's disease, design for people with, 1398
- AMBR, 987–989
- AMD (age-related macular degeneration), 299
- American Conference of Governmental Industrial Hygienists (ACGIH), 953, 1513
- American Industrial Hygiene Association (AIHA), 1511
- American Medical Association, 744
- American National Standards Institute (ANSI), 118, 1101. *See also* ANSI standards
- American Psychological Association (APA), 305
- American Sign Language (ASL), 1396
- Americans with Disabilities Act (ADA), 1509, 1510
- Amputations, design for people with, 1397
- Analogic command hardware, 1032, 1033
- Analytic system, 557
- Anatomical methods, for perception, 54–55
 - neuroimaging techniques, 55
 - single-cell recording, 54–55
- Anesthesia Critical Incident Reporting System (CIRS), 744
- Animation, defined, 1073–1074
- ANOVA test, 1164
- ANR (active noise reduction), 626, 639
- ANSI (American National Standards Institute), 118, 1101
- ANSI standards, 1511–1513
 - and accident investigation, 1101
 - for computer workstations, 1511
 - for hazards, 897–898
 - for machine tools, 1512–1513
 - for software user interfaces, 1511–1512
 - for visual display terminals, 1511
- Antennas, shaped response, 961
- Anthropometry, 322–338
 - alternative methods for, 329–334
 - applied to physical DHM, 1060–1061
 - averages and percentile usage, 322–329
 - definition of, 322
 - fit mapping and, 334–335
 - grading and, 335
 - ISO standards for, 1489–1490
 - principal component's analysis and, 332–334
 - and space flight, 930–932
 - three-dimensional, 335–337
 - two-dimensional frequency distribution, 330–331
 - of vehicle design, 1550
 - for workplace design, 1614
- Antilock brake systems (ABSs), 1575
- APA (American Psychological Association), 305
- Aphasia, 1398
- Apollo–Soyuz test program (ASTP), 938
- Apprenticeship training, 490
- Arbeitswissenschaftliche Erhebungsverfahren zur Tätigkeitsanalyse (AET), 1118
- Archival measures, for work related psychosocial factors, 807
- Argyris's concept, 393
- ARMD (age-related macular degeneration), 1421–1422
- Army command and control (C2), 977–978
- Arousal, and affective design, 555
- Arthritis, design for people with, 1396
- Articular disorders, caused by vibration, 606
- Artifact subsystem, 548
- ASA (Schneider's Attraction–Selection–Attrition framework), 466, 467
- ASAP (Aviation Safety Action Partnership), 743
- ASC Z-10, *Occupational Health and Safety Systems*, 1511
- Ashby, 34
- ASL (American Sign Language), 1396
- ASQ, 1310
- ASRS, *see* Aviation Safety Reporting System
- ASRS *Directline*, 741
- Assistive technologies (list), 1394
- Astigmatism, 61
- ASTP (Apollo–Soyuz test program), 938
- Astronauts, selection of, 942–943
- Ataxia, 1396
- Atherosclerosis, 808
- Athetosis, 1396
- ATISs (advanced traveler information systems), 1553
- ATMs, *see* Automatic teller machines
- Atmosphere, for human space flight, 932
- Attention, 114–115
 - attracting, with color, 896
 - breakdowns in, 115
 - and design for aging, 1428–1430
 - divided, 114, 1429
 - and driver performance, 1542
 - expectancy and, 114
 - factors of, 114–115
 - focused, 115
 - maintenance of, 897
 - and mental workload, 245–247
 - salient features, role of, 114
 - selective, 114–115, 1428–1429
 - and situation awareness, 245–246
 - and warnings, 895–897
- Attentional resources, 246–247
- Attentional tunneling, 533
- Attention bottleneck, 1366
- Attitudes, 554. *See also* Emotions
- Attraction–selection–attrition framework (ASA), 466, 467
- Attribution theory, 401–402
- Attribution training, 485, 490
- Audio, spatial, 1082–1083
- Audioconferencing, 1257
- Audio displays, for VEs, 1081–1082
- Audio-dosimeter, 619
- Audiographics, 1257
- Audits of human factors, 1106–1128
 - for a decentralized business, 1124–1127
 - for human factors applications, 1111–1127
 - and inspection, 1106–1110
 - standards for, 1113–1114
 - for surveys, 1118–1120
 - using checking/checklists, 1110–1111
 - using checklists, 1116–1118
- Audit systems:
 - design of, 1115–1124
 - design requirements for, 1112–1115
 - evaluation of, 1114–1115
- Auditing information security, 1270–1271
- Audition, 70–74. *See also* Noise; Sound
 - and attention, role in, 114, 115
 - and design for aging, 1425
 - equal loudness contours, 72
 - frequency theory, 73
 - fundamental frequency, 72
 - harmonics/overtones, 72
 - loudness/detection of sounds, 72
 - pitch, 72–74
 - place theory, 73
 - traveling wave, 73
 - and vibration, 598
- Auditory injuries, 628–629
- Auditory system, 70–72
- Auditory warnings, 896–897, 902
- Augmentation, 1369–1372. *See also specific types, e.g.:*
 - Human-system augmentation
- Augmented cognition, 1364–1380
- Automatic processing, and design for aging, 1430
- Automatic teller machines (ATMs):
 - affective design of, 552–553
 - use of, by older adults, 1435
- Automation. *See also*
 - Human–automation interaction
- behavioral adaptation to, 1575–1576
- benefits of, 747
- clumsy, 1553, 1572
- complex networks and, 1588–1589
- defined, 1570
- feedback reduction with, 1571
- formal analysis techniques for, 1586–1587
- in health care, 1519
- human errors in, 746–751
- and humanization, 1600
- inadequate training/skill loss due to, 1576
- and job satisfaction/health, 1576
- misuse/disuse of, 1573–1575
- mode errors in, 747
- purpose of, 1590
- swarm, 1587–1588
- types of, 1577–1580

Automation design, 1570–1590

eutactic behavior affecting, 1576–1577

in manufacturing, 1607

- and out-of-the-loop unfamiliarity, 1571–1572
- Automation-induced errors, 1572–1573
- Automation mistrust, 117, 747
- Automation surprises, 747, 1041
- Automotive adaptive equipment, for elderly drivers, 1561
- Avatar, 1055
- “Average human” design principle, 1614
- Avianca, 153
- Aviation, commercial, *see* Commercial aviation
- Aviation Safety Action Partnership (ASAP), 743
- Aviation Safety Reporting System (ASRS), 741–744
 - Directline*, 741
 - and error, 1110
- Aviation transportation, *see* Motor vehicle transportation, HF/E factors in
- Axiomatic design, 19–21
 - applications of, 22–23
 - theory of, 21–22
- Back injuries, 700
- BAFA BAFA, 491
- Balance, sense of, *see* Vestibular system
- Balance principle, of societal ergonomics, 284
- Balance theory-based model, for work systems, 884
- Bandwidth, 134, 636
- Barriers, to human error, 720–721
- Basic HEPs (BHEPs), 734
- Basic pattern, defined, 764
- Basic Skills Test, 466
- Basilar membrane, 71, 74
- Bayesian interference, 201–202
- Behavioral adaptation, to automation, 1575–1576
- Behavioral design, 548
- Behavioral norms, 804
- Behavioral risk management:
 - behavioral safety programs for, 695–697
 - human resource management, 697–699
 - and learning, 693
 - scientific foundations of, 693–695
 - and training, 694
- Behavioral role-modeling, *see* Role-playing
- Behavioral safety programs, 695–697
- Behavioral variables, 36
- Behavior assessment, 382
- Behavior/skill evaluation, 497
- Belding, H. S., 3
- Belmont Report, 305
- BeltMinder, 1555, 1556
- Benchmarking, 400
- Berra, Yogi, 1044
- Bertalanffy, 33
- BEST network, 791
- Between-subject design, 311
- BHEPs (basic HEPs), 734
- Bias, 307, 746
- Big Five, *see* Five-factor model of personality
- Binocular convergence, 120
- Binocular disparity, 120
- Bioaerosols, 952–953
- Biodata, 465–466
- Biodynamics, 600–601
- Biological agents, 684, 951–953
- Biological clock, *see* Circadian variation
- Biological job design approach, 432, 434, 442
- Biological model, for occupational health, 802
- Biomechanics:
 - and design for aging, 1426–1428
 - ISO standards for, 1489–1490
 - and pleasurable design, 548–549
 - and space flight, 930–932
- Biomechanical approach (to manual materials handling), 827–832
 - and cumulative spinal loading, 827–828
 - modeling for, 829–832
 - and spinal compression limits, 827
 - and trunk motion, 828
- Bionic manufacturing, 1599
- Binomial confidence intervals, in usability testing, 1306–1307
- Bivariate frequency distribution, 330–331
- Blindness, design for people with, 1394, 1395
- Blind spot, 62
- Blood pressure, 278
- Blue-collar jobs, 459–460
- Body chemistry, 277–278
- Bosch, HdA case study on, 414
- Boundary manikins, 1068
- Boundary objects, 153
- Brachial plexus neuritis, 859
- Braille, 1394, 1395
- Brain imaging measures, 257–258
- Brainstorming, 162
- Breakthrough, 596
- Bridging inference, 129
- Briefer, for usability testing, 1284
- Brightness, 66–67
 - dark adaptation and, 66
 - illumination and, 66
 - judgments of, 66
 - lightness and, 66–67
 - Purkinje shift and, 66
- British Standard 6841, 599
- Brittle failures, in automation, 1572
- Browsers, Internet, 1328
- B2B (business-to-business) transactions, 1347
- B2C (business-to-consumer) transactions, 1347
- Bullwhip effect, 1588
- Burandt–Schultetus analysis method, 1057
- Burger, G. C. E., 3–4
- Burnout, due to stress, 805–806
- Business-to-business (B2B) transactions, 1347
- Business-to-consumer (B2C) transactions, 1347
- CAD, *see* Computer-aided design
- CAE, *see* Computer-aided engineering
- California, ergonomics standards for, 1513
- California Psychological Inventory, 466
- CALLBACK* safety bulletin, 741
- Capacity, defined, 868
- Capture, 1042
- Cardiac arrhythmia, and driving performance, 1548
- Career development interventions, 810
- Caregiver interaction, 1522
- Carpal tunnel syndrome (CTS), 858, 872–873
 - biomechanics of, 872
 - causal modes of, 873
 - pathophysiology/pathomechanics of, 872–873
- Carryover effects, 311
- Carson Engineering, 524–526
- CAS (computer-assisted scheduling), 793
- Case-crossover methodology (for accident investigation), 1101–1102
- Cataracts, 663
- Causal factor charting, 755
- Causality:
 - of human errors, 754
 - training models, 497
- CDC (Centers for Disease Control and Prevention), 1547
- CE, *see* Community ergonomics
- CEN, *see* Comité Européen de Normalisation
- Centers for Disease Control and Prevention (CDC), 1547
- Cerebral palsy, design for people with, 1396
- Cerebral trauma, design for people with, 1396–1397
- Cerebral vascular accident, design for people with, 1397
- Cervicobrachial disorder, 859
- CET (cognitive evaluation theory), 394–395
- Chair design, *see* Seats
- Challenge, defined, 802
- Change analysis techniques, 754–755
- Chat communities, 1248
- CHD, *see* Coronary heart disease
- Checklists:
 - in affective and pleasurable design, 563
 - for auditing, 1110–1111
 - as audit tool, 1116–1118
 - computer applications for, 1111–1127
- Checklist errors, 1110
- Chemical agents, 946
- Chemical hazards, 684, 945–949
 - assessment of risks posed by, 947–949
 - definitions, 946
 - exposure to, 948
 - measurement of, in workplace air, 946–947
 - risk prevention with, 949
 - sources of information on, 948

- CHEPs (conditional HEPS), 734
 Children, design for, 1446–1456
 hazard avoidance, 1450–1451
 by multidisciplinary teams, 1451–1452
 and Piagetian learning theory, 1446–1450
 role of children in, 1452–1455
 C-HIP model, *see* Communication–human information processing model
 Chi-squared test, 1163–1164, 1166–1167
 Chroma, 69
 Chromatic contrast, 653
 Chromaticity coordinates, 1199
 CI, *see* Confidence intervals
 CIE, *see* Commission Internationale de l’Eclairage
 CIE 1931 Chromaticity Diagram, 655, 656, 664
 CIE Color Space, 68–69
 Circadian rhythms:
 disruption of, 1542
 and human space flight, 941–942
 Circadian system, 664–665
 Circadian variation, 772–773
 CIRS (Anastheisa Critical Incident Reporting System), 744
 CISD (critical incident stress debriefing), 810
 CISM (critical incident stress management), 810
 Clearance, 581
 Climate, in working environment, 1612–1613
 Climate questionnaires, 513
 CLM (comprehensive lifting model), 840
 Close call, *see* Accident investigation
 Clumsy automation, 1553, 1572
 Cluster analysis, 1168–1170
 Cluster bias, 307
 Cluster sampling, 1116
 Clutter, visual, 1429–1430
 Coaching, 492
 Cocaine, and driving performance, 1545
 Cochlea, 71
 Cochlear distortion, 632
 Cockpit/crew resource management (CRM), 482–483, 495
 Code congruence, 122
 Codetermination, 273
 Coding, 1177, 1179–1181
 and intercoders, 1180–1181
 process for, 1179–1180
 Cognition, 892
 and design for aging, 1428–1434
 and emotions, 546, 567–568
 information processing and, 125–126
 problem solving, 132–134
 situation awareness, 127–128
 spatial awareness/navigation, 130–132
 text/language processing, 128–129
 tracking, 127–128
 working memory, dynamic, 126–128
 Cognitive ability:
 personnel selection, as a measure in, 462–463
 training design, as a characteristic of, 479
 Cognitive-behavioral approach, 809
 Cognitive complexity, 159
 Cognitive DHM, 1055
 Cognitive engineering, 113, 833
 Cognitive ergonomics, 4, 113
 Cognitive evaluation theory (CET), 394–395
 Cognitive fixation, 716
 Cognitive impairments, design for
 people with, 1357–1358, 1394, 1397–1398
 Cognitive mapping, 205
 Cognitive model, for occupational health, 802
 Cognitive processes, 546
 Cognitive state, 1367–1369
 Cognitive systems:
 and affective design, 545–546
 task analysis and, 373
 Cognitive task analysis (CTA), 477, 478
 in designing duet washer and dryer, 549
 for errors, 723, 724
 Cognitive tasks, 379, 598
 Cognitive transformations, 130
 Cognitive underspecification, 715
 Cognitive walkthrough, of web sites, 1338–1339
 Cohen’s kappa, 1181
 Coherence, and display design, 1207–1208
 Cohort studies, 307
 Collaborative design, and participatory ergonomics, 1067–1068
 Collaborative learning, 488
 Collision warning systems (CWSs), 1555
 Color(s):
 for attracting attention, 896
 chromatic contrast, 653
 CIE and, 68
 CIE color space, 68–69
 color atlas, 644, 646
 color blindness, 69–70
 color circle and, 68
 Color Rendering Index, 646, 652
 discrimination between, 655, 656
 in display design, 1198–1200
 and eye physiology, 651
 for human space flight, 935
 human vision and, 652
 measurement of, 644–647
 Munsell Book of Colors, 69
 Munsell color system, 644, 646
 specifications of, 68
 Uniform Color Space, 646
 and visual perception, 68–70
 visual perception of, 69
 XYZ tristimulus coordinate system, 68
 Color atlas, 644, 646
 Color blindness, 69–70, 1395
 Color circle, 68
 Color correction, 647
 Color discrimination, 655, 656
 Colorimetry:
 CIE colorimetric system, 644–647
 color atlases, 644, 646
 measurement units of, 644–647
 Color Rendering Index, 646, 652
 Color vision, 652, 1423
 Columbia space shuttle accident, 753–754, 1099–1100
 Comfort:
 biological job design and, 430
 and discomfort, 547
 kinetospheres, 581
 posture and, 576–579
 in seats, 577–578
 surface heights and, 578
 vibration and, 592–594
 visual factors affecting, 659–662, 665
 zones of, 582
 Comité Européen de Normalisation (CEN):
 ergonomic standards of, 1494–1499
 history of, 1494
 and Vienna Agreement, 1495
 Command hardware, 1032
 Commercial aviation. *See also specific topics, e.g.:* Federal Aviation Administration
 human errors, 748
 and supervisory control, 1034–1036
 Commercial vehicle operations, *see* Vehicle operations, commercial
 Commission, errors of, 723
 Commission Internationale de l’Eclairage (CIE), 644
 and color, 68
 colorimetry system, 646, 647
 Color Rendering Index, 646, 652
 standard photopic observer, 644, 664
 standard scotopic observer, 644
 Uniform Chromaticity Scale diagram, 646
 Committee for the International Association of Ergonomic Scientists, 3–4
 Common ground, 750
 Communication(s). *See also* Group communication
 artifacts of, 155–157
 channels for, 168–169
 defined, 151
 effect of system design on, 155–157
 environments for, 165–169
 and human space flight, 930
 nature of, 152
 and participant traits, 157–161
 styles of, 159–160
 and work roles, 160
 Communication–human information processing (C-HIP) model, 889, 891–905
 Communities of learning, 1254
 Community developers and designers’ approach to online communities, 1248–1249
 Community ergonomics (CE), 286
 for international corporations, 283–284

- principles of, 282–283
- and social impact, 280–282
- Company cultures, 752–754
- Comparative studies, sample size estimation for, 1292–1299
- Compensated heat stress, 914
- Compensatory decision rule, 196
- Competency, 462
- Complementary colors, 68
- Complexity creep, 528, 534
- Complex networks, and automation, 1588–1589
- Complex skill acquisition, 1018–1019
- Component ride value, 593
- Compound traits, 464
- Comprehensive lifting model (CLM), 840
- Compressed operation, 766, 768
- Compressed workweek, 409
- Compression, 121
- Computer accessibility, 1460
- Computer-aided design (CAD), 582
 - defined, 1074
 - digital human modeling for, *see* Digital human modeling
- Computer-aided engineering (CAE), 1053, 1071–1074
- Computer-aided ergonomics system, *see* Digital human modeling
- Computer-assisted design of user interface adaptation, *see* User interface design
- Computer-assisted scheduling (CAS), 793
- Computer conferencing, 1257
- Computer-interactive systems, errors by, 720–721
- Computerized visualization, 1074
- Computer manikins, 1074. *See also* Manikins
- Computer manikin software, 1074. *See also* Manikin software
- Computer mouse:
 - and design for aging, 1426
 - use of, by children, 1448
- Computer security, *see* Information security
- Computer-supported design, 43–44
- Computer workstations, ANSI standards for, 1511
- Concept maps, 1181
- Concrete operations stage, 1450
- Concurrent processing, 140, 141
- Concurrent validity, 1114
- Conditional HEPs (CHEPs), 734
- Conductive hearing loss, 1395
- Cones, 62, 650–651
- Conferences, job analysis and, 451
- Confidence bias, 746
- Confidence intervals (CI), 1159, 1305–1306
- Configural dimensions, 1203–1204
- Configural displays, 123–125, 1211–1213
- Confirmation bias, 716, 746
- Conflict, 192
- Conflict-driven decision making, 192
- Congruent mapping, 121
- Consciousness, 548
- Consent, management by, 1578
- Consequentialism, 196
- Consolidated design rationale, 1466
- Constant stimuli method, 56–57
- Constitutional white finger, 605
- Construct validity, 298–299, 1114, 1154
- Consumer process, in affective design, 550
- Content analysis (coding), 1177, 1179–1181
- Content validity, 298, 1114, 1154
- Context, 718–720
- Contextual inquiry, 1454
- Continental rota, 768
- Continuous operations, 766–770
- Contrast detection, and design for aging, 1423
- Contrast ratio, of reflective displays, 1193
- Contrast sensitivity function, 1195
- Controls, 1550
 - ISO standards for, 1491
 - for people with functional limitations, 1402–1409
- Control centers, ISO standards for, 1492
- Control conditions, 310
- Conventional design logics, 160
- Cooperative inquiry, 1453
- Cooperative ITSs, 1553
- Coordination devices, 153
- CoP (community of practice), 1254
- Coping training, 808–809
- Core self-evaluation (CSE), 464
- Core temperature, 914
- Coronary heart disease (CHD):
 - caused by occupational stress, 806, 808, 812
 - and driver performance, 1548
- Corporate cultures, 752–754
- Corrective work design, 403–404
- Correct rejection, 1003
- Correlation measures, using Pearson and Spearman coefficients, 1170–1171
- Correspondence, in display design, 1206–1209
- Cosine correction, 647
- Cost-benefit analysis, 1133–1148
 - calculating, 1146–1147
 - defined, 1134
 - distributed mission training, example, 1142–1145
 - methodology of, 1139–1147
 - predictive toxicology, example, 1142–1145
 - visually coupled targeting and acquisition system, example, 1141–1145
- Cost-effectiveness analysis, 1134
- Costoclavicular syndrome, 859
- Counterbalancing, 311, 1285
- CPOE (hospital-computerized physician order-entry), 720
- Crashes, motor vehicle, 1539–1540
 - with age as a factor in, 1539–1540
 - alcohol-involved, 1543–1544
 - caused by drowsiness, 1543
 - caused by elderly drivers, 1559
 - in commercial vehicle operations, 1557–1558
 - at night, 1551
- Crew resource management (CRM), 1527. *See also* Cockpit/crew resource management
- Criterion-related validity, 1154
- Critical band theory, 633–634
- Critical flicker frequency, 68
- Critical incidence reports, 1319
- Critical incident stress debriefing (CISD), 810
- Critical incident stress management (CISM), 810
- Critical path network, 1000
- CRM, *see* Cockpit/crew resource management
- Cross-cultural design, for websites, 1334–1335
- Crossing the Quality Chasm*, 1525
- Cross-sectional descriptive studies, 307
- Cross-training, 484
- CRT monitors:
 - and human vision, 1199–1200
 - illumination of, 1194–1195
 - phosphors in, 1199–1200
- CSE (core self-evaluation), 464
- CST, *see* Cumulative social trauma
- CSUQ, 1308–1310
- CTA, *see* Cognitive task analysis
- CTDs (cumulative trauma disorders) of the upper extremity, 856
- CTS, *see* Carpal tunnel syndrome (CTS)
- C2 (Army command and control), 977–978
- Cubital tunnel syndrome, 858
- Cultural creatives, 517
- Cultural diversity, in societal ergonomics, 284
- Cultural factors, and human error, 752–754
- Cultural training strategies, 490–491
- Culture, and communication, 158–159
- Culture of respect, 518–519
- Cumulative social trauma (CST), 280–281, 283
- Cumulative trauma disorders (CTDs) of the upper extremity, 856
- CUSI, 1307–1308
- Customer satisfaction, 550–552
- CWSs (collision warning systems), 1555
- Cybernetic theory of organizational stress, 802
- Cybersickness, 1088
- DA (dementia/Alzheimer's), and driving performance, 1549–1550
- Damping, 601
- Dangerous substances, 946
- Dark adaptation, 66, 1424
- Dark focus, 61
- Dark vergence, 61
- Data. *See also specific types, e.g.:*
 - Structured data
 - and accident investigation, 1101
 - analysis/interpretation of, for WMSDs, 882

- Data. *See also specific types, e.g.:*
 Structured data (*continued*)
 distribution of, 1155, 1157
 for human errors, 737–739
 information gap and, 529
 reduction techniques for, 1174–1179
 structured outcomes, 1185–1186
- Database structures, of web sites, 1324
- Data collection:
 for HF/E, 302
 for WMSDs, 881–882
- Data density, 1201
- Data-ink ratio, 1200–1201
- Data-limited tasks, 1002
- Data overload, 534, 535
- Data recorder, for usability testing, 1284
- Dayworkers, 764
- “Dead finger,” 860
- Deafness, design for people with, 1394, 1395
- Debriefing, as treatment, 809–810
- Deci and Ryan’s self-determination theory (SDT), 393–395
- Decibels, 70, 613–615
- Decisional roles, 160
- Decision criterion, 1205
- Decision making, 191–234
 analytic system, 557
 and behavioral decision theory, 209–220
 classical decision theory of, 195–203
 and decision analysis, 203–209
 dynamic/naturalistic, 220–224
 errors, 715–716
 experiential system, 557
 integrative model of, 192–195
 prospect theory, 556–557
 short-term memory, 556
 support for, 229–233
- Decision models, 1181–1182
- Decision support system (DSS), 502
- Declaration of Helsinki, 305
- Declarative knowledge, 1018
- Decomposition styles, 1466
- Deficiency needs, 557
- Degraded stimulus environments, 1425
- Degree of freedom (DOF):
 for manikins, 1063
 in virtual environments, 1084
- Degrees of automation, 1046
- Delphi technique, 162
- Demand–control model, 803
- Dementia/Alzheimer’s (DA), 1398, 1549–1550
- Dempster-Schafer method, 202–203
- Dependent (paired) t-test, 1162
- Dependent variables, 309
- Depersonalization, 805
- Deployment toxicology, 1142
- Depression, caused by occupational stress, 806–807
- Depth of field, 61
- Depth perception, 79–80, 119–121
 cues for, 79–80
 and illusions, 119, 120–121
 motion parallax, 80
 problems identifying, 120–121
 retinal disparity, 79
- size constancy, 80
 stereopsis, 79–80
 visual cues for, 120
- DeQuervain’s syndrome, 858
- DeQuervain’s tenosynovitis, 863
- Descriptive methods, 306–309
 and bias, 307
 case study, 308
 techniques employed, 307–308
 variables of, 307
- Descriptive statistics, 1157–1158
- Descriptive studies:
 cross-sectional, 307
 interviews in, 308
 questionnaires in, 308
 surveys in, 308
- Design. *See also specific types, e.g.:*
 Work design
 adaptation-oriented, 1468–1469
 between-subject, 311
 children, *see* Children, design for constraints and filters, 549
 as discipline, 548
 for diversity, 1459
 mixed-subject, 311
 multiple-group, 310
 participatory, 1454
 two-group, 310
 universal, 1389–1390, 1412–1414
 vehicle, 1550–1551
 within-subject, 311
- Designer error, 748–749
- Designer’s environment, 548, 549
- Design for All, 1459, 1461–1463
- Design integration, 24–25
- Design review, 1107
- Design sessions, 1453
- Deuteranopia, 70
- Development activities, 521
- Deviation concept, 683
- Dewey, John, 1449
- DHM, *see* Digital human modeling
- Diabetes mellitus, and driving performance, 1549
- Diaries, use in job analysis, 451
- Didactic training, 485, 490–491
- Diet, and work systems, 779
- Difference threshold, 55
- Differential Aptitude Tests, 466
- Differential work design, 404
- Digital human, *see* Manikins
- Digital human modeling (DHM), 1053–1074
 benefits of, 1070
 in CAE applications, 1071–1073
 case studies of, 1068–1070
 competence/contextual knowledge, 1065–1066
 development/growth of, 1056–1057
 ergonomics analysis applied to, 1062–1064
 future of, 1073
 history, 1054
 limitations/problems of, 1070–1071
 participatory ergonomics in, 1067–1068
 process/methods of, 1062–1063
 in product/production system development, 1057–1060
 vision analysis for, 1063–1064
- Digital human models, 1074
- Digital mock-up, 1074
- Dimensional overlap, 93
- Diminishing vigilance (hypovigilance), 1610
- DIN (German Standards Association), 1488–1489
- Direct communications, 895
- Directline, ASRS, 741
- Direct manipulation interfaces, 112
- Disabilities, design for people with, *see* Functional limitations, design for people with
- Disability, as consequence, 1388–1389
- “Disabled and elderly persons,” as category, 1388
- Discomfort, 547–548. *See also* Comfort
- Discontinuous operations, 766, 767
- Discriminant analysis, 1167–1168
- Discussion board communities, 1248
- Diseases:
 defined, 856
 and occupational health, 806–807
- Disorders, defined, 856
- Displays/display design, 1191–1219
 and abstraction hierarchy analysis, 1210–1211
 aesthetic approach to, 1200–1201
 attention-based approach to, 1203–1205
 and coherence, 1207–1208
 color affecting, 1198–1200
 in complex systems, 1217–1218
 configural displays, 1211–1213
 and correspondence, 1206–1209
 emissive displays, 1194–1195
 guidelines for, 1217
 integral displays, 1213–1214
 light affecting, 1198
 mapping in, 1208–1209, 1211–1214
 and mental workload, 261
 in motor vehicles, 1550–1551
 operating conditions affecting, 1214–1217
 for people with functional limitations, 1398–1402
 and perceived color contrast, 1200
 and perceived contrast, 1195–1198
 problem-solving and decision-making approach to, 1205–1206
 and proximity compatibility principle, 1204–1205
 psychophysical approach to, 1201–1203
 and Rasmussen’s abstraction hierarchy, 1206–1207
 reflective displays, 1192–1184
 representation-aiding approach to, 1206, 1209–1211, 1214–1217
 and separable dimensions, 1203–1204
 separable displays, 1211, 1212
 and situation awareness, 261
- Display proximity, 1204
- Displeasure, 547
- Distance learning, 486–487
- Distance training, 486–487
- Distractions, and driving performance, 1545–1548

- Distress, psychobiological affects of, 278
- Distributed mission training (DMT), 487, 1142–1145
- Distributed team training, 487
- Diversity:
cultural, 284
in unified user interface design, 1466–1467
- Divided attention, 114, 1429
- DMT, *see* Distributed mission training
- Documentation, readability of, 1411–1412
- DOF, *see* Degree of freedom
- Domain experts, 1452
- Dominance, 197
- Dopaminergic theory of positive affect, 546
- Dortmunder model, 829
- Dose–response model, 868
- Dosimeter, 619
- Double interact, 154
- Downsizing, effect of, on organizational health, 518
- Driving:
alcohol-impairment while, 1543–1544
automation concerns of, 1589
medical conditions affecting, 1548–1550
risky behaviors, 1541
sensation seeking while, 1541
while distracted, 1545
while drowsy, 1542–1543
while illicit-drug-impaired, 1544–1545
- Driving simulators, 483
- Drowsiness:
causes of, 1542–1543
and commercial vehicle operation, 1557
and driver performance, 1542–1543
- Dry heat exchange, 914
- DSML, 1472–1474
- DSS (decision support system), 502
- Dual-task performance:
applied to stimulus presentations, 1014
and mathematical models of human behavior, 1013–1014
- Duet washer and dryer, 549
- Dust, 934, 949–951
- Dynamic acuity, 67
- Dynamic decision making, 192
- Dynamic function allocation, 1581–1582
- Dynamic whole-body models, 829–832
- Dynamic work design, 404–405
- EAPs (employee assistance programs), 810–812
- Eardrum, 71
- E-business web sites, 1344–1360
accessibility, 1356–1359
case studies, 1345–1346
cost justification for, 1348–1350
design considerations for, 1350–1359
information-oriented, 1347–1348
and internationalization, 1355–1356
security of, 1354–1355
transaction-oriented, 1346–1347
trust/credibility of, 1351–1354
- ECDISs (electronic chart display and information systems), 1572
- Ecological interface design, 44, 1322
- Ecological (inferred) measures, 807
- E-commerce:
and information security, 1269–1270
websites for, 1318
- EEAM checklist, for auditing, 1120–1121
- EEG (electroencephalographic) measures, 256
- EF (executive function), bottleneck, 1366–1367
- Effective temperature, 917
- Effort–reward imbalance model, 803
- EHMPs (employee health management programs), 811
- eICU (remote ICU care), 1519
- Elbow, anatomy of, 866
- Elderly (older adults). *See also* Age/aging
attitudes of, 1435
as category, 1388
designing websites for, 1335
driving habits of, *see* Elderly drivers
and increasing population of, 1418, 1419
medical conditions of, *see specific conditions, e.g.:* Presbyopia
and technology use by, 1420
use of technology by, 1420
- Elderly drivers, 1554–1555, 1559–1561
and automotive adaptive equipment, 1561
declining abilities of, 1560
and intelligent transportation systems, 1561
and motion perception, 1424
Older Driver Highway Design Handbook, 1552
reduction/cessation of driving of, 1560
and traffic crashes, 1539–1540
traffic crashes caused by, 1559
- E-learning, 487, 1254–1257
courses, 1255
discipline/structure of, 1255–1257
student motivation, 1255
- Electric light sources, 648–652, 655
- Electroencephalographic measures, 256
- Electroencephalography (EEG), 1367–1368, 1371
- Electromagnetic fields (EMFs), 953–963
assessment methods, 959–962
computer-aided assessment of, 961–962
direct hazards of exposure to, 957–958
elimination/reduction of hazards from, 962–963
external measures, 960
indirect hazards of exposure to, 958–959
internal measures, 960
properties of, 953–956
radiation measurements of, 960–961
SI units used with, 956
sources of, 956
- Electronic chart display and information systems (ECDISs), 1572
- Electronic health care record case study (user interface design), 1478–1482
- Electronic medical record (EMR) system, 1529–1530
- Elementary tasks, 377, 379–380
- Elevators, 1390
- Emergent features, 1203–1204
- Emery, Fred, 277
- EMFs, *see* Electromagnetic fields
- Emissive displays, 1194–1195
- Emotions, 544–545, 567. *See also* Affective design
affect vs., 548
and cognition, 546, 567–568
of customers, 550
defined, 548, 554
and design for children, 1449, 1450
in marketing, 547
physiological responses to, 544–545
pleasures of the mind vs., 555
positive effect of, 546, 547
product emotion measurement instrument, 564
response to artifacts, 550
subjective ratings of, 562–564
subjective ratings of emotions, 562–565
- Empirical research:
analyses, 314
carryover effects, 311
case study, 312, 313
experimental plan, 310–312
methodological implications, 314
methods, 309–312
and representation, 313
selecting participants for, 310
variables in, 309
- Empirical statistical modeling, 1062
- Employee(s):
health and well-being of, 700. *See also* Job satisfaction
participation in workspaces, 286, 1530
- Employee Aptitude Survey, 466
- Employee assistance programs (EAPs), 810–812
- Employee health management programs (EHMPs), 811
- Employment security, 450–451
- EMR (electronic medical record) system, 1529–1530
- Encryption, of internet-accessed data, 1268–1269
- Enculturation, 492
- Endogenous clock, *see* Circadian variation
- Endowment effect, 557
- Enjoyment, pleasure vs., 548
- Environmental hazards:

- biological agents, 951–953
 chemical hazards, 684, 945–949
 dust, 949–951
 electromagnetic fields and radiation, 953–963
 Environmental stressors, 279–280
 Environmental support framework, 1432–1433
 Environment-level adaptation, 1460
 Epicondylitis, 858
 Epidemiological approach (to accident investigation), 1100–1102
 Epilepsy, 1398, 1549
 Episodic memory, 714, 1431–1433
 Equal energy rule, 614, 621
 Equal loudness contours, 72, 629
 Equity theory, 398–399
 Equivalent comfort contours, 593
 ERGO checklist, for auditing, 1120–1121
 Ergonomics. *See also* Human factors and ergonomics methodology (HFE); specific types, e.g.:
 Cultural ergonomics
 defined, 3, 4, 812
 history of, 3–4
 Ergonomics analysis, applied to digital human modeling, 1062–1064
 Ergonomics audit program (ERNAP), 1118–1121
 Ergonomics checkpoints, 1122
 Ergonomics guiding principles (ISO), 1489
Ergonomics Program Management Guidelines for Meatpacking Plants, 1510
Ergonomics Program Rule, 1510
 Ergonomics simulation, 1074
 ERG theory, Alderfer's, 388–389
 ERNAP checklist, 1120–1121
 ERPs (event-related potentials), 55
 Erroneous action, 710. *See also* Human error
 Error(s). *See also* specific types, e.g.:
 Medical errors
 cause of, 712
 by computer-interactive systems, 720–721
 levels of human performance
 affecting, 716–717
 possibility vs. probability of, 718
 predicting, 727
 taxonomy of, 722–733
 Error messages (web sites), 1330
 Error negativity, 756–757
 Error occurrence, 489
 Errors of commission, 723
 Errors of omission, 723, 747
 Error-tolerant systems, 40
 Error training, 488–489
 ESM (experience sampling method), 562
 Estimated vibration dose value (eVDV), 599
 ETs, *see* Event trees
 Ethnographic studies, for web user analysis, 1321
 EU Machinery Safety Directive, 600, 608
 EU Physical Agents Directive, 599, 600, 609
 European Committee for Standardisation, *see* Comité Européen de Normalisation (CEN)
 Eutactic behavior, affecting automation design, 1576–1577
 Evaluation methods, 312–314, 1337–1340
 Evaluation research, 312, 313
 EVDV (estimated vibration dose value), 599
 Event-based training, 486, 488
 Event-related potentials (ERPs), 55
 Event trees (ETs), 204–205, 727
 Evoked potentials, 256–257
 Exception, management by, 1578
 Execution regulation, 1609
 Executive function (EF) bottleneck, 1366–1367
 Exercise:
 effect of, on work systems, 779
 and human space flight, 939–940
 Expectancy, and attention, 114
 Experience sampling method (ESM), 562
 Experiential system, 557
 Experiential training, 485, 491
 Experimental control, 303–304
 Experimental designs, 310
 Experimental methods, *see* Empirical research
 Experimental plan, 310–312
 Experimentwise error, 1159
 Exposure (to chemical agents), 946
 Exposure action value, 600
 Exposure limit value, 600
 Expressive design logics, 159
 Extensible markup language (XML), 1322
 FA (factor analysis), 1176–1177
 FAA, *see* Federal Aviation Administration
 Face validity, 298
 Facial expressions, 564–565
 Factor analysis (FA), 1176–1177
 Factorial designs, 311
 False alarm, defined, 1003
 Fatigue:
 affecting commercial vehicle operations, 1557
 causing human error, 717
 and driver performance, 1542
 effect of, on work systems, 776–778
 and motivation and workload, 1610
 vibration, effects of, 598
 Fatigue-decreased proficiency limit, 598
 Fatigue monitoring technologies, 787
 Fault tree (FT), 727
 Fault tree analysis (for accident investigation), 1102
 Federal Aviation Administration (FAA):
 checklists used by, 1120–1121
 and inspection, 1107
 standards of, 1509
 Federal Highway Administration (FHA), standards of, 1509
 Federal Motor Carrier Safety Administration, 1558
 Feedback, 153–154, 1571
 Feedthrough, 596
 Feelings, 554. *See also* Affective design; Emotions
 FFM, *see* Five-factor model of personality
 FHA (Federal Highway Administration), standards of, 1509
 Field-of-view (FOV) function, 1059, 1063–1064
 Figurative language, and comprehension, 1434–1435
 File access control, 1266–1267
 Firewall configuration, 1267–1268
 First industrial revolution, 1597
 First-principle models, 970
 Fit mapping, 322, 334–335
 Fitness-for-duty screeners, 787
 Fit principle, of societal ergonomics, 284
 Fitts, Paul M., 89
 Fitts' law, 89, 99–100, 139
 and HF/E, 292–293
 and human-computer interaction, 292–293
 and mathematical models, 1015–1017
 Fitts' List, 1580–1581
 Five-factor model of personality (FFM, Big Five), 463–464, 466
 Flat panel visual displays, ISO standards for, 1492
 Flexible hours, defined, 764
 Flexible office, 583, 584
 Flexible production systems, 276
 Flextime, 408
 Flicker, 68
 effect of, 660
 eliminating, 662
 luminous flux and, 644, 645, 655
 Flight management systems (FMS), 37–38
 and human-interactive computers, 1034–1035
 problems with, 748
 Flight simulators, 483
 Flow, theory of, 555–556
 Flowcharts, 1181
 Flow diagrams, 452
 fMRI (functional magnetic resonance imaging), 546
 FMS, *see* Flight management systems
 fNIR (functional near-infrared sensors), 1368
 Focused attention, 115
 Focus groups, for web user analysis, 1320–1321
 Focusing system, 61–62
 Follow-up sampling, 307
 Food, for human space flight, 936–939
 Force control, and design for aging, 1428
 Ford BeltMinder, 1555, 1556
 Forearm, anatomy of, 866
 Formal operations stage, 1450
 Formative studies, *see* Problem-discovery studies

- Forssman, S., 3
 Forum communities, 1248
 4D WATBAK, 1055
 Fovea, 62, 651
 Fractionation, 103
 Frames (web sites), 1329
 France, QWL program in, 419–420
 Free address office, 583–584
 Free flight, 539
 Frequency bias, 746
 Frequency ratings, 592–593
 Frequency theory, 73
 Friedman test, 1166
 FT (fault tree), 727
 Full cycle, defined, 764
 Functionability testing, 1107
 Functional analyses, 313
 Functional dependency, 380
 Functionality:
 affective design, 552–553
 continuum of, 1387
 Functional limitations, design for
 people with, 1387–1414
 assistive technologies (list), 1394
 category of “disabled and elderly
 persons,” 1388
 cognitive/language impairments,
 1397–1398
 and continuum of functionality, 1387
 demographics of, 1390–1393
 and disability as consequence,
 1388–1389
 documentation, readability of,
 1411–1412
 hearing impairments, 1395–1396
 and incidence of disability in
 population, 1387
 input/controls, 1402–1409
 manipulations, 1409–1411
 multiple impairments, people with,
 1398
 and multiplier effect, 1387–1388
 and 95th percentile illusion, 1388
 output/displays, 1398–1402
 physical impairments, 1396–1397
 research results, 1391–1392
 safety issues, 1412
 seizure disorders, people with, 1398
 universal design, 1389–1390,
 1412–1414
 and user characteristics, 1391
 visual impairments, 1395
 Function allocation, 45
 Functional magnetic resonance
 imaging (fMRI), 546
 Functional near-infrared sensors
 (fNIR), 1368
 Functional theory of group
 communication, 162–163
 “Fuzzy” logic/control/decision support
 systems, 1036

 Game-based training, 483, 486
 Ganglion, 858
 GE, *see* General Electric
 Gemini space program, 936
 GEMS model, 693
 Gender:
 and communication, 157–158
 as factor in manual materials
 handling, 820
 as factor in traffic crashes,
 1539–1540
 and work systems, 780
 General Electric (GE):
 design principles incorporated by,
 524
 organizational design case study on,
 519, 522–524
 Work-Out, 521, 523–524
 Generic measures, 1152
 Geniculostriate pathway, 64
 German Standards Association (DIN),
 1488–1489
 Gestalt features, 553–554
 Gestalt psychology, 76, 122, 124
 Gilbreth, Frank Bunker, 376–377
 Glare:
 and design for aging, 1423–1424
 nighttime visibility vs., 1551
 Glaucoma, 663
 Globalization, 177–178
 Global positioning (GPS) technology,
 1546–1547, 1570
 Global site design, 1328–1329
 Goal-directed task analysis, 535, 536
 Goals–means task analysis, 380–381
 Goal-setting theory, 399–401
 GOMS model, 376–377, 379
 GPS (global positioning) technology,
 1546–1547
 Graceful degradation, in automation,
 1572
 Grading, 335
 Grandjean, E., 3, 4
 Grand mal seizures, 1398
 Graphics design, for websites, 1318
 Graphic display design, heuristics for,
 1217
 Gratings, 1195
 Gravity, as factor in space flight, 929
 Great Britain, QWL program in, 420
 Group communication, 161–164
 functional theory for, 162–163
 skills for, 162
 structuration theory for, 163–164
 Group decision making, 192
 Group maintenance roles, 162
 Group process gains, 161
 Group process losses, 161
 Group task analysis, 1319
 Group task roles, 162
 Groupthink, 161, 227, 439, 519
 Group work, 1618
 Guest book communities, 1247
 Guided search model, 115
 Gustation system, 76
 Guyon tunnel syndrome, 860

 Habitability architecture, 934
 Hackman and Oldham’s job
 characteristics model, 390–392
 HADRIAN, 1060–1061
 Hamburg legal authority, HdA case
 study on, 415
 Hand, anatomy of, 866–867
 Hand activity level, 874
 Hand-transmitted vibration, 590, 592,
 604–609
 articular disorders, 606
 EU Machinery Safety Directive, 608
 EU Physical Agents Directive, 609
 frequency weighting, 607
 ISO 5349, 608
 muscular effects, 606
 neurological disorders, 606
 preventative measures for, 606–607
 sources of, 604, 605
 vascular disorders, 604
 vibration-induced white fingers,
 604–605
 vibration measurement, 607
 Haptics, 76
 Haptic displays, for virtual
 environments, 1083
 Harmful work, 3
 Harmonics, 72
 Harvard Medical Practice, 709
 Hazard(s), 897–901. *See also* Adverse
 events; Warnings
 administrative controls for, 913
 ANSI standards for, 897–898
 biological agents, 951–953
 chemical, 684, 945–949
 and children, 1450–1451
 and deviations, 684–686
 dust, 949–951
 electromagnetic fields and radiation,
 953–963
 engineering controls for, 913
 health (table), 684
 in health care, 1519
 indicators of, 690, 691
 perception of, 690–691
 personal protective equipment for
 controlling, 913
 as term, 946
 Hazard and operability studies
 (HAZOPS), 688
 Hazard avoidance, and design for
 children, 1450–1451
 Hazard connotation, 897–898
 Hazard control hierarchy, 889–890
 Hazard information, 899
 Hazardous chemical agents, 946. *See*
 also Chemical agents
 Hazards and effects management
 (HEM), 686–690
 HAZOPS (hazard and operability
 studies), 688
 HCI (human–computer interaction),
 292–293, 1152
 HCP (Hearing Conservation Program),
 see Hearing Conservation
 Program
 HdA (Humanization of Working Life),
 see Humanization of Working
 Life
 Head injuries, design for people with,
 1396–1397
 Headlights, 1551
 Head-mounted displays, 1081
 Head-related transfer function (HRTF),
 1083
 Health:
 definition of, 1622
 and design for children, 1450–1451
 effects of automation on, 1576
 of employees, 700

- Health: (*continued*)
 sound, effected by, 629
 vibration, effects of, 598–600
 workplace layout, effected by, 583
- Health, safety, and environmental (HSE) management, 673
- Health and Safety Executive, 684
- Health and safety management:
 factors affecting, 677
 leadership role in, 677–680
 and safety culture/climate, 680–682
 scope and dimensions of, 675–676
- Health care providers, selection of, 844
- Health care systems. *See also related topics, e.g.:* Medical errors
 end users of, 1520–1522
 and human/medical error, 1531–1532
 incident reporting systems for, 744
 integration/standardization lack in, 1520
 occupations/professions of, 1517–1518
 and patient safety, 1531
 segments of, 1517
 and system complexity, 1518–1520
 system design, 1520–1521
 teamwork in, 1525, 1527
 working system model for, 1523
- Health education, 810
- Health hazards, table, 684
- Health services systems, *see* Health care
- Hearing, *see* Audition
- Hearing aids, 639
- Hearing Conservation Program (HCP), 622–625
 audiometric testing program of, 623
 components of, 623
 hearing protection devices and, 624–625
 monitoring by, 623
 record system of, 623–624
 training program, 623–624
- Hearing impairments:
 design for people with, 1394–1396
 and web sites, 1357
- Hearing loss, 1612. *See also* noise-induced hearing loss
- Hearing protection device (HPD), 624–625, 639
- Heart rate (HR), measurement of, 915
- Heat exchange, 914
- Heat stress, 914
- Heat stress index (HSI), 917
- Hedonic benefits, 568
- Hedonic penalties, 568
- Hedonic tones, 555
- Hegel, Georg Wilhelm Friedrich, 33
- HEIST, *see* Human error identification in systems technique
- Helicotrema, 71
- HEM (hazards and effects management), 686–690
- HEP, *see* Human error probability
- Herzberg's two-factor theory, 389–390
- HFACS, *see* Human Factors and Analysis and Classification System
- HFE, *see* Human factors and ergonomics methodology
- Hick-Hyman Law, 90–91
- HICs, *see* Human-interactive computers
- Hierarchical task analysis (HTA), 378–379, 726–727
- Hierarchies, 1182
- Hierarchy of needs, 557–558
- High-context cultures, 158
- Highlighting technique, 116
- High-proximity displays, 123
- Hindsight bias, 746, 754
- HIS (human-interactive system), 1027
- Hit (web sites), defined, 1003
- HMI, *see* Human-machine interface
- Hogan Personality Survey, 466
- Holistic features, 553–554
- Holistic HRM system, 699
- Holistic production systems, 1600–1603
- Homeostatic needs, 548
- Home page, design of, 1330–1331
- Honeymoon effect, 450
- Hospitals, human errors in, 709–710. *See also* Medical errors
- Hospital-computerized physician order-entry (CPOE), errors in, 720
- HPA (hypothalamic-pituitary-adrenal cortex), and stress, 805
- HPD, *see* Hearing protection device
- HRA (human reliability analysis), 732
- HR (heart rate), measurement of, 915
- HR (human resource) systems, 698
- HRM systems, 697–699. *See also* Human resource management systems
- HRTF (head-related transfer function), 1083
- HSE (health, safety, and environmental) management, 673
- HSI (heat stress index), 917
- HTA, *see* Hierarchical task analysis
- Human-automation interaction, 1580–1587
 and dynamic function allocation, 1581–1582
 and Fitt's List, 1580–1581
 matching automation to human performance, 1582–1583
 and mental models, 1585–1586
 and multimodal feedback, 1584–1585
 and representation aiding, 1583–1584
- Human behavior/performance. *See also* Mathematical models of human behavior
 approaches to describing, 112–114
 knowledge-based behavior, 135
 rule-based behavior, 135
 skilled-based behavior, 135
- Human capability, 1609–1610
- Human capacity data, for lifting, 833–834
- Human-centered automation, 1046–1049
- Human-compatible systems, 12
- Human-computer interaction (HCI), 1152, 1617–1618
 and Fitt's Law, 292–293
 and user interface interaction, 1459–1461
- Human criteria, 300
- Human error(s), 528, 708–757
 affective factors for, 718
 in automation, 746–751
 barriers to, 720–721
 in commercial aviation, 748
 in community ergonomics, 281
 context of, 718–720
 cultural factors affecting, 752–754
 data for, 737–739
 defining, 710–711
 different modes of, 683
 in health care industry, 1531–1532. *See also* Medical errors
 in hospitals, 709–710
 and human fallibility, 711, 713–718
 incident reporting systems for, 737, 739–746
 investigating, 754–756
 in maintenance activities, 751–752
 minimization of, 756–757
 modeling framework for, 711–713
 perspectives on, 708–709
 predicting, 723, 727, 728. *See also* Technique for human error rate prediction
 quantifying, 727, 732–737
 and situation-awareness, 528
 SLIM-MAUD for, 736–737
 and supervisory control, 1042
 wrong-site surgery, 721–722
- Human error identification in systems technique (HEIST), 727, 729–732
- Human error probability (HEP), 727. *See also specific types, e.g.:* Joint HEPs
- Human factors:
 aim of, 374. *See also* Human factors and ergonomics methodology
 defined, 32, 150
- Human Factors and Analysis and Classification System (HFACS), 1103–1104
- Human factors and ergonomics methodology (HFE), 292–319
 and acceptability, 303
 between-subject designs, 311
 case study, 302–303
 control in, 299
 data collection, 302
 defined, 292
 descriptive methods, 306–309
 empirical research methods, 309–312
 evaluation methods, 312–314
 and experimental control, 303–304
 factorial designs, 311
 goals of, 293
 history of, 1026
 and human limitations, 303
 human research participants, 305–306
 and intrusiveness, 296–303
 methodological constraints, 296–303
 method selection, 293, 296, 314
 and objective method, 300

- and objectivity, 300–301
- operational methods, 306
- practical concerns for, 296–303
- problem definition, 293, 295
- psychometric concerns for, 297–303
- and reliability, 297–299
- and representative environments, 303–304
- and representativeness, 299–302
- research process, 293–306
- and resources, 303
- and task complexity, 302–303
- theory, 304–305
- and utility, 303
- and validity, 297–299
- within-subject designs, 311
- Human factors engineering, 32–48
- Human fallibility, 711–718. *See also* Human error
- Human information processing, 713–714, 892
- Human-integrated systems, 292
- Human-interactive computers (HICs), 1027, 1029–1030, 1034–1035
- Human-interactive system (HIS), 1027
- Human interface activities, designing, 169
- Humanization:
 - and automation, 1600
 - and rationalization, 1604
- Humanization of work, 417–421
 - employee participation, 417–418
 - Humanization of Working Life, 410–417
 - QWL Programs, 418–420
- Humanization of Working Life (HdA), 410–417
 - Bosch, case study, 414
 - goals of, 411–412
 - Hamburg legal authority, case study, 415
 - Peiner AG, case study, 415–417
 - quantitative analysis of, 412–413
 - total branch, case study, 415
 - Volkswagen, case study, 414–415
- Human limitations, and HF/E, 303
- Human-machine interaction, 53, 375
- Human-machine interface (HMI), 1538–1539, 1617–1618
- Human-machine systems, 7, 37–39
- Human models, *see* Manikins
- Human modeling, *see* Digital human modeling
- Human-oriented work design, 1603–1618
- Human performance modeling, 967–994
 - and ACT-R, 983–987
 - and AMBR, 987–989
 - integrating approaches to, 993–994
 - performance measures for, 969–970
 - problems applied to, 969
 - questions for, 969
 - sample applications for, 994
 - and simulation models, 970–983
 - and task network models, 971–983
- Human reliability, 39–41
- Human reliability analysis (HRA), 732
- Human research participants, 305–306
- Human resource management (HRM) systems, 697–699, 1620–1623
 - age as factor in, 1620–1621
 - new concepts/frameworks of, 698
- Human resource planning, 25
- Human resource (HR) systems, 698
- Human rights principal, 285
- Human simulation software, 1062, 1066. *See also* Manikin software
- Human space flight, 929–943
 - and anthropometry/biomechanics, 930–932
 - architecture for, 934–936
 - astronaut selection for, 942–943
 - atmosphere for, 932
 - and crew time, 930
 - and duration of mission, 930
 - and dust/debris, 934
 - environmental factors in, 931–934
 - and exercise, 939–940
 - and food, 936–939
 - lighting for, 933–934, 936, 941–942
 - and mission constraints, 929–930
 - and noise, 932–933
 - and personal hygiene, 939
 - and recreation, 940
 - restraints for, 941
 - and sleep, 936, 937, 941–942
 - unique factors in, 929–930
 - vehicle maintenance during, 940–941
 - water for, 932
- Human strong points, concept of, 406
- Human-system augmentation, 1369–1372
- Human-system interaction, ISO standards for, 1490–1492
- Human-system interface technology, 25–26
- Hyperabduction syndrome, 859
- Hyperacusis, 628
- Hypercolumn, 65
- Hyperventilation, 925
- Hypothalamic-pituitary-adrenal cortex (HPA), and stress, 805
- Hypovigilance (diminishing vigilance), 1610
- Identification acuity, 67
- Identity, in online communities, 1252
- IEA, *see* International Ergonomics Association
- IEA checklists, for audits, 1117
- Ignition interlock systems, 1544
- Illuminance meter, 647
- Illumination, 66, 643–666
 - approaches to improving, 661, 662
 - circadian system and, 664–665
 - color discrimination and, 655, 656
 - colorimetric measurement of, 644–647
 - contrast sensitivity and, 654
 - and CRT monitors, 1194–1195
 - definition of, 643
 - and design for aging, 1423–1424
 - distribution control, 648, 649
 - from electric light sources, 648, 649
 - flicker, effect of, 660–661
 - glare, effect of, 660–661
 - human psychology and, 664, 665
 - illuminance, 644
- instrumentation for measurement of, 646–647
- luminance, 644
- luminous flux, 644, 645
- luminous intensity, 644
- measurement of, 644–647
- from natural sources, 648, 649
- output control of, 649, 650
- performance and productivity of, 658, 659
- photometric measurement of, 644, 645
- and physiology of visual system, 650–653, 663–666
- radiant flux, 644
- reflectance, 645
- of reflective displays, 1193
- relative visual performance model, 657
- retinal, 653
- shadows, effect of, 660–661
- and suprathreshold visual performance, 656–659
- symptoms of discomfort, 659–660
- temporal fluctuation of, 644, 645
- temporal sensitivity and, 654–655
- and threshold visual performance, 653–656
- veiling reflections, effect of, 660–661
- and visual acuity, 653–655
- visual performance, 661, 662
- visual search, 657–658
- Illusions, 118–119
 - Muller-Lyer illusion, 119
 - Poggendorf illusion, 119
- ILO (International Labor Organization), 1499
- ILO-OSH (International Labor Organization guidelines for occupational safety and health management systems), 1499–1500
- Immersive graphic environments, 1248
- Immune response, and stress, 805
- Inattention, and driver performance, 1542
- Incident, 737. *See also* Accident investigation
- Incident reporting systems (IRSs), 737
 - data input for, 740
 - for human error(s), 737, 739–746
 - limitations of, 744–746
 - for medical use, 744
- Independent processing, 1204
- Independent t-test, 1162
- Independent variables, 309
- Index of difficulty, 1015
- Indication, 1109
- Indirect communications, 895
- Individual cultural training strategies, 490–491
- Individualism-collectivism, 752
- Indoor work systems, lighting standards for, 1494
- Induced motion, 82
- Industrial democracy, 273. *See also* Quality of working life (QWL) programs
- Industrial design and aesthetics, 553–554

- Industrial design and aesthetics, (*continued*)
 and familiarity, 554
 and gestalt features, 553–554
 and holistic features, 553–554
 and information value, 554
 and product semantics, 553
 symbolic association, 553
- Industrial ergonomics, 25
- Industrialization, 1598
- Industrial revolutions, 1597–1598
- Inferred (ecological) measures, 807
- Infiltrating macrophages, 870
- Inflammation, 870
- Information:
 redundant, 1430
 on websites, 1325–1334
- Information acquisition automation, 1577
- Informational roles, 160
- Information analysis, 1577
- Information architecture, of websites, 1318
- Information design, for websites, 1318
- Information gap, 529
- Information–integration theory, 216
- Information junkyards, 1253
- Information processing, 111–142. *See also* Learning
 and action selection, 134–140
 analog compatibility and, 121–122
 approaches to, 112–114
 choice complexity in, 135–136
 cognitive engineering/ergonomic approach to, 113
 cognitive factors in, 125–126
 concurrent processing, 141
 contextual factors, 118
 and continuous control, 139
 and decision-making errors, 715–716
 detection, 116–117
 direct manipulation interfaces, 112
 and discriminability, 139
 and discrimination, 115
 display organization, role of, 122–125
 with dynamic displays, 121–122
 ecological approach to, 112
 errors in, 139–140
 and expectancy, 118
 and feedback, 139
 and focused attention, 115
 and HEIST, 729–732
 identification, 118
 illusions and, 118–119
 information selection for, 114–116
 mental models, role of, 121–122
 in multiple-task performance, 140–141
 naturalistic decision making and, 112
 parallel processing, 140
 and perception, 116–125
 perceptual modality, 141
 perceptual organization, role of, 122–125
 and practice, 136
 and probability, 136
 problem solving, 132–134
 processing code, 141
 processing stage, 141
 proximity compatibility and, 122–125
 response time, 136
 and selective attention, 114–115
 serial processing, 140–141
 situation awareness, 127–128
 spatial awareness/navigation, 130–132
 and spatial compatibility, 136–138
 and speed of response, 134–135
 stage approach to, 112
 and task demand, 141
 task similarity, 141
 and task structure, 141
 text/language processing, 128–129
 3D distance/size, 119–121
 tracking, 127–128
 2D position/extent, 118–119
 and visual search, 115–116
 visual subsystems, 141
 voice options, 138–139
 and working memory, 126–128
- Information-processing model, 114
- Information security, 1262–1274
 auditing/logging, 1270–1271
 and e-commerce transactions, 1269–1270
 and encryption, 1268–1269
 and file access control, 1266–1267
 and firewall configuration, 1267–1268
 implications of, 1272
 and intrusion detection, 1271–1272
 and password entry, 1264–1265
 security breaches in, 1263–1264
 solutions for, 1272–1274
 taxonomy of, 1264
 and third-party authentication, 1265–1266
 usability design flaws of, 1264–1265
 and web server configuration, 1267
- Information sources, for usability testing, 1310
- Information theory:
 applications of, 1004–1005
 and search and decision components, 1012–1013
 and signal detection theory, 1012
- Information value, 554
- Information visualization system, 751
- Infrastructure-based ITSs, 1553
- Inputs, 1402–1409
- Input-correlated error, 596
- Insensible heat exchange, 914
- Inspection:
 for auditing, 1106–1110
 types of, 1107
- Inspection tasks:
 and mathematical models of human behavior, 1010–1013
 signal detection theory applied to, 1004
- Institute of Medicine:
 and medical error, 744
 and teamwork recommendation, 1525
- Institutional review board (IRB), 305
- Instructional strategies, 483–492
 attribution training, 485, 490
 collaborative learning, 484, 488
 cross-training, 484
 cultural training strategies, 485, 490–491
 decision support systems and, 502
 didactic training, 485, 490–491
 distance learning/training, 484, 486–487
 distributed mission training, 487
 distributed team training, 485, 487
 E-learning, 484, 487
 error training, 484, 488–489
 experiential training, 485, 491
 internationalization-based strategies, 490
 learner control, 484, 487
 on-the-job training, 484, 489–490
 role-playing, 485, 486, 492
 scenario-based training, 484, 488
 self-correction training, 485
 simulation-based training/games, 483–484, 486, 491, 493
 stress exposure training, 484, 489
 team building, 485, 492
 team leader training, 485, 491–492
- Instructional systems development (ISD) model, 474–503
 components of, 474–475
 steps for, 475–476
- Integral displays, 1213–1214
- Integral stimulus dimensions, 1203–1204
- Intellectual activity, 554
- Intellectual development, and children, 1451
- Intelligence, tacit vs. practical, 462–463
- Intelligent interfaces, 1556–1557
- Intelligent monitoring, 40
- Intelligent transportation systems (ITSs), 1538, 1539, 1553–1557, 1561
- Intelligent tutoring system (ITS), 502–503
- Interactive Audio Special Interest Group, 1081–1082
- Interactive complexity, 719
- Intercoders, 1180–1181
- Interface design, 46–47
- Intermodality, 603
- Internal referencing strategy, 494
- International Ergonomics Association (IEA), 4, 26–27
- Internationalization, 177–189, 490, 1355–1356
- International Labor Organization (ILO), 1499
- International Labor Organization guidelines for occupational safety and health management systems (ILO-OSH), 1499–1500
- International Organization for Standardization (ISO), *see* ISO
- International Space Station (ISS), 930, 933–934, 938–939
- International Standard 2631, 598, 599–600
- Internet, *see specific related topics, e.g.:* Web site(s)

- Internet2, 1085
 Interpersonal competence, 446
 Interpersonal roles, 160
 Interposition, 120
 Intersection design, 1552
 Intervention, 808–809
 Intervention orientation, 272
 Interviews:
 in affective and pleasurable design, 563–564
 for auditing, 1122–1123
 in descriptive studies, 308
 for web user analysis, 1320
 Interview-based audit system, 1122–1123
 Intra-active touch, 76
 Intramodality, 603
 Intrusions, 723
 Intrusion detection, 1271–1272
 Intrusion detection systems (IDS), 1271–1272
 In-vehicle information system (IVIS), 1553
 In-vehicle workload manager, 1553
 Inventories, 451
 IQ, 1397
 IRB (institutional review board), 305
 Irregular operation, 770
 Irrelevant probe paradigm, 256
 IRSS, *see* Incident reporting systems
 ISD model, *see* Instructional systems development model
 ISO (International Organization for Standardization):
 history of, 1488
 and Vienna Agreement, 1495
 ISO 2631, 598
 ISO 5349, 608
 ISO 7731–1986(E), 634–636
 ISO 9000–2000 (quality management standards), 1513–1515
 ISO/IEC 17025, 946
 ISO standards, for ergonomics, 1488–1494
 for anthropometry/biomechanics, 1489–1490
 for control centers, 1492
 for controls/signaling methods, 1491
 for flat panel visual displays, 1492
 for human–system interaction, 1490–1492
 for lighting of indoor work systems, 1494
 and mental saturation, 1610
 for mental workload, 1489
 for noisy environments, 1493–1494
 for physical environments, 1492–1494
 for software ergonomics, 1492
 for thermal environments, 1492–1493
 for visual displays, 1491–1492, 1550–1551
 for visual display terminals, 1491
 Iso-strain jobs, 803
 ISS, *see* International Space Station
 ITS, *see* Intelligent tutoring system
 ITSS, *see* Intelligent transportation systems
 IVIS (in-vehicle information system), 1553
 Jack manikin, 1068–1069
 Jastrezebowski, B. W., 3
 JCAHO (Joint Commission on Accreditation of Healthcare Organizations), and wrong-site surgery, 721, 722
 JIT (just-in-time), 1601
 Job aids, 499–503
 decision making/coaching, 499–500
 decision support systems, 502
 development of, 500
 informational, 499
 intelligent tutoring systems, 502–503
 manuals, 500, 502
 procedural, 499
 training, 500
 usage of, 500
 Job analysis, 25, 460–461, 477
 methods for, 451
 procedures, for WMSD, 882–883
 Job characteristics model, 390–392
 Job control, 812–813
 Job design, 46, 428–434, 440–445, 449–453. *See also* Job redesign
 advantages/disadvantages of, 430
 approaches, trade-offs among, 443, 444–445
 biological approach, 430, 434
 data source choosing for, 450
 definition of, 428
 examples of, 452–453
 importance of, 428–429
 job analysis and, 451
 linkage analysis, 452
 long-term effects of, 450–451
 measurement/evaluation of, 449–454
 mechanistic approach, 429–432
 motivational approach, 430, 432–433, 441
 for MSD prevention, 877
 for occupational health, 803–805
 perceptual/motor approach, 430, 433–434
 potential biases of, 450–451
 procedures, 440
 questionnaire usage for, 449–450
 resistance to change and, 442–443
 steps for, 441
 strategic choices for, 441–442
 task combination methods, 443, 444
 time and motion analysis, 452
 variance analysis and, 451–452
 worker differences and, 441
 Job Diagnostic Survey, 391–392
 Job enlargement, 407
 Job enrichment, 407
 Job redesign:
 for MSD prevention, 877
 strategy for, 812–813
 Job rotation, 407
 Job satisfaction, 700
 effects of automation on, 1576
 product satisfaction vs., 551
 and stress, 805–806
 Job severity index (JSI), 840–843
 Job sharing, 409
 Job strain situation, 803
 Job stress, 277–279
 Job surveys, for WMSDs, 881
 John F. Kennedy Airport, 153
 Joint cognitive systems, 373
 Joint Commission on Accreditation of Healthcare Organizations (JCAHO), and wrong-site surgery, 721, 722
 Joint HEPs, 734
 Joint-optimization principle, 274
 Judgment bias, 746
 Junkyards, information, 1253
 Just-in-time (JIT), 1601
 Kansei engineering, 559–560
 Kelley's attribution theory, 401–402
 Keyhole property, 749
 Kinetospheres, 581
 Kirkpatrick's Typology and Beyond, 494–497
 crew resource management and, 495
 criterion of, 494–495
 learning phase divisions of, 496–497
 outcomes of, 495–496
 Kneeling/balance chair, 577
 Knowledge, skills, abilities, and other characteristics, *see* KSAOs
 Knowledge, skills, and attitudes, *see* KSAs
 Knowledge-based behavior, 135
 and supervisory control, 1029
 of web users, 1221
 Knowledge-based errors, 140
 Knowledge capital approach, 1137–1139
 Knowledge elicitation, for web site(s), 1319–1320. *See also* "Understanding the user"
 Knowledge mapping, 205
 Knowledge of performance, 104
 Knowledge of results (KR), 104–105
 Kozlowsky and Salas's framework, 473–474
 KR (knowledge of results), 104–105
 Krippendorff's alpha, 1181
 Kruskal–Wallis test, 1165–1166
 KSAs (knowledge, skills, and attitudes), 467, 473, 477, 482, 486, 494, 496
 requirements for teamwork, 446
 team design and, 435
 teamwork and, 446–448
 teamwork test, example from, 447
 KSAOs (knowledge, skills, and attitudes), and other characteristics, 460–461
 Kyphotic spine, 577
 Labor unions:
 and employee mental health, 515
 and LBP reduction, 844–845
 Language, and design for aging, 1434–1435
 Language impairments, design for people with, 1397–1398
 Large Scale Networking (LSN) Coordinating Group, 1085
 Latent errors, 749, 1531–1532
 Latent semantic analysis, of web sites, 1322

- Lateralized readiness potential, 100
 Layoffs, effect of, on organizational health, 518
 L cone, 1198
 Lean management, 1621
 Learning, *see* Training/training systems
 Learning disabilities, design for people with, 1398
 Learning organization, 517
 Legally blind (term), 1395
 Lehman, G., 3
 Level-dependent augmented HPDs, 639
 Levels of human performance, 716–717
 Lewin, Kurt, 277, 285–286
 Lexigraphic ordering principle, 197
 Life-cycle costing, 1134
 Lifting index (LI), 838–839
 Light. *See also* Illumination and circadian desynchronization, 773–774 and display design, 1198
 Light adaptation, and design for aging, 1424
 Lighting. *See also* Illumination for human space flight, 933–934, 936, 941–942 of indoor work systems, 1494 ISO standards for, 1494 standards for Indoor work systems, 1494 in working environment, 1611–1612
 Lightness, 66–67
 Light therapy, 664–665
 Likelihood alarms, 117
 Likeness, of manikins, 1056–1057
 Linear regression, 1171–1173
 Line-of-sight ambiguity, 121
 Link, Edwin, 1032
 Links, 452
 Linkage analysis, 452
 Listserv communities, 1248
 Literature tables, 1182
 LMWL (local muscular workload), standards for, 1490
 Loads, manual handling of, 1616, 1617. *See also* Manual materials handling
 Localization, 177–178, 1425
 Local muscular workload (LMWL), standards for, 1490
 Loci, 1028–1030
 Locke's goal-setting theory, 399–401
 Locomotion, and design for aging, 1427
 Locus-of-slack logic, 1014
 Logging, information security, 1270–1271
 Logo (programming language), 1448
 Lombard reflex, 636
 Longitudinal studies, 307
 Long-term memory (LTM): and human error, 713, 714–715 and situation awareness, 247
 Long-term working memory (LTWM), 248
 Lordotic spine, 577
 Lou Gehrig's disease, design for people with, 1397
 Lower back disorders (LBDs): caused by manual materials handling, 818 costs of, 818–819 prevention/reduction of, 840–844 psychosocial/individual risk factors for, 821 work-related risk factors for, 820
 Lower back pain (LBP): caused by manual materials handling, 818 epidemiology/etiology of, 819–820 psychosocial/individual risk factors for, 821 work-related risk factors for, 820
 Low-proximity displays, 123
 Low-strain jobs, 803
 LSN (Large Scale Networking) Coordinating Group, 1085
 LTWM (long-term working memory), 248
 Luddites, 1570, 1590
 Lumbar kyphosis, 577
 Lumbar motion monitor, 831
 Luminance, 66, 644, 645, 653, 1193. *See also* Illumination
 Luminance contrast, 653, 654
 Luminance meter, 647
 Luminous flux, 644, 645, 655
 Luminous intensity, 644, 645
 Lurking, in online communities, 1251
 McClelland's theory of acquired needs, 392–393
 McGregor's x- and y-theory, 389
 Machinery: EU Machinery Safety Directive, 600, 608 safety, 600
 Machine tools, ANSI standards for, 1512–1513
 Macroergonomics, 4, 274–275, 277, 286. *See also* Organizational ergonomics
 Macrorecognition, 1580
 Macular degeneration, 663
 Magnocellular pathway, 64
 Maintenance: human errors in, 751–752 during human space flight, 940–941
 Management by consent, 1578
 Management by exception, 1578
 Management by objectives (MBO), 401
 Management integration, 25
 Management Interest Inventory, 466
 Management of meaning, 154–155
Management of Work-Related Musculoskeletal Disorders (MSD), 1511
 Management oversight and risk tree (MORT), 689, 755, 1102–1103
 Management systems, and occupational health, 803–804
 Manikins, 1056–1057. *See also* Digital human modeling (DHM) biomechanics of, 1061–1062 boundary, 1068 defined, 1074 degree of freedom for, 1063 for ergonomic analysis, 1062–1063 Jack manikin, 1068–1069 manipulating, 1063 standardizing, 1064
 Manikin software, 1062 defined, 1074 limits of, 1059–1060
 Manipulations, for people with functional limitations, 1409–1411
 Mannequin/manequin, *see* Manikins
 MANOVA (multivariate ANOVA) test, 1165
 Manuals, 500, 502
 Manual control: task variables and, 596, 597 vibration effects of, 596–598 vibration variables and, 597–598
 Manual handling, of loads, 1616, 1617
 Manual materials handling (MMH), 818–847 and low back disorders, 818–821, 840–844 research needs of, 845–846 standards for, 846 training for, 846
 Manual materials handling design, 821–833 biomechanical approach to, 827–832 and human capacity data for lifting, 833–834 and NIOSH lifting equation, 834–840 physiological approach to, 825–827 psychophysical approach to, 824–825
 Manual materials handling model, 822
 Manufacturing, HF/E concerns of: defined, 1597 and holistic production systems, 1600–1603 and human-oriented work design, 1603–1618 and human resource management, 1620–1623 organizational development for, 1618–1620
 Maps, 1181
 Mapping, in display design, 1208–1209, 1211–1214
 Marijuana, and driving performance, 1545
 Marine transportation, *see* Motor vehicle transportation, HF/E factors in
 Marketing: affective design in, 547 emotions in, 547
 Mars day circadian entrainment, 942
 Masking, 631–634, 639–640 with broadband noise, 633 cochlear distortion, 632 critical band masking, 633–634 direct, 639 special considerations for, 632 upward spread of, 632–633
 Masking thresholds, 631–632, 635
 Maslow's hierarchy of needs, 386–388
 Material safety data sheets (MSDSs), 948

- Mathematical models of human behavior, 997–1021
 activity network models, 999–1002
 applied to automated inspection, 1013
 and digital human modeling, 1062
 and dual-task performance, 1013–1014
 information theory applied to, 1004–1005
 and inspection tasks, 1010–1013
 and memory search, 1008–1009
 and OP diagrams, 1001
 and psychomotor processes, 1014–1018
 signal detection theory applied to, 1002–1004
 and training systems, 1018–1019
 and vigilance decrement, 1009–1010
 and visual search, 1005–1008
 and warning devices, 1019–1020
- Matrixes, 1182
- MAUD (multiattribute utility decomposition), 736–737
- MAUT, *see* Multiattribute utility theory
- MBO (management by objectives), 401
- MCC (Mission Control Center), 930
- M cone, 1198
- Meaning, management of, 154–155
- Measures, 1151
- Measures of sensitivity, 55–59
- Meatpacking Plants, Ergonomics Program Management Guidelines for*, 1510
- Mechanistic job design approach, 429–432
 advantages/disadvantages of, 432
 design recommendations for, 430–432
 historical development of, 429, 430
 worksheet defining preference for, 442
- Median neuritis, *see* Carpal tunnel syndrome (CTS)
- Media richness theory (MRT), 155
- Medical conditions, and driving performance, 1548–1550
- Medical errors, 709–710, 1531–1532
 defined, 744
 and Institute of Medicine, 744
 prescription example of, 714
 wrong-site surgery, 721–722
- Medical management, 883–884
- Medical technologies, 1527–1530
 design, 1527–1529
 implementation of, 1529–1530
 risk–benefit assessment, 1528
- Medical treatment, for WUEDs, 883–884
- Medicine (industry) systems, *see* Health care systems
- Memory. *See also* Working memory and design for aging, 1430–1434
 source errors in, 1433–1434
- Memory probe measures of SA, 252–253
- Memory search, 1008–1009, 1011–1012
- Memory search models, applied to toxicology, 1009
- Memory set size, 1008
- Memory trap, 533
- Mental models, 715
- Mental retardation, design for people with, 1397–1398
- Mental saturation, 1610
- Mental workload, 243–262
 adaptive automation, 260–261
 and air flight system, 244
 and attention, 245–247
 and brain imaging measures, 257–258
 cognitive processing, 244
 defined, 245
 display design, 261
 disassociations among workload measures, 258–259
 empirical research case study on, 312
 ISO standards for, 1489
 metrics of, 249–260
 multidimensional absolute immediate ratings, 254
 multiple measures of, 258–260
 optimizing system performance, 260–262
 performance measures for, 250–253
 and performance operating characteristics, 251
 physiological measures of, 256–257
 primary task workload assessment, 250
 secondary task measures of, 250–252
 and situation awareness, 245–247
 situation awareness vs., 245, 248–249
 spare capacity, 246
 and supervisory control, 1042
 system development support, 244
 and training, 261–262
 workload and SA measures, 259
 workload judgments, 255–256
 workload ratings, 254–255
- Mental workload stress, 684
- MENTOR (computer program), 1460, 1470–1482
- Mentoring, 490
- Messages, 151–155
 defined, 151
 and management of meaning, 154–155
- Message design logics, 159
- Meta-analysis, 304
- Metabolic syndrome, and stress, 805
- Metabolites, primary and secondary, 952
- Metamers, 1198
- Metatrast, 748
- Method of limits, 56
- Method selection, 293, 296, 314
- Metropolitan rota, 768
- Metz, B., 3
- Michelson contrast, 1195
- Michigan model, 829
- Microbial cells, 952
- Micro organizational factors, 680
- Microrecognition, 1580
- MIDI Manufacturers Association, 1081–1082
- Minimum aspiration level, 197
- Mirrors, 1424, 1551
- Mir space station, 933, 939
- Mismatch negativity, 55
- Miss, defined, 1003
- Missing digits or limbs, design for people with, 1397
- Mission Control Center (MCC), 930
- Mission-oriented protective posture (MOPP), 920
- Mixed-subject design, 311
- Mock-up, defined, 1074
- Mode errors, 747, 1218, 1573
- Model, defined, 1054
- Monotony, and motivation and workload, 1610
- Montessori, Maria, 1448, 1449, 1452
- Mood, in marketing, 547
- MOPP (mission-oriented protective posture), 920
- Moral development, and design for children, 1451
- Morningness–eveningness, 780
- MORT (management oversight and risk tree), 689
- Motion, 590. *See also* Vibration induced, 82
 perception of, 81–82, 1424
 and vision, 594–596
- Motion parallax, 80, 120
- Motion sickness, 590, 602–604
 causes of, 602–604
 frequency ratings for, 593
 oscillatory motion and, 604
 sensory conflict theory, 603
 sensory rearrangement theory, 603
 vestibular system and, 74
- Motion sickness dose value, 604
- Motivation, 384–421, 1609
 content theories, 386–395
 effects of monotony on, 1610
 and fatigue, 1610
 involvement and empowerment, 402–403
 Porter and Lawler's motivation model, 396–398
 process models, 395–402
 remuneration, 403
 work design, 403–409
- Motivational job design approach, 431, 432–433
 advantages/disadvantages of, 433
 design recommendations for, 433
 historical development of, 432–433
 worker satisfaction and, 441
 worksheet defining preference for, 442
- Motor control, 99–105
- Motor job design approach, *see* Perceptual/motor job design approach
- Motor unit, 870
- Motor vehicle transportation, HF/E factors in, 1538–1561
 aging drivers, *see* Elderly drivers crashes, 1539–1540
 historical perspective of, 1538–1539
 and intelligent transportation systems, 1553–1557

- Motor vehicle transportation, HF/E factors in, (*continued*)
 operator-based factors, 1540–1550
 roadway-based factors affecting, 1551–1553
 vehicle-based factors affecting, 1550–1551
 young drivers, 1540–1542
- Movement, 590. *See also* Vibration compatibility, in display rendering, 121
 and control, 139
 and design for aging, 1426–1427
 somatosensory system and, 603
 stereotypes of, in spatial cognition, 137–138
 vestibular system and, 603
- Moving horizon, 122
- MPTQ, 466
- MRT (media richness theory), 155
- MSDs, *see* Musculoskeletal disorders
- MSDSs, *see* Material safety data sheets
- Muller-Lyer illusion, 119
- Multiattribute utility decomposition (MAUD), 736–737
- Multiattribute utility models, 1135–1136, 1138, 1139
- Multiattribute utility theory (MAUT), 200, 1154
- Multicultural team training strategies, 491–492
- Multicultural training, 490
- Multidimensional absolute immediate ratings, 254
- Multidimensional outcomes, 1154–1155
- Multidimensional work qualifications, 1618–1619
- Multilevel controls, for automation, 1579–1580
- Multimodal interaction design, 1086
- Multinational organizational design, 284
- Multiple axis vibration, 598
- Multiple-group design, 310
- Multiple sclerosis, design for people with, 1397
- Multiple-task performance, 93–99, 246
- Multiplier effect (design for people with functional limitations), 1387–1388
- Multivariate ANOVA (MANOVA) test, 1165
- Munsell Book of Colors, 69
- Munsell color system, 644, 646
- Muscle, 870–871
- Muscular disorders, caused by vibration, 606
- Muscular dystrophy, design for people with, 1397
- Muscular strength, and design for aging, 1427–1428
- Musculoskeletal disorders (MSDs). *See also* Work-related musculoskeletal disorders
 caused by manual materials handling, 818
 caused by occupational stress, 806
 defined, 855–856
 OSHA guidelines for approaching, in workplace, 1510–1511
 pathomechanical/pathophysiological models for, 868–873
- Musculoskeletal Disorders (MSD), Management of Work-Related*, 1511
- Musculoskeletal injuries, prevention of, 877
- Musculoskeletal system, posture and, 578
- Myers-Briggs Type Indicator, 466
- Myopia, 61
- Nanoergonomics, 28
- Napping, effect of, on work systems, 775–776
- Narratives, for eliciting knowledge, 1319
- NAS (National Airspace System), and situation awareness research, 244
- NASA, *see* National Aeronautics and Space Administration
- Nasa's Aviation Safety Reporting System (ASRS), 1110
- National Academy of Engineering, 17
- National Aeronautics and Space Administration (NASA), 244, 931–936, 940, 942, 943, 1100
- National Airspace System (NAS), 244
- National Cash Register, 741
- National cultures, 158
- National Institute of Occupational Safety and Health (NIOSH), and WMSDs, 855
- National Occupational Research Agenda (NORA), and WMSDs, 855
- Naturalistic decision making, 112
- Naturalistic observation, for web user analysis, 1321
- Natural light, 648, 649
- Nature and Industry*, 3
- Navigation design:
 in motor vehicles, 1553–1554
 for websites, 1318
- NDI (nondestructive inspection), 1109
- Near miss, *see* Incident
- Neck tension syndrome, 858
- Need for virtuosity, 552
- Needs hierarchy theory, 386–388
- Negative priming, 94
- NEO Five-Factor Inventory, 466
- Nested hierarchy, 1007
- Networks:
 defined, 164
 and group communication, 164–165
 for virtual environments, 1085
- Network analysis, 165
- Network diagrams, 452
- Neuritis, *see* Carpal tunnel syndrome (CTS)
- Neuroendocrine stress, 278
- Neuroimaging, 55
- Neurological disorders, caused by vibration, 606
- Neuromuscular impairments, 1396
- Neurovascular compression syndrome, 859
- New effective temperature, 917
- News groups, UseNet, 1248
- Next Generation Internet (NGI), 1085
- Nighttime visibility, glare vs., 1551
- NIHL, *see* Noise-induced hearing loss
- 95th percentile illusion, 1388
- NIPTS (noise-induced permanent threshold shift), 628
- NITTS (noise-induced temporary threshold shift), 627–628
- Noise, 612–640. *See also* Audition; Sound
 acoustic environment, influence on, 636–637
 analysis methods for intelligibility, 637–638
 annoyance, 629
 bandwidth influence, 636
 barrier effects on, 638–639
 concomitant auditory injuries, 628–629
 definition of, 631
 distance effects on, 638
 experimental test methods for intelligibility, 638
 hearing-aided users, affect on, 639
 Hearing Conservation Programs, 623–625
 hearing protection device, effects of, 639
 and human space flight, 932–933
 for identification, 118
 intelligibility, 636
 masking, 631–634
 noise control engineering, 625–626
 noise-induced hearing loss, 626–628
 nonauditory health effects, 629
 OSHA noise exposure limits, 622–623
 as a reaction stimulus, 116
 reducing effects of, 639–640
 signal audibility analysis methods, 633–636
 signal detectability, 632–636, 639–640
 signal-to-noise ratio and, 631
 and speech, 631–640
 speech-to-noise ratio influence, 636
 on task performance, 629
 in working environment, 1612
 in workplaces, 584
- Noise control engineering, 625–626
- Noise-induced hearing loss (NIHL), 626–628
 from acoustic trauma, 627
 from threshold shift, 627–628
- Noise-induced permanent threshold shift (NIPTS), 628
- Noise-induced temporary threshold shift (NITTS), 627–628
- Noisy environments, ISO standards for, 1493–1494
- Nominal HEPs, 734
- Nondestructive inspection (NDI), 1109
- Nonparametric tests, 1160–1161
- Nonresponsive bias, 307
- Nonroutine events, 1520
- Nonterritorial office, 583–584

- Nonverbal warnings, 902
 NORA (National Occupational Research Agenda), and WMSDs, 855
 Normative pleasure, 547
 Norway, QWL program in, 418
 Nuremberg Code, 305
- OAET (operator action event tree), 727
 Objects/actions interface model (web sites), 1322
 Object displays, 123–125
 Objective data, 1151
 Objective method, 300
 Objectivity, defined, 1151
 Observation, in job analysis, 451
 Observational methods, in descriptive studies, 309
 Occupational disease, 856–857
 Occupational health:
 and diseases, 806–807
 improving work and work organizations for, 810–813
 job design for, 803–805
 management systems affecting, 803–804
 measuring, 807–808
 problem prevention, 1622–1623
 psychosocial approach to, 801–813
 and responses to psychosocial factors, 805–806
 and stress, 806–807
 theories/concepts for, 801–802
 work organization design for, 803–805
 Occupational health and safety (OHS) management, 673–701
 and behavioral risk management, 693–700
 and Health and Safety Executive, 674
 and individual control of hazard and risk, 690–693
 key elements for, 674
 and organizational control of hazard and risk, 682–690
 and risk management, 673–675
 Occupational health and safety management systems (OSH-MS), 1499–1500
Occupational Health and Safety Systems, ASC Z-10, 1511
 Occupational rehabilitation, 883
 Occupational Safety and Health Act of 1970, 1509
 Occupational Safety and Health Administration (OSHA):
 and accident investigation, 1100
 decibel exchange rates and, 620
 ergonomics standards of, 1509–1511
 guidelines for MSDs in workplace, 1510–1511
 noise exposure limits by, 622–623
 OSHA Action Level, 614–615
 SLM settings and, 616
 O'Connor finger dexterity text, 924
 Oddball paradigm, 256
 OECD Nuclear Agency, 680
 Office types, 583–584
 Off time, defined, 764
- OHS management, *see* Occupational health and safety management
 OJT (on-the-job training), 489–490
 apprenticeship training, 490
 mentoring, 490
 Older adults, *see* Elderly
Older Driver Highway Design Handbook, 1552
 Olfaction system, 76
 Omission, errors of, *see* Errors of omission
 One-dimensional work qualifications, 1618
 O*Net, 451, 461
 Online community(-ies), 1246–1258
 community developers and designers' approach to, 1248–1249
 and community of practice, 1253–1254
 creating/designing, 1248–1250
 e-learning, 1254–1257
 and interactivity/focus, 1251
 participatory community-centered development approach, 1249–1250
 personal identity in, 1252, 1254
 privacy in, 1252
 and reciprocity/lurking, 1251
 safety in, 1252
 social presence on, 1251–1252
 and trust, 1252, 1254
 types of, 1247–1248, 1250–1251
 On-the-job training (OJT), 489–490
 OP diagrams:
 and activity network modeling, 1001–1003
 applied to variable message signs, 1002
 and mathematical models of human behavior, 1001
 and signal detection theory, 1003–1004
 "Open and obvious," 902
 Open loop, 1025–1026
 Open-loop control, 99–101
 Open-plan office, 583, 584
 Operating room (OR):
 common ground in, 750
 communication in, 750–751
 Operational activity, 554
 Operational automation, 1579
 Operational feedback, 283
 Operationalizations, 804
 Operational methods, 306
 Operator action event tree (OAET), 727
 Operator workstation design, 1068
 Opinion leaders, 168
 Optic chiasma, 64, 65
 Option pricing theory, 1136–1138
 OR, *see* Operating room
 Order bias, 307
 Organizational analysis, 477
 Organizational climate, 804
 Organizational communication audit, 169
 Organizational culture(s), 160–161, 480–481, 752–754
 culture of respect, 518–519
 defined, 480, 804
 environments of, 273
 policies and procedures of, 480–481
 Organizational design/management, 286, 513–526
 background of, 514–516
 Carson Engineering, case study, 524–526
 changing circumstances, reaction to, 519–520
 commitment of managers, 520–521
 decision making practices, 520
 definition of, 513
 development activities, 521
 employee success framework, 521
 GE, as incorporated by, 524
 General Electric, case study, 522–524
 healthy/sustainable organizations and, 517–518
 participation/connection to organization, 521
 Plymouth, case study, 522
 Six Flags Entertainment, 522
 social values, effect of, 516–517
 in societal ergonomics, 274–275
 vision/strategy, 518
 work/personal life balance, 521–522
 Organizational environment, 163
 Organizational ergonomics, 4
 Organizational position, 160
 Organizational stress, cybernetic theory of, 802
 Organization charts, 1182
 Oscillatory motion, *see* Vibration
 OSHA, *see* Occupational Safety and Health Administration
 OSH-MS (occupational health and safety management systems), 1499–1500
 Otoacoustic emissions, 628
 Otolith organs, 74
 Outcomes data, 1150–1183
 analyzing surveys for, 1183–1186
 documenting, 1182–1183
 measurement of, 1154–1155
 objectivity, level of, 1151–1152
 selecting, 1153–1154
 specificity of, 1152
 structure, level of, 1151
 structured, 1155–1177
 unstructured, 1177, 1179–1183
 Outcome measures, for audits, 1122
 Out-of-the-loop syndrome, 534
 Out-of-the-loop unfamiliarity, 1571–1572
 Outputs, for people with functional limitations, 1398–1402
 Overall ride value, 593
 Overtones, 72
 OWAS, 1057
 Oxford index, 917
 Oxygen consumption, 915
- Pain, 75
 Paired associate models, 1018
 Paired (dependent) t-test, 1162
 Palmisano, Donald, 744
 PANAS scales, 564

- Panels, 307
 Papillae, 76
 PAQ (position analysis questionnaire), for audits, 1117–1118
 Parallel processing, 140
 Paralysis, 1396
 Parameter estimation, 1292–1299
 Parametric tests, 1160–1161
 Paraplegia, 1396
 Paratelic state, 555
 Parkinson's disease, design for people with, 1397
 Partial tear, or the rotator cuff, 859
 Participant representativeness, 299–301
 Participative work design, 405
 Participatory community-centered development method, 1249–1250
 Participatory design, 1454
 Participatory ergonomics (PE), 43, 275–276
 and collaborative design, 1067–1068
 for health care systems, 1521–1522
 Partnership principle, 285
 Part-task training, 1430
 Parvocellular pathway, 64
 Passive jobs, 803
 Passive participation, 1530
 Passive touch, 75–76
 Password entry, 1264–1265
 Patient safety, 1531
 Pattern recognition, 82
 Pavement markings, 1553
 Payweek, defined, 764
 PCA, *see* Principal component's analysis
 PDT (peripheral detection task), 1557
 PE, *see* Participatory ergonomics
 Pearson coefficients, 1170–1171
 Pedestrian transportation, *see* Motor vehicle transportation, HF/E factors in
 Peiner AG, HdA case study, 415–417
 Peiner model, 415–517
 PEL (permissible exposure limit), 620
 Perceived contrast, 1195–1198
 Perception, 53–84. *See also* Sensation
 in affective and pleasurable design, 545–546
 anatomical method for investigating, 54–55
 audition and, 70–74
 depth, 79–80
 and design for aging, 1421–1425
 eye movements/motion, 81–82
 gustation and, 76
 and human error, 713
 judgments of brightness, 66
 judgments of lightness, 66
 methods for investigating, 54–60
 olfaction and, 76
 pattern recognition and, 82
 perceptual organization of, 76–79
 physiological method for investigating, 54–55
 of product quality, 551
 psychophysiological method for investigating, 55
 psychophysical method for investigating, 55–60
 sensory systems and, 60–76
 somatic and, 74–76
 sound localization, 80, 81
 spatial organization of, 79
 vestibular system and, 74
 vision and, 60–70
 Perceptual illusions, in virtual environments, 1086
 Perceptual/motor job design approach, 431, 433–434
 advantages/disadvantages of, 434
 design recommendations of, 434
 historical development of, 433–434
 worksheet defining preference for, 442
 Perceptual organization, 76–79, 122–125
 auditory stimuli and, 78
 configural displays, 123–125
 emergent features, 123
 figure-ground organization, 77
 Gestalt psychologists and, 76
 Gestalt psychology, 122, 124
 grouping principles, 77–78
 high-proximity displays, 123
 low-proximity displays, 123
 object displays, 123–125
 prägnanz, 76–77
 proximity compatibility principle, 123
 proximity compatibility principle of, 78–79
 representation aiding, 125
 separable displays, 123, 124
 stimulus dimensions within, 78
 Perceptual proximity, 1204
 Perceived color contrast, 1200
 Performance DHM, 1055
 Performance operating characteristics, 251
 Performance shaping factors (PSFs), 718, 1127
 Peripheral detection task (PDT), 1557
 Peripheral nerves, 871–872
 Permanent shift, defined, 764
 Permissible exposure limit (PEL), 620
 Personal hygiene, and human space flight, 939
 Personal identity, in online communities, 1252, 1254
 Personality, 463–465
 Personal protective equipment (PPE), 693, 912–926
 clothing, 915–916
 performance in, 921–926
 and physiology, 914–915
 and respiratory strain, 917–921
 for thermal environments, 913–914
 and thermal strain, 917–921
 Personal risk assessment, 691–693
 Person analysis, 477–478
 Personas, 1336
 Person–environment fit theory, 802
 Personnel selection, 458–468
 ability predictor, 462–463
 biodata predictor, 465–466
 competency of employees and, 462
 core self-evaluation and, 464
 Department of Labor, 461
 five-factor model of personality and, 463–464
 job analysis, 460–461
 job performance domain, role of, 460–462
 KSAOs, 461
 model of fit, 467
 necessary components of, 460
 occupational trends affecting, 459–460
 performance criteria predictors in, 461
 personality predictor, 463–465
 person–organization fit in, 466, 467
 predictors for, 462–466
 reasons for, 458
 Schneider's
 Attraction–Selection–Attrition framework, 466, 467
 skills of employees and, 462
 task/contextual performance, 461
 vocational interests as predictor for, 465
 workforce trends affecting, 458–459
 Person–organization fit (P–O), *see* P–O fit (person–organization)
 Perspecta Spatial 3D, 1081
 PET (positron emission tomography), 247
 Philip's questionnaire, 564
 Philosophy statements, design implementations using, 440
 Phons, 629–630
 Phonological loop, 126, 127
 Phosphors:
 in CRTs, 1199–1200
 in emissive displays, 1194
 Photochemical damage, 665
 Photokeratitis, 666
 Photometers, 647
 Photometry, 644, 645
 measurement units of, 644, 645
 quantities of, 645
 unit conversion to SI, 645
 Photons, 60
 Photopic luminosity function, 1193
 Photopic vision, 62
 Photoreceptors, 62
 Physical Ability Test, 466
 Physical ability tests, 463
 Physical contrast, of reflective displays, 1193
 Physical DHM, 1055–1056, 1060–1064
 Physical environments, ISO standards for, 1492–1494
 Physical ergonomics, 4
 Physical hazards, 684
 Physical impairments, design for people with, 1358, 1394, 1396–1397
 Physical pleasure, 547
 Physical reminders, 1432
 Physical variables, 36
 Physical workloads, 684
 Physiological approach (to manual materials handling), 825–827
 epidemiological limitations of, 827
 predictive models for, 826–827
 Physiological methods, for sensation and perception, 54–55
 Physiological responses, to emotions, 544–545

- Physiological strain index (PSI), 916, 917
- Piagetian stages of development, 1446–1450
- Pictorial symbols:
to communicate hazard-related information, 900–901
design guidelines for, in warnings, 906
- Pilot error, 743–744
- Pilot testing, 1289
- Pitch, 72–74
- Place theory, 73
- PLC (product life cycle), 1058
- Pleasurable design, *see* Affective design
- Pleasure(s):
defined, 544
emotions vs., 555
enjoyment vs., 548
of the mind, 555
normative, 547
physical, 547
from a product, 547–548
in product design, 547–548
psychology of, 548
theories of, 554–558
- Plymouth, case study, 524–526
- P–O fit (person–organization), 466, 467
- Poggendorf illusion, 119
- Political bias, 746
- Polymorphic task hierarchies, 1465–1472
- Pop-up windows (web sites), 1328–1329
- Porter and Lawler's motivation model, 396–398
- Position analysis questionnaire (PAQ), for audits, 1117–1118
- Positive affect, 665
- Positive affect, dopaminergic theory of, 546
- Positron emission tomography (PET), 247
- Possibility guides, 452
- Postlunch dip, 773
- Postprandial dip, 773
- Posttraining environment, 498–499
- Postural fixity, 576
- Posture, 576–579
and biological approach to job design, 430
design recommendations for, 434
forced, 1615
kneeling/balance chair, 577
kyphotic spine, 577
lordotic spine, 577
lumbar kyphosis, 577
mission-oriented protective posture, 920
problems of, 576–579
in seats, 577–578
and strain index, 875
surface heights and, 578
work artifacts affecting, 579
- Potentials, evoked, 256–257
- Power distance, 752
- PPE (personal protective equipment), 693
- PRA, *see* Probabilistic risk assessment
- Practical intelligence, 462–463
- Practical significance, 1159–1160
- Prägnanz, 76–77
- Prediction validity, 1114
- Predictive toxicology (PTOX), 1142–1145
- Preference-based measures, 1151–1152
- Preferred Speech Interference Level (PSIL), 637
- Preoperational stage, 1449–1450
- Presbyopia, 61, 663, 1422
- Presence, defined, 1089
- Pretraining environment, 481
- Preventive work design, 404, 1619
- Primary Raynaud's disease, 605
- Primary task SA assessment, 250
- Primary task workload assessment, 250
- Principal component's analysis (PCA), 332–334, 1175–1176
- Principle of pictorial realism, 122
- Privacy:
in online communities, 1252
on web sites, 1335–1336
- Private office, 583, 584
- Probabilistic risk assessment (PRA), 675, 688
- Probability tree, for errors, 733–734
- Probe paradigm, irrelevant, 256
- Problem-discovery (formative) studies, 1299–1304
- Problem discovery test, 1279
- Problem solving, 132–134
creative solutions in, 134
planning for, 132–133
troubleshooting, 133–134
- Problem-solving model, 492
- Procedural justice, 803
- Procedural knowledge, 1018–1019
- Procedural search, 1109
- Process charts, 452
- Process control, 1597. *See also* Manufacturing, HF/E concerns of
- PROCRU, 1044
- Product(s):
comparison of, 1281–1282
pleasurable design of, 547–548
quality perception of, 551
semantics, 553
warnings on, *see* Warnings
- Product emotion measurement instrument, 564
- Production:
future perspectives, 1599–1600
historical overview of, 1597–1600
human role in, 1603
rules for, 1031
- Production compilations, 1019
- Production ergonomics, 1605, 1606
- Production systems, flexible, 276
- Production work, 459–460
- Product-level adaptation, 1460
- Product life cycle (PLC), 1058
- Product realization, 1074
- Product satisfaction, 551
- Professional bias, 746
- Profile analysis, 1167
- Pronator (teres) syndrome, 858
- Proprioception, 75
- Prospective memory, 1433
- Prospective work design, 404
- Prospect theory, 219–220, 556–557
- Protanopia, 70
- Protestant work ethic, 384
- Prototypes:
assessment of, 582–583
defined, 1074
for design process, 581–583
of web sites, 1337–1338
- Proximal development, zone of, 1448
- Proximity compatibility principle, 123, 1204–1205
- Proximity diagrams, 587
- Proximity table, 587
- PRP (psychological refractory period), 97–99
- PSFs (performance shaping factors), 718, 1127
- PSI (physiological strain index), 916, 917
- PSIL (Preferred Speech Interference Level), 637
- PSRS (Veteran's Administration Patient Safety Reporting System), 744
- PSSUQ, 1308–1310
- Psychological pleasure, 547
- Psychological refractory period (PRP), 97–99
- Psychology, light/illumination and, 664, 665
- Psychomotor processes:
applied to manual assembly, 1017–1018
and mathematical models of human behavior, 1014–1018
- Psychomotor variability, 714
- Psychophysical approach (to manual materials handling):
biomechanical approach vs., 832
databases for, 824–825
limitations of, 824
physiological approach vs., 832–833
- Psychophysical design databases, 824–825
- Psychophysical methods:
absolute threshold, 55
additive factors logic, 60
constant stimuli method, 56–57
difference threshold, 55
measures of sensitivity, 55–59
method of limits, 56
psychophysical scaling, 59–60
reaction-time methods, 60
for sensation and perception, 55–60
signal detection, 57–59
staircase method, 56
threshold methods, 55–57
- Psychophysical scaling, 59–60
- Psychophysiological methods, 55
- Psychosocial factors, 277–280
defined, 861–862
job stress, 277–279
work organization, 279–280
- PTOX (predictive toxicology), 1142–1145
- Purkinje shift, 66

- Pursuit eye movements, 594
 Pursuit rotor, 924
 p-values, 1159
- Quadriplegia, 1396
 Qualification processes, 1621
 Quality circles, 513
 Quality cycles/circles, 417
 Quality management principles, 1513
 Quality management programs, 275
 Quality management standards (ISO 9000–2000), 1513–1515
 Quality of working life (QWL) programs, 273, 418–420
 in France, 419–420
 in Great Britain, 420
 in Norway, 418
 in Sweden, 418–419
 Quantitative data, 1151
 Questionnaire(s):
 in descriptive studies, 308
 job analysis using, 451
 multimethod job design, example, 431–432
 usage in job design, 449–450
 for web user analysis, 1320
 Queuing theory, 140
 QUIS, 1307
 QWL, *see* Quality of working life programs
- Radiant flux, 644
 Radiation, electromagnetic, *see* Electromagnetic fields
 Rail transportation, *see* Motor vehicle transportation, HF/E factors in
 Randomized controlled trials (RCTs), 1519
 Random sampling, 1116
 Risk tailoring, 750
 Rasmussen's abstraction hierarchy, 1206–1207
 Rasmussen's SRK framework, 716
 Ratings of product characteristics:
 Kansei engineering, 559–560
 semantic scales, 560–562
 Rationalization, 1604
 Raynaud's syndrome, 860
 RCA (root-cause analysis), 755
 RCTs (randomized controlled trials), 1519
 Reaction-time methods, 60
 Reactive design, 548, 1619
 Reading authority, 739
 Realism, in manikins, 1056
 Real-time performance assessment, 253
 REBA, 1055
 Recency bias, 746
 Reciprocity principle, 284
 Recognition bias, 746
 Recommended weight limit (RWL), 834
 Recreation, and human space flight, 940
 Redesign, 442. *See also* Design
 Reduced personal accomplishment, 805
 Reductionist models, 970
- Redundant information, providing, 1430
 Reflectance, 645
 Reflective design, 548
 Reflective displays, 1192–1184
 Reflective pleasure, 547
 Regulatory inspection, 1107
 Reinstatement search, 129
 Relational justice, 803
 Relative visual performance (RVP) model, 657
 Reliability:
 of audit system, 1114
 characteristics of, 298
 controlling, 299
 Relief shift, defined, 764
 Reminders, physical, 1432
 Remnants, 596, 597
 Remote evaluation, 1283
 Remote ICU care (eICU), 1519
 Remote master–slave surgical robot, 1528
 Repeated measures ANOVA test, 1164–1165
 Repetitive wrist motions, for females, 873–874
 Reportable event, 744
 Representation, 313
 Representation aiding, 125
 and display design, 1191, 1206
 example-based tutorial of, 1209–1211
 and human–automation interaction, 1583–1584
 normal/abnormal operating conditions, 1214–1217
 Representativeness:
 of participants, 299–301
 setting, 301, 302
 variable, 300
 Research process, 293–306
 Resolution acuity, 67
 Resource-limited tasks, 1002
 Respiratory strain, 917–921
 Response criterion, 116–117
 Restatement of Torts, 889
 Retina, 62–64, 650–652
 illumination and, 653, 656
 and image quality, 653
 macular degeneration, 663
 magnocellular pathway, 64
 parvocellular pathway, 64
 Retinal disparity, 79
 Retinal illumination, 653, 656, 657
 Return on investment analysis, 1135
 Return-to-work program, 844
 Reverse endowment effect, 557
 Revised NIOSH lifting equation, 834–840
 computer simulation for, 839
 validation of, 839–840
 Rhetorical design logics, 160
 Risk(s):
 assessing, 687
 interpretations of, 691
 management oversight and risk tree, 689
 personal risk assessment, 691–693
 Risk avoidance, 674
 Risk control, 674
- Risk factors, defined, 857, 877
 Risk-homeostasis theory, 721
 Risk management, 673
 Risk perception:
 of driving, 1541–1542
 of warnings, 902–903
 Risk prevention:
 of biological agents, 953
 of chemical hazards, 949
 and dust, 951
 in electromagnetic fields, 962–963
 Risk reduction, 674
 Risk retention, 674
 Risk taking, 683
 Risky behaviors, affecting driving, 1541
 Roadway design, 1551–1552
 Roadway safety, automation concerns of, 1589
 Role ambiguity, 804
 Role clarification models, 492
 Role conflict, 804
 Role overload, 804
 Role-playing, 485, 486, 492
 Root-cause analysis (RCA), 755
 Root-cause map, 755–756
 Root motions, 1062
 Rotating shifts:
 defined, 764
 permanent shifts vs., 784–786
 Rotator cuff syndrome, 859
 Route-guidance system, 1546–1547
 Routing systems, 1553–1554
Royal Majesty (ship), 1570, 1573
 RULA, 1057
 Rule-based behavior, 135
 and supervisory control, 1029
 of web users, 1221
 Rule-based errors, 140
 Run-time relationships, 1466
 RVP (relative visual performance) model, *see* Relative visual performance (RVP) model
- SA, *see* Situation awareness
 Saccadic eye movements, 81
 SAD (seasonal affective disorder), 664
 Safe handling limits, 823
 Safety:
 and design for people with functional limitations, 1412
 in online communities, 1252
 planning/controlling for, 682–684
 Safety and diagnosis questionnaire (SDQ), 688
 Safety climate, 681–682
 Safety communications, 889. *See also* Warnings
 Safety culture, 680–681
 Safety inspection, 1109
 Safety management, 674. *See also* Occupational health and safety (OHS) management
 Safety management oversight review technique (SMORT), 689–690
 Safety management system (SMS), 674–675. *See also* Occupational health and safety (OHS) management

- Safety parameter display system (SPDS), 1037
- Safety reminder systems, 1555–1556
- SAfety VEhicle(s) using adaptive Interface Technology (SAVE-IT), 1555
- SAGAT (situation awareness global assessment technique), 538–539
- SA judgments, 255–256
- Salient feedback, 114, 139
- SA measures, 259
- Sample size estimation:
 - for nontraditional areas of usability evaluation, 1304–1305
 - for parameter estimation and comparative studies, 1292–1299
 - for problem-discovery studies, 1299–1304
- Sampling, follow-up, 307
- SA ratings, 255
- Satisficing, 716
- Satisficing decision rule, 197
- SAVE-IT (SAfety VEhicle(s) using adaptive Interface Technology), 1555
- SBT (scenario-based training), 488
- Scaffolding, 1448
- Scenario analysis, 313, 1102
- Scenario-based training (SBT), 488
- Scenarios, 1319
- Schemas, 715
- Schneider's
 - Attraction–Selection–Attrition framework (ASA), 466, 467
- Scientific business management, 1598
- Scientific management, 271, 377
- S cone, 1198
- Scotopic vision, 62
- Scott's pi, 1181
- S.C.R. (sensory, cognitive, and response functions), 1028
- Scripted automation, 1063
- Scrolling, of web site information, 1328
- SDQ (safety and diagnosis questionnaire), 688
- SDT (Deci and Ryan's self-determination theory), 393–395
- SDT (signal detection theory), *see* Signal Detection Theory (SDT)
- Search (web sites), 1326–1327
- Seasonal affective disorder (SAD), 664
- Seats:
 - and biological approach to job design, 430
 - design recommendations for, 434
 - and discomfort, 547–548
 - and pleasurable design, 547–548
 - posture at work and, 577–578
 - seat effective amplitude transmissibility, 601–602
 - suspension, 602
- Seat effective amplitude transmissibility (SEAT), 601–602
- SEAT (seat effective amplitude transmissibility), 601–602
- Secondary windows (web sites), 1328–1329
- Second industrial revolution, 1597
- Security:
 - computer, *see* Information security
 - on web sites, 1335–1336
- Security inspection, 1107
- Seed hierarchy, 1007
- Seeking out the underlying root causes of events (SOURCE), 755
- Segmentation, 103
- Seizure disorders, design for people with, 1398
- Selective attention, 114–115, 1428–1429
- Selective optimization with compensation (SOC), 810
- Self-correction training, 485
- Self-determination theory (SDT), 393–395
- Self-Directed Search, 466
- Self-efficacy, 479
- Self-regulation principle, 284–285
- Self-reports:
 - in affective and pleasurable design, 562
 - for work related psychosocial factors, 807
- Self-selection bias, 307
- Semantic information distance, 164
- Semantic memory, 714, 1434
- Semantic networks, 715
- Semantic Web, 1322
- Sensation, 53–76. *See also* Perception
 - anatomical investigation, 54–55
 - physiological investigation, 54–55
 - psychophysiological investigation, 55
 - psychophysical investigation, 55–60
- Sensation seeking, while driving, 1541
- Sensation seeking scale (SSS), 1541
- Sensible heat exchange, 914
- Sensitivity, 647, 1115
- Sensorineural hearing loss, 1395
- Sensory, cognitive, and response functions (S.C.R.), 1028
- Sensory conflict theory, 603
- Sensory memory, bottleneck, 1365–1366
- Sensory-motor stage, 1449
- Sensory rearrangement theory, 603
- Sensory systems, 60–76
 - and audition, 70–74
 - defining, 53
 - and gustation, 76
 - and olfaction, 76
 - and perception, 60–76
 - physiology of, 53–54
 - and somatic system, 74–76
 - synapses of, 54
 - and vestibular system, 74
 - and vision, 60–70
- Sentence structure, and comprehension, 1434
- Sentiments, 554. *See also* Emotions
- Separable dimensions, 1203–1204
- Separable displays, 123, 124, 1211, 1212
- Sequence errors, 723
- Sequential task analysis, 377–378
- Serial processing, 140–141
- Serial self-terminating search, 115
- Service providers, Internet, 1328
- SET (stress exposure training), 489
- Setting representativeness, 301, 302
- SEU, *see* Subjective expected utility
- Shaped response antennas, 961
- Shared artifacts, 153
- Sharing principle, 284
- Shift, defined, 764–766
- Shiftwork, *see* Work system(s)
- Shiftworkers, 764
- Shift Work Sleep Disorder, 775
- Shopping cart case study (user interface design), 1475–1479
- Short-term memory:
 - and decision making design, 556
 - and situation awareness, 247
- Shoulder, anatomy of, 866–867
- Shoulder tenonitis, 859
- Signs, design of, 1552–1553
- Signals, design of, 1553
- Signal audibility analysis methods:
 - critical band masking, based on, 633–634
 - ISO 7731–1986(E), based on, 634–636
- Signal detection, 57–59
- Signal detection theory (SDT), 116–117, 1012
 - applied to inspection tasks, 1004
 - applied to mathematical models of human behavior, 1002–1004
 - and OP diagrams, 1003–1004
- Signaling methods, ISO standards for, 1491
- Signal-to-noise ratio, 631
- Signal words, for warnings, 906
- SII (Speech Intelligibility Index), 637–638
- Simple activity, 554
- Simple search, 1326–1327
- Simplification, 103
- Simulation, defined, 1074
- Simulation-based training/games, 483, 486, 491, 493
- Simulation language for alternative modeling, 839
- Simulation models:
 - classes of, 970
 - and task network modeling, 971–983
- Single-cell recording, 54–55
- Single-task performance:
 - action selection in, 90–91
 - Hick-Hyman Law, 90–91
- Situated knowledge web, 161
- Situation awareness (SA), 127–128, 243–262, 528–540
 - adaptive automation, 260–261
 - and air flight system, 244
 - and attention, 245–246
 - as attentional resource, 246–247
 - attentional tunneling, 533
 - and brain imaging measures, 257–258
 - challenges of, 533–534
 - complexity creep, 528, 534
 - data overload, 534, 535
 - definition of, 528–530
 - design, SA-oriented, 536–538
 - developing, 530, 532–533

- Situation awareness (SA), (*continued*)
 display design, 261
 elements of, 530, 531
 and expertise, 247–248
 expertise, role of, 532
 and human error, 717
 information gap, 529
 judgments, SA, 255–256
 levels of, 534–535
 long-term memory, 247
 measurement of, 538
 and memory, 247–248
 memory probe measures of, 252–253
 memory trap, 533
 mental workload vs., 245, 248–249
 metrics of, 249–260
 multidimensional absolute
 immediate ratings, 254
 and multiple measures, 258–260
 optimizing system performance, 260–262
 out-of-the-loop syndrome, 534
 performance measures for, 250–253
 physiological measures of, 256–257
 and positron emission tomography, 247
 primary task SA assessment, 250
 process of, 247
 product of, 247
 ratings, SA, 255
 real-time performance assessment, 253
 requirements analysis, 535–536
 salience, 534
 and short-term memory, 247
 situation awareness global
 assessment technique, 538–539
 stressors, 533–534
 subjective measures for, 253–255
 system design for, 535–539
 system development support, 244
 and training, 261–262
 unidimensional relative retrospective
 judgments, 255
 and workload, 245–247
 workload and SA measures, 259
 Situation awareness global assessment
 technique (SAGAT), 538–539
 Six Flags Entertainment, case study, 522
 Skeletal impairments, 1396
 Skill(s):
 development of, 810
 of employees, 462
 loss due to automation, 1576
 Skilled-based behavior, 135, 1029
 Skin temperature, 914–915
 Skylab, 934–937, 939
 Sleep:
 effect of, on work systems, 774–775
 and human space flight, 936, 937,
 941–942
 Sleep deprivation, and human error, 717
 Sleep fragmentation, 1542
 Sleep loss, 1542
 Sleep restriction, 1542
 SLIM (success likelihood index
 methodology), 736
 SLIM-MAUD, 736–737
 SLM, *see* Sound level meter
 Smith, K. U., 3, 4
 Smoking, and driving performance, 1547
 Smooth pursuit movements, 81
 SMORT (safety management oversight
 review technique), 689–690
 SMS (safety management system), 674–675
 SOC (selective optimization with
 compensation), 810
 Social habits, 281
 Social interaction, by children, 1448–1449, 1451
 Social learning theory, 1253
 Socially-centered design, 276–277
 Social support, 448, 513
 Social tracking principle, 285
 Societal ergonomics, 269–287
 balance principal, 284
 community ergonomics, 280–284
 cultural diversity, 284
 defined, 269–270
 fit principle, 284
 flexible production systems, 276
 historical perspective, 270–272
 human rights principle, 285
 job stress, 277–279
 organizational design, 274–275
 participatory ergonomics, 275–276
 partnership principle, 285
 psychosocial factors, 277–280
 quality management programs, 275
 reciprocity principle, 284
 self-regulation principle, 284–285
 sharing principle, 284
 socially-centered design, 276–277
 social tracking principle, 285
 sociology of work, 272–274
 work organization, 279–280
 Sociology of work, 272–274
 Sociopleasures, 547
 Sociotechnical systems (STS), 272–274. *See also* Quality of
 working life (QWL) programs
 Sociotechnical systems approach, 42–43
 Software ergonomics, ISO standards
 for, 1492
 Software user interfaces, ANSI
 standards for, 1511–1512
 Solid modeling, *see* Digital human
 modeling (DHM)
 Somatic markers, 545
 Somatic system, 74–76
 active touch, 76
 haptics, 76
 intra-active touch, 76
 pain, 75
 passive touch, 75–76
 proprioception, 75
 receptors for, 75
 thermal sensations, 75
 vibrotaction, 75
 Somatosensory system, 603
 Sones, 630–631
 applications of, 631
 calculation of, by Stevens method, 630
 levels approximation of, 630–631
 modifications of, 631
 SOS (spatial operational sequence)
 diagrams, 452
 Sound, 612–640. *See also* Audition;
 Noise
 acoustical calibrators, 620
 and acoustic trauma, 627
 decibels, 613–615
 definition of, 612–613
 dosimeter, 619
 equivalent continuous sound level,
 621–622
 exchange/trading rates, 620–621
 instrumentation for measurement,
 615–620
 intensity level, 613
 loudness/detection of, 72
 measurements/quantification,
 613–615, 629–631
 phons, 629–630
 pitch, 72–74
 Preferred Speech Interference Level,
 637
 pressure level, 613–614
 sones, 630–631
 sound level meter, 615–618
 sound power level, 613, 621–622
 spectrum analyzer, 619–620
 terminology for, 613
 Zwicker's Method of Loudness, 631
 Sound level meter (SLM), 615–618
 applications for, 618
 functional components of, 616–618
 microphone considerations for, 618
 Sound localization, 80, 81
 Sound power level (SPL), *see* SPL
 (sound power level)
 Sound restoration HPDs, 639
 Sound-transmission HPDs, 639
 SOURCE (seeking out the underlying
 root causes of events), 755
 Source errors, in memory, 1433–1434
 Source monitoring, 1432, 1433
 Space flight, *see* Human space flight
 SpaceHab, 932–933
 Space Transportation System (STS),
 930
 Spare capacity, 246
 Spasticity, 1396
 Spatial audio, 1082–1083
 Spatial contrast sensitivity, 67
 Spatial disorientation, 74
 Spatial frequency, 1195
 Spatial operational sequence (SOS)
 diagrams, 452
 Spatial organization, 79
 Spatial processing, 130–132
 geographic knowledge and, 130
 language and, 130
 navigational aids for, 130–132
 Spearman coefficients, 1170–1171
 Specific measures, 1152
 Spectrum analyzer, 619–620
 applications for, 619–620
 SLM instead of, 620
 Speech, 631–640. *See also* Noise
 acoustic environment, influence on,
 636–637
 bandwidth influence on, 636

- intelligibility of, 636, 640
 Preferred Speech Interference Level, 637
 Speech Intelligibility Index, 637–638
 test methods for intelligibility, 638
 vibration, effects of, 598
 Speech impairments, design for people with, 1394
 Speech intelligibility analysis methods:
 PSIL, based on, 637
 SII, based on, 637–638
 Speech Intelligibility Index (SII), 637–638
 Speech-to-noise ratio, 636
 Spinal cord injuries, design for people with, 1396
 SPL (sound power level), 613, 621–622
 Sponsor bias, 746
 SRK framework, Rasmussen's, 716
 SSI, organizational design within, 521–522
 SSS (sensation seeking scale), 1541
 STAHR, 718
 Staircase method, 56
 Standards, *see specific headings, e.g.:*
 ISO standards
 Standardized usability questionnaires, 1306–1310
 ASQ, 1310
 CUSI and SUMI, 1307–1308
 PSSUQ and CSUQ, 1308–1310
 QUIS, 1307
 SUS, 1308
 Stansfield, R. G., 3
 Static whole-body kinematic models, 829
 Statistical analysis methods, 1158–1174
 Statistical significance, 1159–1160
 Statistician, 1285
 STEAMER, 1205–1206
 Steering committees, 440
 Stereopsis, 79–80, 120
 Stimulus regulation, 1609
 Stimulus-response compatibility, 91–93
 Stop rule, 376
 Strain index (SI), 874–877
 applications of, 876
 elements of, 875–876
 limitations of, 876–877
 model structure for, 874–875
 Strategic automation, 1579
 Stratified random sampling, 1116
 Strength, space flight and changes in, 930–931
 Stress, 809, 812
 on human worker, 1608
 job, 277–279
 mental workload, 684
 and occupational health, 806–807
 physiological aspects of, 278–280
 prevention of, 1622
 workloads causing, 1610
 Stress exposure training (SET), 489
 Stress management intervention, 808–809
 Stressors, 533–534
 Stress response, 808
 Striate cortex, 64
 Strict serial processing, 140
 Stroke, and driving performance, 1549
 Stroke, design for people with, 1397
 Strong Interest Inventory, 466
 Structural analyses, 313
 Structuration theory, 163–164
 Structure, defined, 1151
 Structured answers, 1184–1186
 Structured data, 1151, 1155–1177
 dimensionality of, 1153
 measurement types of, 1152–1153
 Structured outcomes, 1185–1186
 Structuring of work, *see* quality of working life (QWL) programs
 STS, *see* Sociotechnical systems;
 Space Transportation System
 Subacromial bursitis, 859
 Subjective data, 1151
 Subjective expected utility (SEU), 196, 199–200
 Subjective ratings of emotions, 562–564
 affect grid, 562–563
 checklists, 563
 experience sampling method, 562
 induced by artifacts, 564
 interviews, 563–564
 PANAS scales, 564
 Philip's questionnaire, 564
 product emotion measurement instrument, 564
 self-reports, 562
 Success likelihood index methodology (SLIM), 736
 Suggestion box, 741
 SUMI, 1307–1308
 SUPERMAN, 1034
 Supervisory command systems, 1034
 Supervisory control, 1025–1050
 applications of, 1027–1028
 and aviation technology, 1034–1036
 and behavior levels, 1028–1029
 and computer usage for planning and learning, 1031–1032
 defined, 1025–1026
 developmental history of, 1026–1028
 future of, 1046–1049
 and human error/reliability, 1042
 illustrated by telerobot, 1032
 and intervention, 1041–1042
 and loci, 1028–1030
 modeling, 1043–1056
 and monitoring/detection of failures, 1036–1041
 programming tasks for, 1032–1036
 and roles of human supervisor, 1028–1029
 and S.C.R., 1028
 social implications of, 1049–1050
 support materials, design of, 47
 Supraspinatus tendonitis, 859
 Suprathreshold visual performance, 656–659
 approaches to improving, 658, 659
 performance and productivity of, 658, 659
 relative visual performance model, 657
 visual search and, 657–658
 Surface heights, posture and, 578
 Surgery, wrong-site, 721–722
 Surveillance, and WUEDs, 880–882
 Surveys:
 for auditing, 1118–1120
 in descriptive studies, 308
 for web user analysis, 1320
 SUS, 1308
 Suspension seats, 602
 Sustainable development, 674
 Swarm automation, 1587–1588
 Sweat rate, 915
 Sweden, QWL program in, 418–419
 Switch of attention, 895–896
 Symbolic association, 553
 Symbolic command hardware, 1034
 Symvatology, 23–24
 Syncope, 1548–1549
 System(s). *See also specific types, e.g.:*
 Human-machine systems
 classifications of, 36–37
 defined, 36–41
 reliability of, 39
 Systems approach, 32–36
 System descriptive criteria, 300
 System design, 41–48
 alternative approaches for, 42–44
 effect on communication, 155–157
 for health care systems, 1520–1521
 human factors in, 44–47
 traditional model for, 41–42
 Systemic project management, 1619–1620
 System redundancy, 39
 Systems reliability, 39
 Systems safety techniques, 1102–1103
 System tailoring, 750
 System tasks, 1466
 System theory of accidents, 719
 TA, *see* Task analysis
 Tacit intelligence, 462–463
 Tactical automation, 1579
 Target highlight time (THT), 1152
 Task analysis, 477
 Task analysis (TA), 45–46, 373–383
 artifacts/tools of, 375–376
 behavior assessment, 382
 cognitive tasks, 379
 definition of, 373
 in design environment, 549
 elementary tasks, 377, 379–380
 for errors, 723, 724
 functional dependency, 380
 future of, 382–383
 Frank Bunker Gilbreth, 376–377
 goals-means task analysis, 380–381
 GOMS model, 376–377, 379
 hierarchical task analysis, 378–379
 history of, 376–377
 human-machine systems and, 375
 as method, 376
 methods/techniques of, 374, 377–381
 practice of, 381–382
 problem with, 382–383
 purpose of, 373–374
 role of, in human factors, 374–375
 scientific management in, 377

- Task analysis (TA), (*continued*)
 sequential task analysis, 377–378
 survey of, 374
 task data collection, 381
 task description, 381–382
 task simulation, 382
 task-subtask relation, 378–379
 TOTE, 378
 typical process control, 376
 Task data collection, 381
 Task description, 381–382
 Task design, 405–408, 443
 design criteria for, 406
 of group tasks, 407–408
 for job enlargement, 407
 for job enrichment, 407
 for job rotation, 407
 of manual materials handling,
 833–840
 and orientation, 406
 SPICE and, 412
 and task completeness, 406–407
 Task forces, 440
 Task-interactive computers (TICs),
 1027, 1030
 Task-interactive system (TIS), 1027
 Task interdependence, 443, 444
 Task-level polymorphism, 1466
 Task network models:
 for command and control processes,
 977–981
 components of, 971–974
 for crew workload evaluation,
 976–977
 degradation functions incorporated
 into, 982–983
 of a process control operator,
 974–976
 and simulation models, 971–983
 Task performance criteria, 300
 Task proximity, 1204
 Task redesign, for LBP
 prevention/reduction, 843–844
 Task sequencing, 1369–1371
 Task similarity, 443
 Task simulation, 382
 Task-subtask relation, 378–379
 Taste buds, 76
 Taste pore, 76
 TA (think-aloud) study, 1282–1283
 Taylorism, 276, 1618
 Tayloristic work structures, 1598
 TCR (traffic control devices), 1552
 TDDs, *see* Telecommunication devices
 for the deaf
 Teach pendant, 1034
 Team building, 485, 492
 Team design, 429, 434–443, 445–454
 advantages/disadvantages of, 435,
 436, 439–440
 approaches to, 434–440
 data source choosing for, 450
 definition of, 429
 design of team's job, 447
 design recommendations for,
 435–438
 effective team processes and,
 447–448
 examples of, 453–454
 guidelines for advantageous use of,
 440
 historical development of, 434–435
 implementation advice for,
 440–443, 445–449
 interdependent relations and,
 447–448
 job analysis and, 451
 linkage analysis, 452
 long-term effects of, 450–451
 measurement/evaluation of, 449–454
 organizational context and, 447–448
 potential biases of, 450–451
 procedures, 440–441
 questionnaire sample for, 437–438
 questionnaire usage for, 449–450
 resistance to change and, 442–443
 strategic choices for, 441–442
 team composition decisions,
 445–446
 team member selection, 446–447
 time and motion analysis, 452
 variance analysis and, 451–452
 worker differences and, 441
 Team leader training, 485, 491–492
 Team spirit, 448
 Team/teamwork, 482–483
 Teamwork, 513–514
 in health care systems, 1525, 1527
 in operating room, 1527
 worksheet defining preference for,
 442
 Technical gatekeeper, 168
 Technique for human error rate
 prediction (THERP), 689,
 733–736
 Technological determinism, 270
 Technological ecology, 6
 Technological imperative, 1046
 Technological support, and mental
 workload, 244
 Technology:
 design of, 699–700
 influence on training, 483–492
 as stress producer, 280
 use of, by older adults, 1420
 workplace trends, affect on, 459
 Technology immersion, 1453–1454
 Technology structures, 163
 Tectopulvinar pathway, 64
 Telecommunication devices for the
 deaf (TDDs), 1396
 Teleconferencing, 1256
 Telemedicine, 1435–1440, 1519
 Telerobot, 1032
 Teleworking, 409
 Telic state, 555
 Tendons, 869–870
 Tendonitis, 859
 Tendosynovitis, 859
 Tendovaginitis, 859
 Tennis elbow (epicondylitis), 858
 Tenosynovitis, 859
 Teres (pronator) syndrome, 858
 Test–operate–test–exit (TOTE), 378
 Test participants, ethical treatment of,
 1289–1290
 Tetraplegia, 1396
 Text/language processing, 128–129
 comprehension problems of, 129
 physical parsing of, 129
 readability metrics, 128
 word-letter recognition and, 82–83
 working memory and, 130
 Thayer and Teachout's model, 473
 Theoretical ergonomics, *see*
 Symvatology
 Theory of flow, 555–556
 Theory of Strict Reliability, 889
 Therbligs, 376–377
 Thermal balance, 914
 Thermal damage, 665
 Thermal environments, ISO standards
 for, 1492–1493
 Thermal strain, 917–921
 THERP, *see* Technique for human
 error rate prediction
 Think-aloud (TA) study, 1282–1283
 Third industrial revolution, 1598
 Third-party authentication, 1265–1266
 Thoracic outlet syndrome, 859
 Thought experiments, 1043
 Threat, defined, 802
 3D audio, defined, 1081–1082
 3D Working Group, 1081–1082
 Three-dimensional anthropometry,
 335–337, 1061
 Three-dimensional (3d) design, *see*
 Digital human modeling (DHM)
 Three-dimensional (trichromatic)
 vision, 1198
 Three Mile Island, 434
 Threshold limit values (TLVs),
 946–950
 for hand activity levels, 874
 for work, 1513
 Threshold methods, 55–57
 Threshold shifts, 627–628
 noise-induced permanent, 628
 noise-induced temporary, 627–628
 Threshold visual performance,
 653–656
 approaches to improving, 655–656
 color discrimination and, 655, 656
 contrast sensitivity and, 654
 temporal sensitivity and, 654–655
 and visual acuity, 653–655
 THT (target highlight time), 1152
 TICs, *see* Task-interactive computers
 Time and motion analysis, 452
 Time lines, 1182
 Timing errors, 723
 Tinnitus, 628
 TIS (task-interactive system), 1027
 TLVs (threshold limit values), for
 work, 1513
To Err is Human (Kohn et al.), 709,
 1525
 Tool(s):
 defined, 1074
 machine, 1512–1513
 for persons with functional
 limitations, 1389
 for task analysis, 375–376
 for unified user interface design,
 1469–1470
 Total quality management (TQM),
 275, 276
 TOTE (test–operate–test–exit), 378
 Touch, *see* Somatic system
 Toyota Motor Corporation, 741
 Tracking systems, for virtual
 environments, 1084

- Trading relationship, 614
 Traditional economic analysis, 1135, 1138, 1139
 Traffic control devices (TCR), 1552
 Training/training systems, 472–503
 applied to morse code, 1018–1019
 and behavioral risk management, 693, 694
 behavior/skill evaluation, 497
 causality models of, 497
 characteristics of, individual, 479–480
 characteristics of, organizational, 480–481
 cockpit/crew resource management, 482–483, 495
 cognitive ability, influence of, 479
 cost of, 472
 costs of, 494
 definition of, 472
 design of, 475, 478–494
 development of, 475–476, 493
 effectiveness of, 498
 evaluation of, 476, 494–498
 goal orientation and, 480
 implementation of, 476, 493
 instructional strategies for, 482–492
 instructional systems development model for, 474–503
 internal referencing strategy, 494
 Kirkpatrick's Typology and Beyond, 494–497
 KSAs and, 473
 loss due to automation, 1576
 manuals, usage of, 500, 502
 and mathematical models of human behavior, 1018–1019
 and mental workload, 261–262
 motivation of employees and, 480
 organizational culture, 480
 part-task, 1430
 and performance gains for older adults, 1430
 performance measures for development, 493
 practice opportunities for, 481
 practice scenarios, 493
 pretraining environment, 481
 problem-solving model for, 492
 program content, layout of, 492
 purpose of, 472–473
 role clarification models for, 492
 self-efficacy, influence of, 479
 situational influence on, 481
 of supervisors for reducing LBP, 844
 team/teamwork, 482–485
 technology, influence of, 483–492
 theoretical developments of, 472–473
 training analysis, 475–478
 training objectives, 478–479
 transfer of, 476, 498–503
 using virtual environments, 1090–1091
 Training transfer model, 474
 Transactive memory system, 165
 Transfer function, 1374
 Trauma, defined, 856
 Traumatogen workplace hazards, 819
 Traveling wave, 73
 Trend studies, 307
 Trial and error, 1042
 Trichromatic colors, 68
 Trichromatic (three-dimensional) vision, 1198
 Trigger finger/thumb, 859
 Trist, Eric, 277
 Tritanopia, 70
 t-test, 1162
 Tuning curve, 72
 Two-dimensional frequency distribution, 330–331
 Two-factor theory, 389–390
 Two-group design, 310
 Two-way videoconferencing, 1257
 Tympanic membrane, 71
 Type I Errors, 1158
 Type II Errors, 1158–1159
 Typical process control, 376
 UCBs (upper and lower uncertainty bounds), 734
 UFOV, *see* Useful field of view
 Ulnar artery aneurysm, 859
 Ulnar nerve entrapment, 860
 UN (United Nations), and ILO guidelines, 1499
 Uncertainty avoidance, 752–753
 Uncertainty management, 153
 Uncompensated heat stress, 914
 "Understanding the user," 1319–1321
 and ethnographic studies, 1321
 and naturalistic observation, 1321
 and user diaries, 1321
 using focus groups for, 1320–1321
 using interviews for, 1320
 using surveys/questionnaires for, 1320
 using web server log files for, 1321
 Unidimensional relative retrospective judgments, 255
 Unified user interface design, 1463–1482
 adaptation-oriented design rationale with, 1468–1469
 applications of, 1469
 computer-based assistance for, 1470–1475
 conceptual categorization of diversity aspects in, 1466–1467
 with MENTOR (case studies), 1475–1482
 outcomes, 1469
 polymorphic task hierarchy in, 1465–1468
 support tools for, 1469–1470
 Uniform Color Space, 646
 Unions, *see* Labor unions
 United Airlines, and pilot error, 743–744
 United Nations (UN), and ILO guidelines, 1499
 United Press International (UPI), 153
 U.S. Army Research Institute of Environmental Medicine (USARIEM) model, 917
 U.S. Department of Labor:
 job analysis, developments in, 461
 O*Net, development of, 461
 U.S. Government standards, 1500, 1508–1509
 U.S. military standards, 1508
 U.S. National Institute for Occupational Safety and Health (NIOSH), lifting equations, 1057
 Universal access design, 1334–1336, 1459, 1460, 1463
 Universal design, 1389–1390, 1412–1414
 Universal usability, 1459
 Unsafe acts, 685
 Unstructured answers, analysis of, 1184
 Unstructured data, 1151
 Unstructured outcomes data, 1177, 1179–1183
 UPI (United Press International), 153
 Upper and lower uncertainty bounds (UCBs), 734
 Upper extremity, anatomy of, 864–867
 Upper extremity checklist, 1121–1122
 URL design, 1329–1330
 Usability:
 affective design, 552–553
 of audit system, 1115
 defined, 1275, 1618
 design recommendations for, 1290–1291
 problems, 1290, 1291
 sample size estimation, 1292–1305
 of web sites, 1336–1340, 1360–1361
 Usability design, information security flaws, 1264–1265
 Usability engineering, 1618
 Usability evaluation, 1304–1305
 Usability inspection methods, for web sites, 1338
 Usability methods, 1492
 Usability testing, 1275–1311
 briefing for, 1284
 camera operator for, 1284
 and confidence intervals, 1305–1306
 data recorder for, 1284
 effectiveness of, 1278–1279
 and ethical treatment of test participants, 1289–1290
 future of, 1311
 goals of, 1279–1282
 help desk operator for, 1284
 illustrated, 1276–1277
 information sources for, 1310
 laboratories for, 1283, 1284
 for multiple simultaneous participants, 1283
 number of iterations for, 1289
 participants in, 1285–1288
 pilot testing, 1289
 problem discovery test, 1279
 procedure for, 1288–1289
 product comparison, 1281–1282
 product expert for, 1284–1285
 purpose of, 1285
 and quantitative measurements, 1292
 against quantitative objectives, 1279–1281
 remote evaluation, 1283
 reporting results of, 1290–1292

- Usability testing, (*continued*)
 roots of, 1277–1278
 standardized usability questionnaires for, 1306–1310
 statistician for, 1285
 test administrator for, 1283
 test task scenarios for, 1288
 think-aloud study, 1282–1283
- USARIEM (U.S. Army Research Institute of Environmental Medicine) model, 917
- Useful field of view (UFOV), 1424
- Useful work, 3
- USE-IT (modeling tool), 1470
- UseNet news groups, 1248
- User-centered design, 43
- User characteristics, 1391
- User diaries, for web user analysis, 1321
- User interface design, 1459–1483. *See also* Unified user interface design
 and Design for All, 1461–1463
 reactive vs. proactive strategies for, 1460–1461
 for websites, 1318
- User profiles, 1336
- User's experience, 549
- User tasks, 1466
- Users with disabilities, designing websites for, 1335
- Utility judgments, 496
- Utricle, 74
- Validity, 299, 1114
- Value, 69
- Value trees, 204
- Variable representativeness, 300
- Variance analysis, 451–452
- Vascular disorders, caused by vibration, 604
- VCATS (visually coupled targeting and acquisition system), 1141–1145
- VDU (visual display unit) placement, 578
- VDV health guidance caution zone, 600
- VE, *see* Virtual environments
- Vehicle-based ITSs, 1553
- Vehicle controls, 1547
- Vehicle design:
 anthropometry, 1550
 of controls, 1550
 of displays, 1550–1551
 of headlights, 1551
 of windows/mirrors, 1551
- Vehicle operations, commercial, 1557–1559
 crashes in, 1557–1558
 fatigue/drowsiness affecting, 1557
 regulations of hours of service, 1558
 technology affecting, 1559
- Verbal protocol analysis, 1319
- Vergence, 61
- Vernier acuity, 67
- Versailles Congress, 1499
- VESs (vision enhancement systems), 1554–1555
- Vestibular displays, for virtual environments, 1083–1084
- Vestibular eye movements, 74
- Vestibular system, 74, 603, 1427
- Vestibule, 74
- Vestibulo-ocular reflex, 595
- Veteran's Administration Patient Safety Reporting System (PSRS), 744
- ViBe, 1082–1083
- Vibration(s), 590–609
 biodynamics, effect on, 600–601
 and cognitive tasks, 598
 and common tasks, 598
 component ride value and, 593
 and control performance, 597
 discomfort and, 592–594
 duration effects of, 598
 equivalent comfort contours and, 593
 exposure action value, 600
 exposure limit value, 600
 and fatigue, 598
 frequency ratings and, 592–593
 hand-transmitted, 590, 592, 604–609
 and health, 598–600
 and hearing, 598
 International Standard 2631 and, 598
 and manual control, 596–598
 measurement of, 591–592
 minimizing effects of, 598
 motion sickness and, 590, 602–604
 multiple axis, 598
 noise and, 613
 overall ride value and, 593
 pursuit eye movements and, 594
 seating dynamics and, 601–602
 and speech, 598
 vestibulo-ocular reflex and, 595
 vibration dose values, 599
 and vision, 594–596
 whole-body, 590, 592–602
- Vibration-correlated error, 596
- Vibration dose values, 599
- Vibration-induced white fingers (VWF), 604–605, 860
 diagnosis of, 605
 signs and symptoms, 604–605
- Vibration syndrome, 860
- Vibrotaction, 75
- Vienna Agreement, 1495
- VIE theory, 395–396
- Vigilance decrement, 1009–1010
- Virsuospatial sketch pad, 126–127
- Virtual environments (VEs), 38, 1079–1092
 adverse effects of, 1087–1088
 cognitive aspects of, 1085–1086
 content development for, 1086–1087
 and cybersickness, 1088
 for entertainment applications, 1091–1092
 ergonomic factors in creating, 1089–1090
 illusion of depth in, 121
 liability of products for, 1087
 for planning supervisory control, 1032
 and sense of presence, 1089
 social impact of using, 1088
 software requirements for, 1084–1085
 system requirements for, 1079–1085
- for training applications, 1090–1091
 usability techniques, 1089
 usage protocols for, 1087–1088
- Virtual human, *see* Manikins
- Virtual objects, 1032
- Virtual reality, 1032, 1074. *See also* Virtual environments
- Virtuosity, need for, 552
- Visceral design, 548
- Visibility, at night, 1551
- Visibility bias, 307
- Visibility lobe, 658
- Vision, 60–70. *See also* Visual system
 astigmatism, 61
 blind spot, 62
 color, 652, 1423
 dark focus, 61
 dark vergence, 61
 depth of field, 61
 and design for aging, 1420–1424
 geniculostriate pathway, 64
 hypercolumn, 65
 myopia, 61
 optic chiasma, 64, 65
 photopic, 62
 presbyopia and, 61, 663, 1422
 scotopic, 62
 striate cortex, 64
 tectopulvinar pathway, 64
 vergence, 61
 vibration/motion and, 594–596
 visual perception, 66–70
- Vision analysis, for digital human modeling, 1063–1064
- Vision enhancement systems (VESs), 1554–1555
- Vision impairment, 663–664
- Visual acuity, 67–68, 653–655
 critical flicker frequency, 68
 dynamic acuity, 67
 identification acuity, 67
 resolution acuity, 67
 spatial contrast sensitivity and, 67
 Vernier acuity, 67
- Visual clutter, 1429–1430
- Visual cortex, 650
- Visual displays. *See also* Displays/display design
 ANSI standards for, 1511
 ISO standards for, 1491–1492
 in motor vehicles, 1550–1551
 for virtual environments, 1080–1081
- Visual display terminals (VDTS), ISO standards for, 1491
- Visual display unit (VDU) placement, 578
- Visual dominance, 79
- Visual feedback, 100–101
- Visual impairments, and web sites, 1357
- Visual impairments, design for people with, 1394, 1395
- Visual lobe, 1011
- Visual lobe models, 1108
- Visually coupled targeting and acquisition system (VCATS), 1141–1145
- Visual momentum, 1218
- Visual performance:

- suprathreshold, 656–659
 threshold, 653–656
 Visual search, 115–116, 657–658, 1011–1012
 applied to menu hierarchies, 1006–1008
 identification tasks vs., 118
 as inspection task, 1108–1109
 location expectancy and, 116
 and mathematical models of human behavior, 1005–1008
 models for, 115
 target familiarity and, 116
 Visual system(s), 60–66, 650–653, 663–666
 adaptation qualities of, 651–652
 age and, 663
 circadian system and, 664–665
 color vision and, 652, 664
 CRT monitors affecting, 1199–1200
 and display design, 1198
 eye movements in, 81–82
 focusing system, 61–62
 partial sight and, 663–664
 physiology of, 60–66, 650–652
 posture and, 578
 psychology and, 664, 665
 retina, 62–64
 stimulus parameters of, 652
 structure of, 650–653
 suprathreshold visual performance and, 656–659
 threshold visual performance and, 653–656
 tissue damage in, 665–666
 visibility lobe and, 658
 visual pathways of, 64–66
 visual tasks and, 658
 wavelength sensitivity of, 651
 Voice recognition systems, 138–139
 Voice warnings, 902
 Volkswagen, HdA case study on, 414–415
 Vroom's VIE theory, 395–396
 VRsonic, 1082–1083
 VWF (vibration-induced white fingers), *see* Vibration-induced white fingers (VWF)
 Vygotsky, Lev, 1448, 1449, 1452

 Warnings, 889–908. *See also specific types, e.g.:* Auditory warnings and attention, 895–897 and C-HIP model, *see* Communication–human information processing model as communication, 891 purposes of, 890 as reminders, 901–902
 Warning devices:
 in intensive care units, 1020
 and mathematical models of human behavior, 1019–1020
 Warning systems, 893–895, 905–908
 Washington ergonomics standards, 1513
 Water, for human space flight, 932
 Watson–Glaser Critical Thinking, 466
 WBGT (wet-bulb globe temperature) index, 916, 917
 Weapon bias, 746
 Web log communities, 1248
 Web server configuration, 1267
 Web server log files, 1321
 Web sites, 1317–1340. *See also* E-business web sites
 accessibility/universal access design of, 1334–1336
 browsing information on, 1325
 components of, 1318
 and content, 1318–1319, 1322
 content of, 1359
 ecological interface design for, 1322
 and global site design, 1328–1329
 goals of, 1317–1318
 and information, 1325–1334
 knowledge elicitation for, 1319–1320
 latent semantic analysis of, 1322
 navigation of, 1324–1325
 objects/actions interface model for, 1322
 page design, 1350–1351
 page design for, 1330–1334
 prototyping, 1337–1338
 searching for information on, 1325–1326
 security/privacy, 1335–1336
 and Semantic Web, 1322
 tasks of, 1336–1337
 types of, 1317–1318
 and “understanding the user,” 1320–1321
 usability of, 1336–1340
 Weekend work, 786–787
 Wellness programs, 810, 811
 Wet-bulb globe temperature (WBGT) index, 916, 917
 Wet heat exchange, 914
 Whirlpool:
 cognitive task analysis in designs for, 549
 White finger, 860. *See also* Vibration-induced white fingers
 WHO, *see* World Health Organization
 Whole-body vibration, 590, 592–602
 buildings, disturbance in, 600
 protection from, 601
 seating dynamics and, 601–602
 Wiki communities, 1248
 Wilcoxon–Mann-Whitney Test, 1162–1163
 Wilcoxon matched-pairs signed rank test, 1163
 Wind breakers, 916
 Windows:
 for human space flight, 935
 and vehicle design, 1551
 Within-subject design, 311
 Wizard of Oz technique, 1452
 WM, *see* Working memory
 Work, 384–421. *See also* Work design; Work motivation
 compressed workweek and, 409
 design of, 699–700
 flextime and, 408
 function of waged, 384–386
 humanization of, 410–417
 humanization of work, 417–420
 importance of, 385
 improving for occupational health, 810–813
 meaning of, 384
 motivation models for, 402–409
 motivation to, 386–402
 occupational, trends in, 459
 Protestant ethic for, 384
 psychosocial aspects of, 286, 803–806
 science of, 377
 sociology of, 272–274
 and stress, 279–280
 structure, changes in, 459–460
 study of, 3
 teleworking, 409
 threshold limit values for, 1513
 workforce, trends in, 458–459
 working groups, role of, 408
 working life approach, 410–417
 Work design, 47, 403–409
 corrective work design, 403–404
 design criteria for, 406
 differential work design, 404
 dynamic work design, 404–405
 group tasks, 407–408
 job enlargement, 407
 job enrichment, 407
 job rotation, 407
 participative work design, 405
 preventive, 1619
 preventive work design, 404
 prospective work design, 404
 task completeness, 406–407
 task orientation, 406
 working time and, 408–409
 Work design-related risk factors, and MSD prevention, 877–878
 Worker stress, 279–280
 Work groups, 408
 Work group cultures, 752–754
 Work-hardening program, 883
 Working environment, 1611–1613
 climate in, 1612–1613
 hearing loss in, 1612
 lighting in, 1611–1612
 noise in, 1612
 Working life approach, *see* Humanization of Working Life (HdA)
 Working memory (WM), 113
 bottleneck, 1366
 breakdown of, 140
 central executive, 127
 decay rates of, 126
 and design for aging, 1431
 dynamic, 127–128
 and human error, 713
 language comprehension and, 130
 limitations, 126–127
 long-term, 128, 248
 memory span, 126
 memory trap, 533
 mental models within, 128
 primary memory, 126
 retention and, 126, 127
 running memory, 127–128
 short-term store, 126
 and situation awareness, 247–248
 storage systems of, 126–127
 verbal, 126

- Working system model, for health care systems, 1523
- Work-itself workshops, 445
- Work-life interface, 804–805
- Workload(s). *See also* Mental workload
causing stress, 1610
consequences of inappropriate, 1610
effects of fatigue on, 1610
effects of monotony on, 1610
establishing, 812
- Workload channels, 979
- Workload judgments, 255–256
- Workload managers, 1553, 1556–1557
- Workload measures:
disassociations among, 258–259
relation with SA measures, 259
- Workload ratings, 254–255
- Workload sharing, 448
- Work motivation, 386–402, 409
Adams's equity theory, 398–399
Alderfer's ERG theory, 388–389
Argyris's concept, 393
cognitive evaluation theory, 394–395
Deci and Ryan's self-determination theory, 393–395
Hackman and Oldham's job characteristics model, 390–392
Herzberg's two-factor theory, 389–390
Kelley's attribution theory, 401–402
Locke's goal-setting theory, 399–401
Maslow's hierarchy of needs, 386–388
McClelland's theory of acquired needs, 392–393
McGregor's x- and y-theory, 389
Porter and Lawler's motivation model, 396–398
Vroom's VIE theory, 395–396
- Work organization(s), 803–805
defined, 861
improving for occupational health, 810–813
and psychosocial influences, 279–280
- Work organization design, for occupational health, 803–805
- Work-Out, 521, 523–524
- Workplace bullying, 804
- Workplace design, 575–589, 1605, 1613–1616. *See also* Workplace redesign; Workstation design
anthropometry for, 1614
biological approach to, 430
dimensioning, 1614–1615
ergonomic requirements for, 578, 583
goals for, 580–581
high-level requirements, 579
for intensive care units, 1528–1529
kneeling/balance chair, 577
for operating rooms, 1528–1529
phases of, 579–583
postures, 576–579
prototypes for, 581–583
proximity diagrams, 587
proximity table, 587
for safety, 686
space determination, 584–585
system constraints, 579
unit placement, 586–587
user needs and, 579–580
workstations, 583–588
- Workplace design-related risk factors, and MSD prevention, 877
- Workplace redesign, for LBP prevention/reduction, 843–844
- Workplace wellness programs, *see* Wellness programs
- Work process analysis, for health care systems, 1525, 1526
- Work qualifications, 1618–1619
- Work rationalization, 271–272
- Work-related diseases (WRDs), 857
- Work-Related Musculoskeletal Disorders (MSD), Management of*, 1511
- Work-related musculoskeletal disorders (WMSDs), 819
conceptual model for, 867–868
economic burden due to, 855
work site diagnosis criteria for, 863
- Work-related upper extremity musculoskeletal disorders (WUEDs), 856
administrative/engineering controls for, 878
biomechanical risk factors for, 857–860
defined, 856
ergonomics guidelines for, 884–885
generic risk factors for, 856
individual factors affecting, 862
medical treatment for, 883–884
organization factors affecting, 860–861
and preemployment/preplacement screening, 883–884
prevention programs for, 878–879
psychosocial work factors affecting, 861–862
quantitative models for control of, 873–877
and surveillance, 880–882
work relatedness of, 857–862
- Work roles, for communication, 160
- Workspaces, employee participation in, 286
- Workstation design. *See also* Workplace design
applied to activity networks, 1000–1001
using digital human modeling, 1068
- Workstations, for human space flight, 935
- Work structuring, 1605, 1607
- Work system(s), 761–794
assessment of, 788–789
characteristics of, 766
defined, 764
employee acceptability of, 782
history of, 763
implementing, 789–790
representation method for, 766–767
terms and definitions for, 763–764
variables in, 784–788
- Work system design, 788–794, 1607–1618
balancing, 884
considerations for, 771–783
social variables affecting, 778–779
tools for, 793–794
- Work system model, for health care systems, 1522–1523
- Workweek, defined, 764
- World Health Organization (WHO), 1388
- World Wide Web (WWW):
in descriptive case study, 308
supervisory control issues, 1046
- World Wide Web Consortium (W3C), 1461
- Wrist flexor tendinitis, 863
- Writer's cramp, *see* Carpal tunnel syndrome
- Writing authority, 739
- Wrong-site surgery, 721–722
- W3C, *see* World Wide Web Consortium
- WUEDs, *see* Work-related upper extremity musculoskeletal disorders
- X- and y-theory, 389
- XML (extensible markup language), 1322
- XYZ tristimulus coordinate system, 68
- Zeitgebers, 772
- Zones of extra vulnerability, 773
- Zone of proximal development, 1448
- Zwicker's Method of Loudness, 631