

SYMBOLS AND NUMERICS

- !DOCTYPE header, 143
- 180 Ringing response code, 189, 196–197
- 200 OK response code, 17, 23, 117, 203
- 3GPP (Third-Generation Partnership Project), 254
- 404 Not Found response code, 103
- 405 Method Not Allowed response code, 141
- 407 Proxy Authorization Required response code, 130
- 420 Bad Extension response code, 142
- 500 Bad Request response code, 141, 141–142

- A**
- A records, 61
- AAA (authentication, authorization, and accounting), 348
- Accept-Contact header, 155, 156, 157, 201
- Accept-Content header, 132, 156, 157, 201
- accessibility for users with disabilities. *See* disabilities, accessibility for users with
- ACK method, 103
- acoustics, voice, 304–305
- ad hoc conferences, 249, 335–336
- adaptive filter, 305
- address resolution, 108–109
- address tag, 143
- addressing. *See also* DNS (Domain Name System); Uniform Resource Identifiers (URIs)
 - conferencing, 249
 - e-mail, 55
 - Internet, 11, 15, 54–58, 61, 99
 - personal, 67, 100
 - telephony, 5, 15, 56–57, 99
 - transport, 179
 - voicemail, 326–327
- address-switch tag, 143, 144, 146
- Advanced Intelligent Network (AIN) services, 100, 196, 199
- AES (encryption algorithm), 166
- alerts, communication event, 229

- ALGs (Application Level Gateways), 173, 180–183
 - ALI (Automatic Line Identification) database, 280
 - Allow header, 132, 141–142
 - Allow-Events header, 132
 - ancillary tag, 144
 - anonymity of sensory-impaired users, 289, 298
 - “anonymizer” service, 183
 - APIs (Application Programming Interfaces), 49, 148–149, 202
 - appliances, control of home, 32
 - application layer (L5)
 - examples, 256–261
 - features supported, 255–256
 - fixed-mobile network convergence, 261–263
 - Mobile IP and, 263, 265
 - mobility, 254, 255
 - overview, 20–21
 - Application Level Gateways (ALGs), 173, 180–183
 - Application Programming Interfaces (APIs), 49, 148–149, 202
 - Application Server Component Architecture, 323–326
 - application service providers (ASPs), 70
 - applications
 - converged environment for, 323–326
 - historical implementations, 317–318
 - integration with
 - communication, 23
 - location of, 317
 - master/slave VoIP, 318–320
 - third-party call control and, 202
 - “Architectural Principles of the Internet” (Carpenter), 42–43
 - ASPs (application service providers), 70
 - Asynchronous Transfer Mode (ATM) networks, 12, 35, 40, 46, 312
 - audio communication, 187–188
 - audio/video players, 212
 - Audio/Video Profiles, Real Time Transfer (RTP/AVP), 12, 84, 92, 168, 188
 - authentication, 128–130, 131, 162–163, 165, 166–167
 - authentication, authorization, and accounting (AAA), 348
 - Authorization header, 129, 130
 - automated dialing systems, 199
 - Automatic Line Identification (ALI) database, 280
 - avatars, 295, 298
- B**
- back-to-back user agents (B2BUA), 44, 183
 - Baker, Fred on standard proposals, 49
 - bandwidth. *See also* Internet traffic codec, 307
 - conferencing and, 247, 248
 - emergency services and, 281, 282
 - QoS and, 46, 301–302, 313
 - shortage of, 309, 310
 - Beethoven, Ludwig van, 287
 - best effort QoS, 311, 312, 313
 - BGMP (Border Gateway Multicast Protocol), 83
 - BGP (Border Gateway Protocol), 186
 - bid-down attacks, 160, 161
 - blocking, polite, 231
 - Border Gateway Multicast Protocol (BGMP), 83
 - Border Gateway Protocol (BGP), 186

- bridges, conferencing, 247, 248–249, 335
“Buddy List” of users, 225, 226
BYE method, 103, 111
- C**
- CA (certificate authority), 163
call centers, 23–24, 200
call control. *See also* voicemail
for collecting DTMF digits, 330
for conferencing, 247, 249, 250, 335
in converged application environment, 324, 325
fixed-mobile network convergence using, 262
methods, 200–202
need for, 199–200
in P2P SIP, 346
standards for, 20, 25, 346
third-party, 118–120, 140, 201, 202–206
for transcoding services, 296–298
call flows, 25, 179–181, 321, 323, 328–335
call forwarding, 135, 136–141, 197
call hijacking, 160, 202
call hold, 197
call park and pickup, 197
Call Processing Language (CPL), 26, 142–147, 154, 157
call routing, 29, 67–69, 100, 186–187, 199
call screening, 198
call setup, 121–123
call transfer services, 196, 198
call waiting, 29, 196–197, 200
callbacks, automatic, 198, 229
called party preferences, 154, 157
caller identification, 197
caller preferences, 19, 72, 154–156
caller privacy, 183
Call-ID header, 105, 110, 177
calling line identification, 197
calls, telephone. *See* telephone calls
CANCEL method, 103, 116–117, 118, 155
CBT (Core Based Tree Multicast Routing), 83
Centralized Conferencing Working Group (XCON), 251
Cerf, Vint, 287
certificate authority (CA), 163
certificates, authentication, 163
CGI (Common Gateway Interface), 26, 147–148
Chord protocol, 342, 345–346
circuit-switched networks. *See* telecommunication networks
CLASS (Custom Local Area Signaling Services), 196–198
client-server (CS) SIP, 346–347, 349
closed networks, 3–4, 5, 18
codecs, telephony, 305–307
collaboration, 24–25
COMET (preCOnditions MET), 121–122
comfort noise, 305, 308
Command Sequence number, 105
commercial products, 9, 32–33, 245–246
Common Gateway Interface (CGI), 26, 147–148
communication events, alerts for, 229
communication, integration with applications, 23
communication islands, 3–4, 5, 18
complexity, system design, 45, 51
component services. *See* applications
computer telephony integration (CTI), 202
conference calling. *See* conferencing

conference package, 249
conferencing
 addressing, 249
 call control for, 247, 249, 250, 335
 centralized, 251
 changing existing, 249–250
 commercial products/services,
 245–246
 history, 24
 models for, 246–249
 privacy, 249
 RTP (Real Time Transfer) protocol
 and, 247, 248–249
 scheduled, 249, 335–336
 SIP and, 24–25
 standards for, 245, 251
 video, 245, 248
 voice, 245, 246, 248
 web, 246
conferencing bridges, 247, 248–249,
 335
confidentiality. *See* privacy
consistent hashing, 342
contact addresses, 67, 100. *See also*
 DNS (Domain Name System);
 ENUM; SIP URIs
Contact header. *See also* Accept-
 Contact header; Reject-
 Contact header
content, 106
 example, 156
 feature tags in, 139
 firewalls and, 181
 uses, 124–126, 155, 157
contact preferences, 72
Content-Length header, 111
control plane interworking, 46
Core Based Tree Multicast Routing
 (CBT), 83
CPL (Call Processing Language),
 26, 142–147, 154, 157
cp1 tag, 144
CS (client-server) SIP, 346–347, 349

CSeq (Command Sequence
 number), 105
CTI (computer telephony
 integration), 202
Custom Local Area Signaling
 Services (CLASS), 196–198
customer relations, 23–24

D

Damaka.com, 348
data networks, 2
data tampering, 78
database query services, 199
Datagram TLS (DTLS), 111, 169
delays, communication, 44–45,
 303–304, 308–309
delivery paths, 47
Denial of Service (DOS) attacks, 78,
 160, 161, 313, 344
device control protocols, 318–320
device packages, 319
DHCP (Dynamic Host
 Configuration Protocol), 256–257,
 275, 278
DHTs (Distributed Hash Tables),
 342–343, 345–346, 348
dialing systems, automated, 199
Differentiated Services Code Points
 (DSCP) setting, 311, 312, 313
Differentiated Services (DS), 84,
 311, 312
Diffie-Hellman key agreements, 169
Digest authentication, 128, 131,
 160–162, 165, 342
disabilities, accessibility for users
 with
 communication systems, 275
 international, 288
 legacy systems, 288, 296
 need for, 287
 requirements, 289–290
 SIP support for, 31–32

- text phones, 296
 - transcoding services, 294–298
 - video applications, 31–32, 289–290, 291
 - disasters, communications in, 47, 281, 285, 349
 - disruptions, session, 160, 161
 - Distributed Hash Tables (DHTs), 342–343, 345–346, 348
 - DNS clients, 54, 63, 73
 - DNS (Domain Name System). *See* *also* ENUM
 - caching and, 59
 - changes in, 59, 60
 - contact preferences, 72
 - emergency calling information using, 276–277
 - examples, 20, 62–67
 - extensions, 80
 - information on, 53
 - lookups in, 67
 - overview, 58
 - in P2P systems, 349
 - reliability, 47
 - routing system using, 67–69
 - security, 77–79, 177
 - standards for, 60
 - structure, 59
 - supported protocols/services, 60
 - terminology, 61–62
 - web sites, finding, 53–54
 - DNS resolvers, 54, 63, 73
 - !DOCTYPE header, 143
 - document type definition (DTD), XML, 143
 - domain names, 11, 15, 54–58, 61, 99
 - Domain Name System. *See* DNS
 - DOS (Denial of Service) attacks, 78, 160, 161, 313, 344
 - DS (Differentiated Services), 84, 311, 312
 - DSCP (Differentiated Services Code Points) setting, 311, 312, 313
 - DTD (document type definition), XML, 143
 - DTLS (Datagram TLS), 111, 169
 - Dual Tone Multi-Frequency (DTMF) digits, collecting, 288, 330–332
 - Dynamic Host Configuration Protocol (DHCP), 256–257, 275, 278
- E**
- E.164 numbers, 8, 20, 27, 67
 - early media, 121, 188–190
 - eavesdropping, 77, 160, 161
 - echo, 305, 308
 - e-commerce, 23–24, 323–326
 - ECRIT (Emergency Context Resolution Using Internet Technology), 8, 274–275, 280
 - ECRS (emergency call routing support), 278, 279
 - e-mail, 55, 209, 217
 - emergency call routing support (ECRS), 278, 279
 - emergency communications
 - bandwidth and, 281, 282
 - in disaster situations, 47, 281, 285, 349
 - DNS and, 276–277
 - ECRIT and, 8, 274–275, 280
 - ECRS and, 278, 279
 - ETS and, 281
 - Internet Emergency Preparedness, 282
 - Internet-centric, 276–277, 278, 279
 - on mobile phones, 277–278
 - mobility and, 256
 - numbers to call, 277
 - preemption of, 282–284
 - PSTN, 277–278, 279, 280–281

- emergency communications
 - (*continued*)
 - requirements, 273, 274–275
 - resource priority, 281–282
 - routing, 273–274, 278–279, 280–281
 - security for, 279–280
 - standards for, 282
 - URIs, 278
 - user location and, 273–274, 275–277, 280
 - VoIP, 280–281
- Emergency Context Resolution
 - Using Internet Technology (ECRIT), 8, 274–275, 280
- Emergency Telecommunications Service (ETS), 281
- encryption, 163–165, 166
- encryption algorithm (AES), 166
- endpoints, 98
- enterprise communication systems,
 - incompatibilities in, 4
- enterprise gateways, 188
- entertainment devices,
 - communication between, 32
- ENUM
 - advantages, 15, 27
 - architecture, 69–72
 - display name lookup, 76
 - features added by SIP, 72
 - including legacy services/devices, 255
 - search process in, 66
 - services used for, 58
 - telephone numbers and, 186
 - terminology, 61–62
 - URIs and, 58
 - usage example, 62–67, 73–76
 - user registration in, 69–71
- ENUM resolvers, 73
- Ethernet, 46
- ETS (Emergency Telecommunications Service), 281
- Event header, 128
- event notification, 127–128, 217–221, 229–235
- event packages, 230–233
- event subscription, 127–128
- extensibility, 130–132
- Extensible Markup Language.
 - See* XML
- F**
- far end echo, 305
- fax communication, 209
- feature tags, 139, 278
- File Transfer Protocol (FTP), 58, 60, 311
- firewall proxies, 181–183
- firewalls, 173–174, 177–178, 179–182, 265, 345
- 500 Bad Request response code, 141–142
- “five nines” reliability, 41, 47
- foreign agents, 264
- forking, 100, 110, 126, 155
- 404 Not Found response code, 103
- 405 Method Not Allowed response code, 141
- 407 Proxy Authorization Required response code, 130
- 420 Bad Extension response code, 142
- From header, 105, 109–110, 143–144, 165–166, 197–198
- FTP (File Transfer Protocol), 58, 60, 311
- functions. *See individual methods*
- G**
- gateway controllers, 98, 317–318, 321
- Gateway Control Protocol (GCP), 320

- gateways
 - ALGs, 173, 180–183
 - BGP, 186
 - CGI, 26, 147–148
 - controllers for, 98, 317–318, 321
 - enterprise, 188
 - GCP, 320
 - IM, 5–6, 225
 - IP telephony, 98, 320–322
 - master/slave telephony, 320–321
 - MEGACO, 318, 320–321
 - MGCP, 318–321
 - network, 98, 188
 - SIP/PSTN, 185–188, 193
 - SIP-T, 194, 195
 - TGREP, 186–187
- GCP (Gateway Control Protocol), 320
- “golden tree” structure of DNS, 59
- Google, 3, 32, 353
- H**
- hash techniques, 162–163, 342–343, 345–346, 348
- headers. *See also specific headers*
 - address resolution using, 109
 - basic set, 141
 - defining new, 141
 - examples, 104–105
 - IP, 120
 - RTP, 91, 169
 - SDP, 112
 - SIP, 126, 165, 281, 282–284
 - support for unknown, 141–142
 - XML, 143
- hearing impairments, 31–32. *See also*
 - disabilities, accessibility for users with
- hijacking, 160, 161, 202
- hold, call, 197
- home agents, 264
- hybrid, analog telephony, 305
- Hypertext Markup Language (HTML), 142–143
- HyperText Transport Protocol (HTTP), 60, 82, 177, 311
- I**
- IAM (Initial Address Message), ISUP, 117, 190–192, 195
- IANA (Internet Authority for Assigned Names and Numbers), 55, 58, 59
- ICE (Interactive Connectivity Establishment), 179, 180, 183, 355
- Identity header field, 166, 183, 197
- identity, SIP, 165–166
- Identity-Info header field, 166
- IEEE (Institute of Electrical & Electronics Engineers), 267
- ieprep (Internet Emergency Preparedness) working group, 282
- IETF Instant Messaging and Presence Protocol Working Group (IMPP WG), 225
- IETF (Internet Engineering Task Force)
 - goals, 72, 196, 267
 - practices, 85, 86, 101, 141
 - Standards Actions for, 49
- IGMP (Internet Group Management), 83
- IM. *See* Instant Messaging
- IM gateways, 5–6, 225
- impersonation, client, 77, 160, 161
- IMPP WG (IETF Instant Messaging and Presence Protocol Working Group), 225
- IMS (IP Multimedia Subsystem)
 - architecture, 34–35, 41–42, 254

- IMS: TISpan, wireline emulation
 - of, 3
- IN (Intelligent Network), 13, 25–26, 76, 153, 317
- incoming proxy, 107
- incoming tag, 144, 146
- INFO method, 103, 117, 126–127, 193
- information retrieval services, 199
- information technology (IT), 350
- Initial Address Message (IAM), ISUP, 117, 190–192, 195
- instant communications, support for, 127
- Instant Messaging gateways, 5–6, 225
- Instant Messaging (IM)
 - advantages, 224
 - availability, 223
 - client server implementation, 228–229
 - disabilities, for users with, 31–32, 290
 - evolution, 225
 - hijacking, 161
 - IETF model, 226–227
 - integration, 209
 - message composition indications, 236
 - modes of operation, 239
 - overview, 21, 23
 - peer-to-peer implementation, 228–229
 - presence and, 236, 239
 - security, 161, 225, 227
 - SIP extensions for, 239–241
 - spam and, 31
 - standard for, 13, 353
 - Uniform Resource Identifiers and, 223
 - user agents and, 227
 - voice communication and, 239
 - Voice over IP and, 223
- Instant Messenger (AOL), 225
- Institute of Electrical & Electronics Engineers (IEEE), 267
- Integrated Services Digital Network (ISDN), PSTN using, 187, 188
- integrity protection, 165
- Intelligent Network (IN), 13, 25–26, 76, 153, 317
- Interactive Connectivity Establishment (ICE), 179, 180, 183, 355
- interactive voice response (IVR) systems, 199, 333–335
- Internet. *See also* Internet traffic
 - addressing on, 11, 15, 54–58, 61, 99
 - APIs and, 49
 - architecture, 42–47, 50
 - communication on, generally, 12
 - delay in, 44–45, 308–309
 - engineering of, 49–51
 - future services, 355, 356
 - growth, 43
 - history, 339
 - mobility on, 20–21, 253–254, 255, 263–265, 266
 - name/number assignment on, 59
 - network development and, 4–5
 - packet loss, 44–45, 308–309
 - protocols used by, 12–13, 14, 19, 50–51, 82
 - reliability, 47
 - standards for, 48–49
 - success, factors affecting, 12
- Internet Authority for Assigned Names and Numbers (IANA), 55, 58, 59
- Internet codecs, 305–307
- Internet Domain Name System. *See* DNS
- Internet Emergency Preparedness (ieprep) working group, 282

- Internet Engineering Task Force (IETF). *See* IETF
- Internet Group Management (IGMP), 83
- Internet hosts, 98
- Internet Protocol networks. *See* IP networks
- Internet sharing hubs, 174
- Internet Technology Supporting Universal Mobile Operation (ITSUMO), 254
- Internet traffic
 - carriers, 40
 - confidentiality, 99
 - controlling route, 89, 111, 325
 - delays in, 44–45, 303–304, 308–309
 - in emergencies, 282
 - impending collapse, 309
 - multimedia, 282, 309, 310
 - P2P, 14, 19, 282, 309–311, 339
 - packet broadcast and, 86
 - QoS and, 314
 - voice, 282, 302, 307, 309–311
- Internet-PSTN services, 29–31
- interworking. *See also* gateways, Public Switched Telephone Network (PSTN), SIP (Session Initiation Protocol)
 - for coordination of network resources, 285
 - disadvantages, 46
 - emergency communications and, 281, 285
 - functions in network architecture, 46
 - IM and, 225
 - Internet model, 319
 - with ITU-T protocols, 27–28
 - networked devices, 319
 - with PSTN, 29, 102, 185, 188–195, 285
 - QoS and, 34
 - standards for, 83
- INVITE method. *See also* re-INVITE
 - contact types, 156–157
 - to establish session, 98, 103, 110, 112
 - example, 104, 105
 - format, 110
 - handling of, 122, 136
 - SIP to ISUP/ISDN mapping, 195
 - SIP to presence/IM mapping, 23
- IP addresses
 - contents, 180
 - determining, 16–17
 - disclosure, 177
 - modification, 173, 174
 - non-unique, 174
 - privacy, 183
 - registration, 69
 - standard for, 83
- IP (Internet Protocol) networks
 - affect on bandwidth, 307
 - architecture, 42–47, 50
 - mobility for, 20–21, 253–254, 255, 263–265, 266
 - preemption, 284
 - QoS in, 121–122, 311–312
 - standard for, 83
 - user preferences, 154
- IP Multimedia Subsystem (IMS)
 - architecture, 34–35, 41–42, 254
- IP TV, 302, 310
- IPSec, 163
- isComposing status message, 236
- ISDN (Integrated Services Digital Network), PSTN using, 187, 188
- ISDN User Part (ISUP) tunneling, 117, 188, 190–195
- isfocus tag, 246, 250
- is-typing message, 236
- IT (information technology), 350
- ITSUMO (Internet Technology Supporting Universal Mobile Operation), 254
- ITU-T G.7xx series codecs, 305–306

ITU-T protocols, interworking with, 27–28

ITU-T telecommunication networks.
See telecommunication networks

IVR (interactive voice response) systems, 199, 333–335

J

Java Integrated Network (JAIN), 149

Java platforms, extensions of, 27

L

L2 (link layer), 254, 255, 312

L5 (application layer). *See* application layer

language-switch tag, 144

LDAP (Lightweight Directory Access Protocol), 60

LI (location information), 273–274, 275–277, 280

Lightweight Directory Access Protocol (LDAP), 60

link layer (L2), 254, 255, 312

lip reading, 295

LO (Location Object), 275, 280, 281

local number portability (LNP), 76.
See also number portability (NP)

local routine numbers (LRN), 76

location information (LI), 273–274, 275–277, 280

Location Object (LO), 275, 280, 281

location service, 107, 108

location tag, 144

log tag, 144

lookup tag, 144

lost responses, 121, 122

lower-layer switching, 46

LRN (local routine numbers), 76

M

MADCAP (MC Addressing Dynamic Client Allocation), 83

Mail Exchange records (MX), 62

mail tag, 144

mailto: URI, 55

malicious redirection, 78

man-in-the-middle (MitM) attacks, 169, 204

MASC (Multicast Address-Set Claim) Protocol, 83

master/slave telephony gateways, 320–321

master/slave VoIP, 318–320

Max-Forwards header, 105

MC Addressing Dynamic Client Allocation (MADCAP), 83

MD5 (Message Digest 5) hash algorithm, 162, 342

Media Gateway Control (MEGACO), 318, 320–321

Media Gateway Control Protocol (MGCP), 318–321

media negotiation, 111–114

media paths, 188–190

media players, 212

media security, 166–168

media-independent handover (MIH), 267–269

MEGACO (Media Gateway Control), 318, 320–321

Message Digest 5 (MD5) hash algorithm, 162, 342

MESSAGE method, 23, 103, 126–127, 156, 239–241

Message Session Relay Protocol (MSRP), 239

messages. *See also* Instant Messaging (IM); *specific messages*; voicemail e-mail, 55, 209, 217

format, 100

mapping from SIP to ISUP and ISDN, 195

preemption, 282–284

retransmission, 121, 122

routing, 29, 67–69, 100, 186–187, 199

- text-based, 209
 - transport, 111
 - messaging, unified, 209–213
 - Metcalfe’s law, 3–4
 - methods. *See also specific methods*
 - basic set, 102–103, 104, 141
 - defining new, 141
 - example format, 104–105
 - structure, 104
 - support for unknown, 130, 141–142
 - MGCP (Media Gateway Control Protocol), 318–321
 - mid-call signaling, 117, 119
 - MIH (media-independent handover), 267–269
 - MIKEY (Multimedia Internet Keying) protocol, 167, 169
 - misrepresentation, identity, 77, 160, 161
 - MitM (man-in-the-middle) attacks, 169, 204
 - mobile IP (MIP), 20–21, 253–254, 255, 263–265, 266
 - mobile networks. *See also mobility*
 - call control, 20
 - circuit-switched, 253
 - convergence with fixed networks, 261–263
 - Internet-based designs, 254
 - Internet-style services on, 253–254
 - standards for, 1–2
 - mobile telephony, 253, 260, 277–278. *See also mobility*
 - mobility
 - of communication devices, 100
 - functions allowing, 124–126
 - IP network, 20–21, 253–254, 255, 263–265, 266
 - network level, 20, 21, 254–255, 257–259
 - network/user control, 266
 - personal, 20, 21, 255, 259–260
 - of services, 20, 21, 255–256
 - session, 256, 260–261
 - of telephone numbers, 20
 - of VoIP, 255
 - Mosaic browser, 339
 - MPLS (Multiprotocol Label Switching), 51, 89–90, 312
 - MSRP (Message Session Relay Protocol), 239
 - Multicast Address-Set Claim (MASC) Protocol, 83
 - multi-homing, 111
 - multimedia communication, protocols for, 14
 - Multimedia Internet Keying (MIKEY) protocol, 167, 169
 - multimodal devices, 263, 265–270
 - multipoint controller units, 246
 - Multiprotocol Label Switching (MPLS), 51, 89–90, 312
 - MX (Mail Exchange records), 62
 - Myth of Five Nines, 47
- N**
- Name Servers (NS), 62
 - Naming Authority Pointers (NAPTRs), 62–66, 71, 72, 277
 - Napster, 311, 339
 - near end echo, 305
 - network address translators (NATs), 173–177, 179–180, 265, 345, 355
 - network echo, 308
 - network gateways, 98, 188
 - network interfaces, devices with multiple, 263, 265–270
 - network level mobility, 20, 21, 255, 257–259
 - Network Time Protocol (NTP), 60, 91

networks. *See also* IP networks;
mobile networks; peer-to-peer
networks; telecommunication
networks
compatibility, type, 100
control of, 266–269
fixed-mobile convergence, 261–263
hiding structure, 174
incompatible enterprise, 4
outages in, 47
private, 19, 58, 284, 302, 313
selecting, 269–270
types, 2
Next Generation Networks (NGN),
3, 34, 35, 41
noise, voice communication and,
305, 308
nonce, 162
non-success responses, 117
notification impersonation, 161
notification-based services, 127–128,
217–221, 229–235
NOTIFY method, 22, 103, 127–128,
229–230, 314
NS (Name Servers), 62
NTP (Network Time Protocol),
60, 91
number portability (NP), 20, 71,
73, 76

O

180 Ringing response code, 189,
196–197
opaque URIs, 140
Open Mobile Alliance (OMA),
254, 270
OpenDHT Layer, 348
optical switching, 46
optimization in network
architecture, 46
OPTIONS method, 103

Organization header, 148
outages, network, 47
outbound proxy, 107
outgoing tag, 144
overlay networks, 340–341, 344
overprovisioning, 46

P

P2P (peer-to-peer) networks. *See*
peer-to-peer networks
packages, conference, 249
packages, device, 319
packages, event, 230–233
packet loss
Internet, 44–45, 308–309
in video communications, 302
in voice communications, 303, 304,
305, 314
packet switching, 46
P-Asserted-Identity header
field, 166, 183
PBX systems, 26, 196–198, 199, 262
peer-to-peer (P2P) networks
ad hoc, 349
advantages, 344, 349–350
applications, 340, 343
characteristics, 341–342
costs, 350
DHTs, 342–343, 345–346, 348
DNS in, 349
history, 339–340
limited/interrupted, 349
overlay networks, 340–341, 344
proxy servers and, 349
security, 174, 344–345, 348, 349
server clouds, 349
SIP, 18–19, 346–347, 348–350,
355–356
third-party call control, 205–206
uses, 348–349
VoIP and, 19, 340

- peer-to-peer traffic, 14, 19, 282, 309–311, 339
- personal mobility, 20, 21, 255, 259–260
- P-extensions, 354
- phone numbers. *See* telephone numbers
- phone-context tag, 57
- PIDF (Presence Information Data Format), 233–235
- PIM-DM (Protocol Independent Multicast-Dense Mode), 83
- PINT (PSTN and Internet INTerworking), 29
- Pointers (PTR), 62
- polite blocking, 231
- Post Office Protocol (POP), 60
- PRACK method, 103
- preCOnditions MET (COMET) extension, 121–122
- preemption, message, 282–284
- preferences, user. *See also* mobility
 - Call Processing Language, 154, 157
 - e-mail, 72
 - IP communications, 154
 - SIP server, 100, 154, 157
 - telephony, 19, 72, 153–157
 - text-based messaging, 209
 - unified messaging, 209
 - voicemail, 209
- presence. *See also* event notification
 - advantages, 6, 224
 - availability, 223
 - callback feature, 127–128, 198
 - client server implementation, 228–229
 - data format, 233–235, 236
 - data model, 235–236
 - defined, 100
 - described, 21–22, 231
 - evolution, 225
 - example, 231–232
 - extensions, 225, 236–238, 353
 - IETF model, 226–227
 - IM and, 236, 239
 - information structure, 234
 - peer-to-peer implementation, 228–229
 - publication, 128
 - security, 161, 225, 227
 - standard for, 13, 225
 - third-party call control example, 205–206
 - URIs and, 223
 - user agents and, 227
- presence event packages, 231–233
- Presence Information Data Format (PIDF), 233–235, 236
- presence publication hijacking, 161
- presence servers, 128
- presentities, 226, 235
- principals, 226, 227
- Priority header, 144
- priority-switch tag, 144
- privacy. *See also* security
 - called party, 69
 - caller, 183
 - conferencing, 249
 - eavesdropping, 77, 160, 161
 - of IP addresses, 183
 - SIP user, 99, 163–165
 - of users with disabilities, 289, 298
- private networks, 19, 58, 284, 302, 313
- probes, monitoring performance, 314
- products, commercial, 9, 32–33, 245–246
- Protocol Independent Multicast-Dense Mode (PIM-DM), 83
- provisional responses, 121, 122

proxy servers
 as ALGs, 173
 authentication challenges, 129–130
 call routing, 199
 call screening, 198
 default, 73
 firewall, 181–183
 functions, 18, 100, 106
 locating, 107
 P2P systems and, 349
 routing requests through, 136
proxy tag, 144
Proxy-Authorization
 header, 130
Proxy-Require header, 131, 141
PSAPs (Public Safety Access Points),
 273–274, 275–277, 279, 280
PSTN. *See* Public Switched
 Telephone Network
PSTN and Internet INTerworking
 (PINT), 29
PTR (Pointers), 62
Public Safety Access Points (PSAPs),
 273–274, 275–277, 279, 280
Public Switched Telephone Network
 (PSTN)
 call diversion, 76
 interworking with SIP, 29, 102, 185,
 188–195, 285
 over IP, 3, 68
 phones for, 260
 protocols used by, 188
 services available, 14
 textphone systems, 288
 transition from, 67
PUBLISH method, 103, 128, 314

Q

Quality of Service (QoS). *See also*
 telephony
 bandwidth and, 46, 301–302, 313
 best effort, 311, 312, 313

 evaluating sources on, 301
 importance, 301
 interdomain, 313
 Internet architecture and, 43, 46, 50
 in IP networks, 121–122, 311–312
 link layer, 312
 monitoring for real-time
 communication, 314
 in private networks, 302, 313
 rationale, 301–302
 security, 312, 313
 SIP limitations, 34
 technologies, 311–313
 ToIP, 293

R

Real Time Streaming Protocol
 (RTSP)
 as de facto Internet session
 layer, 50
 HTTP and, 93
 SIP and, 212–213
 standards for, 13, 84
 uses, 90
Real Time Transfer Audio/Video
 Profiles (RTP/AVP), 12, 84, 92,
 168, 188
Real Time Transfer Protocol (RTP).
 See also ZRTP
 affect on bandwidth, 307
 audio and, 187–188
 conferencing and, 247, 248–249
 DTLS and, 169
 early media and, 189
 in IP stack, 82
 media transport with, 90–92
 NATs and, 175–178
 security and, 180
 SRTP and, 168
 standard for, 12, 84
 ToIP example, 291–293
real-time communication, 314

- reason headers, SIP, 282–284
- recall, 198, 229
- Record-Route header, 136, 181–182
- redirect tag, 144
- redirection
 - accessibility factors, 289
 - IM, 161, 224
 - malicious, 77, 78
 - of SIP requests, 99, 103, 106–108, 126, 214–216
 - telephony, 137–139, 144, 154–155, 197–198, 327–328
- REFER method
 - example, 119–120, 206, 250, 260
 - uses, 103, 196–197, 201–202, 250, 260
- Referred-By header, 120, 201, 202
- Refer-To header, 120, 201, 201–202
- REGISTER method, 31, 103, 124–126, 156, 157
- registrar servers, 106, 107, 124
- registration
 - of devices, 99
 - hijacking, 160
 - of IP addresses, 69
 - of telephone numbers, 69
 - of user agents, 63, 186, 256–257
 - of users, 69–71
- re-INVITE, 111, 114–115, 117, 197, 332
- reject tag, 143, 144
- Reject-Contact header, 125–126, 155, 156, 157
- relay services, 294, 296–298
- Reliable Provisional Responses
 - extension, 121, 122
- Remote-Party-ID header
 - field, 166
- remove-location tag, 144
- rendezvous, 100
- Request-Disposition header, 126, 154–155, 154–156
- requests. *See* methods
- Request-URIs, 55, 57, 165, 278, 330
- Require header, 130, 142
- Require:bufferonly header, 261
- Requires:prefs header, 126
- resolvers, DNS, 54, 63, 73
- resolvers, ENUM, 73
- resource records (RRs), 61
- Resource Reservation Protocol (RSVP), 82–83, 311–312
- responses. *See also specific response codes*
 - lost, 121, 122
 - provisional, 121, 122
 - SIP codes, 103–104, 117, 189
- retransmission, message, 121, 122
- Rich Presence Extensions, 236–238
- Route header, 182
- routing, message/contact, 29, 67–69, 100, 186–187, 199
- RPID (Presence Information Data Format), 236
- RRs (resource records), 61
- RSVP (Resource Reservation Protocol), 82–83, 311–312
- RTP (Real Time Transfer Protocol). *See* Real Time Transfer Protocol
- RTP/AVP (Real Time Transfer Audio/Video Profiles), 12, 84, 92, 168, 188
- RTSP (Real Time Streaming Protocol). *See* Real Time Streaming Protocol
- S**
- SAP (Session Announcement Protocol), 82, 85, 93
- SBC (Session Border Controllers), 44, 173, 180–183

- scheduled conferences, 249, 335–336
- Schulzrinne, Henning, 7
- SCTP (Stream Control Transport Protocol), 111
- SDP (Session Description Protocol)
 - described, 93, 111–114, 167–168
 - development, 112
 - in IP stack, 82
 - self-signed certificates and, 163
 - standards for, 13, 84, 111
- SDPng, 113–114
- Secure Hash Algorithm 1 (SHA-1), 163, 342
- Secure Multipurpose Internet Mail Extensions (S/MIME), 165, 168, 183
- secure overlay access points, 344
- Secure RTP (SRTP), 166–168. *See also* Real Time Transfer Protocol (RTP); ZRTP
- Secure SIP, 160, 161, 164, 165, 168
- Secure Socket Layer (SSL) protocol, 78–79, 111
- security. *See also* privacy
 - application environment, 325
 - bid-down attacks, 160, 161
 - client impersonation, 77, 160, 161
 - Datagram TLS, 169
 - Denial of Service attacks, 78, 160, 161, 313, 344
 - difficulty, reasons for, 159
 - DNS, 77–79, 177
 - emergency communications, 279–280
 - firewalls, 173–174, 177–178, 179–182, 265, 345
 - hijacking, 160, 161, 202
 - Instant Messaging, 161, 225, 227
 - location information, 275
 - malicious redirection, 78
 - mechanisms for, 162–166
 - media, 166–168
 - MitM attacks, 169, 204
 - NATs, 173–178, 179–180, 265, 345, 355
 - P2P networks, 174, 344–345, 348, 349
 - presence, 161, 225, 227
 - QoS applications, 312, 313
 - RTP and, 180
 - simplicity and, 47
 - SIP, 31, 99, 159–160
 - standards for, 85
 - third-party call control, 203–205
- self-signed certificates, 163
- server clouds, 349
- serverless communications, 349
- server-less P2P SIP, services
 - performed by, 18
- Servers in the PSTN Initiating Requests to InTernet Servers (SPIRITS), 29
- service records (SRV RR), 61–62
- services. *See also* APIs; CGI; CPL
 - call forwarding implementation options, 135, 136–141, 197
 - creating, 26–27, 100, 135–136, 141
 - denial, 78, 160, 161, 313, 344
 - location, 136
 - mobility, 20, 21, 255–256
- servlets, SIP, 149
- Session Announcement Protocol (SAP), 82, 85, 93
- Session Border Controllers (SBC), 44, 173, 180–183
- Session Description Protocol (SDP). *See* SDP
- Session Initiation Protocol (SIP). *See* SIP
- session mobility, 256, 260–261
- sessions
 - cancelling, 116–117
 - creating, 26–27, 100, 135–136, 141

- disrupting, 160, 161
- modifying, 114–115, 197
- setup functions, 110–111
- terminating, 103, 116, 118, 155
- SHA-1 (Secure Hash Algorithm 1), 163, 342
- Short Messaging Service (SMS), 253
- sidetone, 305
- sign language, 289–290
- signaling, 13–14, 173
- Simple Mail Transfer Protocol (SMTP), 60, 82, 102, 177, 311
- SIMPLE (SIP for IM and Presence Leveraging Extensions), 225, 353
- Simplicity Principle, 45, 47, 51
- SIP Digest authentication, 128–129
- SIP for IM and Presence Leveraging Extensions (SIMPLE), 225, 353
- SIP networks, elements of, 106–107
- SIP servers
 - advantages, 98
 - circumstances required for, 16
 - defined, 106
 - locating, 107
 - services supported by, 18, 99–100
 - types, 106
 - user preference support, 100, 154, 157
- SIP (Session Initiation Protocol)
 - advantages, 2, 6
 - challenges/limitations, 6, 33–34, 355
 - core protocol, 354
 - debugging, 100
 - extensions, 354
 - features, 16–18, 97, 98–100, 102
 - history, 7–8, 101, 102, 245
 - in IP stack, 82
 - open source code, 9
 - standards for, 7–9, 12, 60, 85, 353–354
 - uses, 14, 34–35, 50
- SIP Telephony (SIP-T), 186, 192–195
- SIP URIs, 57–58, 67–69
 - sip.emergency-service tag, 278
- Skype, 255, 339, 345, 348–349, 353
- SMIL (Synchronized Multimedia Integration Language), 84
- S/MIME (Secure Multipurpose Internet Mail Extensions), 165, 168, 183
- SMS (Short Messaging Service), 253
- SMTP (Simple Mail Transfer Protocol), 60, 82, 102, 177, 311
- softswitches, 98, 317–318, 321
- sos emergency URI, 278
- Source Specific Multicast (SSM), 83
- spam, protection from, 31
- speech, converting text to, 294–298
- speech impairments, 31–32. *See also* disabilities, accessibility for users with
- speed dial feature, 198
- SPEEX codec, 306, 307
- SPIRITS (Servers in the PSTN Initiating Requests to InTernet Servers), 29
- spoofing, 77, 160, 161
- SRTP (Secure RTP), 166–168. *See also* Real Time Transfer Protocol (RTP); ZRTP
- SRV RR (service records), 61–62
- SSL (Secure Socket Layer) protocol, 78–79, 111
- SSM (Source Specific Multicast), 83
- Standards Actions, IETF, 49
- state information, 110
- Stream Control Transport Protocol (SCTP), 111
- string-switch tag, 144
- STUN protocol, 179–180, 183
- sub tag, 144

subaction tag, 144
Subject: header, 55
SUBSCRIBE method, 22, 103,
127–128, 217, 314
supernodes, 19, 317, 339, 342
Supported header, 130, 132,
141, 142
switching methods, 46. *See also*
softswitches
Synchronized Multimedia
Integration Language (SMIL), 84

T

tags. *See also specific tags*
authentication, 167, 168
CPL, 143–144
emergency communications, 278
XML, 142–143
tail length, 305
TCP (Transmission Control
Protocol), 82, 111, 176, 177–178
TDM (Time Division Multiplex),
187, 214–215
Tel URI, 56–58, 99, 186
telecommunication networks. *See*
also mobile networks; telephony
architecture, 39–42, 47
business volume, 12
conferencing services on, 246
disadvantages, 90
failures in, 253
growth in, 1–2
information on, 10, 39
migration to Internet, 82
standards for, 42
telephone calls. *See also call control;*
emergency communications
call waiting, 29, 196–197, 200
callbacks, automatic, 198, 229
called party preferences, 154, 157
caller identification, 197
caller preferences, 19, 72, 154–156

conference, 245, 246, 248
dialing, automatic, 199
diversion, 76
flows, 25, 179–181, 321, 323,
328–335
forwarding, 135, 136–141, 197
hijacking, 160, 202
holding, 197
outgoing, 73
park and pickup, 197
privacy, 69, 183
routing, 29, 67–69, 100, 186–187,
199
screening, 198
setup, 121–123
transferring, 196, 198
voicemail, directing to, 214,
215–217
telephone numbers
blocks of, 67
contact examples, 73–76
contact routing, 67–69
portability, 20, 71, 73, 76
registration, 69
URIs and, 56–58, 99, 186
telephones, text, 288, 296
telephony. *See also conferencing;*
PBX systems; Public Switched
Telephone Network (PSTN);
telecommunication networks
acoustics, 304–305
addressing support, 5, 15, 56–57, 99
call control services, 25
collecting digits, 330–332
delay in, 303–304
Instant Messaging and, 239
IP gateways, 98, 320–322
mobile, 253, 260, 277–278
noise and, 305, 308
packet loss, 303, 304, 305, 314
proportion of Internet traffic, 282,
302, 307, 309–311

- quality, 302, 303–305, 308, 314
 - replication of services, 33–34
 - SIP/PSTN interworking, 29, 102, 185, 188–195, 285
 - user preferences, 19, 72, 153–157
 - voice-only obsolescence, 223, 224
 - Telephony Gateway Registration Protocol (TGREP), 186–187
 - telephony over cable, 3, 13–14
 - Telephony Routing over IP (TRIP), 29, 186–187
 - telephony-style conferencing, 245, 246, 248
 - television networks, 2
 - terminal mobility, 20, 21, 255, 257–259
 - terminals, defined, 153
 - Text over IP (ToIP), 31–32, 274, 290–294, 295
 - text phones, 288, 296
 - text-based messaging, 209. *See also* messaging, unified
 - text-to-speech conversion, 294–298
 - TGREP (Telephony Gateway Registration Protocol), 186–187
 - Third-Generation Partnership Project (3GPP), 254
 - third-party call control, 140, 201, 202–206. *See also* call control
 - Time Division Multiplex (TDM), 187, 214–215
 - time-switch tag, 144
 - TLS (Transport Layer Security), 163–165, 168. *See also* Datagram TLS; SSL protocol
 - To header, 57, 104, 110
 - ToIP (Text over IP), 31–32, 274, 290–294, 295
 - Total Conversation, 293
 - traffic engineering, 89, 111, 325
 - traffic, Internet. *See* Internet traffic
 - transcoding services, 294–298
 - Transmission Control Protocol (TCP), 82, 111, 176, 177–178
 - transport addresses, determining, 179
 - transport efficiency in network architecture, 46
 - Transport Layer Security (TLS), 163–165, 168. *See also* Datagram TLS; SSL protocol
 - transport protocols, 111
 - TRIP (Telephony Routing over IP), 29, 186–187
 - trunks, 187
 - tunneling, ISDN User Part (ISUP), 117, 188, 190–195
 - TURN protocol, 179, 180, 183
 - TV networks, 2
 - 200 OK response code, 17, 23, 117, 203
- U**
- UAC (user agent client), 73, 106
 - UAs. *See* user agents
 - UASs (user agent servers), 106
 - UDP (User Datagram Protocol), 82, 111, 177–178
 - unified message (UM) server, 211–212. *See also* unified messaging
 - unified messaging, 209–213
 - Uniform Resource Identifiers (URIs) address form, 15, 55
 - component service systems and, 326–327
 - defined, 54–55
 - emergency, 278
 - ENUM services and, 58
 - IM-based communication and, 223
 - mailto:, 55
 - opaque, 140

- Uniform Resource Identifiers (URIs)
 - (*continued*)
 - presence and, 223
 - Request-, 55, 57
 - SIP, 57–58, 67–69
 - telephony, 56–58, 99, 186
 - Universal Resource Locators (URLs), 55
 - unknown request types, 130, 141–142
 - UPDATE method, 103
 - UPnP protocol, 348
 - URIs. *See* Uniform Resource Identifiers
 - URLs (Universal Resource Locators), 55
 - user agent client (UAC), 73, 106
 - user agent servers (UASs), 106
 - user agents (UAs)
 - back-to-back, 44, 183
 - IM and, 227
 - NATs and, 179–180
 - presence and, 227
 - purpose, 106–107
 - registration, 63, 186, 256–257
 - User Datagram Protocol (UDP), 82, 111, 177–178
 - user preferences. *See* preferences, user
 - user=phone tag, 57
- V**
- Via header, 104, 108, 111, 164, 175–176
 - video applications for disabled users, 31–32, 289–290, 291
 - video communication, 302, 310
 - video conferencing, 245, 248
 - video/audio players, 212
 - VISP (VoIP service providers), 16
 - visual impairments. *See* disabilities, accessibility for users with
 - voice communication. *See* telephony
 - voice conferencing, 245, 246, 248
 - Voice Extensible Markup Language (VoiceXML), 24, 84, 149–150, 333–335
 - voice menu systems, 199
 - voice networks, 2. *See also* telephony
 - Voice over IP (VoIP)
 - bandwidth shortage and, 309
 - emergency calling, 280–281
 - features supported, 18
 - IM services and, 223
 - master/slave systems, 318–320
 - mobility of, 255
 - overview, 2–3, 5–6
 - P2P and, 19, 340
 - P2P SIP and, 349–350, 355–356
 - SIP and, 102
 - verifying service as, 68
 - voice recognition, 296
 - voice response system, 199, 333–335
 - voicemail. *See also* messages
 - directing calls to, 214, 215–217
 - example application, 211–212, 326–328
 - invoking via Web server, 328–329
 - message creation, 214–217
 - message notification, 217–221, 229
 - message retrieval, 212–213, 221
 - TDM system compatibility, 214–215
 - user preferences, 209
 - voice-text conversion, 294–298
 - VoiceXML (Voice Extensible Markup Language), 24, 84, 149–150, 333–335
 - VoIP. *See* Voice over IP
 - VoIP service providers (VISP), 16
- W**
- walled gardens, 3–4, 5, 18
 - WAP (Wireless Access Protocol), 253–254

web conferencing, 246
web sites, finding, 53–54
web-type addressing, 11, 15, 54–58,
61, 99
Wireless Access Protocol (WAP),
253–254
wireless networks. *See* mobile
networks
wireless walled gardens, 3
wireline emulation of
IMS: TISPAN, 3

X

XCON (Centralized Conferencing
Working Group), 251
XML (Extensible Markup
Language). *See also* VoiceXML
format, 142–143, 220–221
standards for, 84
uses, 26, 50

Z

ZRTP, 169

