

# Index

## Numbers

- 3D effect (Illustrator), 324–327
- 3D layers (Photoshop), 72–73, 168
- 3D movie clips (Flash)
  - support for, 666
  - 3D Rotation tool for, 672–673
  - 3D Translation tool for, 674–675
  - tweneing 3D properties, 675–676
- 3D Orbit tool (Photoshop), 77
- 3D Rotation tool (Flash), 577, 672–673
- 3D Translation tool (Flash), 577, 674–676
- 8-bit color mode (Photoshop), 91
- 9-slice scaling (Fireworks), 504
- 16-bit color mode (Photoshop), 91

## A

- absolute-positioned DIVs. *See* AP Divs
  - accessibility
    - Alt text for Web images, 382, 807
    - for tables (Dreamweaver), 415
  - accessing. *See* opening or accessing
  - Acrobat. *See also* PDF (Portable Document Format); *specific features*
  - Adobe PDF printer feature, 737–738
  - Adobe Reader for files, 172
  - Advanced Editing toolbar, 746–747, 749–752
  - bookmarks, 734, 741–745
  - Comment & Markup toolbar, 757–763
  - comment management, 764–767
  - described, 13–14, 721
  - document preferences, 26
  - editing buttons, 746–747
  - editing graphics, 751–752
  - editing text, 749–751, 752
  - entering text in PDFs, 753
  - exporting content, 51, 753–756
  - Form Editing mode, 746
  - Full Screen mode, 727–728
  - importing PDF data, 48–49
  - limiting printing and editing, 772–774
  - Link tool, 745–746
  - links, 734, 745–746
  - Navigation panels, 728–729
  - opening Illustrator files in, 333
  - panels lacking in, 33
  - PDF Maker add-in for Office, 731–735
  - plug-ins, 37–38
  - Reading mode, 728
  - security, 723, 769–774
  - Snapshot tool, 756
  - toolbars, 724, 725–726
  - Typewriter tool, 753
  - uses for, 13–14, 722–723
  - version choices for security, 770–771
  - viewing modes, 726–727
  - workspace, 724
  - zooming in, 724–725
- actions (Acrobat)
    - for bookmarks, 745
    - for buttons, 747
  - Actions panel (Flash), 677–678
  - ActionScript
    - Actions panel, 677–678
    - adding scripts to Timeline, 679–683
    - buttons with, 687–692
    - case sensitivity of, 692
    - compiler errors, 689
    - described, 583, 677
    - event handlers, 687, 689, 690
    - event listeners, 689, 690
    - frame labels with, 690–692
    - function, 689
    - `gotoAndPlay()` action, 681, 682–683, 690
    - `gotoAndStop()` action, 681–682, 690
    - jumping forward or back in Timeline, 690
    - naming conventions, 692
    - Script Assist mode, 678
    - `stop()` action, 680–681
    - stop button script, 687–689
    - version 3.0 versus 2.0, 679
    - version in publish settings, 679, 714
  - Add Anchor Point tool (Illustrator), 231
  - add-ons. *See* filters; plug-ins or extensions
  - adjustment layers (Photoshop)
    - creating, 70–71
    - layers affected by, 72
    - for tone curve adjustment, 135–136
    - turning off visibility for, 72
  - Adjustments panel (Photoshop), 70–72
  - administering Web sites (Contribute)
    - creating connection keys, 788–789
    - e-mail and link settings, 834–835
    - Rollback feature, 835–837
    - sending connection keys, 789
    - user roles for, 786–788, 831–834
  - administrator role (Contribute), 786, 832
  - Adobe Audition, 520

- Adobe Bridge
  - accessing, 42–43, 81
  - color management using, 26, 45–46
  - described, 1, 15, 81
  - dragging images to
    - Photoshop, 81
  - features missing from, 42
  - finding files, 43
  - with Fireworks, 476
  - as hub for CS4, 41–42
  - image stacks, 44–45
  - installing, 42
  - keywords in, 43, 44
  - metadata in, 43, 44
  - moving files, 43
  - navigating, 43–45
  - purging cache data, 43
  - saving cache data, 43
- Adobe ConnectNow, 73
- Adobe Exchange Web site, 35, 38
- Adobe Extension Manager, 36
- Adobe PDF printer, 737–738
- Adobe Reader
  - downloading, 172
  - enabling commenting, 767
  - version choices for security, 770–771
- Adobe Soundbooth (ASND)
  - format, 528–529
- Advanced Editing toolbar (Acrobat)
  - adding TouchUp tools, 749
  - editing buttons, 746–747
  - editing graphics, 751–752
  - editing text, 749–750
- advertisements, PDFs for, 733
- .ai (native Illustrator) format
  - importing into Flash, 647, 653–654, 656–659
  - opening in other Adobe programs, 333–334
  - saving in, 332–333
- AIFF (Audio Interchange File Format), 524
- AJAX (Asynchronous JavaScript and XML), 355
- alerts, 20–21
- Align panel (CS4), 33
- Align panel (Flash)
  - Match Size options, 701–702
  - overview, 699–700
  - To Stage button, 700–701
- aligning
  - artwork (Flash), 699–702
  - images (Contribute), 807
  - images on Web pages, 386
  - layers (Photoshop), 162–163
  - snapping for (Flash), 632, 636, 697
  - table contents
    - (Dreamweaver), 421
    - text (Fireworks), 469
    - text (Illustrator), 252
- alpha channel
  - overview, 63
  - for Quick Mask mode (Photoshop), 100
- Alt text for Web images, 382, 807
- anchor points (Illustrator)
  - creating corner points, 230
  - described, 205, 223
  - hidden Pen tools for, 231
  - preferences for tools, 231
  - selecting, 205–206, 209
- anchors for links
  - creating, 408–409
  - defined, 405
  - linking to, 409–410
- animation (Fireworks)
  - adding object to multiple states, 509
  - creating an image for, 506–507
  - exporting, 516
  - file size, 505
  - frame rate for, 510–511
  - looping, 511
  - making it move, 508
  - masks for, 514–515
  - onion skinning, 507
  - states for, 497, 498, 508
  - testing on the Web, 510
  - testing playback, 508–509
  - tweening, 511–514
  - uses for, 505
- animation (Flash)
  - adding movies to drafts (Contribute), 827–829
  - adding to movie clips, 667–668
  - along a path, 630–633
  - applying to symbols, 651–652
  - copy and paste for motion, 629–630
  - creating motion tweens, 617–618
  - creating shape tweens, 621–622
  - duplicating tweens, 627
  - easing behavior for, 633–635
  - fade ins or fade outs, 628–629
  - frame rate, 576, 619, 623
  - frame-by-frame, 622–623
  - gravity and inertia in motion, 633–635
  - Inverse Kinematics (IK), 638–641
  - joining motion, 627–628
  - masking for, 642–644
  - motion guides for, 630–633
  - poses for, 640–641
  - previewing movies, 644
  - resizing spans, 619
  - shape hinting, 635–638
  - transforming symbols, 625–627
  - tweening 3D properties, 675–676
  - between type characters, 622
  - zoom-in and zoom-out effects, 625–627
- anti-aliasing
  - avoiding GIF files with, 174
  - defined, 174

- for flattening Illustrator graphics, 342
  - with PNG files, 179
  - AP Divs (absolute-positioned DIVs)
    - behaviors with, 431–432
    - creating, 425–427
    - defined, 425
    - hiding, 429
    - Layer objects replaced by, 425
    - modifying, 427–429
    - preventing overlapping, 429
  - AP Elements panel (Dreamweaver)
    - AP Divs in, 427
    - hiding AP Divs, 429
    - Layers panel replaced by, 425
    - modifying AP Divs, 427–429
    - opening, 427
    - Prevent Overlaps check box, 429
  - Appearance panel (Illustrator)
    - adding multiple fills and strokes, 327–329
    - described, 188–189
    - for effects, 319–320
    - saving graphics styles, 323–324
  - Apple QuickTime format, 524, 829
  - archiving, PDFs for, 733
  - Area Type tool (Illustrator)
    - creating columns with, 239–240
    - options for, 240–241
  - Armature layer (Flash)
    - adding easing to, 642
    - adding objects to, 639–640
    - for IK container objects, 639
    - inserting poses, 640–641
  - artboards (Illustrator)
    - defined, 194
    - in document window, 195
    - moving printable area, 196
  - multiple, creating, 185–186
  - multiple, printing, 186–187
  - orientation of, 194
  - spacing between, 194
  - ASND (Adobe Soundbooth)
    - format, 528–529
  - Asynchronous JavaScript and XML (AJAX), 355
  - Attach File tools (Acrobat), 760–761
  - attenuation
    - by compressors, 558
    - defined, 542
  - attributes of HTML tags, 378
  - audio. *See* digital audio; Soundbooth
  - Audio Interchange File Format (AIFF), 524
  - audio interfaces, 522
  - Auto-Align Layers tool (Photoshop), 163
  - Available Fonts panel (Dreamweaver), 396
- 
- ## B
- 
- background color
    - defined, 140
    - filling with (Photoshop), 153
    - for Flash graphics, 576
    - painting with (Photoshop), 148–149
    - for table cells (Dreamweaver), 420
  - backgrounds for Web pages, 387–388
  - Bandwidth Profiler (Flash), 710–711
  - baseline of fonts, 248
  - baseline shift, 250
  - BCC (Browser Compatibility Check), 352, 435–436
  - behaviors (Dreamweaver), 38, 431–432
  - Bézier curves
    - defined, 223
    - Flash, 590–591, 597
    - Illustrator, 226–227, 229
  - Bézier, Pierre (CAD/CAM developer), 223
  - Bind tool (Flash), 578
  - bit depth
    - of audio, 522
    - of images, 91, 179
  - bitmap fills (Flash), 652–653
  - bitmap images. *See also* graphics; Photoshop
    - changing appearance of (Fireworks), 454–455
    - converting to symbols (Flash), 649
    - creating (Fireworks), 454
    - defined, 54, 645
    - file types, 54
    - importing into Flash, 647, 648–649
    - Live Trace feature (Illustrator), 292
    - moving pixels (Fireworks), 454
    - pixels in, 54
    - scaling, quality loss with, 54, 85
    - tools for (Fireworks), 445–446, 453–456
    - vector graphics versus, 85–86, 192, 452–453, 645–646
    - for Web display, 55
  - Bitmap mode (Photoshop), 86
  - black-and-white images (Photoshop)
    - converting color to, 71
    - Grayscale mode for, 86–87
  - bleed value (Illustrator), 194
  - Blend tool (Illustrator)
    - Blend Options for, 311
    - described, 198, 309

- Blend tool (Illustrator)*(continued)*
    - simple blend using, 309–311
    - tips for, 312
  - blending modes (Illustrator), 315–316
  - blending modes (Photoshop)
    - available modes, 150–152
    - changing colors using, 152
    - experimenting with, 150
    - layers for, 150
    - for shapes, 112
    - uses for, 150
  - Bloat tool (Illustrator), 302
  - Blob Brush tool (Illustrator), 188, 197
  - blogs (Contribute)
    - in browsers versus Document Editor, 813
    - connection for, 811
    - described, 780, 810–811
    - editing existing entries, 812–813
    - features for, 780–781
  - Blur tool
    - Fireworks, 446, 456
    - Photoshop, 77
  - Bone tool (Flash), 578
  - bookmarks in PDF files
    - actions for, 745
    - creating when converting from Word or Excel, 734
    - editing, 744–745
    - linking to a page, 742–743
    - linking to external files, 743
    - showing and hiding, 742, 744
    - uses for, 741–742
    - using, 743–744
  - borders of tables (Dreamweaver), 415
  - bounding boxes (Illustrator), 206, 296
  - breaking apart
    - shapes (Flash), 594–595
    - splitting table cells (Dreamweaver), 418
    - symbols (Fireworks), 503–504
  - Bridge. *See* Adobe Bridge
  - Browser Compatibility Check (BCC), 352, 435–436
  - Browser/Document Editor (Contribute)
    - adding images to drafts, 805–806
    - adding new pages, 816–817
    - applying CSS styles, 801–802
    - creating CSS styles, 802–803
    - deleting CSS styles, 803–804
    - described, 793
    - Document Editor tools, 798, 799
    - editing blog entries, 812–813
    - formatting text, 804–805
    - linking new pages, 817
    - overview, 794–795
    - renaming CSS styles, 803, 804
  - browsers
    - adding to Dreamweaver, 367
    - checking compatibility, 352, 435–436
    - previewing CSS in, 397
    - previewing Flash movies in, 644
    - previewing image maps in, 489
    - previewing pages in, 366–367
    - previewing rollover buttons in, 500
    - testing animation in, 510
    - testing behaviors in, 432
  - browsing to Web sites (Contribute), 794–795
  - Brush tool
    - Fireworks, 445, 455, 479
    - Flash, 578
    - Photoshop, 77, 144–146
  - brushes
    - changing (Photoshop), 141–142
    - custom, Illustrator plug-ins for, 37
  - Brushes panel (Photoshop), 144–146
  - Brushes Preset picker (Photoshop), 141–142
  - button symbols (Flash)
    - ActionScript with, 687–692
    - adding content to states, 684–685
    - button states for, 684
    - converting shapes to, 683–684
    - enabling simple buttons, 686
    - event handlers for, 687, 689, 690
    - event listeners for, 689, 690
    - frame labels with, 690–692
    - `gotoAndPlay()` action with, 690
    - `gotoAndStop()` action with, 690
    - Hit frame for, 684
    - jumping forward or back in Timeline, 690
    - modifying instances, 686
    - stop button using
      - ActionScript, 687–689
  - buttons, adding to PDFs, 48, 746–747
- 
- ## C
- Callout tool (Acrobat), 763
  - Camera Raw format, 82
  - capturing a noise print (Soundbooth), 564–565
  - Cascading Style Sheets. *See* CSS
  - case, changing in Illustrator, 256
  - CD-ROM, publishing movies for (Flash), 712
  - cells of tables (Contribute), 821
  - cells of tables (Dreamweaver)
    - aligning contents, 422
    - assigning colors, 420
    - merging, 418
    - padding, 415
    - selecting, 418

- spacing between, 415
  - splitting, 418
  - Change Case feature (Illustrator), 256
  - Change Links Sitewide command (Dreamweaver), 434
  - Channels panel (Photoshop), 63
  - Character panel
    - described, 34
    - Illustrator, 249–251
  - character styles (Illustrator)
    - creating, 257–258
    - defined, 257
    - updating, 259–260
  - characters (glyphs), 57
  - Chosen Fonts panel (Dreamweaver), 396
  - clipping, audio, 566
  - clipping masks (Illustrator), 268–270, 342
  - clipping paths (Photoshop), 56, 115–117
  - Clone Source panel (Photoshop), 147–148
  - Clone Stamp tool (Photoshop)
    - Clone Source panel with, 147–148
    - described, 77
    - hiding the overlay, 148
    - using, 146
  - cloning, copying, or duplicating
    - clips (Soundbooth), 538–539
  - Clone Stamp tool for (Photoshop), 77, 146–148
  - color attributes (Illustrator), 291–292
  - constraining (Illustrator), 213
  - layer groups (Photoshop), 164
  - layers (Illustrator), 276
  - layers (Photoshop), 157
  - Library panel (Flash), 611
  - object to multiple states (Fireworks), 509
  - PDF file text, 753–754
  - PDF table data to spreadsheet, 755
  - Rubber Stamp tool for (Fireworks), 446, 456, 479–480
  - screen grabs from PDFs, 756
  - selected objects (Illustrator), 213
  - selected objects (Photoshop), 94
  - symbols (Flash), 611–612
  - symbols for tweening (Fireworks), 512–513
  - text attributes (Illustrator), 252
  - text objects (Illustrator), 260
  - tweens (Flash), 627
  - Close menu option, 22
  - closed shapes (Illustrator)
    - creating with Pen tool, 228
    - defined, 224
    - text in, 246
    - text on path of, 246
  - Cloud Shape tool (Acrobat), 761–762
  - CLUT (color look-up table), 89
  - CMS (content management system). *See* Contribute
  - CMYK color mode
    - avoiding color correction in, 127
  - Color panel for (Illustrator), 282
  - converting colors for, 62
  - converting to, 90
  - entering values for (Fireworks), 461
  - in Illustrator, 277–278
  - in Photoshop, 90
  - for spot colors (Illustrator), 288
  - warning for colors not suitable, 62
- Code Navigator (Dreamweaver), 354–355
  - collapsing. *See* expanding and collapsing
  - color channels
    - alpha, 63, 100
    - overview, 62–63
  - color correction (Photoshop)
    - adjustment layer for, 135–136
    - Bitmap color mode for, 86
    - checking histogram first, 125–128
    - key types of images, 127, 128
    - preparing for, 127–129
    - testing your printer, 136–137
    - tone curve adjustment, 129–136
  - color depth (bit depth), 91, 179
  - Color Guide (Illustrator), 284–286
  - color look-up table (CLUT), 89
  - color modes
    - choosing in Photoshop and Illustrator, 61–62
    - CMYK, 62
    - Illustrator, 277–278
    - image modes (Photoshop), 86–91
    - RGB, 62
  - Color palette (Fireworks), 463–465
  - Color panel
    - color mixer, 64–65
    - described, 33
    - Flash, 601–602
    - Illustrator, 282
  - color separations
    - DCS format for (Photoshop), 173
    - printing (Illustrator), 345
  - color table
    - for GIF images, 175–177
    - for Web pages, 89
  - colors. *See also* fills
    - applying to objects (Fireworks), 462

- colors (*continued*)
  - background, defined, 140
  - blending modes (Illustrator), 315–316
  - blending modes (Photoshop), 112, 150–152
  - for bookmarks in PDFs, 745
  - for buttons in PDFs, 747
  - Color Guide (Illustrator), 284–286
  - converting to black-and-white (Photoshop), 71
  - converting to grayscale (Photoshop), 87
  - copying attributes (Illustrator), 291–292
  - creating and applying (Flash), 601–602
  - custom libraries of (Illustrator), 283
  - dithered, 65–66, 339
  - editing (Illustrator), 286–288
  - fade ins or fade outs (Flash), 628–629
  - foreground, defined, 140
  - global (Illustrator), 287
  - gradient masks (Fireworks), 459–460
  - gradient meshes (Illustrator), 307–309
  - gradients, 65, 290–291, 465–466
  - groups (Illustrator), 284–285
  - hexadecimal numbers for, 62
  - importance of, 61
  - Kuler feature, 73
  - managing in Adobe Bridge, 26, 45–46
  - mixing, 64–65
  - morphing with shape tweens (Flash), 621
  - painting images (Fireworks), 479
  - Pantone Matching color system, 88, 286
  - process (Illustrator), 287
  - saving in (Illustrator), 283–286
  - settings for all CS4 programs, 26, 45–46
  - settings for Illustrator, 26
  - for shapes (Photoshop), 112–113
  - spot (Illustrator), 287
  - for sticky notes (Acrobat), 758
  - for strokes and fills (Flash), 592–593
  - for strokes and fills (Illustrator), 279
  - swatches for choosing, 63–64
  - of table cells (Dreamweaver), 420
  - for text (Fireworks), 468
  - tinting symbols (Flash), 650–651
  - for Web display, 65–66, 282, 461
- columns of tables
  - Contribute, 821, 822
  - Dreamweaver, 415, 417
- combining movie clips (Flash), 670–672
- comma separated values (CSV) files, 421
- comments and markup (Acrobat)
  - Attach File tools for, 760–761
  - Callout tool for, 763
  - changing review status, 764–765
  - collapsing or hiding comments, 765
  - Cross Out Text tool for, 760
  - drawing tools for, 761–762
  - enabling in Adobe Reader, 767
  - exporting comments, 51
  - Highlight Text tool for, 760
  - importing comments, 48
  - Pencil tool for, 763
  - replying to comments, 765
  - sharing comments, 766
  - Stamp tool for, 759–760
  - Sticky Note tool for, 758
  - summarizing comments, 766–767
  - Text Box tool for, 762
  - Text Edits tool for, 758–759
  - Underline Text tool for, 760
  - viewing comments, 764
- Common Library (Fireworks), 500, 501
- compiler errors (ActionScript), 689
- composite images, 155–156
- compressors (Soundbooth)
  - adding compression to clips, 557–558
  - over-compressing, avoiding, 558
  - overview, 557
  - settings, 558–559
- connection keys (Contribute)
  - connecting with, 783, 789–790
  - creating, 788–789
  - defined, 788
  - sending, 789
- connections (Contribute)
  - creating for blogs, 811
  - creating from the Start page, 784–785
  - creating keys for, 788–789
  - creating with a key, 783, 789–790
  - creating with My Connections command, 786
  - defined, 783
  - gathering information for, 784
  - sending keys for, 789
- Connections panel, 73

- content management system (CMS). *See* Contribute
- contextual menus, using, 22–23
- Contribute
  - adding Flash movies, 827–829
  - adding images to drafts, 805–806
  - adding pages to site, 815–817
  - adding PDF files, 818–819
  - adding video content, 829–830
  - adjusting placed images, 806–808
  - administering Web sites, 786–789, 834–837
  - applying CSS styles, 801–802
  - blogs using, 780–781, 810–813
  - Browser/Document Editor, 793–795
  - browsing to sites, 794–795
  - CMS features, 778–779
  - connection keys, 788–790
  - connection setup, 783–786
  - creating CSS styles, 802–803
  - creating drafts, 795
  - creating lists, 808
  - deleting CSS styles, 803–804
  - described, 15, 777
  - Draft Console, 795–796
  - Dreamweaver templates with, 791, 823–827
  - Dreamweaver use with, 779–780
  - editing existing pages, 795, 798–800
  - enabling Dreamweaver sites for, 791–793
  - formatting text, 804–805
  - How Do I panel, 796
  - inserting Word or Excel content, 818
  - links, 808–810, 817–818
  - Pages panel, 795–796
  - publishing drafts, 818, 839–840
  - renaming CSS styles, 803, 804
  - reviewing drafts, 837–838, 839
  - Rollback feature, 835–837
  - spell checker, 839
  - Start page, 793
  - submitting drafts for review, 838–839
  - tables, 819–822
  - user roles, 786–788, 831–834
  - uses for, 15
  - workspace overview, 793–796
- Control panel (Illustrator)
  - modifiers for Pen tool, 231–232
  - for type, 251
- Convert Anchor Point tool
  - Flash, 578
  - Illustrator, 231
- converting. *See also* converting
  - to PDF
    - analog to digital audio, 521–522
    - artwork to symbols (Fireworks), 502
    - artwork to symbols (Flash), 607, 649, 666–667
    - to CMYK mode, 90
    - color to black-and-white (Photoshop), 71
    - color to grayscale (Photoshop), 87
    - type to outlines (Illustrator), 244
  - converting to PDF
    - Adobe PDF printer for, 737–738
    - for advertisements, 733
    - for archiving, 733
    - electronic documents from any program, 737–738
    - Excel documents, 733–734
    - Illustrator files, 336–338, 735
    - InDesign documents, 735–736
    - Office files, 731–735
    - paper documents, 738–739
    - Photoshop files, 172–173, 735
    - PowerPoint documents, 734–735
    - for printing, 733, 736
    - Web pages, 739–740
    - Word documents, 733–734
- copy and paste
  - clips (Soundbooth), 538–539
  - into Dreamweaver, 49
  - frames (Flash), 627
  - for HTML code, 377
  - into Illustrator, 47
  - from Illustrator to Flash, 333
  - from Illustrator to Photoshop, 111
  - for motion tweens (Flash), 629–630
  - Paste Remembers Layers option (Illustrator), 276
  - for PDF file text, 753–754
  - text into Fireworks, 468
- Copy menu option, 22
- copying. *See* cloning, copying, or duplicating
- corner points, creating (Illustrator), 230
- Crop Area tool (Illustrator), 198, 203
- Crop tool
  - Fireworks, 445, 478–479
  - Photoshop, 76, 83
- cropping. *See also* trimming
  - audio files (Soundbooth), 538
  - defined, 83

- cropping (*continued*)
    - file size reduced by, 83
    - images (Dreamweaver), 383
    - images (Fireworks), 478–479
    - images (Photoshop), 83
    - shapes (Illustrator), 221
    - straightening crooked scans, 83
  - cross fades (Soundbooth), 539–541
  - cross hair swatches (Illustrator), 279
  - Cross Out Text tool (Acrobat), 760
  - crossing out text in PDF files, 758, 760
  - cross-platform compatibility
    - color issues, 65
    - font issues, 58
    - PDF format for, 172, 722
  - Crystallize tool (Illustrator), 303
  - CSS Advisor online, 352–353
  - CSS (Cascading Style Sheets)
    - applying styles, 801–802
    - block level versus inline elements, 401
    - Browser Compatibility Check (BCC), 435–436
    - coloring table cells, 420
    - Contribute features for, 801
    - creating AP Divs, 425–427
    - creating class styles (Dreamweaver), 401–403
    - creating documents from sample pages, 423
    - creating relatively positioned DIVs, 429–430
    - creating styles (Contribute), 802–803
    - creating tag styles (Dreamweaver), 398–400
    - described, 357, 800
    - Dreamweaver CS4 improvements, 357–358
    - as Dreamweaver default, 391, 397
    - exporting slices as (Fireworks), 494–495
    - ID styles, 424–425
    - layouts, 423–432
    - modifying a new layout, 424–425
    - modifying AP Divs, 427–429
    - overview, 396–397
    - previewing in browsers, 397
    - Property Inspector buttons for, 394–395
    - Property Inspector view, 393
    - rules, 801
    - style sheets, 801
    - tag selectors, 425
    - terminology, 358
    - for text, 397–398
  - CSS Styles panel, 401–403
  - CSS Web Design For Dummies* (Mansfield), 397
  - CSV (comma separated values) files, 421
  - curves
    - in Flash, 590–591, 597
    - in Illustrator, 223, 226–227, 229
  - Curves panel (Photoshop)
    - accessing, 130
    - Curve Display Options, 131
    - finding a neutral, 134–135
    - finding the highlight and shadow, 132–133
    - lightening or darkening areas, 135–136
    - midtone adjustment, 134
    - presets, 131
    - RGB color mode in, 131
    - setting the gray point, 135
    - setting the highlight and shadow, 133–134
    - Unsharp Mask filter after using, 135
  - custom guides (Illustrator), 262, 263
  - Custom Shape tool (Photoshop), 111–112
- 
- ## D
- 
- DCS (Desktop Color Separation) format, 173
  - Deco tool (Flash)
    - described, 578, 613
    - Grid Fill mode, 614–615
    - Symmetry Brush mode, 615–616
    - Vine Fill mode, 613–614
  - Delay effects (Soundbooth)
    - applying, 559–560
    - described, 559
    - saving Effects Rack, 560, 561
    - saving presets, 560–561
  - Delete Anchor Point tool
    - Flash, 578
    - Illustrator, 231
  - deleting or removing
    - Adobe Bridge cache data, 43
    - backmost shape from frontmost (Illustrator), 221
    - bookmark actions, 745
    - CSS styles (Contribute), 803–804
    - cutting audio files (Soundbooth), 538
    - fills and strokes (Flash), 593
    - layers (Flash), 584
    - from Marquee tool selection (Photoshop), 95
    - noise (Soundbooth), 563–567
    - saved selections (Illustrator), 211
    - saved workspaces (Flash), 582
    - from selections (Photoshop), 94, 97
    - shape layers (Photoshop), 113–114

- states (Soundbooth), 550
- symbols (Flash), 611
- table rows and columns, 417
- threading for text (Illustrator), 242
- trimming audio files
  - (Soundbooth), 537–538, 548
- workspace layouts (Flash), 694
- dependencies between Flash
  - movie clips, 672
- descenders of fonts, 248
- Desktop Color Separation
  - format, 173
- Device Central, 366
- diagonal line swatches
  - (Illustrator), 279
- dialog boxes, using, 19–20
- dictionary for spell checker,
  - custom, 253
- digital audio. *See also*
  - Soundbooth; sounds (Flash)
  - bit depth, 522
  - clipping, 566
  - converters, 521–522
  - file formats, 523–524, 659
  - Flash sounds, 659–664
  - mono versus stereo, 523
  - sample rate, 522
- digital camera images
  - Camera Raw format for, 82
  - importing into Photoshop, 47
  - increasing resolution of, 120–121
  - red eye removal, 143–144, 481
- Direct Selection tool
  - (Illustrator)
  - correcting paths, 225
  - described, 197, 206
  - selecting anchor points, 209
- Direct Selection tool
  - (Photoshop), 113
- direction lines (Illustrator), 224
- distortions (Illustrator)
  - Envelope Distort command for, 303–305
  - Free Distort dialog box for, 305
  - Liquify tools for, 302–303
- distributing objects across
  - stage (Flash), 700–701
- dithered colors, 65–66, 339
- DIV tags (CSS)
  - behaviors with AP Divs, 431–432
  - creating AP Divs, 425–427
  - described, 425
  - modifying AP Divs, 427–429
  - relatively positioned, 429–430
- dividing shapes (Illustrator), 221
- docking and undocking panels, 30, 199, 200, 448
- Document Library (Fireworks), 500
- document preferences, 26–27
- document size (Illustrator), 194
- Document toolbar
  - (Dreamweaver), 361–363
- dot gain, 120
- dpi (dots per inch)
  - converting to lpi, 120
  - defined, 119, 646
- Draft Console (Contribute)
  - adding movies to drafts, 827–829
  - adding video to drafts, 829–830
  - described, 795–796
  - opening drafts, 800
  - reviewing drafts, 837–838, 839
- drafts (Contribute)
  - adding Flash movies, 827–829
  - adding images, 805–806
- adding new pages, 815–817
- adding PDF files, 818–819
- adding video content, 829–830
- adjusting placed images, 806–808
- applying CSS styles, 801–802
- creating, 795
- described, 795, 798
- directory for, 800
- editing existing pages, 795, 798–800
- formatting text, 804–805
- inserting Word or Excel content, 818
- linking new pages, 817
- links in, 808–810
- links to unpublished, 818
- lists, 808
- opening, 800
- publishing, 818, 839–840
- reviewing, 837–838, 839
- spell checking, 839
- submitting for review, 838–839
- tables, 819–822
- viewing and managing, 795–796
- workflow for, 837
- drawing tools (Acrobat), 761–762
- drawings. *See* vector graphics
- Dreamweaver. *See also* Web
  - sites or pages
  - aligning images, 386
  - assigning and editing fonts, 396
  - behaviors, 38, 431–432
  - Browser Compatibility Check (BCC), 352, 435–436
  - Check Links Sitewide feature, 433–434
  - Code Navigator, 354–355
  - Contribute use with, 779–780

Dreamweaver (*continued*)  
creating a new page, 373  
creating a new site, 364–365, 371–373  
creating class styles, 401–403  
creating CSS layouts, 423–432  
creating tag styles, 398–400  
CSS Advisor online, 352–353  
described, 11–12  
document preferences, 26  
editing images on pages, 374, 383–384  
enabling sites for Contribute, 791–793  
entering text on pages, 391  
exporting content, 51  
Files panel, 374–375  
formatting text, 392–395  
Go to Bridge button, 350  
importing files, 49  
Insert panel, 360–361  
inserting media content, 389–390  
interface improvements, 350  
links, 405–412, 433–434  
Live View, 354, 367  
managing site files, 376  
new features in CS4, 349–358  
opening workspace layouts, 364  
panel groups, 363  
placing background images, 388  
placing images, 373–374, 380–382  
placing Photoshop files, 384–386  
plug-ins, 36, 38  
preferences, 368  
previewing pages, 366–367  
publishing sites, 437–440  
Related Documents toolbar, 356–357

rollover images, 388–389  
saving workspace layouts, 363  
site reports, 434–435  
Smart Objects support, 351–352, 384–386  
spell checking text, 395  
Spry widgets, 355–356  
tables, 413–422  
templates, 38, 791, 823–827  
uses for, 11–12  
workspace, 359–364  
*Dreamweaver CS4 For Dummies* (Warner), 791  
Drop Shadow effect (Illustrator), 322–323  
Duotone mode (Photoshop), 87–89  
duplicating. *See* cloning, copying, or duplicating

## E

easing behavior (Flash)  
for Armature layers, 642  
for motion tweens, 633–635  
Edit menu (CS4), 18  
effects (Dreamweaver behaviors), 38, 431–432  
effects (Illustrator)  
Appearance panel for, 319–320  
applying, 320–321  
Drop Shadow, 322–323  
filters versus, 319  
3D, 324–327  
effects (Soundbooth)  
applying, 559–560  
Delay, 559  
equalizers (EQ), 553–557  
Reverb, 559  
saving Effects Rack, 560, 561  
saving presets, 560–561  
Effects menu (Photoshop), 38–39

Effects panel (Soundbooth)  
compressors, 557–559  
equalizers (EQ), 554–557  
Reverb and Delay effects, 559–561  
8-bit color mode (Photoshop), 91  
Ellipse tool (Illustrator), 216  
Elliptical Marquee tool (Photoshop), 94  
e-mail  
linking to, 411, 810  
settings for, 834–835  
Envelope Distort command (Illustrator)  
applying mesh grid, 303–304  
preset warps, 303  
using different object, 304–305  
EPS (Encapsulated PostScript)  
described, 172  
for Duotones (Photoshop), 89  
Flash support for, 647  
importing into Illustrator, 47  
for previous Illustrator versions, 334–335  
saving in (Illustrator), 335–336  
saving in (Photoshop), 89, 172  
equalization or EQ (Soundbooth)  
applying presets, 554–555  
overview, 553–554  
setting manually, 555–557  
Eraser tool  
Fireworks, 445, 456  
Flash, 578  
Illustrator, 197, 232–233  
Photoshop, 77, 148–149  
event handlers (ActionScript), 687, 689, 690  
event listeners (ActionScript), 689, 690  
Every-Line Composer, 256

Excel  
 inserting content in drafts  
 (Contribute), 818  
 opening PDF table data in,  
 755  
 PDF conversion options,  
 733–734  
 expanding and collapsing  
 comments in PDFs, 764, 765  
 panels, 30, 32, 199  
 tools (Illustrator and  
 Photoshop), 30, 70  
 expanding motion tweens  
 (Flash), 619  
 Export menu option, 22  
 exporting. *See also* importing  
 Acrobat content, 51  
 Adobe Bridge cache data, 43  
 animations (Fireworks), 516  
 clips and selections  
 (Soundbooth), 568–569  
 Dreamweaver content, 51  
 Flash files, 586  
 Illustrator files, 50–51,  
 333–334  
 image maps (Fireworks),  
 489–490  
 InDesign documents as  
 PDFs, 735–736  
 mixes (Soundbooth),  
 569–570  
 need for, 41  
 PDF file content, 51,  
 753–756  
 Photoshop content, 50  
 publish profiles (Flash),  
 716–717  
 rollover buttons (Fireworks),  
 500  
 slices (Fireworks), 494–495  
 table data (Dreamweaver),  
 422  
 for the Web (Fireworks),  
 483–484

Extension Manager, 36  
 extensions. *See* plug-ins or  
 extensions  
 external links  
 defined, 405  
 to e-mail, 411  
 to pages outside your site,  
 410–411  
 to PDF files, 411  
 resolving errors, 411–412  
 Eyedropper tool  
 Fireworks, 447, 463  
 Flash, 578  
 Illustrator, 198, 291–292

---

## F

fade ins or fade outs  
 Flash, 628–629  
 Soundbooth, 539  
 feathering selections  
 (Photoshop), 101–103  
 file formats. *See also specific  
 formats*  
 for digital audio, 523–524,  
 659  
 for Flash workflow, 586  
 Illustrator support for, 191  
 importance of, 171  
 for importing files (Flash),  
 585, 647  
 for publishing movies  
 (Flash), 587, 708–709  
 for saving files (Illustrator),  
 331–334  
 for saving files (Photoshop),  
 171–181  
 for saving files (Soundbooth),  
 528–529  
 for saving PDF file content,  
 754  
 saving settings for  
 (Photoshop), 181  
 for Web video, 829

File menu (CS4), 18  
 file size  
 of animations, 505  
 of bitmaps versus vectors, 55  
 of GIF files, 174  
 for PDF conversions from  
 InDesign, 736  
 for PDF conversions from  
 Office, 732–733  
 reducing by cropping, 83  
 for Web display, 340  
 File Transfer Protocol. *See* FTP  
 Files panel (Dreamweaver)  
 Change Links Sitewide  
 command, 434  
 changing view of, 374–375  
 Check Links Sitewide  
 feature, 433–434  
 editing images on pages, 374  
 retrieving from remote server,  
 439  
 synchronizing local and  
 remote sites, 439–440  
 uploading to remote server,  
 438  
 Files panel (Soundbooth), 524,  
 536–537  
 fills  
 adding multiple (Illustrator),  
 327–329  
 applying color (Fireworks),  
 462  
 applying color (Illustrator),  
 279  
 bitmap (Flash), 652–653  
 changing colors (Flash),  
 592–593  
 defined, 56  
 deleting (Flash), 593  
 Fill dialog box for  
 (Photoshop), 153  
 Live Paint feature  
 (Illustrator), 293–294

- fills (*continued*)
  - Paint Bucket tool for (Photoshop), 153
  - Paintbrush tool for (Flash), 603–604
  - Pen tool for (Photoshop), 109
  - selecting (Flash), 592
- filters. *See also* effects (Illustrator); plug-ins or extensions
  - described, 35
  - effects versus (Illustrator), 319
  - finding additional, 35
  - Fireworks, 480–481
  - installing, 36
  - overload, avoiding, 39
  - sets as plug-ins (Photoshop), 36
  - Smart Filters (Photoshop), 124, 167
  - Unsharp Mask (Photoshop), 122–124, 135
  - using, 38–39
  - Vanishing Point (Photoshop), 105–108
- Find and Replace feature (Illustrator), 253
- Find Font feature (Illustrator), 255
- Fireworks
  - animation, 497, 498, 505–516
  - applying colors to objects, 462
  - assigning colors, 463–465
  - bitmap tools, 445–446, 453–456
  - choosing Web colors, 461
  - Color palette, 463–465
  - described, 12, 443
  - editing images, 476–481
  - exporting for the Web, 483–484
  - exporting slices, 494–495
  - finding color functions, 462
  - getting images into, 475–476
  - gradients, 465–466
  - hotspots, 486–488
  - image maps, 488–490
  - interface, 444–450
  - layers, 451–452, 485–486
  - masking, 459–460
  - navigation bar, 491–495, 501
  - 9-slice scaling, 504
  - optimizing images, 482–483
  - panels, 448
  - path tools, 457–458
  - pixel dimensions in, 444
  - previewing Web settings, 482
  - rollover buttons, 498–500
  - selecting in, 449–450
  - shape tools, 456–457
  - slicing, 490–495
  - spell checking text, 472
  - symbols, 500–504
  - text, 467–474
  - tools, 445–447
  - type in, 459
  - uses for, 12, 443
  - vector tools, 446, 456–459
  - views, 447–448
  - workspace, 444–448
- .fla versus .swf files (Flash), 586, 707
- Flash. *See also* ActionScript; SWF (Shockwave Flash) format
  - adding movies to drafts (Contribute), 827–829
  - adding video to drafts (Contribute), 829–830
  - Align panel, 699–702
  - Bandwidth Profiler, 710–711
  - bitmap fills, 652–653
  - breaking apart shapes, 594–595
  - button symbols, 683–692
  - changing fill and stroke colors, 592–593
  - Color panel, 601–602
  - copy and paste from Illustrator to, 333
  - creating a new document, 575–576
  - creating and applying colors, 601–602
  - deleting fills and strokes, 593
  - described, 13
  - distributing objects across stage, 700–701
  - drawing shapes and lines, 589–592
  - easing behavior, 633–635, 642
  - editing paths, 597
  - editing shapes, 594–597
  - exporting files, 586
  - fade ins or fade outs, 628–629
  - file formats for importing, 585, 647
  - .fla versus .swf files, 586, 707
  - frame rate, 576, 619, 623
  - frame-by-frame animation, 622–623
  - gradients, 602–603
  - grid, 697–699
  - grouping panels, 582
  - guides, 695–697
  - Illustrator Import Options panel (Flash), 658–659
  - importing files to library, 586
  - importing files to stage, 585–586
  - importing Illustrator files, 647, 653–654, 656–659
  - importing images, 646–649
  - importing Photoshop files, 647, 653–656
  - inserting video into drafts (Contribute), 829–830
  - installing plug-ins, 36
  - Internet resources, 718
  - Inverse Kinematics (IK), 638–641

- joining motion, 627–628
- layers, 584–585
- Library panel, 586, 605–606, 609–611
- matching size of objects, 701–702
- Motion Editor, 579, 619–621, 633–635
- motion tweens, 617–621, 627–628, 629–635
- movie clips, 665–676
- Movie Explorer panel, 705
- Object Drawing mode, 594
- onion skinning, 619, 622, 702–703
- opening Illustrator files in, 333–334
- Paintbrush tool, 603–604
- panels, 580–582
- Photoshop Import Options panel, 655–656
- previewing movies, 644
- projectors for movies, 709, 712
- Property inspector, 580
- publish profiles, 716–717
- publishing movies, 587, 644, 679, 707–716
- rulers, 695–697
- saving workspaces, 582
- selecting in, 592, 594–595
- shape hinting, 635–638
- shape tweens, 621–622, 625–627, 635–638
- shortcuts, creating, 703–705
- snapping, 632, 636, 697
- sounds in, 659–664
- Swatches panel, 590, 601
- symbols, 605–616
- Test Movie mode, 669–670, 710
- Timeline, 578–579, 616–617
- transforming artwork, 597–599
- transforming symbols, 625–627
- transforming type, 600–601
- type in, 599–601
- uses for, 13
- workspace layouts, 693–695
- workspace overview, 576–582
- Flash Player
  - downloading, 583
  - file format for, 586
  - overview, 583
  - previewing movie clips, 669–670
  - previewing movies, 644
  - in projectors, 709
- Flash video (.flv) format, 829
- Flattener Preview panel (Illustrator), 343–344
- flattening
  - layers (Photoshop), 168
  - transparency (Illustrator), 341–344
- flattening layers (Photoshop), 169, 173
- .flv (Flash video) format, 829
- folders
  - for drafts (Contribute), 800
  - for plug-ins, 36
- fonts. *See also* CSS (Cascading Style Sheets)
  - assigning and editing (Dreamweaver), 396
  - assigning (Fireworks), 468
  - baseline of, 248
  - for bookmarks in PDFs, 745
  - for buttons in PDFs, 747
  - Character panel settings (Illustrator), 249–251
  - defined, 57, 247
  - descenders, 248
  - finding and replacing (Illustrator), 255
  - in Illustrator, 247–249
- kerning, 247, 250, 469
- leading, 247, 250, 469
- serif versus sans-serif, 57–58
- tracking, 247–248, 250, 469
- types of, 58
- for Web display, 59
- x height of, 247
- foreground color
  - defined, 140
  - filling with (Photoshop), 153
- forms
  - exporting data from PDFs, 51
  - importing data into PDFs, 48
- frame rate (Fireworks), 510–511
- frame rate (Flash)
  - changing, 623
  - default, 576
  - defined, 623
  - importance of, 623
  - maximum rate, 623
  - motion tween span based on, 619
  - movie clips, 666
  - setting for new document, 576
- frame-by-frame animation (Flash), 622–623
- frames (Fireworks). *See* states (Fireworks)
- frames (Flash)
  - adding content to button states, 684–685
  - button states for, 684
  - described, 616
  - duplicating, 627
  - expanding motion tweens, 619
  - frame labels for, 690–692
  - Hit frame for buttons, 684
  - Reverse Frames command, 627, 629
- Free Transform tool
  - Flash, 577
  - Illustrator, 198, 301

Freeform tool (Fireworks), 446, 457–458

FTP (File Transfer Protocol)

- address for Contribute connection, 784
- defined, 370
- Passive FTP option, 438
- remote connection setup, 437–438
- retrieving files from remote server, 439
- synchronizing local and remote sites, 439–440
- uploading movie files (Flash), 711
- uploading to remote server, 438

full-screen mode

- Acrobat, 727–728
- Photoshop, 80–81

function (ActionScript), 689

## G

---

gain

- compressor settings, 559
- defined, 542

GIF (Graphics Interchange Format)

- color table for, 175–177
- Flash support for, 647
- matting options, 180–181
- for movie placeholders (Flash), 709
- overview, 174
- saving in (Illustrator), 338
- saving in (Photoshop), 175
- saving settings for (Photoshop), 181

global colors (Illustrator), 287

`gotoAndPlay()` action (ActionScript)

- with button symbols, 690
- overview, 681, 682–683

`gotoAndStop()` action (ActionScript)

- with button symbols, 690
- overview, 681–682

gradient masks (Fireworks), 459–460

Gradient panel (Illustrator), 290

Gradient tool

- Fireworks, 459–460
- Illustrator, 198, 290–291
- Photoshop, 77, 149–150, 161

Gradient Transform tool (Flash), 577, 603

gradients

- applying to shapes (Flash), 603

Blend tool for (Illustrator), 309–312

Color panel for (Flash), 602–603

gradient masks (Fireworks), 459–460

gradient meshes for (Illustrator), 307–309

Gradient panel for (Illustrator), 290

Gradient tool for (Illustrator), 290–291

Gradient Transform tool for (Flash), 603

- modifying (Flash), 603

Paint Bucket tool for (Fireworks), 465–466

Web display issues, 65

Graph tool (Illustrator), 198

Graphic Styles panel (Illustrator), 323–324

graphics. *See also* bitmap images; vector graphics

- adding to Web pages (Contribute), 805–806
- adjusting placed images (Contribute), 806–808

Alt text for Web images, 382, 807

defined, 53

- editing (Acrobat), 751–752
- extracting from PDFs, 755
- image stacks, 44
- size for Web pages, 55, 340–341, 379, 444

Graphics Interchange Format. *See* GIF

graphics symbols (Flash)

- adding to stage, 608–609
- converting artwork to, 607
- creating, 606–607
- editing, 609–610

gravity, tweening to mimic, 633–635

Grayscale mode (Photoshop), 86–87

grid (Flash)

- customizing, 698
- enabling, 698
- uses for, 697
- using, 698–699

Group Selection tool (Illustrator), 197, 207

grouping

- colors (Illustrator), 284–285
- image stacks, 44
- layers (Photoshop), 164
- objects (Illustrator), 211–212
- panels (Flash), 582

guides

- Flash, 695–697
- Illustrator, 262, 263

## H

---

Hand tool

- Fireworks, 447
- Flash, 578
- Illustrator, 199, 203
- Photoshop, 77

headers of tables (Dreamweaver), 415

Healing Brush tool (Photoshop), 142–143

- Help menu (CS4), 18  
 Help menu option, 22  
 hexadecimal numbers for  
   colors, 62  
 Hide Slices and Hotspots tool  
   (Fireworks), 446  
 hiding. *See* showing and hiding  
 high key images, 127, 128  
 highlight and shadow  
   (Photoshop)  
   example of setting, 129, 130  
   finding, 130–133  
   setting, 133–134  
 Highlight Text tool (Acrobat),  
   760  
 highlighting text in PDF files,  
   758, 760  
 histogram (Photoshop)  
   checking before color  
     correction, 125–127, 129  
   key types of images, 127, 128  
 History Brush tool  
   (Photoshop), 77, 148  
 History panel  
   Photoshop, 148  
   Soundbooth, 549–550  
*Home Recording For  
   Musicians For Dummies*  
   (Strong), 523  
 Hotspot tool (Fireworks), 446,  
   487  
 hotspots (Fireworks)  
   defining, 487  
   described, 486  
   image maps, 488–490  
   linking to, 487–488  
 How Do I panel (Contribute),  
   796  
 HTML  
   basics, 376–378  
   copying and pasting code,  
     377  
   creating a page, 376  
   Property Inspector buttons  
     for, 393–394  
   Property Inspector view, 393  
   for publishing movies  
     (Flash), 709, 715–716  
   site reports, 434–435  
   tags (overview), 378  
   XHTML standard, 377  
 HTTP (Hypertext Transfer  
   Protocol), 370  
 hue. *See* colors  
 Hue/Saturation filter  
   (Fireworks), 481  
 hyperlinks. *See* links  
   (Contribute); links  
   (Dreamweaver); links  
   (Fireworks); links in PDF  
   files  
 Hyphenation feature  
   (Illustrator), 254–255
- 
- I**
- 
- icons  
   for buttons in PDFs, 747  
   in margins of this book, 6  
 IK. *See* Inverse Kinematics  
 Illustrator  
   benefits of, 191–192  
   Blend tool, 198  
   clipping masks, 268–270, 342  
   Color Guide, 284–286  
   color modes, 61–62, 277–278  
   Color panel, 282  
   color settings, 26  
   converting files to PDF, 735  
   copy and paste into, 47  
   copying color attributes,  
     291–292  
   copying shapes to Photoshop  
     from, 111  
   creating new documents,  
     193–195  
   custom brushes, 37  
   described, 10–11  
   distortions, 302–305  
   document preferences, 26–27  
   document window, 195–196  
   editing colors, 286–288  
   editing graphics in PDFs, 752  
   effects, 319–323, 324–327  
   expanding and collapsing  
     tools, 30  
   exporting files, 333–334  
   flattening files, 341–344  
   gradients, 290–291, 307–312  
   Graphic Styles panel,  
     323–324  
   grouping and ungrouping,  
     211–212  
   guides, 262–263  
   hiding objects, 266–267  
   imageable area, 195  
   importing files, 47  
   importing shapes to  
     Photoshop from, 110  
   Isolation mode, 212  
   Live Paint feature, 293–294  
   Live Trace feature, 234–235,  
     292  
   locking objects, 268  
   manipulating selected  
     objects, 212–214  
   mapping artwork, 326  
   Mesh tool, 198, 307–309  
   moving printable area, 196  
   multiple artboard feature,  
     185–187  
   multiple fills and strokes,  
     327–329  
   new features in CS4,  
     185–189  
   nonimageable area, 195  
   opening a document, 193  
   organizing illustrations,  
     261–270  
   page edge, 195  
   panels (overview), 199–200  
   patterns, 288–289  
   Photoshop Layer Comps  
     with, 235

- Illustrator (*continued*)
  - Photoshop versus, 191–192
  - Place command, 47
  - placing images, 235
  - placing shapes and paths, 263–264
  - printing from, 344–345
  - rulers, 218, 261–262, 264
  - saving colors, 283–286
  - saving files, 331–341
  - scratch area, 195
  - selecting, 205–211
  - shapes, 215–221
  - Smart Objects support, 333
  - stacking order, 264–265, 275
  - Stroke panel, 280–281
  - Swatches panel, 278–279, 284–288
  - Symbol Sprayer tool, 198, 312–314
  - template layers, 233–234
  - tools, 196–199
  - tracing artwork, 233–235, 293
  - Transform panel, 218–219, 263–264
  - transformations, 206, 295–301
  - transparency, 314–317
  - type in, 237–260
  - uses for, 10–11
  - utilities for text, 253–260
  - views, 200–202
  - Welcome screen, 193
  - zooming in, 202–204
- Illustrator Import Options panel (Flash), 658–659
- Image Editing panel (Fireworks)
  - cropping images, 478
  - filtering images, 480–481
  - scaling images, 477–478
- image maps (Fireworks)
  - creating, 488–489
  - exporting, 489–490
  - linking, 489
  - testing, 489
- image modes (Photoshop)
  - bit depth, 91
  - Bitmap, 86
  - choosing, 86
  - CMYK, 90
  - for color correction, 127
  - Duotone, 87–89
  - Grayscale, 86–87
  - Indexed Color, 89
  - Lab, 90–91
  - RGB, 89–90
- image stacks, 44–45
- imageable area (Illustrator), 195
- images. *See* bitmap images; graphics
- Import menu option, 22
- importing. *See also* exporting
  - audio files (Soundbooth), 527–528
  - digital camera images, 47
  - into Dreamweaver, 49
  - files to library (Flash), 586
  - files to stage (Flash), 585–586
  - into Fireworks, 475
  - into Illustrator, 47
  - images into Flash, 646–649
  - need for, 41
  - PDF data, 48–49
  - into Photoshop, 46–47
  - Photoshop files into Flash, 653–656
  - publish profiles (Flash), 717
  - shapes from Illustrator to Photoshop, 110
  - sounds into Flash, 659–660
  - table data into Dreamweaver, 422
- indenting text (Illustrator), 252
- InDesign
  - converting documents to PDF, 735–736
  - opening Illustrator files in, 333
- Indexed Color mode (Photoshop), 89
- inertia, tweening to mimic, 633–635
- Info panel, 33
- Ink Bottle tool (Flash), 578
- Insert panel (Dreamweaver)
  - adding objects to Favorites category, 361
  - categories, 360–361
  - creating anchors, 408–409
  - creating links, 406–407
  - described, 360
  - placing images, 381
  - placing Smart Objects, 384–385
  - Text category, 392–393
- installing
  - Adobe Bridge, 42
  - PDF Maker add-in (Office), 731
  - plug-ins, 36
- integrating CS4 software
  - Adobe Bridge for, 1, 15, 16
  - built-in capabilities, 15–16, 192
  - ruler origin, 264
- Integration icon, 6
- internal links
  - to anchors, 408–410
  - creating, 406–407
  - defined, 405, 410
- Internet Explorer, converting to PDF from, 739
- Internet resources
  - Adobe Reader, 172
  - Camera Raw plug-in, 82
  - CSS Advisor, 352–353
  - filters, 35
  - Flash, 718
  - Flash Player, 583
  - plug-ins, 35
  - sound effects sites, 660
  - templates (Dreamweaver), 38

Inverse Kinematics (IK)  
 adding objects to Armature  
 layer, 639–640  
 creating and connecting  
 container objects, 639  
 described, 638–639  
 easing with, 642  
 poses, 640–641  
 Isolation mode (Illustrator), 212

---

## J

---

joining motion (Flash),  
 627–628  
 JPEG (Joint Photographic  
 Experts Group) format  
 Camera Raw versus, 82  
 editing in, avoiding, 177  
 Flash support for, 647  
 matting options, 180–181  
 for movie placeholders  
 (Flash), 709  
 saving in (Illustrator), 339  
 saving in (Photoshop),  
 177–178  
 saving settings for  
 (Photoshop), 181  
 uses for, 177  
 justifying type (Illustrator), 252

---

## K

---

Kerning  
 defined, 247, 469  
 setting, 250, 469  
 Kerning tool (Fireworks), 469  
 keyboard shortcuts. *See*  
 shortcuts  
 keyframes (Flash), 617  
 keywords, entering in Adobe  
 Bridge, 43  
 Knife tool (Fireworks), 446  
 Kuler feature, 73

---

## L

---

Lab color mode  
 for color correction, 127  
 in Photoshop, 90–91  
 for spot colors (Illustrator),  
 288  
 language setting (Illustrator),  
 251  
 Lasso tool  
 Fireworks, 445, 449  
 Flash, 577, 594–597  
 Illustrator, 197, 207  
 Photoshop, 76  
 Layer Comps (Photoshop), 235  
 layer masks (Photoshop)  
 creating from a selection, 93,  
 160–161  
 described, 160  
 smoothing transitions, 161  
 vector masks, 117, 162  
 layer styles (Photoshop),  
 165–166  
 layers (Flash)  
 Armature, 639–642  
 creating, 584  
 deleting, 584  
 locking and unlocking,  
 584–585  
 masking with, 642–644  
 renaming, 584  
 showing and hiding, 584  
 uses for, 584  
 layers (Illustrator)  
 cloning, 276  
 creating, 272–274  
 file size and, 271  
 hiding, 276  
 locking and unlocking, 276  
 moving objects between, 275  
 Paste Remembers Layers  
 option, 276  
 Photoshop Layer Comps for,  
 235  
 for selections, 275  
 stacking order, rearranging,  
 275  
 template layers, 233–234  
 uses for, 271  
 Layers panel (CS4), 33  
 Layers panel (Fireworks)  
 Layer 1, 451  
 mask animations, 514–515  
 navigating, 485–486  
 overview, 451–452  
 renaming layers, 451  
 using, 486  
 Web layer, 451  
 Layers panel (Photoshop)  
 duplicating layer groups, 164  
 Eye icon, 158  
 grouping layers, 164  
 naming layers, 156  
 opacity versus fill options, 166  
 selected layers in, 158  
 stacking order for layers, 158  
 styles on, 165–166  
 turning off visibility for layer,  
 72  
 layers (Photoshop)  
 adjustment, 70–72, 135–136  
 aligning, 162–163  
 for blending modes, 150  
 for composite images,  
 155–156  
 creating a layered image,  
 156–157  
 duplicating a layer, 157  
 duplicating layer groups, 164  
 flattening, 168, 169, 173  
 groups, 164  
 Layer Options dialog box,  
 273–274  
 masks, 117, 160–162  
 merging, 168, 169  
 naming, 156

- layers (Photoshop) (*continued*)
    - selecting individually, 158
    - selecting multiple, 162
    - shape, 109, 110
    - showing and hiding, 72, 158
    - Smart Objects, 167
    - stacking order, rearranging, 158
    - styles for, 165–166
    - text, 159–160
    - 3D, 72–73, 168
    - uses for, 155
    - visibility of, 72, 158, 169
  - layout. *See* page layout
  - leading of fonts
    - defined, 247, 469
    - setting, 250, 469
  - legacy text, 259–260
  - libraries
    - of colors (Illustrator), 283
    - importing into (Flash), 586, 660
    - of symbols (Fireworks), 500
    - of symbols (Flash), 605–606
    - of symbols (Illustrator), 314
  - Library panel (Flash)
    - adding symbols to stage, 608–609
    - editing symbols within, 609
    - importing files, 586
    - importing sounds, 660
    - overview, 605–606, 610–611
    - Select Unused Items command, 672
  - Line Segment tool (Illustrator), 197
  - Line tool (Fireworks), 446
  - Line tool (Flash), 578, 590
  - Link tool (Acrobat), 745–746
  - links (Contribute)
    - to another Web site, 809
    - described, 808
    - to e-mail, 810
    - to new pages, 817
    - to a page within your site, 810
    - settings for, 834–835
    - to unpublished drafts, 818
  - links (Dreamweaver)
    - anchors, creating, 408–410
    - anchors, defined, 405
    - Change Links Sitewide command, 434
    - Check Links Sitewide feature, 433–434
    - creating Dreamweaver site for, 405
    - defined, 405
    - to e-mail, 411
    - internal, creating, 406–408
    - internal versus external, 405
    - orphaned files, 412, 433
    - to pages outside your site, 410–411
    - to PDF files, 411
    - Point to File for, 407, 410
    - resolving errors, 411–412
    - using images as, 407
    - using text as, 406–407
  - links (Fireworks)
    - hotspots, 486–488
    - image maps, 488–490
  - links in PDF files. *See also*
    - bookmarks in PDF files adding, 745–746
    - Word or Excel conversion options, 734
  - Liquify tools (Illustrator), 302–303
  - lists (Contribute), 808
  - Live Paint Bucket tool (Illustrator), 198, 293–294
  - Live Paint Selection tool (Illustrator), 198
  - Live Trace feature (Illustrator), 234–235, 292
  - Live View (Dreamweaver), 354, 367
  - loading
    - alpha channel, 63
    - saved selections (Photoshop), 105
  - locking and unlocking
    - layers (Flash), 584–585
    - layers (Illustrator), 276
    - objects (Illustrator), 268
  - looping
    - animations (Fireworks), 511
    - movies with ActionScript (Flash), 681, 682–683
    - sounds (Flash), 661
  - low key images, 127, 128
  - lpi (lines per inch)
    - converting to dpi, 120
    - defined, 119
    - for EPS files, 172
- 
- ## M
- Macintosh computers. *See also* cross-platform compatibility
    - Adobe PDF printer with, 737–738
    - colors on Windows versus, 65
  - Magic Wand tool
    - Fireworks, 445
    - Illustrator, 197, 207
    - Photoshop, 78, 98
  - magnification. *See* zooming
  - mailto: links, 411
  - main or home page
    - creating, 373
    - naming, 369
  - Manage Sites panel (Dreamweaver), 437–438
  - Mansfield, Richard (*CSS Web Design For Dummies*), 397
  - mapping artwork (Illustrator), 326
  - Marquee tool
    - Fireworks, 449, 454–455

- Photoshop, 94–96
- Marquee Zoom tool (Acrobat), 724–725
- masking
  - animation using (Fireworks), 514–515
  - clipping masks (Illustrator), 268–270, 342
  - gradient masks (Fireworks), 459–460
  - opacity masks (Illustrator), 316–317
- Quick Mask mode for (Photoshop), 99–100
- by selecting (Photoshop), 93, 160–161
- text (Flash), 642–644
- vector masks (Photoshop), 117, 162
- mastering audio (Soundbooth)
  - defined, 567
  - exporting clips and selections, 568–569
  - exporting mixes, 569–570
  - mastering finalizing clips, 570–572
  - overview, 567
  - perceived levels, 567
  - process of, 568
- matting options (Photoshop), 180–181
- maximized screen mode (Photoshop), 80
- maximizing. *See* expanding and collapsing
- measurement units
  - Flash, 576
  - Illustrator, 194, 219
- menus
  - common to CS4 programs, 17–18
  - contextual, 22–23
  - options common to CS4 programs, 21–22
  - for panels, 31
  - for preferences, 25–27
  - program-specific, 18–19
  - shortcuts, 23–24
- merging
  - layers (Photoshop), 168, 169
  - shapes (Flash), 590
  - shapes (Illustrator), 221
  - table cells (Dreamweaver), 418
- Mesh tool (Illustrator), 198, 307–308
- metadata in Adobe Bridge, 43
- Microsoft Office
  - Excel PDF conversion options, 733–734
  - inserting content in drafts (Contribute), 818
  - opening PDF table data in Excel, 755
  - PDF Maker add-in, 731–735
  - PowerPoint PDF conversion options, 734–735
  - Word PDF conversion options, 733–734
- mid key images, 127, 128
- minimizing. *See* expanding and collapsing
- mirroring shapes (Illustrator), 299
- misregistration, trapping for, 201
- mixing colors, 64–65
- mono sound (Soundbooth), 523, 527
- Monotones (Photoshop), 88–89
- morphing
  - Blend tool for (Illustrator), 198, 309–312
  - shape hinting for (Flash), 635–638
  - shape tweens for (Flash), 621–622
- Motion Editor (Flash)
  - described, 579
  - Ease options, 633–635
  - modifying a motion tween, 619–621
- motion tweens (Flash). *See also* Motion Editor (Flash)
  - along a path, 630–633
  - applying to symbols, 651–652
  - copy and paste for, 629–630
  - creating, 617–618
  - described, 617
  - easing behavior for, 633–635
  - gravity and inertia in, 633–635
  - joining motion, 627–628
  - motion guides for, 630–633
  - resizing spans, 619
- .mov (Apple QuickTime)
  - format, 524, 829
- Move tool (Photoshop)
  - aligning layers, 162–163
  - cloning with, 94
  - described, 76
- movie clips (Flash)
  - adding animation to, 667–668
  - combining (nesting), 670–672
  - creating, 666–667
  - defined, 665
  - dependencies between, 672
  - frame rate for, 666
  - modifying instances, 679
  - overview, 665–666
  - previewing, 669–670
  - Publish Preview mode, 669–670
  - as symbols, 665–666
  - Test Movie mode, 669–670, 710
  - 3D rendering of, 666, 672–676
  - timelines in, 665
- Movie Explorer panel (Flash), 705

movies. *See* animation (Flash); publishing movies (Flash)

moving around. *See* navigating

moving objects

- aligning layers (Photoshop), 162–163
- cloning with Move tool (Photoshop), 94
- constraining movement (Illustrator), 213
- files using Adobe Bridge, 43
  - between layers (Illustrator), 275
- layers in stacking order (Illustrator), 264–265
- layers in stacking order (Photoshop), 158
- Marquee tool selections (Photoshop), 95
- panels, 32, 200
- pixels (Fireworks), 454
- printable area (Illustrator), 196
- selected objects (Illustrator), 212–213
- shapes (Fireworks), 456
- in stacking order (Illustrator), 264–265
- tab to another panel (Illustrator), 200
- text on a path (Illustrator), 245, 246
- 3D Translation tool for (Flash), 577, 674–675
- vector graphics (Fireworks), 450

MPEG video, 829

MP3 (MPEG 1 Audio Layer 3), 542

multimedia files, importing into PDFs, 48

multi-track files (Soundbooth)

- adding tracks, 545–546
- creating, 527

- cross fades, 539–541
- described, 527
- exporting mixes, 569–570
- fade ins or fade outs, 539
- importing, 527–528
- mastering and finalizing
  - audio, 570–572
- muting tracks, 548–549
- panning tracks, 548, 549
- placing audio files in, 536–537
- renaming tracks, 546
- sequencing tracks, 547–548
- soloing tracks, 548–549
- tracks, defined, 545
- trimming, 537–538, 548
- uses for, 544
- views, 546–547
- volume adjustments, 541–544

muting tracks (Soundbooth), 548–549

---

## N

---

navigating

- Acrobat, 724–725, 728–729
- Adobe Bridge, 43–45
- browsing to Web sites (Contribute), 794–795
- Illustrator workspace, 202–204
- Layers panel (Fireworks), 485–486
- Photoshop workspace, 78–80
- shortcuts (Photoshop), 79
- Web site considerations, 60
- workspace, tips for, 30

navigation bar (Fireworks)

- adding text to, 492
- creating image for, 491–492
- exporting slices, 494–495
- precreated symbols for, 501
- slicing, 493–494

Navigation panels (Acrobat)

- bookmarks in, 742
- overview, 728–729
- Pages panel, 728, 729
- nesting movie clips (Flash), 670–672
- neutral gray
  - adjusting (Photoshop), 135
  - testing printer for color casts, 136–137
- New menu option, 21
- 9-slice scaling (Fireworks), 504
- noise reduction (Soundbooth)
  - for clicks and pops, 566–567
  - clipping, 566
  - need for, 563
  - noise print for, 563–565
  - for rumbles, 567
- nonimageable area (Illustrator), 195
- nonproportional scaling (Fireworks), 477
- numeric scaling (Fireworks), 477–478

---

## O

---

Object Drawing mode (Flash), 594

Object menu (Illustrator)

- Arrange commands, 264–265
- Clipping Mask command, 270
- Hide command, 266–267
- Lock and Unlock commands, 268

Office. *See* Microsoft Office

onion skinning

- Fireworks, 507
- Flash, 619, 622, 702–703

opacity. *See* transparency

opacity masks (Illustrator), 316–317

Open menu option, 21

opening or accessing

- Adobe Bridge, 42–43, 81
    - contextual menus, 22, 23
    - Extension Manager, 36
    - panels, 30
    - Preferences dialog box, 25
    - workspaces, 31
  - OpenType fonts, 58
  - Optimize panel (Fireworks), 483
  - optimizing images
    - Dreamweaver, 383
    - Fireworks, 482–483
  - Options bar (Photoshop), 93
  - orphaned (unlinked) files, 412, 433
  - Outline view (Illustrator), 201
  - outlines for type
    - Fireworks, 474
    - Illustrator, 244
  - Oval Shape tool (Acrobat), 762
  - Oval tool (Fireworks), 454–455
  - Overprint view (Illustrator), 201, 202
  - overprinting strokes, 201
- p*
- 
- page edge (Illustrator), 195
  - page layout
    - CSS layouts, 423–432
    - fundamentals, 59–60
    - for print versus the Web, 59
    - tables for (Contribute), 819
  - Pages panel (Acrobat), 728, 729
  - Pages panel (Contribute)
    - adding movies to drafts, 827–829
    - adding video to drafts, 829–830
    - Draft Console, 795–796, 800
    - opening drafts, 800
  - Paint Brush tool (Illustrator), 197
  - Paint Bucket tool
    - Fireworks, 447, 465–466
    - Flash, 578
    - Photoshop, 153
  - Paintbrush tool (Flash), 603–604
  - painting images (Fireworks), 479
  - painting order (Illustrator), 275
  - painting tools. *See* retouching and painting tools (Photoshop)
  - palettes. *See* panels
  - panels. *See also specific panels*
    - arranging (Illustrator), 200
    - choosing from Window menu, 30
    - closing, 30
    - common to CS4 programs, 33–34
    - defined, 30
    - docking and undocking, 30, 199, 200, 448
    - dragging tab to another (Illustrator), 200
    - expanding and collapsing, 30, 32, 199
    - Flash (overview), 580–582
    - groups (Dreamweaver), 363
    - Illustrator (overview), 199–200
    - menus, 31
    - moving, 32, 200
    - opening, 30
    - overview, 29–34
    - restoring default order (Photoshop), 78
    - saving configurations (Illustrator), 200
    - saving configurations (Photoshop), 78
    - showing and hiding, 70, 78, 200
  - panning tracks (Soundbooth), 548, 549
  - Pantone Matching color system, 88, 286
  - paper documents, converting to PDF, 738–739
  - Paragraph panel (Illustrator), 251–252
  - paragraph styles (Illustrator)
    - creating, 258–259
    - defined, 257
    - updating, 259–260
  - password security for PDF files, 769–772
  - Paste menu option, 22
  - Patch tool (Photoshop), 143
  - Path Selection tool (Photoshop), 77
  - Pathfinder panel (Illustrator), 220–221
  - Pathfinders (Illustrator), 221
  - paths, defined, 56, 224
  - paths (Fireworks)
    - attaching text to, 473
    - editing, 457–458
    - outlines for type, 474
    - tools for, 457
  - paths (Flash)
    - animation along, 630–633
    - fine-tuning, 597
    - Pen tool for, 590–591
  - paths (Illustrator)
    - adding segments, 227–228
    - Bézier curves, 226–227, 229
    - closing, 228
    - correcting, 225
    - creating text on, 245, 246
    - defined, 224
    - exporting from Photoshop to, 50
    - outlines for type, 244
    - Pen tool for, 223–232
    - placing, 263–264
    - straight lines, 224–226

- paths (Photoshop)
  - clipping paths, 56, 115–117
  - exporting to Illustrator, 50
  - Pen tool for (Photoshop), 109
  - saving in (Photoshop), 114
  - as selections in Photoshop, 114–115
- patterns (Illustrator), 288–289
- PDF Maker add-in (Office)
  - checking if installed, 731
  - Conversion Settings, 732–733
  - Excel PDF conversion
    - options, 733–734
  - installed with Acrobat, 731
  - original files unchanged by, 732
  - PowerPoint PDF conversion
    - options, 734–735
  - Word PDF conversion
    - options, 733–734
- PDF (Portable Document Format). *See also* Acrobat
  - adding buttons to files, 746–747
  - adding files to drafts (Contribute), 818–819
  - adding links to files, 745–746
  - attaching files, 760–761
  - benefits of, 721–722
  - bookmarks, 734, 741–745
  - comment management, 764–767
  - commenting and markup tools, 757–763
  - converting electronic documents from any program, 737–738
  - converting Office files to, 731–735
  - converting paper documents to, 738–739
  - converting Web pages to, 739–740
  - editing graphics in files, 751–752
  - editing text in files, 749–751, 752
  - entering text in files, 753
  - exporting content, 51, 753–756
  - exporting from InDesign, 735–736
  - extracting graphics, 755
  - flattening layers for, 173
  - importing data, 48–49
  - limiting printing and editing, 772–774
  - linking to files, 411
  - opening table data in spreadsheet, 755
  - PDF/X standard, 733
  - saving in (Illustrator), 336–338, 735
  - saving in (Photoshop), 172–173, 735
  - security, 723, 769–774
  - Snapshot tool for screen grabs, 756
  - ToolTips for buttons, 746
  - uses for, 721–722, 723
- Pen tool (Fireworks), 446, 457
- Pen tool (Flash), 577, 590–591
- Pen tool (Illustrator)
  - adding segments to path, 227–228
  - closing shapes, 228
  - constraining straight lines, 225–226
  - Control panel modifiers for, 231–232
  - controlling curves, 229
  - correcting paths, 225
  - creating corner points, 230
  - creating curves, 226–227
  - creating straight lines, 224–225
  - described, 197
  - hidden tools with, 231
- Pen tool (Photoshop)
  - creating clipping paths with, 115–117
  - creating custom shapes with, 110–112
  - creating fill pixels with, 109
  - creating paths with, 109
  - creating shape layers with, 109, 110
  - described, 77
  - using paths as selections, 114–115
- Pencil tool
  - Acrobat, 763
  - Fireworks, 445, 456
  - Flash, 578, 591–592
  - Illustrator, 197
- perspective
  - Shear tool for (Illustrator), 301
  - Vanishing Point feature for (Photoshop), 105–108
- Photoshop
  - bitmap images in, 85–86
  - blending modes, 150–152
  - Camera Raw capabilities, 82
  - Channels panel, 63
  - clipping paths, 115–117
  - color correction, 125–137
  - color modes, 61–62
  - converting files to PDF, 735
  - creating a new file, 82–83
  - creating images for printing, 119–121
  - creating new window for front-most image, 80
  - cropping images, 83
  - cycling through open images, 80
  - described, 9–10
  - document preferences, 26
  - editing graphics from Acrobat, 752
  - expanding and collapsing tools, 30, 70
  - exporting content, 50

- exporting Illustrator files to, 333
- fills, 109, 153
- histogram, 125–127
- Illustrator versus, 191–192
- image modes, 86–91
- importing content, 46–47
- Layer Comps, 235
- native file format (PSD), 84
- new features in CS4, 69–73
- opacity versus fill, 166
- opening images, 81
- Options bar, 93
- painting and retouching tools, 140–150
- placing Illustrator files in, 333
- plug-ins, 36–37
- resolution for Web images, 122
- restoring default panel order, 78
- ruler origin, 264
- Save for Web & Devices feature, 173–181
- saved workspaces, 78
- saving file format settings, 181
- saving files for workflow, 171–173
- saving images, 84, 171–181
- saving panel configurations, 78
- saving selection to alpha channel, 63
- screen modes, 80–81
- selection tools, 93–100
- shapes and shape layers, 109–114
- Smart Filters, 124, 167
- Smart Objects, 167, 333, 351–352
- stacking order, 158
- tone curve adjustment, 127–137
- tools, 75–78
- Unsharp Mask filter, 122–124, 135
- uses for, 9–10
- workspace improvements, 69–70
- workspace overview, 78–80
- Zoomify feature, 50
- zooming in, 79
- Photoshop Import Options panel (Flash), 655–656
- Photoshop Live Effects (Fireworks), 470–471, 480
- pixel depth (bit depth), 91, 179
- Pixel view (Illustrator), 201
- pixels. *See also* bitmap images
  - changing appearance of (Fireworks), 454–455
  - defined, 54
  - importance in Fireworks, 444
  - moving (Fireworks), 454
- playback of animations (Fireworks)
  - frame rate for, 510–511
  - looping, 511
  - testing, 508–510
- Plug-Ins folder, 36
- plug-ins or extensions. *See also* filters
  - Acrobat, 37–38
  - Camera Raw (Photoshop), 82
  - defined, 35
  - Dreamweaver, 36, 38
  - finding additional, 35
  - Flash, 36
  - folder for, 36
  - Illustrator, 37
  - installing, 36
  - PDF Maker (Office), 731–735
  - Photoshop, 36–37
  - using, 38–39
- PNG (Portable Network Graphics) format
  - Flash support for, 647
  - matting options, 180–181
  - for movie placeholders (Flash), 709
  - overview, 178–179
  - saving in (Illustrator), 339
  - saving in (Photoshop), 179
  - saving settings for (Photoshop), 181
- podcasts, 519
- Pointer tool (Fireworks)
  - described, 445
  - moving pixels, 454
  - moving shapes, 456
  - selecting with, 450
- Polygon tool (Illustrator), 217, 220
- Portable Document Format. *See* PDF
- poses (Flash), 640–641
- posterization, 125
- PostScript (Type 1) fonts, 58
- PowerPoint PDF conversion options, 734–735
- preferences
  - for anchor point tools (Illustrator), 231
  - for documents, 26–27
  - Dreamweaver, 368
  - opening the dialog box, 25
  - overview, 25–27
  - for TouchUp tools (Acrobat), 752
- preflight information, importing into PDFs, 49
- presentations, PDF format for, 723
- Preview view (Illustrator), 201
- Primitive tools (Flash), 578
- Print Tiling tool (Illustrator), 196
- printing
  - to Adobe PDF printer, 737–738
  - changing image resolution for, 120–121
  - color separations (Illustrator), 345

- printing (*continued*)
- composites (Illustrator), 345
  - creating Photoshop images for, 119–121
  - document with multiple artboards (Illustrator), 185–187
  - illustrations (Illustrator), 344–345
  - limiting for PDFs, 772–774
  - moving printable area (Illustrator), 196
  - PDF conversion options for, 733, 736
  - printer's marks and bleeds (Illustrator), 345
  - saving files for (Photoshop), 172–173
  - testing for color casts, 136–137
- process color (Illustrator), 288
- profiles (Illustrator), 194
- projectors for movies (Flash), 709, 712
- Properties panel (Fireworks)
- adding text effects, 470–471
  - editing symbols, 503
  - fine-tuning text, 469
  - setting text attributes, 468
- Property inspector (Flash)
- described, 580
  - Ease options, 642
  - editing sounds, 662–663
  - editing type, 599–600
  - looping sounds, 662
  - placing sounds on Timeline, 661
  - repeating sounds, 662
  - Sync Options, 663–664
- Property Inspector panel (Dreamweaver)
- adding space around images, 387
  - aligning images, 386
  - buttons, 393–395
  - coloring table cells, 420
  - creating links, 407–408, 409–410
  - creating tag styles, 398–400
  - editing images using, 383–384
  - improvements with CS4, 351
  - overview, 365–366, 382–384
  - placing background images, 388
  - Point to File icon, 407, 410
  - toggling between HTML and CSS views, 393
- proportional scaling (Fireworks), 477
- PSB format (Photoshop), 172
- PSD (Photoshop) format
- compatibility with older Photoshop versions, 172
  - Flash support for, 646
  - importing into Flash, 647, 653–656
  - saving in (Photoshop), 84, 172
- publish profiles (Flash), 716–717
- publisher role (Contribute), 786, 832
- publishing drafts (Contribute), 818, 839–840
- publishing movies (Flash)
- ActionScript settings for, 679, 714
  - Bandwidth Profiler for previewing, 710–711
  - for CD-ROM, 712
  - described, 587
  - file formats for, 708–709
  - file types supported, 587
  - HTML settings, 715–716
  - previewing clips, 669–670
  - previewing in Flash Player, 644
  - process of, 707
  - for projectors, 709, 712
- Publish command, 707
- Publish Preview command, 709–711
- publish profiles for, 716–717
- Publish Setting dialog box, 707, 712–716
- SWF settings, 713–715
- Test Movie mode, 669–670, 710
- uploading files with FTP, 711 for Web display, 711–712
- publishing Web sites (Dreamweaver)
- remote connection setup, 437–438
  - retrieving files from remote server, 439
  - synchronizing local and remote sites, 439–440
  - uploading to remote server, 438
- Pucker tool (Illustrator), 302
- purging Adobe Bridge cache data, 43

---

## Q

- Quadtone (Photoshop), 88–89
- Quick Mask mode (Photoshop), 99–100
- Quick Selection tool (Photoshop)
- accessing Magic Wand from, 78
  - described, 76, 97
  - using, 97–98
- QuickTime format, 524, 829
- QuickTime plug-in (Flash), 659

---

## R

- raster images. *See* bitmap images
- Reading mode (Acrobat), 728

- recording audio (Soundbooth), 534–536
- Rectangle Hotspot tool (Fireworks), 446, 487
- Rectangle Shape tool (Acrobat), 762
- Rectangle tool
  - Fireworks, 446
  - Flash, 589–590
  - Illustrator, 216
- Red Eye tool
  - Fireworks, 481
  - Photoshop, 143–144
- Redo menu option, 22
- redoing in Fireworks, 456
- Redraw Path tool (Fireworks), 457
- Refine Edge feature (Photoshop), 103–104
- Reflect tool (Illustrator), 297–298, 299–300
- Related Documents toolbar (Dreamweaver), 356–357
- relatively positioned DIVs (CSS), 429–430
- Remember icon, 6
- remote connection
  - Passive FTP option, 438
  - retrieving files from remote server, 439
  - setting up, 437–438
  - synchronizing local and remote sites, 439–440
  - uploading to remote server, 438
- removing. *See* deleting or removing
- repeating sounds (Flash), 661
- replying to comments in PDF files, 765
- resampling images
  - Dreamweaver, 383
  - Photoshop, 121, 122
- resetting
  - bounding boxes (Illustrator), 296
  - toolbars (Acrobat), 726
  - workspace layouts (Flash), 693
- Reshape Area tool (Fireworks), 458
- Reshape tool (Illustrator), 301
- resizing. *See* cropping; scaling or resizing; trimming
- resolution
  - feathering dependent on, 103
  - for flattening Illustrator graphics, 342
  - Illustrator files independent of, 192
  - increasing (Photoshop), 120–121
  - for printing, 119–121
  - terminology, 119–120
  - for Web display, 122, 174
- retouching and painting tools (Photoshop)
  - blending modes, 150–152
  - Brush tool, 77, 144–146
  - brushes for, 141–142
  - Clone Source panel, 147–148
  - Clone Stamp tool, 77, 146–148
  - Eraser tool, 77, 148–149
  - feathering effect, 103
  - Gradient tool, 77, 149–150
  - Healing Brush tool, 142–143
  - History Brush tool, 77, 148
  - Patch tool, 143
  - Red Eye tool, 143–144
  - related hidden tools, 140
  - saving presets, 153
  - Spot Healing Brush tool, 77, 142
- Reverb effects (Soundbooth)
  - applying, 559–560
  - described, 559
  - saving Effects Rack, 560, 561
  - saving presets, 560–561
- Reverse Frames command (Flash), 627, 629
- reverting to last saved version (Photoshop), 155
- reviewing drafts (Contribute), 837–838, 839
- RGB color mode
  - color channels, 62–63
  - for color correction, 127
  - Color panel for (Illustrator), 282
  - dark to light display in Curves panel, 131
  - in Fireworks, 461
  - hexadecimal numbers for, 62
  - in Illustrator, 277–278
  - overview, 62
  - in Photoshop, 89–90
- roles. *See* user roles (Contribute)
- Rollback feature (Contribute), 835–837
- rollover buttons (Fireworks)
  - creating art for, 498–499
  - rollover behavior for, 499–500
  - states for, 497, 499–500
  - testing and exporting, 500
- rollover images (Dreamweaver), 388–389
- Rotate tool (Illustrator), 198, 297–298
- rotating (Flash)
  - artwork, 597–598
  - 3D Rotation tool for, 577, 672–673
- rotating (Illustrator)
  - with bounding box, 206, 296
  - characters, 250
  - objects, 198, 297–298
  - selections, 206, 295, 296

- rotating (Illustrator) (*continued*)
    - 3D effect, 324
    - zero point after, 296
  - rotating (Photoshop), 100
  - Rounded Rectangle tool (Illustrator), 216–217
  - rows of tables (Contribute)
    - adding, 822
    - modifying properties, 822
    - selecting as header, 821
  - rows of tables (Dreamweaver)
    - adding, 417
    - aligning contents, 422
    - deleting, 417
    - selecting, 422
    - setting up, 414
  - Rubber Stamp tool (Fireworks), 446, 456, 479–480
  - ruler guides (Illustrator), 262, 263
  - rulers (Flash), 695–697
  - rulers (Illustrator)
    - changing origin of, 264
    - increments for, 261–262
    - showing and hiding, 218, 261
  - rules (CSS), 801
- 
- ## S
- 
- sample rate of audio
    - for commercial CDs, 522
    - defined, 522
    - for final mix (Soundbooth), 571
    - for new file (Soundbooth), 526
    - up-sampling, avoiding, 522
  - sans-serif fonts, 57, 58
  - Save As menu option, 22
  - Save for Web & Devices
    - feature (Illustrator)
      - file format presets, 338–340
      - for inserting into
        - Dreamweaver, 334
        - steps for using, 338–340
        - tips for Web images, 340–341
    - Save for Web & Devices
      - feature (Photoshop)
        - GIF format options, 174–177
        - JPEG format options, 177–178
        - matting options, 180–181
        - overview, 173–174
        - PNG format options, 178–179
        - saving settings, 181
        - WBMP format options, 179–180
  - Save menu option, 22
  - saving
    - Adobe Bridge cache data, 43
    - PDF file text (exporting), 754–755
    - workspace layouts (Dreamweaver), 363
    - workspaces, 31
  - saving (Flash)
    - documents, 583
    - in older formats, 583
    - workspaces, 582
  - saving (Illustrator)
    - artwork in Symbols panel, 314
    - colors, 283–286
    - in EPS format, 335–336
    - file formats for, 331–334
    - graphic styles, 323–324
    - in native Illustrator format, 332–333
    - panel configurations, 200
    - in PDF format, 336–338, 735
    - in Photoshop format, 333
    - previewing, 340
    - for previous Illustrator versions, 334–335
    - Save for Web & Devices
      - feature, 334, 338–341
      - selections, 210–211
    - saving (Photoshop)
      - custom shapes, 111
      - file format settings, 181
      - images, 84, 171–181
      - layer styles, 166
      - matting options for, 180–181
      - panel configurations, 78
      - paths, 114
      - in PDF format, 735
      - preserving perspective plane information, 107
      - reverting to last saved version, 155
      - Save for Web & Devices
        - feature, 173–181
        - selections, 104–105
        - tool presets, 153
    - saving (Soundbooth)
      - audio files, 528–529
      - clips and selections, 568–569
      - effects presets, 560–561
      - Effects Rack, 560, 561
      - mixes, 569–570
    - Scalable Vector Graphics (SVG) format, 340
    - Scale tool
      - Fireworks, 445
      - Illustrator, 198, 297–298, 300
    - scaling or resizing. *See also* trimming
      - artwork (Flash), 598
      - bitmaps, quality loss with, 54, 85
      - fonts horizontally or vertically, 250
      - Illustrator advantages for, 192
      - images (Contribute), 807
      - images (Fireworks), 476–478
      - images for Web display, 340–341
      - increasing resolution of images, 121
      - matching size of objects (Flash), 701–702
      - 9-slice scaling (Fireworks), 504
      - nonproportional scaling, 477
      - numeric scaling, 477–478
      - proportional scaling, 477

- Scale tool for (Illustrator), 300
- selections (Photoshop), 100
- shapes (Illustrator), 218–219
- vector graphics, 55
- Scallop tool (Illustrator), 302
- scanning images
  - converting paper documents to PDF, 738–739
  - settings for, 126
  - straightening crooked scans, 83
- scratch area (Illustrator), 195
- screen grabs from PDFs, 756
- screen modes (Photoshop), 80–81
- Script Assist mode (Flash), 678
- scrubbing (Soundbooth), 535
- security for Contribute connections, 784
- security for PDF files
  - Acrobat or Adobe Reader version choices, 770–771
  - applying password security, 770, 771–772
  - benefits of, 723
  - limiting editing and printing, 772–774
  - password security basics, 769–770
- Select menu (Illustrator), 214
- selecting (Dreamweaver)
  - table cells, 419
  - table rows, 422
  - table tags, 419
  - tables, 419
- selecting (Fireworks)
  - with Marquee and Lasso tools, 449
  - tools for, 445
  - in vector images, 450
- selecting (Flash)
  - fills, 592
  - to separate parts of shapes, 594–595
  - shapes, 592
  - strokes, 592
  - type, 599, 600
- selecting (Illustrator)
  - anchor points, 205–206, 209
  - bounding boxes with, 206
  - deactivating a selection, 208
  - manipulating selected objects, 212–214
  - marquee for, 209–210
  - multiple objects, 210
  - panels, 199
  - rotating selections, 206, 295, 296
  - saving selections, 210–211
  - scaling selections, 295–296
  - Select menu options for, 214
  - with Selection tool, 207–208, 209–210
  - smart guides for, 207
  - tools for, 206–207
- selecting (Photoshop)
  - Direct Selection tool for, 113
  - feathering selections, 101–103
  - Lasso tool for, 96–97
  - layers, 158, 162
  - loading saved selections, 105
  - Magic Wand tool for, 98
  - Marquee tool for, 94–96
  - paths as selections, 114–115
  - Quick Mask mode for, 99–100
  - Quick Selection tool for, 97–98
  - Refine Edge feature for, 103–104
  - saving selections, 104–105
  - transforming selections, 100–101
  - Vanishing Point feature for, 105–108
- Selection tool (Flash)
  - breaking apart shapes, 594–595
  - described, 577
  - modifying lines, 590
  - selecting stroke or fill separately, 592
  - tweaking shapes, 595
- Selection tool (Illustrator)
  - described, 197, 206
  - enlarging text areas, 239
  - marquee with, 209–210
  - rotating objects with, 295, 296
  - scaling objects with, 295–296
  - selecting with, 207–208
- serif fonts, 57, 58
- shadows. *See* highlight and shadow (Photoshop)
- shape hinting (Flash), 635–638
- shape layers (Photoshop)
  - importing from Illustrator, 110
  - Pen tool for, 109, 110
  - removing, 113–114
  - transparency and blending modes with, 112
  - Vector Shape tool for, 110
- Shape Modes (Illustrator), 220–221
- Shape tool (Illustrator), 197
- Shape tools
  - Fireworks, 456–457
  - Flash, 578
- shape tweens (Flash)
  - creating, 621–622
  - described, 621
  - duplicating, 627
  - reversing, 627
  - shape hinting for, 635–638
  - transforming symbols, 625–627
  - between type characters, 622
  - zoom-in and zoom-out effects, 625–627
- shapes (Flash)
  - applying and modifying gradients, 603
  - applying fills, 592

- shapes (Flash) (*continued*)
  - breaking apart, 594–595
  - constraining proportionally, 590
  - drawing, 589–590
  - editing, 595–597
  - merging, 590
  - Paintbrush tool for, 603–604
  - selecting and moving, 592
  - selecting stroke or fill separately, 592
  - tweening, 621–622
- shapes (Illustrator)
  - adding or subtracting from areas, 220
  - adding points or sides, 220
  - blending (morphing), 309–312
  - constraining to square or circle, 219
  - creating from the center, 220
  - creating text in, 246
  - creating text on path of, 246
  - cropping, 221
  - deleting backmost from frontmost, 221
  - dividing, 221
  - ellipses, 216
  - excluding overlapping areas, 220–221
  - hiding, 266–267
  - intersecting areas, 220
  - on layers, 273–274
  - Live Paint feature, 293–294
  - merging, 221
  - modes for, 220–221
  - outlines from, 221
  - Pathfinders for, 221
  - placing, 263–264
  - polygons, 217
  - rectangles, 216–217
  - resizing, 218–219
  - stars, 217–218
  - threading text into, 241–242
  - tips for creating, 219–221
  - tools for, 215–217
  - trimming, 221
- shapes (Photoshop)
  - changing color of, 112–113
  - copy and paste from Illustrator, 111
  - Custom Shape tool for, 111–112
  - editing, 113
  - importing from Illustrator, 110
- sharing comments in PDF files, 766
- sharpening images
  - Lab color mode for, 91
  - Property Inspector for (Dreamweaver), 384
  - Unsharp Mask filter for (Photoshop), 122–124, 135
- Shear tool (Illustrator), 301
- Shockwave Flash format. *See* SWF format
- shortcuts
  - applying color (Illustrator), 279
  - Brush tool (Photoshop), 144
  - changing brushes (Photoshop), 142
  - common to CS4 programs, 23–24
  - creating (Flash), 703–705
  - defined, 23
  - finding for programs, 24
  - moving layer in stacking order, 158
  - for tools (Illustrator), 197–199
  - for tools (Photoshop), 76–77
  - for type (Illustrator), 248–249
  - typesetting commands (Photoshop), 159–160
  - for zooming (Illustrator), 203–204
  - for zooming (Photoshop), 79
- Show Slices and Hotspots tool (Fireworks), 446
- showing and hiding. *See also* expanding and collapsing AP Divs, 429
  - bookmarks in PDFs, 742, 744
  - bounding boxes (Illustrator), 206
  - comments in PDFs, 764, 765
  - layers (Fireworks), 486
  - layers (Flash), 584
  - layers (Illustrator), 276
  - layers (Photoshop), 72, 158, 169
  - objects (Illustrator), 266–267
  - panels (Flash), 582
  - panels (Illustrator), 200
  - panels (Photoshop), 70, 78
  - rulers (Illustrator), 218
  - slices and hotspots (Fireworks), 446
  - smart guides (Illustrator), 207
  - Start page (Contribute), 793
  - tools and toolbars (Acrobat), 726
- silhouettes, creating (Photoshop), 115–117
- Single Column Marquee tool (Photoshop), 94
- Single-Line Composer, 256
- 16-bit color mode (Photoshop), 91
- size of documents (Illustrator), 194
- size of files. *See* file size
- sizing graphics. *See* cropping; scaling or resizing
- skewing artwork (Flash), 599
- Slice tool
  - Fireworks, 446
  - Illustrator, 198
  - Photoshop, 76
- slicing (Fireworks)
  - defined, 490
  - exporting slices, 494–495

- steps for, 492–494
- uses for, 490
- Smart Filters (Photoshop), 124, 167
- smart guides (Illustrator), 207
- Smart Objects (Photoshop)
  - Dreamweaver support for, 351–352, 384–386
  - Illustrator support for, 333
  - overview, 167
  - placing on Web pages, 384–385
  - updating, 386
- snapping (Flash), 632, 636, 697
- Snapshot tool (Acrobat), 756
- snapshots (Soundbooth), 550–551
- soloing tracks (Soundbooth), 548–549
- sorting symbols (Flash), 611
- Soundbooth. *See also* digital audio; multi-track files (Soundbooth)
  - Adobe Audition compared to, 520
  - ASND files, 528–529
  - audio formats supported, 523–524
  - compressors, 557–559
  - controlling dynamics, 557–559
  - copying and pasting clips, 539–540
  - creating an empty audio file, 526–527
  - cropping or cutting audio files, 538–539
  - cross fades, 539–541
  - Delay effects, 559–561
  - deleting states, 550
  - described, 12–13, 519–520
  - digital audio basics, 521–524
  - enabling audio interfaces, 522
  - equalizers (EQ), 553–557
  - exporting clips and selections, 568–569
  - exporting mixes, 569–570
  - fade ins or fade outs, 539
  - History panel, 549–550
  - importing audio files, 527–528
  - lifecycle of projects, 520–521
  - mastering audio, 567–572
  - muting tracks, 548–549
  - noise reduction, 563–567
  - panning tracks, 548, 549
  - placing audio files, 536–537
  - previewing and playback, 534–536
  - project setup, 525–528
  - recording audio, 531–534
  - Reverb effects, 559–561
  - saving files, 528–529
  - scrubbing, 535
  - sequencing tracks, 547–548
  - snapshots, 550–551
  - soloing tracks, 548–549
  - transport controls, 535–536
  - trimming audio files, 537–538, 548
  - undoing, 549–551
  - uses for, 12–13, 519–520
  - volume adjustments, 541–544
  - workflow for mixing, 547
  - workspace, 524–525
- sounds (Flash). *See also* digital audio; Soundbooth
  - editing, 662–663
  - importing, 659–660
  - looping, 661
  - placing on Timeline, 660–661
  - repeating, 661
  - sound effects Web sites, 660
  - Sync Options, 663–664
- spell checker
  - Contribute, 839
  - Dreamweaver, 395
  - Fireworks, 472
  - Illustrator, 253
- splitting table cells
  - (Dreamweaver), 418
- spot color (Illustrator), 287
- Spot Healing Brush tool (Photoshop), 77, 142
- Spray Brush tool (Flash), 578, 612–613
- Spry Framework, 355, 356
- Spry widgets (Dreamweaver), 355–356
- stacking order, rearranging
  - for layers (Illustrator), 275
  - for layers (Photoshop), 158
  - for objects (Illustrator), 264–265
- stage (Flash)
  - adding symbols, 608–609
  - distributing objects across, 700–701
  - editing symbols, 609–610
  - importing into, 585–586
- Stamp tool (Acrobat), 759–760
- standard screen mode (Photoshop), 80
- Star tool (Illustrator), 217–218, 220
- Start page (Contribute)
  - creating connection from, 784–785
  - described, 793
  - disabling display of, 793
- states (Fireworks)
  - adding object to multiple, 509
  - for animation, 497, 498, 508
  - frame rate setting, 510–511
  - as frames in animation, 505
  - for rollovers, 497, 499–500
  - states for buttons (Flash), 684–685
- States panel (Fireworks)
  - creating an animation, 506–507
  - frame rate settings, 510–511

- States panel (Fireworks)
  - (*continued*)
  - looping animations, 511
  - making animations move, 508
  - mask animation, 515
  - onion skinning, 507
  - overview, 506
- stereo sound (Soundbooth), 523, 527
- Sticky Note tool (Acrobat), 758
- stop () action (ActionScript), 680–681
- straight lines (Illustrator)
  - constraining, 225–226
  - creating, 224–225
- straightening crooked scans, 83
- strikethrough for text (Illustrator), 250
- Stroke panel
  - described, 34
  - Illustrator, 280–281
- strokes (CS4), 56
- strokes (Flash)
  - changing colors, 592–593
  - deleting, 593
  - selecting, 592
- strokes (Illustrator)
  - adding multiple, 327–329
  - applying color, 279
  - caps, 280, 281
  - changing width and type, 280–281
  - dashed lines, 281
  - joins, 280, 281
  - miter limit, 280
  - warning with multiple, 189, 201
- Strong, Jeff (*Home Recording For Musicians For Dummies*), 523
- style sheets (CSS), 801. *See also* CSS (Cascading Style Sheets)
- styles for layers (Photoshop), 165–166
- Styles panel (Fireworks), 471–472
- Subselection tool
  - Fireworks, 445, 457, 474
  - Flash, 577, 595–597
- summarizing comments in PDF files, 766–767
- SVG (Scalable Vector Graphics) format, 340
- Swatches panel
  - choosing colors from, 63–64
  - color groups (Illustrator), 284–285
  - Color Guide (Illustrator), 284–286
  - creating gradients (Illustrator), 291
  - cross hair swatches (Illustrator), 279
  - described, 33, 139
  - diagonal line swatches (Illustrator), 279
  - editing colors (Illustrator), 286–288
  - Fireworks, 463
  - Flash, 590, 601
  - Swatch Libraries (Illustrator), 283
  - using (Illustrator), 278–279
  - using (Photoshop), 139–140
- SWF (Shockwave Flash) format. *See also* publishing movies (Flash)
  - adding files to drafts (Contribute), 827–829
  - described, 709
  - exporting from Illustrator, 51, 339
  - exporting from Photoshop, 50
  - FLA format versus, 586, 707
  - Flash support for, 647
  - inserting file on Web page, 390
- Symbol Screener tool (Illustrator), 313
- Symbol Scruncher tool (Illustrator), 312
- Symbol Spinner tool (Illustrator), 313
- Symbol Sprayer tool (Illustrator)
  - creating symbols, 313
  - described, 198, 312
  - related hidden tools, 312–313
  - symbol libraries, 314
- symbols (Fireworks)
  - breaking apart, 503–504
  - converting artwork to, 502
  - editing, 502–504
  - instances of, 501
  - libraries for, 500
  - overview, 500–501
  - precreated, 501
  - tweening, 512–514
  - types of, 501
- symbols (Flash). *See also* movie clips (Flash)
  - adding to stage, 608–609
  - applying motion tweens, 651–652
  - button symbols, 683–692
  - categories of, 605
  - checking which are in use, 672
  - converting artwork to, 607, 649, 666–667
  - copying and pasting motion, 629–630
  - creating graphics, 606–607
  - deleting, 611
  - described, 605
  - Drawing Objects versus, 608
  - duplicating, 611–612
  - editing, 609–610
  - library for, 586, 605–606
  - motion tweening, 617–621
  - painting with, 612–616
  - renaming, 612
  - sorting, 611
  - tinting, 650–651

transformations, 625–627  
 transparency and color effects, 650  
 Symbols panel (Illustrator), 312–314, 317  
 Sync Options (Flash), 663–664  
 synchronized workspace. *See* workspaces

## T

- tab-delimited files,  
 importing into tables (Dreamweaver), 421
- tables (Contribute)  
 adding rows and columns, 822  
 adding to Web page, 820–821  
 filling with content, 821  
 modifying properties, 821–823  
 for page layout, 819
- tables (Dreamweaver)  
 adding columns, 417  
 adding rows, 417  
 aligning cell contents, 422  
 assigning colors, 420  
 attributes available, 414–415  
 creating, 413–415  
 deleting columns, 417  
 deleting rows, 417  
 editing attributes, 416  
 Expanded view, 415, 419  
 exporting data, 422  
 as grids, 413  
 importing data, 422  
 merging cells, 418  
 selecting rows, 422  
 selecting tables or cells, 418  
 splitting cells, 418  
 tag selector, 419  
 uses for, 413
- tables, exporting slices as (Fireworks), 494
- tag selectors (Dreamweaver), 419, 425
- Tagged Image File Format (TIFF), 173
- TCP/IP (Transmission Control Protocol/Internet Protocol), 369
- Technical Stuff icon, 3, 6
- template layers (Illustrator), 233–234
- templates (Dreamweaver)  
 Contribute use of, 791, 823–827  
 creating pages based on, 823–825  
 described, 823  
 editable regions, 823  
 finding, 38  
 repeating regions, 825–827
- text. *See also* fonts; type (Flash); type (Illustrator)
- Alt text for Web images, 382, 807
- attaching to path (Fireworks), 473
- comment management (Acrobat), 764–767
- commenting and markup tools (Acrobat), 757–763
- creating (Fireworks), 467
- editing (Acrobat), 749–751, 752
- effects (Fireworks), 470–471
- entering in PDFs, 753
- entering on Web pages, 391
- fine-tuning (Fireworks), 469
- fine-tuning (Photoshop), 159–160
- formatting in drafts, 804–805
- formatting on Web pages, 392–395
- importing into Dreamweaver tables, 421
- outlining (Fireworks), 474
- Property Inspector buttons for, 393–395
- setting attributes (Fireworks), 468
- styles (Fireworks), 471–472
- typesetting commands (Photoshop), 159–160
- uses for, 57
- warping (Photoshop), 159
- for Web display, 59
- text areas (Illustrator). *See also* type (Illustrator)  
 creating, 238  
 creating columns in, 239–241  
 flowing text into, 239  
 overflow, handling, 239  
 setting exact size for, 239
- Text Box tool (Acrobat), 762
- Text Edits tool (Acrobat), 758–759
- text layers (Photoshop), 159–160
- text styles (Fireworks), 471–472
- text styles (Illustrator)  
 character, 257–258  
 defined, 257  
 paragraph, 257, 258–259  
 updating, 259–260
- Text tool (Flash), 578, 599, 600
- text wrap (Illustrator), 242–243
- 32-bit color mode (Photoshop), 91
- threading text (Illustrator)  
 for overflows, 239  
 removing threading, 242  
 into shapes, 241–242
- 3D effect (Illustrator), 324–327
- 3D layers (Photoshop), 72–73, 168
- 3D movie clips (Flash)  
 support for, 666
- 3D Rotation tool for, 672–673

- 3D movie clips (Flash)
  - (*continued*)
  - 3D Translation tool for, 674–675
  - tweening 3D properties, 675–676
- 3D Orbit tool (Photoshop), 77
- 3D Rotation tool (Flash), 577, 672–673
- 3D Translation tool (Flash), 577, 674–676
- TIFF (Tagged Image File Format), 173
- Timeline (Flash)
  - adding ActionScript scripts, 679–683
  - described, 578–579
  - frames and keyframes on, 616–617
  - looping movies with ActionScript, 681, 682–683
  - moving playhead with ActionScript, 681–682, 690
  - Onion Skin option, 619, 622, 702–703
  - placing sounds on, 660–661
  - playhead, 616
  - stopping with ActionScript, 680–681
- tinting symbols (Flash), 650–651
- Tip icon, 6
- tone curve adjustment (Photoshop)
  - adjustment layer for areas, 135–136
  - finding the highlight and shadow, 130–133
  - midtone adjustment, 134
  - process of, 129
  - setting the gray point, 134–135
  - setting the highlight and shadow, 133–134
  - tone curve defined, 129
  - Unsharp Mask filter after, 135
- Toning tool (Photoshop), 77
- tools
  - Acrobat (overview), 725–726
  - bitmap (Fireworks), 445–446, 453–456
  - Document Editor (Contribute), 798, 799
  - Document toolbar (Dreamweaver), 361–363
  - expanding and collapsing (Illustrator), 30
  - expanding and collapsing (Photoshop), 30, 70
  - Fireworks (overview), 445–447
  - Flash (overview), 576–578
  - Illustrator (overview), 196–199
  - for painting and retouching (Photoshop), 140–150
  - Photoshop (overview), 75–78
  - saving presets (Photoshop), 153
  - for selecting (Illustrator), 206–207
  - for selecting (Photoshop), 93–100
  - for shapes (Illustrator), 215–217
  - for transformations (Illustrator), 297–301
  - for type (Illustrator), 237–238
  - vector (Fireworks), 446, 456–459
- Tools panel
  - described, 33
  - Fireworks, 445–447, 462
  - Flash, 576–578
  - Illustrator, 196–199
  - Photoshop, 75–78
- ToolTips
  - in Illustrator, 196
  - for PDF buttons, 746
  - in Photoshop, 75
- TouchUp tools (Acrobat)
  - adding to Advanced Editing toolbar, 749
  - preferences, 752
  - for text, 749–750
  - TouchUp Object tool, 750, 751–752
  - TouchUp Reading Order tool, 750
  - TouchUp Text tool, 749, 750–751
- tracing artwork (Illustrator)
  - Live Trace feature, 234–235, 292
  - template layers for, 233–234
- tracking of fonts
  - defined, 247–248, 469
  - setting, 250, 469
- tracks. *See* multi-track files (Soundbooth)
- Transform menu (Illustrator), 298
- Transform panel
  - described, 34
  - Flash, 598–599, 670
  - Illustrator, 218–219, 263–264, 299
- Transform tool (Flash)
  - with artwork, 597–598
  - with movie clips, 670
- Transform tools (Illustrator), 299–301
- transformations (Flash)
  - fade ins or fade outs, 628–629
  - for movie clips, 670
  - skewing artwork, 599
  - for symbols, 625–627
- Transform panel for, 598–599
- Transform tool for, 597–598
- for type, 600–601
- zoom-in and zoom-out effects, 625–627

- transformations (Illustrator)
    - arbitrary method, 297–298
    - axis or reference point for, 297, 298
    - exact methods, 298–299
    - resetting the bounding box, 296
    - Selection tool for, 206, 295–296
    - Transform menu for, 298
    - Transform tools for, 297–301
    - zero point after, 296
  - transforming selections (Photoshop), 100–101
  - Transmission Control Protocol/Internet Protocol (TCP/IP), 369
  - transparency
    - alpha channel, 63, 100
    - blending modes (Illustrator), 315–316
    - blending modes (Photoshop), 150–152
    - with GIF files, 174
    - in Illustrator, 314–317
    - with JPEG files, 177
    - matting options for (Photoshop), 180–181
    - opacity masks (Illustrator), 316–317
    - opacity versus fill (Photoshop), 166
    - with PNG files, 179
    - for shapes (Photoshop), 112
  - Transparency panel (Illustrator)
    - blending modes, 315–316
    - described, 314
    - opacity masks, 316–317
  - transport controls (Soundbooth), 535–536
  - trapping, 201
  - trimming. *See also* cropping audio files (Soundbooth), 537–538, 548
    - motion tweens (Flash), 619
    - shapes (Illustrator), 221
    - Tritones (Photoshop), 88–89
    - TrueType fonts, 58
    - trusted identities, importing into PDFs, 48
    - tweening (Fireworks)
      - cloning the symbol, 512–513
      - creating a symbol for, 512
      - defined, 511
      - tweening the symbols, 513–514
    - tweening (Flash). *See* motion tweens (Flash); shape tweens (Flash)
    - Twirl tool (Illustrator), 302
    - type (Fireworks), 459
    - type (Flash)
      - editing, 599–600
      - mask layers with, 642–644
      - selecting, 599, 600
      - shape hinting for, 635–638
      - Text tool for, 599
      - transforming, 600–601
      - tweening characters, 622
    - type (Illustrator)
      - aligning, 252
      - Change Case feature, 256
      - Character panel for, 249–251
      - Control panel for, 251
      - converting type to outlines, 244
      - copying attributes, 252
      - copying text objects, 260
      - creating columns of text, 239–241
      - creating lines of text, 238
      - creating text in a shape, 246
      - creating text on a path, 245, 246
      - distorting, 303–305
      - Find and Replace feature, 253
      - Find Font feature, 255
      - flowing text into an area, 239
      - font styles, 247–249
      - Hyphenation feature, 254–255
      - indenting, 252
      - legacy text, 259–260
      - overflow, handling, 239
      - Paragraph panel for, 251–252
      - shortcuts, 248–249
      - spell checker for, 253
      - text areas for, 238
      - text styles, 257–260
      - threading text, 239, 241–242
      - tools for, 237–238
      - unwrapping text, 243
      - wrapping text, 242–243
    - Type menu (Fireworks), 468
    - Type tool
      - Fireworks, 446, 468
      - Illustrator, 197, 238–239
      - Photoshop, 77, 159
    - typesetting commands (Photoshop), 159–160
    - Typewriter tool (Acrobat), 753
- 
- ## U
- 
- Underline Text tool (Acrobat), 760
  - underlining text
    - in Illustrator, 250
    - in PDFs, 758, 760
  - Undo menu option, 22
  - undocking and docking panels, 30, 199, 200, 448
  - undoing
    - blending modes (Photoshop), 150
    - in Fireworks, 456
    - Magic Wand tool selections (Photoshop), 98
    - Rollback feature for (Contribute), 835–837
    - in Soundbooth, 549–551

- ungrouping
  - image stacks, 44
  - objects (Illustrator), 211
- unlocking. *See* locking and unlocking
- Unsharp Mask filter
  - (Photoshop), 122–124, 135
- unwrapping text (Illustrator), 243
- updating
  - Smart Objects (Photoshop), 386
  - text styles (Illustrator), 259–260
  - workspace layouts (Flash), 695
- uploading
  - movie files (Flash), 711
  - Web sites (Dreamweaver), 438
- up-sampling audio, avoiding, 522
- URL panel (Fireworks), 487
- URLs (Universal Resource Locators)
  - for Contribute connections, 784, 785
  - defined, 370
  - for external links, 410–411
- usability of Web sites, 60
- user roles (Contribute)
  - administrator, 786, 832
  - categories of settings, 833–834
  - creating custom, 787–788
  - described, 831–832
  - Edit Role Settings dialog box, 832–834
  - preset, 786–787
  - publisher, 786, 832
  - understanding capabilities of, 832–833
  - writer, 786, 832

- utilities for text (Illustrator)
  - Change Case feature, 256
  - Find and Replace feature, 253
  - Find Font feature, 255
  - Hyphenation feature, 254–255
  - spell checker, 253
  - text styles, 257–260

---

## U

---

- values for tags (HTML), 378
- Vanishing Point feature
  - (Photoshop), 105–108
- Vanishing Point.psd file, 105
- vector graphics. *See also* graphics; Illustrator
  - bitmap images versus, 85–86, 192, 452–453, 645–646
  - defined, 54, 192, 645
  - editing within PDFs, 752
  - importing into Flash, 647
  - opening (Fireworks), 444
  - scaling, 55
  - selections in (Fireworks), 450
  - tools for (Fireworks), 446, 456–459
  - for Web display, 55
- vector masks (Photoshop), 117, 162
- Vector Path tool (Fireworks), 457
- Vector Shape tool (Photoshop), 77, 110
- Version One software, 1
- video, adding to drafts
  - (Contribute), 829–830
- View menu
  - common options (CS4), 18
  - Illustrator, 203
- views
  - Acrobat modes, 726–727
  - Dreamweaver, 361–362

- Fireworks, 447–448
- Illustrator, 200–202
- multi-track (Soundbooth), 546–547
- visibility of layers
  - Flash, 584
  - Illustrator, 276
  - Photoshop, 72, 158, 169
- volume (Soundbooth)
  - attenuation, 542, 558
  - changing for entire clip or selection, 543
  - changing for part of a clip, 541–542
  - controlling dynamics, 557–559
  - gain, 542, 559
  - mastering and finalizing, 570–572
  - matching among clips, 543–544
  - noise reduction, 563–567
  - perceived levels, 567

---

## W

---

- Warner, Janine (*Dreamweaver CS4 For Dummies*), 791
- Warning! icon, 6
- Warp tool (Illustrator), 198, 302–303
- warping text (Photoshop), 159
- WAV (Windows Waveform Audio Format), 524
- WBMP (Wireless Bitmap) format, 179–180
- Web browsers. *See* browsers
- Web conferencing with ConnectNow, 73
- Web resources. *See* Internet resources

- Web sites or pages. *See*  
*also* CSS (Cascading Style Sheets);  
 drafts (Contribute);  
 Dreamweaver  
 adding space around images, 387  
 administering with  
   Contribute, 786–789,  
   834–837  
 aligning images, 386  
 Alt text for images, 382, 807  
 background images for,  
   387–388  
 Check Links Sitewide  
   feature, 433–434  
 color table for, 89, 175–177  
 colors for, 65–66  
 converting to PDF, 739–740  
 creating a new page, 373  
 creating a new site, 364–365,  
   371–373  
 creating drafts, 795  
 download time for, 379–380  
 editing images on pages, 374  
 enabling for Contribute  
   (Dreamweaver), 791–793  
 entering text, 391  
 exporting for (Fireworks),  
   483–484  
 file size for, 340  
 formatting text, 392–395  
 graphics for, 55, 59  
 HTML basics, 376–378  
 image sizes for, 55, 340–341,  
   379, 444  
 improving, 440  
 inserting media content,  
   389–390  
 links, 405–412, 433–434,  
   808–810  
 main or home page, 369, 373  
 managing files, 376  
 naming files, 375–376  
 optimizing images for, 383,  
   482–483  
 orphaned (unlinked) files,  
   412, 433  
 page layout fundamentals,  
   59–60  
 placing images, 373–374,  
   380–382  
 placing Photoshop files,  
   384–385  
 planning, 370  
 previewing in browsers,  
   366–367  
 previewing Web settings  
   (Fireworks), 482  
 previewing with Live View,  
   367  
 publishing movies for  
   (Flash), 711–712  
 remote connection setup,  
   437–438  
 resolution for images, 122,  
   174  
 retrieving files from remote  
   server, 439  
 rollover images, 388–389  
 Save for Web & Devices  
   feature (Illustrator),  
   338–341  
 Save for Web & Devices  
   feature (Photoshop),  
   173–181  
 site reports, 434–435  
 synchronizing local and  
   remote sites, 439–440  
 terminology, 369–370  
 text and fonts for, 59  
 updating Smart Objects, 386  
 uploading to remote server,  
   438  
   Web site, defined, 369  
 weblogs. *See* blogs  
   (Contribute)  
 Web-safe colors, 65, 282  
 Welcome screen (Illustrator),  
   193  
 Window menu (CS4)  
   common options, 18  
   opening panels from, 30  
   workspaces in, 31  
 Windows computers. *See*  
   *also* cross-platform  
   compatibility  
   Adobe PDF printer with,  
   737–738  
   colors on Macs versus, 65  
 Windows Media (.wmv) video,  
   829  
 Windows Waveform Audio  
   Format (WAV), 524  
 wireframes (Fireworks), 443  
 Wireless BitMap (WBMP)  
   format, 179–180  
 Word  
   inserting content in drafts  
   (Contribute), 818  
   PDF conversion options,  
   734–735  
 workflow reports  
   (Dreamweaver), 434–435  
 workspaces  
   Acrobat, 724  
   Contribute, 793–796  
   document window  
   (Illustrator), 195–196  
   Dreamweaver, 359–364  
   Fireworks, 444–448  
   Flash, 576–582  
   managing layouts (Flash),  
   693–695  
   navigating (Illustrator),  
   202–204  
   navigating (Photoshop),  
   78–80  
   opening customized, 31  
   overview, 29–30  
   Photoshop, 69–70, 78–80  
   returning to default, 31

workspaces (*continued*)  
saved (Dreamweaver),  
363–364

saved (Flash), 582

saved (Photoshop), 78

saving customized, 31

Soundbooth, 524–525

using panels in, 30–34

wrapping text (Illustrator),  
242–243

Wrinkle tool (Illustrator), 303

writer role (Contribute),  
787, 832

---

## X

---

x height of fonts, 247

XHTML standard, 377. *See*  
*also* HTML

---

## Z

---

zero point (Illustrator)

for rulers, 264

after transformations, 296

Zoom In menu option, 22

Zoom tool

Fireworks, 447

Flash, 578

Illustrator, 199, 203

Photoshop, 77, 79

Zoomify feature (Photoshop),  
50

zoom-in and zoom-out effects  
(Flash), 625–627

zooming

in Acrobat, 724–725

in Illustrator, 202–204

in Photoshop, 79







