

# Index

Note to reader: **Bold** page references indicates definitions and main discussions of a topic. *Italicized* page references indicates illustrations.

- 
- └ symbol, 2
- 2D Drafting & Annotation workspace, 2–3, 3, **153–154**
- 2D objects. *see also* 3D drawings, from 2D shapes
- arcs, 71, **71–72**
  - circles, 69–71, **69–71**
  - curves. *see* curves
  - with Draw panel, 67, 67
  - hatch patterns. *see* hatch patterns
  - isometric drawings, 53, 53
  - lay out tools, **95–101**, 96–98, 100–101
  - overview of, 67
  - parallel lines, 77–78, **78**
  - regions, **102**
  - regular polygons, **94–95**, 95
  - revision clouds, **78–81**, 79–80
  - with Sketch command, **102**
  - straight lines, **68–69**, 69
  - using WCS coordinates, 159
- 2D options, Viewports dialog box, 345, **345**
- 2D regions, **91**
- 2D view, converting to 3D view, **202**
- 2P option, circle diameter, **69**, 70
- 3D drawings, 151–202
- 3D Modeling workspace, 3–4, 3–5, 152–154, **152–154**
  - adding lights, **194–197**, 194–197
  - adding materials, 190–193, **190–193**
  - overview of, 151
  - printing with hidden lines or shaded views, **346**
  - rendered views, **199–201**, 199–201
  - setting print scale, 353
  - smoothing with mesh modeling, **185–188**, 185–188
  - specifying exact distance in 3D space, **188–189**, 189
  - using Sunlight tool, 197–199, **197–199**
  - Viewports dialog box options, **345**
  - wireframe or shaded views, **201–202**, 201–202
- 3D drawings, changing point of view, 167–174
- #**
- changing where you are looking, **168–169**
  - flying through view, 169, **169**
  - moving around model, **167–168**, 167–168
  - overview of, 167
  - Parallel and Perspective, ViewCube, 173, **173**
  - recording fly-through with ShowMotion, 170, **170**
  - saving view, **170–171**, 171
  - using cameras, **171–173**, 172–173
- 3D drawings, from 2D shapes, 174–185
- creating helix, 180, **180–181**
  - extruding along path, **178–179**, 179
  - extruding polyline, 174–176, 175–176
  - filleting corners, 178, 178
  - with Interfere tool, 176–177, **176–178**
  - with Loft tool, **181–184**, 181–184
  - overview of, 174, 174
  - revolving polylines, **184–185**, 184–185
- 3D drawings, from 3D solids
- creating, **156–158**, 156–158
  - editing with gizmo, 159, 159
  - editing with grips, 158, **158–159**
  - making changes to, **165–167**, 165–167
  - rotating using Dynamic UCS, **159–163**, 160–162
  - with union and subtraction, **164–165**, 164–165
  - using standard UCS, 163, **163–164**
- 3D Modeling workspace
- in AutoCAD window, 3–4, 3–5
  - defined, 153, 153
  - working with, **153–154**, 153–154
- 3D options, Viewports dialog box, 345
- 3P option, circles, 70, 70
- 
- A**
- About, Help menu, 29
  - absolute coordinates, 32–33
  - Acad.lin (Acadiso) files, 226
  - action macros, Action Recorder, **148–149**, 149
  - Action Recorder, 148–149, **148–149**
  - Action Tree, Action Recorder, 149, **149**
  - Add button, Plot dialog box, 342
  - Add Color-Dependent Plot Style Table Wizard, 361, **361–362**
  - Add Crease tool, 188, **188**
  - Add Page Setup dialog box, **342**, 342
  - Add Scale to Object dialog box
    - adding scales to text, 273–274, 274
    - scaling and rotating blocks, 239, **239**
- Additional Resources, Help menu, 29
- Adjust Sun & Sky Background dialog box, 201
- Advanced Options dialog box, plot stamp, 356, 356
- AIA (American Institute of Architects) website, 292
- alerts, Xref, 250
- aligned dimensions, 297–299, 298–299
- alignment
- of grid to object, 54–55, 54–55
  - of moved objects with osnaps, **135**, 135
  - with object snap tracking/tracking points, 60–64, 61–63
  - text, 266, 266
- All command, Modify panel, **126**
- All view, 21
- Alternate Units tab, New Dimension Style, **318–319**, 319
- American Institute of Architects (AIA) website, 292
- American Society of Mechanical Engineers (ASME) website, 292
- angles
- Chamfer command, 131, 131
  - selecting drawing units, 43–44
  - specifying, 37, 37
- angular dimensions
- dimensioning angle and arc lengths, 300–301, **300–301**
  - measuring angles, 328, **328–329**
- Annotate tab's Dimension panel, 294–297, **294–297**
- Annotation Object Scale dialog box, 239, 239
- annotation scale
- dimensions, **293**
  - hatch patterns, **85**

legacy drawings and, **228–229**  
 linetypes, **227, 227**  
 multileader styles, **302**  
 overview of, **238–241, 239–240**  
 text, **273, 273**

Annotative Scale property, text, **273**

ANSI patterns, Hatch Pattern dialog box, **84, 84**

Apparent Intersection (app) option, osnaps, **59**

appearance, of dimensions. *see* dimension styles

Application menu, **5, 6, 10–11, 10–11**

Arc Length dimension, **301, 301**

Arc Length option, RevCloud command, **80–81**

Arc tool  
 options for drawing arcs, **71, 71–72**  
 using, **25–26, 25–26**

architectural drawings  
 dimensioning standards, **292**  
 setting up dimensions for U.S., **316**

arcs  
 adding to lines using Fillet command, **68**  
 adjusting size of revision cloud, **80**  
 dimensioning, **299–300, 299–300**  
 dimensioning lengths, **300–301, 300–301**  
 drawing, **71, 71–72**  
 drawing elliptical, **73, 73–74**  
 joining end to end with intermediate, **128–129, 128–129**  
 placing gap with Break command, **143–144, 143–144**  
 using Arc tool, **25–26, 25–26**

area, measuring. *see* measuring areas

Area tool, polygons, **324**

Array dialog box  
 copying rows and columns, **138–139, 138–139**  
 making circular copies, **136–137, 136–137**

arrows  
 adding notes with, **301–303, 301–304**  
 controlling size of, **293**  
 creating dimension styles, **311, 311**  
 as dimension component, **292, 292**  
 dimensioning standards for, **292**  
 setting up dimension graphics, **312–313, 312–313**  
 specifying placement in tight spaces, **315–316, 315–316**

ASCII text files, importing, **272**

ASME (American Society of Mechanical Engineers) website, **292**

associative dimensioning, **293**

Associative option, Hatch and Gradient dialog box, **86–87, 86–87, 89**

Attach as Xref command, Design Center, **256**

Attach External Reference dialog box, **248, 249**

Attach PDF Underlay dialog box, **249–250, 249–250**

AUGI (AutoCAD User Group International), **19**

Auto Constrain tool, **119, 119–120**

AutoCAD 2010, overview  
 command options, **25–26**  
 help options, **26–29, 27–29**  
 interface. *see* AutoCAD window  
 Layout view, **22–24**  
 panning and zooming to adjust view, **19–22, 20**  
 starting drawing, **16–19, 17–18**

AutoCAD User Group International (AUGI), **19**

AutoCAD window, **2–15**  
 2010 vs. 2010 LT, **2**  
 2D Drafting & Annotation workspace, **2–3, 3**  
 3D Modeling workspace, **3–4, 3–5**

Application menu, **10–11, 10–11**

chat feature, **13, 13**

checking UCS icon, **3, 12**

command line, **12–13**

components, **5–10**

drawing area, **11–12, 12**

overview of, **2**

starting commands, **13–15, 13–15**

Autodesk Seek, **258, 259**

autohide, Design Center, **254**

AutoSnap, **60, 60**

AutoSpool, **351**

Average button, Formula tool, **283**

axis, drawing ellipses, **72–73, 72–73**

## B

background  
 changing cell colors in, **287**  
 printing in, **355**  
 rendered images and, **200–201, 200–201**

Background Fill tool, **287**

Background Mask, text, **268, 268–269**

Backspace, **19**

base point  
 modifying in any drawing, **241**  
 Move/Copy commands, **136**  
 selecting for block, **234–235**  
 using grips, **110, 110**

base size, 3D solid, **157–158, 158**

Baseline Dimension option, **296, 296–297**

Bisect option, Construction Line tool, **100, 100–101**

bitmap images, deleting, **127**

Block Definition dialog box  
 adding text description to blocks, **258**  
 automatically scaling blocks at insertion, **257**  
 creating blocks with, **234, 234–235**  
 understanding, **235–236, 236**

block definitions, **235**

Block Editor, **144–146, 145–146, 242**

Block option, Divide or Measure commands, **98–99**

block references, **234**

blocks, **234–242**  
 accessing in Tool Palettes window, **259–261, 261**  
 adding to table cells, **287, 287–288**  
 annotation scale and, **238–241, 239–240**  
 colors and linetypes for, **208**  
 creating, **234–235, 234–235**  
 defined, **144, 233**  
 deleting, **260**  
 editing, **144–146, 145–146, 242**  
 Freeze and Thaw effect on, **209**  
 importing existing drawings as, **241, 241**  
 inserting, **236–237, 237**  
 reducing to simple lines and arcs with Explode, **147**  
 saving as drawing files, **242, 242–243**  
 scaling and rotating, **237–238, 238**  
 scaling automatically at insertion, **257**  
 Xrefs vs., **247, 250–251**

Boolean operations, **185**

boundary  
 indicating text location, **264, 264**  
 measuring areas, **324–327, 324–327**  
 text, **267**

Boundary Hatch command, **89–94**

boundary retention, **91**

Boundary Set options, **91–92**

colors/patterns for gradient fill shading, **92–93, 92–93**

controlling hatch patterns and fills, **89–90, 89–90**

Island options, **91**

matching hatch patterns, **93–94, 94**

options, **89, 89**

overview of, **81**

tips for using, **94**

Boundary Set, Boundary Hatch, **91–92**

Boundary tool, **102**

Box mapping style, **193, 193**

Box tool, **156–158**

Break command, **143–144**, *143–144*  
 Browse button, External Reference palette, **251**  
 Browse button, Layer Filter Properties tool, **217**  
 Browse for Folder dialog box, **336**, *336*  
 bullnose, **128**, *128*  
 ByBlock setting, Layer Properties Manager, **231**  
 ByLayer setting, **230**

## C

calligraphy revision cloud, **78**, *79*  
 cameras  
   properties, **173**, *173*  
   saving views, **171–173**, *172–173*  
   views in 3D model, **168**  
 Cartesian coordinates  
   AutoCAD XY, **32**, **32**  
   relative, **37–38**, **37–39**  
   using Dynamic Input, **41**  
   using Dynamic Input and grips, **114–115**, **114–115**  
   using grips, **110**  
 Cell Border Properties dialog box, **286–287**, **286–287**  
 Center Mark tool, Dimensions tab, **300**  
 Center option, Ellipse command, **73**, *73*  
 Center option, osnaps, **59**  
 Center view, **21**  
 Chamfer command  
   3D solids, **178**, **178**  
   joining lines, **130–131**  
 Change Group options, Object Grouping, **245**, **245**  
 Change to Current Layer tool, **223**  
 Change View To drop-down list, Viewports dialog box, **345**, **345**  
 Changes to a Printer Configuration File dialog box, **350**, *350*  
 chatting, **13**, **13**  
 Check Spelling dialog box, **270–271**, **270–271**  
 Circle tool. *see* circles  
 circles  
   2P option, **69**, *70*  
   3P option, **70**, **70**  
   adding to drawing, **18**, *18*  
   dimensioning, **299–300**, **299–300**  
   drawing arcs with, **72**  
   tan tan radius option, **71**, **71**  
 circular copies, **136–137**  
 circular references, **251**  
 classic workspace, **153**  
 Clockwise option, Drawing Units, **44**  
 Close Block Editor tool, **146**  
 Close option, Line command, **38**

Coincident constraint tool, **120**, **120**  
 colons, Formula tool and, **283**  
 color  
   adding to blocks, **208**  
   adding to materials for 3D design, **191**, **191–192**  
   adding to new layer, **205**, *205*  
   adding to table cell background, **287**  
   converting to black and white for printing, **350**  
   creating 3D solids with, **157**, *157*  
   filtering layers by, **217**, **217**  
   gradient fill shading with, **92–93**, **92–93**  
   individual objects using, **230–231**, **230–231**  
   organizing visual content with, **224**  
   sorting layer list by, **215**  
   True vs. Pantone, **210**, **210**  
 Color Book Locations options, **205**  
 Color Books tab, Select Color dialog box, **210**, **210**  
 color plot styles  
   choosing named plot style vs., **360–361**  
   converting named plot style to, **368–369**  
   creating tables, **361**, **361–362**  
   overview of, **359**  
   predefined, **359–360**, *360*  
 Color tool, text, **266**, *266–267*  
 columns  
   adding/deleting table, **281**, *281*  
   Column tool, text, **266**, **266**  
   copying, **138–139**  
 combining table cells, **279**, **279–280**  
 command prompt, **12**  
 command window, **6**  
 commands  
   command line, **12–13**  
   help options, **26–28**, *27–28*  
   options, **25–26**  
   starting, **13–15**, *13–15*  
   use of term in this book, **15**  
 Commands list, Help window, **27**  
 commas, Formula tool, **283**  
 complex linetypes, **224**, **225**  
 complex shapes, measuring area of, **325–326**, **325–327**  
 constraint-based modeling, **117**  
 constraints  
   adding and removing, **118**, *118*  
   Auto Constrain tool, **119**, **119–120**  
   Coincident constraint tool, **120**, *120*  
   dimensional, **120–122**, *121–122*  
   other geometric, **118–119**, *119*  
   parametric drawings using, **117**, **117**

Construction Line tool. *see* construction lines  
 construction lines  
   construction lines  
     bisecting, **100**, **100–101**  
     multiple horizontal, vertical or angled, **99–100**  
     multiple, through point, **98**, **98–99**  
     overview of, **98**  
     parallel to existing lines, **101**  
     placing ray, **101**  
 Contents tab, Help window, **26**, *27*  
 context menus  
   drawing area, **11**  
   help, **28–29**, **28–29**  
 Continue Dimensions option, **295**, *295*  
 Continue option, arcs, **71**  
 Continuous linetype, **226**  
 Convertctb command, **368–369**  
 Convertptstyles command, **368–369**  
 coordinates, **32–42**. *see also* UCS (user coordinate system)  
   finding point, **327–328**  
   ordinate dimensions using, **305**, *305*  
   overview of, **32–33**, **32–34**  
   specifying polar, **36–37**, **37**  
   specifying relative Cartesian, **37–38**, **37–39**  
   using direct distance method, **39**  
   using Dynamic Input option, **39–41**, **39–42**  
   using lines, **34–35**, **34–36**  
   world coordinate system, **159**  
 Coordinates panel, View tab, **305**, *305*  
 copying objects  
   with Copy command, **135**  
   Create a Copy, Move or Copy dialog box, **348–349**, **348–349**  
   with grips, **110–111**  
   making circular copies, **136–137**, **136–137**  
   to new layer, **224**, *224*  
   rows and columns, **138–139**, **138–139**  
 corners, creating rounded, **128–129**, **128–129**  
 Count button, Formula tool, **283**  
 creases, adding, **188**, **188**  
 Create a Copy option, Move or Copy dialog box, **348–349**, **348–349**  
 Create File dialog box, **368–369**  
 Create Group options, Object Grouping, **245**, **245**  
 Create Light tool, **194–197**, *194–197*  
 Create New Dimension Style dialog box, **311**, *311*  
 Create New Table Style dialog box, **288**, **288**  
 Create tool, blocks, **234**, **258**

cross-referenced Xrefs, locating, **251**  
 crosshair cursor. *see* Point Selection cursor  
 Crossing command, **126**  
 Crossing option, Trim and Extend, **133**  
 Crossing Polygon command, **126**  
 crossing windows, **106–107**, *106–107*  
 .csv filename extension, **284**  
 Ctrl key, **166**, *166*  
 cumulative area values, finding, **327**, **327**  
 current dimension style, **321**, **321**  
 Current VP Freeze option, Layer Properties Manager  
   setting layer visibility in individual viewports, **213**, *213*  
   setting layers for individual viewports, **348**, *348*  
 cursor  
   aligning with objects being rotated, **141–143**, *142–143*  
   Isoplane, **53**, **53**  
   modes, **48–49**, *49*  
   rotating, **54**  
 curves, **72–77**  
   ellipses, **72–73**, *72–73*  
   elliptical arcs, **73**, *73–74*  
   measuring area of, **325–326**, *325–327*  
   overview of, **72**  
   smooth, **74–75**, *74–75*  
   using polylines, **75–76**, *75–77*  
 Custom Paper Sizes, Plotter Configuration Editor, **352**  
 Custom patterns, Hatch Pattern, **84**, **84**  
 Custom Properties, Plotter Configuration Editor, **352**  
 Custom tab, Properties dialog box, **331**, **331–332**  
 Customer Involvement Program, Help menu, **29**  
 Customize dialog box, tool palettes, **261**, *261*  
 Cylindrical mapping style, **193**, *193*

## D

Date & Time settings, Sun Properties panel, **198**, *199*  
 Date Modified tab, Find dialog box, **246–247**, *247*  
 datum points, finding coordinates, **327–328**  
 Ddedit command, **307**, **307–308**  
 Delete  
   Layer States Manager, **221**  
   objects, **127**  
   table rows, **281**  
   Tool Palettes window, **260**  
 Delete Layer tool, **206**  
 Description panel, DesignCenter, **253**, **255**  
 DesignCenter  
   adding drawing components from multiple files to tool palette, **260**  
   downloading symbols from Autodesk Seek, **258**, *259*  
   exchanging data between open files, **257–258**  
   finding and extracting contents of drawing, **256**, *256–257*  
   getting familiar with, **252**, *252–254*  
   loading files into, **258**  
   locating named items, **333**  
   navigating, **254**, *254–255*  
   opening and inserting files, **255–256**  
   overview of, **252**  
   viewing DWG file contents, **255**  
   viewing list of named components, **333**  
 Device and Document Settings tab, Plotter Configuration Editor, **351**, **351–352**  
 diameter, circle, **69**, *70*  
 Diameter dimension, arcs and circles, **299–300**, **299–300**  
 Dimension Edit tool, **308–310**, *310*  
 Dimension Style Manager dialog box  
   creating dimension styles, **311**, **311**  
   editing dimension styles, **321**  
   setting current dimension style, **321**, **321**  
 dimension styles, **310–321**  
   Alternate Units tab, **318–319**, *319*  
   creating, **311**, **311–312**  
   defined, **310**  
   editing, **321**, **321**  
   Fit tab, **315–317**, **315–317**  
   graphics, **312–313**, **312–313**  
   overview of, **310**  
   Primary Units tab, **317–318**, **317–318**  
   setting current, **321**, **321**  
   Text tab, **314–315**, *314–315*  
   Tolerances tab, **320–321**, **320–321**  
 Dimension Text Edit tool, **310**  
 dimensional constraints, **120–122**, *121–122*  
 dimensions, **291–321**  
   adding note with arrow using Leader tool, **301–303**, **301–304**  
   applying to nonorthogonal objects, **297–301**, *298–301*  
   editing, **307**, **307–310**, *309*  
   linear, **294–297**, **294–297**  
   in Model or Layout view, **293**  
   ordinate, **304–305**, *304–305*  
   overview of, **291**  
   parts of, **292**, **292**  
   skewing lines, **310**, **310**  
   standards, **292**  
   styling. *see* dimension styles  
   tolerance notation for, **305–306**, **305–306**  
 Dimtedit command, **310**  
 direct distance method, **39**  
 Direction option, Drawing Units, **44**  
 Display Alternate Units check box, **318**  
 Display Viewport Objects command, **346**  
 Distance option, Chamfer, **131**  
 Distance tool, **328**  
 distances, specifying  
   in 3D space, **188–189**, *189*  
   with Dynamic Input, **39–41**, **39–42**  
   with polar coordinates, **33**, **36–37**, *37*  
 distant lights, 3D models, **194**  
 Divide command, **95–99**, *97–98*  
 Drafting Settings dialog box  
   Object Snap tab, **60**, *61*, **61**  
   Polar Tracking tab, **48**, **50**  
   Snap and Grid tab, **52–55**, *52–55*  
 Drafting tab, Options, **60**, *60*  
 drafting tools, **31–67**  
   coordinate system. *see* coordinates  
   determining drawing area, **45–46**  
   digital T square and triangle, **47–50**, *48–49*  
   Grid and Snap settings, **52–55**, *52–55*  
   object snap tracking/tracking points, **60–64**, *61–63*  
   selecting drawing units, **42–44**, *43–44*  
   selecting exact locations on objects, **55–58**, **55–60**  
   snapping to grid, **51–52**  
   temporary tracking points, **64–65**, **64–66**  
   visual reference with Grid mode, **50–51**, **50–51**  
 Draw panel, **67**, *67*, **154**. *see also* Ribbon  
 drawing  
   setting up, **42–46**, *43*, *45–46*  
   starting, **15–19**, *17–18*  
 drawing area  
   determining, **45–46**  
   finding XY coordinate within, **7**  
   getting familiar with, **11–12**  
   overview of, **6–7**, *7*  
 drawing list, changing to images, **11**, **11**  
 drawing units, **16**, **42–44**, *43–44*  
 .dwg files, **246–247**, **255**  
 Dynamic Input  
   defined, **7**  
   grip editing by turning off, **108–110**, *108–111*

grip editing with, **111–115**, *112–115*  
 specifying exact distance with,  
*39–41*, **39–42**  
 starting commands by turning off,  
**13**, *13*  
 use of in this book, **42**  
 viewing command prompt, **12**

Dynamic UCS  
 drawing on 3D object's surface, *162*,  
**162–163**  
 rotating 3D drawings, *160–162*,  
**160–162**

Dynamic view, **21**

---

**E**

edges, mesh, *186*, **187**

Edit Block Definition dialog box,  
**145–146**, *145–146*

Edit Hatch tool, Modify II toolbar, **88**

Edit Polyline tool, **147**, *147–148*

editing  
 3D drawings with gizmo, *159*, **159**  
 3D drawings with grips, *158*,  
**158–159**  
 blocks, *145–146*, **145–146**, **242**  
 hatch area, *86–87*, **86–88**  
 lines, **68**  
 locking layers from, *214*, **214**  
 with Modify panel. *see* Modify  
 panel tools  
 multileader notes, **304**  
 plot-style file, *361*  
 polylines, **147**, *147–148*  
 table lineweights, *286–287*,  
**286–287**

editing AutoCAD objects, **103–123**  
 overview of, **103**  
 selecting objects, **104–107**, *104–107*  
 using dimensional constraints,  
**120–122**  
 using grips, **107–111**, *108–110*  
 using grips and Dynamic Input,  
**111–115**, *112–115*  
 using parametric tools, *117–119*,  
**117–120**  
 using Properties palette, **115–117**,  
*115–117*

editing dimensions  
 appending data to text, *307*,  
**307–308**  
 detaching text from dimension  
 line, *309*, **309**  
 making changes to multiple  
 dimensions, **308–309**  
 rotating text, **309–310**  
 skewing dimension lines, **310**, *310*

Ellipse command. *see* ellipses

ellipses  
 drawing, **72–73**, *72–73*  
 drawing elliptical arcs, *73*,  
**73–74**

Elliptical Arc tool, **73–74**, *73–74*

Endpoint (end), osnaps, **56**, **56**, **59**

Enter Data Link Name dialog box,  
**285**, **285**

Equation option, Formula tool,  
**283**, **283**

eRase option, Trim and Extend, **134**

Erase tool, **127**

Esc key, **19**

Excel spreadsheets  
 importing, **284**  
 opening exported tables in, **284**

Explode command  
 editing instance of block, **242**  
 exploding multilines, **77**  
 reducing blocks and polylines to  
 simple lines, **147**  
 Xrefs, **251**

Export Data dialog box, **284**

Export option, Layer States  
 Manager, **221**

exporting  
 tables, **284**  
 tool palettes, **262**

Extend command, **68**, **132–133**, *133*

extending lines  
 with Extend command, *133*, **133**  
 overview of, **132**, *132*  
 with Trim command, *133*, **133**

Extension (ext) option, osnaps, **59**

Extents view, **21**

external references. *see* Xrefs (external  
 references)

External References palette  
 attaching drawing as Xref, **248**, **248**  
 finding missing Xrefs, **334–335**, *335*  
 importing PDFs, *249–250*, **249–250**  
 updating Xref while drawing,  
**250**, *250*

Extrude command  
 creating 3D solid, **174–176**, *175–176*  
 extruding along path, **178–179**, *179*

Extrude flyouts, **156**, *156*

---

**F**

faces, mesh, *186–187*, **187–188**

falloff settings, spotlight, **196**

Favorites folder, on PC, **255**

Favorites tool, DesignCenter, **253**

Fence command, **126**

Fence Selection, Trim and Extend, **133**

fields, text, **282**

File View tool, **11**

files  
 exchanging data between open,  
**257–258**  
 finding missing support, *334–336*,  
**334–336**  
 finding on hard disk, *246–247*,  
**246–247**  
 loading into DesignCenter, **258**  
 opening and inserting with  
 DesignCenter, **255–256**

Files tab, Options dialog box,  
**335–336**, *336*

Fillet command  
 additional options, **129**  
 editing 3D solids, *178*, *178*  
 editing lines, **68**  
 joining objects, **128–129**, *128–129*

fills  
 cell background color, **287**  
 controlling through plot styles,  
**358–359**, *359*  
 gradient, *92–93*, **92–93**  
 hatch pattern, *81–82*, **81–85**, *89–90*

filters, layer  
 creating layer groups by selection,  
**218–219**, *218–219*  
 other options, *219*, **219–220**  
 by properties, **216–217**, *216–217*  
 types of, *215*, **216**

Find and Replace dialog box, **332**, *332*

find-and-replace feature, **271–272**,  
*271–272*

Find command, **332**, **332**

Find dialog box, **246**, **246–247**

First Point option, Break command, **144**

Fit option, Pedit command, **76**, *76*

Fit options, Properties palette, **309**, *309*

Fit tab, New Dimension Style, **315–317**,  
*315–317*

Fit to Paper option, Model tab, **353**

Fit Tolerance option, spline, **75**, *75*

floating model space  
 adding dimensions in, **293**  
 changing to, *213*, **213**, **339–340**, *340*

floating Ribbon panels, **10**, **10**

fly-through view  
 overview of, *169*, **169**  
 recording with ShowMotion, **170**, *170*

flyout menus  
 Draw panel, **68**  
 opening, **10**, **10**

fonts  
 adjusting text, *265*, **265**  
 finding missing, **335–336**, *336*  
 organizing with styles, **274–276**,  
*275–276*

Form View tab, Plot Style Table Editor,  
**363–365**, *365*

formatting text, 264, 264–265  
 formulas, adding to table cells, 282, 282–283  
 Freeze and Thaw options, layers, 209, 209, 211, 211  
 Freeze tool, Layers panel, 224, 224  
 From (fro) option, osnaps, 59

## G

gaps  
 Gap Tolerance Setting, Hatch command, 92, 326  
 placing with Break command, 143–144, 143–144  
 General properties, Properties panel, 116  
 General tab, Plot Style Table Editor, 363  
 General tab, Plotter Configuration Editor dialog box, 351  
 General tab, Properties dialog box, 331, 331–332  
 Geographic Location dialog box, Sunlight tool, 198, 198  
 Geographic Location message box, Sunlight tool, 198, 198  
 geometric constraints, 118–120, 119  
 Geometric Tolerance dialog box, 305–306, 306  
 Geometry properties, Properties panel, 116  
 gizmo  
 constraining motion with, 172, 173  
 editing 3D drawings with, 159, 159  
 moving grip with aid of, 184, 184  
 moving set of faces using, 187, 187  
 Gradient tab, Hatch and Gradient dialog box, 92–93, 92–93  
 graphics  
 dimension, 312–313, 312–313  
 Plotter Configuration Editor dialog box, 352  
 table cell, 287, 287–288  
 Grid mode  
 changing settings, 52–55, 52–55  
 for drawing area, with Limits command, 46  
 getting visual reference with, 50–51, 50–51  
 grips  
 3D drawings with, 158, 158–159  
 copying, mirroring, rotating, scaling and stretching with, 110, 110–111  
 editing lofted 3D object with, 183–184, 183–184  
 editing polylines with, 146  
 editing with Dynamic Input and, 111–115, 112–115  
 enabling, 108

other features of, 111  
 stretching lines with, 108–110, 108–110  
 Group Identification options, Object Grouping, 244, 244  
 Group Manager dialog box, LT, 245, 246  
 groups  
 creating, 243, 243  
 defined, 233  
 finding files on hard disk with, 246–247, 246–247  
 toggling on and off, 244  
 using LT Group Manager, 245–246, 245–246  
 using Object Grouping dialog box, 244, 244–245

## H

hard disk, finding files on, 246–247  
 hard disks, finding files on, 246–247  
 Hatch and Gradient dialog box  
 annotation scale, 85  
 Associative option, 86, 86  
 Boundary Hatch options. *see* Boundary Hatch command  
 Gradient tab, 92–93, 92–93  
 measuring area of complex or curved shapes, 325–326, 325–327  
 measuring areas containing islands, 327, 327  
 positioning hatch patterns, 85, 85  
 Predefined option, 84, 84  
 setting hatch origin, 85–86, 85–86  
 working with, 81–82, 82  
 hatch boundary extents, 86, 86  
 Hatch command, 325–326, 325–327  
 Hatch Edit dialog box, 87, 87–88, 90, 90  
 Hatch Pattern dialog box, 83–84, 83–84  
 Hatch Pattern Palette dialog box, 88, 88  
 hatch patterns, 81–94  
 adding solid fills, 84–85  
 Boundary Hatch options, 89–90, 89–94, 92–94  
 deleting, 260  
 editing hatch area, 86–87, 86–87  
 finding missing, 335–336, 336  
 modifying, 87–88, 87–88  
 overview of, 81, 81  
 placing, 81–82, 81–83  
 positioning accurately, 85–86, 85–86  
 predefined, 83–84, 83–84  
 height  
 adjusting text, 265, 265  
 defining for 3D solid, 157–158, 158

Helix tool, 180, 180–181  
 help options, 26–29, 27–29  
 hidden views, 354–355  
 Hold Selection option, Layer Walk tool, 223  
 Home tool, DesignCenter, 254, 254  
 Horizontal Cell Margin, Properties palette, 281, 281  
 horizontal dimensions, placing, 294, 294–295  
 hot grips  
 features, 111  
 selecting base point, 110, 110  
 stretching lines with, 108–109, 109  
 hot spot settings, spotlight, 196  
 HSL (hue, saturation, luminance) color model, 210, 210

imperial measurement system, 42–44, 43–44  
 Import option, Layer States Manager, 221  
 importing  
 existing drawings as blocks, 241, 241  
 layer states, 241  
 PDFs, 249–250, 249–250  
 tables, 284–285, 284–285  
 text files from other programs, 272  
 tool palettes, 262  
 In view, 21  
 indents, setting text, 267–268, 267–268  
 Index tab, Help window, 28  
 Info Palette, Help menu, 29  
 InfoCenter, 6, 29, 29  
 information gathering, 323–336  
 adding nondrawing data to drawing, 331, 331  
 finding coordinate of point, 327–328, 327–328  
 finding missing fonts, linetypes and hatch patterns, 335–336, 336  
 finding missing Xrefs, 334–335, 334–335  
 finding text in drawing, 332, 332  
 finding time spent on drawing, 330–331, 331  
 general status of drawing, 329–330, 329–330  
 locating and selecting named components, 332–333, 333  
 measuring angles, 328–329, 328–329  
 measuring areas, 324–327, 324–327  
 measuring distances, 328  
 overview of, 323  
 Initial Setup dialog box, 2  
 Insert a Block in Table Cell dialog box, 287, 287–288

- Insert dialog box
    - importing existing drawing as block, **241, 241**
    - inserting blocks, **236–237, 237**
    - inserting files with DesignCenter, **256**
    - scaling and rotating blocks, **237–238, 238**
  - Insert Table dialog box, **278, 278–279**
  - inserting
    - automatically scaling drawings and blocks when, **257**
    - blocks, **236–237, 237**
    - files with DesignCenter, **255–256**
  - Insertion (ins) option, osnaps, **59**
  - Insertion Scale option, Drawing Units, **44**
  - interface, AutoCAD 2010. *see* AutoCAD window
  - Interfere tool
    - creating 3D solids, **176–177, 176–178**
    - editing solids, **176–177, 176–178**
  - intermediate arcs, **128–129, 128–129**
  - Intersect command, **178**
  - Intersection (int) option, osnaps, **59**
  - Invert Filter option, **219, 219–220**
  - Island Detection option, Hatch and Gradient, **327**
  - Island options, Boundary Hatch, **82, 89–91, 90**
  - islands, measuring area containing, **327, 327**
  - ISO (International Organization for Standardization) website, **292**
  - ISO linetypes, **224, 225**
  - ISO patterns, Hatch Pattern dialog box, **84, 84**
  - Isolate tool, Layers panel, **224, 224**
  - Isometric Snap option, **53, 53**
  - Isoplane cursors, **53, 53**
- 
- jogged radius dimension, **300, 300**
  - joining objects
    - with Chamfer command, **130, 130–131**
    - defined, **128**
    - end to end with intermediate arcs, **128–129, 128–129**
  - justification
    - multiple text objects, **269–270**
    - table cell text, **281**
  - Justifytext command, **269–270**
- 
- .las filename extension, **221**
  - lay out tools, 2D objects, **95–101, 96–98, 100–101**
  - Layer Control drop-down list, **348, 348**
  - Layer Filter Properties tool, **216–218, 216–219**
  - layer list, Layer Properties Manager, **206, 206**
  - Layer Previous tool, Layers panel, **221**
  - Layer Properties Manager
    - assigning layers to objects, **207, 207–208**
    - assigning named plot styles to layers, **367–368, 367–368**
    - ByBlock setting, **231**
    - controlling layer visibility. *see* visibility, layer
    - creating layers, **204–205, 204–205**
    - finding wanted layers, **215**
    - locking layers from printing or editing, **214, 214**
    - managing layer lists and settings, **215–219, 215–220**
    - setting layers for individual viewports, **346–348, 347–348**
    - setting lineweights, **228, 228**
    - understanding, **206, 206–207**
  - Layer States Manager, **215, 220–221, 220–221**
  - Layer Walk tool, Layers panel, **222–223, 223**
  - Layerpmode command, **221**
  - layers, 203–232
    - assigning linetypes to, **224–226, 225–226**
    - ByBlock setting, **231**
    - colors, linetypes, and lineweights for individual objects, **230–231, 230–231**
    - controlling visibility, **209–213, 209–214**
    - creating and assigning, **204–207, 204–208**
    - current layer settings, **208–209**
    - finding wanted, **215**
    - individual viewport settings, **346–348, 347–348**
    - linetype scale settings, **227, 227**
    - lineweight settings, **227–229, 227–229**
    - locking from printing and editing, **214, 214**
    - managing in Layers panel, **222–224, 222–224**
    - managing lists and settings, **215–219, 215–220**
    - overview of, **203**
    - saving and recalling settings, **220–221, 220–221**
    - scale factors in legacy drawings, **228–229**
    - segregating Xref from current drawing, **251**
  - Layers panel
    - assigning layers to objects, **207, 207–208**
    - changing layer assignment of objects, **223**
    - controlling layer settings through objects, **224, 224**
    - controlling layer visibility, **211, 211**
    - saving and recalling layer settings, **221**
    - setting current layer, **208–209**
    - using Layer Walk tool, **222–223, 222–223**
  - layout preview, **17, 17**
  - layout views
    - adding dimensions in, **293**
    - exploring for printing, **338, 338–339**
    - saving paper size and orientation settings in, **342, 342–343**
    - scaling down using, **343, 343**
    - understanding, **22–24, 22–24**
  - Layout1 tab, Layout view, **22–24, 22–24, 338, 338**
  - layouts
    - switching between, **349, 349**
    - using Quick View Layouts, **348–349, 348–349**
  - Leader tool, **301–303, 301–304**
  - length options, drawing units, **43**
  - lightbulb icon, Layer Properties Manager, **211, 211**
  - Lighting option, Drawing Units, **44**
  - Lighting Units system, **200–201**
  - lights, 3D drawings
    - overview of, **194–197, 194–197**
    - rendered image background, **200–201, 200–201**
    - with Sunlight tool, **197–199, 197–199**
  - Limits command, **45–46**
  - Line tool, **105, 105**
  - linear dimensions
    - from common base extension line, **296, 296–297**
    - continuing, **295, 295–296**
    - creating string of, **297, 297**
    - defined, **294**
    - nonorthogonal, **297–299, 298–299**
    - placing horizontal and vertical, **294, 294–295**
  - lines
    - joining with Chamfer, **130–131**
    - placing gaps in, **143–144, 143–144**
    - plot styles controlling, **358–359, 359**
    - reducing blocks and polylines to, **147**
    - rotating, **54, 54**
    - straight, **68–69, 68–69**
    - trimming or extending, **132–134**
    - working with coordinates, **34–36**

lines, dimension  
 detaching text from, **309**, **309**  
 skewing, **310**, **310**  
 understanding, **292**

Lines tab, New Dimension Style, **312**, **312–313**

Linetype Scale setting, **227**, **227**, **230–231**, **230–231**

linetypes  
 assigning to layers, **224–226**, **225–226**  
 controlling for blocks, **208**  
 defined, **224**  
 finding missing, **335–336**, **336**  
 setting for individual objects, **230–231**, **230–231**  
 setting scale, **227**, **227**, **230–231**, **230–231**  
 sorting layer list by, **215**

Lineweight Settings dialog box  
 assigning named plot styles to objects, **366**, **366**  
 editing table lineweights, **286**  
 setting lineweights, **228**, **228**

lineweights  
 adjusting to scale for printing, **354**  
 defined, **224**  
 editing table, **286–287**, **286–287**  
 printing as specified, **355**  
 setting, **227–229**, **227–229**  
 setting for individual objects, **230–231**, **230–231**  
 turning on display of, **286**

Link Cell tool, **285**

links  
 building dimensional constraints, **121–122**, **121–122**  
 building with Coincident constraint, **120**, **120**

Load or Reload Linetypes dialog box, **226**, **226**

Load tool, **258**

locations, selecting exact  
 automatically snapping to, **56–57**, **56–57**  
 fine-tuning AutoSnap, **60**  
 osnap options, **58–60**  
 on printed sheets, **353**  
 setting osnaps on the fly, **58**, **58**  
 setting up osnap, **55–56**, **56**

lock icon, Layer Properties Manager, **214**, **214**

locking layers  
 in Layer Walk tool, **223**  
 with Lock tool of Layers panel, **224**, **224**  
 from printing and editing, **214**, **214**

locking Viewport view, **346**

Loft tool, **181–184**, **181–184**  
 LT Group Manager, **245–246**, **245–246**

## M

m2p (Mid Between 2 Points) option, osnaps, **59**

main flyout, Dimensions panel, **297–299**, **298**

Manage Xrefs icon, **250**

mapping material to object, **192–193**, **192–193**

marquee, **104**

Match Properties tool, **93–94**, **94**, **223**

Material Condition dialog box, **306**, **306**

Material Map scale, **192–193**, **192–193**

Materials tool, 3D design, **190–193**, **190–193**

Measure command  
 dividing objects into specified lengths, **97**, **97–98**  
 marking points, **96**  
 overview of, **95–96**  
 placing drawing assemblies, **98–99**

Measure flyout, **324**, **328**

Measuregeom command, **324–325**, **328**, **328–329**

measurement system  
 selecting drawing units, **42–44**, **43–44**  
 snapping to grid or other regular intervals, **51–52**

measuring areas  
 complex or curved shapes, **325–326**, **325–327**  
 distances, **328**  
 finding cumulative area values, **327**, **327**  
 overview of, **324**  
 polygonal shapes, **324–325**, **324–325**  
 that contain islands, **327**, **327**

mechanical drafting standards, dimensioning, **292**

Media options, Plotter Configuration Editor, **352**

Merge Cell tool, tables, **279**, **279–280**

mesh modeling  
 overview of, **155**, **155–156**  
 smoothing 3D drawings, **185–188**, **185–188**

Mesh Primitive Options dialog box, **186**, **186**

mMethod option, Chamfer, **131**

metric measurement system, **42–44**, **43–44**

Mid Between 2 Points (m2p) option, osnaps, **59**

Midpoint (mid) option, osnaps, **59**, **61–62**

Midpoint osnap, **57**, **57**

Mirror option, grips, **110–111**

Model tab, Layout view  
 hiding/displaying, **213**, **213–214**  
 scaling down drawing for printing, **343**, **343**  
 understanding, **22–24**, **22–24**

model view  
 adding dimensions in, **293**  
 annotation scale in, **212**, **240–241**  
 items drawn in layout view not appearing in, **341**  
 switching between layout and, **17**, **17**  
 viewport displaying drawing in, **212**

Modify Dimension Style. *see* New Dimension Style dialog box

Modify II toolbar, **88**

Modify Multileader Style dialog box, **303**, **303**

Modify panel tools, **125–150**  
 breaking objects into two, **143–144**, **143–144**  
 copying objects, **135–139**, **136–139**  
 erasing objects, **127**  
 joining objects, **128–134**, **128–134**  
 moving objects, **134–135**, **134–135**  
 overview of, **125**  
 polylines, **146–149**, **147–148**  
 rotating objects, **141–143**, **141–143**  
 scaling objects, **139–140**, **139–140**  
 selecting objects, **126–127**  
 stretching objects, **140**, **140–141**  
 Xrefs and blocks, **144–146**, **145–146**

More Options button, Find and Replace, **271**, **272**

More Options button, Plot, **341**

mouse, **19–22**, **20**

Move command, **134–135**, **134–135**

Move or Copy dialog box, Quick View Layouts, **348–349**, **348–349**

Move Text, Add Leader option, **309**, **309**

moving around model, 3D views, **167–168**, **167–168**

Multileader Style tool, **302–303**, **302–304**

Multileader tool, **301–302**, **301–302**

multilines  
 Multiline command, **77–78**, **78**  
 Multiline Text editor, **275**  
 Multiline Text tool, **264–266**, **265**  
 overview of, **77**

Multiple command, **126**

Multiple option, Chamfer, **131**

- 
- N**
- Name & Location tab, Find dialog box, **246, 246**
  - Name drop-down list, Insert dialog box, **236–237, 237**
  - Name drop-down list, Printer/Plotter group, **350**
  - named plot styles
    - assigning to layers, **367–368, 367–368**
    - assigning to objects, **365–367, 366–367**
    - choosing color plot styles vs., **360–361**
    - converting to color plot styles, **368–369**
    - overview of, **359**
    - predefined, **359–360, 360**
  - names, sorting layer list by, **215**
  - naming conventions
    - blocks, **234**
    - color plot styles, **369**
    - current UCS, **164**
    - groups, **244**
    - layer states, **221, 221**
    - layers, **204–205**
    - table styles, **289**
    - text styles, **275**
  - navigation, DesignCenter, **254, 254–255**
  - Nearest (nea) option, osnaps, **59**
  - nested blocks, editing, **146**
  - nested Xrefs, **251**
  - New Dimension Style dialog box
    - Alternate Units tab, **318–319, 319**
    - changing Angle Precision setting, **301**
    - dimension text, **314–315, 314–315**
    - drawings for U.S. architectural drawings, **316**
    - graphics, **312, 312–313**
    - opening, **311, 311**
    - text/arrow placement in tight spaces, **315–317, 315–317**
    - Tolerances tab, **320, 320–321**
    - unit style settings, **317–318, 317–318**
  - New Excel Data Link dialog box, **285, 285**
  - New Features Workshop, Help menu, **29**
  - New Group Filter tool, **215, 216, 218–219, 218–219**
  - New Layer State to Save dialog box, **221, 221**
  - New Layer tool, **204, 204, 206**
  - New Page Setup dialog box, **357, 357**
  - New Property Filter, **215–218, 216–218**
  - New Table Style dialog box, **289, 289–290**
  - New View/Shot Properties dialog box, **200–201, 200–201**
    - saving 3D views, **171, 171**
  - New Viewports tab, Viewports dialog box, **344, 344**
  - Node (nod) option, osnaps, **59**
  - None (non) option, osnaps, **59**
  - nonmodal, defined, **207**
  - nonorthogonal objects, applying dimensions to, **297–301, 298–301**
  - normal revision cloud, **78, 79**
  - notes
    - adding to dimensions, **301–303, 301–304**
    - adding tolerance notation, **305–306, 306**
  - Numbering tool, text, **266, 266**
  - NURBS curves, **74–75**
    - generating with Spline command, **74–75**
- 
- O**
- Object Grouping dialog box, **243–244, 243–245**
  - Object Selection cursor, **49, 49, 104**
  - object snap tracking. *see* osnap tracking (object snap tracking)
  - Object view, **21**
  - Objects section, Block Definition, **236**
  - Oblique tool, **310, 310**
  - Off/On option. *see* On/Off option
  - Off tool, Layers panel, **224, 224**
  - Offset command, **68, 77–78, 78**
  - On/Off option
    - layer visibility, **211, 211**
    - Limits command, **46**
    - toggling groups, **244**
  - Oops command, **127**
  - Open Documents, **5, 10**
  - open drawings, **17, 17**
  - Options dialog box
    - AutoSnap settings in Drafting tab of, **60**
    - choosing color vs. named plot styles, **360–361**
    - Color Book Locations, **205**
    - enabling grips in, **107**
    - finding support files in Files tab, **335–336, 336**
    - opening Initial Setup dialog box through, **2**
    - Plot and Publish tab, **353**
    - retaining changes to Xrefs using, **250–251**
  - options, use of term in this book, **15**
  - ordinate dimensions, **304–305, 304–305**
  - orientation
    - Landscape or Portrait, **341**
    - for printing document, **357**
    - table cell text, **280–281, 280–281**
  - Origin tool, **305, 327–328**
  - Ortho mode
    - ordinate dimensions in, **305, 305**
    - overview of, **47, 47**
  - osnap marker, **49, 49**
  - Osnap Settings (os) option, osnaps, **59**
  - osnap tracking (object snap tracking)
    - aligning objects, **60–64, 61–63**
    - polar tracking using, **64, 64**
    - turning off when selecting objects, **104, 104**
  - osnaps (object snaps)
    - 3D space using, **162, 162–163**
    - aligning moved objects, **135, 135**
    - automatically snapping to locations, **56–57, 56–57**
    - defined, **34**
    - determining circle radius, **69**
    - dimensioning using, **298–299, 298–299**
    - grip-editing using, **111**
    - linear dimensions using, **294**
    - options, **58–60**
    - placing linear dimensions, **294**
    - rotating grid using UCS and, **54, 54**
    - selecting exact locations on objects, **55–56, 56**
    - setting on fly, **58, 58**
    - turning off when selecting objects, **104, 104**
  - Other Predefined patterns, Hatch Pattern, **84**
  - Other Predefined patterns, Hatch Pattern dialog box, **84**
  - Out view, **21**
  - Output Size drop-down list, resolution, **199, 199**
  - Overlay option, External References palette, **251**
- 
- P**
- Page Setup dialog box
    - paper size and orientation, **341, 341–342**
    - plot-style tables, **362, 362**
  - Page Setup group, Plot dialog box, **357–358, 358**
  - Page Setup Manager dialog box
    - assigning named plot styles to objects, **366**
    - creating plot-style table, **361, 361–362**
    - selecting paper size and orientation, **340**
    - storing printer settings, **357, 357**

- Page Setup option, Plot dialog box, 342, 342
- palette view, DesignCenter, 253, 253, 255
- palettes, deleting, 260
- Pan tool
  - overview of, 19–21, 20, 22
  - Swivel tool vs., 168–169
- panels, finding hidden, 9–10, 9–10
- pans, locking Viewport view from, 346
- Pantone color books, locating, 205
- paper size
  - and number of copies, 352
  - and orientation, 341–342, 341–343
- paper space layout
  - adding dimensions in, 293
  - printing as specified, 355
  - switching between floating model space and, 213, 213
  - understanding, 22–23
  - use of term in this book, 23
  - viewport and, 339–340
- parallel lines, 77–78, 77–78
- Parallel option, View Cube, 174, 174
- Parallel (par) option, osnaps, 59–60
- Parameters Manager dialog box, 121–122, 121–122
- parametric tools, 117–119, 117–120
- Paste Link radio button, 285
- Paste Special dialog box, 272, 284, 284
- .pc3 filename extension, 351
- PDFs
  - creating of your drawing, 351
  - importing, 249–250, 249–250
- Pedit command
  - drawing curves with polylines, 75–76, 75–76
  - editing polylines, 146–148, 147–148
  - editing revision clouds, 81
- Perpendicular (per) option, osnaps, 60
- Perspective option, View Cube, 174, 174
- Pick Both Offsets option, Array dialog box, 139
- Pick Center Point button, 137
- Pick Point button, Block Definition dialog box, 234, 234–236
- placement, hatch patterns, 81–82, 81–83, 85–86, 85–86
- Planar mapping style, 193, 193
- Plot and Publish tab, Options dialog box, 353
- Plot Area group, 353
- Plot dialog box
  - creating PDF of your drawing, 351
  - selecting and storing printer settings, 350, 350
  - selecting paper size and number of copies, 352
  - selecting paper size and orientation, 341–342, 341–343
  - storing printer settings, 357–358
- Plot Offset group, 353
- Plot option, Layer Properties Manager, 214, 214
- Plot Options groups, 355
- Plot Scale group, 353, 353–354
- Plot Stamp dialog box, 356, 356
- Plot Stamp Settings button, 355–356, 356
- Plot Style Table drop-down list, 342, 342, 359, 359
- Plot Style Table Editor dialog box, 362, 362–365
- Plot Style Table Settings dialog box, 361
- plot style tables
  - creating, 361, 361
  - defined, 359
  - editing and using, 362, 362
  - Plot Style Table Editor options, 362–365
- plot styles
  - assigning named, 365–368, 366–368
  - color vs. named, 360–361
  - controlling color, lines, and fills with, 358–359, 359
  - converting color to black and white for printing, 350
  - converting from color to named, 368–369
  - predefined, 359, 359–360
  - printing as specified, 355
- Plotter Calibration, Plotter Configuration Editor, 352
- Plotter Configuration Editor dialog box, 351, 351–352
- Plotter Configuration File dialog box, 350, 350
- point coordinates, finding, 327–328
- Point Filters option, osnaps, 60
- point lights, 3D models, 194
- point objects, 96, 96–97
- point of view, 3D. *see* view, changing in 3D drawings
- Point Selection cursor, 36, 49, 49
- Point Style dialog box, 96, 96
- polar coordinates
  - defined, 26
  - specifying exact distances, 33, 33, 36–37, 37
  - using grips, 110
  - using grips and Dynamic Input, 114–115, 114–115
- polar tracking
  - defined, 35
  - modifying behavior, 48, 48
  - using adjustable triangle, 47, 47
  - using with direct distance method, 39
  - using with Dynamic Input, 39
  - using with osnap tracking, 64, 64
- polar tracking vector, 26, 49, 49–50
- polygons
  - creating regions with, 102
  - drawing, 94–95, 95
  - measuring area of, 324–325, 324–325
  - overview of, 68
- polylines
  - creating 3D forms from 2D shapes, 181, 181
  - creating 3D solids, 174–176, 175–176, 184–185, 184–185
  - creating outline with Hatch command, 91, 325–326, 325–327
  - creating regions, 102
  - defined, 72
  - drawing curves, 75–76
  - drawing curves with, 75–77
  - Edit Polyline tool, 147
  - editing, 146–149
  - editing revision clouds as, 81
  - examples of, 69
  - extruding along path, 178–179, 179
  - joining with Chamfer, 131
  - overview of, 68–69
  - reducing to simple lines and arcs, 147
- Ports tab, Plotter Configuration Editor dialog box, 351
- Position Locator palette, 169, 169
- Precision option, Drawing Units, 44
- predefined hatch patterns, 83–84, 83–85, 88
- Preview panel, DesignCenter, 253, 254–255
- preview panels, 17, 17
- Preview tool, DesignCenter, 255
- Previous command, Modify panel, 127
- Previous view, 21
- Primary Units tab, New Dimension Style, 317–318, 317–318
- Primitive flyouts, 156, 156
- Printer/Plotter group, 350, 350
- printing
  - 3D views, 354–355
  - adjusting image location, 353
  - assigning named plot style tables to layers, 367–368, 367–368
  - assigning named plot styles to objects, 365–367, 365–367
  - configuration options, 351, 351–352
  - controlling color, lines and fills through plot styles, 358–365, 359–363, 365
  - drawing orientation, 357
  - locking layers from, 214, 214

overview of, 337, **349**  
 paper size and number of copies, **352**  
 plot options, **355–356**, 356  
 scale settings, **353–354**  
 selecting and storing settings, 350, **350–351**, **357–358**, 357–358  
 view, 353, **353**

printing, setting up, 338–349  
 layout views, exploring, 338, **338–339**  
 layout views, scaling down using, 343, **343**  
 layouts, adding using Quick View Layouts, 348–349, **348–349**  
 layouts, switching between, 349, **349**  
 paper size and orientation, 341–342, **341–343**  
 viewports, controlling display and print, **346**  
 viewports, creating additional, **344–345**, 344–345  
 viewports, exploring, **339–341**, 340  
 viewports, setting layers for individual, **346–348**, 347–348

Project option, Trim and Extend, 134

properties  
 assigning linetypes to layers, **224–226**, 225–226  
 camera, 173, 173  
 colors, linetypes, and lineweights, 230–231, **230–231**  
 linetype scale, 227, 227  
 lineweights, 227–229, 227–229  
 scale factors in legacy drawings, **228–229**  
 tool, 261, 261

Properties dialog box, 331, **331**

Properties palette  
 assigning layers to objects, 207, **207–208**  
 assigning named plot styles to objects, **366–367**, 366–367  
 cell background colors, **287**  
 colors, linetypes, and lineweights for individual objects, 230–231, **230–231**  
 defined, 7, 7  
 detaching dimension text from dimension line, 309, **309**  
 editing AutoCAD objects, **115–117**, 115–117  
 finding cumulative area values, **327**  
 hatch patterns, **87–88**, 89  
 lineweights, 229, **229**  
 measuring area of complex or curved shapes, 325–326, **325–327**

scaling and rotating blocks, **238**, 238  
 scaling down drawing in layout view, 343, **343**  
 table cell text justification, 281, **281**  
 table cell text orientation, 280, **280–281**  
 viewports, **339–341**, 340

---

## Q

Qdim command, 297, **297**  
 Quadrant (qua) option, osnaps, **60**  
 Quick Access toolbar, 5, 16  
 Quick Dimension tool, 297, **297**  
 Quick Properties dialog box, 15  
 Quick Properties panel, **105–106**, 115–117, **115–117**  
 Quick Select feature, **332–333**, 333  
 Quick View Drawings tool, 17  
 Quick View Layouts tool  
 adding layouts, **348–349**, 348–349  
 assigning named plot styles directly to objects, **365–367**, 366  
 controlling layer visibility, 212, **212**  
 switching between layouts, **349**, 349  
 QuickCalc calculator, **116**, 116, **327**, 327  
 QuickSelect button, Block Definition, **236**

---

## R

radius, of circle  
 drawing polygons, 95, **95**  
 specifying, **69**  
 using 3P option, 70, **70**  
 using tan tan radius option, **70–71**, 71  
 Radius option, rounding corners, **128–129**, 128–129  
 Radius tool, Dimensions tab, **300**, 300  
 Ray command, **96**  
 ray construction lines, **101**  
 Ray tool, **101**  
 Realistic visual style, **167**, 201  
 Realtime view, **21**  
 Recent Documents icon, 5, 10  
 Record button, Action Recorder, **148**  
 Rectangle tool  
 adding rectangle to drawing, 18  
 creating regions using, **102**  
 overview of, 13–15, **13–15**  
 setting up drawing area, **45**

red, green, blue (RGB) color model, 210, **210**

Redo tool, **19**  
 Refedit command, **144**, 247  
 Reference option, 139–140, **139–140**, 142–143, **142–143**  
 Refine Mesh tool, 187, **187–188**

regions, drawing 2D objects with, **102**  
 relative Cartesian coordinates, 37–38, **37–39**  
 relative coordinates, **33**, 37–38, **37–39**  
 Reload All Xrefs option, External Reference palette, 250  
 Rename command, **248**  
 Render tool  
 getting rendered view, 199–200, **199–200**  
 placing lights in 3D model, **196**, 196  
 rendered view, 3D, **199–201**, 199–201  
 Replace All, Find and Replace, 271, **272**  
 resolution, rendered images, **199**, 199  
 Restore Down, drawing area, 12, **12**  
 Retain Boundaries, Hatch and Gradient dialog box, **91**, 326  
 Revcloud command, **80–81**  
 Revision Cloud tool. *see* revision clouds  
 revision clouds, **78–81**, 79–80  
 Revolve tool, **184–185**, 184–185  
 RGB (red, green, blue) color model, 210, **210**

Ribbon  
 2D Drafting & Annotation workspace, 3, 3  
 3D Modeling workspace, **154**, 154  
 components, 5, 5  
 finding hidden panels and tools, **9–10**, 9–10  
 overview of, **8–9**, 9  
 switching to floating panels, **10**, 10

rich text format (RTF) files, importing, **272**

rotating objects  
 aligning rotation cursor with object, **141–143**, 142–143  
 blocks, **237–238**, 238  
 dimension text, **309–310**  
 with grips, **110–111**  
 revolving polylines, **184–185**, 184–185  
 with Rotate command, **141**, 141  
 using Dynamic UCS in 3D, **159–162**, 160–162

rows  
 adding/deleting table, **281**, 281  
 copying in Modify panel, **138–139**

RTF (rich text format) files, importing, **272**

rubber-banding line  
 creating coordinates using, 35, **35–36**  
 defined, **35**  
 panning accurately using, 22  
 specifying polar coordinates, 37

ruler, Text panel, 267–268  
 running osnap, **56**, 57

- saving
- 3D views, **170–171**, 171
  - blocks as drawing files, 242, **242–243**
  - drawing, 16
  - layer settings, 220–221, **220–221**
  - rendered images, **199**
- scale factors, in legacy drawings, **228–229**
- Scale view, 21
- Scaletext command, **269**
- scaling objects. *see also* annotation scale
- automatically at insertion, **257**
  - blocks, **237–238**, 238, **257**
  - dimensions, **315–316**, 315–316
  - with grips, **110–111**
  - hatch patterns, **85**
  - in layout view, **343**, 343
  - linetype for individual objects, **230–231**, 230–231
  - linetypes, 227, **227**
  - multiple text objects, **269**
  - for printing, **353–354**
  - with Scale command, **139–140**, 139–140
  - text, 273–274, **273–274**
- schedules, adding to drawing. *see* tables
- screw thread, with Helix tool, **180**
- Search dialog box, DesignCenter, 256, **256–257**
- Search for Layer text box, **220**
- Search tab, Help window, **27–28**
- Search tool, Application menu, **5**
- Select a Layer State drop-down list, Layers panel, **221**
- Select Color dialog box
- color for new layer, 205, **205**
  - colors for individual objects, 230, **230**
  - True vs. Pantone colors, **210**, 210
- Select Data Link dialog box, 285, **285**
- Select File dialog box, **369**
- finding files on hard disk, 246, **246**
  - importing existing drawing as block, **241**, 241
  - importing text files from other programs, 272
- Select Linetype dialog box, **226**, 226
- Select New Path dialog box, missing Xrefs, 335, **335**
- Select Objects button, Block Definition, **235–236**
- Select Objects button, Find and Replace, 271, **272**
- Select objects: prompt, **104**, 104, **126**
- Select Plot Style dialog box, **367–368**, 367–368
- S**
- Select Template dialog box, 4, **4**, 16
- selecting objects
- with Modify panel, **126–127**
  - options for, **104–106**, 104–106
  - removing selection, **104**
  - with selection window, **106–107**, 106–107
  - with standard methods, **104**, 104
- selection window, **11**, **106–107**
- selecting objects with, 106–107
- Send Feedback, Help menu, **29**
- Set Current button, Dimension Style Manager, **321**
- Set Current tool, Layer Properties Manager, **206**
- Settings tool, Layer Properties Manager, **220**
- Setup option, Viewports dialog box, 345, **345**
- shaded view, 3D, 201–202, **201–202**, 354–355
- Shift+Click, **104**, **106**
- Shift+Ctrl+A, **244**
- ShowMotion tool, 170, **170**
- < sign, **36**
- @ sign, **36**
- Single Line Text tool, 277, **277**
- Single option, New Viewports tab, 344
- Sketch command, **102**
- skewing dimension lines, **310**, 310
- smooth curves, 74–75, 74–75
- Smooth Less tool, **186**
- Snap mode, 51–55, 52–55
- solid fills, hatch patterns, **84–85**
- solid primitives, 152, **152**
- solids, 3D
- creating, **156–158**, 156–158
  - editing with gizmo, **159**, 159
  - editing with grips, 158, **158–159**
  - making changes to, **165–167**, 165–167
  - meshes vs., 185
  - overview of, 155, **155–156**
  - rotating using Dynamic UCS, **159–163**, 160–162
  - sculpting with union and subtraction, 164–165, **164–165**
  - with standard UCS, 163, **163–164**
- spelling checker, **270–271**, 270–271
- Sphere tool, Modeling panel, 174
- Spherical mapping style, 193, **193**
- splash screen, displaying drawings, 2
- splines
- defined, **72**
  - drawing curves with polylines, 76, **76–77**
  - drawing smooth curves, 74–75, 74–75
- Split Mesh tool, **188**, 188
- Spot tool, **194–197**, 194–197
- spotlights, **194–197**, 194–197
- standard cursor, 49, **49**
- Standard Scale option, Properties palette, 343, **343**
- standard UCS, **162–163**
- standard windows, 106–107, **106–107**
- standards, dimensioning, **292**
- Statistics tab, Properties dialog box, 331, **331–332**
- status bar
- display of, **8**
  - overview of, 6–7, 7
  - turning on Ortho mode in, 47
- Status command, 329–330, **329–330**
- straight lines, **68–69**, 69
- Stretch mode, 108–110, **108–110**
- stretching objects
- with grips, **110–111**
  - with Stretch command, 140, **140–141**
- styles
- dimension. *see* dimension styles
  - font, **274–276**, 275–276
  - multileader, 302–303, **302–304**
  - plot. *see* plot styles
  - table, 288–289, **288–290**
- subobjects, **165**, **186–187**, 186–187
- Subtract tool, 164–165, **164–165**
- Sum option, Formula tool, **282**, 282
- Summary tab, Properties dialog box, 331, **331–332**
- sun icon, Layer Properties Manager, **211**, 211
- Sunlight tool, 197–199, **197–199**
- support files, finding missing, 334–336, **334–336**
- surface modeling, 3D, 155, **155–156**, 162, **162–163**
- Swatch button, **85**
- Sweep tool, **178–179**, 179
- Swivel tool, **168–169**
- Symbol dialog box, 306, **306**
- symbols
- accessing through Tool Palettes window, 259–261, 261
  - annotation scale, **238–241**, 239–240
  - dimension graphics, **312–313**, 312–313
  - downloading from Autodesk Seek, **258**, 259
  - finding on hard disk, **246**, 246
  - formatting text with Symbol tool, **266**, 266–267
  - tolerance notation, **305–306**, 306
- Symbols and Arrow tab, New Dimension Style, 312–313, **312–313**

T square, digital, **47–50, 48–49**

Table Cell tab, **279, 279, 282, 282**

Table Style tool, **288–289, 288–290**

Table tool, **278, 278**. *see also* tables

Table View tab, Plot Style Table Editor, **363, 363**

tables, **278–290**

- adding cell text, **279, 279**
- adding formulas to cells, **282, 282–283**
- adding graphics to cells, **287, 287–288**
- adding or deleting rows and columns, **281, 281**
- adjusting cell text justification, **281**
- adjusting cell text orientation, **280–281, 280–281**
- changing cell background colors, **287**
- combining cells, **279, 279–280**
- creating, **278, 278–279**
- creating plot-style, **361, 361, 361, 361–362**
- creating styles, **288–289, 288–290**
- editing and using plot-style, **362, 362**
- editing lineweights, **286–287, 286–287**
- exporting, **284**
- importing, **284–285, 284–285**
- overview of, **278**

tan tan radius (Ttr), **71**

Tangent (tan) option, osnaps, **60**

template files, **46**

Temporary Track Point (tt) option, osnaps, **60**

temporary tracking points, **64–65, 64–66**

tessellation, mesh surface, **186**

text, **263–290**

- adding and formatting, **264, 264–265**
- adding background mask, **268, 268–269**
- adding nondrawing data, **331, 331**
- adding note with arrow, **301–303, 301–304**
- adding single words, **277, 277**
- adding tables. *see* tables
- adjusting boundary, **267**
- adjusting height and font, **265, 265**
- changing multiple objects, **269–270**
- find-and-replace feature, **271–272, 271–272**
- finding in drawing, **332, 332**
- importing, **272**
- indent and tab settings, **267–268, 267–268**
- overview of, **263**
- scale and, **273–274, 273–274**

spelling checker, **270–271, 270–271**

styling fonts, **274–276, 275–276**

- using color, columns, alignment, lists and symbols, **266, 266–267**

Text Angle tool, **309–310**

text, dimension

- appending data to, **307, 307–308**
- controlling size of, **293**
- detaching from dimension line, **309, 309**
- dimensioning standards for, **292**
- rotating, **309–310**
- setting appearance of, **314, 314–315**
- specifying placement in tight spaces, **315–316, 315–316**
- understanding, **292**

Text Editor tab

- adding text, **264, 264–265**
- appending data to dimension text, **307, 307–308**
- editing formulas, **283**
- editing multileader notes, **304**
- making changes to multiple dimensions, **308–309**
- using text styles, **275, 276**

Text Override settings, **308**

Text panel, **264, 264–265, 267–268, 267–268**

Text Rotation option, Properties palette, **280, 280–281**

Text Style tool, **275–276, 275–276**

Text tab, New Dimension Style, **314–315, 314–315**

Text window, **329–331, 329–331**

Thicken tool, **175–176, 176**

Time command, **330–331, 331**

title bar, Draw panel, **68, 68**

tolerance notation, **305–306, 305–306**

Tolerances tab, New Dimension Style, **320–321, 320–321**

tool palettes, AutoCAD window, **7, 7**

Tool Palettes window, **259–261, 259–262**

Tool Properties dialog box, **261, 261**

tools

- finding hidden, **9–10, 9–10**
- use of term in this book, **15**

tooltips, Ribbon, **8, 9**

tracking points

- aligning objects, **60–64, 61–63**
- defined, **61**
- temporary, **64–65, 64–66**

tracking vectors, **62, 63**

tree view, DesignCenter

- changing, **257–258**
- navigating DesignCenter, **254**
- overview of, **253**
- viewing contents of DWG files, **255**

Tree View Toggle tool, **253**

triangle, digital, **47–50, 48–49**

Trim command

- arcs, **72**
- lines, **68**
- trimming and extending objects, **132–134, 132–134**

Trim option, Chamfer, **131, 131**

Trim setting, Fillet command, **129, 129**

True Color tab, Select Color dialog box, **210, 210**

Ttr (tan tan radius), **71**

UCS (user coordinate system)

- checking, **3, 12**
- defined, **6**
- Dynamic, **160–162, 160–163**
- finding coordinate of point, **328**
- moving light to different coordinate, **195**
- overview of, **159–160**
- rotating grid using, **54, 54**
- setting layer visibility in individual viewports, **213, 213**
- within viewport, **340, 340**
- working with, **162–163**
- working with standard, **163, 163–164**

Undo option, Trim and Extend, **134**

Undo tool, **19, 127**

Union tool, **164, 164–165**

Unlock tool, Layers panel, **224, 224**

updating, Xrefs while you draw, **250, 250**

user-defined hatch patterns, **81–83, 82, 88**

User-Defined Paper Sizes & Calibration, Plotter Configuration Editor, **352**

vertex, mesh, **186**

Vertical Cell Margin option, Properties palette, **281, 281**

vertical dimensions, **294, 294–295**

view

- list, **11**
- panning and zooming to adjust, **19–22, 20**
- rendered, **199–200, 199–200**
- switching open drawing and model/layout, **17, 17**
- wireframe or shaded 3D, **201–202, 201–202**

view, changing in 3D drawings

- changing where you are looking, **168–169**
- flying through view, **169, 169**

moving around model, 167–168, 167–168

overview of, 167

Parallel vs. Perspective in ViewCube, 173, 173

recording fly-through with ShowMotion, 170, 170

rendered images, 199–201, 199–201

saving changes, 170–171, 171

working with cameras, 171–173, 172–173

View command, 200–201, 200–201

View Manager dialog box, 170–172, 171, 173, 201

ViewCube, 167–168, 167–168, 174, 174

Viewport Scale drop-down list, 343, 343

viewports

- controlling display and print, 346
- controlling layer visibility in, 209, 209
- controlling layer visibility in individual, 212, 212–213
- creating additional, 344–345, 344–345
- exploring, 339–341, 340
- in layout view, 24, 212
- overview of, 339
- scaling down drawing for printing, 343, 343
- setting layers for individual, 346–348, 347–348

Viewports dialog box

- adding multiple viewports at once, 345, 345
- adding single viewport, 344, 344
- other multiple viewport options, 345–346, 345–346

Views tool, DesignCenter, 254

visibility, layer, 209–214

- Freeze and Thaw options, 211, 211
- in individual viewports of layout, 212–214, 212–214
- On/Off option, 211, 211
- overview of, 209–210, 210

visibility, lineweight, 228, 228

Visual Styles panel, 201–202, 201–202

VP Freeze option, Layer Properties Manager, 212, 347

---

## W

Walk/Fly tool, 169, 169

Wblock command, 242

WCS (world coordinate system), 12, 159

What to Plot drop-down list, 353, 353

width, table cell, 280–281, 281

Window Polygon command, 127

Windows command, 127

windows, editing objects with, 108–111

wireframe view, 3D drawings, 201–202, 201–202, 354–355

word-wrap, text formatting, 267

Workspace Switching tool, 3, 3, 5

world coordinate system (WCS), 12, 159

Write Block dialog box, 242, 242–243

---

## X

X-axis, in 3D space, 188

X coordinates, ordinate dimensions, 304–305, 304–305

Xline command

- bisecting construction lines, 100, 100–101
- construction lines parallel to existing lines, 101

construction lines using, 98

defined, 96

multiple construction lines through point, 98, 98–99

multiple horizontal, vertical or angled construction lines, 99–100

Xrefs (external references), 247–251

- attaching drawings as, 248–250, 248–250, 256
- blocks vs., 247, 250–251
- defined, 144, 233
- editing, 144–146, 145–146
- erasing, 127
- finding missing, 334–335, 334–335
- nesting, 251
- overview of, 247–248
- removing from or restoring to current drawing, 249
- updating while you draw, 250, 250

XY coordinate

- coordinate system and, 32, 32
- within drawing area, 7, 7, 11
- spacing adjustments, 52–53
- specifying relative Cartesian coordinates, 37–38, 37–39

---

## Y

Y-axis, in 3D space, 188

Y coordinates, ordinate dimensions, 304–305, 304–305

---

## Z

Z-axis, 188

Z tool, 328

zoom

- locking Viewport view from, 346
- within viewport, 340

Zoom tool, 19–21, 20