

- 3/2 models, 122, 188
- Ackerberg, D.A., 224
- Aihara, S., 224
- Ait-Sahalia, Y., 159, 187–189,
198, 200, 224, 235
- Alexander, C., 224
- Alizadeh, S., 224
- Amin, K.I., 224
- Andersen, A.B., 224
- Andersen, L.B., 224
- Arbitrage opportunity, 214
- Arrival rate, 171, 182
- Arrow-Debreu prices, 17
- Arulampalam, S., 224
- Asset term, elimination, 13
- Augmented state, 76
vector, 63
- Auto-correlation, usage, 181
- Auto-regressive moving average
model, 21
- Avellaneda, M., 20, 224, 225
- Bachelier, L., 2, 225
- Back-testing procedures, 170
- Bagchi, A., 224, 225
- Bakshi, G., 47, 187, 189,
199, 225
- Balland, P., 225
- Barle, S., 225
- Barndorff-Nielsen, O.E., 225
- Bates, D.S., 158, 189, 208, 225
- Bates model, 185
- EPF application, 162–165
- Bayesian approach, 48, 144–156
example, 146–147
- Bensoussan, A., 225
- Bensoussan-Crouhy-Galai (BCG)
approach, 11–13
model, 1
- Berg, A., 233
- Bernardo, J., 225
- Bertsekas, D.P., 225
- Bessel function, 184
- Bias test, 54
- Bid-ask spread, 71, 206
- Binomial tree, usage, 6, 17
- Bishop, G., 235
- Blacher, G., 225
- Black, F., 225
- Black-Scholes approach, 5–6
- Black-Scholes equation
rederiving, 29
- Black-Scholes formula, usage, 15
- Black-Scholes implied
volatility, 196
- Black-Scholes PDE, 1
- Black-Scholes pricing
function, 213
- Black-Scholes risk-neutral pricing
formula, 4
- Black-Scholes risk-neutrality
argument, usage, 25
- Blocking technique, 150
- Bollerslev, T., 226
- Bouchaud, J.P., 226

- Bouchouev, I., 226
Box-Ljung test, 48, 95–96
Brandt, M.W., 224, 226
Breedon, D.T., 14, 226
Breedon-Litzenberger identity, 14
Brockhaus, O., 226
Brotherton-Ratcliffe, R., 224
Brownian motion, 22, 40, 43
 construction, 97
 independence, 44, 158
 process, 2
 spot return variances, 19
Budhiraja, A.S., 232
Buraschi, A., 226
Burn-in period, 76
- Cakici, N., 225
Calibration frequency, 19
Cao, C., 47, 189, 199, 225
Carr, P., 215, 226, 232
Carr-Madan replication, 202–203
Chalasanani, P., 234
Chang, E.C., 215, 232
Chapman-Kolmogorov equation, application, 58
Characteristic function, usage, 157–158
Chen, Z., 47, 189, 199, 225
Chernov, M., 226
Chia, N.K.K., 232
Chib, S., 226, 228, 232
Chi-square test, 95
 usage, 179–181
Cholesky factorization, usage, 31, 66, 74, 87
Chourdakis, K.M., 159, 226
Chriss, N.A., 227
Christoffersen, P., 230
CIR process, usage, 44
Clapp, T., 224
- Close-to-the-money strike prices, optimization, 50
Close-to-the-money strikes, 192
Conjugate directions, 49
Conjugate priors, 145
Consistency problem, 187
 introduction, 187–189
Consistency test, 189–197
 cross-sectional results, 190–193
 robustness issues, 190–193
 setting, 190
Constant elasticity variance (CEV), 1
 approach, 11
Constant volatility approach, extension, 4
Constraint parameter, 18
Continual recalibration (CR) strategy, 19
Continuous ideal process, sample, 3
Continuous SDE, 131
Convergence issues/solutions, 185–186
Corradi, V., 24, 227
Corrado, C.J., 227
Correlation parameter, 156
Covariance matrix, 70, 83, 161
Covered call option, transform results, 34
Cox, J.C., 7, 11, 227
Cox-Ross-Rubinstein approach, 6–7
Cramer-Rao bound, 56
Credit spread, link, 10
Cross-sectional VGSA, time-series VGSA (contrast), 216–218
Crouhy, M., 224

- Cumulative distribution function (CDF), 41, 45, 101
- Das, S.R., 203, 227
- De Freitas, N., 227, 235
- Delta hedging, 200, 204
- Demeterfi, K., 227
- Dempster, M.A.H., 227
- Deng, S., 159, 227
- Derivative security, payoff inclusion, 32
- Derivatives market, 4–7
- Derman, E., 14, 227
- Derman-Kani approach, 17
- Deterministic volatility, example, 34–35
- Dewynne, J., 235
- Diagnostics, 95–98
- Diebold, F.X., 224
- Diffusion limits, 21–24
- Diffusion-based model, 47
- Direction set method (Powell method), 49–50, 83–84
- Directional risks, 200–202
- Discrete GARCH, 23–24
- Discrete NGARCH, risk-neutral version, 26
- Diversification argument, usage, 10
- Doucet, A., 227, 235
- Dragulescu, A.A., 158, 228
- Duan, J.C., 228
- Dufresne, Daniel, 228
- Dumas, B., 187, 189, 228
- Dupire, B., 14, 228
- Dupire approach, 14–17
- Dupire identity, 14–15
- Durrett, R., 228
- Early termination, 206
- Elerian, O., 228
- El-Karoui, N., 27, 228, 229
- Elliott, R.J., 228
- Engle, R.F., 21, 123, 228
- Entropy distance, 18
- Eraker, B., 228
- Ergodic averaging theorem, 144
- Errors, distribution, 50–54
- Euler approximation, usage, 23
- Euler scheme, 140
- EUR/USD options, 220
- Extended Kalman filter (EKF), 59–62, 88, 161–162
application, 132, 172–173
convergence, 105
estimation, 85, 139
framework, log-likelihood function, 140
implementation, 89–94
Jacobians, 77
observability, 75–76
- Extended particle filter (EPF), 102, 161–166, 172–176, 179
- Fama, E., 228
- Fan, J., 228
- Feller distribution, 3–4
- Feynmann-Kac equation, 6
- Filter errors, 84
- Filtering, 57–59
errors, 115, 117
normalized/non-normalized weights, 99
- Financial interpretation, 194–197
- Firm structure model, usage, 12
- Fisher information matrix, 56
- Fixed fractional jump size, 158–159
- Fixed income, 219–223
- Flannery, B.P., 233
- Fleming, J., 189, 228

- Fletcher-Reeves-Polak-Ribiere method, 49
- Fokker-Planck equation, 14–15
- Follmer, H., 228
- Forbes, C.S., 229
- Foreign exchange (FX), 219–220
rate process, 219
- Forward Kolmogorov equation, 14–15
- Foster, D.P., 233
- Fouque, J.P., 21, 96, 229
- Fourier transform, inversion, 30
- Fournier, D.A., 233
- Frey, R., 229
- Fridman, M., 229
- Friedman, C., 224
- Friedman, Milton, 198
- Further-from-the-money options, 192
- Future spot prices, 7
- Galai, D., 225
- Gallant, A.R., 229
- Galli, A., 96, 229, 231
- Gamma. See Variance gamma
distribution, 41–42, 158, 172
dependence, 170
variables, 216
- Gamma-distributed random variable, 44
- Garcia, R., 229
- Gatheral, J.G., 16, 229
- Gauss-Hermite quadrature of order, 67
- Gauss-Hermite roots of order, 65
- Gaussian approximation, 136
- Gaussian cases, 59
- Gaussian likelihood, maximization, 82
- Gaussian quadrature, 65
- Gaussian random variables, 97, 104
- Gaussian realization, 40, 214
- Gaussian SV models, MCMC application, 154–156
- Gelfand, A.E., 234
- Geman, H., 226, 229
- Generalized autoregressive conditional heteroskedasticity (GARCH), 1, 21–24
diffusion, 137
diffusion-limit model, 94, 121
MLE, 138
process, weak convergence, 21
- Generalized Fourier transform, 2, 27–30
- Generic particle filter, 160–161, 179
- George, E.I., 226
- Geske, R., 229
- Ghysels, E., 226, 229
- Gibbs sampler, 144–150, 154
- Gilks, W.R., 229
- Girsanov theorem, 25–26, 188, 213, 220
- Gondzio, J., 229
- Gordon, N., 224, 227
- Gordon, N.J., 229
- Gotsis, G.Ch., 227
- Gourieroux, C., 229, 230
- Grabbe, J.O., 230
- Greenberg, E., 226
- Grenander, U., 234
- Gunther, S., 233
- Hamilton, J.D., 159, 230
- Hammersley-Clifford theorem, 144
- Härdle, W., 199, 230
- Harris, L., 229

- Harvey, A.C., 135, 230
Harvey-Ruiz-Shephard (HRS)
 method, 136, 139
Haug, E.G., 230, 231
Haykin, S., 67, 230
Heaviside function, 16
Hedge ratio usage, selection, 208
Hedged portfolio, 6
Henderson, R., 231
Hermite polynomials, usage, 103
Hessian matrix, 39
Heston, S., 21, 230
Heston state-space model, 47
 comparison, 120–127
 EPF, application, 105–114
 equation, 154–156
 particle filtering, application,
 105–114
 results, 122–125
High correlation, 209–213
High volatility-of-volatility,
 209–213
High-frequency data, 185–186
Hipp, C., 230
Hirsa, A., 230
Historic correlation, 212
Historic volatility, 3–4
Hobson, D.G., 230
Holmes, R., 224
Honoré, P., 230
Howison, S.D., 230, 231, 235
Hughston, L.P., 230, 231
Hull, J., 2, 6, 19, 30, 231
- Ill-posed inversion problems, 18
Implied volatility term structure,
 206–208
Importance sampling technique,
 99–100
Incomplete beta function
 (IBF), 151
- Induction expression, 157
Inference problem, 46
Inference tools
 accuracy issues, 218–219
 error size, 133–139
 high-frequency data, 139–140
 observations, frequency,
 140–141
 parameters, joint estimation,
 132–133
 performance, 127–144
 sample size, 129–132
 sampling distribution, 141–144
Information matrix identity, 56
Insurance selling strategy, 201
Inverse Fourier transform, 27
Inverse gamma (IG) CDF,
 152–153
Ishida, I., 123, 228
Ito, K., 231
Ito's lemma, usage, 2, 6, 26
- Jackel, P., 19, 231
Jackson, N., 231
Jackwerth, A.C., 226
Jackwerth, J.C., 198, 231
Jacobian calculation, 62, 70,
 73–74, 87
Jacobian matrices, defining,
 60–61
Jacobs, K., 230
Jacquier, E., 231
Jarrow, R., 231
Jasiak, J., 230
Javaheri, A., 230, 231
Jensen, G.R., 234
Jex, M., 231
Jha, S., 234
Jiang, G.J., 231
Johannes, M., 159, 228, 231

- Joint filter (JF), 68
time interval, interaction,
78–81
usage, 125
- Joint filtering (JF), example,
69–75
- Jones, C.S., 231
- Julier, S.J., 231
- Jump-based models,
non-Gaussianity, 124
- Jumps
component, orthogonality,
167
diffusion, 7–10
model, usage, 198
introduction, 158–168
model, 158–160
numeric results, 167
parameters, 167
simulation, Srivastava
approach,
166–167
- Kalman filter (KF)
reapplication, 119
usage, 58–59, 86–87, 96, 102
- Kalman gain, interpretation, 59,
61, 67
- Kamal, M., 227
- Kani, I., 14, 227
- Karatzas, I., 2, 6, 231
- Kennedy, P., 232
- Kim, S., 232
- Kirby, C., 228
- Kitagawa, G., 232
- Kleinow, T., 230
- Klopper, W., 234
- Koopman, S.J., 234
- Kou, S., 8, 232
- Kouwenberg, R., 229
- Krishnamurthy, V., 227
- Kullback-Leibler distance, 18, 55
- Kurtosis, trades/trading,
200–203, 222
- Kushner, H.J., 65, 232
- Kushner algorithm, details,
66–67
- Kushner filters, 98
- Kushner's nonlinear filter, 65–67
- Lagnado, R., 232
- Lagrange multiplier, 18, 214
- Lahaie, C.H., 228
- Lautier, D., 229, 231
- Least-square estimation (LSE)
approach, 30, 53, 54
- Least-square estimator (LSE),
46, 49
- Lee, D.S., 232
- Leptokurticity, 8
- Level-dependent volatility, 7,
10–13
- Levenberg-Marquardt (LM)
method, 49
- Leverage
effect, 8, 22
parameter, 22, 26
- Levy, A., 225
- Levy process, 10
- Lewis, Alan L., 2, 28–29, 34–38,
232
- Lewis, K., 226
- Li, Y., 232
- Liability maturity, 12
- Likelihood
evaluation, 57
filtering, 57
function, 54–57, 129, 132
maximization, 81, 161
- Line minimization routine, 49
- Linear a posteriori estimate, 60
- Linear state-space system, 68–69

- Litzenberger, R.H., 14, 226
- Local risk minimization, 27
- Local volatility, 14–19
- instantaneous volatility, contrast, 16–17
 - stability issues, 18
- Log-normal process, 2
- Long, D., 226
- Long-term asymptotic example, 34–40
- Madan, D., 40–41, 215, 226, 228–229, 232
- Maes, K., 232
- Maheu, J.M., 159, 232
- Market completeness, 5
- Markov chain, creation, 144
- Markov chain Monte Carlo (MCMC), 144
- algorithms, distributions (usage), 151–153
 - approaches, 154
 - step, addition, 101
- Markov process, 100
- Markov property, usage, 58
- Markowitz, H.M., 232
- Martin, G.M., 229
- Martingale, 16
- Maskell, S., 224
- Masoliver, J., 226
- Matacz, A., 232
- Matytsin, A., 232
- Maximum likelihood estimate (MLE), 18, 68, 88–89
- iteration, 82
 - justification, 55–56
 - shortcomings, 129–131
- McCurdy, T.H., 159, 232
- Mean price error (MPE), 62, 118
- reduction, 185
 - usage, 179
- Mean-adjusted stock returns, 57
- Measurement
- equation, 87–88
 - noise, uncorrelation, 86–87
 - update equations, 61, 64, 66
- Merton, R.C., 8, 199, 233
- Metropolis-Hastings (MH)
- accept/reject technique, 126–127, 156
- Metropolis-Hastings (MH) algorithm, 144, 147–150
- enhancement, 119–120
 - example, 150–151
- Metropolis-Hastings (MH) density, 149
- Metropolis-Hastings (MH) modification, 120
- Metropolis-Hastings (MH) sampling algorithm, 101
- Meyer, R., 233
- Mezrich, J., 228
- MH. See Metropolis-Hastings
- Miller, M.I., 234
- Mirror trades, 203
- Mixing solutions, 30–33
- Models, identification, 120–121, 185
- Modified model, 80
- Monfort, A., 229
- Monte Carlo algorithm, 222
- Monte Carlo
- approximation, 102
- Monte Carlo method, usage, 50
- Monte Carlo mixing, 193
- Monte Carlo process, obtaining, 23
- Monte Carlo sampling, usage, 100

- Monte Carlo simulation, 32–33, 98, 169
- Monte Carlo time steps, 190
- Monte Carlo-based models, 2
- Multiple trades, 208–209
- Muzzioli, S., 233
- Mykland, P.A., 235

- Nadari, F., 226
- Nandi, S., 21, 230
- Neftci, S.N., 233
- Nelson, D.B., 233
- Ng, V., 224, 228
- Nicolato, E., 225
- No-default case, 10
- Noise
 - drift, 167
 - one-dimensional source, 73
- Non-Gaussian case, 213–218
- Non-Gaussian filters, 160
- Non-Gaussian pure jump model, 47
- Non-Gaussianity, 179
- Nonlinear asymmetric GARCH (NGARCH), 22
- Nonlinear filter (NLF), 65, 103, 121
- Nonlinear Gaussian KF, 161
- Nonlinear PDE, 13
- Nonlinear transition equation, 60
- Numeric tests, 50, 183

- Observation
 - error, 178–179
 - matrix, 83–84, 87
 - noise, 75
- Oksendal, B., 2, 233
- One-dimensional EKF/UKF, 96
- One-dimensional Heston model, 114–115
- One-dimensional state, 87–94
 - joint filter, inclusion, 76–78
- One-factor diffusion process, 138
- One-factor Monte Carlo technique, 32–33
- Optimization algorithm, 168
 - weakness, 127–128
- Option prices, usage, 49–54
- Option pricing, cross section, 221–223
- Options
 - bid-ask spread, 205–206
 - maturity, 6
 - time-to-maturities, decrease, 208
- Ornstein-Uhlenbeck (OU) process, 20
- Osher, S., 232
- Out-of-the-money (OTM) options, 200
 - puts/calls, usage, 188, 209
 - region, Black-Scholes value, 38

- Pan, G., 233
- Pan, J., 233
- Papanicolaou, G., 229
- Parameter estimation, 217. See also Pure jump models
 - MLE usage, 81–94
 - example, 82–83
 - implementation, alternate, 86–87
- Parameter learning, 67–81, 125–127
 - example, 68–69
- Parametric SV, 20
- Paras, A., 225
- Parkinson, M., 3, 233

- Partial differential equation (PDE). See
Black-Scholes PDE;
Nonlinear
PDE; Two-factor PDE
pricing, stochastic volatility (impact), 24–27
risk-neutral version, 2
- Particle filter (PF)
algorithm, writing, 169–170
implementation, 160
- Particle filtering, 98–120
algorithm, application, 121–122
application. See Heston space-state model
error size, 116–119
example, 104–105
implementation, 103–104
resampling, 101–103
test results, 114–116
theory, 99–101, 117
- Pearson kurtosis, 22
- Pedersen, A.R., 233
- Penny stocks, skew, 209
- Perelló, J., 226
- Peso theory, 197–199
background, 197–198
numeric results, 199
- Pham, H., 233
- Phantom profits, creation, 19
- Pitt, M.K., 233
- Poisson jumps, 159
- Poisson process, 8–9
- Poisson random variable, 9
- Polson, N.G., 159, 228, 231
- Powell algorithm, application, 50
- Press, W.H., 31, 50, 233
- Prucyk, B., 234
- Pure diffusion, 7–9
parameter, 199
- Pure jump models, 40–45, 168–184, 215
algorithms, usage, 170–172
diagnostics, 178–179
filtering algorithm, usage, 169–170
numeric results, 176–178
parameter estimation, 170
- Quenez, M.C., 27, 228
- Rafailidis, A., 230, 231
- Randall, C., 234
- Rasmussen, H.O., 230
- Regression analysis, 153
- Reif, K., 233
- Rejection probability, 149
- Renault, E., 229, 233
- Resampling algorithm, 101
- Residuals, 62
- Reverse Black-Scholes equation, solving, 7
- Reversibility condition, 149–150
- Ribiero, C., 233
- Richardson, S., 229
- Ridge property, 36
- Risk, market price, 25
- Riskless arbitrage, 6
- Risk-neutral GARCH system, 26
- Risk-neutral implied parameter, 190
- Risk-neutral parameters, 215
- Risk-neutral pricing formula. See Black-Scholes risk-neutral pricing formula
- Ritchken, P., 234
- Robustness, issues. See Consistency test; Time-series method
- Rochet, J.C., 229

- Rogers, L.C.G., 230
Romano, M., 32, 234
Romano-Touzi approach, 30–32
Root mean square error (RMSE),
 62, 118
 reduction, 185
 usage, 179
Ross, S., 227
Rossi, P.E., 231
Rubinstein, M., 198, 227,
 231, 234
Rudd, A., 231
Ruiz, E., 135, 230
- Salmond, D.J., 229
Samperi, D., 224
Sample impoverishment, 119
Samuelson, P. A., 2, 234
Sandmann, G., 234
Santa-Clara, P., 226
Scholes, M., 225
Schonbucher, P.J., 234
Scott, L.O., 234
Self-financing portfolio
 argument, usage, 214–215
Sequential importance
 sampling, 100
Shephard, N., 135, 225, 226,
 228, 232, 233
Shimko, D., 234
Shreve, S., 6, 21, 231, 234
Signal-to-noise ratio (SNR), 138
Silva, A.C., 234
Simple Kalman filter, 59–62
Sin, C.A., 234
Single calibration (SC)
 methodology
 assumption, 19
Sircar, K., 229
Skewness
 kurtosis, contrast, 201–202
 trades, 189, 200
 example, 203–208
Smith, A.F.M., 225, 229, 234
Sondermann, D., 228
Spiegelhalter, D.J., 229
Spot prices, observation, 183
Spread. See Options bid-ask
 spread
Square root model, optimization
 constraints, 85–86
Square root SDE, 184
Square root SV model, 37, 69–70
Srivastava, A., 166, 234
Srivastava approach. See Jumps
Stability issues. See Local
 volatility
Stahl, G., 230
Standard & Poor's (S&P), 208
 options, 189, 198
 S&P 500, 204, 216–218
 Stock Index, 4
Stein, E.M., 234
Stein, J., 234
Stochastic differential equation
 (SDE), 197–198, 221
Stochastic volatility (SV), 20–24
 behavior, 24
 example, 35–37, 83–85
 formulation, 76
 impact. See Partial differential
 equation
 problem, 78–79
 processes, 20–21
 time-changed processes,
 contrast, 42–43
Stochastic volatility (SV) models,
 94, 136
 embedded parameters,
 inference (problem), 48
Heston state-space model,
 comparison, 121–122
 parameters, 196

- Stock forward price, 17
Stock log return density, 40
Stock market, 2–4
Stock prices
 movement, log-normal
 model, 5
 process, 2–3
 stochastic differential
 equation, 159
 time series, 176
 usage, 54
Stock process, noise
 (representation), 133–135
Storvik, G., 234
Strike prices, 6, 187
Stroud, J., 159, 231
Student's law of mean, 155
Su, T., 227
Suli, E., 231
Sundaram, R.K., 227
Suo, W., 231
Super-replication, 27
SV. See Stochastic volatility
- Taksar, M., 230
Taleb, N., 234
Tauchen, G., 229
Tavella, D., 234
Taylor approximation, usage,
 35–36
Taylor expansion, usage, 36
Teukolsky, S.A., 233
Time series, 116, 220–221
 usage, 48
Time update equations, 61–65
Time-independent parameters, 33
Time-series implied
 parameters, 190
Time-series method, robustness
 issues, 193–194
Time-series results, 193–194
- Toft, K.B., 234
Torricelli, C., 233
Touzi, N., 32, 233, 234
Trading strategies, 199–213
 replication, 202–203
Transform. See Generalized
 Fourier transform
 special cases, 28–30
 technique, 27–28
Transition noise, 140
Trevor, R., 234
Trinomial tree, usage, 17
Tullie, T.A., 229
Two-factor Monte Carlo
 simulation,
 application, 26
Two-factor PDE, 26–27
- Uhlmann, J.K., 231
Uncertain volatility, concept, 20
Univariate regression, 153
Unscented Kalman filter (UKF),
 62–65, 88, 161–162
 algorithm, 66
 application, 172–173
 implementation, 77
Unscented particle filter (UPF),
 102, 161–166
- Van der Merwe, R., 115, 235
Van der Sluis, P.J., 231
Varadhan, S.R.S., 235
Variance equation, writing, 7
Variance gamma (VG), 40–43
 characteristic function, 44–45
 model, 168–169
 parameters, 178
 usage, 182

- Variance gamma with gamma arrival rate (VGG), 45, 158, 166
usage, 181–183
- Variance gamma with stochastic arrival (VGSA), 43–45, 169, 215
Bayesian approach, 184
EPF application, 173–176
model, 168
option pricing, 44
VG, contrast, 215–216
- Variograms, 96–98
usage, 181
- Vetterling, W.T., 233
- Volatility. *See* Historic volatility;
Level-dependent volatility;
Local volatility;
Stochastic volatility
clustering effect, 43
curve, 200
dependence, discovery, 11
drift, 25
parameters, 213
perception, 7
problem, 1
risk, market price, 25–26, 47
term structure. *See* Implied volatility term structure
usage, 2
value, 3
- Volatility-of-volatility, 202.
See also High volatility-of-volatility
parameter, 192, 194
series expansion, 37–40
series method, 191
- Vorst, T., 229
- Wan, E.A., 115, 235
- Wang, D., 231
- Webber, N., 233
- Weights, 160–162
calculation, 171–172, 182
normalization, 170
- Welch, G., 235
- Wells, C., 235
- Whaley, R.E., 189, 228
- White, A., 30, 231
- Whitt, W., 235
- Wiggins, J.B., 235
- Wilmott, P., 7, 231, 235
- Wright, J., 229
- Wu, L., 226
- Xiong, K., 231
- Yakovenko, V.M., 158, 228, 234
- Yao, Q., 228
- Yaz, A., 233
- You, M., 226, 229
- Zellner, A., 235
- Zero-coupon risky bond, 10
- Zhang, L., 235
- Zhou, C., 235
- Zou, J., 227

