

Index and Glossary

(*italic numbers* refer to the most relevant experiments)

AA'BB' pattern	66
ABCD pattern	278
α/β pulse	723
α/β -SELINCOR-TOCSY	499
AB spin system	442
absolute configuration	258, 274
ACCORDION principle	546, 549
ACCORD-HMBC	483, 546
accumulation	4
acetic acid	98
acetone	287
achiral auxiliary	271
acoustic responses	361
acquisition	45, 50
order	619, 623, 627, 631
program	45
time	43, 45, 362
activation	
enthalpies	149
entropies	149
adamantane	635, 636, 642, 643
ADC (analogue–digital converter)	2, 4, 5, 46
ADEQUATE	200, 585, 593, 597
(Adequate sensitivity Double- QUAnTum spEctroscopy)	
adiabatic pulses	525, 563, 564, 596, 678, 773, 775, 781
advanced Mosher method	274
alanine	682, 685, 695, 743, 750, 769
American Society for Testing and Materials (ASTM)	73
amide proton	698, 705, 711
amino acid topology	682
ammonia	326
ammonium chloride	283
amplifier	324
blanking	453
rise time	458
AMX	
spin system	109, 112
type	106
anisotropy	
effect	279

- of chemical shift 634
- of *J* coupling 323
- the C=O double bond 292
- anomeric proton 215, 300
- antiphase 387, 420
 - components 245
 - magnetization 175, 184, 186, 196, 199, 375, 391, 392, 397, 398, 407, 479
 - pattern 197, 224, 227, 381, 394
- apodization artefacts 54, 637
- APT (Attached Proton Test) 167, 170, 185, 561
- argon 309
- arginine 675, 695
- ARING (Anti-ring sequence) 358, 360
- aromatic solvent induced shift 258, 276, 277
- ascorbic acid (Vitamin C) 290
- ASIS (Aromatic Solvent-Induced shift) 258, 277
- asparagine 743, 763, 764
- assignment mode 59, 746
 - cis/trans* 261
 - E/Z* 261
 - endo/exo* 261
 - syn/anti* 261
- association constant K_a 258, 293
- ASTM (American Society for Testing and Materials) 73
- ASTM sensitivity test for ^{13}C NMR spectroscopy 73
- attached proton test (APT) 170
- attenuation 42, 91, 230
- audio
 - amplifier 2, 5, 81
 - filter width 78
 - signals 79
- autocorrelation signal 383
- auxiliary reagents 258
- AX spin system 442
- axial peaks 400, 525, 601
 - break-through 253, 400
 - suppression 526, 567
 - symmetry 261
- backbone 711, 718, 732, 746, 785
- background signals 57
- back-INEPT 566, 607, 686, 731, 745, 759, 772
- back-transfer 596, 677, 681, 704, 723, 766, 771, 790
- Ba(ClO₃)₂ · H₂O 641

band-selective pulses	219, 684, 698, 700, 704, 705, 707, 710, 711, 713, 715, 725, 727, 760
bandwidth	91
barium	
chlorate	641
salts	274
base-line	
correction	46, 47, 52, 79
rolling	52, 355, 360
benzene	70, 322
benzoyl peroxide	313
β -COSY	384, 386
$\text{BF}_3 \cdot \text{O}(\text{C}_2\text{H}_5)_2$	352
bilinear rotation decoupling (BIRD)	159
binomial	
excitation	510
sequence	507
binuclear shift reagents	261
biological samples	12, 663
biomolecular NMR experiments	226, 666
bipolar	
gradient pulses	515, 517, 518, 521
BIRD (Bilinear Rotation Decoupling)	201, 550, 578
delay	619
filter	201, 236, 409, 415, 538, 552, 571
sandwich	201, 409, 412, 426, 429, 553, 575, 618
Bloch equations	34
Bloch–Siegert	
shift	103
phase shift	92, 698, 704, 710, 711, 716, 718, 723, 725, 730, 739, 752, 765, 783, 790
phase shift compensation	745, 746, 753
Boltzmann constant	469
bond-length	286
Born–Oppenheimer approximation	286
boron-11 NMR	353
broad-band	
decoupling	21, 50
preamplifier	324
break-through	
of axial peaks	400
of ^{12}C bonded protons	405
buffer	294
build-up time	130
bulk susceptibility	279, 310
butanol	515, 516
butter	663, 664

- butyllithium 439, 609
- BURP 472
- β -cyclodextrin hydrate (CD) 294
- calibration 365
 - of pulsed field gradients 455
 - routines 140
 - samples 145
- CAMELSPIN (Cross relaxation
Appropriate for Minimolecules
Emulated by Locked Spins) 434
- carbon α/β pulse 751
- carbon-carbon connectivities 441, 589, 593
- carbon-optimized probe-head 520
- carbon-proton distances 139
- carboxylic acids 129, 290, 292, 356
- Carr-Purcell-Meiboom-Gill sequence 165
- CBCA(CO)NH 668, 746, 753
- CBCANH 668, 685, 739, 746, 753
- CCl₃F 337
- CDCl₃ 287
- central
 - line 208
 - signal 200, 205
 - transition 640
- certified standard 351
- CHCl₃ 61, 85, 92, 95, 159, 164, 173, 182, 202, 204,
207, 210, 393, 394, 458, 459, 462, 474, 475,
477, 478
- chemically induced dynamic nuclear
polarization (CIDNP) 258, 312
- chemical
 - bond 286
 - exchange 152, 283, 431
 - kinetics 144, 148
 - shielding 286
- chemical shift 44, 48, 58
 - anisotropy 639, 641, 643, 645
 - in the gas phase 279
 - powder pattern 652
 - ranges 678
 - tensor 646
- C,H correlation 393, 396, 399, 402
 - by polarization transfer
(HETCOR) 396
 - long-range 399, 402
 - inverse 405, 409, 415, 418
 - spin-spin coupling constants 125

chiral	
auxiliary reagent	269, 271
shift reagent	262
solvating agent	265, 268
chloroacrylic acid	110
chlorodimethylformamide	155
chloroform	61, 85, 92, 95, 159, 164, 173, 182, 202, 204, 207, 210, 393, 394, 458, 459, 462, 474, 475, 477, 478
cholesteric phase	323
cholesteryl acetate	171, 186, 188, 189
CIDNP (Chemically Induced Dynamic Nuclear Polarization)	258, 312
coalescence	151, 445
point	155, 156
temperature	151
cobaltocene	309
Coca Cola®	283
coherence	525
level	453
order	461, 469, 529
pathway	364, 453
pathway diagram	454
pathway selection	526
selection	461, 463
coil, superconducting	1
COLOC (COrrrelation spectroscopy via LOng range Coupling)	399, 402, 533
complex Fourier transformation	364, 371, 374, 378, 397, 400, 403, 406, 442, 450, 529
composite	
pulses	14, 30, 32, 512
pulse decoupling	27, 50, 127, 130
180° pulse	578
computer	3
word length	84
computer-aided spectral analysis	58
concatenated	
HMQC-DOSY sequence	523
INEPT	753
manner	736
conducting material	458, 464
connectivity information	131

- constant
 - time COSY 530
 - time period 402, 404, 584, 673, 676, 678, 686, 698, 704, 705, 711, 739, 745, 753, 757, 764
- contact
 - contribution 261, 310
 - coupling constant 310
 - shifts 308
- continuous-wave
 - decoupling 135
 - instruments 219
- convolution difference 57
- correlation
 - experiment 396, 448
 - time 434
- COSY (COrrelation SpectroscopY) 365, 373, 377, 422, 425, 524, 526, 530, 618, 622
 - basic 373
 - DQF 389, 534
 - E. 384, 386, 426, 575, 578, 785
 - 45 383
 - long-range 377
 - phase-sensitive 380
- coupling
 - active 387
 - allylic 377
 - homoallylic 377
 - passive 384, 388
 - vicinal 785
- coupling constants 387
 - C,C 197, 238, 503
 - C,H 249, 252
 - C,P 452
 - H,H 255, 380
- C,P correlation 448
 - in proteins 667
- CPD (Composite Pulse Decoupling) 27, 50, 51, 127, 130
 - sequence 106
- CP/MAS (Cross-Polarization/
Magic-Angle Spinning) 634, 642, 645, 657
- CPMG (Carr–Purcell–Meiboom–Gill) 165, 283, 284
- cross-peak 233, 373, 384
 - pattern 386
- cross-polarization
 - in liquids 503, 505
 - in solids 642, 645, 650, 654, 657, 664
 - techniques 339

cross-relaxation	433, 440, 495, 607
cross-signals	434, 445
cryoshim	6
crystal symmetry	640
Cr(acac) ₃	130, 302, 308, 318, 459, 462
ct-COSY	530, 531
cuboid	616
curvature	7
curve-fitting methods	317
cyclohexane	137
cyclohexen-1-one	239
cryogen	3
c.w. decoupling	72
DANTE (Delays Alternating with Nutation for Tailored Excitation)	229, 233
dB unit	41, 42
dBm unit	42
d.c.	
offset	79
voltage	4
dead time	464
decay of the magnetization	158
deconvolution	317
decoupler	2
attenuation	51
band-width	95, 124
calibration for heteronuclear	95
decoupling	
calibration for homonuclear	92
decoupling	
field	124
offset	50, 96, 123
power switching	343
pulse-duration	21, 27
decoupling ¹ H, ¹³ C	
pulses	21
r.f. pulse	50
techniques	91ff
degassed samples	163
density matrix	208
delocalization of electron spin density	261
dephasing	
by gradient pulses	702, 710
of the magnetization	89
DEPT (Distortionless Enhancement by Polarization Transfer)	167, 170, 179, 188, 194, 330, 333, 339, 558
editing	188

-like transfer	686
DEPTQ	170, 172, 185, 191, 194
DEPT-135	185
detection period	362
determination of	
pK_a	290
pulse-duration	14
the 90° ^{13}C transmitter	18
pulse-length	
the 90° ^1H decoupler	21
pulse-length	
the 90° ^1H transmitter	15
pulse-length	
deuterium	349
isotope effects	286, 289
NMR	349
lock	4, 8, 12
dewar	1
diamagnetic contribution	261
diastereomers	271
diastereomeric	
complexes	263
products	273
solvation complexes	266
diastereotopicity	735
diastereotopic	
methylene protons	281
protons	729
dibromopropionic acid	107, 380
dicarba- <i>closo</i> -dodecaborane	352
dichloromethane	287
difference spectrum	116, 298
diffusion	467, 468
constants	454, 467
measurements	297, 453
digital	
filtering	38, 46, 47, 51, 52
lock	45, 50
resolution	43, 46, 50, 571
quadrature detection	81
digitally identical phase correction	114, 117
digitization points	94
digitizer word length	84
dihedral angles	785,
dimer/monomer equilibration	292
dimethylformamide (DMF)	149, 150, 152, 445
dimethylsulfoxide (DMSO)	280

dioxane	291
dipolar	158
contribution	139, 261
cross-relaxation	430
interactions	664
spin coupling	114, 639, 645, 659, 662
DIPSI	32, 670, 686, 696, 710, 752,
DIPSI-2 sequence	576, 700, 701, 704, 715, 745, 749, 765
DIPSI-3 sequence	734, 737
dissociation constants	258
distance	113, 116, 259, 261, 661
constraints	766
distortion-free selective excitation	495
distortionless enhancement by polarization transfer (DEPT)	167, 170, 179, 185, 188, 194, 330, 333, 339, 558
<i>d,l</i> pair	271
DMSO (Dimethylsulfoxide)	280
DNMR3	150
doped CHCl ₃	88
“doped” solution	305
“doped” water	220
DOSY (Diffusion Ordered SpectroscopY)	298, 454, 469, 515, 518, 521
DOSY-HMQC	454, 521
double INEPT back transfer	691, 784
INEPT transfer	704, 717, 765
double-quantum	
chemical shift	588
carbon coherence	596
coherence	241, 483, 602
filter	200, 207, 389, 391, 474, 475, 505, 534
filtered COSY	386, 389
frequency	442, 444
HMBC	585
magnetization	23, 187, 207, 237, 392, 407, 502, 537, 541, 615, 672
signal	592
double spin-echo experiment	172
doublet splitting	135
DPFGSE (Double Pulsed Field Gradient Spin-Echo)	484, 487, 492, 509
DPFGSE-NOE	492
DQD (Digital Quadrature Detection)	81
DQF-COSY (Double-Quantum Filtered COSY)	389
DSS (2,2-dimethyl-2-silapentane- 5-sulfonate, sodium salt)	213, 215, 216, 325, 680

- signal 675, 708
- dual
 - display mode 275
 - probe-head 410, 413
 - step low-pass filter 480, 546, 549, 588
- dummy scans 51
- duty cycle 106, 644
- dwelt time 106
- dynamic
 - equilibria 149
 - NMR experiment 152, 155
 - NMR spectroscopy 140
 - ¹H NMR spectroscopy on dimethylformamide 149
 - processes 445
 - range 84
 - test for signal amplitudes 82
- D₂O 516, 519, 522
- echo/anti-echo
 - manner 364, 530, 532, 560, 564, 525, 554, 555, 557, 570, 690, 697, 698, 705, 711, 725, 731, 746, 753, 759, 766, 771, 773, 384, 386, 426, 575, 578, 785
- E.COSY (Exclusive COrrrelation SpectroscopY)
- eddy
 - currents 458, 464
 - delay 515
- editing
 - period 558, 561
 - techniques 172
 - with DEPT 188
 - with HSQC 558
- educational experiment 30, 33, 36, 39, 54, 113, 131, 134, 137, 159, 167, 173, 182, 184, 201, 204, 207, 210, 286, 393, 448, 467, 474, 477, 480, 530, 626
- effective voltage 42
- E-HSQC 558, 559
- electric field effect 279, 292
- electron g-factor 310
- electronic potential 286
- enantiomeric
 - excess *ee* 264, 267, 270, 271
 - purity 258, 259, 262, 265, 268, 271
- enantiomers 262, 265
- enhancement factors 181
- ethanediol 145
- ethanol 349

ethyl	
anthranilate	277
benzene	67, 76, 123
crotonate	44, 49, 101, 125, 128, 131, 134, 161, 167, 176, 179, 192, 194, 229, 236, 249, 252, 255, 302, 355, 367, 370, 373, 377, 396, 400, 403, 405, 410, 412, 415, 419, 480, 481
methacrylate	116
Eu(fod) ₃	259
evolution	
period	362, 571
time	574
exchange	155, 673
process	151, 158, 280
rate	155
reagent	283
spectroscopy	445
with D ₂ O	280
excitation	
pattern	470
pattern of selective pulses	470
pulse	45, 50
excitation sculpting	454, 495, 509
EXSY (EXchange SpectroscopY)	445
external referencing	297
extreme narrowing limit	158, 164
Eyring equation	151
fan	3
Fellgett principle	219
FeSO ₄ ·7H ₂ O	305
FID (Free Induction Decay)	3, 45, 46, 50
field	
correction	5
homogeneity	6
map	11, 12
regulation	2
strengths	43
sweep	6
field/frequency stabilization	4
filling height	7
flip angle	15, 45, 50, 231, 383
flip-back pulse	677, 707
fluorine lock	349
fluorine-19 NMR	336
food	
analysis	349
samples	663

- formamide 330, 333
- Forsén–Hoffmann method 152
- forward
 - dual probe-head 406, 419
 - linear prediction 708, 714, 721, 728, 735, 742, 749, 756, 763, 769, 776, 782
- FOUCOUP (FULLY COUPLed) 393, 688,
- Fourier transformation 47, 52, 362, 616
- frequency
 - determination 678
 - dimensions 362, 616, 668
 - discrimination 567, 771, 777
 - list 705, 727
 - offset 45, 50
 - selection 484
 - swept adiabatic pulses 563, 783
 - swept shaped pulses 666
 - synthesizer 2, 324
- fully-coupled C,H correlation 393
- GARP (Globally optimized Alternating-phase Rectangular Pulses) 27, 409, 412, 555, 559, 564, 573, 590, 594, 598, 619, 623, 627
- GARP ¹³C decoupling 539, 542, 545, 546, 675, 680, 728, 733, 776, 788
- GARP ¹⁵N decoupling 685, 694, 701, 708, 714, 742, 749, 756, 763, 769, 776, 782
- gated
 - decoupling experiments 91, 409, 410
 - ¹H-decoupling technique 125
- Gaussian
 - cascade 73, 684, 700, 713, 720, 721, 727, 734, 741, 748, 755, 762, 781, 787
 - function 364
 - multiplication 708, 728, 735, 742, 749, 756, 763, 769, 776, 782, 788
 - pulse 220, 224, 232, 236, 239, 301, 489, 495
 - soft pulses 233
 - windows 384, 410, 413, 416
- g-BIRD 201
- G-BIRD^r 578
- global standardization 325
- Globally optimized Alternating-phase Rectangular Pulses (GARP) 27, 409, 412, 701
- glycerol 280
- glycine 646, 649, 650, 653, 654, 656, 657, 659, 685, 702, 708, 714, 722, 729, 743, 750, 757, 769
- Gouy balance 305

gradient	
amplifier	453
amplifier test	461
calibration	455
coils	465
echo experiment	473
filter	535
half-filter	429
heteronuclear double-quantum	474, 588
filter	
order	7
pulse calibration	455
pre-emphasis	458
ring-down delay	453, 459, 464
selection	453, 622, 673, 678
shimming	11, 12
strength	455, 456, 457
z-filter	479
zz-filter	477, 607, 673, 676, 678, 680
gradient-selected	666
dual-step low pass filter	480
zz-filter	578
GRECCO (GRadient Enhanced	503
Carbon Coupling)	
gs-COSY	526
gs-DQF COSY	534, 535
gs-HETLOC	575, 581
gs-HMBC	399, 542, 584, 630
gs-HMQC	474, 538, 574
gs-HMQC-TOCSY	571
gs-HOESY	608
gs-HSQC	554
gs-HSQC-NOESY	604
gs-HSQC-TOCSY	622
gs-INEPT-INADEQUATE	589
gs- <i>J</i> -resolved HMBC	581
gs-NOESY	601
gs-SELCOSY	484
gs-SELINCOR	134, 496
gs-SELTOCSY	488
gs-TOCSY	488, 567
gyromagnetic ratio	45, 173, 181, 325, 452, 461, 645
γ -value	324
half-Gaussian shape	233, 253
“hard” pulses	219

- hardware 453
 - frequency channels 668
 - set-up 667
- Hartmann–Hahn condition 342, 344, , 634, 642, 652, 662
- HBHA(CBCACO)NH 668, 753
- HCACO 668, 725
- HCCH-TOCSY 668, 732
- HC-HSQC 678
- HCN-NOESY 668, 779
- HC-NOESY-HSQC 668, 773
- H,C,P-correlation 626
- H/D exchange 280
- heater 1
- helium-refill 1
- HETCOR (Heteronuclear Correlation) 95, 131, 396
- heteronuclear
 - decoupling 91
 - double-quantum filter 207
 - NMR spectroscopy 324
 - reference 324
 - resolved spectra 388
 - spin coupling 388
 - spin-lock 342
 - SPT experiment 110
 - two-spin order 479
 - 2D *J*-resolved technique 250, 370
- HETLOC 365, 426, 499, 575
(HETeronuclear LOng-range Coupling)
- hexanol 197, 442
- higher order 58, 127, 245
 - spin systems 368
- H,H-COSY experiment 373
- high field instruments 563
- high-power
 - amplifier decoupling 661, 644
 - continuous-wave decoupling 634, 636, 642, 645, 649
- high-resolution MAS technique 663
- high temperature
 - calibration by 1,2-ethanediol 145, 446
 - limit 155
- hindered rotation 140
- histidine 763
- HMBC (Heteronuclear Multiple Bond Correlation) 415, 480, 512, 546, 550, 552, 581, 585, 597
- HMBC spectrum 483
- HMQC (Heteronuclear Multiple Quantum Coherence) 235, 405, 409, 412, 415, 521, 538, 550, 552, 618

HMQC-COSY	618
HMQC-TOCSY	571
HMSC (Heteronuclear Multiple and Single bond Correlation)	550
HNC NOESY	779
HNCA	668, 698, 705, 711, 785
HN(CA)NNH	668, 760
HN(CA)CO	668, 718
HN(CO)CA	668, 705
HNCA- <i>J</i>	668, 785
HNCO	668, 711
sequence	715
H,N chemical shift correlation map	673
H,N correlation	668
with gs-HMQC	612
with TROSY	688
HN-HSQC	673
HN-NOESY-HSQC	668, 766
HN-TOCSY-HSQC	692
HOESY (Heteronuclear Overhauser Effect Spectroscopy)	137, 438, 608
HOHAHA	242, 422
(HOMonuclear HARTmann HAHn)	
homoallylic coupling	377
homogeneity	6, 8, 11
adjustment	1
homonuclear	
decoupling	91, 101, 104, 150, 232
decoupling at two frequencies	104
double-quantum filter	200
Hartmann–Hahn (HOHAHA)	422
NOE difference experiment	113, 116
spin couplings	410
SPT experiment	107
host–guest complex	293
HR-MAS (High-Resolution Magic-Angle Spinning)	634, 663
HSQC (Heteronuclear Single-Quantum Coherence)	182, 418, 496, 554, 563
HSQC-NOESY	604
HSQC-TOCSY	571, 622
HSQC with adiabatic pulses	563
hump test	61, 70
hybrid instruments	634
hydrogen bond	282
hydroxynaphthalene	247
hyperbolic secant signal	34

- hypersecant pulse 495
- hyphenated techniques 512
- H₂O 33, 468, 471
- i.f.
 - amplifier 2, 5
 - signal 2
- image 457, 470
- INADEQUATE (Incredible Natural Abundance Double QUAntum Transfer Experiment) 32, 197, 238, 304, 365, 441, 589
- INAPT 246
- incrementation 362, 584
- INEPT (Insensitive Nuclei Enhanced by Polarization Transfer)
 - reverse 182
 - transfer 420, 498, 566, 592, 606, 676, 680, 690, 696, 702, 704, 710, 715, 723, 730, 736, 744, 751, 764, 771, 777, 789
- INEPT-DOSY 518, 521
- INEPT⁺ 176, 333
- INEPT-INADEQUATE 589, 607
- in-phase 199, 245, 381
 - magnetization 175, 199, 212, 420, 444
- instrument dialect 794
- integration 47, 114, 117, 264, 315, 316, 319, 365, 446
- intermediate frequency 2
- intermolecular recognition 293
- intraresidue
 - connection 725, 739
 - cross peak 718
- intrinsic 289
- inverse
 - configuration 27
 - experiments 226
 - gated ¹H-decoupling 128, 318, 332
 - probe-head 24, 28, 406, 410, 416, 419
 - spectrometer configuration 24, 27
- inversion property 31
- inversion recovery experiment 160, 161
- in-vivo* spectroscopy 453
- iron magnets 306
- irradiation frequency 119
- isolated proton spin pair 113, 117
- isoleucine 695, 702, 708, 714, 722, 735, 742, 750, 757, 763, 782, 788

isotope	
distribution	349
effect	286, 450
isotopic	
dilution	662
perturbation of equilibrium	289
isotropic solution	321
iteration	58, 59
iterative	
computer simulation	293
programs	58
IUPAC	324, 360
<i>J</i> -coupling	656
<i>J</i> -modulated spin-echo	167
<i>J</i> -resolved	
¹³ C NMR spectroscopy	370
¹ H NMR spectroscopy	367
HMBC	499, 581
spectroscopy	252
Job's	
method	294
plot	295
jump-and-return sequence	216, 510
Karplus curve	785
KBr (potassium bromide)	639
lanthanide shift reagent	258, 259, 261, 308
LAOCOON (Least squares Adjustment Of Calculated On Observed NMR spectra)	58, 60
leucine	763
lifetime	157
linear prediction	701, 708, 714, 721, 728, 735, 742, 749, 756, 769, 776, 782
line-broadening factor	46, 52, 303, 445
line-selective pulses	219
line-shape	151, 152, 637
method	155
sample	61
test for ¹³ C NMR spectroscopy	70
test for ¹ H NMR spectroscopy	61
line-width	70, 164, 635
at half-height	64
liquid	
ammonia	326
phase	321
nitrogen	1
helium	1

- lithium-6 NMR 438
- lithium 7-NMR 608
- LINUX 3
- local oscillator 2, 5
- lock
 - channel 4, 635
 - detection 5
 - i.f. 4
 - phase 9
 - preamplifier 5
 - receiver 2
 - resonance position 5
 - signal 4, 8
 - stop filter 439
 - transmitter 2
- lock-in procedure 6
- longitudinal relaxation 160
- long-range
 - C,C coupling constant 197, 503
 - carbon-carbon connectivities 585
 - COSY 377
 - C,H correlation 399, 402
 - C,H spin coupling constants 249, 252, 426, 499, 575, 581
 - interaction 585, 630
 - spin couplings 98, 136, 483
- Lorentzian line-shape 61, 70, 364, 380, 554, 635
- Lorentz-Gauss window function 47, 54, 55
- low pass filter 480, 542, 545, 584
- low power calibration for
 - heteronuclear decoupling 98
 - low power composite-pulse decoupling 634
 - low temperature calibration
 - with methanol 141
 - with ethanediol 145
- LR-COSY (Long-Range COSY) 377
- lyotropic phases 323
- lysine 675, 685, 722, 743, 750, 777, 782
- magic angle adjusting 634, 636, 639, 660
- magic angle spinning 639, 645, 660, 662
- magnet
 - superconducting 1
- magnetic
 - moment 324 ff
 - susceptibility 308
- magnitude
 - mode 364, 378, 405
 - processing 380

maintenance	3, 43
MAS (Magic Angle Spinning)	639, 645, 660, 662
mass susceptibility	306
matched filter	55
matching	3
MBOB	550
McConnel–Robertson Equation	261
medical applications	336
menthol	274
<i>meso</i> compounds	271
methanol	141, 142, 516, 519, 522, 671
methionine	675
methylthiophosphonates	273
methylphosphonic dichloride	272
MEXICO	150
misadjustments	205
miscalibration of the r.f. pulses	159
mixer	2, 5
mixing	245
period	362, 434
time	431, 433, 495, 602, 607
MLEV	32
MLEV-16	625
MLEV-17	422, 570, 574, 694, 696
modulation	5
molar mass	433
molecular	
correlations	434
motions	160
reorientation	321
sieves	282
weight	117, 517
Mosher ester	267
MPTA	274
multinuclear probe-head	324
multiple	
irradiation	119
quantum coherence	552
quantum filter	685
selective irradiation	119
multiplet distortion	175
multiplett-selective pulses	219
multiplicity determination	159
in the solid state	656
with APT	170
with DEPT-135	185, 188
with INEPT	179

- with PENDANT 194
- with SEFT 167
- multipulse
 - narrowing 653
 - sequences 159
- multisite exchange 445
- MUSIC (MUltiplicity Selective In-phase Coherence transfer) 668, 682
- N*-acetyl-D-glucosamine 299
- naphthalene 318
- natural
 - abundance 173, 324
 - line-width 370
- negative
 - gyromagnetic ratio 128, 330, 339, 342
 - overshoots 55
- nematic phase 321, 323
- nitrogen-15 NMR 330, 333
 - decoupling 678
 - flow 446
 - GARP decoupling 687, 704
 - inverse 612
 - NMR 330, 333
- nitromethane 326
- N,H correlation 612
- NH₃ 326
- NH₄Cl 283
- NMRIT 58, 60
- NMR
 - imaging 453
 - microscopy 634
 - sensitivity 324
 - spectrometer 1, 666
 - time-scale 140, 293
- NOE (Nuclear Overhauser Effect) 91, 113, 116, 127, 128, 137, 154, 339
 - difference measurement 113, 116, 430
 - effects 117
 - enhancements 130
 - integrals 773
 - heteronuclear 137
 - restraints 666
 - suppression 123
- NOESY (Nuclear Overhauser Enhancement Spectroscopy) 274, 430, 495, 524, 601, 604, 766, 770, 773, 779
 - cross-peaks 779

non-spinning	
line shape test	63
shims	6, 10
NQS (Non Quaternary Suppression)	656
N-type	364, 380, 525, 625
nuclear Overhauser difference spectroscopy	113, 116
nuclides	
$I = \frac{1}{2}$	325
$I > \frac{1}{2}$	326
nutaton	34
<i>O</i> -acetyl-mandelic acid	266
O-ring	3
observe	
receiver	2
transmitter	2
octanol	197, 259, 442
ODCB (<i>ortho</i> -dichlorobenzene)	54, 58
^1H resolution test	66
off-resonance	
conditions	124
control	298
decoupling	91, 95, 122
effects	136
offset	
dependence	32
dependence derivation	30
OH protons	280
oligosaccharides	422
organic radicals	308
organolithium chemistry	438, 608
organometallic	
complexes	308
reactions	314
orthogonal gradients	453
oscillation	457
oscilloscope	3
“out-and-stay”	760
Overbodenhausen experiment	418
Overhauser effect	91, 113, 116, 127, 128, 137, 154, 274, 339, 430, 495, 524, 601, 604, 766, 770, 773, 779
oxygen-17 NMR	355
para-hydrogen	312
paramagnetic	
compounds	308
proteins	308
relaxation reagent	302

- shift 310
- species 258
- susceptibility by NMR 305
- partial alignment 321
- passive coupling 384, 388
- PC 3
- PCl₃ 271
- peak picking 47, 52
- peak-to-peak noise 69, 75, 77, 78
- PENDANT 167, 170, 185, 194
- (Polarization ENhancement During Attached Nucleus Testing)
- PEP 557, 559, 596, 691, 697, 698, 704,
(Preservation of Equivalent Pathway) 710, 711, 717, 718, 724, 745, 747, 760, 765,
766, 771
- peptide bond 711
- peptides 422
- perfluorodecalin 338
- performance 61
- periodic system 324
- PFGSE (Pulsed Field Gradient Spin-Echo) 467
- phase 8, 36
 - coherence 107, 214, 299
 - correction 47, 52, 365, 563, 616
 - cycling 36, 38, 46, 237, 363, 526, 567, 601
 - detection 81
 - detector 5, 79
 - difference 156, 750
 - instabilities 86
 - jump 506
 - modulated shaped pulses 666
 - of the diagonal signals 431
 - skewed line-shapes 529, 534
 - stability test 85
- phase-sensitive 367, 525
 - COSY 380
 - COSY-45 383
 - E.COSY 386
 - FUCOUP 393
 - gs-DQF-COSY 534
 - gs-HSQC 554
 - HMBC 415
 - HMQC 409
 - NOESY 445
- phasing problems 563
- pH-dependence 290

phenanthrene	318, 605
phenylalanine	757, 763, 776
phenylethanol	262, 268
phenylethylamine	265
phosphorus-31 NMR	271
Pirkle's reagent	258, 266, 268
p <i>K</i> _a determination	290
plant material	663
PMG (Poor Man's Gradient)	210, 412
POF (Product Operator Formalism)	375, 391, 394, 400, 443, 475, 478, 483, 501
polarization	
enhancement	179
ENhancement During Attached Nucleus Testing (PENDANT)	167, 170, 185, 194
enhanced NMR	176
transfer	159, 173, 185, 396, 399, 518, 612, 757, 760
polymer-bond monomers	663
polymer gels	663
POMMIE	685
poor man's gradient HMQC	412
post-processing	669
power levels	634
praseodymium	261, 262
pre-acquisition delay	45, 51, 365, 381
preamplifier	2, 634, 667
precession	41, 89
pre-emphasis	453, 458
time constants	459
pre-irradiation	116
preparation period	362
pre-saturation	39, 389
period	254
Pr(hfc) ₃	261, 262
probe-head	1, 2, 5, 11, 16, 88
arcing	16, 90
coils	634
ringing	358
tuning	381
processing	46, 51
product operator formalism (POF)	48, 52, 174, 177, 184, 186, 192, 195, 199, 203, 205, 208, 212, 225, 375, 483
progressive saturation	160
projection	631, 757
prolin	673
protein	298, 666
–ligand interaction	293, 298

- proton
 - broad-band decoupling 49
 - decoupling 326
 - enhanced nuclear-induction 645
 - spectroscopy
 - spin-lock pulse 648, 696
 - trim pulse 557
- protonated carbon atoms 129
- pseudoasymmetric center 272
- pseudocontact interaction 308, 310
- P-type 364, 525
 - selection 364, 625
 - signals 570, 625
- pulse
 - calibration 220, 225, 227
 - determination for biomolecular NMR 670
 - duration 15, 18, 21
 - generator 5
 - imperfection 30, 32
 - length 15, 18, 21
 - phase 36
 - repetition time 45, 51, 642, 644, 645
 - width 14
- pulse and receiver phases 36
- pulsed field gradient 11, 210, 364, 453, 458, 525, 667
 - spin-echo 467
 - ring-down delay 464
- purge pulse 176, 233
 - with a spin-lock pulse 210
- pyridine 279, 282
- Q -factor 33
- Q -switching 35
- quadrature
 - channel 38, 640
 - image 36
 - image test 79
 - mode 79, 416
 - off mode 368, 371, 374, 378, 397, 403, 406, 450
 - phase detection 2, 45, 231, 363, 380, 394, 405
 - phase cycle 79
 - receiver 38
- quadrupolar
 - coupling constant 323
 - couplings 645
 - interaction 639, 648
 - moment 324, 326, 327, 358

nucleus	326, 327, 349, 352, 355, 358, 438, 640
quality factor Q	42
quantitative determination	258
by ^{13}C NMR spectroscopy	128, 318
by ^1H NMR spectroscopy	315
quantitative measurement	128, 315, 318
quartz insert	340
quartz oscillator	2
quaternary	
carbon atoms	170, 191, 438, 656
carbon nuclei	51, 302
racemate	264
radiation damping	14, 17, 33, 690
radical pair intermediate	312
radiofrequency	
field	41
field strength	41
homogeneity	88
power	14, 39
pulses	14
raffinose	299
rate constant	150, 155
ratio of population	151
reaction mechanism	258
RE-BURP (REfocused Band selective Uniform Response Pure phase)	249
real Fourier transformation	364, 413, 416, 424, 431, 446
receiver	
gain	46, 51, 412, 535
phase	36
receptivity	324-326, 330, 346
rectangular	
gradient pulses	456, 458, 460
high-power pulses	219, 246
Redfield method	364
REDOR (Rotational Echo Double Resonance)	634, 659
decay	661
transform	661
reference compound	324-327, 331
referencing	47, 52, 324-327, 667
refilling	1
reflection meter	3
refocused INEPT	179
refocusing period	176, 177, 184, 420
relative sign	387

- relaxation
 - delay 45, 46, 50, 51
 - losses 652, 668
 - matrix 446
 - partner 113, 115
 - processes 117
 - reagent Cr(acac)₃ 130, 302, 308, 318, 459, 462
 - time measurement 160
- relaxation time 154, 158, 201, 452, 611
 - in the rotating frame 155
 - T_1 160
 - $T_{1\rho}$ 155
 - T_2 164
- relayed COSY 422, 425
- repetition time 648
- residual
 - coupling 124
 - dipolar couplings 258, 666
 - magnetization 680
 - multiplets 101, 104, 106, 249
 - splitting 102, 123
 - water line-width 215
 - water signal 390, 676, 680, 686, 736
- resolution 54
 - test for ¹H NMR spectroscopy 64
- reverse INEPT 182, 254, 420, 557
- reverse transfer 182
- reversed shape 672
- r.f.
 - connections 667
 - filter 667
 - homogeneity 88, 89
 - magnetic field strength B_1 15, 210
 - power 5, 39
 - pulses 219
- RIDE (RIng Down Elimination) 355
- ring-down
 - delay 454, 464
 - effects 357
 - elimination 355, 357
- ring inversion 140
- rms noise 69, 75, 77, 78
- ROESY (Rotating frame Overhauser Enhancement SpectroscopY) 155, 221, 365, 425, 433, 434
- roof effect 198

rotating	
frame Overhauser enhancement spectroscopy	434
frame relaxation time $T_{1\rho}$	155
rotation frequency	45, 50
rotational spin-echo (REDOR)	659
rotor	
cycles	662
period	655
speed	662
routine NMR spectroscopy	43
Ruben–States–Habercorn procedure	364, 381
salicylaldehyde	586, 597, 598
sample	
changer	14
tubes	7
saturation	114
recovery	160
transfer	702
transfer difference NMR (STD)	298
transfer experiment	152, 155, 445
scaling	
factor	582, 584
of the spin coupling constants	499
SEFT (Spin-Echo Fourier Transform)	167, 170
selected pulses	12, 219, 298, 454, 503, 667, 698, 704, 725
band-selective	219, 698, 704, 707, 725
multiplet-selective	219
line-selective	219
determination	220, 223, 226, 229
excited pattern	470
selective	
COSY	232
decoupling	249, 252
determination of C,H spin coupling constants	249, 252
determination of H,H spin coupling	255
excitation	219, 492
with DANTE	229
INADEQUATE	238
INEPT	501
population transfer	107, 110
pulse on water	702
pulse phase	220
resolution of C,H coupling constants	252

refocusing (SERF)	255
r.f. pulses	219, 503
TOCSY	242, 488
180° pulse	491
self-shielded gradient coils	453, 465
SELCOSY (Selective COSY)	220, 232
SELINCOR (Selective Inverse H,C Correlation)	131, 235, 496
SELINCOR-COSY	496
SELINCOR-TOCSY	496, 499
SELINQUATE (Selective INADEQUATE)	198, 200, 238, 503
SELRESOLV (Selective Resolution of C,H Couplings)	252
SELTICS (Sideband ELimination by Temporary Interruption of the Chemical Shift)	634, 653
sensitivity	
comparison	415
enhancement	339, 525, 554, 557, 558, 784
test for ¹³ C NMR spectroscopy	76
test for ¹ H NMR spectroscopy	67
sequencing information	718
sequential	
acquisition	363
assignment	711
information	760
quadrature detection	381
SERF (SElective ReFocussing)	255
shaped pulses	219 ff.
shaped ¹ H decoupler pulse	223
shaped ¹ H transmitter pulse	220, 221, 243
shaped ¹³ C decoupler pulse	226
shift operator	502, 527
shim	6
coils	1
gradients	6, 7
name	7
shimming	6
solid-state probe-heads	634, 635
procedure	8
with gradients	11
side-band	231
ELimination by Temporary Interruption of the Chemical Shift (SELTICS)	634, 653
pattern	646

side chain	
amide NH ₂ protons	675
of amino acids	732
sigmaoidal curve	296
sign	
information	429
of spin coupling constants	107, 110, 383
of the frequencies	364, 365, 526
signal	
assignment	666
breakthrough	400, 406, 419, 480
location	328
of the glassware	339
selection	525
separation of enantiomers using a chiral shift reagent	262
suppression	209, 409
signal-to-noise ratio	8, 47, 54, 69, 75, 78, 186, 637
silicon-29 NMR	339, 342
simulation program	58
simultaneous	
acquisition	363
decoupling	106
sinc shaped pulse	472
sinusoidal	54
dependence	17
shaped gradient	460
window	54, 57, 364, 397, 400, 442, 721
single	
coil probe-head	103, 106
frequency decoupling of ¹³ C NMR spectra	131
-quantum carbon coherence	557
-quantum terms	444
transient shift operators	691
slip boundary condition	469
slow exchange limit	157
skewed line-shape	57, 364, 380
small molecules	617
smectic phase	323
Sn(CH ₃) ₄	346
soft pulse	219
solid-state	
NMR spectroscopy	342, 634 ff.
physics and material science	634
rotor	635, 640, 643, 646, 650, 654, 657, 660
solvent signal	513

- sources of relaxation 115
- spatially selective composite pulse 514
- specific binding 298
- spectral
 - width 43, 45, 50
 - window 50
- spectrometer
 - cabinet 2
 - console 1, 3, 6
 - stability 117
 - wide-bore 661
- spin
 - absolute sign 321
 - coupling constants 58, 197, 238, 249, 252, 255, 380, 387, 452, 503, 785
 - decoupling 91
 - density 310
 - diffusion 298
 - simulation 125
 - simulation programs 127
 - state-selective pulse 502
 - system 134
- spin-echo 164, 174, 532
 - experiment 467, 507
 - delay 652
 - period 199
 - Fourier transform (SEFT) 167, 170
 - sequence 284, 457
- spin–lattice relaxation 26, 46, 127, 129, 130, 137, 139, 159, 160, 164, 446
- spin-lock 30, 155, 243, 245, 365, 505, 574, 622, 625, 643, 646, 650, 654, 657, 660
 - conditions 434
 - duration 423, 425, 435
 - field strength 157
 - length 491
 - polarization 342
 - pulse 89, 158, 212, 225, 228, 568
 - purging pulse 210, 414, 592, 600
 - schemes 670
 - technique 342
 - trim pulses 707
- spin–spin
 - coupling 44, 48
 - coupling constant 58, 197, 238, 249, 252, 255, 321, 380, 387, 452, 503, 785
 - intensities 44

relaxation	164, 283
relaxation time	158, 159, 160, 164, 469
spin-rotation	158
spinner	8, 165
assembly	1
turbine	44
spinning	1, 6
frequency	44, 644
side-bands	61, 643, 649
shims	9
spin simulation	58
spin system	58
Spin Works	60
SPT (Selective Population Transfer)	91, 107, 110
stability test	85
stacked plot	161
standard	
data sets	666
tests	43
¹³ C NMR experiment	49
¹ H NMR experiment	44
States-TPPI	364, 698, 705, 711, 725, 736, 746, 770, 777
steady state	430, 495
stereochemical assignment	116
stereochemistry, absolute	274
stimulated echo	515, 517, 518, 521
Stokes-Einstein equation	469
strip Fourier transform	695, 701, 708, 728, 735, 756, 763, 769, 776, 782, 788
structural biology	325, 634, 666
structure calculation	666, 766, 779
strychnine	104, 119, 232, 243, 423, 426, 427, 431, 435, 485, 489, 492, 493, 496, 497, 499, 500, 526, 535, 539, 543, 546, 547, 551, 555, 558, 559, 563, 564, 568, 572, 576, 582, 593, 597, 602, 613, 623, 630, 631
sucrose	213, 216, 300, 507, 509, 513, 590
susceptibility	260
difference	295
subtraction artefacts	117
superconducting magnets	1, 457
suppression	
of ¹³ C singlets	198
of unwanted signals	452
symmetrization	368, 371, 375, 378, 527
symmetry	59, 604
<i>T</i> ₁	160

- $T_{1\rho}$ 155
- T_1/T_2 software 162
- T_2 164
- T_2 artefacts 517
- TANGO (Testing for Adjacent Nuclei with a Gyration Operator) 159, 204
- n-butanol 516, 519, 522
- t*-butanol 305
- temperature
 - calculation program 142, 146
 - calibration 141, 145
 - controller 141, 145, 146
 - gradients 144, 148
 - regulation 667
 - setting 323
 - unit 140
- test procedures 43
- thermal
 - equilibrium 51, 160
 - noise 34
- thermocouple 140
- thermoelement 1
- thiols 2, 72
- thiophosphites 272
- third dimension 616
- three
 - channel spectrometer 448, 666
 - dimensional experiments 616 ff.
 - spin coherence 629
- threonine 722, 743, 750, 763
- tilt 368, 384
- time
 - averaged Hamiltonian 639
 - domain 45, 50
 - increment 362
 - proportional phase increment (TPPI) 364, 380, 381, 383, 384, 387, 390, 410, 413, 431, 446
 - reversed shape 700, 713
- tin-119 NMR 346
- titanium NMR 358
- TMS (Tetramethylsilane) 324, 339, 342
- TOCSY (TOtal Correlation SpectroscopY) 155, 221, 242, 365, 422, 434, 622, 692, 732
 - break-through signals 435
 - spin-lock 429
 - transfer 578
- TOCSY-HN-HSQC 668

top-hat	470
TOSS (TOtal Suppression of Side-bands)	634, 649, 653
total correlation	425
TPPI (Time Proportional Phase Increment)	364, 380, 381, 383, 384, 387, 390, 410, 413, 431, 446, 678, 681
TPPM	634, 660
transferred NOE measurement	298
transient method	430, 495
transition states	59, 273
transmitter	5
attenuation	16, 425
offset	45, 363
phase	36, 38
power switching	156
pulse-duration	15, 18
transverse	
magnetization	48, 186, 199, 206, 375, 391, 407
relaxation	158, 160, 164
trapezoidal window	54
trialkylphosphites	272
triangle	
field sweep	313
modulation	5
triethylenglycol	516, 519, 522
trifluoroaniline	338
trim pulse	243, 696
triphenylphosphane	448, 449, 626, 627
triple	
resonance probe-head	448
tuned probe-head	563
TROSY (Transverse Relaxation Optimized Correlation SpectroscopY)	668, 688
tryptophane	763
tuning	
a probe-head	3
tuning and matching	3
with a reflection meter	3
with a wobble generator	3
two constant time periods	746
two-dimensional experiments	362, 525
two-site exchange	149, 157
ubiquitin	666, 669, 674, 679, 680, 684, 689, 694, 700, 707, 713, 720, 734, 741, 748, 755, 762, 775, 781, 787
UNIX	3
unpaired spin	308

unrestricted diffusion	467
unshifted sinusoidal windows	450
urea	671
VACP (Variable Amplitude Cross Polarization)	634
valence isomerization	140
valine	722, 757, 763, 776
van der Waals interaction	279
vector diagrams	203
vibrational	
averaging	323
levels	286
viscosity	433, 469
vitamin C	290
vodka	315
volume	
integrals	365, 446
susceptibility	306
vortex	9
WALTZ	16, 675, 786
WATERGATE (WATER suppression by GrAdient Tailored Excitation)	454, 506, 509, 686
pulse	684
water	455, 636
distribution	457
flip-back pulse	670, 673, 710, 718, 723, 76
water suppression signal	33, 159, 215, 258, 283, 454, 463, 512, 534, 673
by an exchange reagent	283
by excitation sculpting	509
by pre-saturation	213
by the jump-and-return method	216
by WATERGATE	506
by WET	512
waveform memories	219
W-coupling	377
WET (Water suppression Enhanced through T_1 effects)	454, 512
Wheat Germ Agglutinin	299
wide-bore magnet	637
WIN-DAISY	60
window function	46, 52, 54, 364, 419, 423, 427, 431, 435, 446, 616
Windows-NT	3
wobble generator	3
wobbling curve	3, 4
workstation	3
X-filter	578
X,Y correlation	448

zero	
-filling	46, 51, 55, 364
memory	45
-order	7
-order phase correction	535
zero-quantum coherence	602, 603
z-gradient	453
z-gradient probe-head	11, 12
z-homogeneity	12
zz-filter	477, 578, 607, 673, 678
ω_1 -decoupled COSY	530
ω_1 half-filtered TOCSY	575
Ξ -scale	272, 324, 360, 667, 675, 680, 685, 690, 695, 701, 708, 714, 720, 728, 735, 742, 749, 757, 763, 769, 776, 782, 788
1D NOE spectroscopy	119
1D INADEQUATE	159, 197, 503
1,1-ADEQUATE	593
1,n-ADEQUATE	597
2D COLOC	134
2D-INADEQUATE	365, 441, 589
2Q-HMBC	585
3D cuboid	667
3D-DOSY	521
3D gs-HSQC-TOCSY	622
3D HCN-NOESY	779
3D H,C,P-Correlation	626
3D-HMBC	630
3D HMQC-COSY	618
3D NOESY	779
4D NMR	779