

Subject Index

a

ab initio methods 25
 acoustic emission technique 51
 adsorption-induced dislocation emission (AIDE) 189
 alloy 718 182, 197, 246
 alloy IN100 184
 alternating current potential drop 50
 aluminium alloy 127, 138, 141, 165, 167, 174, 212
 aluminium-lithium alloy 225
 aluminium-magnesium alloy 143
 anisotropy 75
 – anisotropy factor 79, 109, 113
 – elastic 78, 107, 122
 – strain 116
 – stress 117 ff.
 annihilation 105
 – of dislocations 96
 arcsin \sqrt{P} method 15
 ARMCO iron 150
 aspect ratio a/c 173 ff.
 atomic distance potential 76
 atomic force microscopy (AFM) 72
 austenitic steel 116, 119, 126 f., 143, 174, 235
 automated EBSD 62 f.

b

backscattered electrons 58
 Barkhausen emission 73
 barrier strength 150, 213, 215
 Basquin relationship 5, 15
 Bauschinger effect 5
 BCS crack 33, 214, 219
 beach marks 57
 bicrystals 64, 206 ff.
 blunting 148
 boundary conditions 228

boundary-element method (BEM) 28, 226
 Bragg angle Θ 60 f.
 Bragg condition 60
 Brandon criterion 69
 brittle–ductile transition temperature (BDTT) 57
 Burgers vector 80, 226

c

carbon steel 127
 carburization 123
 cast iron 163
 cell structures 97
 cellular metals 129 ff.
 – open-cell 45, 129
 – closed-cell 45, 129
 CMOD *see* crack mouth opening displacement
 coherent 103
 cohesive energy 245
 cohesive strength 25
 cohesive zone 188, 196
 – dislocation density 248
 cohesive-zone model 247
 coincident site lattice (CSL) 68
 compact-tension specimen 52
 compatibility
 – condition 28
 – plastic 144
 compliance tensor 108, 110 ff.
 compression modulus 75
 computer tomography 55, 73
 conjugate slip system 92
 convergent beam electron diffraction (CBED) 63
 copper 116, 119, 141, 147, 248
 corrosion 123
 counting methods 17
 crack-arrest lines 58

- crack branching 175
 - crack closure 7, 17, 22, 138, 211, 228 f., 232
 - development in the short-crack regime 164 ff.
 - effects 51, 152 ff., 239
 - fluid-induced 155
 - geometry-induced 155, 233, 241
 - measurements 47
 - oxidation-induced 155, 162 ff.
 - plasticity-induced 154, 156 ff., 241
 - roughness-induced 155, 161 f., 165
 - stress-induced 154
 - steady state 165
 - transformation-induced 155, 162 ff.
 - transient regime 169
 - two-parameter approach 160, 163
 - crack coalescence 173, 179 ff., 239
 - crack-course lines 58
 - crack deflection 143, 158, 165
 - crack initiation 99 ff., 117, 119 ff.
 - elastic anisotropy 107 ff.
 - elevated temperature 123 ff.
 - environmental effects 123 ff.
 - grain boundaries 107, 120
 - inclusions 102 ff.
 - intercrystalline 119, 123
 - persistent slip bands 104 ff.
 - pores 102 ff.
 - transcrystalline 119
 - transgranular 126 ff.
 - twin boundaries 117
 - crack mouth opening displacement (CMOD) 166 f., 176
 - crack propagation 135 ff., 139 ff.
 - brittle 186
 - crystallographic 139, 143
 - intercrystalline 181 ff., 186
 - multiple-slip 169
 - oscillating 141 ff., 212
 - rate 138, 177, 182
 - scatter 173
 - single-slip 169
 - statistics 217
 - time-dependent 242
 - transgranular 139 ff.
 - transition, mode II to mode I 171 ff.
 - velocity 194
 - crack-opening modes 27
 - crack-opening stress-intensity factor 22
 - crack-propagation
 - measurements 48 ff.
 - rate 224, 226
 - crack-resistance curve 51
 - crack-tip
 - blunting 34
 - opening displacement (CTOD) 24, 34, 60, 216
 - plasticity 8
 - crack-tip-slide displacement (CTSD) 165, 216
 - creep 124, 194, 242, 247 f.
 - corrosion 182
 - pores 189
 - critical plane 18
 - critical shear stress 80, 231
 - cross slip 87
 - crystal coordinate system 65, 110, 116
 - crystal plasticity 114
 - crystallographic misorientation 218, 235
 - crystallographic orientation (distribution) 59 ff., 108, 165
 - factor 218, 222
 - relationship 65 ff.
 - CSL grain boundaries 120, 125, 197, 247
 - CSSC *see* cyclic stress–strain curve
 - CTOD *see* crack-tip opening displacement
 - CTSD *see* crack-tip-slide displacement
 - Δ CTSD 221, 223 f., 226, 228
 - cutting stress 89
 - cutting dislocations 83
 - cycle duration 182
 - cyclic bending 18
 - cyclic crack-tip opening 8
 - cyclic creep 12, 132
 - cyclic deformation 94 ff.
 - cyclic exponent of strain hardening 14
 - cyclic hardening 12, 42, 95
 - cyclic plastic zone 34
 - cyclic relaxation 12
 - cyclic softening 12, 42
 - cyclic strength coefficient 14
 - cyclic stress–strain behavior 11
 - cyclic stress–strain curve 13, 16, 41
 - cyclic torsion 18
 - cyclic yield strength 234
- d**
- damage
 - accumulation approach 1
 - parameters 17
 - sum 6
 - damage-tolerant approach 19 ff., 208
 - decohesion 244
 - deformation
 - bands 131
 - mechanisms maps 89

- diffusion
 - bonding 204
 - differential equation 244
- direct current potential-drop (DCPD) 49
- dislocation
 - climb 181
 - dipole 83
 - dynamics 218
 - mathematical 226
 - pairing 126, 140
 - pileup 92
 - source 93, 221, 231
 - structures 94
 - theory 6, 80 ff.
- dislocation-density distribution 219 ff.
- distributed dislocations 33
- double slip 139
- Dugdale approach 32 ff., 216
- duplex steel 126, 139, 146 f., 150, 168, 174, 232 ff., 235, 237
- dwelt time 182, 192, 196
 - cracking, modeling 242 ff.
- dynamic embrittlement 181 ff., 186, 243 ff.
 - alloy 718 192 ff.
 - governing equation 245
 - mechanism 187, 191, 243 ff.
 - model 243 ff.
 - process zone 247
- e**
- EBSD *see* electron backscattered diffraction
- eddy-current testing 49
- edge dislocation 81
- effective stress-intensity factor 155, 170
- EGM model 105
- elastic anisotropy 113, 122, 174
 - analytical calculation 116 ff.
- elastic constants 109 ff.
- elastic deformation 76 ff.
- elastic–plastic fracture mechanics (EPFM) 8, 24
- electrochemical fatigue sensor (EFS) 73
- electro-discharge machining 45
- electrolytic thinning 70
- electron backscattered diffraction (EBSD) 55 f., 58 ff., 110, 115, 226, 232
- electron channeling contrast 58
- electron diffraction 60
- electron microscopy 6
- electropolishing 44, 62
- energy release rate 51
- energy-dispersive X-ray spectroscopy (EDS) 55
- environmental effects 242
- epitactic NiO 184
- equilibrium conditions 27, 118
- equilibrium crack depth a 179
- Euler angles 67
- extrusions 105
- f**
- fail-safe 19
- fatigue-crack-propagation
 - approach 207
 - rate 184, 221
- fatigue life 100
 - assessment 207 ff.
 - prediction 15, 24
- fatigue limit 15, 127 ff., 137, 143, 210
- fatigue notch factor 16
- fatigue-loading spectra 17
- ferritic steel 150, 180, 235
- field emission gun 56
- finite element method 28, 113 ff., 158
- foam 129
- focused ion beam milling (FIB) 48, 55, 70
- foreign object damage (FOD) 101
- forest dislocations 84, 141
- four-point bending 192
- fracture mechanics 25 ff.
- fracture surfaces 56, 195
- fracture toughness 51 ff.
- Frank–Read source 86
- friction stress 88 f., 215, 219, 225, 228, 235
- frictional corrosion 162
- g**
- γ' phase 182, 184
- geometry functions Y 29
- glancing incidence 61
- grain boundary 150
 - design 197
 - energy 68
 - engineering 197 ff.
 - geometry 68
 - plane 144
 - sliding 124
 - width 125
- grain-boundary diffusion 125, 190, 199, 245
 - coefficient 247
 - stress-induced 187
 - sulfur 190
- grain-boundary facets 183
- grain-boundary structure 244
- grain size 165, 235
 - effects 149 ff., 197

Green functions 228
Griffith approach 25 ff.

h

Hall–Petch relationship 93, 141, 231, 233 ff.
HCF (high-cycle fatigue) 12, 99, 102, 120, 135, 141, 161, 180, 208
heat affected zone (HAZ) 189
hexagons 217
high-temperature corrosion 124, 182
homogenization 129
Hooke's law 10, 78, 108
Hough transformation 63
Hull–Rimmer model 189
hydrogen embrittlement 188
hydrogen-enhanced localized plasticity (HELP) 188
hydrogen-induced failure 57

i

in situ observation 54 ff.
inclusions 127
incompatibility 120
– crack faces 158
– elastic 120
– plastic 120, 122, 126
incremental step test (IST) 41
incubation time 192
inhomogeneous materials 129 ff.
inspection intervals 21
intercrystalline corrosion 198
intercrystalline crack
– initiation 114
– oxygen-induced 243
interferometric strain/displacement gauge (ISDG) 47
internal oxidation 123 f.
interstitial dipoles 106
intrusions 105
ion-thinning 70
irreversibility 12
– limit 127
– plastic deformation 80, 148
– slip 145, 213
Irwin approach 31
ISDG 110, 166, 176
– technique 46 ff.

j

J integral 8, 34, 51, 53, 180, 207
– cyclic 24, 36
jog 83

k

K concept 22, 179
– of LEFM 27 ff.
 ΔK concept 211
 $\Delta K^*/K_{\max}$ thresholds 163 f.
Kachanov-type damage functions 248
Kikuchi
– lines 61
– pattern 61
kink 83
Kitagawa–Takahashi diagram 209, 222
Kossel cones 60, 62
Kurdjumov–Sachs relationship 150

l

Laird model 148
laser-shock peening 101
lattice spacing 80
Laue camera 64
LCF (low-cycle fatigue) 11, 120, 172, 182, 192
linear-elastic fracture mechanics (LEFM) 7, 23, 179
liquid-metal embrittlement (LME) 188
load cell 40
load history effects 240
load relaxation 192, 201, 205
load sharing 151 ff.
load-shedding method 51
local-strain approach 16
local-stress approach 207
Lomer–Cottrell locks 86
long cracks 136
low-carbon steel 212
Lüders band formation 12

m

Manson–Coffin relationship 6, 15, 42
martensite formation 126, 163
Masing
– behavior 14
– model 98
mean strain 12
mean stress 12, 22
metallic bonding 76
microstructural barriers 137
microstructural fracture mechanics (MFM) 24
microstructurally short fatigue cracks 20, 99 ff., 135 ff.
Miner rule 6, 17
misorientation 65, 144
– angles 65
– axes 65

- crack factor 119
 - matrix 65
 - mixed-mode loading 27
 - modeling, three-dimensional 239 ff.
 - multiple slip 146 f.
 - plastic blunting 237
- n**
- Nabarro–Herring creep 89
 - Nabarro–Peierls stress 80, 85 f., 88
 - Navarro–de los Rios model 141, 218 ff.
 - Neuber’s rule 16
 - Neumann model 147
 - Newman–Raju model 175
 - nickel 119
 - nickel-base alloy IN718 150, 163
 - nickel-base alloy IN783 123, 162, 181 ff.
 - niobium carbides 184, 186
 - nitridation 123 f.
 - nominal-stress approach 15
 - noncoherent 103
 - Norton exponent n 37, 248
 - Norton’s creep law 89
 - notch 11
 - approach 207
 - factors 6
 - stress concept 16
- o**
- orientation matrix 65
 - Orowan
 - equation 84
 - mechanism 152
 - oscillating crack-propagation velocity 190, 244
 - overloads 153 ff.
 - compressive 159 f., 168
 - tensile 160, 168, 171
 - oxygen effect 183 ff.
 - oxygen partial pressures 192
 - oxygen solubility 196
- p**
- packing density 90
 - pairing of dislocations 126, 140
 - Palumbo–Aust criterion 206
 - parabolic oxidation 186
 - Paris law 7, 19, 21, 51, 136, 207, 211, 242
 - passing stress 88
 - Peach–Koehler equation 82
 - Peierls–Nabarro stress 141
 - persistent slip bands 7, 59, 96
 - phase boundaries 150
 - PID controlling 41
 - pileup 122, 126, 140, 213
 - plain carbon steel 168, 212
 - planar slip 140, 153
 - plane strain 34, 102, 127, 157, 174
 - plastic deformation 80 ff.
 - plastic-strain amplitude 12
 - plastic-strain control 41
 - plastic wake 154, 159, 161, 164
 - plastic zone 31
 - correction 31
 - size 34, 210, 216
 - plateau stress 96
 - Poisson ratio 28, 32, 75
 - pore formation 125
 - positron annihilation 73
 - potential-drop technique 49
 - power-law creep 37
 - precipitates 103, 122, 149 ff., 152
 - principal stresses 79
 - protrusions 96, 106
- r**
- rainflow-counting approach 17
 - Ramberg–Osgood equation 14, 36
 - random-grain-boundary network 203
 - replica technique 49, 54
 - reproducibility 74 f.
 - residual stresses 100 ff.
 - resolved shear stress 91, 171
 - Reuss theory 111
 - ripples 148
 - roller hardening 101
 - rotating bending 5, 39
 - rotation matrix 79
- s**
- Sachs factor 94, 222
 - safe-life design 19
 - saturation 13
 - scanning electron microscopy (SEM) 55
 - Schmid factor 91, 115 ff., 222
 - screw dislocation 81
 - segregation 188
 - selected area diffraction (SAD) 63
 - semi-coherent 103
 - sensor elements 231
 - SENB *see* single-edge notched bend
 - service-life prediction 9, 19
 - servohydraulic testing machines 40
 - shallow notch 43
 - shear modulus 28, 75, 80
 - Shockley partial dislocations 87

- short cracks 8
 - aspect ratio a/c 173 ff.
 - chemically 136
 - definition 136 ff.
 - mechanically 136
 - microstructurally 136 f., 149 ff.
 - model, Navarro–de los Rios 217, 218 ff.
 - models 211 ff.
 - physically 136
 - propagation, numerical modeling 226 ff.
 - three-dimensional 173
 - shot peening 100
 - single-edge notched bend (SENB) 45, 49, 192
 - single-slip crack mechanism 145
 - skin effect 50
 - slip
 - crystallographic 80
 - irreversibility 102, 104
 - planarity 122, 188
 - planes 83
 - steps 104, 122
 - systems 90
 - transmission 121, 126, 140, 149 ff.
 - slip-band crack 114, 142
 - facets 143
 - propagation mechanism 145
 - slip-blocking model 217
 - Smith–Watson–Topper parameter 17
 - Sneddon equations 28
 - solid-metal embrittlement (SME) 188
 - special grain boundaries 69, 197
 - specimen coordinate system 65, 110, 116
 - specimen geometries 43 ff.
 - SRR99 124
 - stacking fault energy (SFE) 88
 - stage Ib 139, 149
 - stage II 139, 149
 - staircase method 15
 - steady-state crack velocity 245
 - steel
 - A508 189
 - CrMoV 163
 - stiffness tensor 77, 108
 - strain
 - control 41
 - delocalization 106
 - gauge 40, 46
 - hardening 87
 - tensor 77
 - strengthening mechanisms 89
 - stress
 - control 41
 - intensity factor 19, 29, 140, 192, 207
 - raisers 11
 - ratio 12, 77, 159, 162
 - stress-assisted grain boundary oxidation (SAGBO) 184, 243
 - stress-corrosion cracking 184
 - stress-intensity factor 7
 - effective 22
 - threshold 23
 - stress-relief cracking 189, 243
 - stress–strain
 - analysis 47
 - hysteresis 12 ff.
 - striations 7, 147, 183, 195
 - structure-stress approach 207
 - superalloys 182, 242
 - surface
 - diffusion 249
 - energy 26
 - roughness 100, 161
 - synchrotron radiation 55, 68
 - synthetic microstructure 232 ff., 238
- t**
- Taylor factor 94, 222
 - TEM *see* transmission electron microscopy
 - temperature dependence of plastic deformation 86
 - tensile test 10
 - thermomechanical fatigue (TMF) 54
 - thermomechanical processing (TMP) 199 ff.
 - threshold 156, 214
 - stress-intensity factor 20
 - tilt misorientation angle Φ 144
 - titanium alloy
 - LCB 44, 111, 120, 126, 142, 146, 150, 153, 167, 174 f., 177, 180, 224, 231
 - Ti-2.5 Cu 161
 - Ti-6Al-2Sn-4Zr-6Mo 176
 - Ti-6Al-V4 143, 159
 - total-life design 15 ff
 - transition
 - long-crack propagation 210, 224
 - mode II to mode I 236
 - short-crack propagation 210, 224
 - short to long crack behavior 172, 236
 - transmission electron microscopy (TEM) 55, 70 f., 141
 - diffraction 63 f.
 - traveling microscope 54
 - Tresca stress 32
 - triple points 126
 - twin boundaries 116
 - twinning 90

twist misorientation 121
– angle ξ 144
two-parameter approach 164

u

ultrahigh-cycle fatigue (UHCF) 102, 127
ultrasonic detection 21
ultrasonic measurements 109
– Young's modulus 109
ultrasonic testing 49
unbounded solution 220

v

vacancy dipoles 106
Versailles accident 4
very high-cycle fatigue (VHCF) 102, 120,
127, 135, 208
vibro-polishing 62
Voigt theory 111
von Mises stress 32
Voronoi algorithm 218, 233

w

Waspalloy 61
water vapor 183 ff.
– effect 194
Wöhler diagram (S/N curve) 4, 15, 39, 128,
207
work hardening 148

x

X-ray diffraction 63 f., 72

y

yield strength 10
Young's modulus 10, 75 f., 107, 109

z

Z integral 36
zirconium alloy Zircaloy 179

