

# Index

## Numbers

8-bit mode, image editing, 230

## A

ACDSee, image viewer/organizer, 224

action shots, Shutter-priority AE (Tv) mode, 44–45

action/sports photography, 125–130

A-DEP (automatic depth of field) mode

architectural photography, 125

autofocus points, 7

Creative Zone mode, 6

group shots, 42–43

Adobe Camera Raw

black-and-white image conversions, 131

digital noise reduction, 72

upsampling, 157

Adobe Lightroom, black-and-white image

conversions, 131

Adobe Photoshop Elements, 228–230

Adobe RGB color space, when to use, 32

AE (Auto-exposure) lock, exposures, 49–50

AEB (Auto Exposure Bracketing), tricky

lighting conditions, 48–49

aesthetics, still-life photography, 193

AF (Autofocus) points, selection criteria, 53–55

AF (Autofocus) system

AE (Auto-exposure) lock, 49–50

focusing modes, 52–53

metering modes, 46–47

AF Point Selector button, AF point selections,

54–55

AI Focus AF mode, still subjects, 52

AI Servo AF mode, moving subjects, 52

alternative processing, fine-art photography, 157

amateur/local events, action/sports photography, 130

animal/pet photography, 174–178

Aperture-priority AE mode (Av)

aperture settings, 75

candid photography, 141

Creative Zone mode, 6

day-to-day shooting, 43–44

environmental portrait photography, 147

silhouettes, 204

apertures

candid photography, 141

depth of field factor, 76–78

fireworks photography, 167

intensity element, 73–76

telephoto lenses, 102

wide angle lenses, 100

architectural photography, 120–125

assistants, child photography, 146

atmospheric temperature, color temperature, 85

auto bracketing, white balance settings, 26

auto clean, overriding, 2

Auto Exposure Bracketing (AEB), tricky

lighting conditions, 48–49

Auto Focus

point-and-shoot pictures, 2

portrait photography, 146

viewfinder display, 18

Auto Playback, slide show view, 57–58

Auto reset, file numbering method, 33

Auto White Balance (AWB), 24–27

Auto-exposure (AE) lock, exposures, 49–50

Autofocus (AF) points

initial setup, 7

selection criteria, 53–55

Autofocus (AF) system, focusing modes, 52–53

automatic depth of field (A-DEP) mode

architectural photography, 125

autofocus points, 7

Creative Zone mode, 6

group shots, 42–43

automatic sensor cleaning, enabling/disabling,

63–64

Av (Aperture-priority AE) mode

aperture settings, 75

candid photography, 141

Creative Zone mode, 6

day-to-day shooting, 43–44

environmental portrait photography, 147

silhouettes, 204

AWB (Auto White Balance), 24–27

## B

baby/child wrangler, child photography, 146

backdrops

flower/macro photography, 161

landscape/nature photography, 165

- backgrounds
    - environmental portrait photography, 150
    - portrait photography, 182
    - still-life photography, 193
    - symmetry consideration, 113–114
  - backlighting
    - Center-weighted Average metering mode, 47
    - directional light condition, 93
    - Partial metering mode, 47
  - backup gear, wedding photography, 219
  - backups, images, 222
  - Basic Zone modes
    - AF point selection, 53–54
    - aperture settings, 74–75
    - autofocus points, 7
    - automatic settings, 36–37
    - Close-up, 39
    - Evaluative metering mode, 46–47
    - Flash-off, 41
    - Full Auto, 36, 37
    - image quality settings, 23
    - JPEG image quality, 3–4
    - Landscape, 38–39
    - metering modes, 8
    - Night Portrait, 40–41
    - Portrait, 38
    - shutter speeds, 78
    - Sports, 39–40
  - batteries
    - Battery Grip BG-E3, 18
    - charging cycle, 18
    - date/time backup, 18
    - image download issues, 222
    - life span, 19
    - NB-2L lithium-ion Battery Pack, 18
    - operating temperatures, 18
    - photojournalism, 181
  - Battery Grip BG-E3, optional battery pack, 18
  - black-and-white photography, 130–134
  - blemishes, image editing, 229
  - blur shots, shutter speeds, 78
  - bubble level
    - keystoning, 101
    - low-light/night photography, 171
  - burn/dodge, image editing, 230
  - burst rate, Continuous Drive mode, 125
  - burst speed, 27 Large/Fine JPEG images, 19
  - business photography, 135–138
- C**
- camera controls, illustrated, 14–16
  - camera covers, weather/seasonal photography, 212
  - cameras, USB cable connections, 221–224
  - camera-to-subject distance
    - composition element, 116
    - depth of field factor, 76–78
  - candid photography, 138–141
  - Canon EOS Digital Solution, 222–227
  - Canon File Viewer Utility, 224
  - Canon Speedlite 550EX, accessory flash, 184
  - Canon's Digital Photo Professional
    - black-and-white image conversions, 131
    - Dust Delete Data, 63–65
  - captions, stock photography, 198
  - card readers, image downloading, 9, 224–225
  - catch-lights, portrait photography, 184
  - CD/DVD drives, image backups, 222
  - Center-weighted Average, metering mode, 8, 47
  - CF (CompactFlash) Type I/Type II media cards
    - formatting, 19–20
    - image transfers, 9
  - charging cycle, NB-2LH lithium-ion Battery Pack, 18
  - child photography
    - parental permission, 120
    - techniques, 142–146
  - Close-up mode
    - automatic settings, 39
    - Basic Zone mode, 5
  - close-up shots, macro lenses, 103–104
  - clothing, portrait photography, 185
  - clouds, sunrise/sunset photography, 207
  - Cloudy/Twilight/Sunset mode
    - diffused light conditions, 87
    - sunset shots, 87
    - white balance settings, 24–27
  - color corrections, image editing, 229, 230
  - color filters, Monochrome Picture Style, 31–33
  - color hues, lighting element, 83–85
  - color spaces
    - Adobe RGB, 32
    - sRGB, 32
  - color temperature
    - lighting element, 84–85
    - white balance adjustments, 24
  - colors
    - architectural photography, 125
    - business photography, 138
    - composition element, 114–115
    - flower/macro photography, 161
    - sunrise/sunset photography, 207
    - travel photography, 209
    - weather/seasonal photography, 215
  - CompactFlash (CF) Type I/Type II media cards. *See also* media cards
    - formatting, 19–20
    - image transfers, 9

- CompactFlash card door, red access light, 2, 21
  - compensation, exposure, 47–48
  - complementary colors, composition element, 114–115
  - composition
    - business photography, 138
    - colors, 114–115
    - depth of field, 115–116
    - differential focusing, 115
    - focus, 115–116
    - panoramic photography, 174
    - practice techniques, 108–109
    - rule of thirds, 109
    - simple versus complex, 108
    - space/perspective, 116
    - street photography, 199
    - symmetry, 110–114
    - travel photography, 207
    - viewpoints, 116
  - compression, JPEG versus RAW file formats, 22–23
  - computers
    - image transfers, 8–10
    - USB cable downloads, 221–224
  - conceptual shots, stock photography, 195
  - contact sheets, Index Display, 57
  - continuous, file numbering method, 33
  - Continuous Drive mode
    - action/sports photography, 125
    - AEB (Auto Exposure Bracketing), 48–49
    - burst rate, 125
    - child photography, 142
    - pet/animal photography, 175
    - setting, 7–8, 55–56
  - contrast, weather/seasonal photography, 215
  - contrasty light, hard/harsh light conditions, 90–91
  - conversation, portrait photography, 188
  - Creative Zone modes
    - A-DEP (Automatic Depth-of-Field), 42–43
    - AE (Auto-exposure) lock, 49–50
    - AF (Autofocus) modes, 52–53
    - AF point selections, 53–55
    - aperture settings, 75–76
    - Aperture-priority AE (Av), 43–44
    - autofocus point settings, 7
    - Custom Functions, 55
    - Drive mode settings, 7–8
    - environmental portrait photography, 147
    - exposure compensation, 46–47
    - FE (Flash-exposure) lock, 61, 62
    - Flash-exposure lock, 184
    - image quality settings, 23
    - ISO settings, 4
    - JPEG image quality, 3–4
    - JPEG+RAW image quality, 3–4
    - Manual (M), 45
    - metering modes, 8, 46–47
    - Program AE (P), 42
    - shutter speeds, 78
    - Shutter-priority AE (Tv), 44–45
  - cropping, image editing, 229
  - cross keys
    - ISO settings, 4
    - picture scrolling, 2
    - white balance settings, 4
  - current events, photojournalism, 181
  - curved lines, grace symbolization, 113
  - Custom Functions
    - changing, 235–236
    - Creative Zone modes, 55
    - description, 236–237,
  - Custom Function options, 236–237
  - Custom, white balance settings, 24–27
- ## D
- date/time backup battery, 18
  - Date/Time menu, date/time setting, 3, 20–21
  - dates, initial setting, 3, 20–21
  - Daylight mode
    - midday hours, 86–87
    - white balance settings, 24–27
  - day-to-day shots, Aperture-priority AE (Av) mode, 43–44
  - “decisive moment”, street photography, 200
  - depth of field
    - composition, 115–116
    - differential focusing, 115
    - focus element, 76–78
    - increasing/decreasing techniques, 116
    - landscape/nature photography, 165
    - macro lenses, 104
    - panoramic photography, 174
    - Program AE mode, 42
    - street photography, 199
    - telephoto lenses, 102
    - wide angle lenses, 100
  - destinations, travel photography, 207
  - Dfine program, digital noise reduction, 72
  - diagonal lines, strength/dynamic tension, 112
  - differential focusing, depth of field control, 115
  - diffused light
    - soft lighting condition, 91
    - white balance settings, 87
  - digital noise, high ISO settings, 72
  - Digital Photo Professional
    - black-and-white image conversions, 131
    - Dust Delete Data, 63–65
    - RAW format conversion, 225–227
  - diopter adjustments, viewfinder display, 18
  - Direct Image Transfer, image transfers, 9
  - direction, symmetry element, 111

directional light, lighting conditions, 92–93

DISP button

- image histogram display, 51
- image information display, 58–59

distortion, wide angle lenses, 101, 121

dodge/burn, image editing, 230

downloads

- card readers, 224–225
- PCMCIA cards, 225
- USB cable connection, 221–224

drive modes

- Continuous, 55–56
- Single-shot, 55
- switching between, 7–8

Dust Delete Data, obtaining/applying, 63–65

## E

8-bit mode, image editing, 230

electronic flash, white balance settings, 88

elevated shots

- action/sports photography, 130
- flower/macro photography, 161

environmental portrait photography, 146–150

EOS Utility

- image transfers, 9
- USB cable downloads, 222–224

equipment

- theft concerns, 211
- wedding photography, 219

Evaluative metering mode, pros/cons, 8, 46–47

event photography, 150–153

everyday shots, normal lens, 102

exposure bracketing, sunrise/sunset photography, 204

exposure compensation

- landscape/nature, 165
- portrait, 184
- sunrise/sunset, 204

exposures

- AE (Auto-exposure) lock, 49–50
- AEB (Auto Exposure Bracketing), 48–49
- architectural photography, 124
- compensation, 47–48
- equivalent exposures, 80–81
- evaluation techniques, 50–51
- image histograms, 50–51
- intensity, 70, 73–76
- low-light/night photography, 167
- metering modes, 45–47
- scene light, 70
- sensitivity, 70, 71–73
- time, 70, 78–80

extenders

- action/sports photography, 130
- lens focal length, 105–106
- eye level, pet/animal photography, 178

## F

facial expressions, portrait photography, 188

Faithful Picture Style, when to use, 28–31

family albums, photojournalism, 181

fast-action shots, flash-sync speeds, 61

FAT32 file system, media cards, 19

FE (Flash-exposure) lock, Creative Zone modes, 61, 62

file formats

- JPEG (Joint Photographic Experts Group), 22–23
- RAW, 22–23

files, numbering conventions, 33

filters

- black-and-white, 131–132
- fine-art, 157
- landscape/nature, 161

fine-art photography, 154–157

fireworks photography, 167

firmware, updating, 231–232

flash

- built-in versus external, 60–61
- business photography, 138
- candid photography, 141
- event photography, 151
- fast-action scenes, 61
- Flash-exposure (FE) lock, 61, 62
- low-light conditions, 88
- pet/animal photography, 175
- portrait photography, 183–184
- Red-eye reduction, 61
- wedding photography, 219
- white balance settings, 24–27

Flash off, Basic Zone mode, 5

flash photography, 184

Flash-exposure (FE) lock, Creative Zone modes, 61, 62

flashlights, low-light/night photography, 171

Flash-off mode, automatic settings, 41

flash-sync speed, shutter speeds, 60–61

flower/macro photography, 157–161

fluorescent light, white balance settings, 89

focal length

- depth of field factor, 76–78
- environmental portrait photography, 149
- lens extender, 105–106
- macro lenses, 103
- multiplication factor, 99–100

## focus

- AF (Autofocus) points, 53–55
- AF (Autofocus) system, 52–53
- autofocus beep, 39
- composition, 115–116
- depth of field factor, 76–78
- flower/macro, 161
- low-light/night, 171
- pet/animal, 178
- portrait, 188
- still-life, 193

fog, weather/seasonal photography, 213

food photography, shallow depth of field, 76

## freeze frames

- fast shutter speeds, 125
- shutter speeds, 78, 80
- Sports mode, 39

front camera controls, illustrated, 14

front lighting, directional light condition, 92

f-stop. *See* apertures

## Full Auto mode

- automatic settings, 37
- Basic Zone mode, 5
- illustrated, 36
- point-and-shoot pictures, 2
- versus Program mode, 41

## G

gallery prints, fine-art photography, 157

give-and-take, child photography, 146

## Green filter

- black-and-white photography, 132
- Monochrome Picture Style, 31

## group shots

- A-DEP mode, 42–43
- business photography, 138
- extensive depth of field, 76
- posing techniques, 183

## H

hand position, portrait photography, 188

hard/harsh light, contrasty light conditions, 90–91

harmonizing colors, composition element, 114–115

## histograms

- image evaluations, 50–51
- landscape/nature photography, 161

horizontal lines, stability/peacefulness, 112

horizontal shots, rule of thirds, 109

## I

image quality, JPEG versus RAW file formats, 22–23

image series, fine-art photography, 157

images. *See also* pictures

- Auto Playback, 57–58
- backing up, 222
- deleting concerns, 211
- digital noise checking, 72
- DISP button information display, 58–59
- editing techniques, 228–230
- erasing, 59
- Index Display, 57
- keyword organization, 222
- magnifying, 59
- protecting, 59
- recording quality setting, 3–4
- single-image playback, 56–57
- viewing, 56–59
- white balance auto bracketing, 26

## Index Display

- electronic contact sheet view, 57
- magnifying images, 59

## inspirations

- action/sports, 127
- architectural, 122
- black-and-white, 132
- business, 135–136
- candid, 139
- child, 144
- environmental portrait, 147
- event, 151
- fine-art, 155
- flower/macro, 158
- landscape/nature, 163
- low-light/night, 168
- panoramic, 172
- pet/animal, 175–176
- photojournalism, 179
- portrait, 185
- still-life, 190
- stock, 195
- street, 199–200
- sunrise/sunset, 205
- travel, 209
- weather/seasonal, 213
- wedding, 217

intensity, exposure element, 70, 73–76

International Organization for Standardization (ISO)

- initial setup, 4
- sensitivity, 71–73

## J

jagged lines, tension, 113

Joint Photographic Experts Group (JPEG) file format

- when to use, 22–23
- white balance auto bracketing, 26

## K

- keystoning, wide angle lens, 101
- keywords
  - image organization, 222
  - stock photography, 198

## L

- landmarks, travel photography, 209
- Landscape mode
  - automatic settings, 38–39
  - Basic Zone mode, 5
  - narrow aperture settings, 74
- landscape/nature photography
  - extensive depth of field, 76–77
  - techniques, 161–165
- Landscape Picture Style
  - landscape/nature, 162
  - when to use, 28–31
- laptops, PCMCIA card downloads, 225
- large objects, panoramic photography, 174
- LCD display
  - approximate image remaining information, 19
  - illustrated, 16–17
  - shutter speeds, 78
- left/right cross keys, picture scrolling, 2
- lens controls, illustrated, 14–15
- lenses
  - action/sports, 125–129
  - aperture settings, 73–76
  - architectural, 120–125
  - candid, 139–141
  - children, 143–145
  - environmental portrait, 147–149
  - events, 151–153
  - extenders, 105–106
  - fine-art photography, 154
  - fireworks photography, 167
  - flower/macro photography, 157–159
  - focal-length multiplication factor, 99–100
  - landscape/nature, 162–164
  - macro, 97, 103–104
  - normal, 96, 100, 102
  - panoramic photography, 171–173
  - pet/animal photography, 175, 177
  - photojournalism, 178–180
  - portraits, 182, 187
  - shutter speeds, 78–80
  - single-focal-length (prime), 97, 98–99
  - still-life photography, 189–192
  - stock photography, 194–197
  - street photography, 199, 202
  - sunrise/sunset, 203, 205–206
  - telephoto, 96–97, 100, 102–103
  - tilt-and-shift, 121
  - weather/seasonal, 212–214
  - wedding photography, 216–219
  - wide angle, 96, 100–102
  - zoom, 97–98
- lens flare, backlighting product, 93
- lighting
  - action/sports photography, 130
  - AE (Auto-exposure) lock, 49–50
  - AEB (Auto Exposure Bracketing), 48–49
  - aperture settings, 73–76
  - architectural photography, 121
  - backlighting, 93
  - black-and-white photography, 134
  - color hues, 83–85
  - color temperatures, 84–85
  - diffused, 87
  - directional lighting conditions, 92–93
  - electronic flash, 88
  - environmental portrait photography, 150
  - event photography, 153
  - flower/macro photography, 161
  - fluorescent light, 89
  - front, 92
  - hard/harsh light conditions, 90–91
  - ISO settings, 4, 71–73
  - landscape/nature photography, 165
  - metering modes, 8, 45–47, 90
  - midday, 86–87
  - portrait photography, 183
  - shutter speeds, 78–80
  - side, 92
  - soft light conditions, 91
  - street photography, 203
  - sunrise, 86
  - sunset, 87
  - top, 92
  - travel photography, 209
  - tungsten light, 88–89
  - white balance settings, 4, 24–27
- lines, 112–113, 125
- lithium-ion batteries
  - charging cycle, 18
  - life span, 19
- local/amateur events, action/sports photography, 130
- locations
  - environmental portrait, 150
  - events, 153
  - pet/animals, 175
  - travel photography, 207, 209
  - weddings, 219
- Long Exposure Noise Reduction, low-light/night photography, 167
- lossless compression, RAW format, 23

lossy compression, JPEG format, 22

low-light shots

- architectural photography, 125
- Flash-off mode, 41
- shallow depth of field, 76
- Shutter-priority AE (Tv) mode, 44–45

low-light/night photography, 165–171

L-series Canon lenses, lens extender, 105–106

## M

M (Manual) mode

- aperture settings, 75–76
- automatic setting override, 45
- Creative Zone mode, 6
- fireworks photography, 167
- low-light/night photography, 166

macro lenses

- depth of field, 104
- focal lengths, 103
- magnification factors, 104
- when to use, 97

macro shots, Close-up mode, 39

macro/flower photography, 157–161

magnification

- Index Display, 59
- macro lens factor, 104

Manual (M) mode

- automatic setting override, 45
- aperture settings, 75–76
- Creative Zone mode, 6
- fireworks photography, 167
- low-light/night photography, 166

Manual reset, file numbering method, 33

marketability, stock photography, 198

media cards. *See also* CompactFlash (CF) Type I/Type II media cards

- CF (CompactFlash) Type I/Type II, 19–20
- FAT32 file system, 19
- file numbering methods, 33
- formatting, 19–20
- red access light, 21
- shooting pictures without, 20
- speed ratings, 19

metadata, date/time information, 20–21

metering modes

- AE (Auto-exposure) lock, 49–50
- Center-weighted Average, 47
- Evaluative, 46–47
- Partial, 46, 47
- switching between, 8

microdrives, Digital Rebel XTi400D support, 19

midday, white balance settings, 86–87

mixed-light shots, custom white balance settings, 26–27

Mode dial

- Basic Zone modes, 3–5, 36–41
- Creative Zone modes, 3–6, 41–45
- Full Auto mode, 2, 36, 37

moisture, weather/seasonal photography, 212

Monochrome Picture Style

- black-and-white photography, 131–132
- fine-art photography, 157
- toning effects, 31–33
- when to use, 28–31

motion blurs, slow shutter speeds, 125

moving subjects, AI Servo AF mode, 52

## N

natural forms, black-and-white photography, 134

nature shots, Portrait mode, 38

nature/landscape photography, 161–165

NB-2LH lithium-ion Battery Pack, charging cycle, 18

NDGrad filter, landscape/nature photography, 161

NeatImage, digital noise reduction, 72

Neutral Picture Style, when to use, 28–31

Night Portrait mode

- automatic settings, 40–41
- Basic Zone mode, 5

night/low-light photography

- architectural photography, 125
- techniques, 165–171

NIK Software's Dfine, digital noise reduction, 72

Noise Ninja, digital noise reduction, 72

normal lenses

- everyday shots, 102
- focal-length multiplication factor, 100
- still-life photography, 189
- when to use, 96

## O

One-Shot AF mode, still subjects, 52

operating temperatures, batteries, 18

Orange filter

- black-and-white photography, 132
- Monochrome Picture Style, 31

outdoor shots, rule of thirds, 109

## P

P (Program AE) mode

- aperture settings, 75–76
- shiftable mode, 5, 42
- Creative Zone mode, 5

panning, blurring background elements, 125

panoramic photography

- Manual (M) mode, 45
- techniques, 171–174

Partial metering mode, spot meter equivalent, 8, 46, 47

patience, candid photography, 141  
 PCMCIA cards, image downloading, 225  
 people, travel photography, 207, 209  
 permissions  
   event photography, 153  
   photojournalism, 181  
   privacy issues, 120  
 perspective  
   business photography, 138  
   composition element, 116  
   telephoto lenses, 102  
   wide angle lenses, 101  
 pet/animal photography, 174–178  
 photo “stories”, street photography, 203  
 photography  
   image backups, 222  
   keyword organization, 222  
   privacy issues, 120  
 photojournalism, 178–181  
 Photoshop CS, image editing techniques, 228–230  
 Photoshop, upsampling, 157  
 PhotoStitch, panoramic photos, 172  
 Picture Styles  
   Faithful, 28–31  
   Landscape, 28–31  
   Monochrome, 28–31  
   Neutral, 28–31  
   Portrait, 28–31  
   Standard, 28–31  
   still-life photography, 193  
   user-defined, 30, 31–32  
 pictures. *See also* images  
   metadata information, 20–21  
   point-and-shoot, 2  
   scrolling, 2  
   shooting without media cards, 20  
   USB cable download, 221–224  
 place-and-space, architectural photography, 125  
 playback  
   Auto Playback, 57–58  
   DISP button information display, 58–59  
   Index Display, 57  
   single-image, 56–57  
 Playback button, picture scrolling, 2  
 point-and-shoot pictures, Full Auto mode, 2  
 polarizing filters  
   architectural photography, 124  
   landscape/nature photography, 162  
 portfolios, stock photography, 198  
 Portrait mode  
   automatic settings, 38  
   Basic Zone mode, 5  
   environmental portrait photography, 147  
   wide aperture settings, 74  
 portrait photography, 182–188

Portrait Picture Style, when to use, 28–31  
 portraits  
   rule of thirds, 109  
   shallow depth of field, 76–77  
 poses  
   environmental portrait photography, 150  
   portrait photography, 184, 188  
 positional shots, event photography, 153  
 prime (single-focal-length) lenses, pros/cons, 98–99  
 privacy issues, public/private locations, 120  
 private property, privacy issues, 120  
 Program AE mode (P)  
   aperture settings, 75–76  
   Creative Zone mode, 5  
   shiftable mode, 5, 42  
   versus Full Auto mode, 41  
 props, portrait photography, 182  
 protection, images, 59  
 psychology skills, wedding photography, 219  
 public property, privacy issues, 120

## Q

Quick Tour  
   auto clean override, 2  
   Auto Focus, 2  
   autofocus point setup, 7  
   Basic Zone modes, 3–4, 5  
   CompactFlash card door, 2  
   Creative Zone modes, 3–4, 5–6  
   date/time setting, 3  
   Drive modes, 7–8  
   Full Auto mode pictures, 2  
   image recording quality settings, 3–4  
   image transfers, 8–10  
   initial pictures, 1–3  
   ISO settings, 4  
   metering modes, 8  
   picture scrolling, 2  
   Playback button, 2  
   white balance settings, 4

## R

rain/snow, weather/seasonal photography, 212–213  
 RAW format  
   fine-art photography, 157  
   histogram evaluation, 51  
   image conversions, 225–227  
   when to use, 22–23  
 rear camera controls, illustrated, 15–16  
 Red filter  
   black-and-white photography, 132  
   Monochrome Picture Style, 31  
 Red-eye reduction, supported exposure modes, 61

reflectors, travel photography, 211  
 research, travel photography, 207, 211  
 resolutions, stock photography, 194  
 right/left cross keys, picture scrolling, 2  
 rule of thirds, composition, 109

**S**

safety, low-light/night photography, 171  
 scale, landscape/nature photography, 165  
 scene coverage, telephoto lenses, 102  
 scene framing, landscape/nature photography, 165  
 scene light, exposure element, 70  
 scrapbooking, photojournalism, 181  
 scrim, diffuse light, 87  
 seasonal/weather photography, 212–215  
 Self-timer/Remote control mode  
   AEB (Auto Exposure Bracketing), 48–49  
   Drive mode setting, 7–8, 55  
   low-light/night photography, 171  
 sense of balance, symmetry element, 111  
 sense-of-place, landscape/nature photography, 165  
 sensitivity, exposure element, 70, 71–73  
 sensors  
   auto clean override, 2  
   automatic cleaning, 63–64  
   focal-length multiplication factor, 99–100  
   ISO settings, 4  
   shutter speeds, 78–80  
 session planning, child photography, 146  
 Shade, white balance settings, 24–27  
 shadow compensation, business photography, 138  
 sharpness, image editing, 230  
 Shutter button  
   auto clean override, 2  
   Auto Focus point, 2  
   restoring LCD/viewfinder display, 17  
 shutter speeds  
   action/sports photography, 130  
   flash-sync speed, 60–61  
   freeze motion, 125  
   increasing/decreasing, 78–80  
   motion blurs, 125  
   Program AE mode, 42  
 Shutter-priority AE mode (Tv)  
   Creative Zone mode, 6  
   low-light shots, 44–45  
 side lighting, 47, 92  
 silhouettes, sunrise/sunset photography, 204  
 Single  
   AEB (Auto Exposure Bracketing), 48–49  
   Drive mode setting, 7–8, 55  
 single-focal-length (prime) lenses, 98–99  
 slide shows, Auto Playback, 57–58  
 snapshots, Full Auto mode, 37  
 snow scenes, exposure compensation, 46–47

snow/rain, weather/seasonal photography, 212–213  
 soft light, lighting condition, 91  
 software, updating, 231–232  
 speed ratings, media cards, 19  
 Sports mode  
   automatic settings, 39–40  
   Basic Zone mode, 5  
 sports/action photography  
   Shutter-priority AE (Tv) mode, 44–45  
   techniques, 125–130  
 spot meters, Partial metering mode equivalent, 46, 47  
 sRGB color space, when to use, 32  
 stadium venues, shallow depth of field, 76  
 Standard Picture Style, when to use, 28–31  
 still subjects, 52  
 still-life photography  
   Portrait mode, 38  
   shallow depth of field, 76  
   techniques, 188–193  
 stock photography, 193–198  
 stop action shots  
   Sports mode, 39  
   shutter speeds, 78, 80  
 straightening, image editing, 229  
 street photography, 198–203  
 styles, stock photography, 198  
 subject framing, portrait photography, 188  
 subjects  
   environmental portrait, 150  
   fine-art, 154  
   portrait, 146  
   rule of thirds, 109  
   still-life, 190  
   symmetry considerations, 114  
 sunrise/sunset photography  
   techniques, 203–207  
   white balance settings, 86, 87  
 symmetry  
   backgrounds, 113–114  
   composition pros/cons, 110–111  
   direction, 111  
   fill frames, 113  
   lines, 112–113  
   sense of balance, 111  
   subject framing, 114  
   tone, 111

**T**

telephoto lenses  
 action/sports, 125  
 apertures, 102  
 architectural, 120–125

telephoto lenses (*continued*)

- candid, 141
- depth of field, 102
- focal-length multiplication factor, 100
- landscape/nature, 165
- perspective, 102
- portrait, 182
- scene coverage, 102
- still-life, 189
- street, 199
- when to use, 96–97

## temperature

- color versus atmospheric, 85
- operating, 18
- white balance adjustments, 24

## terms, 243–252

## texture emphasis, black-and-white photography, 134

## thumbnails, Index Display, 57

## tilt-and-shift lenses, perspective distortion correction, 121

## Time value (Tv), Creative Zone mode, 6

## times

- exposure element, 70, 78–80
- initial setting, 3, 20–21

## tonal divisions, black-and-white photography, 134

## tonal range

- image editing, 228
- symmetry element, 111

## toning effects

- black-and-white photography, 132
- Monochrome Picture Style, 31–33

## top camera controls, illustrated, 15

## top lighting, directional light condition, 92

## travel photography, 207–211

## treats/toys, pet/animal photography, 178

## Tungsten

- household lights/lamps, 88–89
- white balance settings, 24–27

## Tv (Shutter-priority AE) mode

- Creative Zone mode, 6
- low-light shots, 44–45

## Tv (Time value), Creative Zone mode, 6

**U**

## updates, firmware/software, 231–232

## upsampling

- fine-art photography, 157
- stock photography, 194

## USB cables, image downloading, 221–224

**V**

## vertical lines, motion/strength implication, 113

## vertical shots, rule of thirds, 109

## viewfinder display

- diopter adjustments, 18
- illustrated, 17–18
- shutter speeds, 78

## viewpoints, composition consideration, 116

**W**

## water-repellant fabric, 212

## wavy lines, peaceful movement implication, 113

## WB SHIFT/BKT function, white balance

- adjustments, 24, 26

## weather/seasonal photography, 212–215

## Web sites

- ACDSee, 224
- Anderson Ranch Arts Center, 240
- Ansel Adams Gallery Workshops, 240
- BetterPhoto, 240
- Brooks Institute Weekend Workshops, 240
- Canon, 239–241
- Canon Picture Styles, 30
- Communication Arts, 240
- Digital Image Cafe, 240
- Digital Photo Pro, 240
- Digital Photographer, 240
- Eddie Adams Workshop, 240
- firmware updates, 231
- Mentor Series, 240
- Missouri Photo Workshop, 240
- Mountain Workshops, 240
- NeatImage, 72
- NIK Software's Dfine, 72
- Noise Ninja, 72
- Outdoor Photographer, 240
- Palm Beach Photographic Center Workshops, 240
- PC Photo, 240
- Photo District News, 240
- Photography at the Summit, 241
- Popular Photography & Imaging, 240
- Rocky Mountain Photo Adventures, 241
- Santa Fe Workshops, 241
- Shutterbug, 240
- Toscana Photographic Workshop, 241
- Woodstock Photography Workshops, 241
- The Workshops, 240
- Web-friendly images, image editing, 230
- wedding photography, 216–219
- white balance
  - color temperatures, 24, 84–85
  - diffused, 87
  - electronic flash, 88
  - fluorescent light, 89
  - initial setup, 4
  - midday, 86–87

- settings, 24–27
- sunrise, 86
- sunset, 87
- tungsten light, 88–89

White Fluorescent

- fluorescent light conditions, 89
- white balance settings, 24–27

wide angle lenses

- apertures, 100
- architectural photography, 120–125
- depth of field, 100
- distortion, 101, 121
- focal-length multiplication factor, 100
- keystoning, 101
- perspective, 101
- portrait photography, 182
- still-life photography, 189
- when to use, 96

“wow” factor, action/sports photography, 130

**Y**

Yellow filter, 31, 131

**Z**

zigzag lines, sense of action, 113

zoom lenses

- action/sports, 126
- architectural, 120–125
- candid photography, 139
- pros/cons, 97–98
- still-life, 189
- street photography, 199

ZoomBrowser EX, image viewer/organizer, 222–224