

Index

SYMBOLS

: (colon), 178

A

access control, defining, 275–276

accounts, locked, 272

ACL tab, limiting access, 282–283

ACLs (Access Control Lists), 275

implementing, 275

page

creating, 275

definition, 275–276

privileges, 276

Add Parent selection, 142

ADMIN, 272

administrator levels, 307–308

aggregate columns, interactive reports, 152

aggregate values

applying, 154

defining, 152

aliases, 95

APEX

browsers, 5

databases and, 6

hosted account, sign-up, 9–12

overview, 5–6

URLs, 180

APEX environment, 294–295

APEX Views, 313–314

APEX workspaces, 295

Application Builder Defaults, 308–309

Application Builder page, icons, 55

Application Creation Wizard, 27

application express account credentials, 268

application models, workspace administration, 309–311

application-side code, 250

applications

code, 27

creating, 26–36

demonstration applications, 27

from spreadsheet, 27

customizing, migration and, 349–352

demonstration applications, 27

deploying, 297

exporting, 297

locking down, 291–293

naming, 27

number of pages, 29

numbers, 27

packaged (See *packaged applications*)

segregating work on, 10

templates, changing, 31

Apply Changes button, 60

Aria Employee Directory Lookup, 320

Artwork Catalog, 319

Ask The Expert, 320

Asset Manager, 318

attribute pages, edit links, 62

attributes

Branch Point, 104

branching, 104

When Button Pressed, 104

edit links, 63

fields, changing, 60

page attributes, 53

accessing, 54–58

Page Zero, 231

tab sets, editing, 119

authentication

application express account credentials, 268

authentication schemes, 267–268

database account credentials, 268

LDAP credentials, 268

open door credentials, 268

authorization, 274–275

automatically generating pages, 40

availability options, 292

B

- between operator, 146**
- bind variables, 91, 178**
- BLOB (Binary Large Object), 202**
- Branch Point attribute, 104**
- branching, 102–109**
 - attributes, 104
 - When Button Pressed, 104
 - conditional branches, 103
 - conditional navigation, 108
 - entries, existing, 102
 - sequence numbers, 103
 - shaping, 105–108
- Breadcrumb Entry Wizard, 185**
- breadcrumbs, 43, 56**
- browsers, APEX on, 5**
- Bug Tracker, 318**
- Build Status option, 293–294**
- Button Creation Wizard, 107**
- buttons, radio buttons, 66**

C

- calculations, 94–97**
 - aliases, 95
- calendar icon, 46**
- calendar pages, 196–197**
 - calendars, creating, 197–202
- category column, 73**
- Chart Query Wizard, 175**
- charts, 7, 163**
 - modifying, 193–196
 - Page Wizard, 163
- Checklist Manager, 320**
- child data, Constraint Type, 38**
- ClearCache option, 183**
- client-slide logic, 109**
- code**
 - applications, 27
 - PL/SQL, 50
 - sample code, 326
- colon (:), 178**
- Column Formatting section, 59**

columns

- adding to tables, 126–128
- category, 73
- control breaks, 35
- edit links, 63
- hiding, 35
- icons, 56
- images and, 202–203
- naming, 124
- new, PL/SQL, 240–244
- PL/SQL, 240–244
- queries, 83
- specifications, 35
- totals, 251–252
- user interface, 230
- VARCHAR2, 126
- components, shared, 56**
- Computation text box, 150**
- computations, PL/SQL code and, 244**
 - defining problem, 245
 - defining variables, 245–246
 - validation code, 248–249
- Compute section, 150**
- concatenation, 179**
- concatenation operator (||), 150**
- conditional branches, 103**
- conditional navigation, 108**
- conditions, SQL statements and, 282**
- constraint**
 - duplicate names, 49
 - foreign key, 38–39
 - creating, 49
- Constraint Type, 38**
- constraints, 22**
- containers, templates, 235**
- copying, pages, 186–187**
- creating, applications, 26–36**
- credit check validation, 263–265**
- credit limit**
 - checking against, 259–265
 - totals and, 262
 - values, retrieving with SQL, 261
 - variables, 260
- currency formatting, 57**
- Customer Tracker, 318**

D

data design, 17, 206
data dictionary, 225
data fields, formatting, 58–63
Data Load/Unload icon, 37
data processing, 17
data sets, 47–51
 loading, 47
data structures, 18–19
database account credentials, 268
databases
 APEX and, 6
 objects
 searching, 25
 selecting, 25
 viewing, 25
 relational, 18
 triggers, creating, 252–257
date picker, 46
date ranges, specifying, 146
dates, formatting, 59
DDL (data definition language), SQL, 25
declare keyword, 245
declarative development tool, 6
default values, 64–65
demonstration applications, 27
deployment
 object supporting scripts, 298–301
 options, 295–297
detail reports, creating, 167–172
Developer's Toolbar, 32
development environment, log out, 273
Discussion Forum, 319
dissolve effect, 181
Document Library, 319
drag-and-drop layouts, 211–222
drill-down charts
 detail reports, creating, 167–172
 Flash charts, creating, 172–184
dynamic lists of values (LOVs), 69–72
 creating, 70–72
 SQL statements, 71
Dynamic LOV Wizard, 191

E

edit links, 62, 63
 attributes, 63
 columns, 63
editable columns, 36
environment, 6
Events, 319
Excel, uploading data from, 6
exporting
 application, 297
 metadata, migration and, 335
 themes, 242
extended price, calculating, 261–262

F

failed validation, 93
fields
 attributes, changing, 60
 data, formatting, 58–63
 height, 219
 width, 219
Flash charts, creating, 172–184
Flashback, 162–163
foreign key, 37
 constraints, 38–39
 creating, 49
 primary key and, 37
format value, 60
formatting, currency, 57
forms, images and, 204–206
functionality, limiting access to, 280–281

G

generating pages automatically, 40
generating primary keys, sequences, 24
graphical representation of tabs, 110
Grid Edit, 225

H

height of fields, 219
Highlight feature, 154
hosted APEX account, sign-up, 9–12
HTML tables, columns, 221

I

icons

- Application Builder page, 55
- calendar, 46
- columns, 56
- Data Load/Unload, 37
- Load Spreadsheet, 20
- Load Spreadsheet Data, 37
- Run Page, 44
- traffic light, 31
- Utilities, 20

IF constructs (PL/SQL), 246–247

images

- columns and, 202–203
- displaying in reports, 207–209
- forms and, 204–206

implementing logic, tables, 22

importing

- order items to application, 37–39
- tables, 37–39
- tables from spreadsheets, 20–26

initial allocation space, 11

initializing totals, 257–259

installation, packaged applications, 320–325

installation packages

- creating, 303
- new environment, 303–307

INSTEAD OF triggers, 250

integrity, 66

- limiting values, 66
- LOV (lists of values), 69–85
- radio buttons, 66–69

interactive reports

- creating, 141–143
- data, saving, 159–161
- output, freezing, 157
- saving, 157–159
- users' power, 156

interfaces

- columns, images and, 202–203
- image capabilities in forms, 204–206

invalid data, 65

Issue Tracker, 318

items, limiting access to, 284–288

J

joins, 81

- concatenation operator (||), 150
- join condition, 138

K

keywords

- declare, 245
- update, 253

Knowledge Testing, 320

L

LDAP credentials, 268

limiting access

- to ACL tab, 282–283
- to functionality, 280–281
- to items, 284–288
- to regions, 280
- to tabs, 277–279

limiting values, 66

linking

- edit links, 63
- tables, 37–39

links, edit links, 62

list of values. *See* LOV (*list of values*)

List_Price, 151

lists

- adding to pages, 117–118
- creating, 113–117
- reusing, 120–122

Load Spreadsheet Data icon, 37

Load Spreadsheet icon, 20

Load/Unload menu, 48

Loan Calculator, 320

locking down application, 291–293

logic

- implementing, 22
- tables, implementing, 22

login page, 32

Logo Attributes select list, 241

logos, 240–241

lookup tables

- adding, 124–126
- creating, 123–124

LOV (list of values)

- behavior, 67
- converting to shared object, 69
- creating, 66–69
- dynamic, 69–72
 - creating, 70–72
 - SQL statements, 71
- pick-lists, 69
- radio buttons, 69
- related tables and, 73–80
- static, 67
- user interface and, 70
- user interface options, 69

M**maintenance pages, adding, 134–136****Maintenance tab, 113****Master-Detail PDF Report, 326****master-detail tables**

- columns, totals, 251
- pages, creating, 39–46

Master Row Navigation Order, 42**Matrix Order Demo, 326****menus, Load/Unload, 48****metadata**

- exporting, migration and, 335
- migrating, 335–341

migration, 331

- Access applications to APEX, 6
 - administrator and, 327–328
 - application
 - customizing, 349–352
 - generating, 348–349
 - developers and, 328–329
 - exporting metadata, 335
 - metadata, 335–341
 - Oracle stack, 329–331
 - prerequisites for, 333–335
 - project, creating, 341–342
 - recovered projects, 343–348
 - stages, 332
 - tasks, 332
 - workspaces, creating, 341
- Migration Assistant, 341–342**
- Migration Wizard, 332**
- multiple order items, 108–109**

multiple users, 32**mutating triggers, 254****N****naming**

- applications, 27
- columns, 124
- schema, 11

navigating, users, 42**navigation, 184–186**

- changing, 98, 100–101
- default, 98
- overview, 98–100
- tabs, 108, 109

number of pages of application, 29**numbers**

- applications, 27
- formatting, 59

O**Object Browser window, 25****object supporting scripts, 298–301**

- packages, 301–303

objects

- searching, 25
- selecting, 25
- shared, converting LOVs to, 69
- viewing, 25

one-to-many relationships, 18–19**one-to-one relationships, 18–19****Online Store, 320****open door credentials, 268****operators, between, 146****Oracle**

- APEX and, 7
- instance, APEX environment, 295
- reasons to have, 4–5

Oracle APEX. See APEX**Oracle Application Express. See Oracle APEX****Oracle Application Express Application Migration Guide, 331****Oracle stack**

- environment, 331
- open platform, 331
- performance, 329–330
- scalability, 329–330

order entry system, 6

- application's needs, 18
- importing order items, 37–39

OTN (Oracle Technology Network), 6

P

packaged applications

- Aria Employee Directory Lookup, 320
- Artwork Catalog, 319
- Ask The Expert, 320
- Asset Manager, 318
- benefits, 317–318
- Bug Tracker, 318
- Checklist Manager, 320
- Customer Tracker, 318
- Discussion Forum, 319
- Document Library, 319
- Events, 319
- installing, 320–325
- Issue Tracker, 318
- Knowledge Testing, 320
- Loan Calculator, 320
- Online Store, 320
- Sales Forecasting, 320
- Software Projects, 319
- Subject Matter Experts, 320
- Task Manager, 318
- Timesheets, 319

packages

- defining, 297
- installation package, 303
- supporting objects, 301–303

Page Creation Wizard, 111–112

page definition page, 55

- columns, 56
- Page Processing column, 57–58
- Page Rendering column, 56–57

page layouts, drag-and-drop, 211–222

page processing, 56

Page Processing section, 57

page rendering, 56

Page Rendering column

- Buttons section, 57
- Computations section, 57

- Items section, 57
- Page section, 56
- Processes section, 57
- Regions section, 57

Page Wizard, charts, 163

Page Zero, 230–233

- purposes, 232

pages

- attributes, 53
 - accessing, 54–58
- automatically generating, 40
- buttons for creation, 55
- components, shared, 56
- copying, 186–187
- lists, adding, 117–118
- maintenance, adding, 134–136
- master-detail tables, creating, 39–46
- number of, 29

PDF files, 160

pick-lists, LOVs and, 69

PL./SQL, 6, 239

- application-side code, 250
- bind variables, 91
- code, 50
- columns, new, 240–244
- computations, 244
 - defining problem, 245
 - defining variables, 245–246
 - validation code, 248–249
- IF constructs, 246–247
- server-side, 250–259
- validation, 89
- variable defaults, 240–250

PL/SQL, 53

prefixes in section items, 57

primary key, 22

- constraint, 22
- foreign key and, 37
- generating, sequences and, 24
- value, confirming source, 42

Print Attributes tab, 59

privileges, 308

properties, values, 6

Q**queries**

- columns included, 83
- structured, 94

Query Builder, calendar, 198**Query Definition tab, 94****R****RAD (rapid application development), 5****radio buttons, 66**

- LOVs and, 69

radiogroups, 227**records, 18****Region Definition tab, 59****regions**

- limiting access, 280
- new, 187–193

related tables

- connections, 142
- LOVs and, 73–80

relational databases, 18**relationships**

- one-to-many, 18–19
- one-to-one, 18–19
- tables, 18

Report Creation Wizard, 136**Report Wizard, join conditions, 138****reports**

- conditions, 145, 148
- creating, 136–140
- end users and, 140
- image display, 207–209
- interactive, creating, 141–143
- multiple tables, 81–85
- saving, 157–159
 - PDF format, 160
- workspace administration, 311–313

reusing lists, 120–122**rows, 18**

- editable columns, 36
- primary key, 22
- updating, scripts and, 128–134

rules for validation, 88–93**Run Page icon, 44****S****Sales Forecasting, 320****sample code, 326****schema, name, 11****script files, 13**

- object supporting, 298–301
 - packages, 301–303

scripts, updating rows, 128–134**search box, 55–56****searches, 33**

- conditions, 35

security, 32

- ACLs, 275
- authentication, 267
 - application express account credentials, 268
 - authentication schemes, 267–268
 - database account credentials, 268
 - LDAP credentials, 268
 - open door credentials, 268
- authorization, 274–275
- built-in, 32
- levels, 276
- limiting access, 274–283
- users
 - creating, 269–274
 - defining, 277

segregating work, 10**select lists**

- adding, 187–193
- naming, 191

sequence numbers, 188

- branches, 103

sequence objects, 24**sequence of validation, 89****sequences**

- creating, 47–51
- loading tables, 48

server-slide logic, 109**shaping branching, 105–108****shared components, 56**

- templates as, 241

Shared Components page, 225**shared objects**

- converting LOVs to, 69
- list of values (LOV) and, 69

Shuttle Demo, 326**software, 5**

Software Projects, 319

sorting, 35

spreadsheets, importing tables from, 20–26

SQL

bind variables, 91

DDL (data definition language), 25

retrieving values, credit limit and, 261

statements

dynamic LOVs, 71

validation, 89

syntax, bind variables, 91

UPDATE statement, 129

SQL Workshop

database triggers, 253–257

lookup tables, 73

related tables, 73

stages of migration, 332

static tables, 113

Sticky Hide and Show, 326

structured queries, 94

Subject Matter Experts, 320

subscribing to templates, 242

supporting object scripts, 298–301

packages, 301–303

syntax

SQL, bind variables, 91

validation, 91

SYSDATE function, 64, 65, 246

validation specification, 91

T

Tab Options, 50

tab sets

attributes, editing, 119

modifying, 119–120

tables, 18

columns, adding, 126–128

creating, 19–26

images, columns and, 202–203

importing, 37–39

importing from spreadsheets, 20–26

joins, 81

linking, 37–39

logic, implementing, 22

lookup

adding, 124–126

creating, 123–124

master-detail, page creation, 39–46

related, lists of values (LOVs), 73–80

relationships, 18

reporting on multiple, 81–85

sequences, 47–51

static, 113

tabs, 50, 109

adding, 110–112

graphical representation, 110

limiting access, 277–279

Maintenance, 113

navigation, 108, 109

Task Manager, 318

templates, 233

applications, changing, 31

assembly, 238

body, 239

changing, 234–239

code defining, 237

containers, 235

footer, 239

header, 239

as shared components, 241

subscribing to, 242

themes, 242

uses, 234

text areas, adding, 222–224

themes, 242

exporting, 242

templates, 242

Timesheets, 319

to_char() function, 246

to_date() function, 246

toolbars, Developer's Toolbar, 32

totals

columns, 251–252

credit limit and, 262

initializing, 257–259

validation and, 260

traffic light icon, 31, 60

Trigger Creation Wizard, 256

triggers, 250

- creating, 252–257
- enabling, 256
- INSTEAD OF triggers, 250
- mutating, 254
- summarizing, 255

U**Unit_Price, 151****update keyword, 253****UPDATE statement, 129****updating rows, scripts and, 128–134****uploading, from Excel spreadsheets, 6****URLs, APEX, 180****user groups, 287****user interface**

- columns, 230
- defaults, changing, 225–230
- LOVs and, 70

user interface options, LOVs and, 69**users**

- accounts, locked, 272
- ADMIN, 272
- creating, 269–274
- defining, 277
- development environment, access, 272
- moving directly to application, 273
- navigating database, 42
- preventing from entering incorrect data, 72

Utilities icon, 20**V****validation, 87**

- button presses and, 91, 92
- conditions, 91
- credit check validation, 263–265
- credit limit and, 260
- failed, indicators, 93
- PL/SQL computation, 248–249
- PL/SQL expressions, 89
- rules, 88–93
- sequence, 89
- SQL statements, 89
- syntax, 91
- totals, 260
- types, 89

Validation Wizard, 88

- validation name, 89
- validation sequence, 89

values

- default values, 64–65
- limiting, 66
- list of values (LOV), creating, 66–69
- passing to interactive reports, 178
- properties, 6
- retrieving with SQL, credit limit and, 261

VARCHAR2 column, 126**variables**

- bind, 91, 178
- credit limit and, 260
- PL/SQL, computations, 245–246

version tracking, 294**views, APEX Views, 313–314****W–Z****Web Services Integration, 326****web sites, script files, 13****When Button Pressed branching attribute, 104****width of fields, 219****windows, Object Browser, 25****wizards, 6, 26**

- Application Creation Wizard, 27
- Breadcrumb Entry, 185
- Button Creation, 107
- Chart Query, 175
- Dynamic LOV, 191
- Migration Wizard, 332
- Page Creation, 111–112
- Report, 138
- Report Creation, 136
- Trigger Creation, 256
- wizard-driven interfaces, 114

workspace administration

- Application Builder Defaults, 308–309
- application models, 309–311
- reports, 311–313

workspaces

- administrators, 308
- creating, migration and, 341
- multiple, 10