

Subject Index

Numbers in front of the page numbers refer to Volume 1 and 2: e.g., 2: 282 refers to page 282 in volume 2

a

- A. niger* CBX-209, levoglucosan fermentation 1: 229
A. rhizogenes 2: 275
 absorption, acoustic 2: 242
 acetaldehyde, glucose product family 1: 21
 acetate, biorefinery concept 2: 210
 acetic acid, glucose product family 1: 21
Acetobacterium woodii 1: 235
 acetogenic bacteria, metabolic pathways 1: 234
 acetogens 1: 233
 acetoin, biomass building blocks 1: 22
 acetone, glucose product family 1: 21
 acetyl-CoA 1: 233, 236
 acetylated starches 2: 80
 acid addition, lactic acid 2: 386
 acid-catalyzed dehydration 1: 91
 acid-catalyzed hydrolysis, cellulose 1: 133
 acid-catalyzed stages, biofine process 1: 144
 acid conversion, cellulose 1: 129
 acid cooking, straw 1: 193
 acid-forming anaerobes 1: 235
 acid hydrolysis, carbohydrate polysaccharides 1: 144
 acid hydrolysis of polysaccharides 1: 140
 acid hydrolysis process 1: 130–133, 199
 acid-insoluble ligneous components, feedstock 1: 146
 acid prehydrolysis 1: 200
 acidification, lactic acid 2: 386
 acidogenic anaerobes 1: 235
 acids
 – dilute 1: 362
 – sugar-derived 2: 5
 acnitic acid, glucose product family 1: 21
 acoustic absorption, elastic protein-based polymer 2: 242
 acrylic acid, glucose product family 1: 21
 acyclic sugar derivatives 2: 48
 acyl glutamate, synthesis 2: 305
 acylated proteins 2: 304
 addition
 – cationic 2: 264–265
 – copper-initiated 2: 262–263
 – perfluoroalkyl iodides 2: 263–264
 additive chemicals 1: 91
 additive replacement, ethanol 1: 357
 adhesions prevention, post-surgical 2: 238
 adhesive films 1: 282
 adhesive tack 2: 186
 adhesives 2: 86
 advanced materials, protein-based polymeric materials 2: 220
 aerobic storage, potato juice 1: 300, 309
 agarose gel gene ladder 2: 229
 age of sustainability, modeling tools 1: 57–60
 agribusiness, integrated production 1: 8
 agricultural applications, lignin 2: 192
 agricultural crop residues 1: 117
 agricultural ecosystem modeling 1: 57–60
 agricultural land, net requirement 1: 54–55
 agricultural varieties, oil qualities 2: 276
 agricultural waste 1: 68
 agriculture residue collection 1: 317–344
 agrification 1: 96
Agrobacterium tumefaciens 2: 275
 agroindustry, sugar 1: 209–211
 agrosector, dutch 1: 96
 air-blown gasification 1: 232
 air classification 1: 166
 – oat grain 1: 183
Alcaligenes eutrophus, PHB accumulation 2: 424
 alcell demonstration plant 2: 180
 alcell process 2: 179
 alcohol commodities, sugar-based 2: 36–37

- alcohols
 - microbial conversion 2: 32–34
 - microbial fermentation 2: 33
 - production 1: 235–236
 - sugar-based 2: 42
 - sugar-derived 2: 5
- alfalfa 1: 254
 - chlorophyll extraction 2: 329
 - cultivation 1: 260
- Alfalfa New Products Initiative *see* ANPI
- alfaprox procedure 1: 257
- algal fungi, chitin occurrence 2: 415
- aliphatic diols, high molecular weight 2: 298
- alkali pretreatments 1: 200
- alkaloids 1: 268
- alkanes 1: 268
 - thermal addition 2: 264
- alkyl polyglycoside carboxylate 2: 307
- alkyl polyglycosides 2: 272, 305
 - emulsifiers 2: 308
 - manufacturing processes 2: 306
 - synthesis 2: 306
 - *see also* APG
- allylic C–H Bonds, oxidation 2: 269–270
- alternative life, GJ Drinks 1: 275–277
- American Society for the Testing of Materials *see* ASTM
- american straw, chemical composition 2: 107
- amino acid-based product family trees 2: 201–216
- amino acid composition, lucerne 1: 275
- amino acid production, microbial 2: 201–216
- amino acid residues, hydrophobicity scale 2: 234–235
- amino acid units, proteins 1: 122
- amino acids 1: 267, 2: 304
 - analysis 1: 299
 - brown juice content 1: 305
 - fermentation 2: 203
 - markets 2: 207
- δ -aminolevulinic acid *see* DALA
- ammonia fiber explosion, pretreatment 1: 362
- ammonium lactate 2: 387
- amphiphilic drugs, controlled release devices 2: 240
- amylases 1: 197
- amylopectin
 - physical structure 1: 140
 - starch synthesis 2: 71
- amylose
 - physical structure 1: 140
 - starch synthesis 2: 71
- anaerobe bacteria, lactic acid fermentation 1: 298
- anaerobes, acidogenic 1: 235
- anaerobic fermentations, succinic acid 2: 35
- anaerobic production, succinic acid 2: 369
- anaerobic storage, potato juice 1: 300, 310
- analytical assays, antioxidant activities 1: 186
- analytical methods, lactic acid fermentation 1: 299
- 1,6-anhydro- β -D-glucose, chemical structure 1: 245
- D-anhydroglucopyranose units 1: 140
- anhydrosugar 1: 229, 243, 245
- animal bedding, stover 1: 325
- animal feed, nutrient-enriched 1: 170
- animal feed supplements
 - antioxidants 2: 188
 - lignin 2: 196
- animal health 2: 195–196
- anions of fatty acids, oxidative coupling 2: 266
- anodic coupling, fatty acids 2: 267–269
- ANPI 1: 260
- anthracenes 1: 118
- antibiotic-resistant bacterial strains 2: 195
- antibiotics 2: 15
- antidiarrheic effects, dietary lignin 2: 195
- antifeedants 1: 277
- antifreeze protein 1: 269
- antimutagenic effects, chlorophyll 2: 336
- antioxidant activity, oat bran-rich fractions 1: 186
- antioxidants 1: 186
 - animal feed supplements 2: 188
 - ferulic acid 1: 179
 - lignin 2: 187–189
 - lubricants industry 2: 188
 - rubber industry 2: 188
 - synthetic 2: 188
- antisense RNA approach 2: 275
- APG 2: 11–12, 272
 - synthesis 2: 13
- apolar groups, exothermic hydration 2: 218
- apolar–polar repulsive free energy of hydration 2: 218
- apple-peel wax 2: 430–432
 - components 2: 434

- market launch 2: 436–437
 - natural 2: 429–437
 - production 2: 432–433
 - skin protection 2: 434
 - aquatic biomass 1: 91
 - aqueous media, proteins 2: 218
 - aqueous phase hydrogenation 2: 375
 - arabinanes 2: 109
 - arabinose, reaction 1: 199
 - arabinoxylans 1: 178
 - Arachis hypogaea* 2: 277
 - aromatic chemicals, sugar-based 2: 29
 - aromatic compounds 1: 118
 - renewable raw materials 2: 259
 - transition metal-catalyzed syntheses 2: 259
 - aromatic functionality, char 1: 156
 - Arthrobacter* 1: 398
 - arthropods, chitin occurrence 2: 416
 - arylglycerol units 2: 156
 - ascorbic acid, D-sorbitol 2: 9
 - ash components, feedstock 1: 146
 - asparagine residues, biodegradable thermo-plastics 2: 241
 - aspartic acid (ASP) 2: 34
 - basic biobased chemicals 1: 22
 - Aspergilli* 1: 181
 - Aspergillus* 1: 202
 - Aspergillus itaconicus*, IA 2: 36
 - Aspergillus oryzae* 2: 20
 - cellulase development 1: 366
 - thermostabilization 1: 370
 - Aspergillus succinoproducens* 2: 35
 - Aspergillus terreus*, IA 2: 36
 - asphalt emulsifiers, lignin-based 2: 192–193
 - ASTM, tests 2: 232
 - austria-wide concept, biomass usage 1: 284
 - austrian-concept, biorefinery 1: 273
 - autoadhesive tack 2: 186
 - autotrophic acetogens, syngas fermentation 1: 233
 - autotrophic bacterium
 - AVGVP, biocompatibility 2: 232
 - axioms, phenomenological 2: 232–234
- b**
- B-starch 2: 68
 - Bacillus megaterium* 2: 424
 - bacteria, biodegradation 1: 363
 - bacteria cellulosome 1: 365
 - bacteria destruction, lignin 2: 196
 - bacteriochlorophylls 2: 326
 - bagasse 1: 91
 - brazil production 1: 210
 - energy source 1: 222
 - world production 1: 51
 - bagasse storage, case study 1: 321
 - bale storage 1: 322
 - corn stover 1: 320
 - bale transport, Iowa Corn Stover Collection Project 1: 319
 - baling 1: 333
 - dry material 1: 332
 - BAS 1: 268
 - basic chemicals
 - cellulose 1: 17
 - glucose 1: 17
 - starch 1: 17
 - basic principles, biotechnology 2: 349–351
 - basic substances, biorefinery 1: 18
 - batch fermentation, brown juice 1: 299–300
 - BBI 2: 322
 - 14-BDO 2: 373, 375
 - beer streams 1: 134
 - benzene 1: 87
 - benzene derivatives 1: 118
 - cyclotrimerization 2: 259
 - benzene–toluene–xylene *see* BTX
 - Bergius, F. 1: 5
 - Berzelius, J.J. 1: 5
 - Beta vulgaris* 2: 410
 - betaine 2: 410–415
 - chemical properties 2: 411
 - chemical structure 2: 411
 - usage 2: 412–414
 - betaine esters 2: 414–415
 - BG 1: 203, 364
 - BG Supplement 1: 366–367
 - binder, starch 2: 84
 - bio-alcohols, sugar conversion 2: 32
 - bio-based building blocks 2: 453
 - emergence 2: 450
 - biobased consumer products, cosmetics 2: 409–442
 - biobased economy 2: 138
 - 3-pillar model 1: 3
 - existing 1: 43
 - growth 1: 44–45
 - historical outline 1: 42–45
 - Biobased Industrial Products, initiative group 1: 16
 - bio-based industry, transition 1: 93–96
 - bio-based materials 2: 354
 - biobased oleochemicals, industrial development 2: 291–314

- biobased poly(lactic acid) 1: 296
- biobased production, integrated 1: 8–12
- biobased products
 - market opportunity 2: 353
 - markets 2: 348
- biobased technology, current 2: 375–377
- bio-cascade, biorefinery concepts 2: 355
- biocatalysts 1: 68
 - development 1: 108
 - genetically engineered 2: 37
 - improvement, 3-HPA 2: 35
- biocatalytic routes
 - chemicals production 1: 385–406
 - ethanol production 1: 390–393
- biochemical refinery, secondary 1: 104–106
- biochemicals 1: 13
- biocompatibility 2: 230–232
- biocomposites 2: 362
- bioconversion
 - biomass processing 1: 98
 - fermentation 1: 104
 - starch 2: 89–91
- bio-counterpart, petroleum-derived polymers 2: 41
- biocrude 1: 98, 2: 351
- biodegradability
 - general aspects 1: 213
 - intrinsic 2: 348
- biodegradable films, gluten 1: 181
- biodegradable lubricants, european potential market 2: 301
- biodegradable packages 2: 422–423
- biodegradable plastics 1: 182
 - sugar cane 1: 212–216
- biodegradable polymer 1: 91
- biodegradable thermoplastics, programmable 2: 241
- biodegradation
 - definition 1: 213
 - white-rot fungi 2: 160
- biodiesel 1: 116, 152
 - production 1: 126
- bio-ethanol 2: 451–452
- bio-fertilizer, grasses 1: 283
- biofine char 1: 155–158
 - insoluble components 1: 146
- biofine plants
 - byproducts 1: 145
 - costs 1: 159
- biofine process 1: 139–164
 - advantages 1: 146
 - economics 1: 158–161
 - yields 1: 145–146
- biofuel cells 1: 379
- biofuels 1: 182
 - directive 1: 15
 - promotion 1: 94
- biogas 1: 30, 377
- biogenic amorphous silica *see* BAS
- biological inhibitors, fast pyrolysis 1: 249
- biological raw materials, product classes 1: 13
- biomass
 - availability 1: 99–101
 - commercialization 1: 317–344
 - components 1: 22
 - composition 1: 16, 119, 359, 2: 108
 - compositional variety 1: 45
 - conversion 2: 151–163, 350, 455–456
 - definition 1: 12–14
 - depolymerization 1: 123
 - diversification 1: 54–55
 - hydrolysis 1: 129–138
 - hydrolyzate 1: 78
 - industrial 1: 13
 - industrial chemicals 2: 347–365
 - key sugars 2: 3–59
 - lignocellulose 2: 97
 - local 1: 56–57
 - multi-quality 1: 92
 - policy targets 1: 85
 - polysaccharide-containing 1: 105
 - pretreatment 1: 107, 361–363
 - recycling 1: 117
 - refining 1: 41–66, 107, 227–252
 - sustainability 1: 93–97, 106
 - technology 1: 14–16, 93–97
 - thermochemical processing 1: 249
- biomass-based industrial products 1: 87
- biomass-based products, estimated EU potential 1: 89
- biomass carbon resources 1: 116
- biomass chemistry, comparison with petroleum 1: 118–122
- biomass content, classes 2: 4
- biomass feedstocks 1: 45
 - costs 1: 48–50
 - required properties 1: 50
- biomass flux, The Netherlands 1: 99
- biomass fuels 1: 103
- biomass gasifiers, types 1: 231
- biomass industry, chemical production numbers 1: 284
- biomass-nylon-process 1: 26
- Biomass Research and Development Technical Advisory Committee 1: 135

- biomass streams 1: 100
- biomass substitution volume 1: 85
- biomass suppliers 1: 118
- Biomass Technical Advisory Committee *see* BTAC
- biomass value 1: 324–328
- biomaterials 1: 13
- bionics 2: 410
- bio-oil
 - characteristics 1: 243
 - fermentation 1: 229, 244
 - yield 1: 241
- Biopol 2: 44, 422–424
 - biodegradability 2: 424
 - future 2: 428–429
- biopolyesters, synthetic 2: 41
- biopolymers 2: 40–47
 - cellulose 2: 104
- bioprocessing, consolidated 1: 56
- bioproduct opportunities, industrial 1: 379
- bioproduction
 - highlights 2: 223
 - mechanistic foundations 2: 217–251
 - protein-based polymers 2: 223–227
- bioproducts, classification 2: 356–357
- bioreactor engineering 1: 108
- biorefineries
 - basic principles 1: 17
 - bio-oil based 1: 229
 - Brazil 1: 71
 - building-block concept 2: 202–204
 - cellulosic 1: 55–56
 - chlorophyll disregard 2: 338
 - conceptual schematic diagram 1: 239
 - definition 1: 19–22, 116, 227, 358
 - development 1: 67–83
 - disadvantage 1: 46
 - fuel-oriented 1: 193
 - future integration 1: 380
 - generations 1: 19–20
 - green *see* green biorefinery
 - integration 2: 201–216
 - lignin 2: 177
 - lignocelluloses 2: 110–115
 - lignocellulosic 1: 115–128
 - lignocellulosic feedstock 1: 24–26, 129–138
 - MAAP 2: 209
 - near future production 1: 317
 - oats based 1: 183–187
 - phase III 1: 19
 - plant juice 1: 295–314
 - possible products 1: 45–47
 - primary research areas 1: 101–103
 - principles 1: 16
 - raw material 1: 45–47, 253
 - sugar-based 1: 209
 - supply 1: 45–52
 - technological development 1: 53–56
 - wet mill-based 1: 28
 - wheat based 1: 167–183
 - whole-crop 1: 24, 26–29
- biorefinery complex, cost estimates 1: 118–122
- biorefinery concepts 1: 98–99, 2: 355–356
 - definition 1: 166
 - elements 1: 81
- biorefinery context 2: 315–324
- biorefinery evolution 1: 69
- biorefinery I, sucrose-based 1: 68
- biorefinery II, starch-based 1: 69
- biorefinery III 1: 69
- biorefinery lignin, substitution 2: 182
- biorefinery model 1: 68
- biorefinery process, integrated 1: 102
- biorefinery products 1: 11
- biorefinery research, current 1: 11
- biorefinery supply, transport options 1: 338
- biorefinery systems 1: 3–40, 23
 - history 1: 4–16
 - sustainability 1: 56–65, 60–65
 - whole crop 1: 165–191
- biorefinery technology developments, milling industries 1: 345–353
- biorefinery two platforms concept 1: 24
- biorefinery wastes 1: 56
- biosyngas 1: 98
- biosynthesis, poly(3-hydroxybutyric acid) 1: 224
- biosynthesis genes, *Escherichia coli* 2: 44
- bio-synthetics, car production 1: 9
- biotech, industrial 2: 445–462
- biotech adoption 2: 447
- biotech development, pace 2: 447
- biotech strategy 2: 457
- biotechnological processes, typical problems 1: 388–389
- biotechnology, predictions 2: 32
- biphenyl units, lignin 2: 158
- 1,5-biphosphatecarboxylase/oxygenase 1: 255
- bisphenol A *see* BPA
- black liquors
 - Kraft pulping 2: 170
 - soda pulping 2: 171

- blood plasma substitutes, starch 2: 89
 - blue starch 2: 62
 - Boehringer, A. 1: 7
 - bonding patterns 2: 156–159
 - Boudouard reaction, syngas production
 - 1: 230
 - Bowman–Birk inhibitor *see* BBI
 - BPA 1: 148
 - Brabender viskograph 2: 75
 - Braconnot, H. 1: 5
 - bran, wheat milling 1: 170
 - Branched PLA, melt rheology 2: 397
 - branching, rheology control 2: 396
 - branching technology 2: 398
 - Brassica napus* 2: 277
 - Brazil, agroindustry 1: 209–211
 - breeding material, fatty acid variants 2: 279
 - Brevibacterium* 2: 35
 - British gums 2: 62
 - bromination, LA 1: 150
 - Brookfield viscometer 2: 75
 - brown juice (BJ) 1: 271, 274, 300–308
 - average composition 1: 301–302
 - batch fermentation 1: 299–300
 - carbohydrate addition 1: 311
 - composition of nutrients 1: 305
 - fermentation medium 1: 298
 - lactic acid fermentation 1: 305–306
 - lactic acid source 1: 295
 - quality variations 1: 302–305
 - storage alternatives 1: 298
 - BTAC 1: 14
 - BTX 2: 29
 - building-block concept 2: 204
 - biorefinery 2: 202
 - metabolic engineering 2: 204, 206
 - building blocks 1: 22–23, 98
 - biobased 2: 450, 453
 - heterocyclic 2: 26
 - protolignins 2: 152
 - succinic acid 2: 367–379
 - sugar derived chemicals 2: 34
 - building chemistry 2: 87
 - bulk chemicals 1: 386
 - production routes 1: 385–406
 - Burkholderia spp.*, poly(3-hydroxybutyric acid)
 - biosynthesis 1: 224
 - business structure 1: 117–118
 - butadiene
 - 1,4-BDO 2: 373
 - glucose product family 1: 21
 - 1,4-butanediol 1: 149
 - 2,3-butanediol, glucose product family 1: 21
 - 1,2,4-butanetriol 2: 37
 - n*-butanol, glucose product family 1: 21
 - Butyrubacterium methylotrophicum* 1: 228
 - representatives 1: 235
 - γ -butyrolactone *see* GBL
 - by-products
 - animal feed 1: 100
 - biorefinery 1: 23
 - brown juice 1: 311
- C**
- C₁ compounds 1: 233
 - syngas fermentation 1: 228
 - C₅-carbon sugars, product categories
 - 2: 358–360
 - C₆-carbon sugars, product categories 2: 358
 - C–C coupling, radical 2: 266–269
 - C–C double bonds, oxidative cleavage 2: 258
 - C. glutamicum* 2: 205, 210
 - phosphorus supply 2: 211
 - C–H bonds, functionalization 2: 269–270
 - C. milleri* 2: 212
 - C-nucleosides 2: 25
 - (C-x)-chemicals 1: 21
 - C₂ anions, oxidative coupling 2: 266
 - C₂ building-block chemical, ethanol 2: 132
 - C₃–C₅ carboxylic acids, microbial fermentation 2: 33
 - C3 plants
 - protein yield 1: 253
 - yield 1: 258
 - C4 plants
 - protein yield 1: 253
 - yield 1: 258
 - C7 plant acids, potential generation 2: 32
 - CAFI 1: 136
 - calcium lactate 1: 106
 - cancer chemopreventive agents 2: 322
 - cancer therapies, DALA 1: 150
 - Candida antarctica*, lipase B 2: 256
 - Candida bombolica* 2: 274
 - Candida tropicalis* 2: 273
 - Candida tropicalis* DSM 3152 2: 274
 - Candida tropicalis* M 25 2: 274
 - capital costs, biorefinery 1: 240
 - carbohydrate-based product lines 2: 3–59
 - carbohydrate-based surfactants 2: 305
 - carbohydrate composition, lignocellulosic feedstock 2: 109
 - carbohydrate content, changes 1: 266
 - carbohydrate esters, lipase-catalyzed syntheses 2: 272
 - carbohydrate homopolysaccharides 1: 139

- carbohydrate polymers, cellulose 1: 55
 carbohydrate polysaccharides, acid hydrolysis 1: 144
 carbohydrate refining 1: 351
 carbohydrate source, addition to brown juice 1: 311–312
 carbohydrate stream, corn refinery 1: 349
 carbohydrates 1: 89–90, 2: 108
 – annually renewable 2: 6
 – biorefinery 1: 18
 – catalytic oxidation 1: 403–404
 – chemical catalytic conversion 1: 402
 – contained in biomass 2: 3
 – heating 2: 24
 carbon
 – recycling 1: 116
 – renewable 1: 43
 carbon-14-labeled *Escherichia coli*, purification 2: 228–229
 carbon-based plant material, yearly amount 1: 43
 carbon dioxide
 – glucose product family 1: 21
 – recycling 1: 117
 carbon dioxide sink, PLA 2: 402
 carbon fibers
 – annual demand 2: 197
 – porous 1: 283
 – vehicle production 2: 196–197
 carbon-oxygen reaction, syngas production 1: 230
 carbon-processing industries 1: 42–44
 carbon sequestration 1: 62
 carbon sources 2: 209
 – fermentable 1: 78
 – industrial 1: 67
 – reduced cost 2: 204
 carbon sugars 2: 358
 carbon-water reaction, syngas production 1: 230
 carbonate polymerization 2: 398
 carboxylic acids 2: 34–36
 – addition 2: 262
 – chemical conversion 2: 37–40
 – microbial conversion 2: 32–34
 – sugar-based 2: 43
 carboxymethylation 2: 77
 cardboard, from press cake fibers 1: 282
 care additives, multifunctional 2: 309
 carotene 1: 257
 – industrial production 1: 9
 carotenoids 2: 320
 Carothers, W. H. 1: 8
 carton production 2: 84
 case studies, sustainable production 2: 448
 catabolism, chlorophyll 2: 330–331
 catalysis technology 2: 349
 catalysts
 – bio-oil production 1: 244
 – carbohydrates conversion 1: 403
 – metal-based 1: 228, 233
 catalytic decarbonylation, furan 2: 9
 catalytic hydrogenation
 – LA 1: 151
 – sorbitol 2: 130
 catalytic pulping, wood 2: 118
 catalytic routes, chemicals production 1: 385–406
 catalytic transformations 2: 270–272
 – succinic acid 2: 372–375
 catechol 2: 30
 cationic addition, Lewis acid-induced 2: 264–265
 cationic polymers, hair 2: 419
 cationic surfactants 2: 412
 – structure 2: 414
 CBH 1: 203, 364
 CBH-EG-BG System, optimization 1: 366–371
 CBH I 1: 76
 CBH I (Cel7A) variants, thermal activity 1: 368
 CBM, cellulase families 1: 364
 CC 1: 61
 cell contents 1: 265–269
 cell-immobilization 1: 392
 cell removal 2: 388
 cell wall, structural constituents 1: 260–265
 cellobiohydrolase *see* CBH
 cellobiohydrolase I *see* CBH I
 cellulase development 1: 366–375
 cellulase enzyme performance 1: 74
 – improved 1: 76–77
 cellulase enzyme production 1: 194
 cellulase enzymes 1: 74, 2: 177–178
 – costs 1: 72–73
 – production 1: 201–202
 – superior 1: 205
 – thermal stability 1: 76
 cellulase expression inducers, disaccharide sophorose 1: 76
 cellulase mix, lignocellulosic conversion 1: 374
 cellulase production economics, improved 1: 74–77

- cellulase production strain, enhance-
ment 1: 374
- cellulase saccharification, plant develop-
ment 1: 134
- cellulases
 - biodegradation 1: 364
 - commercial status 1: 202
 - expression 1: 374–375
 - improvements 1: 367
 - novel 1: 367–370
- cellulolyteomics 1: 374
- cellulolytic fungi
 - protein gels 1: 372
 - secretome 1: 371–373
- cellulose 1: 6, 71–73, 90, 121
 - accessibility 1: 55
 - acetate 1: 243
 - acid conversion 1: 129
 - biosynthesis 1: 90
 - chemical composition 1: 359
 - chemical conversion to LA 1: 144
 - chemical structure 2: 418
 - conversion rates 1: 130
 - digestibility 1: 261
 - enzymatic hydrolysis 2: 115
 - fermentation 2: 177–179
 - glucan source 1: 139
 - high-vacuum pyrolysis 2: 23
 - history 2: 100
 - hydrolysis 1: 26, 194, 199, 202–205
 - isolation 2: 127
 - plant content 1: 261
- cellulose-based biorefinery III 1: 69
- cellulose-based product family tree, indus-
trial 2: 129
- cellulose-based product lines 2: 127
- cellulose-binding modules *see* CBM
- cellulose derivatives 2: 357
 - principal 1: 90
- cellulose fiber, pretreatment 1: 72
- cellulose-hydrolyzing enzymes 1: 17
- cellulose saccharification 2: 99
- cellulosic biomass 1: 68, 197
 - conversion to fuel 1: 52
 - ethanol production 1: 193
 - recalcitrance 1: 56
- cellulosic biomass conversion 1: 71
- cellulosic biorefineries, process develop-
ment 1: 55–56
- cellulosic feedstocks, hydrolysis 1: 140
- cement 2: 87
- CENTURY model 1: 60–65
- cereal fractionation, advanced 1: 173
 - cereal fractionation plants, categories 1: 167
 - cereal fractionation processes *see* CFP
 - cereal grains, baling 1: 333
 - cereal waste, LCF biorefinery 2: 111
 - cereals 1: 26, 165–191
 - starch sources 2: 63
 - cetiol CC 2: 311
 - CFP 1: 166
 - chain length, cellulose 1: 195
 - char 1: 145
 - biofine process residual 1: 155
 - chemical composition, apple-peel wax
2: 433
 - chemical conversion, sugars 2: 37–40
 - chemical degradation, chlorophyll 2: 333
 - chemical digestion, intracellular poly(hy-
droxyalkanoates) 1: 218
 - chemical fractions, lignocellulose 1: 24
 - chemical industry 1: 97
 - biorefineries 1: 85–111
 - renewable raw materials 2: 253–289
 - chemical modification, naturally produced
structures 2: 349
 - chemical pulping 2: 166
 - environmentally friendly 2: 179
 - LCF 2: 114
 - chemical sources, grasses 1: 282–283
 - chemical transformation steps, petrochem-
ical industry 1: 88
 - chemicals 1: 22–23
 - basic 2: 5
 - biobased 1: 22
 - biomass compounds 1: 119
 - fossil sources 1: 120
 - from biomass 1: 108
 - from renewable resources 2: 367–379
 - glucomannan derived 2: 120
 - lignocellulose-based 2: 97–150
 - low-molecular-weight 2: 160
 - organic 1: 124
 - product family tree 2: 124–126, 132
 - production 1: 386
 - production routes 1: 385–406
 - special 1: 378
 - chemo-enzymatic epoxidation 2: 254
 - chemo-enzymatic self epoxidation, reaction
principle 2: 256
 - chemoattractant, peptides 2: 238
 - chemopreventive agents, cancer 2: 322
 - chemurgy 1: 9
 - chiral purity, lactic acid 2: 383
 - chitin 1: 182
 - chemical structure 2: 418

- chitosan precursor 2: 415
- deacetylation 2: 417
- occurrence 2: 415–419
- purification 2: 416–417
- chitosan 2: 415–422
 - chemical structure 2: 418
 - production 2: 417
- chitosan derivatives 2: 421
- chitosonium salts, water vapor sorption 2: 421
- chlorophyll 2: 325–343
 - biological catabolism 2: 330–334
 - breakdown 2: 330
 - chemistry 2: 327
 - commercial production 1: 257
 - degradation 2: 331, 333
 - derivatives 2: 335–339
 - fundamentals 2: 326
 - historical outline 2: 325
 - industrial production 1: 9
 - isolation 2: 328
 - new materials 2: 338
 - reactivity 2: 328
 - structure 2: 327
- chlorophyllin 2: 335
- cholesterol level, decrease 1: 180
- cholesterol mediation 1: 277
- cholesterol reduction, β -glucan 1: 185
- chopping, pretreatment 1: 361
- chrisgas-project 1: 103
- Chromatium okenii* 2: 424
- circuit board resins 2: 194–195
- citrates 1: 91
- citric acid, glucose product family 1: 21
- Clostridium ljungdahlii* 1: 228, 235
- Clostridium methoxybenzovorans* SR3 1: 179
- Clostridium thermoaceticum* 1: 235
- Clostridium thermocellum* 1: 365
- clothing, synthetic fibers 2: 190
- CO₂ flux 1: 328
- CO₂ production, MAAP 2: 212
- CO₂ sequestration 1: 173
- co-polymerization, starch 1: 27
- co-products 2: 370
 - sugar fermentation 2: 375
- coconut oil 2: 292
- collection, baling dry material 1: 332
- collection cost, forage harvester 1: 334
- commercial consideration, MAAP 2: 205–209
- comonomers, multi-cyclic 2: 398
- company closures, lignosulfonate producers 2: 173
- competitive prices, biobased products 2: 49
- competitors, external challenges 2: 457
- components, cereals 1: 166
- composite materials, carbon fiber 2: 196
- compositional variety, biomass 1: 45
- concentration, lactic acid 2: 390
- concept, all biomass is local 1: 57
- concrete, self-leveling 2: 88
- concrete admixtures 2: 189–190
- conditioner, sugar beet 2: 410–415
- conditioning agent, natural 2: 436
- coniferyl alcohol, oxidation 2: 158
- consolidated bioprocessing 1: 56
- Consortium for Advanced Fundamentals and Innovation *see* CAFI
- consumer acceptance, external challenges 2: 457
- consumer products 2: 409–442
- continuous cultivation *see* CC
- continuous fermentation 1: 300
- controlled-release devices, design 2: 240
- conversion, chlorin 2: 333
- conversion efficiency 1: 196
- conversion steps
 - biorefinery 1: 23
 - lignocellulosic biorefinery 1: 24
- conversion technologies 1: 108
 - primary 1: 270, 2: 350
- cooking liquors 2: 166
- coordination–insertion mechanism, lactide polymerisation 2: 393
- copolyesters, PHB 1: 215
- copolymer, PHV-PHB 2: 426
- copper-initiated additions 2: 262–263
- corn 1: 26
 - phytochemicals 2: 317
 - wet milling 1: 28
- corn continuous cultivation 1: 61
- corn dry milling, biorefinery example 1: 70
- corn dry milling industry 1: 345–353
- corn grain, export reduction 1: 43
- corn oil, corn refinery products 1: 348
- corn pricing 2: 368
- corn refinery, modern 1: 348
- corn refining 1: 346–347
- corn–soybean rotation 1: 61
- corn starch, pearl 1: 351
- corn-steep liquor 1: 349
- corn stover, world production 1: 51
- corn stover bale storage 1: 320
- corn stover pricing 1: 319
- corn stover structure 1: 74
- corn syrup, carbohydrate refining 1: 351

- corn tillage practice 1: 330
 - corn wet milling industry 1: 345–353
 - corn wet milling process 2: 367
 - corncobs 1: 91
 - corporate action, increasing 2: 451
 - corrugating industry, starch usage 2: 83–84
 - Corynebacterium efficiens* 1: 80
 - Corynebacterium* 2: 35
 - cosmetic emulsion, oil-phase components 2: 310
 - cosmetic lipids, occlusion testing 2: 434
 - cosmetics
 - chitosan 2: 419
 - consumer products 2: 409–442
 - history 2: 409–410
 - ilex resin 2: 439
 - starch usage 2: 88–89
 - cost components, ethanol production 1: 73
 - cost disadvantage, cellulose-based ethanol 2: 203
 - cost efficiency 1: 381
 - cost estimates, biorefinery complex 1: 118
 - cost generators, waste 1: 96
 - cost savings, biotechnology 2: 450–451
 - costs
 - antioxidants 2: 188
 - biomass vs. petroleum 1: 48–50
 - feedstock 1: 196
 - MAAP 2: 202
 - processing systems 1: 53
 - cotton 1: 90
 - coupling, oxidative 2: 266
 - cover crops 1: 331
 - crop-drying industry, grass usage 1: 298
 - crop residues 1: 45
 - commercial 1: 318
 - world production 1: 51
 - cropping system 1: 61
 - crops, starch sources 2: 63
 - cross-linking
 - free radical 2: 399
 - starch modifications 2: 81
 - cross-reactions 1: 145
 - crotonaldehyde, glucose product family 1: 21
 - crude drugs, juice fraction 1: 274
 - crude fiber, plant content 1: 261
 - crude oil 2: 292
 - high prices 1: 115
 - crude petroleum, separation 1: 119
 - crude starch milk 2: 66
 - crushing, pretreatment 1: 361
 - crystalline cellulose 1: 195
 - crystalline melting point, control 2: 394
 - crystallinity, starch 2: 72
 - CSL 1: 349
 - cultivation temperature 2: 213
 - curl-retention test 2: 420
 - curled hair, swatches relaxation 2: 419
 - cycle times, PHB 1: 216
 - cyclization, methyl 17-octadecanoate 2: 259
 - cyclodextrins 2: 90
 - cyclotrimerization, benzene derivatives 2: 259
 - Cyprus papyrus* 2: 98
- d**
- Dactylis glomerata* 1: 261
 - alkanes 1: 268
 - amino acid composition 1: 267
 - sugar 1: 265
 - DALA 1: 149–150
 - DDGS 1: 71
 - debranning apparatus 1: 174
 - decomposition methods, primary refinery 1: 271
 - decorative laminates 2: 185
 - deformation energy, recovery 2: 220
 - degradation, chlorophyll 2: 331, 333
 - definition 1: 213
 - degradation resistance, cellulose fibrils 1: 140
 - degree of polymerization, cellulose 1: 195
 - demonstration process, iogen's 1: 193
 - density, bales 1: 335
 - department of energy (DOE) 1: 19, 74
 - depolymerization, biomass 1: 123
 - designer proteins 1: 122
 - development lines, sugar-based chemicals 2: 14
 - development trap, underdeveloped countries 1: 52
 - dextrins 2: 79
 - dextrose 2: 128
 - production 1: 44
 - starch hydrolysis 1: 5
 - dextrose syrup, carbohydrate refining 1: 351
 - DFA III, production 1: 397
 - diacids, replacement 2: 38
 - 1,4-diacids 2: 34
 - basic biobased chemicals 1: 22
 - dialkyl carbonates 2: 311
 - synthesis 2: 311
 - diamines, sugar-based 2: 42

- diammonium succinate 2: 376
diastereomeric forms, lignin 2: 157
dibenzodioxocin structures, lignin 2: 158
Diels-Alder reaction, methyl conjugenate 2: 260
diesel 1: 119
– low-smoke formulation 1: 153
dietary lignin, antidiarrheic effects 2: 195
diethyl ether, glucose product family 1: 21
diffraction patterns, starch 2: 73
difructose anhydride 1: 397–402
digestibility, cellulose 1: 261
diglycerides, lipase-catalyzed syntheses 2: 270–272
dihydropyranones 2: 20
– disaccharide-derived 2: 24
dilactide, glucose product family 1: 21
dilute acid hydrolysis 1: 200
dilute acids
– pretreatment 1: 362
– starch treatment 2: 76
dilute sulfuric acid, biofine process 1: 142
dilute-sulfuric-acid hydrolysis, cellulose 1: 132
dimer acid 2: 297–298
dimerdiols, dimer acid based 2: 297–298
dimerization, radical 2: 267
dimethyltetrahydrofuran *see* DMTHF
diphenolic acid 1: 148
direct distillation 2: 389
disaccharide sophorose 1: 76
disaccharides, availability 2: 4–7
disposal problems, Biopol 2: 428
dissociation, of industries from petrochemical 1: 94
distillation of lactate ester 2: 389
distillers dried grains and solubles *see* DDGS
DM 1: 261
DMTHF 1: 152
DOE *see* department of energy
door binders 2: 185–186
downdraft gasifiers 1: 231
downstream processing
– grass fiber fraction 1: 281
– poly(3-hydroxybutyric acid) 1: 218–220
drilling fluids, starch derivatives 2: 91
drugs, sugar derived 2: 14
dry fractionation, wheat 1: 176–183
dry matter 1: 261
dry mill refinery 1: 346–347
dry milling 1: 27, 70
– operations 1: 166
dry reactions, starch modifications 2: 77
dry storage, bagasse 1: 321
DSM, transition process 1: 93
Duales System, biodegradable bottle 2: 427
Dutch Energy Research Strategy 1: 109
dye dispersants 2: 190–192
dyes
– biorefinery context 2: 315–324
– juice fraction 1: 274
dyestuff 2: 191
- e**
E. coli see *Escherichia coli*
E10-Fuel 1: 9
ECN 1: 109
ecological aspects, green biorefinery 1: 283–285
ecological balance, fermentative production 2: 207
ecological compatibility, biobased oleochemicals 2: 293
economic aspects, green biorefinery 1: 283–285
economic barriers, biotechnology 1: 381
economic benefits 2: 452–454
economic clusters, new synthesis 1: 95
economic forces 1: 41
economic potential
– biotechnology 2: 446–451
– industrial biotech 2: 445–462
economics, biofine process 1: 158–161
economies of scale 1: 159
– biodiesel plant 1: 127
economy, biobased 1: 41–66
economy growth 1: 67
economy of scale
– biorefineries 1: 350
– furfural 1: 125
ecosystem modeling 1: 57–60
edible films, gluten 1: 181
efficiencies, biofine process 1: 145–146
efficiency improvements, biotechnology 2: 454
efficient energy conversion, elasticity provides 2: 219
EG (endoglucanase) 1: 203, 364, 2: 133
– structure–function relationship 1: 370–371
Ekman, C. D. 1: 6
EL (ethyl levulinat) 1: 152–153
elastic consilient mechanism 2: 223
– protein-based polymer engineering 2: 217

- elastic mechanisms, coupling to hydrophobic mechanism 2: 237–238
- elastic moduli, fibers 2: 241
- elastic protein-based polymers, temporary functional scaffoldings 2: 239
- elasticity, protein-based polymers 2: 219–220
- Elbow washing test, betaine 2: 413
- electricity 1: 46
 - biomass share 1: 14, 16
- electricity generation, biomass 1: 44
- electrodialysis, lactic acid purification 1: 312
- electrophilic substitution, furan 2: 9
- emollients 2: 310
- emulsifiers
 - lecithin 2: 318
 - polyglycerol esters 2: 308
 - vegetable oil 2: 301
- emulsion(co)polymerization process, starch derivatives 2: 90
- endoglucanase *see* EG
- endotoxins, removal 2: 230
- enediol, dehydration 1: 142
- Energie Onderzoeks Strategie *see* EOS
- energy and protein coproduction 1: 55
- energy balance, simultaneous processing of sugars 1: 221
- energy conversion, efficient 2: 219
- energy costs, impacts 1: 115
- energy crops, renewable carbon 1: 44
- energy efficiency, fossil fuels replacement 2: 449
- Energy Research Center of the Netherlands *see* ECN
- energy sources, biomass-based 1: 380
- engine efficiency loss, diesel 1: 153
- engineered organisms 1: 68
- engineering
 - mechanistic foundations 2: 217–251
 - protein-based polymers 2: 219–220, 232–238
- engineering principles
 - fundamental 2: 222
 - protein-based polymers 2: 220
- entire barrel of biomass 1: 54–55
- entropic elastic force, proteins 2: 223
- environmental aspects, biodegradable plastics 1: 212
- environmental benefits 1: 117
- environmental consideration, MAAP 2: 205–209
- environmental impact, production process 1: 92
- environmental improvements 1: 64
- environmentally friendly, biotech 2: 448–450
- enzymatic conversion 1: 130
- enzymatic digestion, poly(3-hydroxybutyrate-co-valerate) 1: 219–221
- enzymatic hydrolysis 1: 79, 147
 - cellulose 2: 115
 - improvements 1: 205
 - reactions 1: 203
- enzymatic hydrolysis process 1: 134
- enzymatic methods, LCF 2: 115
- enzymatic oxidizing systems 1: 178
- enzymatic processes, starch degradation 2: 79
- enzymatic reactions 2: 270–274
- enzymatic synthesis, MAAP 2: 202
- enzymatic transport, improvements 2: 204
- enzyme-based plant development 1: 134
- enzyme broth 1: 201
- enzyme catalysis, economic barriers 1: 381
- enzyme cost reduction, ethanol production 1: 377
- enzyme dosage 1: 366
- enzyme immobilization 1: 399–402
- enzyme performance, cellulase 1: 76–77
- enzyme production 1: 202
 - bran 1: 172
- enzyme recovery 1: 74
- enzyme requirement, increase 2: 178
- enzyme screening 1: 398
- enzyme system, optimisation 1: 74
- enzymes 1: 357–383, 2: 90
 - biodegradation 1: 363
 - biomass conversion 1: 68
 - cellulase 1: 201–202
 - cost reduction 1: 56
 - markets 2: 446
 - nonhydrolytic 1: 365
 - oxidative 1: 213
 - recycling 1: 205
 - superior 1: 205
 - synergism 1: 365–366
 - thermally stable 1: 368
- EOS 1: 109
- epoxidation
 - chemo-enzymatic 2: 254
 - new methods 2: 254–257
- epoxides 2: 254
 - polyols 2: 298–299
 - PVC stabilizers 2: 256
- equilibrium concentration, protonated glycoside 1: 141

erosion 1: 327
 – cover crops 1: 331
 – prevention 1: 61
 ERRMA 1: 89
 erucic acid, high 2: 280
 erythro form, lignin 2: 157
Escherichia coli 1: 206, 2: 30
 – bioengineered 2: 35–37, 44
 – carbon-14-labeled 2: 228–229
 – cost of production 2: 242
 – fermentation 2: 230
 – inulin production 1: 398
 – recombinant 1: 399
 – transformation 2: 227–230
 esparto grass, xylitol source 1: 283
 esterification, starch 2: 80
 esters, lubricant applications 2: 300
 ETBE 2: 7
 ethanol 1: 89, 104, 146, 209, 2: 7–8, 132
 – additive replacement 1: 357
 – fermentation 1: 11, 2: 120, 351
 – global market 2: 446
 – glucose product family 1: 21
 – lignocellulose transformation 2: 115
 – predictions 2: 454
 – vapor pressure 1: 151
 – wood hydrolyses 1: 5
 ethanol production 1: 125, 130, 193, 209–210, 389
 – advantages 1: 197
 – cellulase 1: 201
 – costs 1: 72, 246
 – enzyme cost reduction 1: 377
 – sucrose 1: 70
 ethanol production plant, process design 1: 393
 ethanol recovery 1: 206–207
 ether structures, lignin 2: 158
 etherification, starch 1: 27, 2: 80
 ethyl *t*-butyl ether 2: 7
 ethyl ester, LA derivatives 2: 10
 2-ethyl hexanol, glucose product family 1: 21
 ethyl lactate, glucose product family 1: 21
 ethyl levulinate (EL), properties 1: 151
 ethylene, glucose product family 1: 21
 EU directives 1: 94
Eubacterium limosum 1: 235
 Europe, biomass conversion 2: 351
 European grassland, yield 1: 259
 European Renewable Resources and Materials Association *see* ERRMA
 excess water, removal 1: 219

exothermic hydration, apolar groups 2: 218
 expansin, enzymatic hydrolysis 1: 365
 expressed protein-based polymers 2: 242–245
 expression vector, gene 2: 227
 external challenges 2: 456
 external environment, biotechnology 2: 461
 extraction, chlorophyll 2: 328
 extraction methods, chlorophyll 2: 337
 extraction processes, PHB 1: 218
 extrusion cooking, starch modifications 2: 77
 extrusion processes, PHB 1: 216

f

fabric coloring 2: 191
 FAME 1: 152
 farmer value 1: 325–327
 FAS 2: 303
 – synthesis 2: 303
 fast pyrolysis 1: 229, 241
 – biorefinery 1: 246–248
 – products 1: 242
 – reaction pathways 1: 243
 fast-pyrolysis plant, schematic diagram 1: 244
 fat hardening 1: 7
 fats
 – microbial conversion 2: 274
 – new syntheses 2: 253–289
 fatty acid esters, biodegradable 2: 299–301
 fatty acid methyl esters *see* FAME
 fatty acid oil seeds variants, commercially available 2: 278
 fatty acids 1: 90–92
 – anodic coupling 2: 267–269
 – apple-peel wax components 2: 433
 – chain length 2: 292
 – epoxidation 2: 254–257
 – juice fraction 1: 274
 – microbial oxidation 2: 273–274
 – nucleophilic addition 2: 265
 – oxidative coupling 2: 266
 – triglycerides 1: 122
 – unsaturated 2: 272–273
 – *vic*-dihydroxy 2: 257–258
 fatty alcohol sulfate 2: 303
 fatty alcohols 2: 294
 fatty compounds
 – reactions 2: 266–270
 – unsaturated 2: 254–266

- FDCA (furan-2,5-dicarboxylic acid) 2: 38, 133
- basic biobased chemicals 1: 22
- synthesis 2: 134
- feedstocks 1: 100, 105
- alternative 2: 452
- composition 1: 195
- conversion 1: 68–73
- fibrous 1: 239
- insoluble components 1: 146
- pretreatment 2: 167, 178
- pricing 1: 327
- production 1: 181
- quality 1: 196, 334
- selection 1: 194–198
- sucrose-based 1: 197
- supply 1: 317, 2: 368–369
- thermogravimetric analyses 1: 156
- fermentable-carbon-cost 1: 68
- fermentable carbon source 1: 78
- fermentable sugars 1: 67–73
- fermentation 1: 74, 85, 123, 146, 2: 356
- *E. coli* 1: 399
- *Escherichia coli* transformation 2: 227
- amino acids 2: 203
- biomass processing 1: 98
- bio-oils 1: 229
- cellulose 2: 177–179
- commercial lactic acid production 2: 384
- continuous 1: 300
- economics 2: 369
- ethanol 1: 390–391, 2: 351
- fungal 1: 181
- glucose 1: 31
- guidelines 1: 21–22
- lactic acid 1: 298, 2: 383
- microbial 1: 181
- PHB production 1: 217
- rhizopus-based 2: 388
- succinic acid 2: 369
- syngas 1: 233–239
- fermentation broth, no processing 1: 75
- fermentation by-products 2: 388
- fermentation ethanol 2: 7
- fermentation industry, starch 2: 89
- fermentation inhibitors, bio-oil 1: 245
- fermentation medium
- brown juice 1: 298
- pearled grain flour 1: 176
- plant juice 1: 295–314
- potato juice 1: 309–310
- fermentation organisms 1: 77–81
- fermentation process 1: 104–106
- inhibitors 1: 78
- performance 1: 78
- PLA 1: 296–297
- fermenters, ethanol production 1: 201
- fertilizer
- ash 1: 161
- nitrogen 1: 325
- ferulic acid 1: 178–179
- Festuca arundinacea* 1: 261
- alkaloid production 1: 277
- fructans 1: 267
- sugars 1: 266
- Festuca pratensis* 1: 261
- amino acid composition 1: 267
- sugar 1: 265
- Festuca spp.*, proteins 1: 277
- fiber fraction 1: 278–285
- corn 2: 369
- grass 1: 281
- fibers
- biodegradable 2: 10
- corn refinery products 1: 348
- high-performance 2: 41
- improved 2: 241
- Kraft lignin 2: 197–198
- paper 2: 84
- press-cake components 1: 280–282
- fibrous biomass, fast pyrolysis 1: 246
- film-forming agents, chitosan 2: 419
- films, water-retentive properties 2: 420
- filter aids, purified biogenic silica 1: 278
- fine chemicals 1: 386
- production routes 1: 385–406
- finishing agents 2: 86
- Fischer glycosidation, APG synthesis 2: 12
- Fischer–Tropsch process 1: 158
- flocculants, starch derivatives 2: 91
- flow dynamics, agricultural ecosystems 1: 60
- fluidized bed gasifiers 1: 231
- foams, production 2: 9
- follow-up chemicals, ethanol 2: 7
- follow-up products, biorefinery 1: 24
- food 1: 13
- food preservative, ferulic acid 1: 179
- forage crops 1: 45
- forestry ecosystem modeling 1: 57–60
- forestry waste, furfural hydrolysis 2: 8
- formic acid 1: 153–154, 2: 39
- production 1: 139–164
- formulation 1: 74
- forward extraction, lactic acid 2: 389
- fossil-based raw material substitution 1: 85

- fossil carbon-processing industries
1: 42–44
- fossil fuel substitution 1: 85
- fossil fuels replacement, energy efficiency 2: 449
- fossil organic raw materials 2: 347
- fossil resources, dependence 1: 92
- foundry, starch derivatives 2: 91
- foundry resins 2: 184–185
- Fownes, G. 1: 6
- fraction-I protein 1: 274
- economic interest 1: 255
- fraction-II protein 1: 275
- fractionation, green crops 1: 272
- fractionation process, oats based
1: 183–187
- free energy of hydration, repulsive 2: 218
- free radical cross-linking 2: 399
- friction materials 2: 184
- Friedel-Crafts acylation 2: 265
- fructans 1: 267
- enzymatic decomposition 1: 302
- fructose 2: 131
- D-fructose, synthesis 2: 132
- frying oil, byproducts 1: 100
- fuel additives 1: 150
- ethanol 1: 26
- fuel alcohol, production 1: 193
- fuel cells 1: 378
- fuel ethanol, legislative support 2: 453
- fuel ethanol program, Brazil 1: 210
- fuel gas 1: 102
- fuel-oriented biorefineries 1: 193–208
- fuel production 1: 53
- starch 1: 181
- fuel source, sustainable 1: 115–128
- fuels 1: 13
- biobased products 1: 376
- biofine char 1: 155
- fumaric acid 2: 35
- functional foods 1: 180
- functional group transformations, side chains 2: 333
- functional groups 2: 156–159
- addition to hydrocarbons 1: 119
- LA 1: 147
- functionalization, C–H bonds 2: 269–270
- fungal cellulolytic system 1: 365
- fungal fermentations 1: 181
- fungal genes, schematic representation
1: 373
- fungi, cellulolytic 1: 371–373
- fungicides, lignin-based dispersants 2: 193
- fungus, wood-rotting 1: 201
- fungus Z proteins 1: 373
- furan 2: 19
- hydrophilic 2: 20
- polyesters 2: 44
- furan commodity chemicals 2: 8
- furan compounds 2: 16
- furan derivatives 2: 98
- furan-2,5-dicarboxylic acid (FDCA) 2: 38,
133
- basic biobased chemicals 1: 22
- synthesis 2: 134
- furan polyamides 2: 46
- furan resins 1: 154
- furanoid sugar derivatives 2: 48
- furfural 1: 6, 78, 91, 124–125, 154, 199,
2: 8, 121–127
- biomass building blocks 1: 22
- chemical structure 1: 143
- formation 2: 123
- history 2: 101
- lignocellulosic products 1: 25
- mass yield 1: 145
- production 1: 142
- yields 2: 102
- furfural production 1: 125, 133, 139–164
- furfuryl alcohol 1: 154
- furfurylamines, conversion 2: 28
- future biorefineries, lignocellulosic materials
processing 2: 166
- future development lines, sugars 2: 3–59
- g**
- galactanes 2: 108
- gas-phase chlorination, photochemical
2: 269
- gas to liquids *see* GTL
- gasification 1: 31, 85, 101, 123, 227, 2: 350
- air-blown 1: 232
- bioproducts 2: 361
- bran 1: 172
- coal 1: 157
- fundamentals 1: 230
- separation of value components 1: 103
- gasification-based systems, hybrid processing
1: 230–241
- gasifier temperatures 1: 232
- gasoline 1: 119
- replacement 1: 49
- gasoline market, USA 1: 71
- GBL 1: 149, 2: 373, 375
- GEGVP, repulsive free energy 2: 237
- gelatinization, starch 2: 78

- gelatinization temperature 2: 75
- gene constructions 2: 225–227
 - expressed protein-based polymers 2: 242–245
- gene ladder 2: 229
 - GVGVP 2: 226
- gene technology, plant breeding 2: 275, 281
- Genencor International 1: 74, 77
- generation-I biorefinery 1: 19
- generation-II biorefinery 1: 19
- generation-III biorefinery 1: 19–20
- genetic engineering 1: 374, 398
 - ethanol production 1: 391
- genetically engineered organisms, fermentation 2: 7
- genetically modified crops 1: 96
- geographical distribution, refineries 1: 57
- geoporphyrins 2: 331
- germ, corn refinery products 1: 348
- GGAP, biocompatibility 2: 232
- GH 1: 364
- GH families, *Trichoderma reesei* 1: 373
- Gibbs free energy, change 2: 218, 222, 232
 - phase transition 2: 234
- GJ *see* green juice
- glass fiber, resins 2: 185
- GLNC, juice fraction 1: 274
- global warming 1: 94
- GLU *see* glutamic acid (GLU)
- glucan 1: 139, 2: 108
 - β -glucan 1: 175–176, 185
- glucanases, biodegradation 1: 364
- glucaric acid 2: 38
 - basic biobased chemicals 1: 22
- D-glucitol 2: 9
- gluconic acid 1: 402
 - biomass building blocks 1: 22
- Gluconobacter oxydans* 1: 80
- glucosamine 1: 182
- D-glucosamine, pyrroles synthesis 2: 25
- glucose 1: 17, 2: 128–128
 - electrolytic reduction 2: 130
 - microbial conversion 2: 274
 - nitric acid oxidation product 2: 38
 - wood saccharification 1: 5
- D-glucose
 - derivatives 2: 22
 - one-pot conversions 2: 20
 - reductive amination 2: 12
- glucose fermentation, plant development 1: 134
- glucose-product family tree 1: 21–22
- D-glucose residues, *Lolium perenne* 1: 264
- glucose yields 2: 177
- β -glucosidase *see* BG
- glucosides 2: 130–133
- 5-(glucosyloxymethyl)furfural 2: 16
- glutamate, markets 2: 207
- glutamic acid (GLU) 2: 34, 304
 - basic biobased chemicals 1: 22
- gluten, corn refinery products 1: 348
- glycanes 2: 108
- glycerol 2: 271
 - basic biobased chemicals 1: 22
 - biocatalytic route 1: 393–397
- glycine, chemical structure 2: 411
- Glycine max* 2: 277
- glycolipids, microbial conversion 2: 274
- glycoside hydrolase family classification system *see* GH
- glycosidic bonds 1: 140
- GMF 2: 17, 25
- gold catalysts 1: 403
- grain 1: 45
- grain wet-milling, biorefinery example 1: 70
- grass
 - composition 1: 262–263
 - key components 1: 260–269
 - production costs 1: 284
- grass fibers
 - basic properties 1: 281
 - downstream processing 1: 281
 - products 1: 282
- grass press cake, major components 1: 279
- grass silage juice, physicochemical characteristics 1: 276
- grassland feedstocks, availability 1: 259–260
- gravity separator, acid hydrolysis 1: 145
- green biorefiner concept 1: 253–294
- green biorefineries 1: 19, 24, 29–31
 - concept 1: 269–273, 296–297
 - ecological aspects 1: 283–285
 - economic aspects 1: 283–285
 - products 1: 31
 - raw materials 1: 258–269
- green chemistry, chlorophyll 2: 325–343
- green crop-drying plant 1: 270
- green crops, industrial use 1: 9
- green cycle, sugar cane industry 1: 210–211
- green harvesting residue material 1: 258
- green house gases 2: 402
- green juice (GJ) 1: 30, 269, 271, 273–277
- green leaf nutrient concentrate 1: 274

green natural gas 1: 103
 green pellets, production amount 1: 260
 green plant material, composition 1: 258
 green plant parts, fractionation 1: 256
 greenhouse gas reduction 1: 62
 greenhouse gases, emission 1: 197
 gross visualization, phase separated product 2: 229
 ground water pollution, brown juice 1: 298
 growth, biorefining industry's 1: 317
 growth phase, fermentation 1: 218
 GTL technology 1: 158
 guerbet alcohols 2: 311
 – synthesis 2: 312
 guinea-pig, protein-based polymer injection 2: 231
 gum arabic, substitute 2: 62
 GVGIP 2: 240
 – patches 2: 241
 GVGVP 2: 223
 – adhesions prevention 2: 238
 – biocompatibility 2: 232
 GVL 1: 151
 gypsum 1: 106, 2: 87, 386

h

Haarmann, W. 1: 7
 hair, protection 2: 429–437
 hair care 2: 434–436
 – ilex resin 2: 439–440
 hair conditioners, betaine derivatives 2: 414
 hair-setting agent 2: 415–422
 hair surface, cationic compound deposition 2: 413
 hair swatches, standardized 2: 435
 Hale, W.J. 1: 9
 half esters, homocoupling 2: 268
Halobacterium sp NRC-1 1: 80
 2-halocarboxylates, copper-initiated additions 2: 262–263
 hammer mill 1: 176
 hardwood, composition 2: 106
 hardwood lignins 2: 154, 157
 harvest cost 1: 333
 harvest transport 1: 338–339
 3-HBL *see* 3-hydroxybutyrolactone
 heating value, biofine char 1: 155
Helianthus annuus 2: 277
 heliogerme 1: 179
 hemicellulases 1: 364
 hemicellulose 1: 72, 121, 198, 2: 104
 – accessibility 1: 55
 – chemical composition 1: 360
 – feedstock content 1: 359
 – history 2: 101
 – hydrolysis 1: 362
 – isolation 2: 119
 – plant content 1: 261
 – quantities 1: 264
 – removal 1: 199
 hemicellulose removal, advantages 2: 177–179
 hemicellulose-based product lines 2: 119
 hemicellulose concentrations, forage grasses 1: 264
 hemicellulose content, stem tissue 1: 265
 hemicellulose polysaccharides, hydrolysis 1: 141
 herbaceous species 1: 50
 herbicidal treatment, highly selective 1: 150
 herbicides 1: 149
 – lignin-based dispersants 2: 193–194
 heterocoupling, fatty acids 2: 267–269
 heteropolymeric sugars, hemicellulose 1: 360
 hexadecanedioic acid, yield 2: 274
 hexose sugars 1: 78
 HFCS 1: 351
 HFRR 1: 153
 high frequency reciprocating ring test *see* HFRR
 high-performance fiber 2: 41
 high-value-added products, sugar-derived 2: 14–15
 high value pharmaceuticals 2: 40
 higher-value products, levulinic acid 2: 39
 HMF (hydroxymethylfurfural) 1: 130, 133, 142, 2: 16, 133
 – levulinic acid process 2: 100
 – manufacture 2: 131
 HMF based family tree 2: 135
 Holly 2: 437–438
 holocellulose change, wet storage 1: 336
 homocoupling, fatty acids 2: 267–269
 homofermentative strain, *Lactobacillus salivarius* 1: 307
 hot-wash, pretreatment 1: 362
 3-HPA 2: 34–35
 HTU process, liquid biofuels 2: 351
Humicola grisea var thermoidea 1: 77
Humicola insolens 1: 375
Humicola 1: 202
 hybrid processing, biomass 1: 227
 hybrid thermochemical-biological processing 1: 227–252

- hydration
 - microbial 2: 272–273
 - repulsive free energy 2: 237–238
 - hydrocarbons
 - apple-peel wax components 2: 433
 - fossil 2: 6
 - linear 1: 118
 - hydrochloric acid, carbon hydrolysis 1: 131
 - hydrogen bonding, cellulose 1: 360
 - hydrogenation reaction, syngas production 1: 230
 - hydrolases 1: 373–375
 - hydrolysability, biopol 2: 425
 - hydrolysis
 - biomass 1: 129–138
 - furfural 2: 8
 - hemicellulose 1: 362
 - starch 1: 5
 - hydrolysis reactors, novel 1: 205
 - hydrolytic enzymes, costs 1: 105
 - hydrolytic liquefaction 1: 123
 - hydrolyzate, biomass 1: 78
 - hydrophilic imidazoles, D-fructose-derived 2: 27
 - hydrophilic side-chains 2: 24
 - hydrophilic/hydrophobic balance, sorbitan esters 2: 11
 - hydrophobic association, Gibbs free energy 2: 218, 232
 - input energy 2: 219
 - inverse temperature transition 2: 219
 - hydrophobic coating 2: 434
 - hydrophobic consilient mechanism 2: 222
 - hydrophobic effect, comprehensive 2: 237
 - hydrophobic hydration 2: 218
 - hydrophobic mechanism, protein-based polymer engineering 2: 217
 - hydrophobicity scale
 - Gibbs free energy 2: 234–235
 - prosthetic groups 2: 235–236
 - hydrothermal conditioning, granular starch 2: 78
 - hydrothermolysis 2: 351
 - hydroxy cyclic ester 2: 398
 - hydroxyalkylation, starch 2: 80
 - 3-hydroxybutyrolactone (3-HBL) 2: 38, 40
 - basic biobased chemicals 1: 22
 - hydroxymethylfurfural (HMF) 1: 78, 2: 16, 133
 - formation 1: 143
 - hydration 1: 143
 - lignocellulosic products 1: 25
 - 3-hydroxypropionic acid (3-HPA) 2: 34–35
 - basic biobased chemicals 1: 22
 - hydroxypropylation 2: 77
 - 3-hydroxyvalerate *see* PHV
- i**
- IA *see* itaconic acid
 - ideal elasticity 2: 219
 - mechanism 2: 220
 - ift gene 1: 398
 - IgG 2: 230
 - Ilex aquifolium* 2: 437–438
 - Ilex paraguariensis* 2: 438
 - Ilex resin 2: 437
 - Ilex* species 2: 437
 - imidazoles 2: 27
 - hydrophilic 2: 27
 - immobilization 1: 389
 - enzyme 1: 399–402
 - lipase B 2: 256
 - immobilization technology 1: 392
 - immunoblot technique, western 2: 230–231
 - immunoglobulin G 2: 230
 - income generator 1: 96
 - inducing sugar 1: 201
 - industrial biobased products 2: 359
 - industrial biomass 1: 13
 - industrial bioproducts, opportunities 2: 357
 - industrial biotech 2: 445–462
 - industrial chemicals
 - biomass-derived 1: 124, 2: 347–365
 - fossil sources 1: 120
 - sustainable 1: 115–128
 - industrial concepts
 - biobased materials 2: 354–362
 - biomass 2: 347–365
 - industrial feedstock, baling 1: 333
 - industrial product family, development 1: 18
 - industrial products, biomass-based 1: 87
 - industrial resources, historical 1: 4–8
 - industrial starch platform 2: 61–95
 - industrial uses, sugars 2: 7–14
 - industries, fossil carbon-processing 1: 42–44
 - infection, natural 2: 275
 - infrastructure investment 1: 340
 - inhibitors, enzyme activity 2: 322–323
 - initiators 2: 398
 - injection processes, PHB 1: 216
 - injections, histological sections 2: 231
 - innovation potential, fossil-based building blocks 2: 450

insulation materials, resins 2: 185
 integrated biorefinery applications 1: 125
 integrated biorefinery process, detailed view 1: 102
 integrated biorefining systems, sustainability 1: 56–65, 60–65
 integrated process chain approach, biomass processing 1: 98
 integrated processing facility 1: 45
 integrated production, sugar 1: 209
 intergeneric hybridization, plant breeding 2: 276
 intermediate chemicals, HMF derived 2: 16
 intermediate products, biorefineries 1: 46
 intermediates 1: 386
 – biofine process 1: 145
 intermolecular order, proteins 2: 221
 internal obstacles 2: 456
 intracellular poly(3-hydroxybutyric acid) 1: 218–219
 intracellular reserve material, PHB 2: 424
 intramolecular cyclization, addition 2: 263
 inulase II gene 1: 398
 inulin 1: 267
 – biocatalytic route 1: 397–402
 – fructose source 2: 131
 inulinase II, immobilization 1: 399
 inverse temperature transition
 – hydrophobic association 2: 219
 – protein-based polymers 2: 227
 – purification 2: 228–229
 investment costs, poly(3-hydroxybutyric acid) 1: 222–223
 investments, biomass supplies 1: 318
 Iogen's demonstration process 1: 193
 – schematic 1: 194
 Iowa corn stover collection project 1: 319–321
 isoamyl alcohol, extraction of PHB 1: 219
 isoascorbic acid, glucose product family 1: 21
 isolation, lignin 2: 116
 isomaltulose, industrial production 2: 17
 isosorbide dinitrate 2: 14
 itaconic acid (IA) 2: 34, 36
 – basic biobased chemicals 1: 22
 – glucose product family 1: 21

j

jet milling 1: 176
 jetcutting 1: 401
 juice fraction 1: 273–285

k

Kevlar 2: 46
 key chemicals, cellulose-based 2: 128
 key intermediates
 – chlorophyll chemistry 2: 338
 – HMF 2: 133
 key sugars 2: 3–59
 – exploitation 2: 14
 Kirchoff, G. S. C. 1: 5
 Kirchoff 2: 62
Klebsiella pneumoniae 2: 36
Klebsiella 1: 206
 kojic acid 2: 20
 – glucose product family 1: 21
 Kolbe electrolysis 2: 267–269
 Kraft black liquor 2: 175
 Kraft lignin, producers 2: 175
 Kraft lignin recovery 2: 175
 Kraft pulping 2: 175
 Kraft pulping industry, lignin 2: 169–170
 Kyoto objectives, dutch 1: 85

l

LA *see* lactic acid, levulinic acid
 lactate ester, distillation 2: 389
 lactic acid (LA) 1: 7, 11, 91, 2: 10–11, 382
 – biomass building blocks 1: 22
 – composition 1: 308
 – fermentation 1: 11, 298, 303–305, 305–306, 378
 – glucose product family 1: 21
 – manufacturers 2: 383
 – production 1: 306, 312, 2: 382
 – sources 1: 296
 – usage 2: 10
 lactide, polymerization 2: 392–396
Lactobacillus buchneri, 1,2-propanediol 2: 37
Lactobacillus delbrueckii 2: 210
Lactobacillus paracasei subspecies paracasei 1: 302
Lactobacillus plantarum 1: 302, 2: 273
Lactobacillus salivarius 1: 305
Lactococcus lactis 2: 210
 laundry starches 2: 89–91
 lauric oils 2: 292
Lb salivarius BC 1001, fermentation 1: 299–300
 LCA, polylactic acid 1: 284
 LCF *see* lignocellulosic feedstock
 LCF-mannan 2: 120
 LCI, PLA 2: 402
 leaf dyes, first production 1: 257–258

- leaf nutrient concentrate 1: 274
- leaf protein concentrate 1: 254
- learning from nature, bionics 2: 410
- leaves, Ilex resin 2: 437
- Leblanc, N. 1: 7
- lecithin 2: 318
- levoglucosan 1: 229, 243, 247
- levoglucosan hydrolysis, alternative 1: 245
- levoglucosenone 2: 21
- levoglucosan, biomass building blocks 1: 22
- levulinate esters 1: 153
- levulinic acid (LA) 1: 6–7, 143–144, 2: 38–39, 134, 361
 - basic biobased chemicals 1: 22
 - bromination 1: 150
 - catalytic hydrogenation 1: 151
 - history 2: 100
 - maximum theoretical yield 1: 145
 - oxidation 1: 149
 - production 1: 139–164, 2: 111
 - reaction to diphenolic acid 1: 148
- levulinic acid-based family tree 2: 135
- Lewis acid-induced cationic addition 2: 264–265
- life cycle analysis 1: 57
- life cycle assessment *see* LCA
- life-cycle inventory 2: 402
- lignin 1: 7, 72, 121, 195, 2: 104
 - antioxidant 2: 187–189
 - approximate composition 2: 154
 - biodegradation 2: 160
 - cell wall constituents 2: 151
 - chemical composition 1: 360
 - chemical linkages 2: 182
 - commercially available 2: 176
 - emerging markets 2: 194–198
 - feedstock content 1: 359
 - gasification 2: 118
 - history 2: 101
 - hydrolysis 2: 118
 - Kraft pulping industry 2: 169–170
 - markets 2: 166, 175, 181, 198
 - organosolv biorefinery 2: 179–181
 - plant content 1: 261
 - press cake component 1: 279
 - purified 2: 167
 - pyrolytic 1: 241
 - soda pulping industry 2: 170–172
 - structural units 2: 105
 - structure 2: 152–159
 - utilization 2: 117
 - water-soluble 2: 189–194
- lignin-based product lines 2: 116–118
- lignin chemistry, biomass conversion 2: 151–163
- lignin content 1: 265
- lignin isolation 2: 116
- lignin polymer 2: 155
 - growth 2: 154
- lignin precipitation system 2: 171
- lignin processing 1: 194, 205–206
- lignin production
 - historical outline 2: 168–172
 - industrial 2: 165–200
- lignin products 2: 152
 - existing 2: 172–177
- lignin recovery process 2: 171
- lignin removal, advantages 2: 177–179
- lignin unit, different types 2: 156–159
- lignocellulose 1: 74
 - biorefinery 2: 111
 - enzymatic sequence 2: 210
 - history 2: 102
- lignocellulose-based chemical products 2: 97–150
- lignocellulose chemistry, historical outline 2: 98–99
- lignocellulose structure 1: 121
- lignocellulose utilization
 - industrial 2: 102
 - technical aspects 2: 98
- lignocelluloses 1: 10
 - carbohydrates 2: 108
- lignocellulosic, raw material 2: 103
- lignocellulosic biomass, pretreatment 1: 361
- lignocellulosic biorefineries, PLA 2: 403
- lignocellulosic biorefinery 1: 115–128
 - chemistry 1: 122–125
- lignocellulosic feedstock (LCF) 1: 24, 125, 139–164
 - biorefinery 1: 24–26, 129–138, 2: 111–113
 - chemical composition 2: 106–108
 - conversion methods 2: 113–115
 - definition 2: 103
 - major groups 2: 103
 - sources 2: 105
- lignocellulosic fractionation 1: 139–144
- lignocellulosic materials 1: 45, 105
- lignocellulosic technology, conventional 1: 146–147
- lignosulfonate, dye dispersants 2: 191
- lignosulfonate producers 2: 173–174
- lignosulfonates 2: 168–169, 172–175
 - markets 2: 174

- lignosulfonic acid, vanillin production 1: 7
 linear hydrocarbons 1: 118
 linear PLA, melt rheology 2: 397
 linear polymer, idealized structure 2: 49
 β -1 linkage, phenylpropane units 2: 159
 β - β linkage, phenylpropane units 2: 157
 β -O-4 linkage, arylglycerol units 2: 156
 linseed 2: 281
Linum usitatissimum 2: 277
 lipase-catalyzed syntheses 2: 270–272
 – carbohydrate esters 2: 272
 lipase-catalyzed transformations 2: 270–272
 lipid based bioproducts 2: 361
 lipid layer enhancing effect, evaluation 2: 310
 lipids 1: 7
 – chemical composition 1: 361
 lipotropic factor, betaine 2: 411
 liquefaction 1: 123, 126
 liquid biofuels 1: 49
 liquid epoxy polyol esters 2: 298
 liquid fuel production, missing part 1: 55
 liquid transportation fuels 1: 46
 LNC, composition 1: 274
 load-and-go wagon 1: 320
 local ownership, biorefinery 1: 56
Lolium hybridum, press cake fibers 1: 281
Lolium multiflorum
 – alkanes 1: 268
 – silica 1: 268
Lolium perenne 1: 261, 264
 – alkaloid production 1: 277
 – alkanes 1: 268
 – amino acid composition 1: 267
 – antifreeze protein 1: 269
 – fructans 1: 267
 – minerals 1: 268
 – silica 1: 268
 – sugar 1: 265
 – water-soluble carbohydrate 1: 266
 low-cost production 2: 242
 low nutrient conditions, succinate fermentation 2: 370
 LPC 1: 268
 – first industrial process 1: 256
 – first production 1: 254–257
 – quality 1: 258
 LPS process 2: 171
 lubricants, fatty acid esters 2: 299–301
 lubricants industry, antioxidants 2: 188
 lucerne, protein fractions 1: 275
 lyocell 1: 90
 lyondell propylene oxide, 1,4-BDO 2: 373
 lysine
 – biomass building blocks 1: 22
 – markets 2: 207
 lysine fermentation 1: 11
 lysine preparations, commercially available 2: 208
 lysine yield, *C. glutamicum* 2: 210
- m**
- MAAP 2: 201–202
 – ecological impact 2: 207
 – environmental and commercial consideration 2: 205–209
 – technical constraints 2: 209
 MAAP processes
 – cultivation temperature 2: 213
 – major steps 2: 208
 – nitrogen source 2: 211
 macrocycle 2: 334
 macrocyclic ring system, reactions 2: 333
 Madison-Scholler process 1: 132
 Maillard reaction 2: 24
 maize starch production 2: 66, 67
 MALDI-TOF, polymer size 2: 229
 maleic acid, conversion 2: 375
 malic acid 2: 35
 – glucose product family 1: 21
 malonic acid, biomass building blocks 1: 22
 maltol, glucose product family 1: 21
 managing uncertainties, biotechnology 2: 459
 mannan 2: 108
 mannan/mannose product lines 2: 119
 D-mannitol 1: 267
 margarine 1: 7
 Marggraf, A. S. 1: 5
 market development, biotechnology 2: 460
 market launch
 – apple-peel wax 2: 436–437
 – biodegradable bottle 2: 427–428
 market potential 2: 446
 – LA 1: 147
 – succinic acid 1: 149
 market price, furfural 1: 154
 markets, lignin 2: 198
 mass spectra, polymer size 2: 229–230
 material sources
 – biomass-based 1: 380
 – renewable 2: 355
 materials design 1: 108
 matrices, natural fibers 2: 295

- matrix assisted laser desorption time-of-flight spectrometry 2: 229
- MBTE 1: 357
- MDI 2: 299
- mechanical pulping 1: 280
- mechanical separation, cereals 1: 26
- mechanistic foundations 2: 217–251
- media cost 2: 370
- Medicago sativa* L 1: 255
- press cake fibers 1: 281
- medical grade purity 2: 230
- Mellier, M.A.C. 1: 6
- Melsens, G.F. 1: 5
- melt, polylactic acid synthesis 2: 391
- melt rheology
- branched PLA 2: 397
- linear PLA 2: 397
- melt stability, PLA 2: 399
- melting enthalpy, PLA 2: 401
- membrane electrodialysis 1: 106
- membrane process, lactic acid purification 1: 312
- metabolic engineering 2: 204
- metabolic flux distributions, *C. glutamicum* 2: 205
- metabolic pathways
- optimize 2: 212
- PHB synthesis 1: 238
- syngas fermentation 1: 234
- metal-based catalysts 1: 228, 233
- metal catalysts, aqueous phase hydrogenation 2: 375
- metal complexes, chlorophyllin 2: 335
- methanation, syngas production 1: 231
- methane, glucose product family 1: 21
- methanol, glucose product family 1: 21
- methanol synthesis, syngas 1: 158
- methyl 17-octadecanoate, cyclization 2: 259
- methyl 2-iodopetroselinolate, radical cyclization 2: 263
- methyl conjugate, Diels-Alder reaction 2: 260–261
- methyl elaidate, enantioselective oxidation 2: 258
- methyl epiminooctadecanoate, synthesis 2: 257
- methyl oleate
- co-metathesis 2: 260
- oxidative cleavage 2: 258
- methyl tertiary butyl ether 1: 357
- 1-methylamino-1-deoxy-D-glucitol 2: 11
- methylene di(phenylisocyanate) 2: 299
- methylglucoside, synthesis 2: 131
- methyltetrahydrofuran *see* MTHF
- Michael addition 2: 81
- Michaelis-Menten constant 1: 77
- Michaelis-Menten kinetics, enzymatic hydrolysis 1: 204
- microbial activity, wet storage 1: 334
- microbial amino acid production *see* MAAP
- microbial bioconversions, milling byproducts 1: 172
- microbial biomass 1: 106
- microbial biosynthesis 1: 104
- microbial conversions
- oils/fats and glucose 2: 274
- six-carbon sugars 2: 32–34
- sugar 2: 30
- sugar-based 2: 36–37
- microbial fermentation, drying bales 1: 321
- microbial oxidation, fatty acids 2: 273–274
- microbial polyesters 2: 44–45
- microbial transformations 2: 272–274
- microfibril 1: 195
- microorganisms
- acetyl-coa forming 1: 233
- commercial lactic acid production 2: 384–385
- important 1: 80
- usage 1: 146
- middlings 1: 170
- mill water 1: 348
- milled wood lignin 2: 155
- milling
- industries 1: 345–353
- pretreatment 1: 361
- process flow diagrams 1: 347
- milling byproducts, wheat flour 1: 169–173
- milling efficiency, increase 1: 173
- milling operations 1: 166
- minerals 1: 268
- analysis 1: 299
- brown juice content 1: 304
- Mitscherlich, A. 1: 8
- mix-polymerization, starch 1: 27
- mixed sugars 1: 98
- model building block, succinic acid 2: 367–379
- modeling, ecosystem 1: 57–60
- modern corn refinery 1: 348–350
- molasses 1: 222
- molasses fermentation 1: 131
- mold temperature, PHB 1: 216
- molecular weight, rheology control 2: 396

- monitoring technologies, toxicity 2: 212
 - mono-septic operation 2: 209
 - monocyclic aromatic hydrocarbons, biorefinery by-product 2: 29
 - monoglycerides, lipase-catalyzed syntheses 2: 270–272
 - monomer genes
 - concatenation 2: 226
 - preparation 2: 225
 - production 2: 226
 - monomers 1: 46
 - biorefinery 2: 315
 - quasi-aromatic 2: 46
 - monosaccharide production 1: 180
 - monosaccharides
 - availability 2: 4–7
 - conversion 2: 28
 - MSW Management, coupling with fuel production 1: 126
 - MTBE 1: 71
 - MTHF 1: 150, 2: 135
 - formation from LA 1: 152
 - mulch till 1: 329
 - Mulder, G.J. 1: 6
 - multi-cyclic carbonate comonomers 2: 398
 - multi-cyclic epoxy comonomers 2: 398
 - multi-cyclic ester comonomers 2: 398
 - multi-functional polymerization initiators, branching 2: 398
 - multi-quality biomass 1: 92
 - multifunctional care additives 2: 309
 - multifunctional compounds 2: 135
 - multimer genes 2: 226
 - multiple feedstock capability 1: 68
 - municipal solid waste 1: 116–117
 - management 1: 125
 - mutagenesis 1: 75–77
 - mutated spores, fermentation 1: 75
 - MWL 2: 155
- n**
- N-heterocycles, sugar-derived 2: 24
 - Naegeli 2: 62
 - naltrexone, controlled-release devices 2: 240
 - naphtha 1: 86
 - naphthalene sulfonate, dye dispersants 2: 191
 - naphthenic compounds 1: 118
 - National Farm Chemurgic Council 1: 9
 - National Renewable Energy Laboratory process *see* NREL
 - natural lignin, recovery 2: 179
 - natural fibers 1: 90
 - natural oils
 - formaldehyde additions 2: 264
 - improvements 2: 275–281
 - industrial processing 2: 295
 - polymer building blocks 2: 296
 - natural substance, definition 2: 422
 - natural vector transformation systems 2: 275
 - NatureWorks 2: 10
 - near ideal elasticity 2: 219
 - mechanism 2: 220
 - net corn cost 1: 50
 - network polymer, lignin 1: 121
 - neutralizing agent, lactic acid 2: 385
 - nitrocellulose, history 2: 69
 - nitrogen leaching 1: 63
 - nitrogen source 2: 211
 - NMGA 2: 11–12
 - NMP 2: 373, 375–376
 - rhodium catalytic production 2: 377
 - NMR, purity 2: 229
 - Nocardia cholesteriolicum* 2: 273
 - non-carbohydrate natural products, synthesis 2: 20
 - non-food products
 - manufacture 1: 165–191
 - renewable resources 1: 11
 - non-food uses, sugars 2: 3–59
 - non-recyclable organic solid waste materials *see* NROSW
 - non-starch polysaccharides 1: 175
 - non-wood fibers 1: 280
 - nonactivated C–H bonds, oxidation 2: 269
 - nonhydrolytic proteins 1: 374
 - nontraditional microorganisms 1: 80
 - Normann, W. 1: 7
 - novel fatty acids synthesis, starting materials 2: 255
 - novel plastics, 1,3-propanediol 1: 182
 - novolacs 2: 181
 - novozym 435 2: 256
 - novozymes 1: 77
 - NREL 1: 19, 22, 72, 74, 150
 - NROSW 1: 126
 - NSP 1: 175
 - nuclear magnetic resonance 2: 229
 - nucleophilic addition, unsaturated fatty acids 2: 265
 - nucleus exchange method, lignin 2: 154
 - nutrient replacement 1: 324–325
 - nutrients 2: 388
 - lactic acid 2: 385

- oat 1: 183
 - replenishment 1: 327
 - wheat 1: 168
 - nutritional value, re-growth 1: 261
 - nylon 6, markets 2: 113
 - nylon-6,6 2: 45
 - nylon process, furfural-based 2: 123
- o**
- oat based biorefinery, schematic 1: 184
 - oat bran-rich fractions, value-added byproducts 1: 185–187
 - oat composition 1: 183
 - oat gum 1: 185
 - occurrence, betaine 2: 410–411
 - OFP 1: 151
 - oil 1: 98
 - microbial conversion 2: 274
 - new syntheses 2: 253–289
 - thermochemical conversion 2: 361
 - oil and lipid-based bioproducts 2: 356
 - oil-based surfactants 1: 90
 - oil crisis 2: 348
 - oil fruits, FAS 2: 304
 - oil industry, sections 1: 86
 - oil-like proteins, repulsion 2: 218
 - oil production, permanent decline 1: 42
 - oil qualities 2: 276–277
 - oils and fats, world production 2: 292
 - oilseeds 1: 45
 - olefin, metathesis 2: 259–260
 - olefinic polymers, sugar-based 2: 47
 - olefins, monosaccharide-derived 2: 47
 - oleic acid 2: 254
 - oleochemical base materials 2: 294
 - oleochemical-based dicarboxylic acids 2: 296
 - oleochemical industry 1: 122
 - oleochemicals
 - biobased 2: 291–314
 - polymer applications 2: 295
 - one-pass collection 1: 333–335
 - one-pass harvest 1: 332
 - one step biochemical modification, naturally produced structures 2: 349
 - one-way cycle, oil and gas feedstock 2: 449
 - OP 2: 395
 - PLA 2: 401
 - operating costs
 - biofine plants 1: 160
 - biorefinery 1: 240
 - optical purity 2: 395
 - organic acids 1: 78
 - analysis 1: 299
 - brown juice content 1: 304
 - commercially important 1: 79
 - production 1: 234–235
 - organic chemicals
 - bioproduction 1: 182
 - fossil sources 1: 120
 - industrial 1: 115–128, 124
 - levulinic acid 2: 134
 - renewable carbon 1: 44
 - organisms, engineered 1: 68
 - organization infrastructure 1: 340
 - organosolv biorefinery, lignin 2: 179–181
 - organosolv lignin, products 2: 183
 - organosolv pretreatment, lignin 2: 178
 - oseltamir phosphate, synthesis 2: 30
 - oxalic acid 2: 99
 - oxidation 2: 254–258
 - enantioselective 2: 258
 - fatty compounds 2: 257–258
 - selective 2: 38
 - starch 2: 79
 - β -oxidation, fatty acids 2: 273–274
 - ω -oxidation, fatty acids 2: 273–274
 - oxidation technology, development 2: 38
 - oxidative cleavage 2: 258
 - transition metal-catalyzed 2: 258
 - oxidative coupling 2: 266
 - oxidative enzymes, biodegradable plastics 1: 213
 - oxidative metabolism, phosphorus supply 2: 211
 - oxidative polymerization, lignin polymerization 2: 153
 - oxidative states, changes 2: 236
 - 4-oxopentanoic acid 1: 6
 - oxygen supply 2: 212
 - ozone, cleavage of fatty compounds 2: 258
 - ozone-forming potential, P-Series fuels *see* OFP
- p**
- P-Series fuels 1: 151
 - Pachysolen tannophilus* 1: 147
 - Pacific Northwest Laboratory *see* PNL
 - Pacific Northwest National Laboratory *see* PNNL
 - palm kernel oil 2: 292
 - panel binders 2: 185
 - panelboard adhesives 2: 183–184
 - paper
 - adhesion 2: 87
 - from press cake fibers 1: 282

- paper industries, starch usage 2: 83
- paper mill waste 1: 134
- parasorbic acid, glucose product family 1: 21
- partial glycerides 2: 270
- particle size, feedstock materials 1: 144
- paste reactions, starch modifications 2: 77
- pasture lands 1: 52
- patents
 - protein-based polymers 2: 245–249
 - reexamination request 2: 245–249
- Payen, A. 1: 6
- PC 1: 30, 269, 271
 - downstream processing 1: 281
- PCB, lignin containing 2: 194
- PCR technique 2: 225
- PCS-hydrolyzing cellulases, improvements 1: 367
- PD 1: 393–397
- PDLA 2: 395
- PDO 1: 11
- peanut 2: 281
- pearl corn starch, carbohydrate refining 1: 351
- pearling 1: 173–176
 - oat grain 1: 183
- pectin substances 1: 265
- Penicillium* 1: 202
- pentaerythritol esters 2: 308
- 2,3-pentane dione, glucose product family 1: 21
- “pentanes-plus” 1: 151
- pentosan change, wet storage 1: 336
- pentosans, conversion 2: 28
- pentose fermentation 1: 206
- pentose sugars 1: 78
- pentoses 1: 91
 - conversion 2: 28
- peptide sequences, repeating 2: 217
- Peptostreptococcus productus* 1: 235
- perfluoroalkyl iodides, addition 2: 263–264
- perfluoroalkylated products, synthesis 2: 263
- performic acid procedure 2: 254
- pericarp 1: 183
 - wheat 1: 167
- pericyclic reactions 2: 260–261
- pesticides, lignin-based dispersants 2: 193
- PET 2: 133
- petrochemical industry 1: 86
 - transformation steps 1: 88
- petrochemical technology 2: 373
- petroleum
 - dependence 1: 115
 - structural shift 1: 116
- petroleum-based pathways, polyamides 2: 45
- petroleum chemistry, comparison with biomass 1: 118–122
- petroleum costs 1: 48–50
- petroleum dependence, reduction 1: 71
- petroleum feedstocks 1: 45
- petroleum refineries 1: 16
- petroleum refining industry, development 1: 41
- petroleum reserves, prognoses 1: 387
- petroporphyrin formation 2: 332
- petroporphyrins 2: 331–332
- PF 2: 181
- PF resins, markets 2: 183
- pH adjustment 1: 79
- PHA 1: 182, 214, 236, 239, 2: 44
 - accumulation 1: 236
- pharmaceuticals 1: 13, 2: 14–15
 - intermediate 2: 40
 - preparation 2: 26
 - purification target level 2: 230
 - starch usage 2: 88–89
- phase III-biorefineries 1: 19–20
- phase separated product, gross visualization 2: 229
- phase separation, purification 2: 228
- phase transition, Gibbs free energy 2: 234
- PHB 1: 209, 238
 - chemical structure 1: 214
 - copolyesters 1: 215
 - intracellular reserve material 2: 423
 - lifetime of products 1: 214
 - synthesis 1: 237–238
 - yield determination 1: 238
- PHB-PHV copolymer, brittleness 2: 426
- phenol–formaldehyde resin 2: 181
- phenol–formaldehyde resin markets, lignin 2: 187
- phenolic acids 1: 178
- phenolic–carbohydrate complexes, *Lolium perenne* 1: 264
- phenolic molding compound market 2: 184
- phenolic resins 2: 16, 181, 185
 - biorefinery lignin 2: 181–183
- phenomenological axioms, engineering protein-based polymers 2: 232–234
- phenyl-propanoid units, crosslinked 2: 181
- phenylpropane units 2: 157, 159
 - bonding 2: 153–156

- phloroglucinol, biosynthesis 2: 30
 phospholipids 1: 361
 phosphorus source 2: 211
 phosphorylation, changes 2: 236
 photochemical gas-phase chlorination
 2: 269
 photodynamic therapy, chlorophyll deriva-
 tives 2: 336
 photosensitizer, chlorophyll 2: 334
 photosynthesis 1: 12, 42
 photosynthesis enzyme, plant content
 1: 255
 photosynthetic bacteria 1: 229
 photosynthetic pigments 1: 257, 2: 326
 phthalo green 2: 338
 PHV 1: 237, 2: 426
 phylogenetic tree, gene sequences 1: 367
 phytic acid 1: 170
 phytochemicals, biorefinery context
 2: 315–324
 phytoestrogens 2: 321–322
 phytosterols 2: 317–318
Pichia yeast 1: 206
Picrophilus torridus 1: 80
 pigments
 – biorefinery context 2: 315–324
 – carotenoids 2: 320
 – chlorophyll 2: 336
 pilot plants, biomass fermentation 1: 135
 Pirie, N.W. 1: 9
 PLA 2: 10–11, 41, 381
 – biobased 1: 296–299
 – high polymer 2: 391
 – melt rheology 2: 397
 – production 2: 390–396
 – properties 2: 400
 – resins 2: 400
 – semi-crystalline 2: 394
 – stereocomplex 2: 401
 plant breeding, oil improvement
 2: 275–281
 plant cuticle, schematic 2: 431
 plant development, biomass hydrolysis
 1: 129–138
 plant infection, fungal endophytes 1: 277
 plant material
 – usage 1: 90
 – yearly amount 1: 43
 plant resources 2: 353
 plant usage, historical 1: 254
 plasma cholesterol, reduction 2: 317–318,
 321
 plasticization, starch 1: 27
 plasticizer, biodegradable bottle 2: 427
 plastics
 – biodegradable 1: 182, 212–216
 – novel 1: 182
 platform chemical 1: 147
 platform molecules 1: 182
 PLLA 2: 395
 plug-flow reactor 1: 144
 PNL process 1: 151–152
 PNNL 1: 22
 poly(3-hydroxybutyric acid) polymer
 1: 214–216
 poly(hydroxyalkanoate) production, future
 milestone 1: 224
 poly(hydroxyalkanoates) 1: 238, 2: 44
 poly(3-hydroxybutyrate-co-valerate), enzy-
 matic digestion 1: 219
 poly(hydroxybutyrate)
 – monomer 1: 237
 – processing 1: 215–216
 – switchgrass 1: 283
 poly(3-hydroxybutyric acid-co-3-hydroxyvale-
 ric acid) 1: 214–215
 poly(3-hydroxybutyric acid) 1: 212–213
 – biosynthesis 1: 224
 – downstream processing 1: 218–219
 – production process 1: 217–223
 – sugar fermentation 1: 217
 poly- β -hydroxy butyric acid 2: 423
 poly(lactic acid) 1: 8, 296
 poly(tetramethylene ether glycol) *see*
 PTMEG
 poly(vinyl chloride), cements *see* PVC
 polyamides 1: 122, 2: 45–47
 polyesters
 – fiber 2: 36
 – furan containing 2: 44
 – microbial 2: 44–45
 – production 1: 236–239
 polyetherpolyols, biodegradable 2: 9
 polyglucaramides, stereoregular 2: 46
 polyglycerol ester, emulsifier 2: 308
 polylactic acid 2: 10, 41
 – non-solvent process 2: 392
 – polymerization routes 2: 391
 – production capacity 1: 284
 – renewable resources 2: 381–407
 polymer building blocks, natural oils
 2: 296
 polymer development, protein-based
 2: 221–222
 polymer industry, starch 1: 28
 polymer size, mass spectra 2: 229–230

- polymerase chain reaction 2: 225
 polymeric materials, protein-based
 2: 220–221
 polymeric products, polymeric lignin
 2: 160
 polymerizable sugar derivatives 2: 40–47
 polymerization initiators, multi-functional
 2: 398
 polymers 1: 46
 – biobased 1: 11
 – oils and fats 2: 291
 – oleochemicals 2: 295
 – PHB 1: 209
 – protein-based 2: 217–251
 polyol esters 2: 307
 polyols, epoxides based 2: 298–299
 polyoses, history 2: 101
 polypeptide, protein definition 2: 217
 polysaccharides 1: 89, 121, 277
 – acid hydrolysis 1: 141–142
 – repeating units 2: 4
 polytrimethyleneterephthalate *see* PTT
 polyurethane foams, production 2: 9
 polyurethane stretch fibers 1: 149
 polyurethanes, oleochemical building
 blocks 2: 298
 polyvinylsaccharides 2: 47
 pomace 2: 432
 porous carbon fibers 1: 283
 potato 2: 69–70
 potato juice 1: 309–310
 – lactic acid source 1: 295
 – quality 1: 300
 potato starch crystals 2: 73
 potato starch industry, lactic acid producer
 1: 310
 potato starch production 2: 69
 potential future market, formic acid 1: 154
 potential screening 1: 22–23
 power technologies, renewable 1: 139
 precursors, biomass targets 1: 17
 preprocessing, biomass 1: 46
 press cake 1: 257, 269
 press cake fibers, basic properties 1: 281
 press-cake fraction 1: 278–285
 press juice 1: 257
 pressure ulcers, prevention 2: 240
 pretreatment 1: 135, 198–200
 – biomass 1: 107
 – cornstover 1: 245
 – dilute acid 1: 246
 – LCF 2: 113
 – lignocellulosic biomass 1: 361
 – solvent-based 1: 200
 – straw 1: 193
 price changes, external challenges 2: 457
 price difference, fossil fuel feedstocks
 2: 446
 price swings, oil 1: 48, 52
 prices, renewable carbon feedstock 1: 50
 primary antioxidants 2: 187
 primary conversion technologies 1: 270,
 2: 350
 primary refinery 1: 269, 272
 – wet fractionation 1: 271–273
 primary starch 2: 85
 primary streams, raw materials 1: 92
 prime starch 2: 68
 printed circuit boards 2: 194
 process economics 1: 53
 process optimization, lignocellulose-based
 operation 2: 203
 process scheme, integrated 1: 127
 processing technologies, necessary for bio-
 refineries 1: 46
 processor value, stover 1: 327
 product development, biodegradable bot-
 tle 2: 426–427
 product diversification, biomass 1: 54–55
 product family tree 2: 97–150
 – amino acid-based 2: 201–216
 – glucose 1: 21–22
 – hemicellulose-based 2: 121
 – HMF and levulinic acid-based 2: 136–138
 – lignin-based 2: 117–118
 – syngas 1: 33
 product flow-chart, biobased 1: 23
 product innovation, biotechnology 2: 450
 product integrity, verification 2: 229–230
 product lines
 – biobased 1: 375
 – carbohydrate-based 2: 3–59
 – hemicellulose-based 2: 119
 product spectrum, chemical compounds
 1: 105–106
 product yield 1: 53–54
 prognoses 1: 387
 propanediol, glucose product family 1: 21
 1,2-propanediol, racemic form 2: 37
 1,3-propanediol 2: 36
 propionic acid, biomass building blocks
 1: 22
 propylene, glucose product family 1: 21
 prosthetic groups, hydrophobicity scale
 2: 235
 protease inhibitors 2: 322

- protective action, hair keratin 2: 436
 - protective film, skin care 2: 439
 - protein-based polymers 2: 217–251
 - charged side chains 2: 240
 - development 2: 221–222
 - elasticity 2: 219–220
 - engineering 2: 217, 232–238
 - expression 2: 227–230
 - gene constructions 2: 242–245
 - materials 2: 220–221
 - order 2: 219
 - patents 2: 245–249
 - purification 2: 227–230
 - protein content, comparison between plants and animals 1: 255
 - protein–fatty acid condensates 2: 304
 - protein gels, cellulolytic fungi 1: 372
 - protein generation, ethanol 2: 133
 - protein-hydrolyzates, extraction 2: 202
 - protein line 2: 201–216
 - protein repulsion 2: 218
 - protein–xanthophylls 1: 271
 - proteins 1: 46, 122, 268, 277, 2: 217
 - acylated 2: 304
 - analysis 1: 299
 - aqueous media 2: 218
 - biomass conversion 1: 371–375
 - brown juice content 1: 305
 - chemical composition 1: 361
 - crude starch milk 2: 66
 - juice fraction 1: 274
 - potato starch production 2: 70
 - thermodynamics 2: 218
 - protolignin 2: 152
 - protonated glycoside, cellulose hydrolysis 1: 141
 - Pseudomonas fluorescens* 2: 30
 - Pseudomonas putida* 1: 245, 2: 37
 - PTMEG 1: 149
 - PTT production 1: 393–396
 - pulp 1: 6
 - pulping
 - environmentally friendly 2: 179
 - mechanical 1: 280
 - semi-chemical 1: 280
 - pure chemicals, xylan derived 2: 122
 - purification 1: 218–219, 2: 388
 - chitin 2: 416–417
 - inverse temperature transition 2: 228–229
 - lactic acid 1: 312
 - phase separation 2: 228
 - PHB 1: 218
 - protein-based polymers 2: 227–230
 - purity
 - evaluation 2: 229
 - medical grade 2: 231
 - PVC 1: 149
 - PVC stabilizers, vegetable oil epoxides 2: 256
 - PX (protein-xanthophylls), production numbers 1: 271
 - pyran, building blocks 2: 21
 - pyranoid, building blocks 2: 23
 - pyranoid sugar derivatives 2: 48
 - pyrazoles 2: 26
 - 3-pyridinols 2: 28
 - pyrogallol 2: 30
 - pyrolysis 1: 123, 230
 - bioproducts 2: 362
 - pyrolysis oil 1: 98
 - production 1: 244
 - pyrolysis products, cornstover 1: 246
 - pyrolytic char 1: 247
 - pyrolytic lignin 1: 241
 - pyrolytic liquid, yield 1: 241
 - pyrones 2: 20
 - pyrroles 2: 24
 - pyrrolidone solvents, manufacture 1: 149
- q**
- quasi-aromatic monomers, sugar-based 2: 46
 - quinoxalines 2: 28
 - sugar derivative 2: 24
- r**
- racemic mixture, lactic acid 2: 382
 - radical additions 2: 261
 - malonic acid 2: 261
 - perfluoroalkyl iodides 2: 263
 - radical C–C coupling 2: 266–269
 - radical cyclization, methyl 2-iodopetroselinate 2: 263
 - rail transport, feedstock 1: 339
 - Ralstonia eutropha* 1: 217, 237
 - ranitidine 2: 14
 - rapeseed 2: 277
 - rapeseed oil, industrial use 2: 280
 - rapid pyrolysis 1: 227
 - cellulose 1: 243
 - rate of biodegradation 1: 213
 - raw material costs 1: 53
 - raw materials
 - appropriate 1: 165
 - aromatic compounds 2: 259

- biomass 1: 12–14
 - biorefineries 1: 45–47
 - costs 2: 110
 - oleochemicals 2: 292–293
 - renewable 2: 253–289
 - sterilization 2: 209
 - world market prices 2: 356
 - RBAEF Project 1: 43, 52
 - reaction system costs 1: 53
 - reactive sites, triglycerides 2: 294
 - recombinant DNA technologies
 - application 2: 204
 - gene construction 2: 225–227
 - protein-based polymers 2: 217
 - recovery 1: 218–219
 - recycling 1: 106
 - plastics 1: 212
 - refined biomass 1: 98
 - refineries
 - hybrid biomass processing 1: 227–252
 - thermochemical 1: 101–103
 - refinery economy 1: 350
 - refining, biomass 1: 41–66, 107
 - reformulated gasoline *see* RFG
 - regioselective syntheses, ricinoleic acid 2: 254
 - re-growth, nutritional value 1: 261
 - regulatory framework, biotechnology 2: 447
 - regulatory situation, external challenges 2: 457
 - reinforcers, lignin 2: 186
 - renewable carbon feedstock prices 1: 50
 - renewable energy law 1: 15
 - renewable material, definition 2: 422
 - renewable-power technologies 1: 139
 - renewable raw materials 2: 355
 - oils and fats 2: 253–289
 - optimized by breeding 2: 277–281
 - renewable resources 2: 347
 - industrial conversion 1: 5
 - integrated utilization 1: 10–11
 - non-food products 1: 11
 - polylactic acid 2: 381–407
 - prognoses 1: 387
 - sources 1: 385
 - repulsive free energy 2: 222
 - apolar–polar 2: 218
 - hydration 2: 237
 - residual biomass, importance 2: 452–457
 - residual sugars, separation 2: 388
 - residue utilization 1: 283–285
 - resin binders 2: 183
 - resin fraction, holly 2: 438–439
 - resin industry 2: 182
 - resins
 - PCB 2: 194
 - thermoset 2: 184
 - resols 2: 181
 - retroaldolization, imidazoles 2: 27
 - retrogradation 2: 75
 - reversed-polarity unsaturated fatty acids, nucleophilic addition 2: 265
 - RFG 1: 151
 - rheological properties
 - β -glucan 1: 185
 - NSP 1: 175
 - rheology control 2: 396
 - Rhizomucor miehei* 2: 271
 - Rhizopus arrhizus* 2: 35
 - rhizopus-based fermentation 2: 388
 - rhodium catalyst, NMP production 2: 377
 - Rhodopseudomonas gelatinosa* 1: 237
 - Rhodospirillum rubrum* 1: 237, 239
 - Rhodospirillum rubrum* 1: 229
 - ribulose 1: 255
 - rice, starch production 2: 71
 - rice straw, world production 1: 51
 - ricinoleic acid 2: 254
 - ridge-till 1: 329
 - right opportunities, biotechnology 2: 458
 - ring-opening
 - chlorophyll 2: 330
 - nucleophilic 2: 257
 - ring-opening polymerization 2: 394
 - ring structures, saccharides 1: 121
 - rings, lignin polymer 2: 155
 - Ritter, E. A. 1: 323
 - rocket fuels 2: 37
 - Role of Biomass in America's Energy Future *see* RBAEF Project
 - ROP 2: 394
 - Rothamsted process 1: 256
 - Rouille, H. M. 1: 254
 - rubber industry, antioxidants 2: 188
 - rubber processing, lignin 2: 186
 - rubisco 1: 274
 - plant content 1: 255
 - Rubrivivax gelatinosus* 1: 236–237
 - rye grasses, digestibility 1: 261
 - ryegrass, fiber properties 1: 281
- s**
- saccharides 1: 121
 - saccharification 1: 32, 2: 128, 177–179
 - cellulose 2: 99

- wood 1: 5–6
- Saccharomyces* 1: 194
- Saccharomyces cerevisiae* 1: 7, 146, 2: 209
- Saccharomyces yeast* 1: 206
- saccharose, fructose source 2: 131
- Saccharum officinarum* 1: 210
- salt splitting technology, lactic acid 2: 387
- saponins 2: 321–322
- satake pearling system 1: 174
- saturated fatty compounds, reactions 2: 266–270
- SAXS, lamellar thickness 2: 395
- scaffoldings, temporary functional 2: 239
- scenarios, intgeration of industries 1: 94
- Scholler process 1: 131
- Scholten, W.A. 2: 62
- screening 1: 22–23, 77
- screening methods 1: 75–76
- scutellum, wheat 1: 169
- SDS–PAGE 2: 228
- purification 2: 228
- SEC 2: 72
- second-grade starch 2: 68
- secondary biochemical refinery 1: 104–106
- secondary biorefining processes, thermochemical 1: 103
- secondary starch
- secondary streams, raw materials 1: 92
- secretome, cellulolytic fungi 1: 371–373
- sectoral integration, bio-based industry 1: 93–96
- seed, wheat 1: 167
- selective oxidation, carboxylic acids 2: 38
- self-leveling concrete 2: 87
- semi-chemical pulping, lignin extraction 1: 280
- separation of biomass, technically feasible 1: 17
- separation system costs 1: 53
- sequence integrity, evaluation 2: 229
- sequence verification 2: 226
- sequenced genomes, microorganisms 1: 80
- sequestration, carbon 1: 62
- serine, biomass building blocks 1: 22
- shampoo bottle
 - Biopol 2: 422
 - degradation 2: 425
 - market launch 2: 427
- Shell, transition process 1: 93
- shellfish industry, chitin source 2: 416
- shikimic acid, metabolic engineering 2: 31
- side-chain, oxidativ shortening 2: 25
- side-streams, fermentation 1: 106
- signal peptide effect 1: 375
- silage additive, formic acid 1: 153
- silage juice 1: 276–277
- silage residues, reusage 1: 283
- silage wet-fractionation, primary refinery 1: 271
- silica 1: 268, 277
- silicon carbide, rye grass 1: 278
- simultaneous saccharification and fermentation 1: 134
- sitosterol 2: 317
- six-carbon sugars, microbial conversion 2: 32–34
- sixth framework program, EU 1: 103
- size-exclusion chromatography 2: 72
- sizing agents 2: 85
- skin, protection 2: 429–437
- skin care, ilex resin 2: 439
- skin cosmetics 2: 434
- slaughterhouse wastes, byproducts 1: 100
- slurry process, starch modifications 2: 76–78
- small-angle X-ray scattering 2: 395
- small-scale extractions, chlorophyll 2: 329
- smell, obnoxious 1: 310
- soap 2: 409
- soap production, history 1: 7
- soda process, lignin 2: 176
- soda pulping industry, lignin 2: 170–172
- sodium dodecyl sulfate polyacrylamide gel electrophoresis 2: 228
- sodium lactate, salt splitting 2: 387
- soft tissue augmentation 2: 238
- soft tissue reconstruction 2: 239
- soft tissue restoration 2: 238
- softwood, composition 2: 106
- softwood lignins 2: 157
- soil bioactivators, grass juices 1: 283
- soil carbon equilibrium 1: 325
- soil carbon loss 1: 328
- soil coverage, stover 1: 329
- soil erosion control 1: 329
- soil organic material 1: 328–329
- soil organic matter *see* SOM
- soil quality 1: 324
 - models 1: 324
- solid state bioprocessing *see* SSB
- solubilization, cellulose 1: 359
- solubles removal, wet storage 1: 336
- solvent, selective 2: 9
- solvent extraction 1: 219–221, 2: 388
- SOM, loss 1: 324, 328
- sorbic acid, glucose product family 1: 21

- sorbitan esters 2: 11, 272
- sorbitol 2: 129–130
 - basic biobased chemicals 1: 22
 - D-sorbitol 2: 9
 - dehydration 2: 11
- Sorghum dochna* 1: 255
- sorona 2: 41
- sovermol 2: 299
- soybean 2: 277
 - phytochemicals 2: 317
 - processing 2: 316
 - saponins 2: 321
- spandex 1: 149
- special ingredients 2: 315–324
- special sugars, juice fraction 1: 274
- specialties 1: 386
- specialty chemicals, bio-based 1: 91
- Spirulina*, chlorophyll extraction 2: 329
- spores, mutated 1: 75
- SSB, fungal 1: 172
- SSF 1: 71, 146, 203
 - process 1: 79
- starch 1: 27, 67, 70–71, 121, 181, 268
 - acetylated 2: 80
 - bioconversion 2: 89–91
 - chemical composition 1: 360
 - chemical source 1: 50
 - commercial 2: 71–76
 - common sources 2: 62
 - composition 2: 74
 - corn refinery products 1: 348
 - degraded 2: 79
 - ethanol raw material 1: 197–198
 - glucan source 1: 139
 - history 2: 61
 - industrial production 2: 65
 - modification 2: 61–95
 - nitric acid oxidation product 2: 38
 - production 2: 61–95
 - properties changes 2: 78
 - quality 2: 73
 - raw materials composition 2: 65
 - syrups 2: 89
 - tailor-made 2: 92–93
 - total consumption 2: 82
 - world market 2: 64
 - yield 2: 69
- starch-based biorefinery II 1: 69
- starch derivatives 2: 82–91
- starch ethers, building chemistry 2: 87
- starch–gluten slurry, corn refinery 1: 349
- starch granules, reshaping 2: 75
- starch hydrolysis 1: 5
 - starch modification, types 2: 81
 - starch modification technology 2: 76
 - starch platform, industrial 2: 61–95
 - starch saccharification 2: 178
 - starch water, modification 2: 76–81
 - steam 1: 46
 - steam-alkaline pulping, lignocelluloses 2: 114
 - steam explosion 1: 280
 - pretreatment 1: 198
 - steam gasification 1: 156
 - stearic acid, photochemical gas-phase chlorination 2: 269
 - steep liquor 1: 349
 - steeping, corn 1: 348
 - steepwater 1: 349
 - stereoregular polyglucaramides 2: 46
 - stereoselective syntheses, ricinoleic acid 2: 254
 - steric hindrance, enzymatic hydrolysis 1: 147
 - sterigel 1: 178
 - sterols, soybeans 2: 317
 - storage 1: 334
 - bagasse 1: 321
 - baling dry material 1: 332
 - brown juice 1: 298
 - potato juice 1: 335
 - storage area, square bales 1: 335
 - storage investment cost 1: 337
 - storage loss 1: 335
 - storage polymer, PHA 1: 239
 - stover, economic benefit 1: 325
 - stover field value 1: 326
 - stover revenue, farmers income 1: 319
 - strain development 2: 371
 - straw
 - baling 1: 333
 - LCF biorefinery 1: 26
 - world production 1: 51
 - straw species 2: 107
 - straw waste, wood saccharification 1: 10
 - Streptomyces setonii* 1: 179, 245
 - strip till 1: 329
 - strong acid addition, lactic acid 2: 386
 - structural features, lignin 2: 155
 - structure-based design, enzyme improvement 1: 369
 - structure–function relationship, EG 1: 370
 - styling, ilex resin 2: 440
 - substance classes, apple-peel wax 2: 433
 - substrate recalcitrance 1: 204
 - succinate fermentation 2: 369

- succinate strain FZ 21 2: 371
- succinic acid 1: 149, 2: 35
 - catalytic transformations 2: 372
 - conversion 2: 375
 - derivatives 2: 373
 - fermentation 1: 378, 2: 369–372
 - model building block 2: 367–379
 - wheat flour milling byproducts 1: 172
- sucrose 1: 70
 - catalytic oxidation 2: 39
 - conversion 2: 18
 - ethanol raw material 1: 197–198
- sucrose-6,6'-dicarboxylic acid 2: 46
- sucrose-based biorefinery I 1: 68
- sucrose fatty acid monoesters 2: 13
- sugar 1: 209
 - analysis 1: 299
 - bulk-quantity prices 2: 4
 - chemical conversion 2: 37–40
 - contained in biomass 2: 3–59
 - fermentable 1: 68
 - fermentation problems 1: 146
 - increasing demand 1: 67
 - juice fraction 1: 274
 - mixed 1: 98
 - non-food industrial uses 2: 7–14
 - nonionic surfactants raw materials 2: 306
 - plant contents 1: 265
 - simple 2: 5
 - thermochemical conversion 2: 360
 - yield 1: 130
- sugar acids, chemical route 1: 402–405
- sugar and starch bioproducts 2: 356
- sugar-based biorefinery 1: 209
- sugar-based chemicals 2: 14
- sugar-based olefinic polymers 2: 47
- sugar-based surfactants 2: 11–12
- sugar beet 2: 410
- sugar biorefinery 1: 70
- sugar cane industry, Brazil 1: 209–211
- sugar cane processing 1: 211
 - steps 1: 222
- sugar composition, dependence on harvesting time 1: 265
- sugar content, brown juice 1: 303
- sugar conversion, efficiency 1: 136
- sugar crops 1: 45
- sugar derivatives 2: 48
 - polymerizable 2: 40–47
- sugar feedstock, carbohydrate sources 2: 385
- sugar fermentation 1: 194, 206–207
 - poly(3-hydroxybutyric acid) 1: 217
 - sulfite pulp process 1: 8
- sugar mill
 - Brazil 1: 210
 - poly(3-hydroxybutyric acid) production 1: 221
- sugar platform 1: 32
 - intermediate 1: 31
- sugar production 1: 5
- sugar residues, *Lolium perenne* 1: 264
- sugar syrup 1: 222
- sugar transformations, prototype 2: 19
- sugarcane bagasse 1: 74
- sulfite pulp process, historical improvement 1: 8
- sulfite pulping industry 2: 189
 - lignosulfonates 2: 168–169
- sulfite pulping process 2: 172
- Sulfolobus sulfataricus* P2 1: 80
- Sulfolobus tokodaii* strain 7 1: 80
- sulfonated Kraft lignin, dye dispersants 2: 191
- sulfur, lignin structure 2: 171
- sulfur-bearing gases, catalyst poisoning 1: 234
- sulfur-containing components, removal 2: 350
- sulfur emissions, diesel 1: 153
- sulfuric acid, hydrolysis of cellulose 1: 130
- sunflower 2: 280
- surface cover, fields 1: 324
- surfactants
 - carbohydrate-based 2: 305
 - cationic 2: 412
 - classification 2: 301
 - nonionic 2: 272
 - oil-based 1: 90
 - production 2: 302
 - sugar-based 2: 11–12
 - vegetable oil 2: 301
 - worldwide market 2: 303
- sustainability 1: 92, 96
 - biomass 1: 106
 - biorefining systems 1: 56–65
 - economic drivers 1: 381
 - integrated biorefining systems 1: 60–65
- sustainable development 2: 253
- sustainable production 2: 448
- sweet potato, starch production 2: 71
- sweeteners, alternative 2: 62
- switchgrass, polyhydroxybutyrate source 1: 283
- swollenin, enzymatic hydrolysis 1: 365

- syngas 1: 26, 30–31, 46, 98, 126, 157, 2: 361
 – composition 1: 232
 – fermentation 1: 228–229, 233–239, 239–241
 – platform 1: 31–32
 – product family tree 1: 33
 – technology 1: 240–241
 syntheses 1: 123
 – lactic acid 2: 382
 – lipase-catalyzed 2: 270–272
 – petroleum compounds 1: 119
 – with oils and fats 2: 253–289
 synthesis gas 1: 182
 synthesis of structure, petrochemistry 1: 123
 synthetic biofuels 1: 30
 synthetic biopolyesters 2: 41
 synthetic rubber 1: 131
- t**
- tablet coatings 2: 88
 tack 2: 186
 tall oil fatty acid 2: 297
 Tamiflu, synthesis 2: 30
 tapioca 2: 70–71
 tapioca starch production 2: 70
 tar-formation, acid hydrolysis 1: 144
 target chemicals, biobased 1: 14, 16
 target crops, feedstock production 1: 15
 tars, undesirable 1: 231
 technical constraints, MAAP 2: 209
 technical prerequisite, cellulosic biorefineries 1: 55–56
 technoeconomic factor, dominant 1: 53–54
 technological outline, biorefinery systems 1: 4–8
 technological pathways, transformation process 1: 87
 temperature adjustment 1: 79
 temperature transition, inverse 2: 219
 temporary functional scaffoldings 2: 239
 terpenes 1: 91
 terrestrial biomass, content 2: 3
 tetrahydrofuran *see* THF
 tetrahydroxybutyl side-chain, furans 2: 19
 tetrapyrrole structures 2: 328
 TEWL 2: 434
 textile-glass-fiber-industry, starch usage 2: 91
 textile industry, starch usage 2: 85
 The Netherlands, bio-based industry 1: 93–96
 thermal addition of alkanes 2: 264
Thermatoga maritima 1: 80
 thermochemical biorefinery concept, ECN 1: 104
 thermochemical conversion 1: 31
 – biomass processing 1: 98
 – catalytic 2: 356
 – oils 2: 361
 – optimization 1: 108
 – sugars 2: 360
 thermochemical liquefaction 1: 123
 thermochemical processing, biomass 1: 249
 thermochemical refinery 1: 101–103
 thermogravimetric analyses, feedstock 1: 156
Thermoplasma acidophilum, microorganisms 1: 80
 thermoplastic polymer, PLA 2: 381
 thermoplastics 2: 225
 – adhesive film 1: 282
 – thermoplastic 1: 215
 thermoset resins 2: 184
 THF 1: 149, 2: 373
 thickeners, textile-printing 2: 86
 threonine
 – biomass building blocks 1: 22
 – markets 2: 207
 Tiemann, F. 1: 7
 Tilgham, B.C. 1: 6
 tillage effect, soil carbon loss 1: 328
 tillage practice 1: 330–331
 tin-catalyzed lactide polymerization 2: 391
 tin hydride radical chemistry 2: 261
 tin octoate catalyzed polymerization, lactide 2: 393
 TNPP, melt stability improvement 2: 399
 tocopherols 2: 319–320
 toxicity 2: 212
 TPA, synthesis 2: 134
 traffic congestion 1: 338
 traffic problems, feedstock 1: 338–339
 tragacanth, substitute 2: 62
 transepidermal water loss 2: 434
 transesterification, sucrose fatty acid monoesters production 2: 13
 transition metal-catalyzed syntheses, aromatic compounds 2: 259
 transition metal metathesis, olefins 2: 259
 transport
 – baling dry material 1: 332
 – crops 1: 337
 transportation fuels, biomass share 1: 14, 16
 Treibs's scheme, petroporphyrin formation 2: 332

- triacylglycerides 1: 121–122
Trichoderma 1: 201–202
Trichoderma cellulase 1: 75
 – enzymes 1: 204
Trichoderma reesei 1: 77, 130, 134, 365, 375
 – cellulase development 1: 366
 – enzyme improvement 1: 369
 – GH families 1: 373
 – protein secretion 1: 372
Trichoderma viride 1: 134
 trichomes 1: 183
Trifolium pratense
 – economic importance 1: 284
 – press cake fibers 1: 281
 triglyceride oils, hydroxyl-functional 2: 298
 triglycerides 1: 121–122, 2: 294
 tris(nonylphenyl) phosphite 2: 399
 truck transport, feedstock 1: 338
 tunneling, dry-jet process 2: 88
 turpentine, crude 1: 91
 two platforms concept 1: 31
 – biorefinery 1: 24
 two-use ethic 1: 116
 two-uses ethics, MSW 1: 126
- U**
- Udic–Rheinau process 1: 131
Umbellularia californica 2: 280
 unicarbonotroph 1: 239
 unicarbonotrophic acetogens, syngas fermentation 1: 233
 United States, biomass conversion 2: 352–353
 unsaturated fatty acids
 – dimerization 2: 297
 – epoxidation 2: 254–257
 – microbial hydration 2: 272–273
 – nucleophilic addition 2: 265
 unsaturated fatty compounds, reactions 2: 254–266
 unsaturated *N*-heterocycles, sugar-derived 2: 24
 updraft gasifiers 1: 231
 US patent and trademark office 2: 245–249
 USPTO 2: 245–249
Ustilago maydis DSM 4500 2: 274
- V**
- γ -valerolactone *see* GVL
 value-added byproducts
 – bran-rich wheat fractions 1: 178
 – oat bran-rich fractions 1: 185–187
 – value-added components, bran-rich wheat fractions 1: 175
 – value-added products 2: 360
 – value chain approach, biomass processing 1: 97
 – vanillin 1: 7, 179, 2: 30
 – vegetable oil
 – emulsifiers 2: 301
 – nonionic surfactants raw materials 2: 306
 – vegetable oil epoxides, PVC stabilizers 2: 256
 – vegetable oils 1: 121, 2: 254, 291
 – chemo-enzymatic epoxidation 2: 256
 – vehicle production, lignin 2: 196–197
 – Vertec 2: 10
 – *vic*-dihydroxy fatty acids 2: 257–258
 – vigorous mixing, starch modifications 2: 77
 – vinegar-like proteins, repulsion 2: 218
 – vinyl acetate, glucose product family 1: 21
 – vinylsaccharides 2: 47
 – viscosity, starch 2: 73
 – viskose process, history 2: 102
 – vital wheat gluten 1: 180
 – vitamin A source, carotenoids 2: 320
 – vitamin E source 2: 319
 – vitamins 2: 14–15
 – analysis 1: 299
 – juice fraction 1: 274
 – wheat 1: 169
 – vitriol oil 2: 99
 – von Walden, P. 1: 8
- W**
- wagons, self loading and unloading 1: 319
 waste biomass 1: 259, 2: 452
 – biorefinery products 1: 11
 waste-products, processing 1: 8
 waste streams, cost generator 1: 96
 waste treatment costs 1: 53
 waste water treatment 1: 347
 wastes, biorefinery 1: 56
 water, enantioselective addition 2: 273
 water-gas shift reaction, syngas production 1: 230
 water-retentive properties, chitosonium salts 2: 420
 water-solubility, chitosan 2: 417
 water-splitting electro dialysis 2: 387
 watersoluble carbohydrates *see* WSC
 wax, isolating 2: 432
 wax coating, apple 2: 431
 wax esters, apple-peel wax components 2: 433

waxy maize, starch production 2: 66
 western immunoblot technique, purity
 2: 230–231
 wet fractionation 1: 257, 271–273
 – green biomass 1: 29–30
 wet mill-based biorefinery
 – products 1: 29–31
 – whole crop 1: 28
 wet mill refinery 1: 346–347
 wet-milling 1: 48, 70
 – corn 2: 367
 wet oxidation, pretreatment 1: 363
 wet storage
 – bagasse 1: 323
 – silage 1: 334
 wheat 2: 66
 – chemical composition 1: 169
 – composition 1: 167
 wheat-based biorefinery, schematic 1: 177
 wheat flour, secondary processing 1: 169–
 173
 wheat flour milling byproducts
 – annual amount 1: 173
 – biorefinery 1: 171
 wheat germ 1: 179
 wheat germ oil, purified 1: 179
 wheat kernel
 – exploitation 1: 180–183
 – morphology 1: 168
 wheat milling efficiency, increase 1: 173
 wheat separation processes, advanced
 1: 173–176
 wheat starch production 2: 68
 wheat straw
 – ethanol production 1: 193
 – world production 1: 51
 wheat tillage practice 1: 331
 wheatfeed 1: 170
 whey 1: 296
 white biotechnology 2: 445
 white-rot fungi 2: 151
 whole-crop biorefinery 1: 24, 26–29, 165–
 191
 – products 1: 27

window of processibility, PHB 1: 216
 winter cover crop 1: 61
 wood chemicals 2: 357
 wood chemistry, origin 1: 10
 wood hydrolyses 1: 5
 wood-hydrolysis pilot plant, US 1: 131
 wood processing, LCF biorefinery 2: 112
 wood saccharification 1: 5–6
 woody biomass 1: 245
 woody crops 1: 45
 WSC 1: 146
 – press cake 1: 257

x

xanthophylls 1: 257, 2: 321
 XPS 2: 435
 X-ray photoelectron spectroscopy 2: 435
 xylan 1: 129, 2: 108
 xylan/xylose product line 2: 120
 xylitol 2: 121
 xylitol/arabinitol, basic biobased chemi-
 cals 1: 22
 xylitol source, esparto grass 1: 283
 xyloglucan 1: 360
 xyloidin, history 2: 99
 xylonic acid, biomass building blocks 1: 22
 xylose
 – crystals 2: 121
 – fermentation problems 1: 146
 – monomeric 1: 198
 D-xylose, pyrazole synthesis 2: 26

y

yeast
 – ascomycetous 2: 7
 – ethanol production 1: 194, 206
 yeast extract, MAAP processes 2: 211

z

Z. mobilis see *Zymomonas mobilis*
 zeolites 1: 278
 zwitterion, betaine 2: 411
Zymomonas 1: 206
Zymomonas mobilis 1: 133, 2: 7, 108, 210

