

# Index

## • Symbols •

//, lines beginning with, 148, 189  
/\* \*/, lines bounded by, 189

## • A •

ABA/Routing Transit Number, 122  
About window, 432  
accelerometer  
  defined, 13  
  effect on battery power, 21  
  exploiting, 16  
  overview, 18, 41–42  
  Simulator limitations, 97  
accessor methods, defined, 215  
Action menu, Project window, Xcode,  
  87–88  
action sheets, 139, 274–275, 281–283  
ad exchanges, 54  
Ad Hoc Provisioning Profile  
  creating, 115  
  defined, 107  
addGestures method, 238  
Additional Artwork field, iTunes  
  Connect, 121  
AdMob, 54, 61  
AdMob Analytics, 53  
ads  
  placing in apps, 54  
  purchasing, 60–62  
aesthetic integrity, graphics with, 37–38  
Airport object  
  building, 417–421  
  maps, 422–425  
  selecting, 421–422  
AirportController controller, 401–407  
AirportController.h header (interface)  
  file, 401  
Airport.h header (interface) file, 417  
alert views, 139, 274–275, 281–283  
alerts  
  displaying, 382  
  events during arrival of, 158  
analytical code, adding to apps, 53–54  
animating views  
  control flow  
    code sections, marking in view  
      controller, 189–191  
    delegate object, 188  
    overview, 187  
    view controller object, 188–189  
  documentation, accessing  
    Documentation window, 184–185  
    Find feature, 185–187  
    header file for symbol, 183–184  
    Help menu, 185  
    overview, 182–183  
    Quick Help, 183  
  overview, 181  
  testing view, 204–205  
  user settings  
    Constants.h file, adding, 193–196  
    encapsulation, 191–192  
    view controller header, editing, 192–193  
  view controller  
    animation block, 204  
    drawing the view, 202–204  
    overview, 196–200  
    viewDidLoad method, 200–202  
  Xcode Text editor, 182  
annotations  
  defined, 288  
  displaying, 315–321  
  MapAnnotation class, 313–315  
  overview, 312  
App ID, creating, 112  
App Store  
  In App Purchase feature, 54–57  
  controls based on real world, 35  
  customers  
    ads, placing in apps, 54  
    analytical code, adding to apps, 53–54  
    overview, 50–51

- App Store, customers (*continued*)
    - reaching potential, 46–49
    - tracking downloads, 51–53
  - distributing apps through, 22
  - iTunes Connect, managing apps with, 116–118
  - overview, 45–46
  - pricing apps, 49–50
  - provisioning apps for, 113–116
  - reasons for purchasing from, 46–50
  - Split view, 31–32
  - supplying required information to artwork, 120–121
    - banking information, 122
    - metadata, 118–120
    - overview, 118
    - uploading app and data, 123–124
    - uploading information, 122–123
  - App Store Availability field, iTunes Connect, 120
  - App Store button, displaying, 58
  - appFigures app, 53
  - Apple Developer Connection Reference Library, 184
  - Apple ID, creating, 67–68
  - Apple iPad Human Interface Guidelines, 442
  - Apple Push Notification service, 112
  - application delegate, calling order, 441
  - Application Description field, iTunes Connect, 118–119
  - application icons
    - adding to view, 179–180
    - designing, 431–432
  - Application Loader app, 124
  - Application Name field, iTunes Connect, 118
  - Application Price field, iTunes Connect, 120
  - `applicationDidBecomeActive:` method, 159
  - `applicationDidFinishLaunching:` method
    - application behavior, 141–142
    - Destination model, 302
    - initialization, 157
    - lifecycle, 150
    - reading settings in apps, 380
    - restoring state, 370–371
  - `application:didFinishLaunchingWithOptions:` method, 149, 302, 441
  - `applicationDidReceiveMemoryWarning:` method, 160
  - `applicationWillResignActive:` method, 158–159
  - `applicationWillTerminate:` method
    - calling order, 441
    - interruption handling, 159
    - low memory, 161
    - quitting apps, 150
    - saving state, 370
    - termination, 158
  - AppViz app, 53
  - artwork
    - icons, 121, 124
    - submitting to App Store, 120–121
    - trademarked, 125
  - Attribute Inspector, Interface Builder
    - button attributes, 177–178, 226
    - slider attributes, 228
    - viewing images, 174–175
  - Attributes tab, Inspector window, Interface Builder, 169
  - audio
    - playing, 19, 42
    - recording, 42
    - use of in apps, 42
  - autorelease pool, effect of `main` function on, 148
  - Availability Date field, iTunes Connect, 120
  - `awakeFromNib` method, 441
- B •**
- Back button
    - Navigation bar, 395
    - Web view, 391–393
  - banking information, 122–123
  - battery power, limitations of, 20–21, 276
  - `beginAnimations:context:` method, 204
  - behavior, 142–144
  - Bezel Style Text Field object, 231–232
  - Bookmarks menu, Project window, Xcode, 88–89
  - Bove's Theorem, 243
  - branding, 61

- breakpoints, 88, 250–251
- Breakpoints button
  - Project window, Xcode, 87–88
  - Xcode Debugger strip, 251–252
- Breakpoints menu, Project window, Xcode, 88–89
- Build and Analyze feature (Static Analyzer), 258–261
- Build and Debug button, Project window, Xcode, 88
- Build and Run button, Project window, Xcode
  - overview, 87–88
  - testing views, 204, 235
- build configuration, defined, 92
- Build Results window, Xcode
  - displaying, 92–93, 98–99
  - provisioning, 115
  - setting so code always appears in, 247
  - syntax errors, 244, 246
- Building pane, Preferences window, Xcode, 98
- bundles, In App Purchase feature, 56
- C ●
- Call list button, Xcode Debugger strip, 252
- calling order, 441
- callouts, 316
- camera, lack of, 20
- case sensitivity, Objective-C, 3, 244
- cell objects
  - creating, 355–360
  - overview, 354
  - subviews, adding to Content view, 355
  - UITableViewCell subclass, creating, 355
  - vanilla, 354–355
- Certificate Signing Request, 112
- Certificates section, iPhone Developer Program Portal page, iPhone Dev Center, 112
- Class Hierarchy menu, Project window, Xcode, 88–89
- classes, naming conventions for, 141
- Classes group, Groups & Files list, Xcode, 87, 90
- Classes tab, Library window, Interface Builder
  - Done button, adding, 225–226
  - Info button, adding, 176–177
- client-server computing, defined, 17
- Cocoa Touch, defined, 103
- code
  - analytical, adding to apps, 53–54
  - as appears in book, 3
  - interpreted, 44
  - sample, 76
- code folding, 182
- Code Sense feature, Xcode Text editor, 182
- code signing, purpose of, 105–108
- Coding How-To's, iPhone Dev Center, 76
- Company URL field, iTunes Connect, 119
- compelling content
  - consistency, 34–35
  - focus, 33–34
  - graphics with aesthetic integrity, 37–38
  - modeling on real world, 35
  - overview, 32–33
  - simplicity, 36–37
  - user engagement, 35–36
- composition, 284
- consistency, 34–35
- Console, Xcode, automatically opening, 98
- Console utility app, 257–258
- constants, 440
- Constants.h header (interface) file, 193–196, 339–340
- Contacts app
  - accessing, 19
  - iPad versus iPhone, 14
- container views, 138
- content
  - In App Purchase feature support for, 56
  - compelling
    - consistency, 34–35
    - focus, 33–34
    - graphics with aesthetic integrity, 37–38
    - modeling on real world, 35
    - overview, 32–33
    - simplicity, 36–37
    - user engagement, 35–36
  - immersive, 29
  - maps, 287–289
  - relevant, 14, 29, 39

- Content views
  - adding subviews to, 355
  - defined, 135
  - overview, 279–280
  - view hierarchy, 136
- `contentSizeForViewInPopoverView`
  - method, 414
- context
  - categorizing problems by, 267–269
  - defined, 29
  - design driven by, 31
  - real-world, 38–39
- Continue button, Xcode Debugger strip, 252
- Continue option, Xcode Debugger window
  - Toolbar, 255
- control flow
  - defined, 187
  - delegate object, 188
  - overview, 187
  - view controller, 188–191
- controller objects, 133, 279. *See also*
  - Model-View-Controller (MVC) pattern;
  - view controllers
- controls, 136, 138, 274–275, 281–283
- copying
  - existing functionality, 44
  - images, 172–173
- Copyright field, iTunes Connect, 119
- `CoreGraphics` framework, 74
- Counterpart button, Project window, Xcode, 89
- cover flow browser, App Store, 47–48
- Create a New Xcode Project option, Xcode, 84
- cross promotion, 61
- Currency implementation model, 425–427
- customer reviews, 58–59
- customers
  - ads, placing in apps, 54
  - analytical code, adding to apps, 53–54
  - loyalty of, 51
  - overview, 50–51
  - reaching potential, 46–49
  - tracking downloads, 51–53
- **D** •
  - data source, defined, 342
  - datatips, Xcode Debugger, 249–250, 256–257
  - Debug build configuration, defined, 92
  - Debugger Console, Xcode, 92–93
  - Debugger strip, Xcode, 251–253
  - Debugger window, Xcode
    - datatips, 256–257
    - Mini Debugger, 257
    - overview, 254–255
  - debugging
    - bugs, 244–248
    - Console Application, 257–258
    - defined, 243
    - overview, 241, 243
    - Static Analyzer, 258–261
    - Xcode Debugger
      - breakpoints, setting, 250–251
      - Debugger strip, 251–253
      - Debugger window, 254–257
      - overview, 248–249
  - Debugging pane, Preferences window, Xcode
    - overview, 98
  - DeepThoughts sample app
    - control flow
      - code sections, making in view controller, 189–191
      - delegate object, 188
      - view controller object, 188–189
    - controlling view
      - animation block, 204
      - drawing view, 202–204
      - overview, 196–200
      - `viewDidLoad` method, 200–202
  - debugging
    - datatips, displaying, 256–257
    - overview, 248
    - Static Analyzer, 258–261
    - in Text editor, 248–250, 252
  - frameworks, 74
  - Interface Builder, 100–101
  - Modal view
    - controllers, adding, 211–213
    - delegation, 216

- methods, adding for interface objects, 217–221
- outlets, adding, 214–216
- style, initializing and setting, 221–223
- testing, 235–236
- overview, 25–26
- project
  - creating, 83–86
  - running, 91–94
- Project window, Xcode, 86–91
- Swipe recognizer, adding, 236–241
- Tap recognizer, adding, 236–241
- testing view, 204–205
- `UIApplicationMain` function, 149
- user experience, 30, 38
- user interface
  - application icon, adding, 179–180
  - Done button, 225–227
  - images, adding, 172–176
  - Info button, 176–178, 233–234
  - initializing view, 170–172
  - inspecting view, 168–170
  - overview, 167, 224–225
  - slider, 228–230
  - text field, 230–233
  - View-based Application template, 168
- user preference settings
  - `Constants.h` file, adding, 193–196
  - editing view controller header, 192–193
  - identifying for `NSUserDefaults`, 210
  - overview, 191–192, 208–209
  - reading into app, 210–211
  - saving, 224
- `DeepThoughtsAppDelegate.h` header (interface) file
  - listing, 156, 170
  - overview, 86–87, 89
- `DeepThoughtsAppDelegate.m` implementation file
  - `@synthesize` statements, 171
  - `application:didFinishLaunching` with
    - `Options:` message, 149
  - listing, 156–157
  - overview, 89
  - view initialization, 171
- `DeepThoughts-Info.plist` file, 179
- `DeepThoughtsViewController.h` header (interface) file
  - editing, 192–193
  - Modal view style, initializing and setting, 221–222
  - Tap and Swipe recognizers, adding, 237
- `DeepThoughtsViewController.m` implementation file
  - linking view with controller, 196–199
  - low-memory notifications, 160–161
  - Modal view style, initializing and setting, 222–223
  - Tap and Swipe recognizers, adding, 238–240
- delegate object
  - calling order, 441
  - control flow, 188
  - defined, 342
- delegation
  - defined, 207
  - Modal view controller, 216
- Delegation pattern, 142–143
- Demo Account — Full Access field, iTunes Connect, 120
- design and development
  - application icons, 431–432
  - calling order, 441
  - constants, 440
  - cutting edge, 440
  - error handling, 441
  - flattening hierarchy, 434–435
  - fun, 442
  - initialization, 440
  - launching apps, 432
  - localization, 439
  - maps, 437
  - memory, 440
  - modality, minimizing, 436–437
  - orientation support, 434
  - overview, 265, 431, 439
  - Popover views, 435–436
  - problem definition, 265–269
  - program architecture
    - localization, 285
    - models, 283–285
    - overview, 278–279
    - saving state, 285

- design and development (*continued*)
  - stored data mode, 285
  - view controllers, 283
  - views, 279–283
- saving data, 433
- stopping apps, 433
- transitions, smaller, 437
- upgrading apps, 442
- user experience
  - action sheets, 274–275
  - alerts, 274–275
  - controls, 274–275
  - device constraints, 275–276
  - final design, 276–278
  - full-screen views, 272
  - leveraging platform strengths, 270–271
  - modal dialogs, 274–275
  - overview, 269–270
  - popover views, 273–274
  - split-screen views, 273
  - user needs, 442
  - writing code, 285–286
- design patterns. *See also* Model-View-Controller (MVC) pattern
  - defined, 131
  - Delegation, 142–143
  - MVC, 131–134
  - overview, 131
  - Target-Action, 143–144
- Destination model, 299–303, 415–416
- Destination.h header (interface) file, 415
- Detail Disclosure button, 316
- Detail view, iPadTravel411 app
  - displaying new content in, 361
  - overview, 329
- Detail view, Project window, Xcode, 87, 100
- developers. *See also* design and development
  - iPhone Dev Center
    - overview, 73–74
    - resources in, 75–76
  - iPhone Developer Program, joining, 69–73
  - iPhone SDK
    - development cycle, 74–75
    - downloading, 77–78
    - overview, 65–66
    - registering as, 66–69
- Development Certificate, 107, 111–113
- development cycle, 24, 74–75, 268–269. *See also* design and development
- development process. *See also* design and development
  - iterative nature of, 286
  - overview, 106–108
- Development Provisioning Assistant, iPhone Dev Center, 110–113
- Development Provisioning Profile, 107, 111–113
- Device field, iTunes Connect, 119
- dictionaries, property list, 375
- didFinishLaunchingWithOptions:
  - method, 370
- didReceiveMemoryWarning: method, 160
- didRotateFromInterfaceOrientation:
  - method, 320
- digital identity, 106
- disclosure triangle, Xcode, 87, 182
- dismissModalViewControllerAnimated:
  - method, 223
- display
  - filling, 275
  - overview, 19–20
  - pixels, 15, 42
  - rendering graphics, 17, 42
- display views, 138
- Distribution Certificate, 106, 114
- distribution process, 106–107
- Distribution Provisioning Profile, 106, 114–115
- documentation, accessing in Xcode
  - Documentation window, 184–185
  - Find feature, 185–187
  - header file for symbol, 183–184
  - Help menu, 185
  - overview, 182–183
  - Quick Help, 183
- Documentation button, Preferences window, Xcode, 99
- Documentation window, Xcode, 184–185
- Done button, 225–227
- double tap gesture, simulating, 95
- downloading
  - iPhone SDK, 77–78
  - sales reports, 51–52
  - tracking downloads, 51–53
- drag gesture, simulating, 96

## • E •

Editor view, Project window, Xcode, 86–87, 89

Electronic Arts Need for Speed game. *See* Need for Speed game

Eliminate app, 54

`embedded.mobileprovision` file, 115

encapsulation

- defined, 207–208
- event processing, 234
- overview, 191–192

End User License Agreement field, iTunes Connect, 120

error handling, 441

event loop

- event processing, 235
- interruption handling, 159
- setting up, 150

event processing, 234–235

## • F •

`fabs` function, 319

fading controls, 36

favorites bar, Project window, Xcode, 88

Featured screen, App Store, 47–48

feedback, immediate, 35

File's Owner proxy object, Interface Builder, 101–102, 154, 169–170

Find feature, Xcode, 185–187

First Responder proxy object, Interface Builder, 101–102, 154

flick gesture, simulating, 96

flipping views, 437

Flipside view, 167

focus, 33–34

Focus Ribbon column, Xcode, 182

forums

- developer, 76
- publicity, 59

forward geocoding, 324–328

Foundation framework, 74

frameworks

- defined, 74, 90
- iPhone SDK, 74
- libraries versus, 130

- overview, 129–130
- Simulator limitations, 97

Frameworks group, Groups & Files list, Xcode, 87, 90–91

free (lite) versions of apps

- icons, 124
- publicity, 62
- publishing, 48–49

full-screen views, 272

functionality, In App Purchase feature support for, 56

## • G •

Gameloft Nova game, 15

GDB (GNU Source-Level Debugger), 258

geocoding, 324–328

`gestureRecognizer:shouldReceiveTouch:` method, 241

gestures. *See* Multi-Touch interface

`getAirportData:` method, 420

getter methods, defined, 215

Getting Started Documents, iPhone Dev Center, 76

Getting Started Videos, iPhone Dev Center, 76

GNU Source-Level Debugger (GDB), 258

Go Back button, Xcode, 184

`goBack:` method, 392–393, 411

Google AdWords, 61

Google Maps, 14

GPS, simulating, 97

graphics

- with aesthetic integrity, 37–38
- overview, 42

groups, Xcode project, 90–91

Groups & Files list, Project window, Xcode, 87

## • H •

hammer icon, Xcode Debugger, 244

`handleTapFrom` method, 241

hanging, defined, 246

Hardware menu, Simulator, 94–95

header files, 89, 182–184

Help menu, Xcode, 185

- here-and-now apps, defined, 31
  - hierarchy
    - class, 88–89
    - flattening, 31, 33, 434–435
    - of views, 136–137
  - Hitchhiker's Guide to the Galaxy, The*, 11, 13, 27, 442
  - Home option, Hardware menu, Simulator, 95
  - hybrid map, 298–299
- 1 •**
- IBAction qualifier, 192–193
  - IBOutlet keyword, 214, 388
  - icons used in book, 6
  - Identity tab, Inspector window, Interface Builder
    - inspecting view controller, 169–170
    - inspecting view in, 168–169
    - main nib file, 152–153
  - images
    - adding to view, 172–176
    - launch, 434
    - overview, 42
  - immersive applications
    - DeepThoughts sample app as, 30
    - defined, 23
    - iPadTravel411 app as, 30
  - implementation files
    - defined, 89
    - function of, 182
  - In App Purchase feature, App Store, 49, 54–57
  - In the Spotlight heading, App Store, 47–48
  - incentives
    - for customer registration, 51
    - for telling friends about apps, 49
  - Included Files menu, Project window, Xcode, 89
  - Indentation pane, Preferences window, Xcode, 100
  - Info button
    - adding to view, 176–178
    - connecting, 233–234
    - Project window, Xcode, 87–88
  - info.plist files
    - editing, 179
    - row model, 353
    - viewing, 151
  - inheritance, defined, 207–208
  - initialization, 155–157, 170–172, 440
  - initWithContentsOfFile: method, 371
  - initWithDestination method, 333–334
  - initWithDestination:airportID: method, 401
  - initWithNibName:bundle: method, 157, 303
  - Inspector window, Interface Builder, 152–153, 168–169
  - Install Updates Automatically check box, Preferences window, Xcode, 100
  - Instruments app, 74
  - Interface Builder
    - changing initial load setup, 295
    - defined, 81–82
    - development process, 75
    - inspecting view in, 168
    - interface objects, connecting
      - Done button, 225–227
      - event processing, 234–235
      - Info button, connecting, 233–234
      - overview, 224–225
      - slider, 228–233
      - testing Modal view, 235–236
      - text field, 224–236
    - launching, 100–101
    - overview, 74, 100–103
    - viewing MainWindow.xib file in, 152–153
  - interface objects
    - connecting in Interface Builder
      - Done button, 225–227
      - event processing, 234–235
      - Info button, connecting, 233–234
      - overview, 224–225
      - slider, 228–233
      - testing Modal view, 235–236
      - text field, 224–236
    - methods, adding, 217–221
  - intermediary currency, 56
  - Internet access
    - effect on battery power, 21
    - exploiting, 16
    - limitations of, 276

- lost network connections, 44
  - overview, 17, 43
- interpreted code, 44
- interruption response, 158–159
- inventory, defined, 54
- iPad
  - alternatives versus, 31, 39–40
  - features of, 15–16
  - limitations of
    - battery life, 20–21
    - memory, 21
    - Multi-Touch interface, 20–21
  - platform
    - accessing user information, 19
    - advantages of, 16–17
    - display, 19–20
    - finger tracking, 18
    - Internet access, 17
    - location information, 18
    - motion tracking, 18
    - orientation, 18
    - overview, 15–16
    - playing audio and video, 19
- iPad apps. *See also* DeepThoughts sample app; iPadTravel411 app; iPhone Software Development Kit (SDK); user experience
- application icons, 431–432
- components of great, 12–15
- debugging
  - bugs, 244–248
  - Console Application, 257–258
  - overview, 243
  - Static Analyzer, 258–261
  - Xcode Debugger, 248–257
- designing
  - overview, 265
  - problem definition, 265–269
  - program architecture, 278–285
  - user experience, 269–278
  - writing code, 285–286
- development cycle, 24–26
- flattening hierarchy, 434–435
- launching, 432
- lifecycle
  - initialization, 155–157
  - main nib file, 151–155
  - overview, 147–150
  - managing with iTunes Connect, 116–118
  - maps, 437
  - modality, minimizing, 436–437
  - orientation support, 434
  - overview, 11–12, 147, 431
  - Popover views, 435–436
  - pricing, 49–50
  - promoting
    - ads and publicity, purchasing, 60–62
    - iTunes affiliate links, 58
    - overview, 57–58
    - reviews, user, 58–59
    - social networking, 59–60
    - updating apps, 60
  - reasons to develop, 22–23
  - rejection of, avoiding, 43–44, 124–125
  - runtime considerations
    - interruption response, 158–159
    - memory management, 160–162
    - overview, 158
  - sample, 25–26
  - saving data, 433
  - stopping, 433
  - termination, 157–158
  - transitions, smaller, 437
  - types of, 23
  - uninstalling, 96
  - updating, promoting apps through, 60
  - upgrading, 442
  - uploading to App Store, 123–124
- iPad Home Screen Icon field, iTunes Connect, 121
- iPadTravel411 app
  - annotations
    - displaying, 315–321
    - `MapAnnotation` class, 313–315
    - overview, 312
  - categories of tasks, 34
  - content, 287–289
  - Currency implementation model, 425–427
  - designing
    - categorizing problems, 267–269
    - defining problems, 265–267
    - defining solutions, 267–269
    - program architecture, 278–285
    - user experience, 269–278
    - writing code, 285
  - Destination model, 299–303

- iPadTravel411 app (*continued*)
  - enhancing
    - current location, adding, 304–305
    - landscape mode, adding, 304–305
    - overview, 304
    - regions, 305–312
  - geocoding, 324–328
  - going to current location, 321–324
  - MapKit framework, 297–299
  - Master view
    - Airport object, 417–425
    - AirportController controller, 401–407
    - Destination model, 415–416
    - overview, 400
    - resetting popover size, 414
    - responding to selections, 410–413
    - setting up, 407–410
  - MVC pattern, 133
  - nib file, setting up, 294–297
  - orientation, 31–32
  - overview, 25–26, 287, 385
  - Popover views, 336–340
  - renaming view controller, 291–293
  - Split view controller
    - creating, 331–336
    - overview, 329–330
    - retrieving views, 330–331
  - Table views
    - cell objects, 354–360
    - grouped, creating and formatting, 342–343
    - overview, 340–342
    - responding to selections, 360–364
    - row model, creating, 350–354
    - UITableViewController, 343–350
  - user experience
    - overview, 30, 38, 365
    - state, 365–372
    - user preference settings, 373–383
  - view controllers, 139–140
  - Weather view
    - adding controller and, 386–387
    - nib file, 386–391
    - overview, 385–386
  - Web view
    - Navigation controller, 395–400
    - overview, 391–394
    - responding to selections, 394–395
  - window layout, 135
- iPhone apps
  - developing iPad apps from existing, 82–83
  - scaling to full screen, 11
- iPhone Blog Forum, 59
- iPhone Dev Center
  - guidelines, 44
  - overview, 73–74
  - resources in, 75–76
  - Web site, 442
- iPhone Dev Center main page
  - iPhone Developer Program section, 68, 70
  - registering as developer, 66, 68
- iPhone Developer Program
  - joining, 22, 66, 69–73, 110
  - versions of, 70–71
- iPhone Developer Program Portal page,
  - iPhone Dev Center, 73, 109–110
- iPhone Fans site, 59
- iPhone Reference Library, iPhone Dev Center, 76
- iPhone Software Development Kit (SDK)
  - components of, 73–74
  - development cycle, 74–75
  - development using
    - from existing iPhone app, 82–83
    - overview, 81–82
    - from scratch, 82
  - downloading, 77–78
  - Interface Builder, 100–103
  - overview, 1–2, 22, 81
  - preparing for, 79
  - registering as developer, 65
- Simulator
  - gestures, 95–96
  - Hardware menu, 94–95
  - limitations of, 97
  - overview, 94
  - resetting device, 96
  - uninstalling apps, 96
- system requirements, 66, 77
- versions of, 77
- Xcode
  - building and running apps, 91–94
  - creating project, 83–86
  - customizing, 98–100
  - exploring project, 86–91
- isKindOfClass method, 422
- iTunes affiliate links, 58

- iTunes Connect
  - main page, 116–118
  - managing apps in App Store with, 116–118
  - overview, 116
  - tracking downloads, 51
- iWork suite
  - components of, 12
  - examining for user interface ideas, 30
- **J** •
- Jobs, Steve, 125
- JPEG format, 172–174
- **K** •
- keyboards
  - inappropriate types of, 44
  - unique, 16
- keychain, defined, 106
- Keynote app, 19
- keys, defining, 193–197
- key-value observing, 310
- keywords
  - avoiding rejection because of, 125
  - defined, 119
- Keywords field, iTunes Connect, 119
- **L** •
- Large Application Icon field, iTunes Connect, 121
- lastView array, 366
- launch images, 434
- launching apps, 432
- Library window, Interface Builder
  - displaying classes, 169–170
  - Done button, adding, 225–226
  - Info button, adding, 176–177
  - locating objects, 174
  - overview, 101, 103
- lifecycle, app
  - initialization, 155–157
  - main nib file, 151–155
  - overview, 147–150
- lifetime value of customers, 50
- Light Info button
  - connecting, 233–234
  - default setting, 178
- line numbers, displaying, 100
- LinkShare, 58
- lists, 19–20
- lite versions of apps. *See* free (lite)
  - versions of apps
- localization, 40, 285, 347–350, 439
- Localization field, iTunes Connect, 120
- location information
  - current location, 304–305, 321–324
  - overview, 18, 42–43
  - Simulator, 97
- Lock button, Project window, Xcode, 89
- Lock option, Hardware menu, Simulator, 95
- locking files, 89
- logic errors, 246–247
- Logo, Licensing, and Affiliate Program
  - page, App Store, 116–117
- long press (touch-and-hold) gesture, 41, 95
- low-memory warnings
  - avoiding, 161
  - observing, 160–161
- **M** •
- MacRumors Forums, 59
- Magellan RoadMate, 55
- main function, 147–148
- Main Nib File Base Name entry,
  - viewing, 151
- MainWindow.xib file, 151–155
- makeKeyAndVisible method, 171
- Manage Your Applications page, iTunes Connect, 123–124
- Manage Your Contracts page, iTunes Connect, 123
- Map views, 298–299, 305–306, 314–316
- MapController object, 390–391
- MapKit framework, 1–2, 297–299
- maps
  - annotations
    - displaying, 315–321
    - MapAnnotation class, 313–315
  - overview, 312
  - content, 287–289

- maps (*continued*)
  - Destination model, 299–303
  - enhancing
    - current location, adding, 304–305
    - landscape mode, adding, 304–305
    - overview, 304
    - regions, 305–312
  - geocoding, 324–328
  - going to current location, 321–324
  - MapKit framework, 297–299
  - nib file, setting up, 294–297
  - overview, 287, 437
  - renaming view controller, 291–293
- mapView:viewForAnnotation:
  - method, 316
- marketing, defined, 49
- Marketing Master app, 49
- MarketingProfs app, 49
- Master view
  - Airport object
    - building, 417–421
    - map, 422–425
    - selecting, 421–422
  - AirportController controller, 401–407
  - Destination model, 415–416
  - displaying new content, 362
  - overview, 400
  - Popover views, resetting size of, 414
  - responding to selections, 410–413
  - setting up, 407–410
  - Split view controller, 329
- memory
  - limitations of, 20, 21, 276
  - low-memory warnings
    - avoiding, 161
    - observing, 160–161
  - management of, 161–162
  - overview, 160, 440
  - rules of, 162
  - Simulator limitations, 97
- memory leaks
  - defined, 161
  - Static Analyzer, 258–261
- metadata
  - components of, 118–120
  - defined, 116
  - supplying to App Store, 118–120
- methods, naming conventions for, 141
- Methods list pop-up menu, Xcode Text editor, 188, 190–191
- Mini Debugger, Xcode, 248, 257
- Mini Web browsers, 44
- MKAnnotation protocol, 312–313, 423
- MKCoordinateRegionMakeWithDistance
  - function, 322
- MKMapView class, 280, 298, 312
- Mobclix, 54
- MobileMe, 120
- modal dialogs, 274–275, 281–283
- Modal views
  - controller
    - adding, 212–213
    - delegation, 216
    - methods, adding for interface objects, 217–221
    - outlets, adding to, 214–216
    - overview, 211
    - saving, 224
    - style, initializing and setting, 221–223
  - defined, 140, 192, 208
  - minimizing use of, 436–437
  - testing, 235–236
- modality
  - defined, 20
  - minimizing, 436–437
- modalPresentationStyle property, 223
- modalTransitionStyle property, 223
- model objects, 132, 141–142, 278, 283–285.
  - See also* Model-View-Controller (MVC) pattern
- Model-View-Controller (MVC) pattern
  - controllers, 139–141
  - model objects, 141
  - overview, 131–134, 278–279
  - row model, 350
  - views
    - application icon, adding, 179–180
    - function of, 136
    - hierarchy of, 136–137
    - images, adding, 172–176
    - Info button, adding, 176–178
    - initialization, 170–172
    - inspecting, 168–170
    - overview, 135
    - types of, 137–139
  - windows, 139
- motion tracking, 18, 41–42

Multi-Touch interface  
 finger size, 20–21, 41  
 finger tracking, 18  
 limitations of, 20–21, 275–276  
 multifinger gestures, 16, 41  
 multifinger versus standard gestures,  
 18, 41  
 overview, 15  
 sense of control, 35  
 simulating gestures in Simulator, 95–97  
 support for, 14–15  
 Swipe recognizer, 236–241  
 Tap recognizer, 236–241  
 MVC pattern. *See* Model-View-Controller  
 (MVC) pattern

## • N •

naming conventions  
 for classes, methods and variables, 141  
 Objective-C, 3  
 Navigation bars, 395  
 navigation views, 139, 281  
 Navigation-based Application template, 167  
 Need for Speed game  
 aesthetic integrity, 37  
 controls based on real world, 35  
 overview, 14  
 user experience, 31–32  
 New and Noteworthy list, App Store, 47  
 New File dialog, Xcode  
 Constants.h file, adding, 194  
 Settings bundle, adding, 374  
 view controllers, adding, 212–213  
 New Project window, Xcode, 84–85  
*New York Times, The*, 12–13  
 ngmoco:) Eliminate app, 54  
 nib (.nib, .xib) files  
 defined, 134  
 launching Interface Builder, 100–101  
 main, 148–149, 151–155  
 overview, 102  
 setting up, 294–297  
 Weather view  
 adding, 386–387  
 setting up, 387–391  
 nil objects, sending messages to, 256

Nova game, 15  
 NSLocalizedString macro, 349, 439  
 NSObject root class  
 application delegate object, 157  
 model objects, 285  
 NSSearchPathForDirectories  
 InDomains: method, 367  
 NSTimer class, 201  
 NSURL objects, 420–421  
 NSUserDefaults class  
 overview, 193  
 user preferences, 201–202, 209  
 user settings, identifying, 210  
 Numbers app, 19

## • O •

Objective-C  
 case sensitivity, 3, 244  
 class hierarchy, 88–89  
 learning about, 76, 79  
 memory management, 161–162  
 naming conventions, 3  
 sending messages to nil objects, 256  
 Objective-C Declared Properties feature,  
 215  
 object-oriented programming, 131  
 Objects tab, Library window, Interface  
 Builder, 174  
 onTimer method, 202  
 OpenGL ES (OpenGL for Embedded  
 Systems), 97  
 Organizer window, Xcode  
 opening, 113  
 taking screenshots, 121  
 orientation  
 landscape mode, adding, 304–305  
 overview, 18, 31–32, 41–42  
 placement of Info button, 178  
 Popover views, 435–436  
 role of view controllers, 140–141  
 shouldAutorotateToInterfaceOrientation  
 Orientation: method, 189  
 support for, 434  
 View-based Application template, 168  
 Other Sources group, Groups & Files list,  
 Xcode, 87, 90

- outlets
  - adding to view controller, 214–216
  - defined, 294
- Overview menu, Project window, Xcode, 87–88

● *p* ●

- paid (pro) versions of apps
  - free versions of apps versus, 49
  - icons, 124
- partial-curl transition, 223
- PC (process counter) red arrow, 250
- performance, 75
- Photos app, 19
- Pinch Analytics, 53
- pinch gesture, simulating, 96
- pixels
  - application icons, 432
  - creating artwork, 42
  - display size, 15, 42, 269
  - finger size, 21
  - scaling iPhone apps to full screen, 11
- placeholders, defined, 326
- plain Table views, 342
- PNG format
  - adding images to view, 172–174
  - application icons, 179–180, 432
  - recommendation, 17
- polymorphism, defined, 208
- Popover views
  - defined, 15, 33
  - overview, 273–274, 336–340, 435–436
  - resetting size of, 414
  - saving data, 433
- pops, defined, 396
- porting apps, 82–83, 267
- PR agencies, 59, 61
- # pragma mark statements, 189–191, 217
- Preferences window, Xcode, 98–100
- PreferenceSpecifiers key, 375–376
- Prepare App tab, Distribution page, iPhone Dev Center, 114–115
- presentModalViewController:animated: method, 223
- press releases, 59
- pricing apps, 49–50, 125

- Primary Category field, iTunes Connect, 119
- Primary Screenshot field, iTunes Connect, 121
- private frameworks, linking to, 44
- pro versions of apps. *See* paid (pro) versions of apps
- problem definition
  - categorizing problems, 267–269
  - defining solutions, 267–269
  - overview, 265–267
- process counter (PC) red arrow, 250
- Product pop-up menu, Xcode, 85
- productivity applications
  - defined, 23
  - iPadTravel411 app as, 30
- Products group, Groups & Files list, Xcode, 87, 91
- project containers, groups contained in, 90
- Project Find window, Xcode, 186–187
- Project window, Xcode, 86
- projection system connection, 16
- promoting apps
  - ads and publicity, purchasing, 60–62
  - iTunes affiliate links, 58
  - overview, 57–58
  - reviews, user, 58–59
  - social networking, 59–60
  - updating apps, 60
- promotional codes, 59–60
- @property declarations
  - accessor methods, 215–216
  - function of, 193, 200
  - reading settings in apps, 378
- property lists
  - editing, 179
  - purpose of, 179
  - setting up, 375–378
- protocols
  - declaring, 216
  - defined, 142
- provisioning
  - apps, 113–116
  - device, 109–110
  - overview, 79
- publicity, purchasing, 60–62
- publicity stunts, 61–62
- pushes, defined, 396

• **Q** •

quality of information, 40  
 Quattro Wireless, 54  
 Quick Help, Xcode, 183

• **R** •

Rating Information field, iTunes  
     Connect, 119

ratings  
     avoiding rejection because of, 119  
     overview, 119

real cost, 40

red exclamation point, Xcode Text  
     editor, 244–245, 248–249

Refactor feature, Xcode, 292

reference counting, defined, 161

region property, map, 298, 306

`region.center.latitude` property,  
     306

`region.center.longitude` property,  
     306

`regionForAnnotationGroup` method,  
     318

`region.span.latitudeDelta`  
     property, 306–307

`region.span.longitudeDelta`  
     property, 307

Register link, iPhone Dev Center, 67–68

registration  
     customer, 51, 58–59  
     developer, 66–69

rejection of apps, avoiding, 43–44,  
     124–125

Release build configuration, defined, 92

Release Date lists, App Store, 60

release method, 204

relevant content, 14, 29, 39

`removeFromSuperview` method, 204

Request Promotional Codes link, iTunes  
     Connect, 52, 59

Reset Content and Settings,  
     Simulator, 96

resetting Simulator device, 96

Resources group, Groups & Files list,  
     Xcode, 87, 90

Resources-iPad folder, Xcode, 172–173

responder chain, 135

responder objects, defined, 234–235

`respondsToSelector:` method, 142

Restart option, Xcode Debugger  
     window Toolbar, 255

restoring state, 370–372

`returnAirportName:` method, 416

`returnCurrencyBasics` method, 427

`returnTransportation:` method,  
     418–419

reverse geocoding, 324

`reverseGeocoder:didFailWith`  
     Error: method, 326

`reverseGeocoder:didFindPlace`  
     mark: method, 326

reviews, user, 58–59

`Root.plist` property list, 374–377

Rotate left option, Hardware menu,  
     Simulator, 94

Rotate right option, Hardware menu,  
     Simulator, 95

Rounded Rect button, 176–177, 225–226

row model, creating, 350–354

rows, selecting, 397–398

run loop monitor, 234

runtime  
     errors, 246  
     interruption response, 158–159  
     memory management, 160–162  
     overview, 158

runtime scenario, defined, 145

• **S** •

sales reports, 51–52

Sales/Trend Reports link, iTunes  
     Connect, 51–52

`saveAirportData` method, 419–420

saving  
     data, 433  
     state, 158, 285, 366–370  
     view controllers, 224

`scheduledTimerWithTimeInterval:`  
     target:  
         selector:userInfo:repeats:  
         method, 201

screenshots, taking, 121

- SDK (Software Development Kit), 91. *See also* iPhone Software Development Kit (SDK)
- SDK 3.2 Beta page, iPhone Dev Center, 77–78
- Search entry field
  - App Store, 47–48
  - Project window, Xcode, 87–88
- Secondary Category field, iTunes Connect, 119
- sections
  - overview, 344–346
  - titles for, 347
- segmented controls, 275, 402, 409–411, 419
- `selectTransportation:` method, 410
- services, In App Purchase feature support for, 56
- `setAction:` method, 144
- `setAnimationDidStopSelector` method, 204
- `setAnimationDuration` method, 204
- `setObject(forKey:)` method, 210, 224
- `setPopoverContentSize:animated:` method, 337
- `setTarget:` method, 144
- setter methods, defined, 215
- Settings app, 17, 208–209, 373–374
- Settings bundle, adding to project, 374–375
- Settings screen, iPadTravel411 app, 373
- SettingsViewController view controller
  - creating, 211–213
  - delegation, 216
  - methods, adding, 217–221
  - outlets, adding, 214–215
  - `settingsViewControllerDidFinish:` method, 224
- SettingsViewController.h header (interface) file, 214–215
- SettingsViewController.m implementation file, 217–219
- Shake Gesture option, Hardware menu, Simulator, 95
- `shouldAutorotateToInterfaceOrientation:` method, 189
- `shouldStartLoadWithRequest:` method, 394
- Show Console button, Xcode Debugger strip, 252
- Show Debugger button, Xcode Debugger strip, 252
- Show/hide Toolbar button, Project window, Xcode, 88
- simplicity
  - minimizing modality, 436–437
  - overview, 36–37
- Simulate Hardware Keyboard option, Hardware menu, Simulator, 95
- Simulate Memory Warning option, Hardware menu, Simulator, 95
- Simulator
  - building apps in, 91–93
  - development process, 75
  - gestures, 95–96
  - Hardware menu, 94–95
  - limitations of, 69, 97
  - overview, 74, 94
  - resetting device, 96
  - running apps in, 93
  - uninstalling apps, 96
- singletons, defined, 210
- Size inspector, Interface Builder, 403, 405
- SKU (Stock Keeping Unit) number field, iTunes Connect, 119
- Sleep/Wake button, 159
- sliders, 228–233
- social networking, promoting apps through, 59–60
- Society for Worldwide Interbank Financial Telecommunication (SWIFT) code, 122
- Software Development Kit (SDK), 91. *See also* iPhone Software Development Kit (SDK)
- Source and Disassembly option, Xcode Debugger, 255
- span, defined, 298
- speed, 39
- `speedChanged` method, 220
- splash screen, 432
- Split view
  - exploiting, 16
  - flattening hierarchy, 434–435
  - overview, 31
- Split view controller
  - creating, 331–336
  - overview, 329–330
  - retrieving views, 330–331
- Split View-based Application template, 167

- split-screen views, 273
  - stack
    - defined, 396
    - Xcode Debugger strip, 252–253
  - `standardUserDefaults`: method, 202, 210, 224
  - state
    - defined, 157
    - overview, 365
    - restoring, 370–372
    - saving, 158, 285, 366–370
  - Static Analyzer (Build and Analyze feature), 258–261
  - status bar
    - iPad, in screenshots, 121
    - Project window, Xcode, 88, 92
    - Xcode Debugger window, 254–255
  - Step Into button, Xcode Debugger strip, 252
  - Step Into option, Xcode Debugger window Toolbar, 255
  - Step Out button, Xcode Debugger strip, 252
  - Step Out option, Xcode Debugger window Toolbar, 255
  - Step Over button, Xcode Debugger strip, 252
  - Step Over option, Xcode Debugger window Toolbar, 255
  - Stock Keeping Unit (SKU) number field, iTunes Connect, 119
  - stopping apps, 433
  - Store Kit framework, 55–56
  - stored data mode, 276, 278, 285
  - subclasses
    - adding behavior through, 142
    - defined, 88
  - subgroups, creating, 91
  - subscriptions, In App Purchase feature support for, 56
  - subviews
    - adding to Content view, 355
    - overview, 136–137
  - succeeded message, meaning of, 92
  - superclasses, defined, 88
  - superviews, 136–137
  - Support E-mail Address field, iTunes Connect, 120
  - Support URL field, iTunes Connect, 119
  - SWIFT (Society for Worldwide Interbank Financial Telecommunication)
    - code, 122
  - swipe gesture, simulating, 95
  - Swipe recognizer, 236–241
  - switch statement, 345–346
  - symbols
    - displaying header file for, 183–184
    - documentation for, 184
    - Quick Help for, 183
  - synchronization, 16
  - syntax errors, 244–246
  - `@synthesize` statements
    - accessor methods, 216, 219
    - `DeepThoughtsAppDelegate.m` implementation file, 171
    - function of, 193, 200
- T ●
- Tab bars, 139
  - Table views
    - cell objects, 354–360
    - grouped, creating and formatting, 342–343
    - overview, 340–342
    - responding to selections, 360–364
    - row model, creating, 350–354
    - `UITableViewController`
      - adding section titles, 347
      - adding sections, 344–346
      - localization, 347–350
      - overview, 343–344
    - `tableView:cellForRowAtIndexPath:` method, 342, 354, 355
    - `tableView:didSelectRowAtIndexPath:` method, 360, 366
  - tap gesture, simulating, 95
  - Tap recognizer, 236–241
  - target audience, determining, 49
  - Target-Action design pattern
    - behavior, adding through, 142
    - overview, 143–144
    - view controllers, 139
  - Tasks button, Project window, Xcode, 87–88
  - Team Admin, 110
  - Team Agent, 110

- television connection, 16
  - Tell a Friend option, App Store, 49
  - termination, 157–158
  - testing
    - apps, 75
    - Modal view, 235–236
    - views, 204–205
  - text, basing on target user, 36–37
  - Text Editing pane, Preferences window, Xcode, 100
  - Text Editor navigation bar, Project window, Xcode, 88–89
  - Text Editor pane, Xcode Debugger window, 254–255
  - text fields, 224–236
  - text views, 138–139
  - `textFieldDidEndEditing:` method, 220
  - `textFieldShouldBeginEditing:` method, 220
  - `textFieldShouldReturn:` method, 220
  - Thread list
    - Xcode Debugger strip, 251–252
    - Xcode Debugger window, 254–255
  - timers
    - connecting to display, 202–203
    - creating, 201
  - Toggle In-Call Status option, Hardware menu, Simulator, 95
  - Toolbar
    - Project window, Xcode, 87–88
    - Xcode Debugger window, 254
  - Top Charts screen, App Store, 47
  - Touch Inside Up event
    - connecting to File’s Owner, 233–234
    - processing, 234–235
  - touch screen. *See* Multi-Touch interface
  - Touch Up Inside event, 192
  - touch-and-hold (long press) gesture, 41, 95
  - Transaction Reports page, iTunes Connect, 51–52
  - transitions
    - between orientations, 330
    - partial-curl, 223
    - smaller, 437
  - Two-Part Rule of Great iPad Applications, 15
- u •
- UDID (Unique Device Identifier), 112
  - `UIAlertSheet` class, 139
  - `UIAlertView` class, 139
  - `UIApplication` class
    - `applicationDidFinishLaunching:` method, 142
    - delegate object, 154
    - loading `MainWindow.xib`, 155–156
  - `UIApplicationDelegate` protocol, 154, 157, 170
  - `UIApplicationDidReceiveMemoryWarningWarningNotification:` method, 161
  - `UIApplicationMain` function
    - calling, 148
    - function of, 151
  - `UIButton` class
    - Done button, adding, 225–226
    - Info button, adding, 176–177
  - `UIControl` superclass, 138
  - `UIGestureRecognizer` class, 236–237, 239–240
  - `UIGestureRecognizerDelegate` protocol, 236
  - `UIImageView` class, 280–281
  - UIKit framework
    - event loop, 150
    - function of, 129
    - low-memory notifications, 160
    - overview, 74
    - views, 135–137
  - `UILabel` class, 138, 203
  - `UIModalPresentationCurrentContext` class, 223
  - `UIModalPresentationFormSheet` class, 223
  - `UIModalPresentationFullScreen` class, 223
  - `UIModalPresentationPageSheet` class, 223
  - `UIModalTransitionStyleFlipHorizontal` class, 223
  - `UIModalTransitionStylePartialCurl` class, 223
  - `UINavigationController` class, 139
  - `UIPopoverController` class, 283, 337
  - `UIResponder` class, 176

- UIScrollView class, 138
- UISegmentedControl class, 282
- UISlider class, 228
- UISplitViewController class, 283, 329
- UISwipeGestureRecognizer subclass, 240
- UISwipeGestureRecognizer DirectionLeft class, 240–241
- UITabBar class, 139
- UITableView class, 138, 281. *See also* Table views
- UITableViewCell subclass
  - adding subviews to cells, 355
  - creating, 355
  - using vanilla cell objects, 354
- UITableViewCellStyleDefault class, 358
- UITableViewCellStyleSubtitle class, 358
- UITableViewCellStyleValue1 class, 358
- UITableViewCellStyleValue2 class, 358
- UITableViewController class
  - adding section titles, 347
  - adding sections, 344–346
  - localization, 347–350
  - overview, 343–344
- UITapGestureRecognizer subclass, 240–241
- UITextFieldDelegate protocol, 220
- UITextView class, 138
- UIToolbar class, 138
- UIView class, 137, 169
- UIViewController class, 171
- UIWebView class, 138–139, 280
- UIWindow class, 134
- Undo feature, 21
- uninstalling apps, 96
- Unique Device Identifier (UDID), 112
- universal applications, 83
- updating, promoting apps through, 60
- upgrading apps, 442
- uploading
  - app and data to App Store, 123–124
  - information to App Store, 122–123
- usage decline, 51
- Use Stored Data preference,
  - iPadTravel411 app, 373, 377, 382–383
- user engagement, 35–36
- user experience
  - compelling content
    - consistency, 34–35
    - focus, 33–34
    - graphics with aesthetic integrity, 37–38
    - modeling on real world, 35
    - overview, 32–33
    - simplicity, 36–37
    - user engagement, 35–36
  - designing
    - action sheets, 274–275
    - alerts, 274–275
    - controls, 274–275
    - device constraints, 275–276
    - final design, 276–278
    - full-screen views, 272
    - iPad versus alternatives, 39–40
    - leveraging platform strengths, 270–271
    - modal dialogs, 274–275
    - overview, 269–270
    - popover views, 273–274
    - real-world context, 38–39
    - split-screen views, 273
- immersive, 13–14
- overview, 29–32, 365
- platform
  - graphics and images, 42
  - Internet access, 43
  - location information, 42–43
  - motion tracking, 41–42
  - Multi-Touch interface, 41
  - orientation, 41–42
  - overview, 40–41
  - playing and recording audio, 42
  - playing video, 42
- state
  - overview, 365
  - restoring, 370–372
  - saving, 366–370
- user preference settings
  - overview, 373–374
  - property list, setting up, 375–378
  - reading in apps, 378–381

- user experience, user preference settings
    - (continued)
    - Settings bundle, adding to project, 374–375
    - using in apps, 381–383
  - user information, accessing, 19
  - user interface
    - behavior, adding
      - Delegation pattern, 142–143
      - overview, 142
      - Target-Action pattern, 143–144
    - design patterns
      - MVC, 131–134
      - overview, 131
    - development process, 75
    - frameworks, 129–130
    - interface objects, connecting in Interface Builder
      - Done button, 225–227
      - event processing, 234–235
      - Info button, connecting, 233–234
      - overview, 224–225
      - slider, 228–233
      - testing Modal view, 235–236
      - text field, 224–236
    - Modal view controller
      - adding, 212–213
      - delegation, 216
      - methods, adding for interface objects, 217–221
      - outlets, adding to, 214–216
      - overview, 211
      - saving, 224
      - style, initializing and setting, 221–223
    - model objects, 141
    - overview, 129, 167–168
    - user preference settings
      - identifying for `NSUserDefaults`, 210
      - overview, 208–209
      - reading into app, 210–211
    - view controllers, 139–141
    - View-Based Application template, 168
    - views
      - application icon, adding, 179–180
      - function of, 136
      - hierarchy of, 136–137
      - images, adding, 172–176
      - Info Button, adding, 176–178
      - initialization, 170–172
      - inspecting, 168–170
      - overview, 135
      - types of, 137–139
      - windows, 134–135, 139
  - user preference settings
    - overview, 373–374
    - preparing for
      - adding `Constants.h` file, 193–196
      - editing view controller header, 192–193
      - encapsulation, 191–192
    - property list, setting up, 375–378
    - reading in apps, 378–381
    - setting up
      - identifying for `NSUserDefaults`, 210
      - overview, 208–209
      - reading into app, 210–211
    - Settings bundle, adding to project, 374–375
    - using in apps, 381–383
  - user reviews, 58–59
  - utility applications
    - DeepThoughts sample app as, 30
    - defined, 23
  - Utility-based Application template, 167
- U ●
- Value Changed event, 229–230
  - value proposition, defined, 50
  - vanilla cell objects, 354–355
  - Variable list, Xcode Debugger window, 254–255
  - variables, naming conventions for, 141
  - Version Number field, iTunes Connect, 119
  - video
    - ads, 61
    - playing, 19, 42
    - use of in apps, 42
  - view controllers
    - animation block, 204
    - calling order, 441
    - control flow, 188–189
    - drawing view, 202–204
    - editing header, 192–193
    - marking code sections in, 189–191
  - Modal
    - adding, 212–213
    - delegation, 216

- methods, adding for interface
      - objects, 217–221
    - outlets, adding to, 214–216
    - overview, 211
    - saving, 224
    - style, initializing and setting, 221–223
  - overview, 139–141, 196–200, 283
  - renaming, 291–293
  - Split
    - creating, 331–336
    - overview, 329–330
    - retrieving views, 330–331
  - `viewDidLoad` method, 200–202
  - Weather view, `iPadTravel411` app, 386–387
  - View object, Interface Builder, 101–102
  - View window, Interface Builder, 101, 103
  - View-based Application template
    - files created for, 90
    - overview, 168, 289–290
    - selecting, 85
    - user interface objects, 167
    - viewing supplied code, 86
  - `viewDidLoad` method
    - annotations, 319
    - calling order, 441
    - Currency implementation model, 426
    - current location, 304–305
    - linking views with controllers, 195
    - nib file, 389–390
    - row model, 352–353
    - setting up views, 407–409
    - `SettingsViewController.m` file, 219
  - views. *See also* Modal views; Model-View-Controller (MVC) pattern; *names of specific views*
  - animating
    - control flow, 187–191
    - documentation, accessing, 182–187
    - overview, 181
    - testing view, 204–205
    - user settings, 191–196
    - view controller, 196–204
    - Xcode Text editor, 182
  - application icon, adding, 179–180
  - content, 279–280
  - controls, 281–283
  - full-screen, 272
  - function of, 136
  - hierarchy of, 136–137
  - images, adding, 172–176
  - Info button, adding, 176–178
  - initialization, 170–172, 200–201
  - inspecting, 168–170
  - `MKMapView` class, 280
  - navigation, 281
  - overview, 133, 135, 279
  - popover, 273–274
  - split-screen, 273
  - types of
    - action sheets, 139
    - alert views, 139
    - container views, 138
    - controls, 138
    - display views, 138
    - navigation views, 139
    - overview, 137
    - text views, 138–139
    - Web views, 138–139
  - `UIImageView` class, 280–281
  - `UIWebView` class, 280
  - `viewWillAppear:` method, 367, 370, 441
  - `viewWillDisappear:` method, 441
- W •
- Wanamaker, John, 46
  - Weather app, 209
  - Weather view, `iPadTravel411` app
    - controller, adding, 386–387
    - nib file
      - adding, 386–387
      - setting up, 387–391
    - overview, 385–386
  - `WeatherController` object, 387–391
  - Web sites
    - copyrights, 119
    - creating, 120
  - Web views
    - Navigation controller, 395–400
    - overview, 138–139, 391–394
    - responding to selections, 394–395
  - `WebView:shouldStartLoadWithRequest:`
    - `navigationType:` method, 391
  - Weinberg's Second Law, 243


Welcome screen, Xcode, 83–84  
What’s Hot button, App Store, 47  
What’s Hot list, App Store, 47  
white label deals, defined, 61  
Window object, Interface Builder, 154  
window shade icon, Project window,  
    Xcode, 89  
windows, 134–135, 139  
workflow, user, 269  
writeToFile: method, 368



## Xcode

building and running apps, 91–94  
customizing, 98–100  
defined, 81  
development process, 75  
documentation, accessing  
    Documentation window, 184–185  
    Find feature, 185–187  
    header file for symbol, 183–184  
    Help menu, 185  
    overview, 182–183  
    Quick Help, 183  
launching, 83

overview, 74  
porting apps, 82–83  
projects  
    creating, 83–86  
    exploring, 86–91  
Xcode Debugger  
    breakpoints, setting, 250–251  
    Debugger strip, 251–253  
    Debugger window, 254–257  
    datatips, 256–257  
    Mini Debugger, 257  
    overview, 254–255  
    overview, 248–249  
Xcode Text editor  
    overview, 75, 182  
    using Debugger from  
        breakpoints, setting, 250–251  
        Debugger strip, 251–253  
        overview, 248–249  
.xib files. *See* nib (.nib, .xib) files



yellow exclamation point, Xcode Text  
editor, 246–247