

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- A Directory Below This One option, 756
- /a switch in Outlook, 801
- Accept messages from setting, 703
- Accept Messages Without Notifying Sender Of Filtering option, 625, 682
- Acceptable Use Policies, 310
- access
 - to Active Directory, 337–341
 - to command-line tools, 602
 - to databases, 342–343
 - in ISA Server, 642, 644
 - to mailboxes, 530–535, 531, 533
 - to server, 194–197
- Access Control category, 853, 855
- Access Control Entries (ACEs), 468
- Access Control Lists (ACLs), 468
- Access page
 - for backup files, 175
 - for Internet clients, 544, 546–547
 - for OWA, 742–744, 742
 - for POP3 and IMAP4 virtual servers, 731, 733
 - for SMTP virtual servers, 553, 672–673
- Access Permissions dialog box, 746
- Account Management category, 851, 857
- ACEs (Access Control Entries), 468
- ACID (Atomicity, Consistency, Isolation, and Durability) test, 209
- aclitem test option, 412
- Aclitemref test option, 413
- Acllistref test option, 413
- ACLs (Access Control Lists), 468
- Action page, 289–290, 290
- Activate The Default Response Rule option, 558
- Active/Active clusters, 420
- Active Data Objects (ADO), 504
- Active Directory (AD), 5, 32–33, 51–52
 - access to, 337–341
 - and AD Connector. *See* AD Connector
 - address lists in. *See* address lists
 - alias names in, 33
 - ambiguous name resolution in, 107–108, 107
 - attribute management in, 108–109
 - configuration queries and address lookups in, 70–71
 - deleting servers from, 175
 - display names in, 33–34, 34, 90–92, 91
 - and DNS. *See* DNS (Domain Name Service)
 - domain preparation for, 78–80
 - extended attribute names in, 102–103, 103
 - FAQ for, 118
 - forest preparation for, 75–78
 - Global Catalog servers in, 59–64, 60
 - group names in, 35, 36
 - groups in. *See* groups
 - importing and modifying data in, 109–115
 - for information store cache size, 344
 - LDAP queries for, 820–825, 822–825
 - mailbox extensions in, 92–93
 - MAPI client lookups in, 71–74, 72–73
 - in message flow problems, 859
 - operations master roles in, 66–70, 68
 - partitions in, 53–58, 55–56
 - pre-installation checks for, 74–75
 - for public folders, 451
 - recipient policies in, 104–106, 105–106
 - replication of, 776, 842–843, 842
 - rights in, 475
 - RUS for, 115–118, 116–117
 - server names in, 36–37
 - sites in, 58–59
 - SMTP addresses in, 35
 - troubleshooting, 839–843
 - usernames in, 33
- Active Directory Connector. *See* AD Connector
- Active Directory Connector (ADC) public folder, 468
- Active Directory Connector MMC, 143, 151
- Active Directory Domains And Trusts utility, 70

- Active Directory Schema Management utility, 58
- Active Directory Sites And Services utility
 - for Global Catalog servers, 62
 - for moving mailboxes, 251
- Active Directory Users And Computers utility
 - for AD Connector, 148, 148
 - for display names, 90–91
 - for group membership, 88
 - for IM, 765–766, 827
 - for mail-enabled groups, 81
 - for mailboxes
 - extensions for, 92–93
 - moving, 160, 165, 250
 - for message archiving, 300
 - for operations master roles, 68
 - for restores, 401
 - for warning messages, 496
- Active log format setting, 672
- Active/Passive clusters, 419
- Active queue state, 862
- Active Server Pages (ASP), 740
- Active User Count counter, 332
- Activity message class, 239
- AD Connector, 135–136, 135–136
 - for clusters, 424
 - configuring
 - in large environments, 149–150
 - in small environments, 143–149, 144–149
 - connection agreements for
 - public folder, 152–153, 468
 - synchronizing objects with, 151–152
 - customizing, 151, 151
 - dependencies for, 10
 - diagnostics logging for, 857–858
 - installing, 141–143
 - operation of, 138–141, 139
 - permissions for, 136–138
 - troubleshooting with, 150, 150
- adapters
 - for clustering, 432
 - configuring, 435, 435
 - for performance, 336
- Add A Shortcut To My Desktop option, 635
- Add and Remove buttons setting, 204
- Add Counters dialog box, 318
- Add Digital Signature To Outgoing Message
 - option, 590, 592
- Add/Edit Destination dialog box, 648, 648
- Add/Edit Listeners dialog box, 647, 647
- Add PF To Admin Group permission, 527
- Add/Remove Self permission, 527
- Additional Values button, 710
- Additionally request mail at specified times option, 719, 725
- Address attribute, 61
- address books, 96
 - offline generation of, 498
 - Outlook, 35
 - policies for, 204–205
- address.dll file, 92
- Address List Synchronization category, 851
- address lists, 95–97, 97
 - customized searches for, 98–101, 99–100
 - global, 89, 93–95, 94, 584, 587
 - and LDAP queries, 93, 97–102
 - missing names in, 841
 - and RUS, 115–116, 116
 - sample queries, 101–102
- Address Mapping page, 650
- Address Space page
 - for SMTP, 715, 721, 724
 - for X.400, 708, 708, 710
- addresses
 - in Active Directory, 70–71
 - IP. *See* IP addresses
 - proxy, 82, 104
 - in SMTP, 689
- Addressing Mapping page, 652
- Administration Delegation Wizard, 159
- administrative groups, 6
 - creating, 89–90
 - moving mailboxes between, 250–251
 - for public folders, 525
- administrative rights, 473–475
- administrative security, 520
 - built-in permissions for, 520–522, 521
 - mailbox access, 530–535, 531, 533
 - roles in, 522–530, 523, 525, 530
- Administrator Information Store permission, 528
- Administrator user, permissions in, 520

- Administrators page, 581–582, 582
- ADMINPAK.MSI file, 92
- ADO (Active Data Objects), 504
- ADSI tools
 - for display names, 90, 92
 - for mailbox extensions, 92
 - permissions in, 528–530, 530
- ADSIEDIT utility, 57
 - for address lists, 100, 100
 - for display names, 90
 - for domain changes, 80
 - for extended attribute names, 103, 105
 - for information store cache size, 344
 - for moving directories, 345
 - for Offline Address Books, 205
 - for OWA segmenting, 750
 - for permissions, 530, 531
 - for policies, 197
 - for restores, 396–397, 397
 - for schema changes, 78
- Advanced Backup Options dialog box, 359, 359
- Advanced button
 - for POP3 and IMAP4 virtual servers, 730
 - for SMTP virtual servers, 672
- Advanced page
 - for AD Connector, 147, 147
 - for Address Book, 822, 823
 - for authentication, 539–540, 540
 - for LDAP queries, 98
 - for message tracking, 294, 294
 - for permissions, 129
 - for POP3 and IMAP4 virtual servers, 736, 736
 - for SMTP, 683–684, 684, 687, 718–720, 725
 - for X.400, 710, 713–714, 713
- Advanced Queuing Engine (AQE), 16–20, 18, 659–660
 - counters for, 334–335
 - for routing groups, 697
 - for transport events, 502, 502
 - for X.400, 706
- Age limits setting, 207, 463
- Age limits for all folders in this store setting, 226
- agents for Event Service, 510–511, 511
- Agents tab, 510–511
- AH (Authentication Headers) protocol, 555
- alert states, 276
- alerts
 - configuring, 288–290, 289–290
 - in ISA Server, 642
- Algorithms tab, 586, 586
- aliases
 - in Active Directory, 33
 - for mail-enabled groups, 82
 - for NDRs, 678
 - for warning messages, 496
- All Public Folders hierarchy, 457
- allactests option, 413
- allfoldertests option, 413
- Allow Automatic Forwards option, 684
- Allow Automatic Replies option, 684
- Allow BP-15 option, 710, 714
- Allow Delivery Reports option, 684
- Allow Exchange contents option, 710, 713–714
- Allow Inheritable Permissions From Parent to Propagate To This Object option, 522
- Allow Non-Delivery Reports option, 684
- Allow Out Of Office Responses option, 684
- Allow priorities option, 703
- Allow This Server To Host User Accounts option, 765
- Allow VPN Connections option, 651
- Allowed Priorities option, 699
 - for SMTP, 717
 - for X.400, 711
- Allowed sizes setting, 703
- Allowed Types option, 699
 - for RGCs, 703
 - for SMTP, 718
 - for X.400, 711
- alltests option, 413–414
- Alternate Recipient property, 255
- Always Run option, 117
- Ambiguous Name Resolution (ANR), 107–108, 107
- ampersands (&)
 - as AND operator, 102
 - for details templates, 263
- AND operator, 102
- Anonymous Access option, 744, 747

- ANR (Ambiguous Name Resolution), 107–108, 107
- Antigen for Microsoft Exchange product, 613
- Antivirus Application Programming Interface (AVAPI), 612
- Any local server can send mail over this connector setting, 702
- application event logs, 189, 495
- application filters, 642
- Application log, 834
- application service providers (ASPs), 93
- Apply Content Settings To Non-MAPI Clients option, 683, 784
- Apply Filter option, 625
- Appointment message class, 238
- AQE (Advanced Queuing Engine), 16–20, 18, 659–660
 - counters for, 334–335
 - for routing groups, 697
 - for transport events, 502, 502
 - for X.400, 706
- Archive All Messages Sent Or Received By Mailboxes On This Store option, 174, 202, 221, 300
- Archive Data To Target Store option, 247, 614
- Archive Filtered Messages option, 682
- archiving messages, 298–301
 - automatic, 243–245, 243–244
 - ExMerge for, 246–249
 - local delivery in, 245–246
- ArcServ program, 354
- Artidx test option, 413
- ASP (Active Server Pages), 740
- ASPs (application service providers), 93
- Associated External Account permission, 532
- Associated Folder Messages option, 371
- asymmetric keys, 569
- asynchronous event sinks, 501
- Atomicity, Consistency, Isolation, and Durability (ACID) test, 209
- atomicity in database transactions, 209
- ATRN extension, 663
- attach option, 308
- attach test option, 412
- attachments
 - restricting, 608–609
 - WINMAIL.DAT, 783
- Attachref test option, 413
- attach option, 308
- Attempt direct delivery before sending to smart host option, 676
- Attendee Availability tab, 511
- Attribute Mapping category, 851, 858
- attribute names
 - extended, 102–103, 103
 - in LDAP, 110–113
- attributes, 60–61
 - in Active Directory, 108–109
 - in AD classes, 56–57
 - in Global Catalog servers, 60–62
 - for mailboxes, 135, 135
- auditing policies, 605
- AUTH extension, 662
- authenticated TURN, 722
- Authenticated Users group, 520
- authentication
 - client, 537–538
 - integrated Windows authentication, 538–542, 538–542
 - Internet client authentication, 542–550, 543, 545, 547–548, 550
 - and domain names, 808–809
 - in front-end servers, 808
 - in IM, 766
 - in IPSec, 556
 - in OWA, 547–550, 548, 550, 744–745, 744–745
 - for POP3 and IMAP4 virtual servers, 732
 - through proxies, 817
- Authentication button
 - for POP3 and IMAP4 virtual servers, 731
 - for SMTP virtual servers, 672
- Authentication dialog box, 546, 546
- Authentication Headers (AH) protocol, 555
- Authentication Methods dialog box, 547, 548, 744, 744
- Author role, 476
- AutoArchive page, 243, 243
- AutoArchive tool, 243–245, 243
- AutoDL utility, 88
- Automatically discover servers option, 204
- automating, 491
 - clients, 513–516
 - display name generation, 90–92, 91

- event services for, 509–512, 511
 - event sinks. *See* event sinks
 - ExMerge, 372–374, 373–374
 - information store maintenance, 492–495
 - message archival, 243–245, 243–244
 - ExMerge for, 246–249
 - local delivery in, 245–246
 - report distribution, 305–308
 - scripts for, 507–509
 - SMTP replies, 684
 - System Attendant for, 495–498, 498
 - Available MBytes counter, 290, 316
 - Available state, 276
 - Available Tasks page, 160
 - AVAPI (Antivirus Application Programming Interface), 612
 - Average Disk Queue Length counter, 316, 325
 - Average Local Delivery Time counter, 330
 - Average Time for Delivery counter, 330
 - Avg Retries/msg Delivered counter, 331
 - Avg Retries/msg Sent counter, 331
 - AWP tool, 150
- B**
- /b option in ESEUTIL, 190
 - B-tree structures, 404
 - back-end servers, 348, 757–759, 758
 - Background category, 855
 - Background Cleanup category, 854
 - Backup Exec program, 354
 - Backup Job Information dialog box, 359
 - Backup page, 359
 - Backup program, 354–355, 355
 - Backup/Restore configuration option, 362
 - backups
 - brick-level, 369–370
 - with compaction, 192
 - ExMerge for, 370–374, 371–374
 - FAQ for, 374–375
 - hardware and software for, 354
 - IIS metabase, 362, 363
 - and maintenance tasks, 492
 - offline, 356, 360–361
 - online, 356, 359–360, 359
 - options for, 356–357
 - organization forms, 363–364
 - to other storage, 355, 355
 - performing, 357–359
 - restoring from, 388–390, 389, 393–394, 394
 - rotations for, 366–369
 - scheduling, 494
 - snapshot, 364–366
 - speed in, 354–355, 365
 - storage group databases, 217
 - system state, 361–362, 362
 - Bad IP Address message, 779
 - Badmail directory setting, 673
 - BADMAIL queue, 862
 - bandwidth
 - for IM, 769
 - for routing groups, 693
 - banners for SMTP, 690–691, 690
 - baselines in performance, 315, 321–322
 - Basic authentication
 - in OWA, 744
 - for POP3 and IMAP4 virtual servers, 732
 - SSL with, 808
 - Basic constraints field, 572
 - batteries in UPSs, 40
 - battery backups for write caching, 342
 - Bcc field, 253
 - Below Limit status, 234
 - bifurcation, 661
 - BINARYMIME extension, 665, 691
 - bit length of certificates, 544, 549–550
 - black hole lists, 624
 - Blat for Windows utility, 307–308
 - block ciphers, 565
 - blocking
 - permissions, 526–528
 - SMTP traffic, 624–627, 625–626
 - body option, 307
 - BOOT.INI file, 42–43
 - brick-level backups, 369–370
 - bridgehead servers, 43, 345–347, 346
 - browsers in OWA, 739–740
 - buffers for transaction logs, 342
 - bug reports, 601
 - built-in permissions, 520–522, 521
 - bulk encryption algorithm, 567

bulk encryption keys, 568
By default, all messages from everyone are setting,
702
Bypass Proxy Server For Local Addresses option,
818
Bytes Total/sec counter, 316, 324

C

/c option
 in ESEUTIL, 405
 in Outlook, 801
-C option in MAPISend, 306
CA Thawte, 573
Cache Hit/sec counter, 331
Cache Misses/sec counter, 331
cache mode in ISA Server, 641–642
caches
 in ISA Server, 642
 size of, 343–344
 in troubleshooting, 776–777
Caches object, 331
Calendar folder, 245
calendar reminders, 751
Calendar page, 732
CAs (Certificate Authorities), 569, 573–574, 733
CAs (connection agreements)
 for AD Connector, 143–144, 144
 in Exchange 5.5 replication, 484–485
 primary and nonprimary, 147
 public folder, 152–153, 468
 synchronizing objects with, 151–152
CAST algorithm, 565
Cat: LDAP Searches/sec counter, 335
Categorized Message Queue (CatMsgQueue), 661
Categorizer category, 677, 856
Categorizer Queue Length counter, 331
CatMsgQueue (Categorized Message Queue), 661
Cc field, 253
-cc option, 307
Cc recipients, 306
cc:Mail Connector service, 424
CD-ROMs for disaster recovery, 378–379
CDO_OnArrivalEvent event, 502
CDOEXM (Collaborative Data Objects for
 Exchange Management), 161, 504–505
CDOs (Collaborative Data Objects)
 for events, 504–505
 for OWA, 740
centralized backups, 39–40, 354
CERT Coordination Center, 606
Certificate Authorities (CAs), 569, 573–574, 733
Certificate button
 for POP3 and IMAP4 virtual servers, 731
 for SMTP virtual servers, 672
certificate revocation lists (CRLs), 575–576, 576,
 585
certificates, 570–573, 571
 Certificate Authorities for, 569, 573–574
 in client security, 594–596, 597
 compromised, 576–577
 expiration of, 577
 in IPSec, 556
 KMS for. *See* KMS (Key Management Service)
 for POP3 and IMAP4 virtual servers, 733–735
 revoking, 585
 trust of, 575–576, 576
Certificates page, 595, 595
Certification Authority console, 577, 578
certification trust lists (CTLs), 576
chaining operations master roles, 69–70
Challenge Response Authentication, 732
Change Mode option, 173
change numbers in public folder replication, 479
Change Operations Master dialog box, 70
Change Permissions permission, 527, 532
Change Property Pages option, 236
Change Security Settings dialog box, 589, 590
changeType entry, 111
Character set setting, 732
Charron, Tim, 308
chart view in System Monitor, 318–319
Chat service, 424, 430
Check Box controls, 262
/CheckClient switch, 801
checkpoint files, 215
child folders, 472
Choose A Container dialog box, 146
CHUNKING extension, 665, 691
cipher algorithms, 565
ciphers, 565. *See also* encryption

- ciphertext, 565
- circular logging
 - with backups, 357
 - evaluating, 211–212
 - for message archiving, 301
- City attribute, 61
- classes
 - in Active Directory, 56–57
 - for messages, 238–239
- Clean Mailbox feature, 235
- /Cleanfinders switch, 801
- /CleanFreeBusy switch, 801
- cleaning
 - Exchange 5.5 directory, 130–132, 131
 - mailboxes, 235
 - tape drives, 189
- /CleanReminders switch, 801
- /CleanSchedPlus switch, 801
- /CleanViews switch, 801
- cleartext transmissions, 560–561
- Client-hostname field, 296
- Client-IP field, 296
- Client IP option, 831
- Client Permissions dialog box, 475, 475
- Client (Respond Only) policy, 556
- client troubleshooting, 773–774
 - Active Directory replication, 776
 - best practices for, 836
 - cache data, 776–777
 - common problems, 774–775
 - garbled messages, 782–784, 784
 - HTTP. *See* HTTP protocol
 - infrastructure interference, 777–778
 - initial steps in, 774
 - Internet, 805–807
 - front-end/back-end server issues, 807–809
 - IMAP4, 814–817
 - POP3, 809–813, 809
 - protocol logs in, 829–835, 830–832, 834–835
 - MAPI, 795–796
 - name resolution differences in, 796–799, 797–798
 - Outlook problems in, 799–805, 800, 803, 805
 - name resolution, 775
 - network connectivity, 775
 - non-delivery reports, 785–795
 - ping for, 778–779
 - RCP Ping for, 781–782, 782
 - Telnet for, 779–781, 780
- Client Type page, 649–650, 653
- clients
 - authentication for, 537–538
 - integrated Windows authentication, 538–542, 538–542
 - Internet client authentication, 542–550, 543, 545, 547–548, 550
 - automating, 513–516
 - permissions for, 475–477, 475
 - security for, 587
 - certificates in, 594–596, 597
 - enrolling users in, 587–588
 - Outlook, 588–594, 588–591, 593–594
 - troubleshooting. *See* client troubleshooting
- Clients support S/MIME signatures option
 - for mailbox stores, 221
 - for public folder stores, 202, 205
- clussvc process, 447
- Cluster Administrator console, 420–422, 421–422, 439–441, 441
- cluster server nodes, 431
- Cluster Service Configuration Wizard, 432–437, 433–436
- Cluster Services component, 422
- clustering, 417–418
 - basics, 423–424
 - best practices for, 447–448
 - Exchange 2000 clusters, 437–443, 439–442
 - failover and failback in, 425–427, 426–427
 - forced failovers in, 446
 - hardware for, 420–422, 421–422, 427–428, 431–432
 - installing, 430–431
 - issues in, 428–430
 - limitations on, 424–425
 - moving to, 443–446
 - operation of, 418–420, 419
 - performance of, 447
 - prerequisites for, 431–432

- scalability in, 427–428
- server roles in, 430
- Windows 2000 clusters, 432–437, 433–436
- Cmd= suffix, 754
- CN value, 34
- cold standby servers, 41, 379, 382–383
- Collaborative Data Objects (CDOs)
 - for events, 504–505
 - for OWA, 740
- Collaborative Data Objects for Exchange
 - *Management (CDOEXM), 161, 504–505
- collators in full-text indexing, 266
- Collins, Scott, 598
- COM (Component Object Model), 504–505
- Comma-Separated Value Directory Exchange (CSVDE) tool, 110, 821
- command line
 - access to, 602
 - in Outlook, 800–802, 800
 - sending e-mail from, 305–308
- command verbs in SMTP, disabling, 691–692
- Communication button, 673
- Communications button, 731
- compacting databases, 190–192, 191
- Company attribute, 61
- Completing The Exchange Task Wizard page, 161
- Completing The ISA VPN Server Configuration Wizard page, 651
- Component Object Model (COM), 504–505
- Component Progress page, 167
- Component Selection page, 142, 158, 166
- Component Summary page, 167
- compromised certificates, 576–577
- Computer Associates company, 369
- conference room bookings, 512
- Conferencing Server service, 425
- configuration partitions, 54–56, 55
- configuration queries, 70–71
- Configure And Enable Routing And Remote Access option, 634
- Configure external DNS servers option, 676
- Configure Listeners Individually Per IP Address option, 647
- configuring
 - AD Connector
 - in large environments, 149–150
 - in small environments, 143–149, 144–149
 - adapters, 435, 435
 - alerts, 288–290, 289–290
 - firewalls, 637–639
 - front-end servers, 759–761, 759
 - IM, 764–766, 765–766
 - journaling, 174, 174
 - Mailbox Manager, 236–239, 236
 - notifications, 280–282, 282–283
 - OWA, 743–744
 - resource status monitors, 275–276, 275
 - RGCs, 700–704, 701, 704
 - RUS, 116–118, 117
 - SMTP Connector, 717–721, 722
 - virtual servers, 439–442, 439–442, 677–679, 728–732
 - Windows 2000 Certificate Authority, 577, 578
 - X.400 connectors, 706–711
- conflicts in groups, 87–88
- Connect To A Virtual Private Network Through The Internet option, 635
- Connected Routing Groups page
 - for SMTP, 721
 - for X.400, 711
- connecting routing groups, 699–706, 700–701, 704–705
- connection agreements (CAs)
 - for AD Connector, 143–144, 144
 - in Exchange 5.5 replication, 484–485
 - primary and nonprimary, 147
 - public folder, 152–153, 468
 - synchronizing objects with, 151–152
- Connection button, 673
- Connection dialog box, 626
- Connection Errors/sec counter, 335
- Connection Manager, 662
- Connection Manager category, 677, 856
- Connection setting, 731
- Connection retry values setting, 710
- Connection time setting, 703
- Connection time-out setting, 672
- Connection timeout setting, 730
- Connections category, 852
- Connections object, 328
- Connections page, 144, 144, 146
- connectivity, 657–658
 - Active Directory, 840–841
 - best practices for, 726

- front-end and back-end servers in, 757–761, 758–759
- IM. *See* IM (Instant Messaging)
- IMAP4. *See* IMAP4 protocol
- OWA. *See* OWA (Outlook Web Access)
- POP3. *See* POP3 protocol
- routing groups. *See* routing groups
- SMTP, 716
 - configuring, 717–721, 722
 - queuing and dequeuing mail, 722–725, 724–725
- X.400. *See* X.400 connectivity
- Connectivity Controller, 9
- Connector for Lotus cc:Mail, 9
- Connector for Lotus Notes, 9
- Connector for Novell GroupWise, 10
- Connector Interchange, 9
- Connector scope setting, 710
- connector servers
 - clustering with, 430
 - upgrading, 128
- Connector service, 425
- Connects this routing group with setting, 702
- consistency
 - in database transactions, 209
 - ESEUTIL for, 406–407
 - of permissions, 129, 130
- Consistency Adjuster option, 129
- consistent state for databases, 210
- Contact message class, 238
- Contacts folder, 245
- Contacts option, 98
- content
 - conversions, 12–13, 213–214
 - replication, 477–478
- Content Engine category, 852
- content inspection gateways, 609–610, 609
- Content page, 575
- Content Restrictions page, 699, 700
 - for RGCs, 703
 - for SMTP Connector, 717–718
 - for X.400 connectors, 711
- Context Switches/sec counter, 326
- continuous polling in RUS, 169
- Contributor role, 476
- conversions
 - content, 12–13, 213–214
 - gateway, 563–564
- Cooper, Russ, 606
- coordinates for details templates, 260, 263
- corrupted information stores, 388–394, 389–391, 394
- corrupted messages, 414–415
- Cost setting, 702
- costs
 - in public folders, 465
 - for RGCs, 702
- Counter Logs container, 320
- counters, 318
 - for Exchange 2000, 329–335
 - for System Monitor, 287–289, 287
 - for Windows 2000, 323–326
- Country/Region attribute, 61
- CPU utilization, 278, 278
- crawls, 269–270
- Create, modify, or remove a connected routing group option, 711
- Create, modify, or remove an address space option, 710
- Create A New Group option, 439
- Create A New Network Name option, 440
- Create Children permission, 527
- Create/Delete permissions, 528–529
- Create Full-Text Index option, 269
- Create Named Properties In The Information Store permission, 528
- Create New Folder dialog box, 455
- Create Public Folder permission, 527
- Create Top Level Public Folder permission, 527
- critical alert messages, 277
- critical notifications, 281
- critical states, 274, 276
- CRLs (certificate revocation lists), 575–576, 576, 585
- cryptoanalysis, 567
- cryptographers, 567
- cryptography, 540. *See also* encryption
- CSVDE (Comma-Separated Value Directory Exchange) tool, 110, 821
- CTLs (certification trust lists), 576

current organization issues in Windows 2000 deployment, 125–128

Custom Attributes page, 130–131

Custom Filter option, 864

Custom installation option, 158

Custom Installation Wizard, 513

customizing

AD Connector, 151, 151

address list searches, 98–101, 99–100

administrative roles, 524–530, 525, 530

details templates, 259–264, 259–261

full-text indexing, 268

OWA, 745–746

D

-d option

in ExMerge, 373

in LDIFDE, 114

/d option in ESEUTIL, 190, 405

DACLs (Discretionary Access Control Lists), 95, 451, 470

daily maintenance, 180

event indicating problems, 183–187

event log monitoring, 181–183

mailbox access reports, 183

daily rotation for backups, 367

damaged stores, 404

ESEUTIL for, 404–408

ISINTEG for, 409–414

data, locating, 43, 43

Data Encryption Standard (DES) algorithm, 565

data formats

for message tracking logs, 295–298

for server messages, 551–553, 552

for SMTP messages, 682–684, 683–684

Data page, 247, 371

Data Selection Criteria dialog box, 371, 614

Database Cache % Hit counter, 330

Database object, 327, 330

Database page

for mailbox store policies, 203

for mailbox stores, 221

for moving database files, 227

for public folder store policies, 205

for restoring, 394, 394

database paths for virtual servers, 441–442, 442

Database Selection tab, 371, 371

databases, 208–209

access to, 342–343

checkpoint files for, 215

circular logging for, 211–212

compacting, 190–192, 191

content conversion in, 213–214

creating, 228

Exchange 2000 stores, 212–213, 213

FAQ for, 415

file fragmentation in, 344–345

information store cache size for, 343–344

integrity checks on, 192–194

log operations for, 210–211, 210

miscellaneous files, 216

optimizing, 341–345

patch files for, 215

repairing

corrupted messages, 414–415

ESEUTIL for, 407–408

size of, 190

STM, 6–7, 11–13, 212–213, 213, 344–345

transaction log files, 214–215, 341–342

troubleshooting, 847–848

Databases page, 441, 442

Date & Time tab, 294

Date field, 296

Date option, 831

Dates page, 248, 614

/dclist option, 65–66

DCT (Domain Configuration Table), 661

debugging installations, 170–172, 171

decommissioning last Exchange 5.5 server, 168

decryption in Outlook, 592

dedicated public folder servers, 453–454

default database paths for virtual servers, 442, 442

default Global Catalog servers, 62

Default public store option, 202, 221

default recipient policies, 104

default trees, 457–458

Defaults page

for mailboxes, 253

for SMTP, 680, 680

Defense Messaging System, 592

- defragmentation, 190–191, 191, 360
- Delay Notification setting, 674
- Delegation Wizard, 522
- Delete All Messages (no NDR) option, 864
- Delete All Messages (send NDR) option, 864
- Delete Children permission, 527
- Delete Immediately option, 237
- Delete Mailbox Storage permission, 531
- Delete permission, 527
- Delete Tree permission, 527
- deleted items, recovering, 384–385, 384, 386
- Deleted Items folder, 245, 249
- deleting
 - replicas, 489
 - servers from Active Directory, 175
 - services, 601–602
 - stores, 227–228
 - transaction logs, 215
- Deletion page, 146
- delfld test option, 412
- Deliver Messages To Both Forwarding Address And Mailbox option, 255
- Deliver New Mail To The Following Location setting, 246
- delivery exceptions, 704, 705
- delivery locations in Outlook, 804–805, 805
- Delivery Options dialog box, 255, 256
- Delivery Options option, 254
- Delivery Options page
 - for RGCs, 703–704, 704
 - for SMTP Connector, 718
- Delivery page
 - for mail delivery, 246, 804, 805
 - for SMTP, 674–676, 678, 794
- Delivery Restrictions option, 254
- Delivery Restrictions page, 702–704, 705
- delivery status notification (DSN) codes, 786–791
- demilitarized zones (DMZs), 628–629, 629
- departed employees, mailboxes for, 255–259, 256–257
- Department attribute, 61
- dependencies, 8–10
- dequeuing mail, 722–725, 723, 725
- DES (Data Encryption Standard) algorithm, 565
- Destination Host Unreachable message, 779
- destination message queue (DestMsgQueue), 661
- destination sets, 644, 648–649
- Destination Sets page, 649
- DestMsgQueue (destination message queue), 661
- Details page
 - for mailbox stores, 224
 - for public folders, 461
- details templates, 259–264, 259–261
- DH (Diffie-Hellman) algorithm, 565
- DHTML (Dynamic HTML), 739–740
- Diagnostic Logging page, 150, 150
- Diagnostics Logging page and diagnostics logging
 - for AD Connector, 150, 150
 - for event logging, 495
 - for IMAP4, 832, 832
 - for mailbox access, 183
 - for mailbox reports, 234
 - for offline address book generation, 498
 - for public folder replication, 486–487, 487
 - for services, 849–858, 849
 - for storage limits, 303
 - for virtual servers, 676–677
- differential backups, 356, 368–369
- Diffie-Hellman (DH) algorithm, 565
- Diffie-Hellman key exchange, 566–567, 592
- Digest authentication, 766
- digital IDs, 588
- Digital Signature: Valid dialog box, 593, 593
- digital signatures, 564, 587
 - in encryption, 570
 - in Outlook, 590–594, 593–594
- Dijkstra's algorithm, 695
- Directory Access page
 - for DS2MB, 497
 - for mailbox store policies, 204
- directory replication
 - AD sites for, 58
 - checking, 189
- directory rights, 473
- Directory Security page, 549–550, 747
- directory service proxy (DSProxy), 71–73, 72, 633
- directory service to Metabase (DS2MB), 55, 496–497
- Directory Synchronization database
 - backing up, 358
 - dependencies for, 9
- dirty pages, 211

- Disable All Connections option, 863
- Disable All Monitoring Of This Server option, 276
- Disable User Configuration Settings option, 557
- Disabled queue state, 862
- disabling
 - mailboxes, 255–258, 256–257
 - multimedia control in OWA, 752
 - SMTP command verbs, 691–692
- disappearing mail with POP3 clients, 813
- disaster prevention
 - disk redundancy for, 38
 - disk space requirements for, 38–39
 - hardware for, 37–38
 - power supplies, 40–41
 - tape backup hardware for, 39–40
 - tips for, 271–272
- disaster recovery
 - backups for. *See* backups
 - corrupted information stores, 388–394, 389–391, 394
 - damaged stores, 404
 - ESEUTIL for, 404–408
 - ISINTEG for, 409–414
 - deleted items, 384–386, 384, 386
 - entire servers, 394–396
 - FAQ for, 403
 - kits for, 378–379
 - plans for, 377–378
 - practice for, 379–384
 - priorities in, 387–388
 - recovery servers in, 396–402, 397, 399, 402
 - requirements for, 376–377
 - speeding up, 382
 - steps in, 375–376
 - tips for, 381–382
- "Disaster Recovery for Microsoft Exchange 2000 Server" white paper, 352
- Discretionary Access Control Lists (DACLS), 95, 451, 470
- disk controllers for clustering, 431
- %Disk Free counter, 290
- disk groups for clusters, 424
- % Disk Time counter, 316, 324
- diskperf command, 316, 321
- disks
 - monitoring, 321
 - redundancy in, 38
 - security of messages on, 562
 - space requirements for, 38–39
- Display Name attribute, 61
- display names
 - in Active Directory, 33–34, 34
 - automatic generation of, 90–92, 91
 - for mail-enabled groups, 82
- Display plaintext messages in a fixed-width font option
 - for mailbox stores, 221
 - for public folder stores, 203, 205
- displayName attribute, 110
- distinguished names (DNs), 34, 92
- DistList message class, 239
- Distributed Project, 568
- distribution, Outlook, 513
- distribution groups, 35, 259, 469
- distribution lists, 133–134
- dlvrto test option, 412
- DMT (Domain Mapping Table), 661
- DMZs (demilitarized zones), 628–629, 629
- DN attribute, 110
- DNs (distinguished names), 34, 92
- DNS (Domain Name Service), 52–53
 - for domain controllers, 64–66
 - with firewalls, 637
 - for Global Catalog servers, 64–66
 - for IM clients, 827
 - in name resolution, 775
 - in SMTP, 666–667, 667
 - troubleshooting, 843–845
- DNS Queries/sec counter, 335
- Do Not Allow Public Folders Referrals option
 - for RGCs, 464–465, 702
 - for SMTP Connector, 717
 - for X.400 connectors, 709
- Do not mount this store at start-up option, 221
- Do not permanently delete mailboxes option, 204, 207
- Do not send ETRN/TURN option, 719
- documentation, 47–49
- dollar signs (\$) in names, 35
- Domain Admins group, 520
- Domain Configuration Table (DCT), 661

- Domain Controller Security Policy console, 599, 600
 - domain controllers
 - DNS for, 64–66
 - with DSAccess, 339
 - with firewalls, 637
 - as Global Catalog servers, 63
 - looking up, 843–845
 - Domain Local groups, 469
 - Domain Mapping Table (DMT), 661
 - Domain Name Service. *See* DNS (Domain Name Service)
 - domain names
 - and authentication, 808–809
 - recipient policies for, 104
 - domain naming master role, 66–67
 - domain partitions, 53
 - domain-specific operations master roles, 69
 - domains
 - for Active Directory, 78–80
 - Mixed mode for, 469
 - and Native mode, 171–172
 - for SMTP, 685–689, 687
 - in Windows 2000, 125–127
 - Domains button, 720
 - DoS attacks, 632
 - Double-Take product, 418
 - DRA message class, 238
 - Drafts folder, 245
 - drive letters for ExIFS, 229–230
 - drives
 - monitoring, 321
 - redundancy in, 38
 - security of messages on, 562
 - space requirements for, 38–39
 - DS/IS Consistency Adjuster, 129, 130
 - DS2MB (directory service to Metabase), 55, 496–497
 - DSAccess process
 - for configuration queries, 70–71
 - tuning, 338–341
 - DSADiag utility, 56
 - for Active Directory, 840
 - for DS2MB, 497
 - for Global Catalog servers, 63–64
 - DSCFlush utility, 71
 - /dsgetdc option, 65
 - /dsgetsite option, 65
 - DSN (delivery status notification) codes, 786–791
 - DSN extension, 664, 691
 - DSN Generator, 662
 - DSProxy (directory service proxy), 71–73, 72, 633
 - dumpsterprops test option, 413
 - Dumpsterref test option, 413
 - durability of transaction results, 209
 - Dynamic HTML (DHTML), 739–740
 - dynamic method in IM, 768
 - Dynamic RAS Connector, 699
- E**
- e-mail
 - legal issues in, 309–311
 - notifications for, 281, 282
 - queuing and dequeuing, 722–725, 723, 725
 - sending from command prompt, 305–308
 - E-mail Address page, 686–687, 687
 - E-mail Addresses page
 - for black holes, 259
 - for departed employees, 257, 257
 - for mail-enabled groups, 82
 - for mail-enabled public folders, 455, 456
 - for recipient policies, 106, 106
 - for warning messages, 496
 - E-mail Addresses (Policy) page, 688
 - e-mail-based viruses, 607
 - E00 storage group, 214
 - E2KUptime utility, 291–292
 - ECMA (European Computer Manufacturer Association), 739
 - EDB files, 6–7, 11–13, 212, 344–345
 - Edit controls, 262–263
 - edit fields, 260
 - Edit Metabase Data window, 690
 - editing IIS Metabase, 346
 - editions, 23–25
 - Editor role, 476
 - education, 44–47
 - for disaster prevention, 271
 - documentation, 47–49
 - for mailboxes, 230–231

- EFORMS REGISTRY folder, 466–467
- EFS (Encrypting File System), 562
- 8bitmime extension, 664, 691
- Enable All Connections option, 863
- Enable fast message retrieval option, 730
- Enable Instant Messaging page, 765, 765
- Enable Logging option, 602, 672, 829
- Enable Message Tracking option, 201
- Enable Subject Logging And Display option, 201, 292
- enabling
 - IIS logging, 602–603, 603
 - IPSec, 556–558, 557–558
 - Mailbox Manager, 239–240, 240
 - message archiving, 299–300
 - Outlook security, 588–589, 588–590
 - SSL, 175
- Encapsulating Security Payloads (ESP) protocol, 555
- Encrypt Message Contents And Attachments, 590
- Encrypting File System (EFS), 562
- encryption, 564–565
 - certificates in, 570–577, 571, 576
 - Diffie-Hellman key exchange, 566–567
 - hashing in, 570
 - in Kerberos, 540
 - keys in
 - public and private, 569
 - recovering, KMS, 586
 - secret, 568
 - strength of, 567–568
 - KMS for. *See* KMS (Key Management Service)
 - in Outlook, 539–540, 539–540, 590–592, 591
 - PKI, 569
 - for POP3 and IMAP4 clients, 733–737, 734–736
 - in RPCs, 561
 - in SSH, 604
 - terms in, 565–566
- Encryption field, 297
- ENHANCEDSTATUSCODES extension, 664, 691
- Enroll.log file, 583
- enrolling users
 - in client security, 587–588
 - in KMS, 584–585, 585
- Enrollment page, 583
- Enterprise Admins group, 521
- Enumerate 100 Messages option, 864
- EPOXY layer, 15
- Epoxy object, 327
- error codes, 839, 847
- escprint.dll file, 92
- ESE (Extensible Storage Engine), 208
- ESEFILE utility, 192–193
- ESEUTIL utility, 404–405
 - for consistency, 406–407
 - for data recovery, 405–406
 - for database repair, 407–408
 - for file fragmentation, 345
 - options for, 190–191, 193–194
 - for restores, 392
- ESP (Encapsulating Security Payloads) protocol, 555
- Establish An E-Mail Address option, 81
- ETRN extension, 663, 688, 691–692, 722–724, 723
- European Computer Manufacturer Association (ECMA), 739
- EUSER_EXSTOREEVENT user, 80
- Event-ID field, 296
- Event Log Monitor, 187
- Event Service utility, 8, 509–512, 511
- event sinks, 20, 499–500
 - developing, 504–505
 - sample, 505–507
 - searching for, 507
 - store events in, 500–501
 - transport and protocol events in, 502–505, 502
 - types of, 20–21
 - writing, 21
- Event Viewer Application Log, 486
- events
 - with full-text indexing, 266–267
 - indicating problems, 183–187
 - logs for, 495, 835
 - archiving, 189
 - monitoring, 181–183
- Events Root folder, 466
- Everyone group, 521

- EVs (Exchange virtual servers), 423, **439–442**, 439–442
- Exchange 5.5, 5–7
 - directory cleanup in, **130–132**, 131
 - replicating public folder content from, **483–485**
 - upgrading, **166–168**
- Exchange 2000, 23–25
 - MAPI versions for, 196
 - monitoring, **326–335**
 - stores in, **212–213**, 213
- "Exchange 2000 Disaster Recovery for Service Providers" white paper, 353
- Exchange 2000 Enterprise Server, 23–25
- Exchange 2000 Installable File System (ExIFS), **14–15**, 15, **228–229**, 229
 - drive letters for, **229–230**
 - phantom files in, 230
 - virus scanning, 607
- Exchange 2000 Resource Kit
 - MailQ for, **283–285**, 284
 - Topology Diagrammer for, **286**, 286
 - Web Monitor for, **285**, 285
- "Exchange 2000 Server Database Recovery" white paper, 352
- Exchange Administrator role, 522
- Exchange Advanced page
 - for extended attribute names, **102–103**, 455
 - for mail-enabled groups, **82–83**, 84
 - for mail-enabled public folders, 455
- Exchange Advanced Security console, 580
- Exchange Analyser tool, 309
- Exchange API-based backups, 365
- Exchange database setting, 221
- Exchange Domain Servers group, 521
- Exchange Features page, 766, 827
- Exchange Full Administrator role, 522
- Exchange General page
 - for mail-enabled groups, **81–82**, 81, **251–252**, 252
 - for SMTP, 681
 - for storage limits, 231
- Exchange Object Linking and Embedding Database (ExOLEDB) layer, 741
- Exchange Server 5.5 Administrator, 175
- Exchange Server Setup Progress.log file, 170
- Exchange Store driver, 660
- Exchange Store Driver category, 677, 857
- Exchange streaming database setting, 221
- Exchange Task Wizard, 160, 161
- Exchange View Only Admin role, 522
- Exchange virtual servers (EVs), 423, **439–442**, 439–442
- exchmem.dll file, 92
- exclamation points (!) as NOT operator, 102
- Exclude Specific Message Classes option, 238
- Execute permission, 526
- ExIFS (Exchange 2000 Installable File System), **14–15**, 15, **228–229**, 229
 - drive letters for, **229–230**
 - phantom files in, 230
 - virus scanning, 607
- ExMap tool, 286, 286
- EXMERGE.INI file, 372–373
- ExMerge.log file, 249
- ExMerge utility, **246–249**
 - for backups, **370–374**, 371–374
 - for moving mailboxes, 162
 - for viruses, 613
- ExOLEDB (Exchange Object Linking and Embedding Database) layer, 741
- expansion of mail-enabled groups, **82–85**, 84
- expiration
 - of certificates, 577
 - of TGTs, 542
- Expiration setting, 674
- Expiration Timeout setting, 678
- Expire After setting, 348
- Export List option, 302
- Export Progress dialog box, 373
- Export Users option, 402
- extended attribute names, **102–103**, 103
- Extended Logging Properties dialog box, 830, 830
- Extended Properties tab, 603
- extended SMTP command verbs, **691–692**
- Extensible Markup Language (XML), 739–740
- Extensible Storage Engine (ESE), 208
- extensions
 - for mailboxes, **92–93**
 - supported by SMTP, **662–666**
- External IP Address dialog box, 646

- external NDRs, 785
- external shared storage units, 422
- Extract Or Import (Two Step Procedure) option, 247, 371
- F**
- f option
 - in Blat for Windows, 307
 - in LDIFDE, 114
- /f option
 - in ESEUTIL, 191, 193, 407
 - in Outlook, 801
- F option in MAPISEND, 306
- failback in clustering, 425–427, 427
- failover in clustering, 425–426, 426, 446
- FAQs
 - for Active Directory, 118
 - for backups, 374–375
 - for databases, 415
 - for disaster recovery, 403
 - for migration and upgrades, 175–176
 - for system policies, 207–208
- fault tolerance
 - with clusters, 428–429
 - replicas for, 479
- Fax attribute, 61
- Field Engineering logging level, 850, 866
- field labels, 260
- Field option, 98
- file fragmentation, 344–345
- files, backing up to, 355, 355
- Filter Messages With Blank Sender option, 626, 682
- Filter Rules field, 99
- Filter Rules window, 99, 100, 105
- Filtering page, 625–626, 626, 681–682, 682
- filters
 - in full-text indexing, 264
 - in ISA Server, 642–644, 646, 651
 - LDAP for. *See* LDAP protocol and queries
 - in SMTP, 625–626, 681–682, 682
- final destination unreachable queue, 860
- Find dialog box, 101
- Find Exchange Recipients dialog box, 97–99, 97, 99, 105, 105, 687
- firewall mode in ISA Server, 641–642
- Firewall Topology page, 767, 767
- firewalls, 627
 - configuring, 637–639
 - IM with, 767, 767
 - operation of, 627–629, 628–629
 - port usage in, 630–635
- First, second, third, and subsequent retry intervals setting, 674
- First Administrative Group, 89
- First Name attribute, 61
- First Routing Group, 89
- First Storage Group, 216
- fix option, 409
- fixed port method in IM, 768
- fixes for server security, 600–601
- Fldrcv test option, 413
- fldsub test option, 413
- flexible single master of operations (FSMO), 66–68
 - assignment of, 69–70
 - ReplMon for, 68–69, 68
- floor support, 44
- floppy disks for disaster recovery, 379
- Folder Permissions option, 371
- Folder Retention Settings dialog box, 237, 237
- folder rights, 473, 475–477, 475
- folder test option, 412
- folders
 - public. *See* public folders
 - recovering, 384–385, 384
- Folders page, 248, 248
- Force Connection option, 864
- forced failovers, 446
- foreign mail systems, X.400 connectivity to, 711–713
- forest preparation, 75–78
- forest-wide operations master roles, 69
- formats
 - for message tracking logs, 295–298
 - for server messages, 551–553, 552
 - for SMTP messages, 682–684, 683–684
- forms
 - backing up, 363–364
 - event sinks for, 500
 - in Outlook, 802–804, 803

- forms libraries, 467
 - Fortezza cards, 592
 - Forward all mail through this connector to the following smart hosts setting, 717
 - Forward all mail with unresolved recipients to host setting, 673
 - forwarding messages, 257–258, 258
 - fragmentation in databases, 344–345
 - frames in SMTP, 668–669, 670
 - free disk space monitors, 279, 279
 - Freeze option, 863
 - Freeze All Messages option, 864
 - From Exchange tab, 145, 145, 151, 151
 - From Windows tab, 146, 146, 151
 - Front-end server name setting, 732
 - front-end servers, 757–759, 758
 - in client troubleshooting, 807–809
 - clustering with, 430
 - configuring, 759–761, 759
 - for OWA, 348
 - Frozen queue state, 862
 - FSMO (flexible single master of operations), 66–68
 - assignment of, 69–70
 - ReplMon for, 68–69, 68
 - Full Control permission, 526
 - Full Mailbox Access permission, 532
 - full-text indexing, 264
 - architecture of, 265–268, 265
 - creating indexes for, 269–270, 269
 - customizing, 268
 - limitations of, 264–265
 - and public folders, 461–462
 - Full-Text Indexing page, 269, 269
 - for mailbox stores, 204, 224
 - for public folder store policies, 207
 - Fully-Qualified Domain Name setting, 675, 678
- G**
- /g option in ESEUTIL, 193, 405
 - g parameter in LDIFDE, 114
 - GAL Modify tool, 108–109, 109
 - GALs (global address lists), 89, 93–94, 94
 - for enrolling users, 584, 587
 - selecting, 95
 - garbled messages, 782–784, 784
 - Gateway Address Routing Table (GWART), 7, 695
 - gateways
 - converting, security of messages during, 563–564
 - inspection, 609–610, 609
 - gather logs, 267
 - Gatherer object, 327
 - Gatherer Projects object, 327
 - General category, 852, 854
 - General page
 - for AD Connector, 143
 - for counter logs, 320, 320
 - for directory service accounts, 821–822, 822
 - for DS2MB, 497
 - for encryption, 586
 - for filter rules, 99, 100
 - for front-end servers, 759, 759
 - for IM, 827, 828
 - for KMS, 581
 - for LDAP queries, 97–98
 - for logging, 829, 830
 - for mailbox store policies, 202–203
 - for mailbox stores, 221
 - for message archiving, 300
 - for offline address book generation, 498
 - for OWA, 742
 - for POP3 and IMAP4 virtual servers, 730
 - for public folder store policies, 205
 - for public folders, 224–225, 224, 457, 460
 - for referrals, 464, 465
 - for RGCs, 701–702, 701
 - for server policies, 200–201, 200
 - for SMTP Connector, 717, 721, 725
 - for SMTP traffic, 625
 - for SMTP virtual servers, 672
 - for storage limit reports, 302
 - for X.400 connectors, 708–709, 708, 714
 - General Purpose public folders, 459
 - general purpose trees, 457–458
 - General Replication category, 854
 - Generate report only option, 236
 - Get A Digital ID option, 588
 - GetMail for Windows utility, 308
 - getschemaver.exe utility, 78
 - Ghost software, 376

- givenName attribute, 111
- glitch retry state, 698
- global address lists (GALs), 89, 93–94, 94
 - for enrolling users, 584, 587
 - selecting, 95
- Global Catalog option, 62
- Global Catalog servers, 59–60, 60
 - attributes in, 60–62
 - DNS for, 64–66
 - with DSAccess, 339
 - DSADiag for, 63–64
 - with firewalls, 637
 - location of, 62
 - number of, 62–63
- Global groups, 83–84, 469
- global settings for SMTP, 680–682, 680–681
- Google searches, 839
- GPOs (Group Policy Objects), 556
- Group Box controls, 262
- Group Policy Objects (GPOs), 556
- Group Policy page, 556–557, 557
- groups, 35, 36, 80–81
 - administrative, 6, 89–90, 250–251, 525
 - conflicts in, 87–88
 - mail-enabled, 251–252, 252
 - creating, 81–82, 81
 - expansion of, 82–85, 84
 - membership in, 85–87, 86
 - in public folder security, 469–470
 - restrictions on, 89
 - routing. *See* routing groups
 - size of, 88
 - for virtual servers, 439–440
- Groups option, 98
- Groupshield for Exchange product, 613
- GroupWise Connector service, 425
- gthrlg.vbs utility, 267
- GWART (Gateway Address Routing Table), 7, 695

H

- handouts, 47–48
- hard deletes, 385
- hard disk drives
 - monitoring, 321
 - redundancy in, 38

- security of messages on, 562
- space requirements for, 38–39
- hard recovery, 392
- hardware
 - choosing, 37
 - for clustering, 420–422, 421–422, 427–428, 431–432
 - for disaster prevention, 37–41
 - performance tuning, 41–43, 43
- hashing algorithms, 565, 570
- headers
 - of database files, 193
 - in SMTP, 617–619, 617
- Hide DL Membership option, 115
- Hide From Exchange Address Lists option, 455
- Hide Group From Exchange Address Lists option, 259
- hierarchy replication, 477
- histograms in System Monitor, 318
- hoaxes, virus, 608
- Home Directory page, 756, 756
- Home-MDB attribute, 160
- Home-MTA attribute, 160
- HomeMDB attribute, 111
- host records in DNS, 775
- HOSTS file, 775, 797
- hotkey characters for details templates, 263
- HTML clients with OWA, 752
 - html option, 308
- HTTP Headers page, 348, 348
- HTTP protocol
 - client troubleshooting, 817
 - AD queries, 820–825, 822–825
 - authentication through proxies, 817
 - IM clients, 825–829, 828
 - kiosks, 818–819, 818–819
 - SSL connections, 819–820
 - for clusters, 424
 - with firewalls, 638–639
 - with full-text searching, 266
 - IIS for, 15
 - logging, 833–834
 - port numbers for, 780
 - uses for, 807
- HTTP (IM) protocol, 807

HTTPS protocol, 755–756
 hybrid migrations, 156
 Hypersoft OmniAnalyser tool, 309

I

- /i option in ESEUTIL, 191, 406–407
- i parameter in LDIFDE, 113
- I switch in PROFGEN, 515
- IDs for message tracking, 294
- IFS database files, 216
- IIS (Internet Information Server), 15–16, 16
 - for logging, 602–603, 603
 - updating, 55
 - vulnerabilities in, 598
- IIS Admin Service, 659
- IIS - Authentication Manager dialog box, 747, 747
- IIS Certificate Wizard, 734–735, 734–735
- IIS Metabase
 - backing up, 362, 363
 - editing, 346
- IM (Instant Messaging), 761
 - authentication in, 766
 - bandwidth usage in, 769
 - clients, troubleshooting, 825–826
 - connectivity, 826–827
 - DNS access, 827
 - MSN Messenger interaction, 828–829
 - usernames, 827, 828
 - Web proxy client configuration, 828
 - for clusters, 425, 430
 - configuring, 764–766, 765–766
 - with firewalls, 767, 767
 - name space in, 763–764, 764
 - operation of, 761–763, 762
 - problems in, 769–770
 - tuning, 768–769
- IM home server, 762–763, 762, 766
- IM routers, 762–763, 762, 766
- image backups, 366, 376
- IMAIL process, 213, 551
- IMailMsg object, 19–20, 660
- IMAP4 protocol
 - authentication, 543–545, 543
 - clients, troubleshooting, 814–817
 - for clusters, 425
 - dependencies for, 8
 - with firewalls, 638–639
 - IIS for, 15
 - logging for, 832–833, 832
 - port numbers for, 780
 - uses for, 806
 - virtual servers, 544, 728–729, 729
 - configuring, 728–732
 - encryption for, 733–737, 734–736
- Imdata directory, 762
- Import Procedure page, 247, 371, 614, 614
- importing Active Directory data, 109–115
- IMPP (Instant Messaging and Presence Protocol), 761
- IMS (Internet Mail Service), 620
- IMS Routing page, 688
- IMsg object, 19–20, 660
- In Maintenance Mode state, 276
- in-place deletes, 385
- inactivity timeouts in OWA, 752
- inbound addresses in SMTP, 689
- inbound domains for SMTP, 685–689, 687
- Inbound Message Total counter, 334
- inbound queue, 661
- inbound VPN connections, 650–651
- Inbox folder, 245
- Include all public folders when a folder list is requested option, 730
- Incoming Web Requests Listeners, 646–649
- Incoming Web Requests page, 647, 647
- incremental backups, 356
- index aging, logging, 495
- Index This Attribute In The Active Directory option, 108
- indexing. *See* full-text indexing
- infections, virus, cleaning up, 613–616, 614–615
- Information Store Service, 482
 - for clusters, 425
 - diagnostics logging for, 851–855
- Information Stores
 - automating maintenance of, 492–495
 - dependencies for, 8
 - recovering, 388–394, 389–391, 394
 - security of messages on, 562
- infrastructure interference, 777–778

- infrastructure master role, 67–69
- Initials attribute, 61, 111
- Insert The Number Of Messages Processing option, 238
- inspection gateways, 609–610, 609
- Install Location tab, 142
- installation modes for ISA Server, 641–642
- installing
 - AD Connector, 141–143
 - Blat for Windows, 307
 - clusters, 430–431
 - Exchange 2000, 437–443, 439–442
 - Windows 2000, 432–437, 433–436
 - Exchange Server 5.5 Administrator, 175
 - KMS, 578–579, 579–580
 - MailQ, 284–285
 - MAPISend, 305–306
 - servers, 156–159, 159
 - SRS, 168–169
 - Web Monitor utility, 285
- instances of objects, 318, 327
- Instant Messaging. *See* IM (Instant Messaging)
- Instant Messaging and Presence Protocol (IMPP), 761
- Instant Messaging dialog box, 766, 766
- integrated mode in ISA Server, 641
- integrated Windows authentication
 - in IM, 766
 - Kerberos, 540–542, 541–542
 - NTLM, 538–539, 538
 - Outlook, 539–540, 539–540
 - in OWA, 745
 - in POP3 and IMAP4 virtual servers, 732
- integrity
 - of databases, 192–194
 - of messages, 564
- internal espionage, 561
- Internal Mail Server page, 646
- internal NDR, 785
- Internet clients
 - authentication, 542–543
 - OWA, 547–550, 548, 550
 - POP3, IMAP4, and NNTP, 543–545, 543
 - SMTP, 545–546, 545–547
 - troubleshooting, 805–807
 - front-end/back-end server issues, 807–809
 - IMAP4, 814–817
 - POP3, 809–813, 809
 - protocol logs in, 829–835, 830–832, 834–835
- Internet Information Server (IIS), 15–16, 16
 - for logging, 602–603, 603
 - updating, 55
 - vulnerabilities in, 598
- Internet Mail Service (IMS), 620
- Internet Message Inspector product, 610
- Internet Scanner tool, 606
- Internet Services Manager, 601
 - for IIS metabase backups, 362
 - for virtual directories, 284
- interoperability in X.400 connectivity, 713–714, 713
- InterScan VirusWall product, 610
- intervals in cluster failover, 426, 426
- "Introduction to the Use of Exchange 2000 with Windows Script Host" white paper, 507
- intrusion-detection software, 605
- IP Address setting
 - for POP3 and IMAP4 virtual servers, 730
 - for SMTP virtual servers, 672
- IP addresses
 - for clusters, 421, 432, 435, 435
 - for SMTP, 618–620, 626–627
 - for virtual servers, 439–440
 - for VPNs, 635
- IP packet filters, 643–644
- IP Security (IPSec), 553–555
 - enabling, 556–558, 557–558
 - in ISA Server, 651
 - operation of, 555–556
- IP Security Policy Wizard, 558
- IP subnets, 421
- IPNRN message class, 239
- IPSec (IP Security), 553–555
 - enabling, 556–558, 557–558
 - in ISA Server, 651
 - operation of, 555–556
- IPSec Rules dialog box, 558, 558

- ISA Server (Internet Security and Acceleration Server), 639–640
 - access policies in, 642, 644
 - best practices for, 653
 - inbound VPN connections in, 650–651
 - installation modes for, 641–642
 - with OWA, 646–650, 647–649
 - packet filters in, 643–644, 646, 651
 - policy elements in, 644
 - publishing rules in, 643
 - requirements for, 640–641
 - Secure Mail Server Publishing Wizard in, 645–646, 645
 - terminal services in, 651–653
 - ISINTEG utility, 409–414, 847
 - isolation of database transactions, 209
 - ISScan utility, 613
 - Issue warning at setting
 - for mailbox stores, 203, 223, 231
 - for public folder stores, 206, 225
 - Issue Warning limit, 27
 - Issue Warning status, 234
 - Issuer field, 572
 - item-level permissions, 477
- J**
- j parameter in LDIFDE, 114
 - J switch in PROFGEN, 515
 - JavaScript
 - for events, 504
 - for OWA, 740
 - Journal folder, 245
 - journaling, 174, 174
- K**
- k parameter in LDIFDE, 113
 - KDCs (key distribution centers), 541–542
 - KEA (Key Exchange Algorithm), 565
 - Keep Deleted Items setting, 384–385
 - Keep deleted items for setting
 - for mailbox stores, 203, 223
 - for public folder stores, 207, 226
 - Keep Deleted Items For (Days) interval, 492
 - Keep Deleted Mailboxes setting, 384
 - Keep deleted mailboxes for setting, 204, 223, 254
 - Keep Deleted Mailboxes For (Days) interval, 492
 - Kerberos authentication, 540–542, 541–542, 556
 - key distribution centers (KDCs), 541–542
 - Key Exchange Algorithm (KEA), 565
 - Key Management Service. *See* KMS (Key Management Service)
 - Key Management Service location option, 586
 - Key Manager, 175, 580–584, 582–584
 - key space in encryption, 567
 - key usage field, 572
 - keys in encryption, 568–569
 - public and private, 567, 569
 - recovering, 586
 - secret, 540, 566–568
 - strength of, 567–568
 - kiosks, 818–819, 818–819
 - KMS (Key Management Service), 577
 - backing up, 358
 - for clusters, 425
 - dependencies for, 9
 - encryption in, 586, 586
 - enrolling users in, 584–585, 585
 - installing, 578–579, 579–580
 - Key Manager object in, 580–584, 582–584
 - moving, 157, 164
 - recovering keys in, 586
 - revoking certificates in, 585
 - kmsserver.pwd file, 579
- L**
- l option
 - in ISINTEG, 409
 - in LDIFDE, 114, 397
 - /l option in ESEUTIL, 406
 - L option in PROFGEN, 515
 - L0phtcrack utility, 539
 - L2TP
 - in ISA Server, 651
 - for VPN, 634–635
 - Label controls, 262–263
 - languages for default folders, 248
 - large environments, configuring AD Connector in, 149–150
 - Last Backup Set option, 390

- Last Name attribute, 61
- Last Replication Message Received page, 485
- Last Restore Sets, 392–393
- lazy writes, 342
- LDAP protocol and queries
 - for Active Directory, 820–825, 822–825
 - for address lists, 93, 97–102
 - attribute names in, 110–113
 - with firewalls, 639
 - as maintenance tasks, 492
 - port numbers for, 780
 - tuning, 338
 - uses for, 807
- LDAP Data Interchange Format Directory Exchange. *See* LDIFDE (LDAP Data Interchange Format Directory Exchange) utility
- LDAP Operations category, 851, 858
- LDF file, 750
- LDIFDE (LDAP Data Interchange Format Directory Exchange) utility
 - for Active Directory queries, 820–821
 - attribute names in, 110–113
 - for message flow problems, 859
 - options in, 113–114
 - for restores, 396–397, 402
 - sample commands, 114–115
 - sample files, 111–113
 - for schema files, 77
- LDP utility, 57
 - for Active Directory queries, 820–821
 - for restores, 396
 - for schema changes, 78
- Lee, Mike, 352
- legacyExchangeDN attribute, 194, 375, 396–399
- legal issues in e-mail systems, 309–311
- libraries, Organizational Forms, 467
- license agreements for clusters, 438
- Limit message size setting, 673
- Limit number of connections setting
 - for POP3 and IMAP4 virtual servers, 730
 - for SMTP virtual servers, 672
- Limit number of messages per connection setting, 673
- Limit number of recipients per message setting, 673
- Limit session size to setting, 673
- limits
 - message size, 606
 - for public folders, 462–463, 462
 - storage, 26–27
- Limits page
 - for mailbox store policies, 203–204
 - for mailboxes, 222–223, 222
 - for public folder store policies, 206–207
 - for public folders, 225–226, 226, 461–463, 462
 - for storage, 302, 496
- link message queue (LinkMsgQueue), 662
- Link Monitor tool, 7
- link queues, 861
- Link State Algorithm (LSA), 695
- Link State Tables (LSTs), 695–699, 697
- Linked-MSGID field, 297
- LinkMsgQueue (link message queue), 662
- List Box controls, 262
- List Contents permission, 527
- List Object permission, 527
- LiveStats tool, 603
- LMHOSTS file, 797
- load balancing
 - clustering with, 430
 - for front-end servers, 349, 758
 - for performance, 336
 - replicas for, 479
- load distribution in public folders, 465
- Local bridgeheads setting, 717
- Local Delay Notification setting, 674
- local delivery in message archival, 245–246
- local delivery queue, 662, 860
- Local Expiration setting, 674
- local recipients for SMTP, 686–688, 687
- local security authority subsystem (LSASS), 88
- local storage vs. server-based, 28–29
- log event IDs, 298
- Log File Maintenance option, 201
- Log files and logging
 - with backups, 357, 360
 - circular, 211–212, 301, 357
 - for databases, 210–211, 210
 - diagnostics. *See* Diagnostics Logging page and diagnostics logging
 - with differential backups, 369

- event, 495, 835
 - archiving, 189
 - monitoring, 181–183
 - in full-text indexing, 266–267
 - IIS, 602–603, 603
 - importance of, 604
 - for message tracking, 292, 295–298
 - protocol. *See* protocols
 - in System Monitor, 319–320, 320–321
 - temporary locations for, 390–391, 390–391
 - transaction. *See* transaction logs
 - Log On Using Secure Password Authentication option, 822
 - Log Parser utility, 170–171, 171
 - logging. *See* log files and logging
 - logical components in clustering, 422–423, 423, 432
 - Logical Disk object, 290
 - logo in OWA, 750–751, 751
 - logoff warnings, 751
 - logon traffic, AD sites for, 58
 - Logons category, 853, 855
 - logons for MAPI clients, 797–798
 - logs. *See* log files and logging
 - long-term maintenance, 189–190
 - database compaction, 190–192, 191
 - database integrity checks, 192–194
 - loops, message, 231–233
 - Lotus Notes service, 425
 - low disk space, troubleshooting, 846
 - low-speed connections, OWA with, 347–348, 348
 - LPADC tool, 150
 - LSA (Link State Algorithm), 695
 - LSASS (local security authority subsystem), 88
 - LSTs (Link State Tables), 695–699, 697
- M**
- /m option in ESEUTIL, 193, 405–406
 - M option in MAPISend, 306
 - MADMAN (Mail and Directory Management) MIB, 291
 - Mail Delivery options, 804
 - mail-enabled groups, 251–252, 252
 - creating, 81–82, 81
 - expansion of, 82–85, 84
 - mail-enabling public folders, 455, 456
 - Mail Essentials product, 610
 - mail reminders, 751
 - Mail Services Selection dialog box, 645–646, 645
 - Mailbox category, 854–855
 - Mailbox Cleanup Agent, 235, 254, 386
 - Mailbox Disabled status, 234
 - Mailbox Management category, 856
 - Mailbox Management page, 240–241, 240
 - Mailbox Manager, 235
 - best practices in, 243
 - configuring, 236
 - enabling, 239–240, 240
 - recipient policies in, 236–239, 236
 - scopes in, 242, 242
 - Mailbox Manager page, 204
 - Mailbox Manager Settings (Policy) page, 236–237, 236
 - Mailbox Managers Settings option, 236
 - Mailbox object, 328, 330, 333
 - Mailbox Reconnect Tool, 401–402
 - "Mailbox Recovery for Microsoft Exchange 2000 Server" white paper, 352
 - Mailbox Rights tab, 531, 531
 - mailbox servers, upgrading, 128
 - mailbox test option, 413
 - mailboxes and mailbox stores, 220
 - access to, 530–535, 531, 533
 - attributes for, 135, 135
 - cleaning, 235
 - creating, 220–224, 220, 222
 - for departed employees, 255–259, 256–257
 - disabling, 255–258, 256–257
 - extensions for, 92–93
 - forwarding messages in, 257–258, 258
 - improper access of, 183, 562–563, 563
 - mail-enabled groups, 251–252, 252
 - moving, 160–162, 161, 250–251, 848
 - policies for, 202–205
 - recipient and message size limitations, 252–254, 253
 - reconnecting and purging, 254–255
 - recovering, 384–386, 384, 386
 - recovery servers for, 401–402, 402
 - scripts for, 508–509

- storage limits for, 231–233, 232–233
- user education for, 230–231
- Mailboxes folder, 233
- Mailboxes in this mailbox store option, 98
- MAILBOXES.INI file, 373
- Mailboxes on any server option, 98
- Mailboxes on this server option, 98
- MAILBOXES.TXT file, 372–373, 374
- maildmsx.dll file, 92
- MailMsg object, 19–20, 660
- MailNickName attribute, 111
- MailQ utility, 283–285, 284
- Mailroot directory, 43
- maintenance, 179–180
 - daily, 180
 - event indicating problems, 183–187
 - event log monitoring, 181–183
 - mailbox access reports, 183
 - long-term, 189–190
 - database compaction, 190–192, 191
 - database integrity checks, 192–194
 - weekly, 188–189
- Maintenance interval setting
 - for mailboxes, 203, 221
 - for public folders, 205
- Make New Connection Wizard, 635
- Manager attribute, 61
- "Managing Exchange with Scripts, Advanced Topics" white paper, 507
- mandatory attributes, 56
- Manual Password Entry option, 579
- manuals, 47
- MAPI (Messaging Application Programming Interface), 7, 11–13, 11
 - in access restrictions, 195–197
 - in Active Directory, 71–74, 72–73
 - counters for, 287–288
 - with firewalls, 632–633
 - for public folder connections, 463–466, 465
 - troubleshooting, 795–796
 - name resolution differences in, 796–799, 797–798
 - Outlook problems in, 799–805, 800, 803, 805
- MAPIsend tool, 282, 305–307
- Marathon Systems servers, 429
- Masquerade domain setting, 675
- Maximum hop count setting, 675
- Maximum item size setting, 206, 226
- Maximum logging level, 850
- maximum session size setting, 678
- MBCConn utility, 254–255, 401–402
- MBI cache, 250
- Mbytes counter, 324
- MD2 (Message Digest) algorithm, 566
- MD4 algorithm, 566
- MD5 algorithm, 566
- MDBEF (Microsoft Database Encapsulated Format), 212
- Medium logging level, 850
- MELIA (Microsoft Exchange Log Import Agent) 2000 tool, 309
- membership in groups, 85–87, 86
- Memory object, 290, 316, 324
- memory requirements, 42–43
- Merge Data Into Target Store option, 371
- Message Archiving feature, 298–301
- Message Bytes/sec counter, 334
- Message Categorizer, 17, 19, 70, 661
- Message Delivery dialog box, 680–682, 680
- Message Delivery properties, 253
- Message Details page, 615, 615
- Message Digest (MD2) algorithm, 566
- Message encoding - MIME option, 731
- Message encoding - UUEncode option, 731
- Message Format page
 - for outbound messages, 682–683, 683, 784, 784
 - for POP3 and IMAP4 virtual servers, 731–732
- Message History option, 293, 293
- message IDs, 294
- Message Journaling feature, 174, 174, 298
- Message Options dialog box, 590, 590
- Message Routing Administration group, 525–526
- message screener in ISA Server, 646
- Message-subject field, 297
- Message Submitted/Min counter, 333
- message test option, 412
- Message Tracking Center, 293–294, 293, 487
- message tracking log directory, 189
- message transfer agent (MTA), 21, 425

- messages and message storage, 10–12, 11
 - access to
 - ExIFS, 14–15, 15
 - IIS, 15–16, 16
 - archiving, 298–301
 - automatic, 243–245, 243–244
 - ExMerge for, 246–249
 - local delivery in, 245–246
 - classes for, 238–239
 - connectors for, 21–22
 - converting on demand, 12–13
 - corrupted, 414–415
 - decryption of, 592
 - digests, 570, 592
 - expiration of, logging, 495
 - flow problems, 858–859
 - Active Directory in, 859
 - NDRs for, 865–866
 - queue monitoring in, 860–865, 861, 863, 865
 - loops with, 231–233
 - multiple stores, 13–14
 - in public folder replication, 481–483
 - restrictions for, 82
 - rights for, 473
 - routing, administrative groups for, 525–526
 - sealing, 591–592
 - security for, 559
 - client. *See* clients
 - encryption for. *See* encryption
 - KMS for. *See* KMS (Key Management Service)
 - vulnerabilities in, 560–564, 563
 - in server communication, 551–553, 552
 - signatures for, 230–231, 564, 592–594, 593–594
 - size limits
 - for mail-enabled groups, 82
 - for mailboxes, 252–254, 253
 - for server security, 606
 - for SMTP, 680–681
 - for SMTP, 682–684, 683–684
 - storage groups, 13
 - tracking, 292–293
 - advanced searches, 294, 294
 - log formats for, 295–298
 - Message Tracking Center, 293–294, 293
 - NDRs for, 785–792, 785
 - in public folder replication, 487, 487
 - transport, 6
 - diagnostics logging for, 856–857
 - in SMTP, 659–662, 660
 - in X.400 connectivity, 713–714, 713
 - Messages Awaiting Directory Lookup queue, 19, 860
 - Messages in the Queue Directory counter, 335
 - Messages page, 673
 - Messages Pending Routing counter, 331
 - Messages Received counter, 333
 - Messages Received Total counter, 334
 - Messages/Sec counter, 332
 - Messages Sent Total counter, 334
 - Messages Submitted counter, 333
 - Messages Submitted/Min counter, 333
 - messages waiting to be routed queue, 860
 - Messaging Application Programming Interface. *See* MAPI (Messaging Application Programming Interface)
 - messaging champions, 46
 - MetaEdit utility, 346
 - Method option, 831
 - /MH option, 408
 - Microsoft Cluster Services (MSCS), 419
 - Microsoft Database Encapsulated Format (MDBEF), 212
 - Microsoft Exchange Log Import Agent (MELIA) 2000 tool, 309
 - Microsoft Management Console (MMC), 7
 - Microsoft Operations Manager (MOM), 309
 - Microsoft Transport Neutral Encapsulation Format (MS-TNEF), 214
 - migration and upgrades, 119–121
 - Active Directory and AD Connector in. *See* AD Connector
 - on clusters, 445–446
 - considerations in, 121–124
 - debugging, 170–172, 171
 - Exchange 5.5 directory cleanup in, 130–132, 131
 - Exchange 5.5 servers, 166–168

- FAQ for, 175–176
 - journaling configuration in, 174, 174
 - mailbox moving in, 160–162, 161
 - migrating vs. upgrading issues, 153–156
 - Native mode in, 173–174, 173
 - permissions in
 - consistency of, 129, 130
 - correctness of, 132–134
 - public folder resources in, 162–163
 - RUS for, 169–170
 - servers in
 - deleting, 175
 - installing, 156–159, 159
 - site architecture changes for, 134
 - SRS for, 168–169
 - SSL in, 175
 - swing method for, 163–166
 - Windows 2000 deployment in, 124–128
- MIME format, 552–553, 682–683
- MIMESweeper tool, 310–311, 610
- Minimum installation option, 158
- Minimum logging level, 850
- missing e-mail, 804–805, 805
- missing files, 848
- Mixed mode, 23
 - for AD Connector, 148
 - for clusters, 444
 - for domains, 469
 - in Exchange 5.5 replication, 484
- MMC (Microsoft Management Console), 7
- MMS tool, 310
- modes, 23
- Modify administrative rights, 474
- Modify Public Folder Admin ACL permission, 527
- Modify Public Folder Deleted Item Retention permission, 528
- Modify Public Folder Expiry permission, 528
- Modify Public Folder Quotas permission, 528
- Modify Public Folder Replica List permission, 528
- Modify The Membership Of A Group role, 85
- MOM (Microsoft Operations Manager), 309
- monitoring
 - clusters, 447
 - event logs, 181–183
 - performance. *See* performance and performance monitoring
 - public folder replication, 479–481, 481, 485–486, 485
 - queues, 860–865, 861, 863, 865
 - status. *See* reports and reporting; status monitoring
- Monitoring And Status container, 275
- Monitoring page, 275–276, 275
- morefld test option, 412
- Mount Database After Restore option, 390
- Mount Store option, 394
- Move Mailbox category, 852
- Move Mailbox dialog box, 161, 161
- Move Server Wizard, 134
- Move to Deleted Items folder setting, 237
- Move to System Cleanup folder setting, 237
- moving
 - to clusters, 443–446
 - mailboxes, 160–162, 161, 250–251, 848
 - public folders, 162–163, 165
 - servers between routing groups, 694–695
 - storage group files, 218
 - stores, 227
- moving train migrations, 155
- ms-Exch-Schema-Version-Pt attribute, 78
- "MS Exchange Disaster Recovery" white paper, 353
- MS-TNEF (Microsoft Transport Neutral Encapsulation Format), 214
- MSCS (Microsoft Cluster Services), 419
- MSEExchangeAL object, 327, 497, 851
- MSEExchangeDSAccess object, 331
- MSEExchangeDSAccess Caches object, 327
- MSEExchangeDSAccess Contexts object, 328
- MSEExchangeES object, 328
- MSEExchangeIM object, 328
- MSEExchangeIM Virtual Servers object, 328
- MSEExchangeIMAP4 object, 328
- MSEExchangeIS object, 287–288, 328–330, 332–333
- MSEExchangeIS Mailbox object, 847
- MSEExchangeIS Private object, 333
- MSEExchangeIS Public object, 847
- MSEExchangeMTA object, 328, 332, 334

- MSEExchangePOP3 object, 328
 - MSEExchangeSA object, 328
 - MSEExchangeSRS object, 328
 - MSEExchangeTransport diagnostics, 676–677
 - MSEExchangeTransport Store Driver object, 329
 - msExchESEParamCacheSizeMax attribute, 344
 - msExchESEParamDbExtensionSize attribute, 344
 - msExchHideFromAddressList attribute, 116
 - msExchQueryBaseDn attribute, 95
 - msExchSmtplibBadMailDirectory attribute, 346
 - msExchSmtplibPickupDirectory attribute, 346
 - msExchUserAccountControl attribute, 250
 - MSGID field, 296
 - msgref test option, 413
 - Msgsoftref test option, 413
 - msimnode.edb file, 762
 - MSN Messenger Service, 762, 768, 828–829
 - MSP message class, 239
 - MSP.IPNRN message class, 239
 - MSP.Signed message class, 239
 - MSP4 message class, 239
 - MSP4.IPNRN message class, 239
 - MSP4.Signed message class, 239
 - MSSMMCISI.DLL file, 268
 - MTA (message transfer agent), 21
 - MTA Connections category, 853, 855
 - MTADData directory, 43
 - MTS-IN queue, 861
 - MTS-OUT queue, 861
 - multi-site servers, upgrading, 128
 - Multi-Valued Drop Down controls, 262
 - Multi-Valued List Box controls, 262
 - multimedia control in OWA, 752
 - MX records, 667, 724
 - My Server Requires Authentication option, 546
- N**
- n parameter in LDIFDE, 114
 - N switch in PROFGEN, 514
 - name resolution, troubleshooting, 775
 - domain controllers, 843–845
 - MAPI clients, 796–799, 797–798
 - outside organizations, 845
 - name space in IM, 763–764, 764
 - NAS (network-attached storage), 365
 - NAT (network address translation)
 - with IPSec, 555
 - limitations of, 778
 - National Institute of Standards and Technology (NIST), 31
 - native content store, 7, 212–213, 213
 - Native mode, 23
 - and domains, 171–172
 - in Exchange 5.5 replication, 484
 - switching to, 168, 173–174, 173
 - NDRs (non-delivery reports), 785
 - aliases for, 678
 - for message flow problems, 865–866
 - queues in, 794–795, 794
 - tips for, 792–793, 793
 - for tracking messages, 785–792, 785
 - NET TIME command, 30–31
 - NetBIOS network names for clustering, 432
 - NetIQ tool, 309
 - Network Abuse Clearinghouse, 621–622
 - Network Adapter page, 652
 - network adapters
 - for clustering, 432
 - configuring, 435, 435
 - for performance, 336
 - network address translation (NAT)
 - with IPSec, 555
 - limitations of, 778
 - network-attached storage (NAS), 365
 - network connectivity, troubleshooting, 775
 - network interface cards (NICs)
 - for cluster nodes, 420–421
 - for firewalls, 634
 - Network interface object, 316, 325
 - network interfaces for clusters, 421
 - Network Monitor tool, 560, 835
 - network names for clusters, 440
 - Network News Transport Protocol. *See* NNTP (Network News Transport Protocol)
 - Network object, 324
 - Network Segment object, 325
 - % Network Utilization counter, 325
 - New Alert dialog box, 289, 289
 - New Alert Settings option, 289
 - New Log Settings option, 320

- New Resource screen, 439–440, 439
 - NewItemAlert.VBS script, 505
 - NEWPROF program, 513–514
 - NICs (network interface cards)
 - for cluster nodes, 420–421
 - for firewalls, 634
 - NIST (National Institute of Standards and Technology), 31
 - NLTEST utility, 65–66, 841
 - NNTP (Network News Transport Protocol)
 - authentication in, 543–545, 543
 - for clusters, 424
 - dependencies for, 8
 - with firewalls, 638–639
 - IIS for, 15
 - logging for, 829–831, 830–831
 - port numbers for, 780
 - protocol events for, 499
 - uses for, 807
 - virtual server, 544
 - No, I Don't Want To Set Up This Server To Use
 - RADIUS Now option, 634
 - nodes, cluster, 420–421
 - noise words, 264, 268
 - non-delivery reports (NDRs), 785
 - aliases for, 678
 - for message flow problems, 865–866
 - queues in, 794–795, 794
 - tips for, 792–793, 793
 - for tracking messages, 785–792, 785
 - Non-Delivery Reports category, 853
 - Non-Editing Author role, 476
 - non-repudiation of messages, 564
 - non-Windows 2000 computers, synchronizing, 30–31
 - None role, 476
 - nonprimary CAs, 147
 - /Nopreview switch, 801
 - normal backups, 356, 367
 - Norton Antivirus for Gateways product, 610
 - Norton Antivirus for Microsoft Exchange product, 613
 - NOT operator, 102
 - Note message class, 238
 - Notes folder, 245
 - Notification Message dialog box, 238
 - notifications, 280
 - for e-mail, 281, 282
 - for scripts, 282, 283
 - NPNNRN message class, 239
 - NSLookup program, 843–845
 - for IP addresses, 619
 - for queues, 794
 - NSPI Proxy category, 856
 - NSPI Proxy object, 328
 - NT LAN Manager (NTLM), 538
 - NTBugTraq list, 606
 - NTDSNoMatch utility, 130–132, 131
 - NTDSUTIL tool, 70, 338
 - NTFS Store Driver category, 677, 857
 - NTLM (NT LAN Manager), 538
 - NTLM authentication, 547
 - Number-recipients field, 297
- O**
- /o option in ESEUTIL, 191, 193–194
 - o parameter in LDIFDE, 114
 - OABs (Offline Address Books), 96
 - policies for, 204–205
 - System Attendant for, 498
 - OAL Generator category, 856
 - objectclass entry, 111
 - objects
 - performance, 318, 327–329
 - synchronizing with connection agreements, 151–152
 - Office attribute, 61
 - OFFLINE ADDRESS BOOK folder, 466
 - Offline Address Book option, 202
 - Offline Address Books (OABs), 96
 - policies for, 204–205
 - System Attendant for, 498
 - offline address lists, 96–97, 221
 - offline backups, 356
 - performing, 360–361
 - restoring from, 393–394, 394
 - offline replication, 488–489
 - Oledb Events object, 327
 - Oledb Resource object, 327
 - OmniAnalyser tool, 309

- on-demand content conversion, 213–214
- OnDelete events, 501
- one-way functions (OWFs), 538–539
- online backups, 356
 - performing, 359–360, 359
 - restoring from, 388–390, 389
- OnMDBShutdown events, 501
- OnMDBStartUp events, 501
- OnSave events, 501
- OnSubmissionEvent event, 502
- OnSyncDelete events, 501
- OnSyncSave events, 501
- OnTimer events, 501
- Ooflist test option, 413
- opaque items, 565
- Open Address List permission, 94
- Open Mail Send Queue permission, 528
- Open Shortest Path First (OSPF) algorithm, 695
- operations master roles, 66–68
 - assignment of, 69–70
 - ReplMon for, 68–69, 68
- optimizing, 336–337. *See also* performance and performance monitoring
 - Active Directory access, 337–341
 - databases, 341–345
 - Outlook Web Access, 347–349, 348
 - SMTP bridgehead servers, 345–347, 346
- optional attributes, 56
- OR operator, 102
- order in upgrading, 128
- organization forms, backing up, 363–364
- Organizational Forms libraries, 467
- organizations
 - names for, 76, 123
 - in Windows 2000 deployment, 125–128
- origin of messages, 564
- original messages in replication, 480
- originating information stores in replication, 480
- Origination-time field, 297
- orphaned mailboxes, 401
- OSPF (Open Shortest Path First) algorithm, 695
- out-of-office messages, 82
- out of sync folders, 487–488
- outages with clusters, 429
- Outbound Connections button, 675
- Outbound Connections Refused counter, 335
- Outbound Message Total counter, 334
- Outbound Security button, 675, 719
- Outbox, messages stuck in, 799
- Outbox folder, AutoArchive actions for, 245
- Outgoing Mail Server dialog box, 546, 547
- Outlook, 799–800
 - address books in, 35, 35
 - authentication in, 539–540, 539–540
 - command-line switches in, 800–802, 800
 - delivery locations and missing e-mail in, 804–805, 805
 - distribution of, automating, 513
 - with firewalls, 632–633
 - form behavior in, 802–804, 803
 - MAPI in, 71–74, 72–73, 196
 - for public folders, 455
 - security in
 - enabling, 588–589, 588–590
 - encryption in, 592
 - message sealing in, 591–592
 - message signing in, 592–594, 593–594
 - operation of, 590–591, 590
- Outlook Express Address Book application, 821
- Outlook Setup Wizard, 514
- Outlook Web Access. *See* OWA (Outlook Web Access)
- output.ldf file, 859
- Output Queue Length counter, 325
- Override connection credentials for Exchange 5.x option, 702
- Override page, 710
- OWA (Outlook Web Access), 737
 - for Active Directory, 95
 - authentication in, 547–550, 548, 550, 744–745, 744–745
 - changes to, 7
 - configuring, 743–744
 - customizing, 745–746
 - deploying, 756–757
 - features and architecture of, 737–741, 741
 - HTML clients with, 752
 - inactivity timeouts in, 752
 - ISA Server with, 646–650, 647–649
 - logo in, 750–751, 751

- logoff warnings in, 751
- multimedia control in, 752
- optimizing, 347–349, 348
- passwords in, 548–549, 745–748, 746–747
- and public folders, 454, 461–462
- redirecting to SSL pages, 755–756, 756
- reminders in, 751
- restricting features in, 748–749
- rich and reach browsers in, 739–740
- segmenting features in, 748–750
- signed messages in, 591
- SSL for, 549–550, 550
- URLs for, 752–755, 753
- virtual directories in, 741–743, 742
- OWFs (one-way functions), 538–539
- Owner role, 476

P

- /p option
 - in ESEUTIL, 191, 405, 407–408
 - in Outlook, 801
- P option
 - in LDIFDE, 397
 - in MAPISEND, 306
 - in PROFGEN, 514
- P772 message class, 239
- P772.IPNNRN message class, 239
- P772.IPNRN message class, 239
- packet filtering, 642–644, 646, 651
- Page Break controls, 262
- page files, 277
- Page= suffix, 754
- Pages/sec counter, 316, 324
- Paging File object, 324
- Panda Antivirus for Exchange 2000 product, 613
- parent folders, 472, 472
- partitions in Active Directory, 58
 - configuration, 54–56, 55
 - domain, 53
 - schema, 56–57, 56
- Partner-hostname field, 296
- passwords
 - for AD Connector accounts, 142
 - in cleartext, 561
 - in IPSec authentication, 556
 - for kiosks, 818
 - in KMS, 578–583, 579–580, 582
 - in MAPISEND, 306
 - in Outlook, 588
 - in OWA, 548–549, 745–748, 746–747
 - for OWFs, 538–539
 - for POP3 and IMAP4 virtual servers, 733
 - for PST files, 562
 - for server security, 599–600, 600
- Passwords page, 581–582, 582
- patch files, 215, 390–391, 390–391
- PATCH option, 410
- PDC (primary domain controller) emulator role, 67, 69
- PendingRerouteQ queue, 860
- Perform Reverse DNS Lookup On Incoming Messages option, 676, 679
- performance and performance monitoring, 313–314. *See also* optimizing
 - of clusters, 447
 - Exchange 2000, 326–335
 - with full-text indexing, 270
 - of hardware, 41–43, 43
 - holistic approach to, 314–316
 - objects for, 318
 - System Monitor for. *See* System Monitor utility
 - Windows 2000, 322–326
- Performance Logs and Alerts console, 317–320
- Performance Monitor, 188
- Performance Monitor category, 852
- Performance Optimizer utility, 336, 343
- Performing Directory Replication Update page, 163
- PerfWiz tool, 218
- perimeter networks, 628–629, 629
- periods in cluster failover, 426, 426
- Permission Entry dialog box, 529–530, 530
- permissions
 - for AD Connector, 136–138
 - for address lists, 93–94, 94
 - for administrative security, 520–522, 521
 - ADSI, 528–530, 530
 - blocking and assigning, 526–528
 - for mailboxes, 530–535, 531, 533
 - for tasks, 535–537
 - in clustering, 432

- for Event Service, 510
- for group membership, 85, 86
- for installation, 75
- in migration and upgrades
 - consistency of, 129, 130
 - correctness of, 132–134
- for moving mailboxes, 160
- for policies, 198–200, 198–199
- in public folder security, 470–477, 472, 474
- troubleshooting, 848
- Permissions page, 461, 467, 473, 474
- personal folders, security of, 562
- peruser test option, 412
- PFRA (Public-Folder Replication Agent), 479–481
- phantom files, 230
- Phone attribute, 61
- Physical disk object, 316, 324–325
- physical server security, 601
- Pickup directory, 679
- ping utility, 778–779
- PIPELINING extension, 664
- PKI (Public Key Infrastructure), 569
- plaintext, 565
- planned outages with clusters, 429
- plans for disaster recovery, 377–378
- playing forward logs, 392
- Plus Pack, 739
- policies, 197–198
 - auditing, 605
 - FAQs for, 207–208
 - in ISA Server, 642, 644
 - for mailbox stores, 202–205, 224
 - for Offline Address Books, 204–205
 - permissions for, 198–200, 198–199
 - for public folder stores, 205–207
- recipient
 - in Active Directory, 104–106, 105–106
 - in Mailbox Manager, 236–239, 236
 - in SMTP, 685–688, 724
- for servers, 200–201, 200–201
- Policies page, 224
- policytest.exe utility, 80
- polling method in IM, 768
- POP3 protocol
 - authentication in, 543–545, 543
 - for clusters, 425
 - dependencies for, 8
 - with firewalls, 638–639
 - IIS for, 15
 - logging for, 832–833, 832
 - port numbers for, 780
 - troubleshooting, 809–813, 809
 - uses for, 806
 - virtual server, 544, 728–729, 729
 - configuring, 728–732
 - encryption for, 733–737, 734–736
- PornSweeper add-on, 311
- port numbers
 - for AD Connector, 145
 - for TCP, 630–635, 780
- port scans, 627
- port usage in firewalls, 630–635
- Post message class, 239
- pound symbols (#) in names, 35
- power supply redundancy, 40–41
- PPTP
 - for ISA Server, 651
 - for VPN, 634–635
- Praetor product, 610–611
- Pre-Categorizer queue, 19, 661
- pre-installation checks for Active Directory, 74–75
- pre-routing queue, 661
- pre-shared key authentication, 556
- pre-submission queue, 860
- predecessor change lists, 29, 480
- Prepare the request now, but send it later option, 733
- Preserve Sender's Display Name On Message
 - option, 684
- primary CAs, 147
- primary domain controller (PDC) emulator role, 67, 69
- primary time sources, 31
- priorities
 - in disaster recovery, 387–388
 - in public folder replication, 482–483
 - for routing groups, 699
- Priority field, 296
- PRIV.EDB file, 6
- priv1.edb file, 220

- priv1.pat file, 215
- priv1.stm file, 220
- privacy of messages, 564
- Privacy page, 766, 827
- private keys, 569
- Private object, 333
- Process object, 326, 329, 343
- %Process Time counters, 326, 329
- %Processor counter, 316
- Processor object, 316, 323
- Processor Queue Length counter, 323
- PROFGEN.INI file, 515
- PROFGEN utility, 514–516
- Profile Maker, 516
- /Profile switch, 801
- profiles, automating, 513–516
- /Profiles switch, 802
- Prohibit post at setting, 206, 225
- Prohibit Receive limit, 27
- Prohibit Send limit, 27
- Prohibit Send And Receive At limit, 203, 232–233
- Prohibit Send At limit, 203, 232–233
- Prohibit Send status, 234
- PromoDag Reports tool, 308
- PromoDag StoreLog tool, 308
- Propagate Folder Settings dialog box, 472, 472
- Propagate Settings option, 488
- properties for public folders, 460–461
- Properties option, 672, 864
- property store, 7
- Protected Storage system, 573
- Protocol Settings page, 650, 653
- protocols
 - events for, 20, 499, 502–505, 502
 - in ISA Server, 644, 652–653
 - logs for, 829
 - HTTP, 833–834
 - interpreting, 834–835, 834–835
 - POP3 and IMAP4, 832–833, 832
 - SMTP and NNTP, 829–831, 830–831
 - usage reports for, 303–305, 304
- proxies, authentication through, 817
- proxy addresses
 - for mail-enabled groups, 82
 - recipient policies for, 104
- proxy servers, 635–636
- PST files
 - for mail storage, 28–29
 - security of, 562
- PtTransportPerf.VBS file, 284
- PUB.EDB file, 6
- pub1.edb file, 220
- pub1.pat file, 215
- pub1.stm file, 220
- Public Folder Administration group, 525
- Public Folder category, 852–853
- Public-Folder Replication Agent (PFRA), 479–481
- public folder servers
 - clustering with, 430
 - upgrading, 128
- public folders, 220, 449–450
 - administrative groups for, 525
 - best practices for, 489
 - connection agreements for, 152–153
 - creating, 454–455
 - dedicated, 453–454
 - deleting, 227–228
 - and full-text indexing, 461–462
 - limits for, 462–463, 462
 - mail-enabling, 455, 456
 - MAPI connections to, 463–466, 465
 - moving, 162–163, 165
 - new features in, 450–451
 - and OWA clients, 454, 461–462
 - policies for, 205–207
 - referrals in, 464–466, 465
 - replication. *See* replication
 - security for, 468–469
 - administrative rights in, 474
 - groups in, 469–470
 - permissions in, 470–477, 472, 474
 - stores and trees for, 456–461, 459–460
 - structure and hierarchy in, 452, 453
 - system, 466–468, 466
- Public Folders category, 853–854
- Public Folders option, 98
- Public key field, 572
- Public Key Infrastructure (PKI), 569
- public keys
 - in Diffie-Hellman key exchange, 567
 - in encryption, 569

- Public object, 328, 330, 333
 - public stores, 224–227, 224, 226
 - Publish To GAL option, 589
 - Publishing Author role, 476
 - Publishing Editor role, 476
 - publishing rules, 643, 652
 - publishing terminal services, 651–653
 - pull process in replication, 482
 - purging mailboxes, 254–255
 - push process in replication, 480–481
- Q**
- queries, LDAP. *See* LDAP protocol and queries
 - Queue directory, 345
 - Queue Length, 290
 - Queue mail for remote triggered delivery setting, 718
 - Queue Viewer, 860–865, 861, 863, 865
 - queues
 - mail, 722–725, 723, 725
 - monitoring, 860–865, 861, 863, 865
 - in NDRs, 794–795, 794
 - resource status monitors for, 280
 - Queueing Engine category, 677, 856
 - quorum drives, 422, 434
- R**
- r option
 - in Blat for Windows, 307
 - in LDIFDE, 114
 - R option
 - in MAPISEND, 306
 - in PROFGEN, 515
 - /r option in ESEUTIL, 405–406, 408
 - RAID configurations, 341, 343, 346, 429
 - RAM requirements, 42–43
 - Rapid Online, Phased Recovery (ROPR), 353, 387
 - RC2RC4 algorithm, 566
 - RCP Ping utility, 781–782, 782
 - RDNs (relative distinguished names), 34
 - Re-enumerate option, 864
 - reach browsers, 739–740
 - Read Bytes RPC Clients/sec counter, 288
 - Read Metabase Properties permission, 528
 - Read Password From Disk option, 579
 - Read permission, 526
 - Read Permissions permission, 527, 531
 - Read Properties permission, 527
 - reads to databases, 211
 - READY-IN queue, 861
 - READY-OUT queue, 862
 - Ready queue state, 862
 - real-time black hole (RTB) lists, 624
 - real-time monitoring, 642
 - Rebuild interval setting, 204, 207, 224, 270
 - Receive As permission, 528, 532–534
 - Recipient-address field, 296
 - recipient connection agreements, 152
 - recipient limitations for mailboxes, 252–254, 253
 - recipient policies
 - in Active Directory, 104–106, 105–106
 - in Mailbox Manager, 236–239, 236
 - in SMTP, 685–688, 724
 - Recipient Policy dialog box, 687–688
 - Recipient-report-status field, 296
 - Recipient Update Service. *See* RUS (Recipient Update Service)
 - %Recipients Local counter, 334
 - %Recipients Remote counter, 334
 - reconnecting mailboxes, 254–255
 - recover mailbox procedure, 369
 - recoverability of messages, 564
 - recovering KMS keys, 586
 - recovery. *See* disaster recovery
 - Recovery category, 852
 - recovery servers, 396–402, 397, 399, 402
 - /Recycle switch, 802
 - Redirect The Request To This Internal Web Server option, 649
 - redirecting OWA to SSL pages, 755–756, 756
 - redundancy for disaster prevention, 38
 - referral interfaces (RFRs), 633
 - referrals
 - in Outlook, 73
 - in public folders, 464–466, 465
 - Refused for Size counter, 335
 - registering
 - store events, 505–506
 - transport events, 506–507

- Registration Authorities, 569
- Registry
 - for access restrictions, 194–195
 - for contact information, 769
 - for DSAccess, 338–340
 - for ExIFS drive letters, 229
 - for firewalls, 632
 - for hard deletes, 385
 - for IM polling, 768
 - for logons, 798
 - for mailbox storage limits, 234–235
 - for MAPI versions, 196–197
 - for message archiving, 299
 - for OWA
 - logoff warnings, 751
 - passwords, 748
 - reminders, 751
 - timeouts, 752
 - for protocol logging, 832–833
 - for referrals, 73
 - for restores, 391
 - for RGCs, 705–706
 - for S/MIME, 575
 - for Security tab, 521
 - for SMTP virtual servers, 689
- Reinstall option, 25
- Reject messages from setting, 703
- relative distinguished names (RDNs), 34
- relative identifier (RID) master role, 67, 69
- relay, SMTP, 545–546, 545, 619–624, 620, 685, 688
- Relay option, 673
- Relay Restrictions dialog box, 545–546, 545, 620, 620
- reminders in OWA, 751
- Remote Bridgehead page, 701–702
- Remote bridgeheads setting, 702
- Remote clients support MAPI option, 709, 714
- Remote host name/IP Address setting, 709
- Remote MTA name setting, 709
- Remote Procedure Calls (RPCs), 551
 - encryption in, 561
 - with firewalls, 637
 - for MAPI, 287
 - vulnerabilities in, 602
- Remote Queue Length counter, 335
- Remote queue state, 862
- Remove PF From Admin Group permission, 528
- Remove Unknown User Accounts From Mailbox
 - Permissions option, 129
- Remove Unknown User Accounts From Public
 - Folder Permissions option, 129
- removing
 - replicas, 489
 - servers from Active Directory, 175
 - services, 601–602
 - stores, 227–228
 - transaction logs, 215
- renaming organizations, 123
- Rendezvous Vector Protocol (RVP), 761, 764
- replicas, 478
- Replicate The Entire Directory The Next Time The Agreement Is Run option, 145
- Replicate This Attribute To The Global Catalog option, 60
- replication
 - Active Directory, 776, 842–843, 842
 - for public folders, 477–478
 - checking, 189
 - design for, 478–479
 - diagnostics logging for, 486–487, 487
 - from Exchange 5.5, 483–485
 - locations for, 488
 - monitoring, 479–481, 481, 485–486, 485
 - offline, 488–489
 - replica creation, 482–483
 - replica removal, 489
 - synchronization in, 487–488
- Replication category, 857
- Replication Backfill category, 854
- Replication Conflicts category, 854
- Replication Details dialog box, 485
- Replication Errors category, 854
- Replication Expiry category, 853
- Replication Incoming Messages category, 852
- Replication interval setting, 206, 225
- Replication interval for always setting, 206, 225
- Replication message class, 238
- Replication message size limit setting, 206, 225
- Replication Outgoing Messages category, 852

- Replication page, 206, 225, 461, 481–483, 481, 485, 488
- Replication Site Folders category, 853
- Replication Status dialog box, 485, 485
- ReplMon utility, 58, 842, 842
 - for Global Catalog servers, 62
 - for operations master roles, 68–69, 68
- Reply option, 252
- Reply To All option, 252
- report view in System Monitor, 318–319, 319
- reports and reporting
 - automatic sending of, 305–308
 - in ISA Server, 642
 - mailbox access, 183
 - for mailbox storage limits, 233–235, 233
 - NDRs. *See* NDRs (non-delivery reports)
 - for protocol usage, 303–305, 304
 - for storage used, 301–303, 302
- Request ETRN/TURN from a different server setting, 719
- Request ETRN/TURN when sending messages option, 719, 725
- Request Timed Out message, 778
- Require 128-bit Encryption option, 550, 736
- Require Secure Channel (SSL) option, 550, 735, 735
- res1.log file, 215
- res2.log file, 215
- reserved log files, 215
- /ResetFolders switch, 802
- /ResetOutlookBar switch, 802
- resolver cache data, 776–777
- resource mailboxes in upgrading, 130–131
- resource status monitors
 - configuring, 275–276, 275
 - for CPU utilization, 278, 278
 - for free disk space, 279, 279
 - for SMTP and X.400 queue growth, 280
 - for virtual memory, 277, 278
 - for Windows 2000 services, 276–277
- resources, cluster, 422
- restore.env file, 391, 391
- Restore To dialog box, 390
- restoring
 - from offline backups, 393–394, 394
 - from online backups, 388–390, 389
 - to recovery servers, 396–402, 397, 399, 402
 - storage group databases, 217
- Restoring Database Store dialog box, 389–390, 389, 392
- Retry queue state, 862
- Reviewer role, 476
- revoked certificates, 575–577, 585
- RFC-822 formatted messages, 679
- RFR Interface category, 856
- RFRs (referral interfaces), 633
- RGCs (Routing Group Connectors), 21, 700
 - for clusters, 425, 430
 - configuring, 700–704, 701, 704
 - delivery exceptions in, 704, 705
 - limitations of, 705–706
 - for referrals, 464
 - SMTP for, 561
 - in upgrading, 128
- rich browsers, 739–740
- rich-text databases, 7, 212
- RID (relative identifier) master role, 67, 69
- rights. *See also* permissions
 - in public folder security, 474–475
 - in SRS, 169
- roles
 - administrator, 522–530, 523, 525, 530
 - in clustering, 430
 - operations master, 66–70, 68
 - for public folders, 476
- Roles And Permissions page, 475
- rolled back transactions, 209
- rolling upgrades, 429, 443–446
- ROPR (Rapid Online, Phased Recovery), 353, 387
- rotations for backups, 366–369
- round-robin queries, 70
- Router for Novell GroupWise, 9
- Routing Address page, 721
- Routing And Remote Access (RRAS), 634, 723
- Routing Engine, 17
 - for clusters, 425
 - dependencies for, 9
 - in message transport, 659–661, 660
 - for public folders, 463
 - for RGCs, 705

Routing Engine/Service category, 677, 856
 Routing Group Connectors. *See* RGCs (Routing Group Connectors)
 Routing Group Master servers, 696
 routing groups, 6, 692–693
 administering, 694–695, 694
 connecting, 699–706, 700–701, 704–705
 designing, 693–694
 Link State Tables for, 695–699, 697
 for public folders, 465–466
 SMTP Connectors for, 721
 roving-user profile generator, 514–516
 rowcounts test option, 412
 RPC Operations/sec counter, 288
 RPC Packets/sec counter, 288
 RPC Requests counter, 288, 330
 RPC Requests Peak counter, 288
 RPCs (Remote Procedure Calls), 551
 encryption in, 561
 with firewalls, 637
 for MAPI, 287
 vulnerabilities in, 602
 RRAS (Routing And Remote Access), 634, 723
 RSA algorithm, 566
 RSA RC2 streaming encryption, 561
 RSA standards, 574
 RTB (real-time black hole) lists, 624
 Rule Action page, 649, 649
 Rules category, 853, 855
 rules in ISA Server, 643–644, 652
 Run As service, 534
 Run Cleanup Agent, 235, 254, 386
 RUS (Recipient Update Service), 79, 115
 and address lists, 115–116, 116
 configuring, 116–118, 117
 diagnostics logging for, 851
 forcing, 841–842
 managing, 118
 purpose of, 169–170
 System Attendant for, 497, 498
 RVP (Rendezvous Vector Protocol), 761, 764
 RVP records, 763–764, 764, 826–827

S

S/MIME (Secure Multipurpose Internet Mail Extensions), 574–575, 595–596
 /s option
 in ESEUTIL, 190, 193–194, 406–407
 in Outlook, 802
 -s option
 in ISINTEG, 409–410
 in LDIFDE, 114
 -S option in MAPISEND, 306
 S-TNEF (Summary Transport Neutral Encapsulation Format), 552
 /Safe switch, 802
 SAMAccountName attribute, 110
 SANs (storage area networks), 365
 Save This Password In Your Password List option, 745, 818
 scale
 in clustering, 427–428
 in performance, 315
 ScanMail for Exchange product, 613
 scanning for viruses, 230, 607, 612–613
 SCHEDULE+ FREE BUSY folder, 467
 Schedule page
 for AD Connector, 145
 for alerts, 290
 for counter logs, 320, 321
 Schedule setting, 709
 Scheduled queue state, 862
 SchedulePlus Free-Busy Connector, 9
 schedules
 for AD Connector, 145
 for alerts, 290
 for backups, 360
 for counter logs, 320, 321
 for information store maintenance, 493–495
 for limits checking, 496
 for Mailbox manager, 240
 for X.400 connectors, 709
 Schema folder, 467
 Schema Management MMC, 56, 56, 60, 60
 schema master role, 66–67
 Schema May Be Modified On This Domain Controller option, 108
 schema partitions, 56–57, 56

- schemax.ldf files, 77–78
- scopes in Mailbox Manager, 242, 242
- scripts
 - for automation, 507–509
 - notifications for, 282, 283
- sealing messages, 564, 587, 591–592
- Search, dependencies for, 9
- Search Indexer Catalogs object, 327
- Search MMC console, 268
- Search test option, 413
- searching
 - for addresses lists, 98–101, 99–100
 - for event sinks, 507
 - for text. *See* full-text indexing
- searchq test option, 412
- Secondary Logon service, 534
- secondary time sources, 31
- secret keys
 - in Diffie-Hellman key exchange, 566–567
 - in encryption, 568
 - in Kerberos, 540
- Secure Communications dialog box, 550, 550
- Secure Hash Algorithm (SHA), 566
- Secure Mail Server command, 645
- Secure Mail Server Publishing Wizard, 645–646, 645
- Secure Multipurpose Internet Mail Extensions (S/MIME), 574–575, 595–596
- Secure Server (Require Security) policy, 555
- Secure Shell (SSH), 604
- Secure Sockets Layer. *See* SSL (Secure Sockets Layer)
- security
 - administrative, 520
 - built-in permissions for, 520–522, 521
 - mailbox access, 530–535, 531, 533
 - roles in, 522–530, 523, 525, 530
 - authentication in. *See* authentication
 - for clients, 587
 - certificates in, 594–596, 597
 - enrolling users in, 587–588
 - Outlook, 588–594, 588–591, 593–594
 - encryption for. *See* encryption
 - KMS for. *See* KMS (Key Management Service)
 - for public folders, 468–469
 - administrative rights in, 474
 - groups in, 469–470
 - permissions in, 470–477, 472, 474
 - server. *See* servers
 - vulnerabilities in, 560–564, 563
- security groups, 35, 469
- security identifiers (SIDs), 470
- Security page
 - for address lists, 94
 - displaying, 521, 521
 - for group membership, 85, 86
 - for Outlook, 588, 589
 - for permissions, 199, 526, 533, 533
- Security Options page, 589
- Security settings dialog box, 475
- segmenting
 - administrative roles, 524–530, 525, 530
 - in OWA, 748–750
- Segments Retransmitted/sec counter, 325
- Select Attendees And Resources dialog box, 511, 511
- SELF right, 531–532
- Send a copy of Non-Delivery Report to setting, 673
- Send As category, 853, 855
- Send As permission, 528, 532–534
- Send detailed report to administrator option, 241–242
- Send HELO instead of EHLO option, 718
- Send Notification Mail To User After Processing option, 238
- Send On Behalf Of category, 853, 855
- Send Queue Size counter, 330
- Send summary report to administrator option, 241
- Send The Original Host Header option, 649
- Send The Request Immediately To An Online Certification Authority option, 544, 549, 733
- Send Token In An E-mail option, 583
- Sender-address field, 297
- sending e-mail from command prompt, 305–308
- Sent Items folder, 245
- Serial number field, 572
- server-based storage vs. local, 28–29
- Server-hostname field, 296
- Server-IP field, 296

- Server Monitor tool, 7
- server names in Active Directory, 36–37
- server option, 308
- server publishing
 - in ISA Server, 641, 643, 652
 - with OWA, 650
- Server (Request Security) policy, 556
- servers
 - in clustering, 429–430
 - communication for, 551
 - IPSec in, 554–558, 557–558
 - message data format in, 551–553, 552
 - SMTP transport layer security in, 553–554
 - deleting from Active Directory, 175
 - installing, 156–159, 159
 - moving between routing groups, 694–695
 - policies for, 200–201, 200–201
 - security for, 597–598
 - command-line tool access in, 602
 - firewalls for. *See* firewalls
 - IIS logging for, 602–603, 603
 - with ISA. *See* ISA Server (Internet Security and Acceleration Server)
 - message size limits for, 606
 - outside compromises, 598–599
 - passwords for, 599–600, 600
 - physical, 601
 - proxy servers for, 635–636
 - server-to-server communications, 553–558, 557–558
 - service packs and fixes for, 600–601
 - and SMTP. *See* SMTP (Simple Mail Transfer Protocol)
 - for Telnet, 603–604
 - tips for, 605–606
 - unnecessary services and software in, 601–602
 - for viruses. *See* viruses
- troubleshooting, 837–838
 - Active Directory, 839–843
 - DNS name resolution, 843–845
 - error codes in, 839
 - initial steps in, 838–839
 - services. *See* services
- upgrading, 166–168
- Servers page, 543, 543
- Service Account page, 142, 166
- Service Control category, 851
- Service Controller category, 858
- service location (SRV) records, 55, 763–764, 764
- service packs
 - for server security, 600–601
 - in troubleshooting, 777
- Service-version field, 297
- services
 - removing, 601–602
 - troubleshooting
 - database problems, 847–848
 - diagnostics logging for, 849–858, 849
 - low disk space, 846
 - message flow problems, 858–866, 861, 863, 865
 - missing files, 848
 - in moving mailboxes, 848
 - permissions, 848
- session tickets (STs), 541
- sessions in SMTP, 666–670, 667–668, 670
- Set Up Security For Me On The Exchange Server option, 588
- SetUp Advanced Security dialog box, 588, 588
- SHA (Secure Hash Algorithm), 566
- shared-all architectures, 419
- shared disks for clustering, 431
- shared domains, 689
- shared-nothing architectures, 419
- SharePoint Portal Server, 458
- Show Global Catalog Servers In Enterprise option, 62
- Show setting, 204
- showInAddressBook attribute, 93, 116
- SIDs (security identifiers), 470
- Signature algorithm field, 572
- signatures, 564, 587
 - in encryption, 570
 - in Outlook, 590–594, 593–594
- Simple Mail Transfer Protocol. *See* SMTP (Simple Mail Transfer Protocol)
- Simple Network Time Protocol (SNTP), 30
- single-copy public folder design, 478–479
- site and content rules, 644

- site architecture changes for migration and upgrades, 134
- site names, 76
- Site Replication Service. *See* SRS (Site Replication Service)
- sites in Active Directory, 58–59
- size
 - of caches, 343–344
 - of databases, 190
 - of groups, 88
 - of messages. *See* messages and message storage
- SIZE extension, 663
- Skipjack algorithm, 566
- small environments, configuring AD Connector in, 143–149, 144–149
- Smart host setting, 675
- SMTP (Simple Mail Transfer Protocol), 17, 658
 - authentication in, 545–546, 545–547
 - banner for, 690–691, 690
 - bridgehead servers, 345–347, 346
 - in cleartext, 560–561
 - for clusters, 424
 - components in, 17–20, 18
 - connectivity, 716
 - configuring, 717–721, 722
 - queuing and dequeuing mail, 722–725, 724–725
 - counters for, 334–335
 - dependencies for, 8
 - disabling command verbs in, 691–692
 - events for, 499, 502
 - extensions supported by, 662–666
 - with firewalls, 638–639
 - global settings for, 680–682, 680–681
 - IIS for, 15
 - inbound addresses in, 689
 - inbound domains for, 685–689, 687
 - logging for, 829–831, 830–831
 - message formats in, 551–553, 552, 682–684, 683–684
 - message transport architecture in, 659–662, 660
 - operation of, 658–659
 - port numbers for, 780
 - protocol events for, 499
 - queues in, 280
 - relay, 685
 - security for
 - black hole lists in, 624
 - blocking traffic in, 624–627, 625–626
 - headers in, 617–619, 617
 - relay hosts in, 619–624, 620
 - in server communication, 553–554
 - sessions in, 666–670, 667–668, 670
 - uses for, 806
 - virtual servers, 671–679
 - configuring, 677–679
 - diagnostics logging for, 676–677
 - Pickup directory for, 679
 - properties and features of, 671–676
 - recipient policies for, 104
- SMTP addresses
 - in Active Directory, 35
 - for departed employees, 257–258, 257
- SMTP category, 677
- SMTP Connector, 21, 425, 430
- SMTP event sink, 310
- SMTP NTFS Store Driver object, 329, 335
- SMTP object, 329
- SMTP Protocol category, 857
- SMTP Server object, 329, 331, 333–335
- SMTMPREG.VBS script, 506
- snapshot backups, 364–366
- Snort! software, 605
- SNTP (Simple Network Time Protocol), 30
- soft recovery, 392
- Sort= suffix, 754
- spaces in names, 37
- spam, 610–611
- special characters in names, 76
- Specified Destination Set option, 649
- Specify how to request that remote servers dequeue mail setting, 720
- Specify when messages are sent through this connector setting, 718
- speed in backups, 354–355, 365
- SRS (Site Replication Service)
 - backing up, 358
 - for clusters, 424–435
 - dependencies for, 9
 - installing, 168–169

- location of, 167
- in upgrading, 128
- SRV (service location) records, 55, 763–764, 764
- srvany.exe utility, 285
- SSH (Secure Shell), 604
- SSL (Secure Sockets Layer)
 - with Basic authentication, 808
 - enabling, 175
 - for ISA Server, 650
 - for kiosks, 818
 - for OWA, 549–550, 550
 - for POP3, IMAP4, and NNTP virtual servers, 544
 - vs. TLS, 554
 - troubleshooting, 819–820
- SSL pages, redirecting OWA to, 755–756, 756
- Stack page, 708–709
- standard SMTP Connectors, 720–721
- standardization, 31–37, 34, 36
- standby servers, 41, 379, 382–383
- Start Mailbox Management Process setting, 204, 240–241
- STARTTLS/TLS extension, 666
- State attribute, 61
- static IP addresses for clustering, 432
- Status Container, 275
- status monitoring, 273–275
 - E2KUptime for, 291–292
 - MADMAN MIB for, 291
 - MailQ for, 283–285, 284
 - message tracking. *See* messages and message storage
 - notifications, 280–282, 282–283
 - reporting. *See* reports and reporting
 - resource status monitors for, 275–280, 275, 278–279
 - System Monitor for, 286–290, 287, 289–290
 - third-party tools for, 308–309
 - Topology Diagrammer for, 286, 286
 - Web Monitor for, 285, 285
- STF database files, 216
- StickyNote message class, 239
- STM databases, 6–7, 11–13, 212–213, 213, 344–345
- storage area networks (SANs), 365
- storage groups, 13, 216–217
 - for clusters, 424
 - creating, 217–218, 218
 - moving, 218
- Storage Limits category, 853, 855
- Storage page, 98
- store events, 499
 - in event sinks, 500–501
 - registering, 505–506
- Store/MSEExchangeMTA Submits counter, 333
- StoreEvents folder, 467
- stores and storage, 25–26, 219–220
 - creating, 220
 - database files in, 213, 228
 - deleting, 227–228
 - ExIFS for, 228–230, 229
 - limits, 26–27
 - mailboxes. *See* mailboxes and mailbox stores
 - managing and moving, 227
 - public. *See* public folders
 - reporting, 301–303, 302
 - server-based vs. local, 28–29
 - warnings, System Attendant for, 496, 496
- stream ciphers, 565
- streaming encryption, 565
- STs (session tickets), 541
- Subject alternative name field, 572
- subject option, 307
- subnets, 627
- Summary Transport Neutral Encapsulation Format (S-TNEF), 552
- swing migration method, 163–166, 445–446
- symmetric cryptography, 540
- symmetric keys, 568
- synchronization
 - with connection agreements, 151–152
 - in folder replication, 487–488
 - for TGTs, 542
 - time, 29–31
- Synchronize With The Directory And Reset The Home Server Value For Public Folders Homed In Unknown Sites option, 129
- synchronous events, 500
- synchronous writes, 211

- System Attendant utility, 22, 495
 - for clusters, 425, 431
 - dependencies for, 8
 - diagnostics logging for, 855–856
 - for DS2MB, 496–497
 - for message tracking, 293
 - for offline address book generation, 498
 - for RUS, 497, 498
 - for security, 588
 - for storage warnings, 496, 496
 - for virtual servers, 441
 - System category, 852
 - System Cleanup folder, 237
 - SYSTEM CONFIGURATION folder, 467
 - system documentation for disaster recovery, 379
 - system events, 501
 - system folders, 466–468, 466
 - System Manager utility
 - for diagnostics logging, 849
 - for full-text indexing, 268
 - for LDAP queries, 97
 - for mailboxes, 220
 - extensions, 92
 - policies, 202
 - reports, 233
 - for messages
 - data format, 552
 - journaling, 174
 - tracking, 292
 - for notifications, 280
 - for OWA, 742
 - for partition configuration, 54–55
 - for permissions, 470–471, 473, 475–476
 - for public folders, 451, 455–458
 - for referrals, 464
 - for replication, 483
 - for restores, 401
 - for security information, 526
 - for Security tab, 521
 - for SMTP Connector, 720–721
 - for User template, 261
 - for X.400 connectors, 707
 - System Monitor utility, 286–287, 316–318, 317, 321
 - alerts in, 288–290, 289–290
 - for baselines, 321–322
 - for clusters, 447
 - counters in, 287–289, 287
 - for disk monitoring, 321
 - logs in, 319–320, 320–321
 - for performance data, 317–319, 317, 319
 - for protocol usage, 304
 - System object, 323, 326
 - System Path Location setting, 217–218
 - system policies
 - administrative groups for, 526
 - FAQs for, 207–208
 - System Policies Administration group, 526
 - system state, backing up, 361–362, 362
- ## T
- t option
 - in ISINTEG, 409
 - in LDIFDE, 114
 - /t option in ESEUTIL, 190, 193–194, 406–407
 - T switch in PROFGEN, 515
 - Table Cache category, 852
 - Take Ownership permission, 527, 532
 - tape drive systems
 - cleaning, 189
 - evaluating, 39–40
 - requirements for, 354
 - Task In Progress page, 161
 - Task message class, 239
 - Tasks folder, 245
 - TCP object, 325
 - TCP ports, 630–635, 780
 - Telnet
 - for client troubleshooting, 779–781, 780
 - securing, 603–604
 - with SMTP, 666
 - Templates page, 261, 261
 - temporary locations for restores, 390–391, 390
 - Terminal Services Advanced Client Web page, 651
 - terminal services in ISA Server, 651–653
 - test option, 409
 - tests
 - clusters, 446
 - disaster recovery, 383–384
 - in ISINTEG, 411–414
 - open relays, 621–624

- TGTs (ticket-granting tickets), 541–542
- The Exact URL Entered Above option, 756
- These servers can send mail over this connector setting, 702
- This Database Can Be Overwritten By A Restore option, 221, 394
- This Exchange Organization Is Responsible For All Mail Delivery To This Address option, 688–689, 724
- This Is A Front-End Server option, 201, 348, 759
- This Server Requires Me To Log On option, 822
- 3DES (Triple DES) algorithm, 565
- thresholds in cluster failover, 426, 426
- Thumbprint field, 572
- Thumbprint algorithm field, 572
- ticket-granting tickets (TGTs), 541–542
- tickets in Kerberos, 541–542, 542
- Time field, 296
- Time option, 831
- time stamps, 480
- time synchronization, 29–31, 542
- Time Synchronization Service, 31
- Time-taken field, 297
- timedev test option, 412
- timeouts
 - for full-text indexing, 268
 - in OWA, 752
- timeserv.ini file, 31
- Title attribute, 61
- TLS (Transport Layer Security)
 - implementing, 553–554
 - vs. SSL, 554
- TMP database files, 216
- TNEF (Transport Neutral Encapsulation Format), 552, 714
- To field, 253
- to option, 307
- token distribution, 583–584, 584
- Topology Diagrammer utility, 286, 286
- Total-bytes field, 296
- Total Count of Recoverable Items counter, 333
- %Total Processor Time counter, 323
- Total Size of Recoverable Items counter, 333
- Track Message option, 293
- tracking messages, 292–293
 - advanced searches, 294, 294
 - log formats for, 295–298
 - Message Tracking Center, 293–294, 293
 - NDRs for, 785–792, 785
 - in public folder replication, 487, 487
- traditional viruses, 607
- training, 44–47
 - for disaster prevention, 271
 - for mailboxes, 230–231
- Transaction Log Location setting, 217–218
- transaction logs, 210–211, 210, 214–215
 - with backups, 357, 360
 - deleting, 215
 - locating, 43, 43
 - optimizing, 341–342
 - for storage groups, 216
- transactions, ACID test for, 209
- Transfer Into Gateway category, 854
- Transfer Out Of Gateway category, 854
- transport components, 17–20, 18
- Transport Delivering category, 853–854
- Transport Driver object, 328
- Transport Event Sink Registration Wizard, 507
- transport events, 20–21, 499, 502–507, 502
- Transport General category, 852
- Transport Layer Security (TLS)
 - implementing, 553–554
 - vs. SSL, 554
- Transport mode in IPsec, 555
- Transport Neutral Encapsulation Format (TNEF), 552, 714
- Transport Sending category, 853–854
- transport stacks, X.400, 707
- tree structures, 404, 456–461, 459–460
- Triple DES (3DES) algorithm, 565
- troubleshooting
 - with AD Connector, 150, 150
 - clients. *See* clients
 - with DSADiag, 63–64
 - servers. *See* servers
 - services. *See* services
 - system folders, 467–468
- Trusted Root Certificate Authorities tab, 575
- Tunnel mode in IPsec, 555

- turfig, 681
 - TURN extension, 663, 688, 691–692, 722–724, 723
 - Type= suffix, 754–755
 - Typical installation option, 158
- U**
- U switch
 - in MAPISEND, 306
 - in PROFGEN, 514
 - UCE (unsolicited commercial e-mail), 610–611
 - UDP port usage, 630–635
 - UltraBac program, 354
 - Unavailable state, 276
 - underscore characters (_) in names, 35, 37
 - Unfreeze option, 864
 - Unfreeze All Messages option, 864
 - uninterruptible power supplies (UPSs), 40–41
 - United States Naval Observatory (USNO), 30
 - Universal groups, 83–84, 469
 - unplanned outages with clusters, 429
 - Unreachable state, 276
 - unsolicited commercial e-mail (UCE), 610–611
 - Update Interval setting
 - for full-text indexing, 204, 207, 224, 269
 - for RUS, 117
 - update sequence numbers (USNs), 29
 - updating
 - IIS, 55
 - Link State Tables, 696–699, 697
 - messages in public folder replication, 481
 - upgrades
 - with clusters, 429, 443–446
 - between editions, 25
 - UPSs (uninterruptible power supplies), 40–41
 - URI Query option, 831
 - URLs for OWA, 752–755, 753
 - Usage Analyst, 603
 - %Usage (_Total instance) counter, 324
 - Use custom schedule option, 240
 - Use different delivery times for oversized messages setting, 718
 - Use different time for oversize messages setting, 703
 - Use DNS to route each address space on this connector option, 717
 - Use Exchange rich-text format option, 732
 - Use front-end server option, 732
 - Use recipient's server option, 732
 - Use SSL connections option, 732
 - User Agent, 603
 - User Count counter, 287, 329, 332
 - user education, 44–47
 - for disaster prevention, 271
 - documentation, 47–49
 - for mailboxes, 230–231
 - User Messages And Folders option, 371
 - User Name option, 831
 - User template, 259–261, 259
 - User with Exchange mailbox option, 97
 - userAccountControl entry, 111
 - usernames
 - in Active Directory, 33
 - in cleartext, 561
 - with IM clients, 827, 828
 - for kiosks, 818
 - for POP3 and IMAP4 virtual servers, 733
 - userPrincipalName attribute, 110
 - users
 - in access restrictions, 194–195
 - enrolling
 - in client security, 587–588
 - in KMS, 584–585, 585
 - scripts for, 508–509
 - Users And Computers console, 531
 - Users with external e-mail addresses option, 97
 - USNO (United States Naval Observatory), 30
 - USNs (update sequence numbers), 29
 - UUENCODE format, 552–553
 - uuencode option, 308
- V**
- /v option in ESEUTIL, 194, 406
 - v parameter in LDIFDE, 114
 - Valid from field, 572
 - Valid to field, 572
 - VAPI interface, 612
 - VBScript language, 504
 - Veranda package, 316
 - verbose option, 409
 - verification pass with backups, 358

- Veritas for brick-level backups, 369
- Version field, 572
- vertical bars (|) as OR operator, 102
- View Certificate button, 595
- View Information Store Status permission, 528
- View Report button, 304
- View System Folders option, 466–467
- Views category, 854–855
- Virtual Bytes counter, 343
- virtual directories, 741–743, 742
- Virtual Directory page, 746, 746
- virtual memory
 - resource status monitors for, 277, 278
 - for storage groups, 216
- Virtual Private Network Configuration Wizard
 - Welcome screen, 651
- virtual private networks (VPNs)
 - with firewalls, 632, 634–635
 - with ISA Server, 650–651
- Virtual Server properties dialog box, 461
- virtual servers
 - EVS, 423, 439–442, 439–442
 - POP3 and IMAP4, 544, 728–729, 729
 - configuring, 728–732
 - encryption for, 733–737, 734–736
 - SMTP
 - configuring, 677–679
 - diagnostics logging for, 676–677
 - Pickup directory for, 679
 - properties and features of, 671–676
 - recipient policies for, 104
- Virtual Servers object, 328
- Virus Scan Messages Processed counter, 334
- Virus Scan Queue Length counter, 332
- Virus Scanning category, 852
- virus scanning software for M: drive, 230, 607
- viruses, 607–608
 - in attachments, 608–609
 - best practices for, 616
 - cleaning up infections, 613–616, 614–615
 - content inspection gateways for, 609–610, 609
 - scanning for, 612–613
 - spam as, 611
- VM Largest Block Size counter, 332
- VPN Wizards, 642

- VPNs (virtual private networks)
 - with firewalls, 632, 634–635
 - with ISA Server, 650–651
- VPFY extension, 665
- VSAPI interface, 612

W

- W32Time service, 29
- Wait For A Connection option, 268
- Wait For A Request Acknowledgement option, 268
- warning alert messages, 277
- Warning message interval setting
 - for mailboxes, 203, 223
 - for public folders, 206, 226
- warning states, 274, 276
- Web filters, 642
- Web Mail object, 327
- Web Monitor utility, 285, 285
- Web protocol support, 642
- Web proxy client, 828
- Web publishing, 641, 643, 646–650, 647–649
- Web storage system events, 499
- Webb, Andy, 78
- WebDAV extensions, 740
- Weber, Siegfried, 505
- WebTrend tool, 603
- weekly maintenance, 188–189
- weekly rotation for backups, 368–369
- Welcome To The Exchange Task Wizard page, 160
- Windows 2000 Certificate Authority, 577, 578
- Windows 2000 Certificate Server, 570
- Windows 2000 systems
 - clusters in, 432–437, 433–436
 - deploying, 124–128
 - monitoring, 322–326
 - services
 - dependencies in, 8–10
 - resource status monitors for, 276–277
 - synchronizing, 29–30
- Windows Load Balancing (WLB)
 - clustering with, 430
 - for front-end servers, 349, 758
- Windows Management Instrumentation (WMI)
 - service, 280
- Windows NT 4 computers, synchronizing, 31

Windows NT LAN Manager authentication, 538–539, 538

WINMAIL.DAT file, 714–715, 783

WLB (Windows Load Balancing)
clustering with, 430
for front-end servers, 349, 758

WMI (Windows Management Instrumentation)
service, 280

World Secure tool, 310

write-ahead logging, 211

Write Bytes RPC Clients/sec counter, 288

write caching, 342

Write permission, 526

Write Properties permission, 527

writes to databases, 211

X

X.400 conformance setting, 710

X.400 connectivity, 706
configuring, 706–711
to foreign mail systems, 711–713

message interoperability in, 713–714, 713

in military, 715

problems in, 714–715

queue growth in, 280

X.400 Connector page, 713

X.400 transport stack setting, 709

X.509v3 certificates, 570–572, 571

X-LINK2STATE extension, 665

-X switch in PROFGEN, 515

XEXCH50 extension, 666, 669

XML (Extensible Markup Language), 739–740

Y

Yes, All Of The Protocols Are On This List option, 634

Z

Zero Out Deleted Database Pages option, 218

Zip code attribute, 61