

Index

Note: Figures and Tables are indicated by *italic page numbers*, Boxes by **emboldened numbers**, footnotes by suffix 'n'

- ab initio* calculation of IR spectra 316–17
- ab initio* MO calculations 167, 317
- ab initio* VB calculations 167
- absolute zero (of temperature) 4–5
- absorbance 249, **257**
- absorption coefficient **257**
- absorption spectroscopy, transitions in 228–9
- absorptivity 14
- alkali metals, properties explained 107
- allowed electronic transition 236–7
- alternant hydrocarbons 361
- ammonia, bond angle 164, 165
- Amontons, Guillaume 3, 4
- angular correlation 341
- angular functions (wave functions) of hydrogen atom 99–100
 - polar diagrams 100–4
- angular integral(s)
 - calculation of **204**
 - values for octahedral complex 186
- angular momentum **31**, 73–93
 - addition of 79, 245
 - in classical mechanics 73–5
 - conservation of 75, 79, 227, 243
 - definition 74
 - of electron on ring 50–2
 - and energy **31**
 - examples 84–6
 - and magnetic dipole moment 367
 - notation 82, 83
 - observing transitions 81
 - of photon 115, 225
 - quantum-mechanical
 - addition of 79–80
 - conservation of 80
 - laws 81
 - selection rules 115–16
 - vector model 77–8
 - as vector quantity 75–6
 - z components 81, 84
 - see also* orbital angular momentum; spin angular momentum; total angular momentum
- angular momentum eigenfunctions, Dirac notation for 82
- angular momentum operator(s)
 - commutation rules **87–92**
 - eigenfunctions 52, 54, 82
 - for electron on ring 50, 60
- angular momentum quantum number 79, 111
- anharmonic oscillator 302
- anharmonicity 309
- anharmonicity constant 303
 - carbon dioxide 314–15
- annihilation operator **92**
 - see also* lowering operator
- anomalous Zeeman effect 120
- antibonding molecular orbital(s), hydrogen molecule 145–6
- antiferromagnetism 365, 374
- Argand diagram 433
- aromatic hydrocarbons
 - bonding in 160
 - delocalisation energies 359–60
 - π -electron systems in 45, 160, 329
 - see also* benzene
- aromaticity 44–6
- Arrhenius equation 7
- atom
 - Bohr's model 24–6
 - first (Lucretius) model 2
 - Rutherford's model 24
- atomic emission spectra 23–6
- atomic nuclei, magnetic properties 262–4

- atomic orbital overlap 146–9
 δ (delta) overlap 148
 non-bonding overlap 148–9
 π (pi) overlap 147–8
 σ (sigma) overlap 147
- atomic orbitals
 and electronic spectroscopy 328
 linear combination of 200, 353
- atomic spectroscopy, selection rules in
 115–17, 437, 438
- atomic transition probabilities **125–9**
- atomic units 401–2
- atomic wave functions, classification of 117
- aufbau principle 46
 applications 107, 150
- Avogadro constant 401
- Balmer equation for hydrogen atom emission
 spectrum 25, **33**, **121**
 Schrödinger's interpretation 97
- Balmer series (hydrogen atom emission
 spectrum of hydrogen atom) 25, 97, **121**,
122
- band gap(s)
 formation by periodic potential 386
 insulators 388
 semiconductors 388–9
- band theory of solids 378–90
 electron–gas (free-electron) approximation
 381–6
 applications 387
 tight binding approximation 378–81
 applications 380, 381, 387
- barium, 1S_0 -to- 1P_1 transition 118, 119
- basis functions 404–5, 411
 linear combinations of 405
- Becquerel, J. 182
- Beer–Lambert–Bouguer law 249–50, **256–8**
- Beer law **257**
- bent molecules 166, 167, 167
- benzene
 'breathing' vibration 303
 delocalisation energy, compared with
 enthalpy of combustion 359–60, 359,
391
 Kekulé structures, enthalpies/heats of
 combustion 359–60, **391**
 molecular orbitals 341–2
 π -electron energy levels 342–4
 π -electron spectrum 341–4
 protons **281**
- beryllium atom, electron repulsion integrals
175
- Bethe, Hans Albrecht 182
- black body, meaning of term 14
- black-body radiation 13–18
- emission spectra 14
 interpretation by Planck's hypothesis
 16–18
 Planck's hypothesis 15–16
 Rayleigh–Jeans equation 14, 15
 Stefan's law 13
- blocking out of matrices 385, 414
- Bohr–Einstein condition (selection rule) 115,
 226–7, 232, 248
 in NMR spectroscopy 264, 266
- Bohr–Einstein equation 24, 86, 224, **258**
- Bohr magneton 368, 401
- Bohr magneton number **396**
- Bohr model of hydrogen atom 24–6, **30**,
31–3, 78, 223, 226, 366
- Bohr radius 402
- Bohr theory of hydrogen atom structure 24–6
 experimental agreement 26, **33**
 further development of 26
- Boltzmann, Ludwig Edward 7, 13
- Boltzmann constant 15, 401
- Boltzmann law 248
- bond angles
 carbon compounds 156
 hydrides 164, 165
- bond order 361
 butadiene 361
- bond pairs (of electrons) 165
 in various molecules 166–167
- bonding models
 hybrid orbital approach 153–62
 molecular orbital theory 139
 valence bond theory 137–9
- bonding molecular orbital(s), hydrogen
 molecule 144–5
- Born–Haber cycle 132
- Born–Oppenheimer approximation 136–7
 applications 234, 297
 basis 136, **253**
 limitations 144
- Born's interpretation of eigenfunctions 41–4,
 51
- boron isotopes, nuclear spin quantum numbers
 84
- Bouguer–Lambert law **257**
see also Beer–Lambert–Bouguer law
- Boyle's law 3
- bra-ket* notation **205**, 230
see also kets
- Brackett series (emission spectrum of hydrogen
 atom) **121**
- 'breathing' vibration (of benzene molecule)
 303
- bridge analogy (marching soldiers) 238
- Brillouin functions 371
- bromochloromethane
 IR spectrum 306–7

- compared with dibromomethane 307
 4-bromo-2,6-dimethylphenol, NMR spectrum 268
 Bunsen, Robert Wilhelm 23
 butadiene
 charge densities 361
 Hückel orbitals 356
 π -electron charge densities 361
 trans isomer 354
 carbon
 electron configuration 156
 hybridisation of atomic orbitals 156–61
 sp hybrid orbitals 159, 160
 sp² hybrid orbitals 159, 160
 sp³ hybrid orbitals 158, 158
 carbon–carbon atomic orbital overlap 161
 carbon compounds, bond angles 156
 carbon dioxide molecule
 angle-bending vibration 310, 311
 effect of Coriolis interaction 315
 asymmetric bond stretching vibration 244, 310
 effect of Coriolis interaction 312–15
 C=O stretching vibrations 244, 310, 310, 312
 Coriolis interaction 312–16
 effect of Fermi resonance 310–11, 316
 geometry 166
 symmetric stretching vibration 244, 310, 310, 312
 vibrational spectrum 309–11
 carbonyl compounds, correlation of C=O bond order with carbonyl stretching frequencies 363
 Cardano, Girolamo 434
 Cartesian coordinates, relationship with polar coordinates 431
 centre of charge, determination of 435–6
 characteristic equation of matrix 413–14
 charge correlation energy 339
 listed for 1s¹2s¹ states of helium atom 338
 charge densities 361
 butadiene 361
 charge distribution 153
 charge transfer complex, energy curves for 332
 charge transfer (CT) spectra 330–2
 charge transfer to solvent (CTTS) transitions 331
 charge transfer transitions 196–7, 330–1
 charge unit 402
 Charles, Jacques 3
 chemical bonding theory, questions to be answered 132
 chemical shift (in NMR spectroscopy) 267–70
 delta (δ) scale 268–70
 listed for various species 269
 chemically equivalent protons 281
 circle, motion in 30–1
 circularly polarised radiation 221
 left-handed (LCP) 221, 225
 in NMR spectrometer 280
 propagation of 221
 right-handed (RCP) 221, 225
 Clar, E. 344
 classical mechanics
 angular momentum in 73–5
 applicability 12
 development of 9–12
 failure 12–13
 quantisation in 18–20
 Clebsch–Gordan coefficients 80
 Clebsch–Gordan series 79, 92–3, 223
 closed shells 109
 coloured complexes, explanations 188, 196
 coloured metals, explanation 390
 combination bands (in IR spectroscopy) 303
 commutation of operators 34, 57–8, 68
 angular momentum operators 87–8
 complete orbital wave functions 104
 complex conjugates 51, 230, 434
 complex numbers 433–4
 Compton, Arthur Holly, on scattering of X-rays by electrons 225, 250–1
 Compton wavelength 251
 computational developments 167–8
 conceptual frameworks 2
 Condon, Edward Uhler 236, 253
 see also Franck–Condon principle
 conduction band 388
 configuration interaction 143
 conjugated polyenes, electronic spectra 65–7, 329
 conservation of energy 115, 227, 251
 conservation of mass 224
 conservation of momentum 75, 79, 227, 243, 251
 Coolidge, A.S. 143
 Coriolis interaction 311–12
 in carbon dioxide molecule 312–16
 and Fermi resonance 315–16
 correlation diagram, for d² energy levels in octahedral field 191, 192
 cosine function 62
 Coulomb integral 174, 206, 337, 375
 Coulombic attraction 331
 Coulombic repulsion 174, 206, 337
 Coulson, Charles Alfred 132
 coupling, of angular momenta 79–80, 80
 covalency, and ligand field theory 199–203

- covalent chemical bond(s) 131–79
 magnetic moments affected by 368
- covalent molecules
 spectra 329–30
 $n \rightarrow \pi^*$ transitions 330
 $\pi \rightarrow \pi^*$ transitions 329–30
 transition-metal complexes 196–7, 330
- creation operator **92**
see also raising operator
- crystal field (CF) theory 182–7
 compared with molecular orbital theory 200
 transition-metal complexes 187–96
 inter-electron repulsion in 188, 194
 spin–orbit coupling in 195–6
- cubic symmetry, d-electron energy levels 188
- Curie constant 365, **396**
- Curie law 364–5
- Curie temperature 365
 for iron 374
- Curie–Weiss law 365, 372
- cyanine dyes, electronic spectra **65–7**, 423–4
- δ (delta) overlap 148
- d^4 complex, in octahedral field 197
- d^2 configuration
 energy levels for weak, strong and intermediate octahedral fields 191–3
 3F states, application of shift operators to determine wave functions for 440–1
 microstates 439
 strong-field coupling scheme in octahedral field 193–5
 weak-field coupling schemes in octahedral field 189–91
- $d \rightarrow d$ transitions 196
- d-electron matrix element 184
- d-functions 426
- d-orbitals 100
 angular part of wave function 103–4
 radial part of wave function 99
- 1D state (singlet D) 109
 energies for various atoms 110
- 2D state (doublet D) 108
- Davison, Clinton Joseph 27
- de Broglie, Louis 26–8
- degenerate eigenvalues, in unperturbed solution 421
- degenerate energy levels 44
- degrees of freedom 290
- delocalisation energy (DLE) 359
 benzene, compared with enthalpy of combustion 359, **391**
- delocalised electrons, in hydrocarbons 160
- density functional theory (DFT) 168, 181
- density of states, transition metals 381
- descriptive models 2
- diagonalisation of matrix 412–13
- diamagnetism 364
- diamond
 band theory applied 387, 387
 mechanical properties 390
- diatomic molecule
 dumb-bell model 18, 20, 291, 292
 comparison with real molecule 302–3
 rotation of **319–20**
 vibration of 291, 292, **318–19**
 Morse potential energy curve 302, 303
 rotation of 294–7
- dibromomethane, IR spectrum, compared with dibromochloromethane 307
- Dickinson, W.C. 267
- dipole–dipole interaction, compared with electron–nucleus interaction 200n, 272
- dipole moments 435–7
- Dirac, Paul **69**, 78
 notation for angular momentum eigenfunctions 82
- double-zeta functions **173**
- doublet states **281–2**
- dumb-bell oscillator 18
 as model for diatomic molecule 18, 20, 291, 292, **318–20**
 comparison with real molecule 302–3
 rotation of **319–20**
 vibration of 291, 292, **318–19**
 potential energy characteristics 19
- Dwingeloo 1 galaxy 86
- effective nuclear charge **172**
- eigenfunction(s) 29, 39
 Born's interpretation 41–4
 combinations of 58
 determination of
 by matrix algebra 411–15
 by solution of secular equations 406–10
 of different operators 52–3
 and experimental measurements 53–4
 of hydrogen atom 29
 normalisation of 46, **64**
 orthogonality 46, **65**
 physically acceptable 43–4, 47–8
- eigenvalue problem, general solution of 2×2 problem 414–15
- eigenvalue(s) 29, 39
 angular momentum of electron on ring 51
 and experimental measurements 53
 of hydrogen atom 29, 96–7
- Einstein, Albert 8, 13
 on light-quanta (photons) 21, 223, 224, 226

- on photoelectric effect 20, 21, 223
 - experimental confirmation 22, 223
 - relativity theory 13
 - see also* Bohr–Einstein...
- Einstein coefficients 250, **258–9**
- electric current, units of measurement 7, 216
- electric dipole interaction energy 234
- electric dipole radiation 222
 - photons
 - angular momentum 115, 225
 - selection rules 225–6
- electric dipole transitions, conservation of
 - angular momentum 242
- electric quadrupole radiation 222
 - photons, selection rules 226
- electric quadrupole transitions 116
 - conservation of angular momentum 243
- electrical anharmonicity 309
- electrical conductivity, temperature effects 388
- electromagnetic radiation 216–19
 - electric field component 217–19
 - forms 222
 - magnetic field component 219
 - Maxwell's equations 7, 216, 217–19
 - see also* light
- electromagnetic spectrum 217, 222
- electromagnetic units (emu) 7, 216
 - ratio to electrostatic units 7, 216
- electron
 - in Bohr's model of atom 24
 - charge on 22
 - magnetic properties 262
 - mass at rest 401, 402
 - particle–wave duality 27–8
 - probability distribution for 42, 51
- electron affinity, in charge transfer absorption band 331
- electron configuration(s) 108
 - carbon atom 156
 - oxygen molecule 164
- electron correlation 106–7
 - excited helium atom 341
 - hydrogen molecule 143–5
- electron g-factor 118, 408
- electron in linear box 46–8
 - angular momentum eigenvalues 51
 - boundary conditions 48
 - eigenfunctions for 47–8
 - normalisation of **64**
 - orthogonality **65**
 - Hamiltonian operator for 46–7
 - linear momentum 49–50
- electron-mediated coupling 272
- electron–neutron interaction 85–7, 200n, 272
- electron–nucleus attraction, in helium atom 332
- electron paramagnetic resonance (EPR)
 - spectroscopy 199, 261
- electron repulsion energy
 - singlet state **174**, 337–8
 - triplet state **174**, 336–7
- electron repulsion integrals **205–6**, 337
 - combination for 3P and 3F states of d^2 190, **207–8**
 - listed for d orbitals
 - in complex forms **210**
 - in real forms **209**
- electron on ring 40–4
 - acceptable eigenfunctions for 41–4
 - angular momentum 50–2
 - calculation of expectation value **67–8**
 - energy levels for 45
 - Hamiltonian operator for 40–1
 - Hückel's rule for aromatic hydrocarbons 44–6
- electron spin 105
 - magnetic properties affected by 78, 369
 - transition probability affected by 344–6
- electron spin correlation 173–5
- electron spin quantum number 78
- electron spin resonance (ESR) spectroscopy,
 - interactions studied 261
- electron transition density, $\pi \rightarrow \pi^*$ transition in benzene 347
- electron volt 248
- electronic energy levels, transition-metal
 - complexes 187–96
- electronic orbital motion, magnetic effect of 366–8
- electronic spectroscopy 327–48
 - applications 328
 - and atomic orbitals 328
 - classification of spectra 46, 344
 - and molecular orbitals 328
 - selection rules 344–8
 - timescales 246, 246
 - transition-metal complexes 196–7
 - see also* UV–VIS spectroscopy
- electronic states of atom 107–11
- electronic transition dipole moment 236
- electronic transitions
 - allowed 236–7
 - compared with IR and NMR transitions 241
 - forbidden 237
 - hydrogen atom ($1s \rightarrow 2p$ transition) 238–9
- electrostatic field due to ligands 182
 - see also* crystal field theory
- electrostatic units (esu) 7, 216
 - ratio to electromagnetic units 7, 216
- elementary charge (electron/proton) 401, 402
- emission spectra 23–6
- emissivity 13

- energy
 conservation of 115, 227
 units 248, 402
 energy-conversion factors 249
 energy level diagram(s)
 atomic electronic spectroscopy, sodium D lines 242–3
 infrared spectroscopy 296
 NMR spectroscopy, first-order spectrum 275
 π -electron energy levels for butadiene 357
 three interacting magnetic centres 378
 energy operator
 eigenfunctions of 52
 for electron in linear box 46–7
 for electron on ring 40–1
 eigenfunctions 52
 equilibrium internuclear distance 133
 hydrogen chloride 322
 equivalent nuclei 280–7
 ethene 159
 bonding in 158, 160
 electronic spectroscopy 243–4
 Hückel orbitals 243
 ethyne 160
 bonding in 160
 exchange integral 175, 206, 337, 375
 expectation value 54
 experiment design 2–3
 experimental measurements
 effect on system 55–7
 and eigenfunctions/eigenvalues 53
 exponential function 62
 extinction coefficient 257
see also absorption coefficient
- f-orbitals 100
 angular part of wave function 104
 3F state (triplet F), of d^2 in octahedral field
 calculation of matrix elements of
 crystal-field Hamiltonian 204–5
 weak-field coupling scheme 189–90
 with 3P state 190–1
 Faraday, Michael 7, 216
 Fermi contact interaction 200n, 272, 408
 Fermi level 380, 381
 Fermi resonance 309–11
 and Coriolis interaction 315–16
 Fermi resonance interaction term 310, 316
 ferromagnetism 365, 374
 fine structure
 IR spectra 297, 300
 NMR spectra 200
 fingerprint (in IR absorption spectrum) 309
 Fizeau, Armand 216
 Fleming's left-hand rule 392
- Fock, Vladimir A. 106
 forbidden electronic transition 237
 force constant 291
 angle-bending, for small molecules 306
 bond-stretching, for small molecules 306
 Foucault, Jean 216
 Fourier transform IR spectroscopy 244
 Fourier transform NMR spectroscopy 278
 Franck–Condon principle 236–7, 253–6
 free induction decay (NMR spectroscopy) 278
 frontier orbitals *see* highest occupied molecular orbital; lowest unoccupied molecular orbital
 fundamental constants (listed) 401
- g-factor *see* electron g-factor; orbital g-factor
 gas equations
 pressure–volume 3
 pressure–volume–temperature (for 'ideal' gases) 5
 temperature–volume 3–4, 4
 Gay-Lussac's law 3–4
 German nouns, construction of 29
 Germer, Lester Halbert 27
 Gillespie, R.J. 164
 'good' quantum numbers 80, 81
 Goudsmit, Samuel Abraham 78, 105, 118, 120
 group theory 182
 gyroscope 75, 265
- Haber, Fritz 132
see also Born–Haber cycle
 Hamiltonian formulation 12
 Hamiltonian operator 40
 for crystal field 188
 calculation of matrix elements 204–5
 matrix 189
 for electron in box 46–7
 for electron on ring 40–1
 for harmonic oscillator 293
 for hydrogen molecule 134–6
 for many-electron atom 105–6
 for nuclear spin system 273, 282
 for rotation of diatomic molecule 321
 for vibration of diatomic molecule 319
 harmonic oscillator 291
 compared with real diatomic molecule 02–3
 eigenfunctions 294, 295, 312, 323–4
 energy–distance curves 19, 292
 quantisation of energy 293–4
 quantum mechanics first applied 290
 Hartree–Fock functions 106

- Hartree (unit of energy) 402
- Heisenberg, Karl Werner, matrix mechanics 26
- Heisenberg uncertainty principle 56–7, 246
effects 58, 294
- Heisenberg uncertainty relationships 56, **68**
- Heitler, Walter 132, 137
- Heitler and London's calculations for energy of covalent bond 132, 137–8
- helium atom
ground state ($1s^2$) configuration, wave function 332–3, 344–5
 $1s^1 2s^1$ configuration 333–41
electron repulsion in triplet and singlet states 339–41
energies of $1s \rightarrow 2s$ excited states 335–9
energies of singlet and triplet states 338–9
magnetic interactions 375–6
one-electron energies 335–6
total wave function 334
two-electron (repulsion) energy 336–8, 374–5
- helium–helium bond 146
- Hermite polynomials **323**
- Herschel, (Sir) William 217
- Hertz, Heinrich 7, 20, 217
- heteronuclear diatomic molecules, molecular orbital theory applied 151–3
- high-spin complexes 197
- highest occupied molecular orbital (HOMO) 357
energy difference between HOMO and LUMO, correlation with spectral band energies 329, 358, 358
- Hoffman, Roald, extended Hückel MO theory 203
- homonuclear diatomic molecules, molecular orbital theory applied 149–51
- Hooke's law 18, 290–1
- hot bands 302
- Hückel molecular orbital (HMO) theory 352–63
applications of HMO coefficients 361–2
applications of HMO energies 357–60
assumptions 354
basis 352–3
delocalisation energies 359
determination of HMO energies 354–5
Hoffman's extended version 203
HOMO and LUMO energies calculated using 329, 357
LUMO–HOMO energy difference 358
correlation with energy of *para* band of aromatic hydrocarbons 359
method 353–4
- π -electron energy calculations 329, 358–60
 π -electron structure of benzene 341
- Hückel orbitals
butadiene 356
ethene 243
- Hückel's ($4N + 2$) rule 44–6
- Hund–Mulliken bonding model 139
and electronic spectroscopy 328
- Hund–Mulliken function 139
- Hund's rules 110–11
applications 150, 156, 197, 273
basis **174**
data illustrating 110
- Huygens, Christian 216
- hybrid atomic orbitals 154
- hybrid orbitals, choice of 161–2
- hybrid-orbital bonds, properties 162
- hybridisation 153–62
of carbon AOs 156–60, 161
choice of hybrid orbitals 161–2
Pauling's approach 153–5
and valence bond theory 156
- hydrides, bond angles 164, 165
- hydrocarbons
molecular geometry
type 1 (alkanes) 156, 157–8
type 2 (alkenes and aromatic hydrocarbons) 156, 158–60
type 3 (alkynes) 156, 160
- hydrogen $1s$ atomic orbital(s)
out-of-phase combination of 143, 145–6
parity operation on 116–17
polarisation of 140–1
radial density function 99
- hydrogen atom
Bohr's model 24–6, **30**, **31–3**, 78, 223, 226, 366
characteristic emission (1420 MHz/0.2111 m) 86, 410
eigenfunctions 29
eigenvalues 29, 96–7
electronic energy 133
electronic transition ($1s \rightarrow 2p$ transition) 238–9
interactions in magnetic field 407–10
mass 20, 38
parallel-to-antiparallel transition 86
radial density functions 99
spectral series **121–2**
spin properties 85–6
transition dipole moment **252–3**
wave functions 97–100, 427–8
angular parts 99–104, 104
effect of polarisation 140–1
Heitler–London (valence bond) approach 137–9

- hydrogen atom (*continued*)
 Hund–Mulliken (molecular orbital)
 approach 139
 improvements 140–1
 nodes 104, 104
 nuclear charge and 140
 radial parts 98–9, 104
- hydrogen atom emission spectrum 25, 97,
121–2
- Lyman series 97, **121, 122**
- hydrogen chloride ($^1\text{H}-^{35}\text{Cl}$), vibration of
321–3
- hydrogen molecule
 binding energy 133–4
 Heitler and London's calculations 132,
 137–8
 bond length 20, 38
 dissociation energy 133
 experimental value 133, 138
 various calculations 138, 143–4
 energy terms
 kinetic energy of electrons 134
 kinetic energy of nuclei 134
 potential energy due to interelectronic
 repulsion 135
 potential energy due to internuclear
 repulsion 134
 potential energy due to nucleus–electron
 attraction 134
 energy vs internuclear distance 136
 equilibrium bond length 133
 experimental value 133, 138
 various calculations 138, 143–4
 frequency of oscillation 20, 38
 Hamiltonian operator for 134–6
 molecular orbital energy-level scheme for
 146
 normalisation of wave functions for
169–70
 quantisation in 20
 spin–spin coupling in 271–2
 hydrogen sulfide, bond angle 164, 165
- hydroxyl radical
 charge distribution in 153
 molecular orbital energy-level scheme for
 152
 molecular orbital theory applied 151–3
 O–H bond length 151
- hypothesis
 meaning of term 6–7
 testing correctness 3
- ideal gas constant 5
 ideal gas law 5
 irrational numbers 49, 433
- infinitesimal rotations theory **90**
- infrared (IR) spectroscopy 289–324
 basis 290
 characteristic group frequencies 308
 compared with NMR spectroscopy 240–1
 electric dipole interaction energy 234
 experimental aspects 240
 selection rules 244, 297–302
 timescales 246, 246
 vibrations of polyatomic molecules
 305–8
- infrared transitions 235–6
 compared with UV–VIS/electronic and
 NMR transitions 238–41
 intensities 301–2
- insulators 388
 effect of temperature on electrical
 conductivity 388
- integration, over 'all space' 54, **63**
- inter-electron repulsion
 calculation for some states of d^2 **205–8**
 in crystal field theory 188, 194
 for p^2 configuration **123–4**
 triplet/singlet states **174**
- inter-electronic spin–orbit coupling 115
 intermediate spin–orbit coupling 113–14
 intermolecular charge transfer 330–1
 intramolecular charge transfer 330
- inverse distance, expressed in terms of
 spherical harmonics 183
- ionic contributions, in covalent bonding models
 142
- ionic solids
 mechanical properties 390
 tight-binding version of band theory used
 387
- ionisation of atom 97
- ionisation energy, in charge transfer absorption
 band 331
- IR spectra
ab initio calculations 316–17
 bromochloromethane compared with
 dibromomethane 307
 combination bands 303
 fingerprint 309
 overtones 303
- IR spectroscopy *see* infrared (IR) spectroscopy
- iron
 effective nuclear charge for occupied orbitals
172
 ferromagnetism 374
- irrational numbers 433
- isochronous protons **281**
- Jahn–Teller effect 199
- James, H.M. 143

- Jeans, James Hopwood 15
jj coupling 112–13

 Kelvin scale (of temperature) 4
 Kepler's laws of planetary motion 10–11
 keto–enol equilibrium 245, 247
 kets 189, 439
 see also bra–ket notation
 kinetic energy operator 60
 kinetic theory of gases 7
 Kirchhoff, Gustav 7, 14, 23, 216

l-type doubling 315
 ladder operators 82–3
 Lagrangian formulation 12
 Landé formula 120
 Landé interval rule 195
 Langevin relationship 366, **395**
 Laporte (selection) rule 117, 196, 437
 Larmor frequency 265, 266
 Larmor precession 265, 266
 laws
 deduction from experimentation 5–6
 meaning of term 6
 lead atom, eigenstates **128**
 Leibnitz, Gottfried Wilhelm 434
 Lenard, Philipp Eduard Anton 20
 length units 402
 Lennard-Jones, J. **175**
 Lewis, Gilbert Newton 223
 ligand field (LF) theory 181
 and covalency 199–203
 historical development 182
 ligand-to-metal charge transfer (LMCT) 196,
 330
 light
 corpuscular model 216
 Einstein's quantum model 22, 223
 velocity of 223, 401
 factors affecting 216
 as limiting velocity 13
 ratio of electrostatic to electromagnetic
 units 7, 216
 wave theory 216
 limitations 21, 223
 see also electromagnetic radiation
 linear combination of atomic orbitals (LCAO)
 approach 200, 353
 linear molecules 166, 166, 167
 linear momentum
 conservation of **251**
 definition 73–4
 of electron in linear box 49–50
 of photon 224–5
 linear momentum operator 49, 60

 linearly polarised radiation 220
 as sum of left and right circularly polarised
 radiation **280**
 Linnett, J.W. 161
 London, Fritz 132, 137
 see also Heitler and London's
 calculations
 lone pairs (of electrons) 165
 in coordination complexes 202
 in various molecules 166, 167
 lone-pair electrons, $n \rightarrow \pi$ transitions 330
 low-spin complexes 197
 lowering operator 82–3, **89, 90–1, 92**
 applications **279, 281, 282, 283**
 lowest unoccupied molecular orbital (LUMO)
 357
 energy difference between HOMO and
 LUMO, correlation with spectral band
 energies 329, 358, 358
LS coupling 111–12
 Lucretius 2
 Lummer, Otto Richard 14
 Lyman series (emission spectrum of hydrogen
 atom) 97, **121, 122**

 magnetic dipole
 definition 366, **392**
 orientation in magnetic field **392–3**
 magnetic dipole–dipole interaction 374
 magnetic dipole interaction energy 234, 374
 magnetic dipole radiation 222
 photons, selection rules 225–6
 magnetic dipole transitions 116
 magnetic field 364, 365–6
 polarised light affected by 7, 118, 119
 spectral lines affected by 118–20
 magnetic interactions
 helium excited state 374–6
 three-centre 377–8
 magnetic moment(s)
 for atomic nuclei 262–3
 formulae for 197–8
 listed for various transition-metal ions 198
 and magnetic susceptibility 364, **393–7**
 magnetic properties
 atomic nuclei 262–4
 electrons 262
 protons 262
 magnetic susceptibility 364–5
 relationship with atomic/molecular magnetic
 moment **393–7**
 see also volume magnetic susceptibility
 magnetically equivalent nuclei **281**
 magnetisation 364
 magnetism 363–78
 effect of electron spin 369

- magnetism (*continued*)
 origins **392**
 practical applications 370–3
 and spin angular momentum 78, 369
 transition-metal complexes 197–9
see also nuclear magnetic resonance
 (NMR) spectroscopy
- magnetogyric ratio 263
- many-electron atom(s) 105–7
 electronic structure 112
 quantum numbers for 108
 selection rules for dipolar radiation
 115–16
- many-electron wave functions 332–3
- mass
 conservation of 224
 reduced 291–2, **319**
 unit 402
- mathematical models 2
- matrix diagonalisation 412–13
- matrix elements 411–13
- matrix mechanics 26
- Maxwell's equations 7, 216
- mean value
 of energy 137
 of observable 53
- measurement, effect on system 55–7, **70**
- mechanical anharmonicity 309
- mechanical properties, solids 390
- metal-surface selection rule 244–5, 306
- metal-to-ligand charge transfer (MLCT)
 196–7, 330
- metals
 effect of temperature on electrical
 conductivity 388, 389
 theory of
 free-electron approximation 381–6
 tight-binding approximation 378–81
 Wigner and Seitz's remarks 135, 387
- methane
 bonding in 157–8
 magnetically equivalent protons **281**
- microstates 109
- for d^2 configuration 439
- for p^2 configuration 109
- as Slater determinants **122, 207**
- Millennium Bridge, London 238
- Millikan, Robert Andrews 22
- experiments on Einstein's photon hypothesis
 23, 223
- models, categories 2
- molecular geometry 163–7
 VSEPR model used 164–7
- molecular magnets
 interactions 374–6
 orientation in magnetic field **392–3**
- molecular orbital energy-level schemes
 hydrogen molecule 146
 hydroxyl radical 152
 using sp hybrid oxygen orbitals 155
 lines joining AOs and MOs 153
 nitrogen molecule 150
 octahedral MH_6 molecule (hypothetical)
 202
 oxygen molecule 150
- molecular orbital (MO) theory 139
 compared with crystal field theory 200
 compared with VB theory 156, 163
 computational developments 167
 heteronuclear diatomic molecules 151–3
 homonuclear diatomic molecules 149–51
 unification with valence bond theory
 141–3
- molecular orbital (MO) wave functions,
 normalisation of **170**
- molecular orbitals
 bonding and antibonding 145–6
 and electronic spectroscopy 328
 imaging of 168
- molecular solids
 mechanical properties 390
 tight-binding version of band theory used
 387
- moment of inertia 296
- momentum *see* angular momentum; linear
 momentum
- Morse potential energy curve 302, 303
- Mulliken, Robert Sanderson 139, 331
see also Hund–Mulliken bonding model
- Mulliken population analysis 153
- Mulliken wave functions 331
- multiple bonds, VSEPR theory 165–7
- n-type semiconductor 388, 389
- natural phenomena, observation of 1–2
- near-infrared (NIR) spectroscopy 317
- near-infrared spectrum 217
 first discovered 217
- nebulae, emission spectra 243
- Néel temperature 365
- Newton's corpuscular view of light 216
- Newton's laws of motion 6, 7, 11–12
- nitrogen molecule
 bonding in 150
 molecular orbitals 150
 imaging of highest occupied MO 168
- NMR tomography 267
- NMR transitions 264
 compared with UV–VIS and IR transitions
 238–41, 277
 selection rule 266, **278–80**
- non-bonding (atomic orbital) overlap 148–9
- normal mode of vibration 304

- normalisation
 of eigenfunctions 46, **63–64**, 425
 of wave functions
 in Hückel MO calculation 356
 for hydrogen molecule **169–70**
- notation, angular momentum 83
- nuclear charge
 effective **172**
 in hydrogen molecule 140
- nuclear g-factor 408
- nuclear magnetic resonance (NMR) imaging,
 medical applications 267
- nuclear magnetic resonance (NMR)
 spectroscopy 261–87
 A₂ spectrum 275–6
 A₃ spectrum **285–7**
 ABX spectrum **285**
 AX spectrum 274–5
 chemical shift 267–70
 delta (δ) scale 268–70
 shielding constant 270
 standard used 269
 early discoveries 261
 equivalent nuclei **280–7**
 experimental aspects 240, 270
 first order spectra 274–5
 free induction decay 278
 frequency region 264
 intensities of NMR spectral lines 276–7
 interactions studied 261
 magnetic dipole interaction energy 234
 and quantum mechanics 277–8
 relaxation processes 276
 second order spectra 275–6
 signal saturation 276
 timescales 246, 246
- nuclear magneton 401
- nuclear spin angular momentum quantum
 number(s) 83
 boron isotopes 84
- nuclear spin–spin coupling 270–3
- nuclear spin system, energy levels 273–6
 Nyholm, R.S. 164
- observables 38
- observation of natural phenomena 1–2
 prediction based on 2
- octahedral complex
 angular integrals listed for 186
 Brillouin functions for single d electron
 371, 372
- octahedral crystal field
 calculation of matrix elements 182–7
 results 186–7
- octahedral MH₆ molecule (hypothetical) 200
 atomic orbital overlap in 201
- molecular orbital energy-level scheme
 202
- molecular orbital theory applied 200–2
- octahedral species 166–7
- octahedral symmetry, d-electron energy levels
 188
- one-dimensional box
 electron in
 acceptable eigenfunctions 47–8
 boundary conditions 48
 Hamiltonian operator for 46–7
 linear momentum 49–50
 particle in 421–2
 perturbation theory applied 422–4
- one-dimensional model
 in band theory 381–6
see also electron in linear box
- one-electron atoms 104–5
 selection rules for dipolar radiation 115
see also hydrogen atom
- one-electron energies, excited states of helium
 atom 335–6
- operands, meaning of term **33**
- operators **33–4**, 39
 angular momentum operator 50, 60
 commutation/non-commutation of **34**,
 57–8, **68**
 eigenfunctions of different 52–3
 kinetic energy operator 60
 linear momentum operator 49, 60
 position operator 59
 potential energy operator 59–60
- Oppenheimer, J. Robert 136
see also Born–Oppenheimer
 approximation
- optical density **257**
see also absorbance
- optical properties, solids 390
- orbital angular momentum 76–8, **87**
 causes 78
 notation 83
- orbital angular momentum quantum number
 of rotating diatomic molecule 83
 of single electron 83–4, 108
- orbital g-factor 368
- orbital hybridisation 153–62
- orbital overlap 146–9
- Orgel diagram 191
see also Tanabe–Sugano diagram
- orthogonality of eigenfunctions 46, **63–5**
- oscillating electric field component of light
 217–19
- oscillating magnetic field component of light
 219
- overlap integrals **169**
 in Hückel MO theory 356
- overtone (in IR absorption spectra) 303

- oxygen
 Schumann–Runge bands **256**
 sp hybrid orbital *154*
- oxygen molecule
 bonding in *150–1*
 electron configuration *164*
- π bonding, in hydrocarbons *160*
 π -electron spectra, benzene *341–4*
 π -electron systems
 in aromatic hydrocarbons *45, 341*
 in conjugated polyenes **65**
- π (pi) overlap *147–8*
 $\pi \rightarrow \pi^*$ transitions *329–30*
 in benzene, electron transition density *347*
- p^2 configuration, terms determined for
109–10
- p^2 electron configuration
 energies **122–5**
 spin–orbit coupling in *114*
 terms determined for *109–10*
- p-orbitals *100*
 angular part of wave function *101–3*
 radial part of wave function *99*
- 3P state (triplet P) *110–111*
 energies for various atoms *110*
 weak-field coupling scheme in octahedral
 field *190–1*
- 5P state (quintet P) *108*
- p^2 -to- s^1p^1 transition **126–7**
- p-functions *426*
- p-type semiconductor *388, 389*
- pairing energies *197*
- paramagnetism *364*
 effect of temperature *364–5*
 temperature-independent *365*
- parity *423*
 atomic orbitals *116–17*
 in crystal field theory *184*
 photons *225*
- parity selection rule *117, 225*
- Paschen series (emission spectrum of hydrogen
 atom) **121**
- Pauli, Wolfgang *78, 261*
- Pauli exclusion principle *45, 78, 105, 138,*
333
 applications *107, 113, 150, 440*
 effects on valence electron distribution
161–2, 173
- Pauling, Linus Carl *153, 182*
- 2,4-pentane dione, keto–enol equilibrium
245, 247
- periodic boundary conditions *48, 382*
 periodic potential, band gap formed by *382–6*
 periodic table, quantum-mechanical view
107, 114
- perturbation theory *417–24*
 examples of *112, 382, 421–4*
- Pfund series (emission spectrum of hydrogen
 atom) **121**
- phase angle *291*
- photochemical reactions *146, 338*
- photoelectric effect *20–3, 223*
 Einstein's theory *21*
 experimental confirmation *22*
- photon counting **69**
- photon(s) *21, 223*
 angular momentum *115, 225*
 detection of *242*
 energy *224*
 linear momentum *224–5*
 mass *224*
 parity *225*
 properties *223–6*
 release of electrons caused by *20–3, 55*
 term first used *223*
 velocity *223–4*
- photosynthesis *146*
- physical laws *5–6*
- Planck, Max *8, 15*
 black-body radiator hypothesis *13, 15–16,*
24
 Planck's constant *15, 24, 401*
 experimental determination of *22*
- plane polarised light *220*
 directional interaction *306*
 resolution into *x* and *y* components *220*
- planetary motion *10–11*
- Platt, J.R. *46, 344*
- polar coordinates *431*
 relationship with Cartesian coordinates
431
 Schrödinger equation expressed in *97–8,*
303–4
 volume element in *431–2*
- polar diagrams
 d-orbital angular functions *103–4*
 p-orbital angular functions *101–3*
 s-orbital angular function *101*
- polarisation
 of atomic orbitals *140–1*
 as observable property **70**
- polarised light *219–21*
 circularly polarised light *221*
 effect of magnetic field *7, 118, 119*
 linearly polarised light *220*
 and quantum mechanics **69–71**
- polyatomic molecules, vibrations *303–9*
- polynomial, roots of, for Hückel molecular
 orbital calculation *355*
- Pople, J.A. **175**
- position operator *59*
- postulate, meaning of term *6–7*

- potential-energy curves, diatomic molecules **253–255**
- potential-energy operator 59–60
- Powell, H.M. 164
- prediction, approaches to 2
- principal quantum number 96
- principle, meaning of term 6
- Pringsheim, Ernst 14
- probability, determination in quantum mechanics 232
- Proctor, W.G. 267
- progression (of spectral bands) 238
- propyl radical, Hückel matrix for 412–13
- proteins, NMR spectroscopy 270
- proton
- magnetic properties 262
 - mass at rest 401
- proton NMR transitions
- compared with electronic and infrared transitions 241
 - see also* nuclear magnetic resonance (NMR) spectroscopy
- quanta/quantum, term first coined 16
- quantisation of energy 16
- in classical mechanics 18–20
- quantum electrodynamics (QED) **92**, 247
- quantum mechanical harmonic oscillator 293–4
- quantisation of energy 293–4
 - vibrational eigenfunctions 294
 - zero-point energy 294
- quantum mechanics
- addition and conservation of angular momentum 79–80
 - applications 37–72
 - covalent chemical bond 131–79
 - and NMR spectroscopy 277–8
 - orbital angular momentum in 76–8
 - progression from classical mechanics 13–34
 - Schrödinger method 39–40
 - of transition probability 227–33
- quantum number(s) 16
- for many-electron atom 108
 - of single electron 108
- quarter-wave plate 221
- quartet state **281**
- quenching 198, 368
- Racah parameters 197, **206**
- A parameter 194, **206**
 - B parameter 193, **206**
 - C parameter **206**
- radial functions 98–9
- of hydrogen atom 99
 - Slater's simplification **172**
- radiation–matter interaction 216
- time-dependent interaction 230–3, 266–7
 - time-independent interaction 230, 233–45, 297
- radio astronomy, hydrogen emission used 86
- raising operator 82–3, **89–92**
- applications **279–280**, **282–3**
- Raman spectroscopy 309
- carbon dioxide vibrational spectrum 310, 311
- rare earth coupling scheme 188
- rational numbers 433
- Rayleigh–Jeans equation 14, 15
- real numbers, types 433
- reduced mass 291–2, **319**
- hydrogen chloride **321**
- Regnault, Charles 4
- relativistic mechanics 13
- relaxation processes, in NMR spectroscopy 276, 278
- resonance energy 359
- see also* delocalisation energy
- resonance stabilisation, in charge transfer transitions 331
- resonance structures 163
- benzene 163
 - carbonate anion 163
 - cyanine dyes **66**
- restoring force (in simple harmonic motion) 290
- rigid rotator model 297
- eigenfunctions 297
 - rotational motions 298–9
 - vibrational motions 299–300
- Ritter, Johann Wilhelm 217
- Rosen, N. 140–1
- rotation of diatomic molecules **319–20**
- rotational constant 296
- carbon dioxide 314–15
- rotational selection rule 298–9
- semi-classical interpretation 301
- Russell–Saunders coupling 111–12
- Rutherford's model of atom 24
- Ryberg, Johannes Robert, on Balmer equation **121**
- Ryberg constant **121**
- values listed for various atoms and ions 105
- σ bonding, in hydrocarbons 160
- σ (sigma) overlap 147
- s-functions 426
- s-orbitals 100

- s-orbitals (*continued*)
 angular part of wave function 101
 radial part of wave function 99
- 1S states (singlet S) 110–11
 energies for various atoms 110
- saturation (magnetism) 371
- SCF (self-consistent field) calculations 106
- Schrödinger, Erwin 26, 28
- Schrödinger equation 28–9
 in atomic units 402
 expression in polar coordinates 97–8,
 303–4
 angular functions 99–100, 304
 radial function 98–9, 304
 solution of 41, 53, 96, 100, 135
 for Morse potential energy curve 302–3
 perturbation theory used 417–24
 for polyatomic molecules 304
 for system under perturbation 229
 time-dependent equation 228
 time-independent equation 228
- Schrödinger method in quantum mechanics
 39–40, 96
- 'sea' of electrons 381
- secular equations 406–7
 for butadiene 355
 for propyl radical 411
see also variation theorem
- Seitz, Frederick 135, 387
- selection rules 115–17, 196, 225–7, 437–8
 electronic spectroscopy 344–8
 IR spectroscopy 244, 297–302
 NMR spectroscopy 264–7, **278–80**
see also Bohr–Einstein condition
- self-consistent field 106
see also SCF calculations
- semiconductors 388–9
 effect of temperature on electrical
 conductivity 388, 389
- SETI (search for extraterrestrial intelligence)
 86, 410
- shielding constant (σ) in NMR spectroscopy
 270
- shift operators 82–3
 wave functions for 3F states of d^2 439–41
- Sidgwick, N.V. 164
- similarity transformation 413
- simple harmonic motion 290–3
see also harmonic oscillator
- simultaneous homogeneous equations 406
- sine function **62**
- singlet states 85, **173**
 electron distributions for excited helium
 atom 339–41
 electron repulsion energy **174**, 337–8
 lifetimes 338
- space wave functions **173–4**, 333, 335
- spin wave functions **173**, 334, 335
- total energies in $1s^12s^1$ helium atom
 338–9
- Slater determinant(s) 189, 348, 429–30
 microstates as **122, 207**
- Slater rules for calculation of screening 172
- Slater-type orbitals (STOs) **171–3**
 orbital overlap for 161
- sodium D-lines 224, 242
 Zeeman effect 120, 242
- sodium metal
 band structure 379, 380
 bonding in 378–9
- solids
 band theory 378–89
 electrical conductivity 387–9
 mechanical properties 390
 optical properties 390
- Sommerfeld, Arnold 26, 381
- sp hybrid orbitals 159, 160
- sp² hybrid orbitals 159, 160
- sp³ hybrid orbitals 158, 158
 proof of normalisation and orthogonality
171
- space functions **173–4**
- space quantisation 77
- spectroscopic timescales 245–7
- spectroscopic transitions
 comparison of IR, NMR and UV–VIS
 transitions 238–41
 particle and wave views 242–5
 time-independent and time-dependent parts
 of wave functions 227–8, 266–7
- spectroscopic units and notation 247–9
- spectroscopy 215–59
 definition 216
see also absorption...; atomic...;
 electronic...; infrared...; nuclear
 magnetic resonance spectroscopy
- spectrum
 energy/frequency/wavelength axis, units used
 248–9
 intensity/absorbance axis, units used
 249–50
- spherical harmonics 426
 applications 100, 183, 297
- spherical polar coordinates 431
see also polar coordinates
- spin angular momentum 78, 261
 notation 83
 of nucleus 262
- spin-forbidden transitions 197
- spin functions 85, **173**
- spin-orbit coupling (SOC) 81, 111–15
 in crystal field theory 195–6
 first-order **129**

- inter-electronic 115
- intermediate coupling 113–14
- jj* coupling 112–13
- matrix for microstates of p^2 configuration **124–5**
- Russell–Saunders (*LS*) coupling 111–12
 - and state energies 114
- spin–orbit coupling constant 195
- spin–orbit coupling energy 111
- spin quantum number
 - of nuclei 83, 262
 - of single electron 83–4, 108
- spin–spin coupling, in NMR spectra 270–3
- spin–spin coupling energy 272
- spin states
 - hydrogen atom 85–6
 - single electron 84
 - two-electron system 85
- spinning bullets/projectiles 75
- square planar molecules 166–7
- Stark effect 299
- state energies, effect of spin–orbit coupling 114
- Stefan–Boltzmann constant 13–4
- Stefan’s radiation law 13
- strong-field coupling scheme 188
 - for d^2 in octahedral field 193–5
- Strutt, John William 15
- sulfur dioxide, molecular geometry 166–7
- super-pairs (of electrons) 166
 - in various molecules 167
- superconductors 389
- superposition of states 59
- surface-adsorbed species, FTIR spectroscopy 244–5
- symmetry species 304, 306
- synchronised stepping frequency 238

- T-shaped molecules 166
- Tanabe–Sugano diagrams 191, 192–3
 - limitations 193
- temperature-independent paramagnetism (t.i.p.) 365
- term energies 110
- term symbols 108
 - assignment of 108–10
- tetragonal antiprismatic crystal field
 - states of single d electron
 - energy levels 373
 - magnetic moments 372–3, 373
- tetrahedral complexes, $d \rightarrow d$ transitions 196
- tetrahedral molecules 157–8, 166–7
- tetrahedral symmetry, d-electron energy levels 188
- tetramethylsilane (TMS), as standard in NMR spectroscopy 269
- theory
 - at end-19th century 7–8
 - role in science 1–3
 - thermal radiation 13
 - thermodynamics, laws of 6
 - Thomson, George Paget 27
 - three-body problem 106
 - time, atomic unit of 402
 - time-independent perturbation theory 417–21
 - tin atom, eigenstates **128**
 - total angular momentum 78–81
 - transition dipole moment 234–8, 437
 - in hydrogen atom **252–3**
 - transition-metal complexes
 - electronic energy levels 187–96
 - electronic spectroscopy 196–7, 330
 - magnetism 197–9
 - transition metals
 - band structure 381
 - bonding in 379–81
 - density of states 381
 - properties explained 107
 - transition moment (TM) integral, evaluation of **126–7**
 - transition moment operator **125**
 - transition probability
 - effect of electron spin 344–6
 - nuclear magnetic resonance **278–9**
 - quantum mechanics 227–33
 - confirmation of method 239
 - spatial aspects for allowed electronic transition 346–7
 - vibrational factor in 347–8
 - 1,1,2-trichloroethene
 - ^1H NMR spectrum 270–1, 271
 - spin–spin coupling in 272–3
 - trigonal bipyramidal molecules 166–167
 - trigonal molecules 166–167
 - trigonal pyramidal molecules 166
 - triplet states 85, **173**
 - electron distributions for excited helium atom 339–41
 - electron repulsion energy **174**, 336–7
 - lifetimes 338, 341
 - space wave functions **173–4**, 333–4, 335
 - spin wave functions **173**, 334, 335
 - total energies in $1s^1 2s^1$ helium atom 338–9
 - two-electron repulsion integrals **205–6**
 - listed for d orbitals
 - in complex forms **210**
 - in real forms **209**
 - Tycho Brahe 10

 - Uhlenbeck, George Eugene 78, 105, 118, 120
 - ultraviolet catastrophe 14, 15
 - ultraviolet spectrum 217
 - first discovered 217

- uncertainty principle 56–7, 246
 effects 58, 77
 unification of molecular orbital and valence
 bond models 141–3
 unitary matrix 413
 units 248, 401–2
 conversion factors 249
 UV–VIS spectroscopy
 electric dipole interaction energy 234
 experimental aspects 240
 terminology **257**
 timescales 246, 246
 see also electronic spectroscopy
 UV–VIS transitions, compared with IR and
 NMR transitions 238–41
- vacuum magnetic susceptibility 364
 relationship with magnetic moment 366,
 395
- valence band 387
 valence bond (VB) theory 137–9
 compared with MO theory 156, 163
 computational developments 167–8
 and hybridisation 156
 and resonance 163
 unification with molecular orbital theory
 141–3
 valence bond (VB) wave functions,
 normalisation of **169**
- valence electron distribution, effects of Pauli
 exclusion principle 161–2
 valence electrons/orbitals 107
 valence-shell electron-pair repulsion (VSEPR)
 model 164–7
 first developed 164
 and multiple bonds 165–7
 water molecular shape considered 165
 Van de Hulst, Hendrick 86
 Van der Waals' gas equation 5
 Van Vleck, John Hasbrouck 182, 199, 375
 vanadium(III) hexacyano complex ion,
 spectrum 194–5
 variation theorem 403–10
 application of 404–7
 examples of use 140, 151, 353, 407–10
 proof 403–4
 vector quantity 74
 angular momentum as 74–6
 velocity, atomic unit of 402
 velocity of light 223, 401
 factors affecting 216
 as limiting velocity 13
 ratio of electrostatic to electromagnetic units
 7, 216
 vibrational angular momentum, and Coriolis
 interaction 311–16
- vibrational circular dichroism (VCD) spectra
 317
 vibrational selection rule 299–300
 semi-classical interpretation 301
 vibrations of diatomic molecules 291, 292,
 318–19
 vibrations of polyatomic molecules 305–8
 angle bending mode 305–6, 310
 asymmetric stretching mode 305–6, 307,
 310
 normal mode 304
 rocking mode 307, 307, 308
 scissoring mode 307, 307, 308
 skeletal vibrations 309
 symmetric stretching mode 305–6, 307,
 310
 wagging mode 307, 307, 308
 vibronic transition 236
 virial theorem 97
 volume magnetic susceptibility 364
 and Bohr magneton number **396**
 variation with temperature 364–5
 VSEPR model *see* valence-shell electron-pair
 repulsion model
- Wang, S.C. 140
 water molecule
 bond angle 164
 vibrations 305–6
 VSEPR model 165
 wave functions
 of hydrogen atom 97–100
 angular parts 99–104, 104
 Heitler–London (valence bond) approach
 137–9
 Hund–Mulliken (molecular orbital)
 approach 139
 improvements 140–1
 nodes 104, 104
 radial part 98–9, 104
 normalisation of
 in Hückel MO calculation 356
 for hydrogen molecule **169–70**
 time-dependent part 227
 time-independent part 227–8
 wave mechanics 26, 28–9, 50
 wave number 248
 wave theory of light 216
 limitations 21, 223
 weak-field coupling scheme 188
 for d^2 (3F in octahedral field) 189–90
 for d^2 (inclusion of 3P) 190–1
 Weinbaum, S. 142
 Weiss, Pierre 365
 see also Curie–Weiss law
 Wigner, Eugen P. 135, 387

- Wilson, Edgar Bright 316
work function (of surface) 21
- Young, Thomas 216
Yu, F.C. 267
- Zeeman effect 105, 117–20, 408
 anomalous Zeeman effect 120
 normal Zeeman effect 118–20
 practical applications 119–20
zero of energy, definition 96, 133
zero-point energy 16, 47, 58, 134, 294

With thanks to Paul Nash for creation of this index.