

# Index

## • A •

- AAP (alpha antiproteinase), 307
- AAT (alpha-1 antitrypsin) protein, 40–41, 307
- ABG (arterial blood gas) tests, 52–53, 308
- acetylcholine, 149
- acid reflux, 100
- activities, 297–298. *See also* recreational activities; work
- activity levels, goals for, 294
- acupuncture, 141
- acute, defined, 307
- acute exacerbations
  - versus asthma attacks, 54
  - defined, 252–254
  - emergency plans, 258–261
  - end-of-life planning, 261–264
  - overview, 251–252
  - preparation for, 62
  - prevention of, 100, 254–256
  - role of family in coping with, 276–278
  - treating, 61, 100, 256–258
- acute illnesses, 10
- ADA (Americans with Disabilities Act), 232–233
- additives, cigarette, 151
- adenoids, 26
- adrenalin, 149, 307
- adult-onset diabetes, 303
- advance healthcare directives, 263–264, 307
- aerobic exercise, 16, 184–185, 189–191
- aerosol, 121–124, 205
- affiliations, physician, 80
- afternoon energy levels, 205–206
- age, 29–30
- aides
  - home, 236–237
  - home health, 237
  - occupational therapy, 87
- air conditioners, 210, 284
- air filtration process, 26
- air leaks in lungs, 138
- air quality
  - cleaning air, 246–250
  - high pollution areas as trigger, 283
  - indoor air pollution, 240–245
  - overview, 239–240
  - prevention of acute exacerbations, 254–255
  - relation to ability to work, 214
  - as risk factor, 37
- air sacs
  - in damaged lungs, 28
  - defined, 307
  - development of through exercise, 185
  - effects of emphysema on, 12–13
  - role of in breathing system, 22–25
- airborne particles, 245
- airway hyper-responsiveness, 42
- airways
  - defined, 307
  - effect of COPD on, 11–13
  - keeping clear, 106–110
  - obstruction of, 307
- alarms, for medicines, 133
- allergens, 307
- allergies, 307
- allergy-induced asthma, 54
- alpha antiproteinase (AAP), 307
- alpha-1 antitrypsin (AAT) protein, 40–41, 307
- alternative treatments
  - acupuncture, 141
  - herbal treatments, 143
  - nutritional supplements, 141–143
  - overview, 135, 140–141
- alveoli
  - in damaged lungs, 28
  - defined, 307
  - development of through exercise, 185
  - effects of emphysema on, 12–13
  - role of in breathing system, 22–25

ambulances, 257–258, 260  
 ambulatory, defined, 308  
 American Lung Association, 297  
 Americans with Disabilities Act (ADA), 232–233  
 anabolic steroids, 117  
 anaerobic exercise, 184, 191–192  
 aneurysms, 154  
 anger, 267  
 ankles, swollen, 300  
 antibiotics  
   defined, 308  
   family’s understanding of, 270  
   prescription of, 97  
   in treatment of acute exacerbation, 256  
 anticholinergic bronchodilators  
   defined, 308  
   long-acting, 115  
   overview, 112  
   short-acting, 114  
   side effects, 117  
 antidepressants, 73–74, 160  
 antihistamines, 308  
 anti-inflammatories, 308  
 antioxidants, 142, 166–167  
 anxiety disorders, 18–19  
 aortal sensor cells, 24  
 apnea, 308, 317  
 appetite, 15, 175  
 appliances, 228, 245  
 appointments, grief, 66  
 aquatic exercise, 190  
 arm extension exercises, 191  
 arterial blood gas (ABG) tests, 52–53, 308  
 arteries  
   defined, 308  
   effect of exercise on, 184  
   hardening of, 301  
   sensor cells in, 24  
 assessments  
   eating habits, 85  
   general health, 82  
   risk factors, 43, 61  
   severity of COPD, 56–59  
 assistance. *See* help  
 assistants, occupational therapy, 87

asthma  
   versus COPD, 13–14, 53–54  
   defined, 308  
   occupational, 36  
 asthmatic COPD, 14  
 atelectasis, 308  
 atherosclerosis, 301  
 atopic asthma, 54  
 “at-risk” classification, 56–57  
 Atrovent, 114  
 attacks, sudden. *See* acute exacerbations  
 attorneys, employment law, 212–213  
 audio programs, hypnosis, 160

## • B •

B vitamins, 179  
 bacteria, 308  
 bags, tote, 231  
 balance, 91–92  
 barrel chest, 304  
 batches, cooking in, 228  
 bathing, 204  
 bathrooms, 204, 223–224  
 bed stretches, 204  
 bedrooms, reachability of items in, 223  
 bedtime, unwinding at, 207  
 behavioral risk factors  
   air quality, 37  
   employment, 35–36  
   overview, 33–34  
   smoking, 34–35  
 behaviors  
   changes in for smoking cessation, 162–164  
   eating, 176–177  
 belts, 208  
 benches, 223  
 bending, 102, 233–235  
 benefits, disability, 215  
 benzene, 243  
 beta blockers, 302  
 beta-2 agonists, 308  
 beta-agonist bronchodilators, 112–116  
 Beth Israel Medical Center, 268  
 bi-level positive airway pressure (BIPAP), 308  
 bills, paying medical, 215  
 biological dust, 36, 38

- biological sources of indoor air pollution, 240–241
- biopsies, 55
- BIPAP (bi-level positive airway pressure), 308
- blankets, 212
- bloating, foods causing, 172
- blood
- arterial blood gas tests, 52
  - in breathing process, 24
- blood pressure, 309
- blood sugar levels, 303–304
- blood vessels, and smoking, 153–154
- bloodstream, effect of smoking on, 152
- Bodian, Stephan, 71
- body plethysmography, 51
- body rhythms, 202–203
- bones, 155, 184
- boots, 209
- brain, 24, 149
- brands, dietary supplement, 182
- bras, 207
- breathing
- adjusting rhythm to exercise, 190
  - controlled, 71
  - exercises, 102–105, 163, 316
  - as involuntary function, 21
  - process, 24–25
- briefs, 207
- bronchi, 22–24, 309
- bronchial tubes, 22–24, 309
- bronchioles, 22–24, 309
- bronchitis, 142, 309
- bronchoconstrictors, 120
- bronchodilators
- for asthma versus for COPD, 54
  - coughing exercises, 107
  - defined, 14, 309
  - family's understanding of, 270
  - long-acting, 97, 114–116
  - maintenance, 308, 314
  - overview, 111–113
  - reversibility tests, 50
  - short-acting, 97, 113–114
  - side effects, 98, 116–117
- bronchoscopies, 55, 84, 309
- bronchospasms, 252
- brooms, 229
- bullae, 28, 51, 136
- bullectomies
- appropriateness of, 137
  - benefits of, 137
  - limitations of, 138
  - overview, 136–137
- bupropion, 160
- C •
- C vitamin, 166
- cabin fever, 272
- cabinets, 224
- cadmium, 36–37
- caffeine, 173
- calorie intake, 15, 175
- camisoles, 207
- campfires, 282
- cancers, 154
- cannulas, 309
- capillaries, 22, 184–185
- carbohydrates, 169, 285
- carbon dioxide (CO<sub>2</sub>), 24–25, 169, 309
- carbon monoxide, 151–152, 241–242
- carcinogens, 151–152, 309
- cardiopulmonary resuscitation (CPR), 263, 309
- cardioselective beta blockers, 302
- cardiovascular disease, 299–300
- Caregiver Resource Directory, 268
- Caregiver.com, 268–269
- caregivers. *See* family
- carotenoids, 167
- carotid artery sensor cells, 24
- carpet sweepers, 229
- carrying tools, 227
- cars, idling, 241
- cartilage, 184
- case managers, 275
- catheters, 132
- causes
- acute exacerbations, 253
  - COPD, 9
- cells
- damage to one-port, by cigarette smoke, 32
  - sensor, 24

- central nervous system, 24
- ceremonies, past life, 66
- certified hypnotherapists, 159
- cessation techniques, smoking. *See also* smoking
  - antidepressants, 74, 160
  - behavioral changes, 162–164
  - Chantix, 162
  - cold turkey, 158–159
  - hypnosis, 159–160
  - nicotine replacement, 160–162
- chairs, 223–225
- challenges, lists of, 66
- chambers, inhaler, 122–123, 317
- Chantix, 162
- charts, medicine, 276
- Cheat Sheet, 260, 278
- checkups, 74, 81
- chemicals, and indoor air pollution, 243–245
- chest percussion, 93
- chest tubes, 138
- chest X-rays, 51–52
- chest-compression devices, 110
- children
  - and COPD, 289–290
  - effect of secondhand smoke on, 153
  - exposures, 42
  - lung diseases, 42
- cholinergic blockers, 308
- chores
  - effect of COPD on ability to do, 18
  - help from family with, 273
  - outsourcing, 236, 298
- chronic bronchitis
  - as component of COPD, 11–12
  - damage caused by, 28
  - defined, 310
  - surgery for, 135
- chronic, defined, 309
- chronic heart failure, 300
- chronic illness, and depression, 90
- chronic obstructive pulmonary disease. *See* COPD
- chronic systemic inflammatory syndrome, 299
- chronic ventilation, 258
- cigar smoke, 35. *See also* smoking
- cigarettes, 31–32. *See also* smoking
- cilia, 10, 26, 310
- circulatory system
  - complications, 254
  - effect of movement on, 184–185
  - effect of smoking on, 153–154
- cleaning
  - air, 246–250
  - help from family with, 273
  - simplifying, 229
  - spreading out, 233
  - tricks for after-cooking cleanup, 228
- cleaning services, 236
- climate. *See* temperature
- clocks, 225
- closed-mouth technique, 310
- closets, 223
- clothing
  - choosing, 208–209
  - dressng, 205
  - outdoor wear, 209
  - overview, 207
  - undergarments, 207–208
- clustering, familial, 41
- clutter, eliminating, 223
- CO<sub>2</sub> (carbon dioxide), 24–25, 169, 309
- coats, 209
- cold air as trigger, 284
- cold turkey smoking cessation technique, 158–159
- collapsed lungs, 254
- collars, 208
- combination drugs, 119–120
- combustible fuels, 245
- comfort, patient, 274
- communication, patient-doctor, 81
- complications. *See also* acute exacerbations
  - barrel chest, 304
  - caused by smoking, 158
  - C-reactive protein levels, 301
  - diabetes, 303–304
  - evaluation of, 253–254
  - hardening of arteries, 301
  - heart problems, 299–300
  - high blood pressure, 302
  - metabolic syndrome, 305

- obesity, 302
- osteoporosis, 304
- overview, 299
- preventing and treating, 98–100
- pulmonary infections, 305
- weight loss, 302–303
- compounds, toxic, in cigarettes, 151
- comprehensive treatment programs, 90, 92–93
- compressed oxygen, 315
- compromises, 216–217
- concentrators, oxygen, 129–130, 315
- conserving energy, 296
- consistency of exercise, 189, 195
- contacts, emergency, 261
- contagious respiratory infections, 14, 98
- continuous positive airway pressure (CPAP), 310
- contraindications, 310
- controlled breathing, 71, 101–105
- controlled coughing, 310
- convenience, as factor in physician choice, 80
- cooling down after exercise, 193
- cooling systems, 246, 248, 250. *See also* air conditioners
- COPD (chronic obstructive pulmonary disease)
  - ailments mistaken for, 13–14
  - components of, 11–13
  - effect on body, 15–16
  - effect on life, 16–19
  - groups, 72
  - overview, 9–11
- COPD-Alert, 297
- COPD-Support, Inc., 269
- coping strategies
  - avoiding rushed activities, 296–297
  - conserving energy, 296
  - correct use of medications, 295–296
  - developing personal, 74–75
  - enjoyable activities, 297–298
  - exercise regimens, 294–295
  - family's grief, 267–268
  - goals for daily activity level, 294
  - healthy eating, 295
  - letting others help, 298
  - regular doctor's visits, 293
  - support groups, 297
- cor pulmonale
  - caused by COPD, 99, 254
  - defined, 310
  - frequency of, 300
  - need for oxygen therapy, 129
- cortex, 22, 24, 117
- corticosteroids
  - for asthma versus for COPD, 54
  - defined, 310
  - diabetes, 303
  - drug-induced osteoporosis, 304
  - family's understanding of, 270
  - forms of, 118
  - overview, 111, 117–118
  - side effects, 118–119
  - withdrawal effects, 119
- cortisol, 117
- cotton underwear, 207
- CoughAssist devices, 110
- coughing
  - controlled, 310
  - deep, 106–107
  - effect of smoking on, 11
  - huff, 107–109
  - productive, 315
- counselors
  - benefits of therapy, 72
  - depression, 90
  - mental energy, 90–91
  - overview, 89–92
  - realistic expectations, 91–92
- CPAP (continuous positive airway pressure), 310
- CPR (cardiopulmonary resuscitation), 263, 309
- cravings for cigarettes, 159
- C-reactive protein (CRP) levels, 301
- creatine monohydrate, 142
- crises, COPD. *See* acute exacerbations
- crouching, 234–235
- CRP (C-reactive protein) levels, 301
- cured meats, 171
- cyanosis, 310
- cylinders, oxygen, 131



- daily activity levels, goals for, 294
- daily life. *See also* home
  - daily rhythm, 202–207
  - loose clothing, 207–209
  - outings, 216–220
  - overview, 201
  - rearranging routines, 231
  - temperature concerns, 209–212
  - work, 212–216
- dairy products, 173, 178
- damaged lungs, 26–29
- dates, quit, 159
- deep breathing, 163
- deep coughing, 106–107
- dehumidifiers, 241, 311
- dehydration, 311
- delegation of responsibilities, 71
- demographic risk factors, 38–39
- denial, 91
- Department of Health and Human Services, 80
- depression
  - defined, 311
  - effect of exercise on, 185–186
  - finding support for, 72–73
  - relation to smoking, 160
  - role of counselor in dealing with, 90
  - social isolation, 17–18
- detectors, carbon monoxide, 241
- diabetes, 303–304, 311
- diagnosis
  - assessing severity, 56–59
  - ruling out other diseases, 53–56
  - tests to establish, 47–52
  - treatment, 59–62
- diaphragm, 22, 310
- diaphragmatic breathing, 102–104, 311
- diet. *See* nutrition
- dietary supplements
  - choosing, 180–182
  - creatine monohydrate, 142
  - glutathione, 142–143
  - magnesium, 142
  - N-acetyl cysteine, 142
  - overview, 141–143
- dietitians
  - eating habit assessments, 85
  - overview, 84–85
  - regimen creation, 86
  - setting nutritional goals, 86
- diffusion capacity, 50, 311
- digestion, 285
- disabilities, 214–216
- diseases. *See individual diseases by name*
- dishes, washing, 228
- distance, measuring exercise progress by, 188
- diuretics, 174, 311
- doctors. *See also* healthcare team
  - advice on travel, 219
  - consulting regarding exercise, 186
  - finding, 78–81
  - guidance from on taking medicine properly, 133
  - primary-care physicians, 81–83
  - pulmonologists, 83–84
  - regular visits to, 74, 81, 293
  - treatment options, 60–62
  - when to call, 259
- dopamine, 149
- doses, missed, 134
- drafts, 211
- drainage, postural, 106
- drawers, 223
- dressers, 223
- dressings, 205
- drug-induced osteoporosis, 304
- drugs
  - bronchodilators, 112–117
  - combination, 119–120
  - correct use of, 133–134, 295–296
  - effect on ability to exercise, 197
  - family's understanding of common, 270
  - generic, 112, 114–115
  - help from family with instructions, 276
  - inhalers, 121–126
  - knowledge of, 75
  - maintenance, 114–115
  - minimizing side effects, 97–98
  - mucolytic agents, 120
  - nebulizers, 127
  - overview, 97, 111–112
  - oxygen therapy, 127–132

steroids, 117–119  
 treatment of acute exacerbations, 259–260  
 dry cleaning, 243–244  
 dryers, 226  
 drying off after bathing, 204  
 dry-powder inhalers, 124–126  
 duplicate supplies, 231  
 durable power of attorney for healthcare, 311  
 duration, exercise, 195–196  
 dust  
   in air as trigger, 283–284  
   biological, 38  
   effect on lung function, 30  
   exposure to, 36  
   mineral, 35  
   nuisance, 35  
   and use of fans, 210  
 dusting, 229  
 duties at work, 213  
 dyspnea, 311

## • E •

E vitamin, 167  
 eating. *See also* nutrition  
   assessing habits, 85  
   to avoid weight loss, 303  
   cautions for rest period after, 206  
   family's understanding of proper habits,  
     271–272  
   healthy, as coping strategy, 295  
   plans, 86  
 echocardiograms, 84  
 economic status, 39  
 edema, 311  
 EFFORTS (Emphysema Foundation for Our  
   Right to Survive), 269, 297  
 elasticity, lung, 13, 15, 27  
 elbow breathing exercises, 191  
 elbow circles, 191  
 electric blankets, 212  
 electric space heaters, 211  
 emergencies  
   contacts, 261  
   emergency plans, 258–261  
   information to carry in case of, 220  
 emergency room treatments, 257–258  
 emotions  
   attachment to smoking, 157  
   coping strategies, 74–75  
   after diagnosis, 64–67  
   effect of COPD on, 18–19  
   effect of exercise on, 185–186  
   finding support, 72–74  
   managing stress, 70–72  
   overview, 63–64  
   role of loved ones in dealing with, 67–70,  
     266, 274  
   when disabled, 215  
 emphysema  
   damage caused by, 28  
   defined, 311  
   overview, 12–13  
   surgery for, 136–140  
 Emphysema Foundation for Our Right to  
   Survive (EFFORTS), 269, 297  
 employers, discussing illness with, 212–213  
 employment. *See* work  
 end tables, 225  
 end-of-life planning  
   advance healthcare directives, 263–264  
   desired life-sustaining treatments, 262–263  
   overview, 261  
   resuscitation, 263  
   starting discussion, 261–262  
 endorphins, 149  
 endotoxins, 36  
 endotracheal tubes, 257  
 energy. *See also* daily life; home  
   conserving, 296  
   levels in afternoon, 205–206  
   loss of, 15–16  
   mental, 90–91  
 environment  
   air quality, 37  
   dust, 30  
   pollutants, 30–31  
 environmental tobacco smoke. *See*  
   secondhand smoke  
 epiglottises, 22  
 errands, 218  
 evenings, 206–207

- exacerbations. *See also* acute exacerbations  
 asthma, 54  
 defined, 311
- exercise  
 as behavior modification technique, 163  
 and breathing, 101–105  
 caution in polluted atmospheres, 283  
 cooling down, 193  
 in coping strategies, 75, 294–295  
 designing regimens, 194–197  
 developing optimism through, 91  
 easing symptoms through, 97  
 effect on body, 184–186  
 effectivity of, 16  
 family's understanding of proper, 272  
 goals, 187–189  
 increasing tolerance for, 101, 189–191  
 lack of, and lung function, 32  
 lower-body strength, 88–89  
 overview, 183  
 strengthening limbs, 191–192  
 upper-body strength, 88  
 warming up, 192–193
- exertion, 196, 233
- exhalation, 312
- expectations, realistic, 91–92
- expectorants, 311
- expiration dates, dietary supplement, 182
- **F** ●
- Fabbri, Leonardo M., 299
- familial clustering, 41
- family  
 asking for help around house, 236  
 emotions, 68  
 help in reorganizing home, 222  
 helping loved one with COPD, 266–278  
 overview, 67  
 reaction to disability, 216  
 resentment, 69  
 teamwork, 69–70
- Family Caregiver Alliance, 269
- family history, 41
- family practitioners, 78
- fanny packs, 231
- fans, 210, 248, 284–285
- fast-acting bronchodilators, 97, 113, 114
- fatigue, 15–17
- fats, 170–171
- fatty acids, omega-3, 168
- fear, 19, 65, 188
- FEV1. *See* forced expiratory volume in the first second
- fever, humidifier, 241
- fiber, 180
- fibrosis, 30, 154
- filters, air, 249–250
- finances, and disabilities, 215
- fires, smoke from, 282
- flare-ups, sudden. *See* acute exacerbations
- flavonoids, 167
- flu shots, 98, 255, 270
- fluid intake, 163, 255, 271, 285
- food. *See* nutrition
- forced expiratory volume in the first second (FEV1)  
 defined, 312  
 GOLD criteria for values, 60–61  
 mild COPD, 57  
 moderate COPD, 58  
 overview, 83  
 severe COPD, 58–59
- forced vital capacity (FVC), 49–50, 83, 312
- formaldehyde, 244–245
- formoterol, 115
- fragrances, 249, 283
- free radicals, 166
- frequency of COPD, 287
- fresheners, air, 249
- fried foods, 172–173
- friends. *See also* family  
 asking for help around house, 236  
 emotions, 68  
 help in reorganizing home, 222  
 overview, 67  
 reaction to disability, 216  
 resentment, 69  
 teamwork, 69–70
- fruit, 166–167, 172, 178
- fuel-burning appliances, 245
- fumes, 35–36, 282–283
- furnaces, 210–211, 245–246
- FVC (forced vital capacity), 49–50, 83, 312

## • G •

gas appliances, 246  
 gas dilution tests, 51  
 gas exchanges  
   defined, 312  
   diffusion capacity tests, 50  
   emphysema, 12–13  
   in healthy lungs, 24–25  
   intubation to aid in, 257  
 gases  
   and indoor air pollution, 241–243  
   welding, 35–36  
 gas-forming foods, 172  
 gasoline, pumping, 219, 282–283  
 gender  
   emotional effects of illness, 63  
   myths about COPD and, 288  
   susceptibility factors, 38–39  
 general life skills, 87–88  
 generic drugs, 112, 114–115  
 genetic links, 40–41  
 geriatricians, 78  
 germs, 308  
 Global Initiative for Chronic Obstructive Lung Disease (GOLD), 60–61  
 glucocorticoids, 303  
 glucose, 303, 312  
 glutamate, 149  
 glutathione, 142–143  
 goals  
   daily activity levels, 294  
   exercise, 186–189, 194  
   nutritional, 86  
   occupational therapy, 88–89  
   rehab, 92–93  
   treatment, 95–100, 291  
 GOLD (Global Initiative for Chronic Obstructive Lung Disease), 60–61  
 golfer's bend, 233–234  
 grabber tools, 227  
 grains, 178  
 grieving, 66  
 grooming, 204–205

groups, COPD, 72  
 gum disease, 42  
 gum, nicotine, 161

## • H •

habits. *See* daily life; eating; nutrition  
 hand washing, 98, 286  
 handicapped parking permits, 218  
 hardening of arteries, 301  
 hazards. *See* risk factors  
 healthcare directives, 263–264  
 healthcare team  
   counselors, 89–92  
   dietitians/nutritionists, 84–86  
   doctors, 78–81  
   family involvement with, 274–276  
   occupational therapists, 86–89  
   overview, 77  
   primary-care physicians, 81–83  
   pulmonary rehabilitation, 92–93  
   pulmonologists, 83–84  
 healthy lungs, 26–29  
 heart  
   complications, 254, 299–300  
   disease, 99, 154  
   effect of cigarette smoke on, 153  
   effect of exercise on, 184  
   failure, 312  
 heartburn, 100  
 heat, 210, 284–285  
 heating systems, 210–212, 246, 248, 250. *See also* furnaces  
 help  
   allowing others to, as coping strategy, 298  
   in-house, 236–237  
 hemichannels, 32  
 hemoglobin, 52  
 hemoptysis, 312  
 HEPA (high-efficiency particulate air) filters, 249–250, 312  
 herbal treatments, 143  
 heredity, 40–41  
 high blood pressure  
   defined, 313  
   pulmonary, 316  
   relation to COPD, 302

- high-efficiency particulate air (HEPA) filters, 249–250, 312
  - histamines, 312
  - hobbies, 297–298
  - holding chambers, inhaler, 122–123, 317
  - home. *See also* air quality
    - asking for help, 235–237
    - dealing with multiple levels, 230–235
    - effect of COPD on activities in, 18
    - help from family with adaptation of, 273
    - overview, 221–222
    - oxygen equipment for use in, 129–131
    - reachability of items, 222–227
    - simplifying, 227–230
    - treating sudden attacks at, 256
  - home aides, 236–237
  - home health aides, 237
  - hospital treatments, 257–258
  - house fans, 248
  - household chores, 18, 227–229, 273
  - houses. *See* home
  - huff coughing, 107–109
  - humidifier fever, 241
  - humidifiers, 312
  - humidity
    - fans and air conditioners, 210
    - harmful effects of, 247
    - in homes, and air quality, 240
    - as trigger, 284–285
    - while bathing, 204
  - hydration, 163, 255, 271, 285
  - hydrogen cyanide, 151
  - hydrogenation, 171
  - hygiene, 98
  - hygrometers, 240
  - hyper-responsiveness, airway, 42
  - hypertension
    - defined, 313
    - pulmonary, 316
    - relation to COPD, 302
  - hyperventilation, 313
  - hypnosis, 159–160
  - hypothalamus, 22, 24, 129
  - hypothermia, 317
  - hypoxia, 313
- 1 •
- I/E ratios, 313
  - illnesses. *See also* complications
    - ability to work while experiencing, 214
    - avoiding, and prevention of acute exacerbations, 255
    - contagious respiratory infections, 14, 98
    - people suffering from as trigger, 286
  - immunosuppressants, 140
  - incentive spirometers, 313
  - indoor air pollution
    - biological sources, 240–241
    - chemicals, 243–245
    - eliminating source, 246
    - gases, 241–243
    - overview, 239–240
    - particles, 245
  - indoor air quality, 37
  - infections
    - causing acute exacerbations, 253, 256
    - warning signs of lung, 259
    - yeast, 119
  - infectious illnesses, 14, 98
  - infiltration, 247
  - inflammation, 301, 313
  - inhalation, 313
  - inhaled steroids, 118
  - inhalers
    - caring for, 124–126
    - correct use of, 276
    - defined, 314
    - dry-powder, 124
    - nicotine replacement, 161–162
    - rescue, 97, 113
    - with spacers, 122–123
    - without spacers, 121–122
  - in-house help. *See* help
  - inspiration, 313
  - insurance, disability, 215
  - intercostal muscles, 22, 185
  - internists, 78
  - intubation, 257, 313
  - invasive ventilation, 257
  - invigorating effect of nicotine, 149
  - invitations, turning down, 217

involuntary functions, 21  
 ionizers, 250  
 ipratropium bromide, 114  
 ironing, 226  
 irritants, 313. *See also* air quality  
 isolation, social, 17, 67  
 ivy leaf extract, 143

## • J •

jackets, 209  
 jobs. *See* work

## • K •

kerosene space heaters, 211  
 kitchens, 224  
 knee extension exercises, 192

## • L •

labels, dietary supplement, 182  
 labor-saving appliances, 228  
 landing areas, ramp, 233  
 laundry rooms, 226  
 lawyers, employment law, 212–213  
 leg exercises, 88–89, 192  
 leukotriene modifiers, 313  
 licensed mental health counselors, 89–92  
 life expectancy and smoking, 148, 153–154, 157. *See also* prognoses  
 life skills, 87  
 life support, 61, 257, 262–263  
 life-sustaining treatments. *See* life support  
 ligaments, 184  
 lighting, in living room, 225  
 limbs, strengthening exercises for, 191–192  
 limitations, 64–65, 202–203, 216–217  
 liquid oxygen, 131, 315  
 liquids, 163, 255, 271, 285  
 lists, of challenges, 66  
 living rooms, 225, 230  
 living wills, 263–264, 313  
 lobectomies, 137  
 loneliness, 67

long-acting bronchodilators  
   anticholinergics, 115  
   beta-agonists, 115  
   overview, 113–115  
   theophyllines, 115–116  
   treatment of symptoms, 97  
 long-term benefits of quitting smoking, 156  
 long-term goals, 294  
 loose clothing  
   choosing, 208–209  
   outdoor gear, 209  
   overview, 207  
   undergarments, 207–208  
 loved ones. *See* family  
 lower-body strength, 88–89, 192  
 low-income patients, 39  
 lozenges, nicotine, 161  
 lumbar support, 225  
 lung cancer, 14, 54–55, 99, 154  
 lung volume reduction surgeries (LVRS),  
   138–139, 313  
 lung volume tests, 51  
 lunges, 193  
 lungs  
   air filtration process, 26  
   breathing process, 24–25  
   collapsed, 254  
   diseases in childhood, 42  
   effect of cigarette smoke on, 152  
   effects of COPD on, 10–13, 15  
   factors influencing function of, 29–32  
   growth of, 42  
   healthy versus damaged, 26–29  
   infections, 305  
   irreversibility of damage to, 59  
   overview, 21–23  
   sensitivity, 42  
   trans fatty acids and health of, 171  
   transplants, 140, 313  
   treatments optimizing function of, 100–110  
   warning signs of infections, 259  
 LVRS (lung volume reduction surgeries),  
   138–139, 313  
 lymph system, 26  
 lymphocytes, 26

## • M •

- macrophages, 30
- magnesium, 142
- maid services, 236
- maintenance bronchodilators, 114–115, 308, 314
- malnutrition, 99
- marijuana, 35
- masks
  - cold-air, 284
  - oxygen, 257
- mates. *See* family
- maximal oxygen uptake, 314
- MDIs (metered dose inhalers), 314. *See also* inhalers
- meals. *See also* nutrition
  - avoiding exertion after, 233
  - heavy, 176, 285
  - simplifying preparation, 227–228
- meats, cured, 171
- mechanical mucus-clearing devices, 110
- mechanical ventilation, 248, 257–258, 262–263
- median sternotomies, 137
- medical bills, paying, 215
- medical history, 41–42, 314
- medical personnel, informing of attacks, 278
- medical teams. *See* healthcare team
- medication lists, 260, 278
- medications. *See* drugs
- medulla, 22, 24
- men, COPD in
  - emotional effects of illness, 63
  - myths regarding, 288
  - susceptibility factors, 38–39
- mental energy, 90–91
- mental health
  - counselors, 89–92
  - and disability, 215
  - understanding COPD sufferers', 266
- meridians, 141
- metabolic syndrome, 305
- metabolisms, 314
- metals, 35–36
- metered dose inhalers (MDIs), 314. *See also* inhalers
- methylene chloride, 243
- microaspiration, 100
- microwaves, 228
- mild attacks, 253
- mild COPD, 16–17, 57–58, 93
- mineral dust, 35
- minerals, 179–180
- missed doses, 134
- mobility issues, 87
- moderate attacks, 253
- moderate COPD, 17, 58, 93
- monitoring
  - symptoms, 61
  - vital functions, 82
- mood disorders, 18–19
- mops, 229
- morning rituals, 203–205
- mortality, 255
- mothballs, 244
- motivation for exercise, 187–188
- motorized scooters, 227
- mouth, breathing through, 26
- movement. *See* exercise
- mucoytic agents, 120
- mucous, defined, 314
- mucus
  - caused by dairy products, 173
  - chronic bronchitis, 11
  - defined, 314
  - effects of irritation on, 29
  - exercises to clear airways, 106–110
  - mucoytic agents, 120
  - mucus-clearing devices, 110
    - as part of air filtration system, 26
    - warning signs of lung infections, 259
- mullein, 143
- multiple-level houses
  - installing ramps, 232–233
  - minimizing use of stairs, 230–231
  - overview, 230
  - stretching and bending, 233–235
- muscles
  - effect of COPD on, 16
  - intercostal, 22, 185
  - loss of strength, 16
- muscle-sparing thoracotomies, 136–137
- myocardial infarctions, 154

myths about COPD  
 children, 289–290  
 gender, 288  
 normalcy of sufferer's lives, 291  
 overview, 287  
 oxygen therapy, 291  
 rarity of condition, 287  
 seriousness of and severity of symptoms, 290  
 smoking-related, 288–289  
 treatments, 290

## • N •

NAC (N-acetyl cysteine), 120, 142  
 nasal cannulas, 131–132, 314  
 nasal sprays, nicotine replacement, 161  
 National Emphysema Treatment Trial (NETT), 138–139  
 National Emphysema/COPD Association (NECA), 297  
 National Family Caregivers Association, 269  
 National Home Oxygen Patients Association, 297  
 National Institute of Mental Health, 72–73  
 National Institutes of Health (NIH), 138–139  
 natural ventilation, 247–248  
 nebulizers, 111, 127, 128, 314  
 NECA (National Emphysema/COPD Association), 297  
 neck, fit of clothes around, 208  
 necklaces, 208  
 neckties, 208  
 NETT (National Emphysema Treatment Trial), 138–139  
 neurological diseases, 149  
 nicotine. *See also* smoking  
 addiction, 148–151  
 replacement, 160–162  
 nightstands, 223  
 NIH (National Institutes of Health), 138–139  
 nitrites, 171  
 nitrogen dioxide, 242  
 nitrogen oxides, 151  
 non-insulin-dependent diabetes, 303  
 noninvasive ventilation, 257  
 nonsteroidal medications, 314

normalcy of sufferer's lives, 291  
 nortriptyline, 160  
 nose hairs, 26  
 noxious gases, 241–243  
 nuisance dust, 35  
 nutrition  
 changing eating behavior, 176–177  
 in coping strategies, 75  
 diet as risk factor for COPD, 43  
 dietary supplements, 180–182  
 harmful foods, 168–171  
 healthy diets, 177–180, 295  
 helpful foods, 166–168  
 loss of energy, 15  
 overview, 165  
 potential problem foods, 172–173  
 role of in treating symptoms, 96–97  
 nutritional supplements  
 choosing, 180–182  
 creatine monohydrate, 142  
 glutathione, 142–143  
 magnesium, 142  
 N-acetyl cysteine, 142  
 overview, 141–143  
 nutritionists  
 creating regimens, 86  
 eating habit assessments, 85  
 overview, 84–85  
 setting nutritional goals, 86

## • O •

O<sub>2</sub> (oxygen)  
 arterial blood gas tests, 52  
 in breathing process, 24–25  
 maximal uptake of, 314  
 obesity, 174, 302–303  
 obstruction, airway, 307  
 occupational asthma, 36  
 occupational hazards, 35–37  
 occupational therapists  
 general life skills, 87–88  
 overview, 86–87  
 targeted exercises, 88–89  
 office operations, physician, 80  
 omega-3 fatty acids, 168  
 one-port cells, 32

onset, asthma, 53  
 open-mouth technique, 314  
 optimism, 90–91  
 oral health, 42  
 oral steroids, 118  
 organic dust, 36  
 orthopnea, 314  
 oscillating fans, 210  
 osteopaths, 78  
 osteoporosis, 304, 314  
 outdoor air quality, 37  
 outdoor exercise, 197  
 outdoor wear, 209  
 outings  
   checking weather, 217  
   choosing activities, 216–217  
   evening, 206  
   family's help in arranging, 272–273  
   overview, 216  
   planning ahead, 218–220  
 outsourcing chores, 236, 298  
 overexertion, 196–197, 202–207, 286  
 overnight trips, 219  
 overweight persons, 174–175. *See also*  
   obesity  
 oximetry tests, 50–51  
 oxitropium bromide, 114  
 Oxivent, 114  
 oxygen (O<sub>2</sub>)  
   arterial blood gas tests, 52  
   in breathing process, 24–25  
   maximal uptake of, 314  
 oxygen therapy  
   after acute exacerbations, 256–258  
   arterial blood gas tests, 52  
   compressed oxygen, 315  
   delivery systems, 131–132  
   family's understanding of, 270  
   home equipment, 129–131, 315  
   indicators of need for, 128–129  
   myths about, 291  
   overview, 127–128  
   tips for bathing and grooming, 204–205  
   while eating, 176  
   while exercising, 189  
 ozone, 31, 250

## • p •

pacing, 203, 206  
 pack years, 34  
 pain while exercising, 196  
 palpitations, 116, 315  
 panties, 207  
 pantyhose, 208  
 parking permits, handicapped, 218  
 partial hydrogenation, 171  
 particles, indoor air pollution, 245  
 partners. *See* family  
 passive smoking. *See* secondhand smoke  
 past life ceremonies, 66  
 patches, nicotine, 161  
 patience, 67  
 peak expiratory flow (PEF) rates, 315  
 PEP (positive expiratory pressure) devices,  
   110  
 perceived exertion, 196  
 percentage of predicted spirometry readings,  
   49  
 perchloroethylene, 243–244  
 perfumes, 249, 283  
 periodontal disease, 42  
 perseverance while quitting smoking, 289  
 personal aides, 236–237  
 pessimism, 92  
 pesticides, 244  
 phenol-formaldehyde, 244  
 phlegm, 315  
 phthalates, 249  
 physical addiction to nicotine, 150–151  
 physical exercise. *See* exercise  
 physical smoking withdrawal symptoms,  
   156–157  
 physicians. *See* doctors  
 pillboxes, 133  
 pipe smoke, 35  
 pleuras, 22, 56  
 pleurisy, 14, 56  
 pleuritis. *See* pleurisy  
 pneumonia, 14, 255, 270, 315  
 pneumothorax, 137, 254  
 pollutants, 30–31  
 pollution, 283. *See also* indoor air pollution

- portion sizes, 178, 285  
 positive expiratory pressure (PEP) devices, 110  
 positive mental outlooks, 90–91  
 postural drainage, 93, 106, 315  
 potassium, 179–180  
 power of attorney for healthcare, durable, 311  
 predicted spirometry readings, 49  
 prednisone, 303  
 prescription medications. *See* drugs  
 prescription nicotine replacement products, 161–162  
 preservatives, 171  
 prevention
  - acid reflux, 100
  - acute exacerbation, 100, 254–255
  - heart disease, 99
  - lung cancer, 99
  - overview, 98–99
  - weight control and malnutrition, 99
 primary-care physicians. *See also* healthcare team
  - answering questions, 83
  - assessing general health, 82
  - finding, 78–81
  - overview, 81–83
  - referrals to specialists, 82
  - tracking vital functions, 82
 priorities, setting, 202–203  
 productive coughs, 315  
 prognoses, 59, 275  
 progression, controlling
  - lifestyle changes, 96–97
  - medicines, 97–98
 progressive diseases, 315  
 propane space heaters, 211  
 protein, 178  
 proxies, healthcare, 263–264  
 psychiatric therapy, 72–73  
 psychological smoking withdrawal symptoms, 157  
 psychologists, 159  
 puffers, 316. *See also* inhalers  
 pull-on clothing, 208  
 pulmonary capillaries, 22  
 pulmonary, defined, 316  
 pulmonary fibrosis, 154  
 pulmonary function tests, 316  
 pulmonary hypertension, 316  
 pulmonary infections, 305  
 pulmonary rehabilitation, 92–93, 316  
 pulmonary tuberculosis, 14, 55–56  
 pulmonologists, 83–84, 316  
 pulse oximetry, 316  
 pumping gasoline, 219, 282–283  
 purifiers, air, 250  
 pursed-lip breathing, 105, 316
- *Q* •
- quality of life, 158, 290  
 quality reports, physician, 80  
 quit dates, 159
- *R* •
- Rabe, Klaus F., 299  
 radon, 242–243  
 ramps, 232–233  
 range of motion, 184, 193  
 rapport, patient-doctor, 81  
 rarity of COPD, 287  
 rating of perceived exertion (RPE) scale, 196  
 reachability of items in home
  - bathroom, 223–224
  - bedroom, 223
  - kitchen, 224
  - laundry room, 226
  - living room, 225
  - overview, 222–223
  - reaching tools, 227
  - walking aids, 226–227
 reaching tools, 227  
 realistic expectations, 91–92  
 realistic goals, 294  
 recommendations, physician, 79  
 recommended daily values, 182  
 recovery from acute exacerbations, 255  
 recreational activities
  - checking weather, 217
  - choosing, 216–217
  - evening, 206
  - family's help in arranging, 272–273

- recreational activities (*continued*)
    - overview, 216
    - planning ahead, 218–220
    - skipping, 17
  - red blood cells, 254
  - referrals to specialists, 82
  - refills, medicine, 134
  - regularity of exercise, 101, 186, 195
  - regulation of dietary supplements, 181
  - rehabilitation, pulmonary, 92–93, 316
  - related health factors. *See* complications
  - relatives, first-degree, 41
  - relaxation techniques, 71
  - repetitions, measuring exercise progress by, 188
  - reputation, physician, 80
  - rescue inhalers, 97, 113, 259
  - research, COPD, 74
  - resentment, 69
  - residual volume, 51, 316
  - respiration, 316
  - respiratory disease, 154–155
  - respiratory failure, 316
  - respiratory infections, 14, 98
  - respiratory paralysis, 179
  - respiratory rate, 309
  - respiratory system, 185
  - responsibilities, delegation of, 71
  - rest
    - during afternoon, 206
    - after meals, 176
    - while preparing meals, 228
  - resuscitation, 263
  - retention, water, 168–169
  - reversibility
    - airway obstruction, 14
    - asthma versus COPD, 54
    - lung damage, 59
  - rhythm, daily
    - energy for afternoon, 205–206
    - identifying, 202–203
    - morning rituals, 203–205
    - overview, 202
    - quiet evenings, 206–207
  - right heart failure. *See* cor pulmonale
  - right lungs, 22
  - risk factors
    - age, 39
    - assessing, 43, 61
    - behavioral, 33–37
    - bullectomy, 138
    - economic status, 39
    - exercise, 196
    - gender, 38–39
    - heredity, 40–41
    - lung transplant, 140
    - lung volume reduction surgery, 139
    - medical history, 41–42
    - overweight persons, 174–175
    - reducing, 61
    - underweight persons, 175
  - rituals, morning, 203–205
  - routines
    - daily, 231
    - and grief, 268
  - RPE (rating of perceived exertion) scale, 196
  - rushed activities, 296–297
- S •
- salmeterol, 115
  - salt, 169–170, 174, 285–286
  - saturated fats, 170–171
  - scarves, 209
  - schedules, work, 213–214
  - scooters, motorized, 227
  - secondary polycythemia, 254
  - secondhand smoke
    - benefits of avoiding, 282
    - correlation to COPD, 34
    - danger of, 32
    - defined, 315
    - effects on body, 152–153
    - prevention of acute exacerbations, 254
  - sedative effect of nicotine, 150
  - sedentary, defined, 316
  - selective serotonin reuptake inhibitors (SSRIs), 160
  - self-care, 71–72, 87, 267
  - self-serve rules, 230
  - sensitivity, lung, 42
  - sensor cells, 24
  - seriousness of COPD, 290

- servicing sizes, 178, 285
- severe attacks. *See* acute exacerbations
- severe COPD, 17, 58–59, 93
- severity of symptoms, 290
- sex, 65
- shawls, 212
- shoes, 209
- shopping, 218
- short-acting bronchodilators
  - anticholinergics, 114
  - beta-agonists, 113
  - theophyllines, 114
  - use of, 97
- shots, flu, 98
- showering, 204
- sicknesses. *See* illnesses
- side effects
  - antidepressants, 74
  - bronchodilators, 116–117
  - defined, 316
  - minimizing, 97–98
  - mucolytic agents, 120
  - steroids, 118–119
- sidestream smoke. *See* secondhand smoke
- silica dust, 30
- simplification in house
  - cleaning, 229
  - creating social center, 230
  - meals, 227–228
  - overview, 227
- sinuses, 26
- skills, general life, 87
- skin
  - effect of smoking on, 153
  - wrinkles, 42
- sleep apnea, 317
- slope, ramp, 232
- small meals, 176–177
- smog, 31, 283
- smoke, 281–282
- smoking
  - cessation techniques, 74, 158–164
  - effect on COPD, 9–11
  - effect on lung function, 31–32
  - inhalation of particles from, 245
  - myths about COPD, 288–289
  - nicotine addiction, 149–151
  - overview, 147–148
  - prevention of acute exacerbations, 254
  - quitting, 74, 96, 155–158, 254, 271, 281, 288–289
  - as risk factor, 34–35
  - toxic chemicals, 151–155
- snacking, 177
- social activities. *See also* outings
  - creating social centers at home, 230
  - developing optimism through, 91
  - help from occupational therapists, 88
  - skipping, 17
- Social Security disability benefits, 215
- social workers, 275
- sodium, 169–170, 174, 285–286
- somnolence, 316
- space heaters, 211
- spacers, inhaler, 121–123, 317
- spasms, 317
- special activities, 294
- specialists, 82
- spicy foods, 172–173
- spirometers, incentive, 313
- spirometry, 41, 48–50, 83, 317
- sponge baths, 204
- spouses. *See* family
- sprays, aerosol, 205
- sputum, 317
- SSRIs (selective serotonin reuptake inhibitors), 160
- Stage I COPD, 57–58
- Stage II COPD, 58
- Stage III COPD, 58–59
- stair stepping, 192
- stairs, 230–231
- static electricity, 283
- stearic acid, 171
- stepping exercises, 192
- steroids
  - for asthma versus for COPD, 54
  - defined, 317
  - diabetes, 303
  - drug-induced osteoporosis, 304
  - family's understanding of, 270
  - forms of, 118
  - overview, 111, 117–118
  - side effects, 118–119
  - withdrawal effects, 119

- stomach muscles, coughing with, 106–107
  - stop-smoking aids, 74, 160–162
  - storage of items containing air pollutants, 246
  - stoves, wood, 282
  - strategies, coping. *See* coping strategies
  - strengthening exercises for limbs, 191–192
  - stress, 19, 70–72
  - stretch receptors, 27
  - stretches
    - bed, 204
    - cool-down, 193
    - need for care with, 233–235
    - warm-up, 192–193
  - strokes, 154
  - sudden attacks. *See* acute exacerbations
  - supplemental oxygen. *See* oxygen therapy
  - supplements, 317. *See also* nutritional supplements
    - supplies, duplicate, 231
  - support. *See also* family
    - antidepressants, 73–74
    - COPD groups, 72
    - coping strategies, 297
    - for family of COPD sufferers, 268–269
    - quitting smoking, 163
    - therapy, 72–73
  - surgeries
    - bullectomies, 136–138
    - lung transplants, 140
    - lung volume reduction surgery, 138–139
    - overview, 135
  - survival rates, lung transplant, 140
  - suspenders, 208
  - swimming, 190
  - swollen ankles, 300
  - symptoms. *See also* acute exacerbations
    - asthma, 53–54
    - controlling, 96–98
    - depression, 72–73, 90
    - key indicators for COPD, 60
    - lung cancer, 55
    - managing, 61–62
    - mild COPD, 57
    - moderate COPD, 58
    - monitoring, 61
    - pulmonary tuberculosis, 55–56
    - severe COPD, 58–59
    - severity of and seriousness of disease, 290
    - smoking withdrawal, 156–157
    - sudden onset of severe, 100
    - when to call for help, 278
    - withdrawal, 318
  - systemic inflammation, 301
- T ●
- tables, living room, 225
  - tanks, oxygen, 131
  - targeted exercises, 88–89
  - TB (tuberculosis), 14, 55–56
  - teams. *See* healthcare team
  - teamwork, 69–71
  - techniques, stretching and bending, 233–235
  - temperature
    - fans and air-conditioning, 210
    - heating options, 210–212
    - overview, 209
  - tension, 70–72. *See also* stress
  - tests
    - arterial blood gas, 52–53
    - bronchodilator reversibility, 50
    - chest X-rays, 51–52
    - diffusion capacity, 50
    - lung cancer, 55
    - lung volume, 51
    - overview, 47
    - oximetry, 50–51
    - by pulmonologists, 83–84
    - spirometry, 41, 48–50, 83
  - theophyllines
    - during crises, 260
    - defined, 317
    - long-acting, 115–116
    - overview, 112–113
    - short-acting, 114
    - side effects, 117
  - therapy, 72–73. *See also* oxygen therapy
  - thinking abilities and exercise, 101
  - throw blankets, 212
  - thrush, 119
  - tidal volume, 317
  - ties, 208
  - time, measuring exercise progress by, 188
  - timers, for medicines, 133

tiotropium, 115  
 TLC (total lung capacity), 51, 317  
 tobacco smoke, 31–32. *See also* smoking  
 tocopherols, 167  
 tocotrienols, 167  
*Today's Caregiver* magazine, 268–269  
 tolerance, nicotine, 150  
 tonsils, 26  
 tools, reaching and carrying, 227  
 total lung capacity (TLC), 51, 317  
 total pack years, 34  
 tote bags, 231  
 tracheas, 22, 317  
 tracheostomy tubes, 131–132  
 tracheotomies, 258, 317  
 traditional medicine. *See* alternative treatments  
 training, physician, 80  
 trans fats, 171  
 transplants, lung, 140, 313  
 transportation, 276  
 transtracheal oxygen therapy, 132  
 travel. *See* outings  
 treatments. *See also* drugs; surgeries  
   acute exacerbations, 256–258  
   alternative, 135, 140–143  
   asthma, 54  
   by doctors, 60–62  
   emotional distress, 68  
   goals of, 95–100, 291  
   life-sustaining, 262–263  
   mild COPD, 57  
   moderate COPD, 58  
   myths about, 290  
   overview, 59–62  
   role of pulmonologists, 84  
   by self, 60  
   severe COPD, 59  
 tremors, 317  
 triggers  
   acute exacerbation, 253, 256  
   asthma, 54  
   fumes, 282–283  
   heavy meals, 285  
   high humidity, 284–285  
   high pollution areas, 283  
   high sodium content, 285–286

overexertion, 286  
 overview, 281  
 sick people, 286  
 smoke, 281–282  
 smoking, 159, 163–164  
 very cold air, 284  
 windy, dusty days, 283–284  
 trips. *See* outings  
 tuberculosis (TB), 14, 55–56  
 tubes  
   chest, 138  
   endotracheal, 257  
   tracheostomy, 131–132  
 turning down invitations, 217  
 Type 2 diabetes, 303

## • U •

under-counter cabinets, 224  
 undergarments, 207–208  
 underground jobs, 35  
 undershirts, 208  
 underweight patients  
   appropriate snacks, 177  
   risks, 175  
 unrealistic optimism, 91  
 unwinding, before bed, 207  
 upper-body strength, 88, 191  
 urea-formaldehyde, 244  
 urethane, 152  
 U.S. Department of Agriculture (USDA), 178  
 U.S. Department of Health and Human Services, 80  
 USP designations, on dietary supplements, 182

## • V •

vacations. *See* outings  
 vaccines  
   defined, 317  
   family's understanding of, 270  
   prevention of acute exacerbations, 255  
 vacuums, 249  
 varenicline, 162  
 vegetables, 166–167, 172, 178

ventilation  
 improving in home, 247–248  
 mechanical, 248, 257–258, 262–263  
 while bathing, 204  
 ventilators, 318  
 vents, 248  
 video thorascopies, 136  
 vinyl chloride, 152  
 viruses, 318  
 visiting areas in homes, 230  
 vital capacity, 318  
 vital functions, 82  
 vitamins  
 A, 167, 179  
 B, 179  
 C, 166  
 E, 167  
 overview, 179–180  
 volatile organic compounds (VOCs), 242

## • W •

waist, nonconstrictive clothing, 208  
 waiting times, lung transplant, 140  
 waking moments, 204  
 walkers, 226  
 walking, 190  
 walking aids, 226–227  
 wall cabinets, 224  
 warming up for exercise, 192–193  
 warning signs of sudden attacks, 258–259  
 washing  
 bathing, 204  
 dishes, 228  
 hands, 286  
 washing machines, 226  
 water, 163, 168, 173  
 water pills, 174  
 water retention, 168–169, 285–286  
 weather. *See also* temperature  
 checking before outings, 217  
 concerns while exercising, 197  
 Web addresses, 2  
 wedge resections, 137

weight. *See also* nutrition  
 cigarette smoking, 156–157  
 control and malnutrition, 99  
 importance of diet, 295  
 obesity and weight loss, 302–303  
 overview, 165  
 risks of being overweight, 174–175  
 risks of being underweight, 175  
 welding, 35–36  
 Well Spouse Association, 269  
 wellness programs, 255. *See also* nutrition;  
 exercise  
 wheeled walkers, 226  
 wheezing, 318  
 wills, living, 263–264, 313  
 windpipes, 22  
 windy days, 283–284  
 withdrawal symptoms  
 defined, 318  
 nicotine, 150  
 smoking, 156–157  
 steroids, 119  
 women, COPD in  
 emotional effects of illness, 63  
 myths regarding, 288  
 susceptibility factors, 38–39  
 wood stoves, 282  
 work  
 adjusting duties, 213  
 adjusting schedule, 213–214  
 effect of COPD on, 17  
 overview, 212  
 planning for future inability to, 214–216  
 risk factors at, 35–36  
 talking to employer about, 212–213  
 when not to work, 214  
 worries, 19  
 wrinkles, skin, 42  
 writing, as emotional release, 66

## • Y •

yeast infections, 119