

# Index

## • A •

abstraction, 222–223  
acceptance, user, 229–230  
ACNielsen establishment (Nielsen), 14  
active customer, source data analysis, 211  
Ada programming language, 282  
adaptable architecture, 214–215  
administrator responsibility, 187  
agent technology  
    business intelligence, 124  
    semantics, 306  
agile methodology, project, 168–170  
AI (artificial intelligence), 150–151  
American National Standards Institute (ANSI), 127  
analysis  
    drill-across, 143  
    drill-down, 140–142  
    drill-through, 144  
    drill-up, 143  
    multidimensional, 85–88  
    sequence analysis algorithm, 152  
    trend, 205, 267–268  
ANSI (American National Standards Institute), 127  
API (application programming interface), 138  
application  
    business intelligence, 122  
    legacy, 248  
application developer, 31  
application programming interface (API), 138  
application server service, middleware, 95  
architect  
    roles and responsibilities of, 184  
    subject area of coverage with, 347–348  
architecture  
    acceptance and support, 214  
    adaptable, 214–215  
    assessment, 217–221

    business intelligence, 123–124  
    Common Foundational Integration Modeling Architecture, 83  
    data warehouse deluxe classification, 51  
    data warehouse lite classification, 44–45  
    data warehouse supreme classification, 55  
    EII, 106–108  
    four-layer reference, 218  
    principles, 213–215  
    sample, 56  
    shared nothing architecture, 92–93  
    SOA (service-oriented architecture), 111, 259–260  
artificial intelligence (AI), 150–151  
assessment  
    architecture, 217–221  
    business object, 199–200  
    information, 198–199  
asset. *See* data asset  
association algorithm, 152  
attribute, multivalued, 81  
automatic-correction rule, 101  
automation maturity, delivery process, 221

## • B •

backward-chaining, 150–151  
Balanced Insight Consensus technology, 308  
barrier, communication, 33–34  
batch window, 50  
batch-oriented processing, 13  
BICC (Business Intelligence Competency Center), 191  
BICOE (Business Intelligence Center of Excellence), 191  
bottom-up approach, data warehouse development, 177  
Boyce-Codd normal form, 81  
breakout session, 228  
briefing book, 120, 159–160  
budget, 345

- Building the Data Warehouse (Inmon), 18
  - bulk-loading data, 20–21
  - business analysis. *See also* OLAP
    - as business intelligence category, 117
    - defined, 136
    - drill-across analysis, 143
    - drill-down analysis, 140–142
    - drill-through analysis, 144
    - nesting, 145
    - pivoting, 144
    - resource, 146–148
    - trending, 145
    - visualization, 137–138, 145
  - business data model, 201
  - business intelligence. *See also*
    - collaborative business intelligence; intelligence tool
    - agent technology, 124
    - application, 122
    - architecture, 123–124
    - basic description of, 115
    - briefing book, 120
    - business analysis, 117
    - business-driven, 195–199
    - categories of, 116
    - command center, 120
    - dashboard and scorecard technology, 119–120, 156
    - data mining, 118
    - GIS (geographical information system), 121–122
    - mash-up, 121–122
    - mobile user support, 124
    - querying, 116–117
    - real-time intelligence, 124
    - reporting, 116–117
    - semantic layer management, 309
    - server-based functionality, 123
    - statistical processing, 121
    - unstructured data and, 301–304
    - Web-enabled functionality, 123
  - Business Intelligence Center of Excellence (BICOE), 191
  - Business Intelligence Competency Center (BICC), 191
  - Business Intelligence Network Web site, 333
  - business object assessment, 199–200
  - Business Objects company, 133
  - business requirements analyst, 184–185
  - business rule violation, 100
  - business rules management, 309
  - business trend analysis, 267–268
  - business-driven business intelligence
    - business data model, 201
    - business momentum, 195–196
    - business object assessment, 199–200
    - capturing essence of business need, 196
    - consistent methodology need, 196
    - documentation, 201–202
    - information assessment, 198–199
    - presentation, 201–202
    - sign off, 202
    - value chain, 197–198
  - BusinessIntelligence Web site, 333
- C ●
- CAD/CAM (computer-aided design/computer-aided manufacturing), 86
  - cardinality, 80
  - Cartesian product, 79
  - CASE (computer-aided software engineering), 86, 282
  - CDC (change data capture), 105
  - celebratory party, 344
  - celebrity status, 346
  - Central IT, 32
  - centralization, 13
  - CEO (chief executive officer), 33
  - change data capture (CDC), 105
  - change facilitation, 34–35
  - character data, 299
  - checking-account, organization-bounded
    - data mart, 65–66
  - chief executive officer (CEO), 33
  - chief operating officer (COO), 33
  - CIF (corporate information factory), 82
  - classification algorithm, 151
  - client, subject area of coverage with, 349–350
  - coding service, middleware, 98

- Cognos company
  - MDDB resource, 93
  - querying and reporting resource, 133
- collaborative business intelligence
- content finding technology, 315
- example of, 311
- group forum collaboration, 311
- Instant Messaging platform, 311
- knowledge discovery, 313
- knowledge proliferation, 313
- knowledge retention, 313
- quantitative and qualitative information, 313
- report rating, 314
- search-engine technology, 314–315
- shared interest and information technology, 315
- social networking, 315
- support model, 312
- synchronous Web conferencing, 311
- vision of, 316
- visual technology, 315–316
- command center, 120, 160
- commodity product marketplace, 349
- Common Foundational Integration Modeling Architecture, 83
- communication
  - barriers, 33–34
  - cross-organization, 32–34
  - facilitation, 30–34
  - IT-to-business organization, 31–32
  - throughout project, 325–326
- compliance, ODBC, 128
- component model, 176
- Composite Software company, 110, 308
- computer-aided design/computer-aided manufacturing (CAD/CAM), 86
- computer-aided software engineering (CASE), 86, 282
- conference
  - asking questions at, 284
  - being skeptical at, 285
  - as fact-finding mission, 285
  - parallel session, 284
  - smart shopping at, 283–285
- conflict
  - conflict-resolution skill set, 337
  - dealing with, 260–262
- consistency, delivery process, 216
- consultant. *See also* vendor
  - ability to distinguish between user requirements, 337
  - advice for, 293
  - checking references of, 292–295
  - client/server knowledge, 335
  - conflict-resolution skill, 337
  - data source analysis ability, 336
  - data source skill set, 335
  - database optimization knowledge, 335
  - determining if needed, 291–292
  - as early-warning system, 337
  - as expert in field, 336
  - general system and application development knowledge, 338
  - good written and verbal communication skills of, 336
  - roles and responsibilities of, 335–336
  - source data analysis, 208
  - staff augmentation, 293
  - up-to-date information knowledge, 338
  - vocabulary pattern of, 338
- content. *See* data content
- content finding technology, 315
- convergence, data, 102
- COO (chief operating officer), 33
- corporate information factory (CIF), 82
- corporate standards, cross-company data warehousing, 269
- correction rule, 101
- corrupted data, 100
- cost
  - cross-company data warehousing, 269
  - data mart, 62
- cross-company setting, multi-company cooperation, 268–269
- cross-organization communication, 32–34
- Crystal Reports tool, 133
- customer
  - feedback, 348
  - identifying, 195



- dashboard and scorecard technology
  - briefing book, 159–160
  - as business intelligence category, 119–120, 156
  - command center, 160
  - EIS product, 161
  - key indicator, 158–159
  - as presentation mechanism, 158
  - principle of, 155–156
  - as visual representation, 157
- data
  - bulk-loading, 20–21
  - character, 299
  - convergence, 102
  - corrupted, 100
  - date and time, 299
  - duplicated, 13
  - implementation-defined, 76
  - integrate-the-business, 10, 12
  - internally acquired, 53
  - Internet, 243
  - islands of data concept, 16
  - logical sequences of, 75–76
  - mismatch problem, 108
  - numeric, 299
  - selective inclusion of, 102
  - sensitive, 269
  - spatial, 122
  - state-of-the-art, 52
  - truncated, 104
  - unstructured, 301–304
- data analysis. *See* source data analysis
- data analyst, 189
- data asset
  - basic description of, 9–10
  - integrate-the-business data, 10, 12
  - manufactured, 10–11
  - monitor-the-business data, 10, 12
  - run-the-business data, 10, 12
- data content
  - basic description of, 39
  - data warehouse deluxe classification, 46–48

- data warehouse lite classification, 41–42
- data warehouse supreme classification, 52–53
- data convergence, 102
- data dump, 22–23
- data extraction
  - data warehouse deluxe classification, 50–51
  - data warehouse lite classification, 44
  - data warehouse supreme classification, 55
- data feed, 250
- data field, source data analysis, 209
- data gap
  - communication barriers, 34
  - external data, 245
  - QA, 100
  - source data analysis, 210–211
- data gathering, 28–30
- data integration, 40
- data loading service, middleware, 104
- data mart. *See also* data warehouse lite classification
  - architectural approaches to, 59–63
  - bottom-up approach to, 63
  - business question criteria, 67–68
  - cost, 62
  - data warehouse versus, 68–69
  - function-bounded, 66
  - geography-bounded, 64–65
  - implementation, 69
  - integration-oriented, 63
  - market-bounded, 67
  - organization-bounded, 65–66
  - quick-strike, 62–63
  - retail-outlet approach to, 60–61
  - sourced by data warehouse, 60–61
  - top-down approach to, 62–63
  - what to put in, 64–68
- data mining
  - AI and, 150–151
  - as business intelligence category, 118
  - discovery-oriented, 118
  - lack of integration, 118
  - predictive, 118
  - primary role in, 149

- resource, 152–153
  - in specific business mission, 150
  - statistics and, 151–152
- data model
  - business, 201
  - multivalued attributes, 81
  - RDBMS development, 74
- data modeler, 185–186
- data movement service
  - architecture assessment, 219
  - middleware, 97, 101, 104
- data source
  - basic description of, 39
  - data warehouse deluxe classification, 48
  - data warehouse lite classification, 42
  - data warehouse supreme classification, 53
- data store. *See also* ODS
  - importance of, 249
  - source data feed, 250
- data summary, 102
- data type, 299–300
- data warehouse appliance
  - defined, 92
  - MPP (massively parallel processing), 92
  - shared nothing architecture, 92–93
- data warehouse auxiliary, 240
- data warehouse deluxe classification
  - architecture, 51
  - basic description of, 39
  - data content, 46–48
  - data extraction, movement, and loading, 50–51
  - data source, 48
  - database, 50
  - intelligence tools, 48–50
  - subject area, 46–48
- data warehouse lite classification. *See also* data mart
  - architecture, 44–45
  - basic description of, 39
  - data content, 41–42
  - data extraction, movement, and loading, 44
  - data source, 42
  - database, 43
  - intelligence tools, 43
  - subject area, 41–42
- data warehouse supreme classification
  - architecture, 55
  - basic description of, 39
  - data content, 52–53
  - data extraction, 55
  - data source, 53
  - database, 55
  - intelligence tools, 54
  - subject area, 52–53
- The Data Warehouse Toolkit (Inmon), 18
- Data Warehousing Information Center
  - Web site, 332
- Data Warehousing Institute Web site, 331
- database. *See also* RDBMS
  - basic description of, 40
  - data warehouse deluxe classification, 50
  - data warehouse lite classification, 43
  - data warehouse supreme classification, 55
  - denormalization, 131
  - distributed data warehousing
    - environment, 56–57
  - gigabyte, 50
  - MDB (multidimensional database), 43
  - multidimensional, 86–90
  - multiple, 56–57
  - normalization, 81–82
  - object, 86
  - ODBC, 128
  - OLAP, 138
  - partition, 80
  - snapshot, 105
  - table-row-column structure, 88
  - VLDB (very large database), 80
- database administration group, 261
- database administrator responsibility, 187
- database designer, 185–187
- DATALlegro company, 19
- date and time data, 299
- DDBMS (distributed database management system), 16
- decision making, 25–28
- delivery process
  - abstraction, 222–223
  - architecture assessment, 217–221
  - architecture principles, 213–215

- delivery process (*continued*)
    - architecting through abstraction, 222–223
    - automation maturity, 221
    - consistency, 216
    - deployment, 220
    - design, 220
    - error-prone process, 221–222
    - faster cycle time goal, 214
    - standard platform, 216–217
    - testing phase, 220
    - verification process, 220
  - deluxe classification. *See* data warehouse
    - deluxe classification
  - denormalization, 131
  - deployment
    - delivery process, 220
    - project, 168, 173–174
    - project plan, 329
    - user feedback, 229
  - design
    - delivery process, 220
    - project, 168, 171
  - design phase, source data analysis, 207
  - designer, database, 185–187
  - desktop analysis tool, 324
  - desktop deployment required tool, 322–323
  - desktop OLAP (DOLAP), 137
  - developer responsibility, 187–188
  - development, cross-company data
    - warehousing, 269
  - Devlin, Barry (business data warehouse
    - terminology introduction), 17
  - digital content, 301
  - dimension, 87–88
  - directory service
    - EII, 108
    - middleware, 95
  - discovery-oriented data mining, 118
  - disk storage, 53
  - dispute resolution, 269
  - distributed computing. *See* middleware
  - distributed database management system
    - (DDBMS), 16
  - distributed infrastructure, 247–248
  - DME (Distributed Management Environment), 282
  - DMReview Web site, 333
  - documentation
    - business-driven business intelligence, 201–202
    - sign-off, 202
  - DOLAP (desktop OLAP), 137
  - drill-across analysis, 143
  - drill-down analysis, 140–142
  - drill-through analysis, 144
  - drill-up analysis, 143
  - duplicated data, 13
- E ●**
- EBIS (Europe/Middle East/Africa Business Information System), 17
  - econometric data, 243
  - EII (Enterprise Information Integration)
    - architecture, 106–108
    - challenges, 109–110
    - data mismatch problem, 108
    - directory service, 108
    - metadata service, 108
    - security service, 108
    - synthesis service, 108
    - transaction-management service, 109
    - virtual data warehousing service, 106–107
  - EIS (executive information system), 119, 161
  - employee. *See* team member
  - end-user querying and reporting, 129
  - enterprise data warehouse model, 176
  - Enterprise Information Integration. *See* EII
  - error-prone delivery process, 221–222
  - Ethernet, 74
  - ETL (Extract, Transform, and Load) tool, 98
  - Europe/Middle East/Africa Business Information System (EBIS), 17
  - Excel PivotTable, 117
  - executive information system (EIS), 119, 161
  - executive management
    - connecting the enterprise, 270
    - pitching budget needs to, 266
    - pitching idea of project to, 265–266
    - selling on business value of successful data, 263–266
  - executive sponsor, 189–190

Expressor Software, 308  
 extensible markup language (XML), 244  
 external data  
   acquiring, 242–243  
   append model, 241  
   complete replacement model, 240  
   data gap, 245  
   determining need for, 236–238  
   econometric data, 243  
   ensuring quality of, 238–239  
   filtering and reorganizing, 240  
   historical, 244  
   importance of, 234–235  
   in-place update model, 241  
   Internet data, 243  
   maintaining control over, 243–246  
   new data, determining when available, 245  
   periodicals, 245  
   providers, switching to new, 245  
   restocking/updating, 240–241  
   rolling append model, 241  
   staying on top of change, 244  
   transportation means, 245  
   viewing from user's perspective, 235–236  
   weekly and monthly transmission, 242  
 extract file  
   cataloguing, 274–275  
   data warehouse comparison, 271–273  
   deciding what to do with, 274–278  
   defined, 271  
   determining business value of, 276  
   getting rid of, 277  
   merge process, 271  
   migration, 279–280  
   replacing, 277  
   reporting, 275  
   retaining, 278  
   upgrading, 278  
 Extract, Transform, and Load (ETL) tool, 98  
 extraction, data  
   data warehouse deluxe classification, 50–51  
   data warehouse lite classification, 44  
   data warehouse supreme classification, 55  
 extraction service  
   basic description of, 11  
   middleware, 99

## • F •

facilitation, communication, 30–34  
 facilitator, 228  
 fact  
   multidimensional analysis, 87  
   pre-calculated, 88  
 fat client, 123  
 Father of Marketing Research (Parlin), 14  
 feedback  
   customer, 348  
   user, 228–229  
 feedback loop, ODS, 256–258  
 fifth normal form, 81  
 File Transfer Protocol (FTP), 98  
 filtering, 129  
 first normal form, 81  
 focus area responsibility, 10–11  
 forward-chaining, 150–151  
 forward-thinking, 17  
 fourth normal form, 81  
 Framework Manager design tool, 133  
 front-end tools specialist, 187–188  
 FTP (File Transfer Protocol), 98  
 function-bounded data mart, 66  
 funding, 345

## • G •

Gartner Web site, 334  
 gathering data, 28–30  
 geography-bounded data mart, 64–65  
 gigabyte, 50  
 GIS (geographical information system), 121–122  
 group forum collaboration, 311

## • H •

help, tool, 323  
 hierarchy, MDDDB, 87  
 historical external data, 244  
 history of data warehousing, 14–18  
 horizontal storage manager  
   defined, 85  
   vertical storage manager versus, 90–92

## • 1 •

IBM company  
 business analysis resource, 146  
 middleware resource, 110  
 IBM Data Management, 83–84  
 IBM flagship DB2 relational database product, 84  
 IDC (International Data Corporation)  
 Web site, 334  
 Imhoff, Claudia (CIF development), 82  
 implementation  
 data mart, 69  
 ensuring uniqueness of, 37–38  
 implementation-defined data, 76  
 inactive customer, source data analysis, 211  
 indexing technology, 79–80, 91  
 industry analysts' Web site, 334  
 Informatica company, 111  
 information assessment, 198–199  
 Information Builders company, 134  
 information factory team member role, 192  
 information technology. *See* IT  
 information value chain, 233–234  
 infrastructure (organizational operating model), 192  
 Inmon, Bill  
 Building the Data Warehouse, 18  
 CIF development, 82  
 Instant Messaging platform, 311  
 integrate-the-business data, 10, 12  
 integration  
 data, 40  
 integration-oriented data mart, 63  
 integrity  
 data integrity problem, 48  
 subject area of coverage, 350  
 transactional, 95  
 intelligence tool  
 basic description of, 39  
 data warehouse deluxe classification, 48–50  
 data warehouse lite classification, 43  
 data warehouse supreme classification, 54  
 Intelligent Enterprise Web site, 332

interaction manager, 189  
 interface supported tool, 324  
 internally acquired data, 53  
 International Data Corporation (IDC)  
 Web site, 334  
 Internet data, 243, 350  
 Ipedo company, 111  
 islands of data concept, 16  
 ISO (International Organization for Standardization), 127  
 IT (information technology)  
 application developer, 31  
 Central, 32  
 corporate-or-else mandate, 33  
 IT-to-business organization  
 communication, 31–32  
 LOB (Line of Business), 32  
 iteration, data mart implementation, 69

## • J •

joined tables, RDBMS, 75

## • K •

KBMS (knowledge base management system), 150  
 key indicator, 158–159  
 Kimball, Ralph  
 The Data Warehouse Toolkit, 18  
 Red Brick Systems founder, 17  
 star schema design technique, 82  
 knowledge base management system (KBMS), 150  
 knowledge discovery, 313  
 knowledge is power phrase, 28–30  
 knowledge proliferation, 313  
 knowledge retention, 313

## • L •

lag time, 20–21  
 LAN (local area network), 74  
 large data warehouse development, 176–179  
 leader responsibility, 183

legacy application, 248  
 legacy system migration effort, 131  
 lite classification. *See* data warehouse lite classification  
 LOB (Line of Business) IT, 32  
 local area network (LAN), 74  
 logical sequences of data, 75–76

## • M •

mainstream information technology, 289  
 manufactured data asset, 10–11  
 mapping and transformation logic, source  
   data analysis, 211–212  
 mapping service, middleware, 102  
 market-bounded data mart, 67  
 marketplace, subject area of coverage  
   with, 349  
 mash-up  
   as business intelligence category, 121–122  
   defined, 54, 306  
   example of, 307  
 massively parallel processing (MPP), 92  
 master data management (MDM), 194,  
   258–259  
 MDDB (multidimensional database)  
   advantages/disadvantages, 89  
   basic description of, 43  
   hierarchy, 87  
   physical database structure in, 88–89  
   PowerCube, 93  
   pre-calculated fact, 88  
   resource, 93–94  
   sparse array management techniques, 89  
   vendor, 89  
 MDM (master data management), 194,  
   258–259  
 MDX (multidimensional expression), 138  
 meeting, user group, 344  
 message queue, 95  
 messaging, 20  
 metadata service, 108  
 micromanagement, 327  
 Microsoft  
   data mining resource, 152  
   Excel PivotTable, 117  
   MDDB resource, 93  
   middleware resource, 111  
   querying and reporting resource, 134  
 Microsoft SQL Server, 84  
 MicroStrategy company, 147  
 middleware  
   application server service, 95  
   custom coding service, 98  
   data loading service, 104  
   data movement service, 97, 101, 104  
   directory service, 95  
   EII service, 106–110  
   extraction service, 99  
   mapping service, 102  
   message queue, 95  
   OLAP, 138  
   programs and routines, 96  
   QA (quality assurance) service, 99–101,  
     103–104  
   replication service, 105  
   resources, 110–112  
   security services, 95  
   selection service, 99  
   specialty service, 104–108  
   transactional integrity, 95  
   transformation service, 102  
   Web server service, 95  
 middleware specialist, 188  
 migration  
   extract file, 279–280  
   legacy system, 131  
 mission statement, 340  
 mixed-mode approach, data warehouse  
   development, 177–178  
 mobile user support, 124  
 MOLAP (multidimensional OLAP), 137  
 monitor-the-business data, 10, 12  
 MPP (massively parallel processing), 92  
 multi-company cooperation, 268–269  
 multidimensional analysis  
   defined, 85  
   dimension, 87–88  
   fact, 87  
 multidimensional database. *See* MDDB  
 multidimensional expression (MDX), 138

multidimensional OLAP (MOLAP), 137  
 multimedia, 300–301  
 multivalued attribute, 81  
 Murphy, Paul (business data warehouse terminology introduction), 17

## • N •

negotiation, 326  
 nesting, 145  
 Netezza company, 19  
 Nielsen, Arthur C. (ACNielsen establishment), 14  
 normalization  
   Boyce-Codd normal form, 81  
   fifth normal form, 81  
   first normal form, 81  
   fourth normal form, 81  
   second normal form, 81  
   side effect to, 82  
   third normal form, 81  
   update anomaly, 82  
 numeric data, 299

## • O •

object  
   business object assessment, 199–200  
   database, 86  
 ODBC (Open Database Connectivity), 128  
 ODBMS (object-oriented database management system), 86  
 ODS (operational data store)  
   batch input, 250  
   current operational state, 251  
   defined, 55, 82  
   end-to-end approach, 250  
   example of, 251–255  
   feedback loop, 256–258  
   historical data in, 253  
   informational and analytical environment, 251  
   one-stop shopping example, 252  
   quality assurance example, 252–253

state of data reflection, 254–255  
 subject matter, 251  
 update-and-replace operation, 250  
 OLAP (online analytical processing). *See*  
   also business analysis  
   basic description of, 135–136  
   as business intelligence category, 117  
   database, 138  
   DOLAP (desktop OLAP), 137  
   guidelines and tradeoff for, 139  
   history of, 136  
   middleware, 138  
   MOLAP (multidimensional OLAP), 137  
   past technology, 73–74  
   querying, 128  
   reporting, 128  
   ROLAP (relational OLAP), 137  
 OLAP Report Web site, 332  
 online analytical processing. *See* OLAP  
 Open Database Connectivity (ODBC), 128  
 operational data store. *See* ODS  
 operations team member role, 192  
 Oracle  
   business analysis resource, 147  
   MDDB resource, 94  
   middleware resource, 111  
   querying and reporting resource, 134  
   RDBMS resource, 84  
 Oracle Warehouse Builder (OWB), 111  
 organizational operating model, 191–192  
 organization-bounded data mart, 65–66  
 overtime, 328–329  
 OWB (Oracle Warehouse Builder), 111

## • P •

Parlin, Charles Coolidge (Father of Marketing Research), 14  
 partition, 80  
 Pentaho company, 147  
 periodicals, external data, 245  
 pivoting, 144  
 PivotTable (Excel), 117  
 platform, 101

- PMO (program management office), 261
  - pointers, RDBMS, 75–76
  - PowerCube MDDDB, 93
  - predictive data mining, 118
  - presentation, business-driven business intelligence, 201–202
  - probability, statistical processing, 121
  - problem
    - conflict, dealing with, 259–261
    - consultant as early-warning system, 337
    - data integrity, 48
    - red-line, 119
    - signs of project in trouble, 339–342
  - ProClarity company, 18
  - product engineering (organizational operating model), 192
  - product evaluation, 342
  - program management office (PMO), 261
  - project
    - agile methodology, 168–170
    - applying best development practice to, 167–169
    - buy-in importance, 174–175
    - communication throughout, 325–326
    - deployment, 168, 173–174
    - design, 168, 171
    - development and testing, 168, 171–173
    - development project comparison, 166–167
    - enterprise-scale initiative, 175–176
    - impact of organizational culture on, 329
    - large data warehouse development, 176–179
    - overtime, 328–329
    - project control team member, 327
    - pulling team member from, 342
    - requirements, 167, 170
    - schedule, 328–329
    - scope phase, 339
    - signs of project in trouble, 339–342
    - successful project sign, 343–346
    - taking break from, 329
    - time constraint, 328–329
    - uniqueness, 349
    - when mission statements gets questioned, 340
  - project control team member, 327
  - project management (organizational operating model), 192
  - project manager
    - as negotiator, 326
    - roles and responsibilities of, 181–182
  - project master-data initiative, 195
  - promotion, team member, 346
  - proof-of-concept system, 74
  - proprietary data, 269
- *Q* •
- QA (quality assurance)
    - business rule violation, 100
    - corrupted data, 100
    - cross-table inconsistencies, 100
    - data gap, 100
    - data store example, 252–253
    - external data quality, 238–239
    - first-level, 103
    - middleware, 99–101, 103–104
    - missing values, 100
    - quality assurance station, 51
    - second-level, 104
    - source system analysis, 100–101
    - spelling inconsistency, 100
    - user feedback, 229
  - QA specialist, 188–189
  - quality assurance. *See* QA
  - quantitative and qualitative information, 313
  - query optimizer, 76, 78–79
  - Query Studio tool, 133
  - querying
    - cross-tabular, 126
    - drill-down level, 126
    - end-user, 129
    - interaction model, 116–117, 125
    - managed querying and reporting environment, 129–130
    - normalized database table, 131–132
    - OLAP, 128
    - resource, 133–134
    - SQL role in, 127–128
    - technical-based tools, 128–129
  - quick-hit solution, 131
  - quick-strike data mart, 62–63

## • R •

RDBMS (relational database management system)

- Cartesian product, 79

- data access optimization, 79

- data model development, 74

- history of data warehousing, 16

- implementation-defined data, 76

- indexing technology, 79–80

- joined table, 75

- new design techniques, 82–83

- OLTP and, 77

- parallel processing in, 80

- past technology, 73–76

- pointers, 75–76

- query optimizer, 76, 78–79

- resources, 83–84

- spreadsheet example, 75

- star schema, 79

- traditional design techniques, 81–82

- updated technology, 78–80

real-time intelligence, 124

Red Brick Systems founder (Kimball), 17

red-line problem, 119

regression algorithm, 152

relational database management system.

*See* RDBMS

relational join operation, 42

relational OLAP (ROLAP), 137

replication middleware service, 105

report rating, 314

report server, 123

Report Studio tool, 133

report writer, 15

reporting

- cross-tabular, 126

- Crystal Reports tool, 133

- end-user, 129

- extract file, 275

- interaction model, 116–117, 125

- managed querying and reporting

- environment, 129–130

- normalized database table, 131–132

- OLAP, 128

- organized listing of, 126

- regular report runs, 126

- Report Studio tool, 133

- resource, 133–134

- SQL role in, 127–128

requirements, project, 167, 170

resignation, 341–342

resource. *See also* Web site

- business analysis, 146–148

- data mining, 152–153

- MDDB (multidimensional database), 93–94

- middleware, 110–112

- querying, 133–134

- RDBMS, 83–84

- reporting, 133–134

retail product, 22–23

retail-outlet, 60–61

retention, team member, 348–349

risk management, 66

ROI (return on investment), 264

ROLAP (relational OLAP), 137

rule

- automatic-correction, 101

- business rule violation, 100

- business rules management, 309

run-the-business data, 10, 12

## • S •

SAAS (software as a service), 282

SAP company, 147–148

Sarbanes-Oxley (SOX) Act of 2002, 167

SAS data store

- business analysis resource, 148

- data mining resource, 152–153

schedule, project, 328–329

Scientific American magazine (The

Semantic Web article), 305–306

scope creep, 69, 341

scope phase

- project, 339

- source data analysis, 206

scorecard and dashboard technology

- briefing book, 159–160

- as business intelligence category,

- 119–120, 156

- command center, 160
- EIS product, 161
- key indicator, 158–159
- as presentation mechanism, 158
- principle of, 155–156
- as visual representation, 157
- search-engine technology, 314–315
- second normal form, 81
- security service
  - cross-company data warehousing, 269
  - EII, 108
  - middleware, 95
- segmentation algorithm, 152
- selection service, middleware, 99
- selective inclusion of data, 102
- semantic
  - agents, 306
  - business intelligence layer
    - management, 309
  - business rules management, 309
  - Composite Software technology, 308
  - Expressor Software technology, 308
  - The Semantic Web article (Scientific American magazine), 305–306
- sensitive data, 269
- sequence analysis algorithm, 152
- server
  - report, 123
  - Web, 95–96
- server-based functionality, 123
- service-oriented architecture (SOA), 20, 111, 259–260
- shared interest and information
  - technology, 315
- shared nothing architecture, 92–93
- sign off, 202
- site. *See* Web site
- size of data warehouse, 19–20
- small-scale data warehouse. *See* data mart
- snapshot, database, 105
- SOA (service-oriented architecture), 20, 111, 259–260
- social networking, 315
- software as a service (SAAS), 282
- solution management team member role, 192
- source data analysis
  - action plan, 206–208
  - active customer, 211
  - coded data field, 209
  - consultant, 208
  - data gap analysis, 210–211
  - data profiling or statistical tool, 209
  - data structures, 205
  - design phase, 207
  - erroneous information, 204–205
  - inactive customer, 211
  - as key role of project, 203
  - mapping and transformation logic, 211–212
  - program listing, 205
  - scope phase, 206
  - source-to-target information, 212
  - team member, 208
  - technique, 209–210
  - trend analysis, 205
  - unneded data/data elimination, 207–208
  - user feedback, 229
  - what data to analyze, 206–208
- source data analyst, 189
- source data feed, 250
- source systems analysis
  - basic description of, 47
  - QA, 100–101
- Sousa, Ryan (CIF development), 82
- SOX (Sarbanes-Oxley) Act of 2002, 167
- sparse array, 89
- spatial data, 122
- specialty service, middleware, 104–108
- spelling inconsistency, 100
- sponsor, 189–190
- spreadsheet program, 89
- SPSS company, 153
- SQL reporting and querying tool, 127–128
- SSIS (SQL Server Integration Service), 111
- SSRS (SQL Server Reporting Service), 133
- staff augmentation, 293
- staging area, 11
- star join, 79
- star schema
  - defined, 79
  - relational database design, 82
- state-of-the-art data, 52

- statistic, 151–152
- statistical processing
  - as business intelligence category, 121
  - heavy stats, 121
  - probability, 121
  - source data analysis, 209
- storage, disk, 53
- subject area
  - basic description of, 39
  - data warehouse deluxe classification, 46–48
  - data warehouse lite classification, 41–42
  - data warehouse supreme classification, 52–53
  - technical-driven project, 194–195
- successful project sign, 343–346
- summary, data, 102
- support model, collaborative business intelligence, 312
- supreme classification. *See* data warehouse supreme classification
- Sybase (Avaki), 112
- Sybase IQ, 94
- synchronous Web conferencing, 311
- synthesis service, 108

## • T •

- target data, architecture assessment, 218
- team member
  - architect, 184
  - borrowing, 340
  - business requirements analyst, 184–185
  - celebrity status, 346
  - conflict, dealing with, 260–262
  - data modeler, 185–186
  - database administrator, 187
  - database designer, 185–187
  - developer, 187–188
  - front-end tools specialist, 187–188
  - importance of, 179
  - information factory role, 192
  - for large project, 190
  - micromanagement, 327
  - middleware specialist, 188
  - need for additional, 344

- operations role, 192
- organizational operating model, 191–192
- placing in right position, 326
- project control, 327
- project manager, 181–182
- project size consideration, 180
- promotion, 346
- pulling from project, 342
- QA specialist, 188–189
- researching before hiring, 180
- resignation, 341–342
- retention, 348–349
- for small project, 190
- solution management role, 192
- source data analyst, 189, 208
- subject area of coverage with, 348
- technical executive sponsor, 189–190
- technical leader, 183
- turn over rate, 348–349
- unhappy, 339, 342
- user community executive sponsor, 190
- user community interaction manager, 189
- vertical-market specialist, 186
- working overtime, 328–329
- technical executive sponsor, 189–190
- technical leader, 183
- technical metadata repository, 307
- technical-driven project
  - basic description of, 193–194
  - customer identification, 195
  - product master-data initiative, 195
  - subject area, 194–195
- technology
  - agent, 124, 306
  - content finding, 315
  - indexing, 79–80, 91
  - mainstream information, 289
  - search-engine, 314–315
  - shared interest and information, 315
  - visual, 315–316
- Teradata company, 16–17
- testing phase, delivery process, 220
- third normal form, 81
- Thoeny, Peter (*Wikis For Dummies*), 328
- time and date data, 299

time constraints, project, 328–329  
time lag, 20–21  
time stamp, 99  
tool  
    asking questions about, 319–323  
    desktop analysis, 324  
    desktop deployment required, 322–323  
    difference databases of information  
        from, 322  
    help option, 323  
    interface supported, 324  
    need for modification, 322  
    performance, 321, 323  
    selecting without research, 340  
top-down approach, large data warehouse  
    development, 176  
trade show  
    asking questions at, 284  
    being skeptical at, 285  
    as fact-finding mission, 285  
    parallel session, 284  
    smart shopping at, 283–285  
transaction  
    OLAP, 77  
    transaction-management service, 109  
transactional integrity, 95  
transformation logic, source data analysis,  
    211–212  
transformation service  
    data convergence, 102  
    data summary, 102  
    interim transformation station, 51  
    middleware, 102  
    selective inclusion of data, 102  
trend analysis  
    business trend analysis, 267–268  
    source data analysis, 205  
trending, 145  
truncated data, 104

## • U •

uniqueness, project, 349  
unstructured data, 301–304  
update anomaly, 82  
user acceptance, 229–230

user access, architecture assessment, 218  
user community executive sponsor, 190  
user community interaction manager, 189  
user feedback, 228–229  
user group meeting, 344  
user testing  
    business opportunity analysis, 227  
    business problem analysis, 227  
    early user involvement importance,  
        226–227  
    end-to-end impact, 227  
    importance of, 225–226  
    real business situations, importance of  
        using, 227–228

## • V •

value chain, 197–198  
vendor. *See also* consultant  
    cautious buying through, 288–289  
    company and product, researching,  
        286–287  
    dealing with, 286–289, 326  
    MDDB, 89  
    one-on-one vendor-customer  
        relationship, 286  
    open discussion with, 288  
    presentation/demonstration, 287–288  
    as sales representative, 282–283  
    subject area of coverage with, 347–350  
    Web sites for, 334  
Ventana Research Web site, 334  
verification process, 220  
Vertica company, 94  
vertical storage manager  
    horizontal storage manager versus, 90–92  
    indexing technology, 91  
vertical-market specialist, 186  
very large database (VLBD), 80  
virtual data warehousing service, 106–107  
visualization  
    business analysis, 137–138, 145  
    visual technology, 315–316  
VLDB (very large database), 80  
VSAM file, 99

## • W •

Web server, 95–96

Web site

Business Intelligence Network, 333

BusinessIntelligence, 333

Data Warehousing Information Center, 332

Data Warehousing Institute, 331

DMReview, 333

Gartner, 334

IDC (International Data Corporation), 334

industry analyst, 334

Intelligent Enterprise, 332

OLAP Report, 332

vendor, 334

Ventana, 334

Wikipedia, 333

Web-enabled functionality, 123

WebI (WebIntelligence) tool, 133

wiki, 327–328

Wikipedia Web site, 333

*Wikis For Dummies* (Thoeny and Woods), 328

writer, report, 15

## • X •

XML (extensible markup language), 244

XMLA (XML for Analysis), 138