

# Index

*Note:* page numbers in italics refer to figures and diagrams

- ABR (available bit rate) 246, 257
- arrival curve 239–40
- arrival process, Markov-modulated 217–42
- arriving population, size of 45
- asynchronous transfer mode *see* ATM
- ATM (Asynchronous Transfer Mode) networks 135, 217, 257
  - applications of fluid flow model to 236
  - service categories of traffic 245–6
- available bit rate *see* ABR
- average value 13
- axiom of probability 9
  
- balance equations 190–3
- Bayes' formula 6
- Bernoulli random variable 10
- Bernoulli trial 10, 59–60
  - sample sequence 75
- binomial distribution 25, 59–60
- binomial random variable 10, 14
- birth-death processes 96–100
  - transition diagram 96
- blocked-calls telephone system 135
- blocking probability 119–20, 119
- Boudec, Jean-Yves 218
- broadband integrated services networks 217
  
- Burke's theorem 176–8
- Buzen's algorithm (convolution) 253
  
- CAC (connection admission control) 244
- Cauchy random variable 15
- CBR (constant bit rate) 244, 245
- Central limit theorem 22
- central server system 213
- Chapman–Kolmogorov forward equations 80
- circuit-switching data networks 170
- closed network, typical 255
- closed queueing networks 51, 169, 171, 197–215
  - applications of 213–14
  - examples 171, 201
  - Jackson closed queueing networks 197–9
  - performance measures 207–10
- closed serial network 206
- conditional probability 5
  - and independence 5–7
- congestion control 243–57
- connection admission control *see* CAC
- constant bit rate *see* CBR
- continuous random variable 8, 12
- continuous-state process 72
- continuous time Markov chains 91–5
- continuous (time) – parameter process 73

- continuous uniform random variable 11
- convolution algorithm 203–7
- convolution property
  - of Laplace transforms 29
  - of  $z$ -transforms 23–4
- CPU job scheduling problems 171
- CPU system 50–1
- Cruz, Rene L. 236
- cumulative probability distribution
  - function 8
- customer arriving pattern (A) 50
  
- data exchange sequence 154, 154
- data network 246
- decomposition property 63–4
- delay probability 126
- density function 21
- detailed balance equation 107
- deterministic distribution (D) 46
- differentiation property of Laplace
  - transform 30
- Dirac delta function 113
- discrete and continuous Markov
  - processes 71–102
- discrete random variables 8, 12, 13
- discrete-state process 72
- discrete time Markov chains 74–91
  - definition 75–8
  - sojourn times 90–1
- discrete (time) – parameter process 73
- distribution function 8
  - of continuous RV 9
  - of discrete random variable 13
  - joint 16
  - of system state 146–7
  - of system time 147–8
- distribution(s)
  - marginal 16
  - and random variables 8–12
  - state probability 93–5
  
- eigenvalues 34–6
- eigenvectors 34–7
- Engset's loss systems 131–3
- ensemble (or stochastic) average 53, 56
- ergodicity 55
- Erlang, A.K. 43, 135
- Erlang B formula 130
- Erlang distribution ( $E_k$ ) 46
- Erlang- $k$  random variable 12
- Erlang's loss formula 130
- Erlang's loss queueing systems – M/M/
  - m/m systems 129–31
- expectation property of Laplace
  - transform 29
- expected values and variances 13–15
- exponential random variable 11, 30, 64
- exponentially distributed inter-arrival
  - times 64
  
- FCFS (first-come-first-served) 47–8,
  - 111, 142
- feedback loops 169
- feedback open network 172
- Fibonacci numbers 32
- first-come-first-served *see* FCFS
- flow and congestion control 243–57
  - quality of service 245–6
- flow balance 248
- flow conservation law 57–9, 57, 58, 170
- flow control 243–7
  - design based on queueing networks 244
  
- G/M/1 queueing system 141, 165–7
- G1/M/1 queueing system 166
  - performance measures 166–7
- Gamma random variable 11, 35
- Gaussian (Normal) random variable 12
- general and independent (inter-arrival
  - time) distribution 46
- general probability distribution 46
- general service times distribution (G) 48
- general transient solutions for state
  - probabilities 81–6
- generating functions 22–8
- geometric distribution 25
- geometric random variable 10
- global balance concept 106–7, 106
- global balance equation 106, 189
  
- imbedded Markov chain approach
  - 142–3, 142
- independence
  - and conditional probability 5–7
  - of random variables 21–2

- index parameter 72–3
- infinitesimal generator 94
- input process characteristics 45–6
  - arriving pattern 45–6
  - behaviour of arriving customers 46
  - size of arriving population 45
- inter-arrival time distribution 46
- Internet flow control mechanisms 246
  
- Jackson closed queueing networks 197–9
- Jackson queueing networks 181–6
- job processing 169
  - system 50–1, 50
- joint density function 16
- joint distribution function 16
- joint probability mass function 17
- joint random variables and their distributions 16–21
  
- $k$ -stage Erlang random variable 12, 30, 31
- Kendall, David G. 50
- Kendall notation 50–1
- Kirchhoff's current law 57
- Kleinrock independence assumption 21, 179
  
- Laplace, Pierre Simon Marquis De 28
- Laplace transforms 20, 28–32
  - pairs 35
  - for probability functions 31
  - properties 29–32
    - convolution 29
    - differentiation 30
    - expectation 29
    - linearity 29
    - uniqueness 29
- last-come-first-served *see* LCFS
- Law of Total Probability 6
- LCFS (last-come-first-served) 47–8
- linearity property
  - of Laplace transforms 29
  - of  $z$ -transforms 23
- Little, J.D.C. 52
- Little's theorem (law or result) 52–6
  - general applications 54–5
- local balance concept 106–7, 107
- local balance equation 107, 190
- lost-calls-cleared telephone system 135
- lost-calls-delayed telephone system 135
  
- M/G/1 queueing systems 141, 142–8, 151
  - analysis of, using imbedded Markov-chain approach 143–6
  - non-preemptive priority queueing 158–60, 159
  - performance measures 160–3
  - performance measures 150–5
  - with service vacations 155–8
  - performance measures 156–8
- M/M/1 queueing systems 104–10, 104
  - with finite customer population 51
  - number of customers in system 109
  - performance measures 107–10
  - system time (delay) distribution 111–18
- M/M/1/S queueing systems 118–24
  - performance measures 120–4
  - transitional-rates diagram 118
- M/M/m 125
  - performance measures 126–7
  - transition diagram 125
  - waiting time distribution of M/M/m 127–9
- M/M/m/m – Erlang's loss queueing systems 129–31
  - performance measures 130–1
  - system with finite customer population 132
    - performance measures 133–4
  - transition diagram 132
- $m$ -state MMPP 225, 226
- marginal distribution 16
- Markov chain/process
  - birth-death processes 96–100
  - continuous time 91–5
    - definition 91–2
  - discrete and continuous 71–102
  - discrete time 74–91
  - imbedded Markov chain approach 142
  - reducibility and periodicity 88–90
  - semi-Markovian queueing systems 141–68

- single-queue 103–40
- steady-state behaviour 86–8
- Markov-modulated arrival process 217–42
- Markov-modulated Bernoulli process (MMBP) 217, 227–33
  - SMMBP/D/1* 229–31
  - initial conditions 233
  - queue length solution 231–2
  - source model and definition 227
  - superposition of  $N$  identical MMBPs 228–9
  - two-state MMBP 227, 227
- Markov-modulated fluid flow 217, 233–6
  - applications to ATM 236
  - model 234
    - and queue length analysis 233–6
- Markov-modulated Poisson process (MMPP) 217, 218, 218–26
  - applications of 226
  - definition and model 218–23
  - $m$ -state MMPP 225, 226
  - MMPP/G/1 225, 225–6
  - superposition of MMPPs 223–4, 224
- Markovian (memoryless) distribution (M) 46
  - of Poisson process 64–6
  - sample train arrival 65
- Markovian queues in tandem 171, 171–8
  - analysis of 175–6
  - application in data networks 178–81
  - state transition diagram 173
- matrix
  - calculus 36–8
  - formulation of state probabilities 79–81
  - operations 33–8
- mean value 13
- mean value analysis *see* MVA
- memoryless chain 75
- min-plus algebra 241–2
- mixed random variable 12
- MMBP *see* Markov-modulated Bernoulli process
- MMPP *see* Markov-modulated Poisson process
- multi-server 124
  - queues 176
  - systems – M/M/M 124–9
- MVA (mean value analysis) 210–13
- network calculus 218, 236–42
  - arrivals and  $X(t)$  content 238
  - input traffic characterization – arrival curve 239–40
  - sample arrival curve 240
  - sample path of  $A(t)$  and  $D(t)$
  - system characterization – service curve 240–1
  - system description 237–9
  - system view of queue 237
- network layer 244
- Neuts, Marcel F. 33
- non-blocking networks 170
- non-preemptive priority 48
  - M/G/1 158–60, 159
  - performance rates 160–3
- non-real-time variable bit rate *see* NRT-VBR
- Normal (Gaussian) random variable 12
  - normalization conditions 10
  - normalization constant 253
- Norton aggregation or decomposition of queueing network 249
- Norton's equivalent, cyclic queue network 251
- Norton's theorem 248
- NRT (non-real-time variable bit rate) 245
- offered load 56
- one step transitional probability 75
- open-loop flow control 244
- open queueing networks 169–95
  - example 170
  - performance measures 186–90
- operations research 43
- output process characteristics 47–8
- packet-switching data networks 170
- packet-switching network transmission rates 255
- Paradox of Residual Life 152

- parallel servers 47
  - number of ( $X$ ) 50
- PASTA (Poisson Arrivals See Time Averages) 110–11, 112, 143
- PDF (probability distribution function) 8
- pdf* (probability density function) 9, 13, 20, 30
- performance measures
  - closed queueing networks 207–10
  - G1/M/1 166–7
  - M/G/1 150–5
    - non-preemptive priority 160–3
    - with service vacations 156–8
  - M/M/1 107–10
  - M/M/1/S 120–4
  - M/M/m 126–7
  - M7/M/m/m 130–1
  - open networks 186–90
- pmf* (probability mass function) 9, 13
- physical number and layout of servers 46
- point-to-point setup 153, 153
- Poisson Arrivals See Time Averages *see* PASTA
- Poisson distribution 25
  - sample 62
- Poisson process 45, 59–62
  - arrival perspective 60–2
  - limiting case 59–60
  - properties 62–9
    - decomposition 63–4
    - exponentially distributed inter-arrival times 64
    - memoryless (Markovian), of inter-arrival times 64–6
    - Poisson arrivals during random time interval 66–9
    - superposition 62–3, 63
- Poisson random variable 10–11, 14
- Pollaczek-Khinchin formula 150
- pre-emptive resume priority queueing 48
  - M/G/1 163–5
- priority 47–8
- priority queueing systems 158–65
  - non-preemptive priority 48
  - M/G/1 158–60, 159
  - performance rates 160–3
  - preemptive 48, 158
  - M/G/1 163–5
- probability
  - axioms of, and sample spaces 2–5
  - conditional, and independence 5–7
  - density 9
  - flow 106, 190
  - law of total probability 6
  - theory 1–22
- probability density function *see pdf*
- probability distribution, steady-state 199–203
- probability distribution function *see* PDF
- probability mass function *see pmf*
- problems
  - closed queueing networks 214–15
  - discrete and continuous Markov processes 100–2
  - introduction to queueing systems 69–70
  - open queueing networks 193–5
  - preliminaries 39–40
  - semi-Markovian queueing systems 167–8
  - single-queue Markovian systems 139–40
- processor sharing 47–8
- product-form queueing networks 190
- pure-birth process 97
- quality of service (QoS) 243, 245–6
- queue-by-queue decomposition 176
- queued-calls telephone system 135
- queueing discipline (serving discipline) ( $Z$ ) 47–8
- queueing models, considerations for applications of 134–9
- queueing networks with blocking 170
- queueing probability 126
- queueing system(s)
  - introduction 43–70
  - nomenclature 44–5
  - random variables 49
  - schematic diagram 44
  - structure characteristics 46–7
- queueing theory 43
- queueing time 109

- random 47
- random time interval, Poisson arrivals during 66–9
- random variable(s) (RV) 8
  - Bernoulli 10
  - binomial 10
  - continuous 8
  - continuous uniform 11
  - discrete 8
  - and distributions 8–12
  - Erlang- $k$  ( $k$ -stage Erlang) 12
  - exponential 11
  - Gamma 11
  - geometric 10
  - independence of 21–2
  - joint, and their distributions 16–21
  - means and variances of 15
  - mixed 12
  - Normal (Gaussian) 12
  - Poisson 10
  - random sum of 18
  - and their relationships 48–9
  - uniform 11
- rate based adaptive congestion control 257
- real-time variable bit rate *see* RT-VBR
- reducibility and periodicity of Markov chain 88–90
- residual service time 142, 148–50, 148
- resource utilization and traffic intensity 56–7
- RT-VBR (real-time variable bit rate) 245
- RV *see* random variable(s)
- sample point 6
- sample space 6
  - and axioms of probability 2–5
- saturation probability 120
- scalar vector 37
- semi-Markovian queueing systems 141–68
- serial servers 47
- servers
  - parallel 47
  - physical number and layout of 46
  - serial 47
- service curve 240–1
- service pattern (service-time distribution (B)) 48, 50
- service vacations, M/G/1 with 155–8
- serving discipline *see* queueing discipline
- Shaolin monks puzzle 26, 26
- simple feedback open network 172
- simple virtual circuit model 246–7
- single-queue Markovian systems 103–40
- sliding window
  - analysis of flow control mechanisms 246–57
  - simple virtual circuit model 246–7
  - closed network 256
  - control model (closed queueing network) 248
  - data link protocol 151
  - model 247–57
  - protocol 247–9
- spectral representation 34–6
- standard deviation 13
- state space 72
- state probability
  - distribution 93–5
  - general transient solutions for 81–6
- state transition diagram 76, 76, 88, 98, 249
  - lift example 77
- statistical dependency 73–4
- steady-state behaviour of Markov chain 86–8
- steady-state probability distribution 199–203
- stochastic average *see* ensemble average
- stochastic matrix 79
- stochastic (or probability) flow 106
- stochastic processes 72–4
  - classifications 73
  - discrete-state process 72
  - index parameter 72–3
  - statistical dependency 73–4
- stochastic sequence 73
- Stop-and-Wait data link protocol 151
- Strong law of large numbers 21
- superposition property 62–3, 63
  - of MMPPs 223–4, 224
  - of  $N$  identical MMBPs 228–9
- system capacity (Y) 46, 50

- system delay 109
- system state, distribution of 146–7
- system time 109
  - distribution of 147–8
- tandem queues 171, 171–8
  - analysis of 175–6
  - application in data networks 178–81
  - state transition diagram 173
- time-homogeneous Markov chain 75
- total probability
  - law 6
  - theorem 19
- traffic intensity and resource utilization 56–7
- transforms 20
- transition 73, 76
- transition diagram 76
  - of birth-death process 96–100
  - M/M/m 125
  - M/M/m/m 132
- transition matrix 79
- transitional probability matrix 79
  - cf transition-rate matrix 95
- transitional probability (one step) 75
- transitional-rates diagrams
  - M/M/1/S 118
- transition-rate matrix 95
  - cf transition-probability matrix 95
- two-state Markov process 98
- UBR (unspecified bit rate) 244, 245
- uniform random variable 11
- unspecified bit rate *see* UBR
- variable bit rate *see* VBR
- variance 13
  - and expected values 13–15
- VBR (variable bit rate) 244, 245
- VC *see* virtual circuit
- virtual circuit (VC)
  - packet switching network 180
  - queueing model for 180
  - simple model 246–7
- waiting time 109
  - distribution of M/M/m 127–9
- Yule process 99
- $z$ -transformation 22
- $z$ -transforms 22–8
  - for discrete random variables 26
  - pairs 24
  - properties 23–8
    - convolution 23–4
    - final values and expectation 24
    - linearity 23

