

Index

- 1000BASE-PX 230
- 10PASS-TS 235
- 1G 244
- 2BASE-TL 235
- 2G 244–245, 268
- 3G 3, 12, 29, 37, 51, 53, 68, 245, 256, 263, 268, 282, 286
- 3GPP 256, 269, 272, 278–280, 282, 285, 288, 293, 298, 300
- 64/65-octet 216, 236
- 64B/65B 359
- 64B/66B 25
- 8B/10B 230, 356, 359

- AAA 279, 284, 289–290, 292
 - Proxy 279
 - Server 279
- AAAL-5 313
- ABR 179–180
- AbS 36
- ABT 179
- AC 250
- Access Point (AP) 265
- Accounting 48, 289
- ACR 42
- Add/Drop Multiplexer (ADM) 319
- Address
 - Broadcast 55
 - Complete Message (ACM) 134
 - Ethernet
 - Multicast 144
 - Group 145
 - IP 103–104, 106, 142
 - Multicast 88, 143
 - MAC 143
 - Resolution Protocol (ARP) 331

- ADM 319
- Admission control 90, 154, 166, 302
 - token bucket 168
 - See also CAC
- ADPCM 35
- ADSL 9, 14, 56, 207
 - G.dmt 206
 - G.lite 206–207
- ADSL2 63, 209
- ADSL2+ 14, 19–20, 63, 212
- Adspec 188–189
- Advanced Mobile Phone System (AMPS) 244
- AF 294
- AIPN 262
- AKA 295
 - IMS 295, 297
 - UMTS 295
- Alarms 229
 - SDH 373
- Algorithm
 - Bellman-Ford 149
 - Dijkstra 149
 - KMB 149
 - Kruskal 149
 - Prim 149
- All IP Network (AIPN) 262
- Alliance for Telecommunications Industry Solutions (ATIS) 256
- All-to-one bundling 309, 311
 - See also Bundling
- Alphabet 33
- Alternative Best Effort (ABE) 198
- AMPS 244
- AMR 37
- Anomaly 91

- ANSI
 - T1.403 206
 - T1.413 206
 - T1.419 206
 - T1.422 206
 - T1.424 235
 - T1.601 206
 - T1.TR.28 206
 - T1.TR.59 206
- Answer Message (ANM) 134
- Antenna 263, 272
 - Smart, See MIMO
- AP 265
- APP 109
- Application Function (AF) 294
- Application-specific packet, See APP
- ARIB 256, 265
- ARP 331
- ARPU 4, 17, 26
- ARQ 261
- AS 284–286
- ASN 278
 - Gateway (ASN-GW) 278
- ASN-GW 278
- Association of Radio Industries and Businesses (ARIB) 256
- Assured Forwarding (AF) 198
- Asymmetric DSL (ADSL) 207
- Asynchronous Transfer Mode (ATM) 210
- ATIS 256
- ATM 29, 31, 48, 68, 179–181, 210, 212, 216, 254–255, 262, 275, 312, 317, 327
 - Block Transfer (ABT) 179
 - cell 178, 181
 - Forum 178
 - Inverse Multiplexing, See IMA
 - QoS 177
 - Resource Management 181
 - service categories 179
 - SLA 180
 - VCI 314
 - VPI 314, 327
- Attenuation 20–21, 207, 274
- Auditing 289
- Authentication 108, 254, 265, 270, 279, 284, 287–289, 292, 295, 297
 - and Key Agreement (AKA) 295
 - Authorization, and Accounting (AAA) 279
 - Center (AC) 250
 - Mutual 295
- Authorization 265, 270, 283–284, 289, 292, 294
- Automatic Repeat Request (ARQ) 261
- Availability 24
- Available Bit Rate (ABR) 179
- Average Revenue Per User (ARPU) 4
- Band plan
 - 997 216
 - 998 216
 - VDSL 216
 - VDSL2 216
- Bandwidth 18, 35, 104, 160, 190, 257, 263, 272, 274, 277, 282
 - granularity 361
 - profiles 178, 187
- Base
 - Station 244, 249, 257, 277
 - Controller (BSC) 250, 261
 - Subsystem GRPS application Protocol (BSSGP) 255
 - Subsystem Management Application Part (BSSMAP) 251
 - Transceiver Station (BTS) 250
- BD 294
- BE 277
- Beamforming 263
- BER 37, 154
- Best-effort, See BE
- BCGCF 285
- Billing 252, 279
 - Domain (BD) 294
 - Unified 16, 285
 - See also Charging
- Binary Phase Shift Keying (BPSK) 267
- Binder 208
- Bit
 - Error Ratio (BER) 37, 154
 - rate
 - Available, See ABR
 - Constant, See CBR
 - Non-real-time Variable, See nrt-VBR
 - Real-Time Variable, See rt-VBR
 - Unspecified, See UBR
 - Variable, See VBR
 - Redundancy 249
- Blacklist 288
- Bluetooth 16
- Bonding 236
- BPON 221, 225

- BPSK 267, 274
- Breakout Gateway Control Function (BGCF) 285
- Bridged tap 20
- Broadband 3, 18, 300
 - PON (BPON) 221
- Broadcast 144, 312, 322
- BSC 250, 261, 270
- BSSGP 255
- BSSMAP 251
- BTS 250, 261
- Buffer 98
 - Capacity 94
 - Overflow 78, 94
 - Underflow 78, 94
- Bulk Transfer Capacity (BTC) 161
- Bundling 308, 311
 - all-to-one 309, 311
- BYE 109, 115
- Cable
 - operator 12
- CAC 181
- Call
 - Control 46, 285, 298
 - International 15
 - Local 15
 - Multiparty 103
 - Phone 15–16
 - Routing 46, 181
 - Session Control Function (CSCF) 281
 - Setup 294
 - Short distance 15
 - Termination 294
 - to mobile 15
- CallManager 46
- CAM 209
- CAMEL 285
- Canonical end-point identifier, See CNAME
- CAPEX 11, 19, 62
- Capital Expenditure (CAPEX) 11
- Carrier Sense Multiple Access
 - with Collision Avoidance (CDMA/ CA) 268
 - with Collision Detection (CSMA/CD) 223, 268
- Carrierless Amplitude Modulation (CAM) 209
- CAT 85
- CATT 257
- CBR 78, 179–180
- CBS 169
- CC 288
- CCK 266–268
- CCSA 256
- CDMA 256, 263, 274
 - Wideband, See WCDMA
- cdma2000 246–247, 257, 265, 281
- cdmaOne 245
- CD-ROM 81
- CDV
 - peak-to-peak 180
- Cell
 - Delay Variation (CDV)
 - peak-to-peak 178
 - Loss Priority (CLP) 181
 - tagging 181
- CELP 36
 - A 37
 - Conjugate Structure, See CS-CELP
 - Low-Delay, See LD-CELP
 - Q 37
- CEP 319
- Challenge 297
- Channel
 - Bearer 295
 - Broadcast 258
 - Coding 253, 255
 - Control 258
 - Dedicated 258
 - Dedicated Physical, See DPCH
 - Dedicated Physical Control, See DPCCH
 - Dedicated Physical Data, See DPDCH
 - Digital 33
 - Feedback 261, 274
 - ID(CID) 357
 - Radio 247, 263, 266, 272, 274–275
 - Shared 258
 - Traffic, See TCH
- Charging 265, 280, 285, 293–294
 - Event based 293
 - Interconnection 32
 - Offline 293
 - Online 294
 - Rule 293
 - Rules Function (CRF) 293
 - System
 - Offline, See OfCS
 - Online, See OCS
 - Time based 293
 - Volume based 293

- cHEC 358
- China
 - Academy of Telecommunication Technology (CATT) 257
 - Communications Standards Association (CCSA) 256
- Chroma, *See* Chrominance
- Chrominance 68–69, 74
- Churn 4
 - key 226
- CID 276
- CIR 169, 310
- Circuit Emulation over Packet (CEP) 319
- Circuit-switched Data (CSD) 252
- Class of Service (CoS) 152, 357
- Clean-up timer 187
- CLEC 207
- Clock 111
 - accuracy 156
 - drift 157
 - frequency offset 157
 - offset 156
 - resolution 157
 - skew 157
 - System Timing, *See* STC
- CLP 181
- CLR 180
- CM 252
- CNG 37
- Code
 - Chipping, *See* Sequence Chipping
 - Division Multiple Access (CDMA) 245
 - Hoffman 75
 - Space Time, *See* STC
 - Trellis 211
 - Variable Length, *See* VLC
- Codebook 36
- Codec 38, 40, 298
 - Adaptive 36
 - ADPCM 36
 - Analysis by Synthesis, *See* AbS
 - Hybrid 34, 36
 - Source 34
 - Voice 37, 42
 - Waveform 34–35
- Code-Excited Linear Predictive, *See* CELP
- Collision 268, 277
- Committed Information Rate (CIR) 310
- Competitive Local Exchange Carrier (CLEC) 207
- Complementary Code Keying (CCK) 266
- Concatenation 359
 - contiguous 360
 - virtual 356, 360, 362, 375
- Conferencing
 - Multiparty 282
- Confidentiality 108, 292
 - See also* Encryption
- Congestion 39, 102
 - avoidance 154, 165
 - admission control 154, 166–167
 - resource management 154, 166, 170
 - control 90, 108, 152–154, 162
- Connection
 - Admission Control (CAC) 181
 - Identifier (CID) 276
 - Management (CM) 252
- Connectivity Service Network (CSN) 278
- Constant Bit Rate (CBR) 179
- Constraint-based Routed LDP (CR-LDP) 330
- Contention 10, 93, 277
- Contributing Source, *See* CSRC
 - Control plane 324
- Copper
 - local loop 22
 - voice grade 236
- CoS 152
- CPE 19, 21
- CPVR 67
- CRC 232
- Credit-control 294
- CRF 293
- CR-LDP 330
- Crosstalk 20–21, 40, 208
- CS-CELP 36, 39
- CSCF 281–283, 290
 - Interrogating, *See* I-CSCF
 - Proxy, *See* P-CSCF
 - Serving, *See* S-CSCF
- CSD 252
- CSMA/CA 268
- CSMA/CD 223, 268
- CSN 278–280
- CSRC 104
 - Count 105
 - List 106
- CTD 180
- Customized Applications for Mobile networks Enhanced Logic (CAMEL) 285

- DAMPS 244, 252
- Data
 - Encryption Standard (DES)
 - Link Connection Identifier (DLCI)
 - 312, 327
 - Over Cable Service Interface Specifications (DOCSIS) 12, 272, 281
- DBR 179, 229
- DCR 42
- DCT 74–76, 78
- DECT 246
- Deficit Round Robin, *See* Scheduler
- Delay 10, 18, 23, 33, 38–41, 43–44, 46, 62, 73, 91–92, 94, 109, 112, 148
 - Assembly 39
 - Buffering 95
 - Coding 34, 36, 39
 - Decoding 39, 95
 - Dejittering 40
 - End-to-end 33, 37–39, 42
 - Factor (DF) 98
 - Lookahead 39
 - one-way 38, 111–112, 155–158
 - Processing 39, 156
 - Propagation 40, 156
 - queuing 156
 - Reordering 79
 - Serialization 39, 156
 - STB 95
 - Switching 40, 156
 - Variation 38
- Denial of Service (DoS) 290
- De-registration, *See* Registration
- DES 108
- Deterministic Bit Rate (DBR) 179
- DF 98
- DHCP 239, 295
- DHSS 266
- Dial-up 290
- Diameter 262, 284, 289–290, 292–295, 297
 - Agent 291
 - Proxy 291
 - Redirect 292
 - Relay 291
 - Translation 292
 - Client 291
- Differential delays 361
- Differentiated Services (DS) 183, 194
- Diffserv 62
- Digital
 - AMPS (DAMPS) 244
 - Cross-Connect, *See* DXC
 - Enhanced Cordless Telecommunications (DECT) 246
 - Rights Management (DRM) 286
 - Signal Processor (DSP) 31
 - Subscriber Loop (DSL) 203
 - Video Broadcasting (DVB) 85, 355
 - Direct Sequence CDMA (DS-CDMA) 256
 - Discontinuous Transmission (DTX) 37
 - Discrete
 - Cosine Transform (DCT) 74
 - Multitone (DMT) 209
 - Distortion 10, 40, 44–45
 - Coding 93
 - Edge 89
 - Voice 89
 - DLCI 312, 327
 - DMOS 42
 - DMT 209
 - DNS 295
 - DOCSIS 12, 21, 272
 - Domain name 295–296
 - DoS 290
 - Downsampling 104
 - Downstream
 - on Demand 331
 - unsolicited 331
 - DPCCH 259
 - DPCH 260
 - DPCM 35
 - DPDCH 259
 - Drift 157
 - DRM 286
 - Drop Tail (DT) 173
 - DRR, *See* Scheduler
 - DS 183
 - codepoint 183, 195, 326
 - DS-CDMA 256
 - DSCH 260
 - DSL 2, 11–12, 15, 17–18, 20, 270, 272, 302
 - Access Multiplexer (DSLAM) 219
 - advantages 206
 - All-digital mode 210
 - Bonded 212
 - limits 207
 - DSLAM 20–21, 219, 240
 - DSP 31, 40
 - DSSS 266, 268

- DTMF 34, 136
- DTX 37
- Dual Tone Multi-Frequency (DTMF) 34, 136
- Duplex
 - Half 275
- Duplexing 257, 275
- DVB 85, 96, 354–355
- DVD 8, 67, 71, 81
 - Player 67
- DWDM 24
- DXC 319
- Dynamic
 - Bandwidth Report (DBR) 229
 - Host Configuration Protocol (DHCP) 239
- E1 12, 251
- Early Packet Discard (EPD) 174
- Eavesdropping 288
- EBS 169
- Echo 10, 40, 44, 89
- E-DCH 261
- EDGE 246, 255, 261
- EFM 212, 216, 230, 233–234, 236, 315
- EFR 37
- EGPRS, *See* EDGE
- Egress LER 333
 - See also* LER
- EIR 250
- E-LAN 24, 309–310, 348
- Electromagnetism 31
- E-Line 24, 309–310
 - QoS 309
- E-mail 141, 270
- EMM 85
- E-model 43–44
- eNB 264
- Encapsulation
 - ATM 240
 - Ethernet 236, 240
 - Martini 333
- Encryption 46, 108, 270, 277
 - Security Envelope (ESP) 270
- Enhanced
 - ADM, *See* ADM
 - Data rate for Global Evolution (EDGE) 246
 - Dedicated Channel (E-DCH) 261
 - GPRS, *See* EDGE
 - Node-B, *See* eNB
 - UTRAN (E-UTRAN) 262
- Entitlement Management Message (EMM) 85
- EoS 316
- EPL 310–311, 348, 357
 - dedicated 311
 - shared 311
- EPLAN 310, 312
- EPON 222, 230–231
 - 1000BASE-PX 230
 - emulation 233
- Equipment
 - Approval 60
 - Identity Register (EIR) 250
- Error
 - Bit 91
 - Buffer 98
 - CAT 97
 - Continuity Count 97
 - Control 85
 - CRC 97
 - protection 252, 255
 - recovery 18, 255
 - SDT 98
- ErtPS 277
- ESCON 359
- ESP 270, 292
- Ethernet 15, 18–19, 22–24, 46, 62, 80, 93, 182, 224, 235, 255, 275, 305, 309, 321, 351, 355, 361
 - 10 Gbit/s 315
 - 10 PASS-TS 235
 - 2BASE-TL 235
 - 64/65-octet 236
 - access networks 222
 - Active 21, 204
 - bonding 236
 - Broadcast 312, 322
 - bundling 308, 311
 - Carrier-class 24, 62, 305, 321
 - Connectivity Services 310
 - Copper 235
 - CSMA/CD 223
 - Dedicated bandwidth 311
 - DSLAM 219
 - E-LAN 309
 - E-Line 309
 - end-to-end 307, 312
 - EPON 231
 - frame formats 323
 - GbE 373
 - Gigabit 302
 - in the First Mile (EFM) 212, 233, 315
 - LAN 309, 312
 - Line, *See* E-Line

- LLID 231
- MAC address 308
- multicast 143, 312
- multiplexing 308, 311
- NG-SDH 314
- OAM 182, 315
- Optical 315
- over ATM 312, 349
- over dark fibre 316
- over FR 349
- over LAPS 355
- over NG-SDH 319
- over SDH 312, 316, 320
- over UTP 204
- over WDM 316
- point-to-point 311
- PON (EPON) 222
- preamble 232
- Private LAN, See EPLAN
- Private Line (EPL) 310–311, 348
- QoS 315, 324
- scalability 322
- shared bandwidth 311
- Virtual Connection (EVC) 308
- Virtual Private LAN (EVPLAN) 310
- Virtual Private Line (EVPL) 310
- ETSI 43, 245, 252, 256, 265, 273, 286, 300
 - ETS 300 726 107
 - ETS 300 961 107
 - TR 101 290 96
 - TS 101 135 206
 - TS 101 524 206
 - TS 23.234 279
 - TS 29.229 292
 - TS 32.240 294
 - TS 33.234 279
- European
 - Commission 22
 - Telecommunications Standards Institute (ETSI) 245
- E-UTRAN 262, 264
- EVC 307–308
 - point-to-point 309
 - VLAN 309
- EVPL 310–311
- EVPLAN 310, 312, 343
- Excess Information Rate (EIR) 170
- Expedited Forwarding (EF) 198
- Expenditure
 - Capital, See CAPEX 280
 - Operating, See OPEX 280
- Explicit LSP, See LSP
- Extended Real-time Polling Service (ErtPS) 277
- Extension Header Identifier (EXI) 357
- External NNI (E-NNI), See also NNI 308
- Fading 263, 267, 274
- Failure 91
- Far End Crosstalk (FEXT) 208
- Fast Fourier Transform (FFT) 44
- FBC 293
- FCC 22
- FDD 208, 216, 257, 275
- FDM 6, 31, 206
- FDMA 245, 247, 256, 274
 - Orthogonal, See OFDMA
- FEC 103, 230, 261, 329, 331
- FEXT 208
- FGNGN 300
- FHSS 266
- Fiber
 - to the Home (FTTH) 204
- Fibre
 - Channel 356
 - Dark 24, 320
 - to the Building (FTTB) 21, 204
 - to the Cabinet (FTTCab) 218
 - to the Curb (FTTC) 20
 - to the Node (FTTN) 20
- FICON 359
- FIFO 163
- Filter
 - coefficient 36
 - Dejittering 33
 - Linear 34
- Firewall 10, 47, 127
- First In, First Out (FIFO) 163
- First mile 6, 59, 63, 272
- Fixed Mobile
 - Convergence (FMC) 244
 - Substitution (FMS) 243
- Flow 277, 293, 295
 - Based Control (FBC) 293
 - control 103, 108
 - Closed-loop 165
 - Open-loop 165
 - label 188
 - See also Traffic
- FMC 244, 268, 282
- FMS 243
- Forward Error Correction (FEC) 103, 230, 261

- Forwarding Equivalence Class (FEC) 329
- Forwarding plane 324
- FQDN 118–119
- FR 12, 31, 255, 312, 327
- Frame
 - Freezing 89
 - Relay (FR) 255, 305–306
- Frame-mapped GFP (GFP-F) 317, 356–357
- Frequency 35, 75, 111, 275
 - Carrier 257, 266
 - Division Duplexing (FDD) 208, 257
 - Division Multiple Access (FDMA) 245
 - Division Multiplexing (FDM) 31, 206
 - Licensed 273
 - Sampling 34
 - Unlicensed 266, 273
 - Warping 44
- FSAN 214, 221, 225
- FTP 277, 293
- FTTB 21, 204, 218–219, 235
- FTTC 20
- FTTCab 204, 218, 235
- FTTH 63, 204
- FTTN 20, 22, 63
- FTTP, See FTTH
- Full-Service Access Network (FSAN)
 - 214, 221
- GA-CSR 272
- GAN 256, 269–270, 278
 - Controller (GANC) 269
- GANC 269–270
- GA-PSR 272
- GA-RC 271
- Gateway
 - Decomposition 134
 - GPRS Support Node (GGSN) 253
 - Media (MGW) 134
 - Control Protocol (MGCP) 101, 136
 - Controller (MGC) 135
 - Residential 48
- Gaussian Minimum Shift Keying
 - (GSMK) 249
- GEM 222, 228
- General Packet Radio Service (GPRS) 252
- Generalized MPLS (GMPLS) 327
- Generic
 - Access
 - Circuit Switched Resources
 - (GA-CSR) 271
 - Network (GAN) 256
 - Packet Switched Resources
 - (GA-PSR) 271
 - Resource Control (GA-RC) 271
 - Framing Procedure (GFP) 222, 316, 353, 355–356
 - Routing Encapsulation (GRE) 336
- GFP 23, 222, 316
 - GFP-F 317–318, 327
 - GFP-T 316
- GGSN 253, 261, 293
- Gigabit PON (GPON) 221
- Global
 - Positioning System (GPS) 157
 - System for Mobile Communications
 - (GSM) 246–247
- Globally Routable User agent URI
 - (GRUU) 289
- GMPLS 327
- GOP 79
- GPON 221, 227
- Encapsulation Mode (GEM) 222, 228
- GPRS 252, 261, 270, 281, 295
 - Backbone 253
 - Support Node (GSN) 253
 - Tunneling Protocol (GTP) 253
- GPS, See Scheduler
- GRE 336
- Group of Pictures (GOP) 79
- Groupe Spécial Mobile (GSM) 245
- GRUU 289
 - Public 289
 - Temporary 289
- GSM 9, 11, 17, 37, 247, 256–257, 261, 270, 281, 285–287, 295
 - Evolution 255
- GSMK 249, 255
- GSN 253
- GTP 253–254
- Guaranteed service 184, 189
- Handoff 48, 244, 250, 258, 263–264, 269, 272, 277, 286, 300
 - ASN anchored 279
 - CSN anchored 279
 - Hard 257
 - Inter-frequency 258
 - Intra-frequency 257
 - Soft 257
 - Softer 257

- Hard QoS, See QoS
- HARQ 261
- HD, See HDTV
- HDSL 207
- HDTV 8–9, 56, 61, 73, 203
- Head-end, See Network Contribution
- Header Error Control (HEC) 229
- HEC-based delineation 356
- HFC 20–21
- High Speed
 - CSD (HSCSD) 252
 - Downlink Packet Access (HSDPA) 256
 - Downlink Shared Channel (HS-DSCH) 260
 - OFDM Packet Access (HSOPA) 263
 - Packet Access Evolution, See HSPA+
 - Uplink Packet Access (HSUPA) 256
- High-bit-rate DSL (HDSL) 207
- High-Definition TV (HDTV) 203
- Higher-Order Virtual Concatenation (HO-VCAT) 363
- HiperLAN 265
- HiperMAN 273
- HiSWAN 265
- HLR 250, 261, 279, 284, 287–288
- Home
 - Location Register (HLR) 250
 - Subscriber Server (HSS) 281
- Hop-by-hop LSP, See LSP
- Hotspot 265, 279
- HO-VCAT 363
- HSCSD 252
- HSDPA 256, 260–261
- HS-DSCH 260
- HSOPA 263–264
- HSPA 262
- HSPA+ 256
- HSS 281, 284, 287–288, 290, 295–298
- HSUPA 256, 260–261
- HTTP 118, 141, 162
- Hub-and-spoke architecture 309
- HVPLS 343
- Hybrid
 - Automatic Repeat Request (HARQ) 261
 - circuit 40
 - Fibre Coaxial (HFC) 20
- Hypertext Transfer Protocol (HTTP) 141
- ICMP 156
- I-CSCF 295, 297–298
 - See also CSCF 295
- IEEE 240, 263–264, 272, 278, 306
 - 802.11, See Wi-Fi
 - 802.11–1997 266
 - 802.11a 266–267, 273
 - 802.11b 266
 - 802.11g 267–268
 - 802.11n 268
 - 802.16 278
 - 802.16, See WiMAX
 - 802.16–2001 272
 - 802.16a-2003 272
 - 802.16d 272
 - 802.16e 2005 275
 - 802.16e-2005 272
 - 802.17 322
 - 802.1ad 322, 343
 - 802.1ag 234
 - 802.1D 230, 240, 322, 324
 - 802.1p 162
 - 802.1Q 309, 322, 324
 - 802.1q 311
 - 802.1Q/p 324
 - 802.3 25, 204, 230, 326
 - 802.3, See Ethernet
 - 802.3ah 212, 222, 233, 236
- IETF 101, 115, 145, 270, 278, 280
 - IPPM 154
 - Megaco/H.248 137
- IGMP 63, 88, 92, 95, 143–144
 - Message 145
 - Snooping 144
- IKE 292
- ILEC 207
- IMA 213
- IMEI 288
- IMP 117, 126, 281, 286
- IMS 244, 256, 262, 269–270, 278, 280–282, 284–288, 290, 292, 294–295, 298, 300, 302
 - Procedure 294
 - Service Control (ISC) 285
- IMSI 287
- IMT-2000 257
- IN 285
- Incumbent Local Exchange Carrier (ILEC) 207
- Industrial, Scientific, and Medical (ISM) 273
- Ingress LER 332
 - See also LER

- INI 181
- Initial Address Message (IAM) 134
- Instant Messaging and Presence (IMP) 126, 281
- Institute of Electrical and Electronics Engineers (IEEE) 306
- Integrated Services (IS) 183
 - Digital Network (ISDN) 134, 210
- Integrity 270, 292
- Intellectual Property Rights (IPR) 57
- Interactive Connectivity Establishment (ICE) 133
- Interface
 - A 250–251, 269–270
 - Abis 250–251, 262
 - Air 247, 276, 278
 - Cx 284, 290, 295
 - Dx 284
 - Gb 269–270
 - Gm 283
 - Gy 294
 - Gz 294
 - Iub 262
 - Iur 262
 - Mn 285
 - Mp 285
 - Radio, See Interface Air
 - S1 264
 - Up 270
 - Uu 262
 - Wn 280
 - Wp 280
 - X2 264
- Interference 253, 266
 - Inter-Symbol, See ISI
 - Narrowband 257, 266–267
- Interim Standard-54 (IS-54) 244
- Intermediate System - Intermediate System (IS-IS) 324
- Internal NNI (I-NNI), See also NNI 308
- International
 - Mobile
 - Communications 2000 (IMT-2000) 246
 - Equipment Identity (IMEI) 288
 - Subscriber Identity (IMSI) 287
 - Telecommunications Union, See ITU-T
- Internet 9, 11–12, 16–17, 21–22, 26, 32, 45, 51–52, 60–61, 66, 71, 87, 90, 142, 182, 265, 270, 277, 279–280
 - Assigned Numbers Authority (IANA) 143
 - Broadband 12
 - Engineering Task Force (IETF) 306
 - Group Management Protocol (IGMP) 63, 88, 137, 142
 - Key Exchange (IKE) 292
 - Protocol (IP) 152
 - Performance Metrics (IPPM) 154
 - Service Provider (ISP) 12
 - Internetwork Interface, See INI
 - Interworking 47, 134, 278–279, 285, 300
 - INVITE 118, 293
 - IP 22–23, 103, 156, 166, 182, 262, 264, 270, 275, 280, 324, 327
 - Address
 - Class D 143
 - DS field 196
 - flow label 188
 - IPv6 191
 - Multicast, See Multicast
 - Multimedia Subsystem (IMS) 48, 244
 - QoS 152, 182
 - security protocol (IPsec) 108
 - Television, See IPTV
 - IPPM 156–157
 - IPR 57–58
 - IPsec 270, 292
 - IPTV 7–8, 11, 15, 17, 52–53, 55, 57, 59–63, 65, 67, 71, 73, 79–81, 87–90, 92–93, 98, 141, 240, 282
 - Business model 53
 - Early implementations 71
 - Quality 89
 - Zapping 63, 65
 - IPv4 240, 302
 - IPv6 281
 - IS 172, 183, 186
 - IS-136 245, 255
 - IS-54 244
 - IS-95, See cdmaOne
 - ISC 285
 - ISDN 9–10, 29, 46, 68, 134, 210, 215, 250, 285, 288, 300
 - Country Code, See CC
 - National Destination Code, See NDC
 - Subscriber Number, See SN
 - User Part, See ISUP
 - IS-IS 324
 - ISM 266
 - ISO 71
 - 10918–1 107
 - 10918–2 107
 - 11172–3 107

- Isochronous 270
- ISP 11–12
- ISUP 115–116
- ITU-R 246
 - BT.601 69
- ITU-T 137, 300, 306
 - E.164 288
 - G.107, See E-model
 - G.114 40
 - G.703 206
 - G.7041 316, 355
 - G.7042 316, 356, 366–367
 - G.707 316, 356
 - G.711 107
 - G.711, See PCM
 - G.721, See Codec ADPCM
 - G.722 107
 - G.723.1 37–38, 107
 - G.726 107
 - G.726, See ADPCM
 - G.728 107
 - G.728, See LD-CELP
 - G.729 annex D 107
 - G.729 annex E 107
 - G.729, See CS-CELP
 - G.783 374
 - G.961 206
 - G.983.1 221, 226
 - G.983.3 226
 - G.984.3 228
 - G.991.1 206
 - G.991.2 206, 235
 - G.992.1 206, 212
 - G.992.2 206–207
 - G.992.3 209–210, 212
 - G.992.4 209
 - G.992.5 212
 - G.993.1 204, 214
 - G.993.2 204, 215, 218
 - G.994.x 221
 - G.998.1 212–213
 - H.245 101
 - H.248, See Megaco
 - H.261 107
 - H.262 71
 - H.263 107
 - H.264, See MPEG-4 part 10
 - H.323 46, 101, 116, 126, 134
 - I.371 179
 - P.861, See PSQM
 - P.862, See PESQ
 - Q.931 115–116
 - SG13 300
 - X.25 254
 - X.86 312, 355
 - Y.1541 91
 - Y.2001 300
 - Y.2011 300
- I-WLAN 256, 270, 279–280
- Jitter 18, 28, 33, 46, 91–92, 98, 109, 112, 157, 199
 - Interarrival 94, 111
 - Packet 78
 - Statistics 111
- K4 codification 365
- L2TP 336
- Label 326
 - distribution control
 - Independent 331
 - Ordered 331
 - Distribution Protocol (LDP) 172, 330
 - Edge Router (LER) 328
 - forwarding 324
 - stacking 326, 333
 - switching 329
- Label-Switched
 - Path (LSP) 172, 319, 324
 - Router (LSR) 324
- LAN 24, 46, 182, 265, 306
- LAPD 251
 - modified, See LAPDm
- LAPDm 251, 255
- LAPS 312–313
- Latency 89, 156, 190, 260
 - IGMP 92
 - Join 95
 - Leave 95
 - Network 95
- Layer-2 Tunneling Protocol (L2TP) 336
- LCAS 316
- LD-CELP 36
- LDP 330
 - Message
 - Advertisement 331
 - Discovery 331
 - Label Mapping 331
 - Label Request 331

- LDP (*Continued*)
 - Notification 331
 - Session 331
- LER 328
 - egress 333
 - ingress 332
- Less than Best Effort (LBE) 198
- Linear
 - Prediction 36
 - Predictive Coding (LPC) 34
- Link
 - Access Procedure - SDH (LAPS) 312
 - Access Procedure channel D, *See* LAPD
 - Bottleneck 161
 - Capacity Adjustment Scheme (LCAS) 316, 354, 356, 366
- LIR 298
- LLC 255
- LLID 230–231
- Local Area Network (LAN) 355, 373
- Location Info Request (LIR) 298
- Logical Link
 - Control (LLC) 255
 - Identifier (LLID) 230
- Logical Link Identifier (LLID) 231
- Long Term Evolution (LTE) 262
- Loss 159
 - Frame 79
 - Of Alignment (LOA) 374
 - Packet 91–92
- Lower-Order Virtual Concatenation (LO-VCAT) 363
- LPC 34, 36
- LSP 319, 324
 - Explicit 329
 - Loose 330
 - Strict 330
 - Hop-by-hop 329
- LSR 324, 329, 331–332
 - label distribution 330
- LTE 262, 264
- Luma, *See* Luminance
- Luminance 68–69, 74
- MAA 297
- MAC 231, 255, 268, 272, 276, 308, 314, 318
 - address explosion 348
 - Address Stacking (MAS) 322
- Macrocell 258
- MAN 24, 306, 312
- Management
 - IP address 278
 - Key 108, 277, 292
 - Profile 280
- Map
 - Downlink 277
 - Uplink 277
- Mapping 144
- MAR 297
- Marking 102, 161, 167
- MAS 322
- Maximum
 - Burst Size (MBS) 178
 - Cell Transfer Delay (max CTD) 178
 - Transfer Unit (MTU) 190
- MBone 146
- MCC 288
- MCR 180
- MDI 98–99
- Mean Opinion Score (MOS) 38
- Media
 - Access Control (MAC) 255
 - Delivery Index (MDI) 98
 - Gateway (MGW) 285
 - Controller Function (MGCF) 285
 - Loss Rate (MLR) 98
- Megaco 101, 137, 285
- MEN 306, 308
 - NNI 308
 - UNI 308
- Message
 - Integrity 108
 - Transfer Part (MTP) 251
- Messaging, *See* IMP
- Metro
 - Ethernet Forum (MEF) 306, 357
 - Ethernet Network (MEN), *See also* Ethernet 306
- MGC 135, 137
- MGCF 285–286
- MGCP 101, 136
- MGW 134, 137, 285
 - Access 137
 - Trunking 137
- Microcell 258
- Middleware 56
- MIME 121, 123
- MIMO 256, 263, 268
- Minimum Cell Rate (MCR) 178
- Mixer 104, 113

- MLR 98
- MM 251
- MME 264
- MMS 286
- MMUSIC WG 117
- MNC 288
- Mobile
 - Country Code (MCC) 288
 - Network Code (MNC) 288
 - operator 12
 - Station 249, 257
 - Integrated Services Digital Network (MSISDN) 288
 - Roaming Number (MSRN) 250
 - Subscriber Identity Number (MSIN) 288
 - Switching Centre (MSC) 250
 - TV 243
- Mobility 12, 243
 - Generalized 300
 - Management (MM) 251
 - Entity (MME) 264
- Modulation 255, 266
 - DMT 209
 - Multi-carrier 274
 - Phase, See PSK
 - Pulse Code, See PCM
 - Single carrier 273
- Monitoring 43, 48, 62
- MOS 38, 42–45
 - Conversational 42–44
 - Degradation, See DMOS
 - Listening 42–44
 - Objective, See OMOS
 - Video 99
- Motion vector 77
- Moving Pictures Expert Group (MPEG) 8, 71
- MP3 71
- MPCP 230
- MPEG 8–9, 52, 59, 61–62, 71, 73, 76, 78, 86, 277
 - Coding
 - Interframe 74
 - Intraframe 74
 - Macroblock 74
 - Processing
 - Spatial 74
 - Temporal 74, 76
 - Stream 79
 - Elementary, See ES
 - Timing 87
- MPEG-1 61, 71
- MPEG-2 9, 61, 71, 81, 85, 96, 98
 - B-frame 73, 76, 78–79, 93
 - Frame
 - Bidirectional-prediction, See MPEG2
 - B-frame
 - Intra, See MPEG-2 I-frame
 - Prediction, See MPEG-2 P-frame
 - I-frame 73, 78–79, 93
 - Level 71–72
 - High 1440 72
 - High 1920 72
 - Low 72
 - Main 72
 - P-frame 73, 76, 78–79, 93
 - Profile 71, 73
 - High 73
 - Main 73
 - Simple 73
 - SNR 73
 - Spatial 73
- MPEG-4 9, 61, 65, 71, 81, 85, 96
 - Part 10 71
- MPFP 285
- MPLS 15, 18, 62, 240, 262, 324, 329, 331
 - advantages 345
 - label 326, 328
 - pseudowire 335
 - See also GMPLS
 - with SDH 327
- MP-MLQ 37
- MRFC 285
- MSC 250, 261–262, 270, 286
- MSIN 288
- MSISDN 288
- MSPP 348, 354
- MSRN 250
- MSSP 355
- MSTP 354
- MTP 251
- MTU 343
- Multicast 88, 141–142, 187, 312
 - Agent 55, 143–144
 - Backbone, See MBone
 - Ethernet 143–144
 - Group 63, 88, 142
 - Dynamic 148
 - Management 144
 - Private 145
 - Public 145

- Multicast (*Continued*)
 - IGMP 144
 - RSVP 193
 - Tree 147
 - Multipoint-to-multipoint 147, 150
 - Point-to-multipoint 147
 - Steiner 148–149
- Multiframe Indicator (MFI) 363–364, 366, 368
- Multimedia 297, 300
 - Authorization Answer (MAA) 297
 - Authorization Request (MAR) 297
 - Conferencing 243
 - Messaging Service (MMS) 286
 - Resource Function Controller (MRFC) 285
 - Resource Function Processor (MRFP) 285
 - Service 280
- Multiple
 - access 244, 247, 253, 255, 268, 274–275
 - Input and Multiple Output (MIMO) 256
- Multiplexing 109, 308, 311
 - Hierarchy 35
 - Statistical 22–23, 92
 - Stream 106
 - WDM 222
- Multi-Point Control Protocol (MPCP) 230
- Multiprotocol Label Switching (MPLS) 240, 373
- Multipurpose Internet Mail Extension (MIME) 121, 161
- Multiservice
 - Platform (MSxP) 354
 - Provisioning Platform (MSPP) 354
 - Switching Platform (MSSP) 352, 355
 - Transport Platform (MSTP) 348, 354
- Multitenant Unit (MTU) 343
- Narrow link 160
- NAS 290, 292
- NASS 302
- NAT 127, 240
 - Problems 129
 - Traversal 302
 - Using Relay (TURN) 132
 - Types of 128
- NDC 288
- Near End Crosstalk (NEXT) 208
- Network
 - Access 4, 22, 59–60, 63, 88, 203, 222, 252, 269, 280, 282, 286, 295, 302
 - Broadband 34
 - Server (NAS) 290
 - Address Translation (NAT) 127, 240
 - Ad-hoc 265
 - Aggregation 59
 - Attachment Sub-System (NASS) 302
 - availability 23
 - Best-effort 32, 53, 90–91
 - bridged 320
 - Cellular 17, 34, 281, 290
 - Circuit-switched 151, 170
 - QoS 151
 - Commissioning 60
 - congestion, *See* Congestion
 - Contribution 62, 92–93
 - Converged 1, 4–5, 11–12, 15, 18, 37, 53, 60
 - Core 279
 - Corporate, *See* Network Enterprise
 - Data 252
 - Discovery 278
 - Distribution 59, 62, 66
 - Enterprise 46, 267
 - Fixed 28, 48, 285
 - Home 283, 295, 297
 - Impairment 92–93
 - Intelligent, *See* IN
 - Inter-Networking NNI (NI-NNI), *See also* NNI 308
 - IP 4, 8, 19, 23, 32–33, 40, 45, 48, 62, 80, 93–94, 102, 142, 254, 285, 290, 293
 - Legacy 27
 - Management System (NMS) 329, 368
 - Mesh 265, 268
 - Metro 24
 - Mobile 28, 37, 48, 285, 301
 - Monitoring 93
 - Multicast 88
 - Multiservice 27
 - Next Generation, *See* NGN
 - Packet-switched
 - Parameter Control (NPC) 181
 - Protection 91
 - Resource 293, 295
 - Roll-out 93
 - Scalability 148
 - Service
 - Access, *See* ASN
 - Time Protocol (NTP) 111, 157
 - Transport 47
 - Unified, *See* Network Converged
 - Visited 250, 283, 295

- Wireless 281, 300
- Wireline 281, 300–301
- Network-to-Network Interface (NNI) 137
- NEXT 208
- Next-Generation SDH (NG-SDH) 306
- NG SDH
 - Events 373
- NGN 244, 298, 300
 - Focus Group on, See FGNGN
- NG-SDH 24, 306, 314, 316, 319, 344, 348, 351
 - MPLS 327
- NIT 86
- NMS 329
- NMT 244
- NNI 137, 308
 - E-NNI 308
 - I-NNI 308
 - NI-NNI 308
 - SI-NNI 308
- Node-B 261–262
- Noise 10, 21, 31, 44, 253
 - Background 38, 44
 - Chroma 90
 - Comfort
 - Generation, See CNG
 - Electrical 44
 - Quantizing 35, 44
 - Visual 89
- Non-real-time
 - Polling Service (nrtPS) 277
 - Variable Bit Rate (nrt-VBR) 179
- Nordic Mobile Telephone (NMT) 244
- NPC 181
- NPVR 67
- nrtPS 277
- nrt-VBR 179–180
- NTP 111, 157
- NTT 43
- NVPR 67
- Nyquist theorem 34

- OAM 234, 305, 307
 - discovery 235
 - Ethernet 182
 - link monitoring 235
 - remote failure indication 235
 - remote loopback 235
- OCS 294
- OFCOM 22
- OfCS 293
- OFDM 246, 263, 267–268, 273–275
- OFDMA 274
- Offset 156
- OLT 222, 224, 229, 232
- OMA 286
- One Pass with Advertising (OPWA) 191
- One-Way Active Measurement Protocol (OWAMP) 155
- One-way delay
 - See also Delay 155
- ONT 222
- ONU 222, 224, 232
 - Bridging 231
- Open
 - Mobile Alliance (OMA) 286
 - Services Architecture (OSA) 285
 - Systems Interconnection (OSI) 251
- Open Shortest Path First (OSPF) 324
- Operation, Administration and Maintenance (OAM) 234
- Operational Expenditure (OPEX) 11
- Operator
 - Cable 21, 27–28
 - Dominant 22
 - Fixed line 28
 - Incumbent 32
- OPEX 11, 19, 62, 89
- OPINE 43
- Opinion model 43
- Optical
 - access 21
 - Ethernet, See Ethernet
 - Line Termination (OLT) 222
 - loss 230
 - Network Termination (ONT) 222
 - Network Unit (ONU) 222
 - splitter 222
 - Transport Network (OTN) 308
- Orthogonal Frequency Division Multiple Access (OFDMA) 274
 - Multiplexing (OFDM) 246
- OSA 285–286
- OSI 251
- OSPF 324
- Out of Multiframe (OOM) 374

- P2MP 237
- P2P 237, 280
- Packet
 - ADM, See ADM
 - Conforming 154
 - count 109

- Packet (*Continued*)
 - Data Gateway (PDG) 280
 - Data Protocol (PDP) 253
 - Dropped 97
 - Dropping Policy (PDP) 172
 - Duplicated 97
 - Identifier (PID) 85
 - IP 39, 43
 - jitter 157
 - loss 18, 38, 41, 44, 97–98, 109, 112, 159
 - defined 159
 - distance 159
 - period 159
 - ratio 38
 - statistics 112
 - Loss Concealment (PLC) 38
 - marking 156, 161
 - non-conforming 154, 167, 185
 - Null 86
 - Out of order 97
 - Out-of-order 98
 - periodicity 158
 - sequencing 159
 - switching 31
 - Temporary Subscriber Identity (P-TMSI) 254
 - timeout 159
 - timestamping 156–157, 159
 - Transfer Mode (PTM) 210, 235
 - See also Traffic
- Packet-layer model 43
- Packet-switched networks 170
- PAMS 44–45
- Parlay Group 286
- Partial Packet Discard (PPD) 173
- Pass-band 266
- Passive Optical Network (PON) 19, 204
- PAT 85, 87, 95–96
 - Error 96
- PATH message, See RSVP
- Payload
 - Control Block (PCBd) 229
 - Length Indicator (PLI) 229
- Pay-per-view 11
- PBX 46
- PC 11
- PCBd 229
- PCC 293–294
- PCEF 293
- PCM 31, 33–36, 38, 42–43, 277
 - Adaptive Differential, See ADPCM
 - Differential, See DPCM
- PCR 85, 94, 97, 180
- PCRF 293–294
- P-CSCF 282–283, 294–295, 297–298
- PDA 63, 281, 289
- PDF 293
- PDG 280
- PDH 254
- PDP 253
 - Context Activation 254, 295
- Peak Cell Rate (PCR) 178
- Peak-to-peak Cell
 - Delay Variation (CDV) 178
- Peer discovery 290
- Peer-to-Peer, See P2P
- PEH 80
- Perceptual
 - Analysis Measurement System (PAMS) 44
 - Evaluation of Speech Quality (PESQ) 44
 - Speech Quality Measure (PSQM) 44
- Per-Hop Behaviour (PHB) 196
- Permanent Virtual Circuit (PVC) 238, 309
- Personal Digital Assistant (PDA) 281
- PES 80
- PESQ 44
- Phase Shift Keying (PSK) 255
- PHB
 - ABE 198
 - AF 198–199
 - default 198
 - EF 198, 200
 - LBE 198
- Physical
 - Layer
 - Operation, Administration and Maintenance (PLOAM) 226
 - Overhead (PLO) 229
 - Link Layer (PLL) 255
 - Media Specific / Transmission Convergence (PMS-TC) 210
 - Physical-Media Dependent (PMD) 210
- PID 85–86, 98
- Ping 156, 159
- PINT 117
- Pixel 69
- Pixelation 89
- Plain Old Telephone Service (POTS) 210

- Plane
 - Control 278
 - User 278, 293
- PLC 38
- Plesiochronous Digital Hierarchy (PDH) 254
- PLI 229, 358
- PLL 255
- PLO 229
- PLOAM 226, 229
- PLS 229
- PMD 210
- PMT 85, 95, 97
 - Error 96
- PoC 281, 286
- Point of Presence (PoP) 238
- Point-to-MultiPoint, See P2MP
- Point-to-Point
 - Protocol (PPP) 238
 - See also P2P 237
- Policing 167
- Policy 293
 - and Charging
 - Control (PCC) 293
 - Enforcement Function (PCEF) 293
 - Rules Function (PCRF) 293
 - Control 293–294, 302
 - Decision Function (PDF) 293
- Polling 277
 - Broadcast 277
 - Multicast 277
 - Unicast 277
- PON 19, 21, 204, 219, 272, 281, 302
 - advantages 224
 - bandwidth sharing 224
 - CSMA/CD 223
 - definition 221
 - range 222
 - rates 222
 - TDM 223
 - WDM 223
- Port ID 229
- POTS 9–11, 46, 215
- Power
 - Control 260
 - Leveling Sequence (PLS) 229
 - Transmitted 263
- PPP 238, 254, 290, 356
- PRACK 298
- Prediction
 - Backwards 76
 - Forward 76
 - Interframe 76
 - Motion compensated 76, 79
- Preemption 216
- Presence, See IMP
- PRI 134
- Primary Rate Interface (PRI) 134
- Priority scheduler, See Scheduler
- Private Branch Exchange (PBX) 45
- Processing delay, See Delay
- Program
 - Clock Reference (PCR) 85, 87
 - Specific Information (PSI) 85
- Propagation
 - delay, See Delay
 - Multipath 257, 267, 274
- Provisional Acknowledge, See PRACK
 - PS 81
- Pseudowire 335–336
 - topologies 341
- PSI 85
 - Table 85
- PSK 255, 266
- PSQM 44–45
- PSQM+ 45
- PS-TC 209
- PSTN 9, 32, 34, 45–46, 48, 133, 250, 280, 285, 287, 300
 - substitution 10
- PTM 210, 235
- P-TMSI 254
- PTM-TC 216
- Public Switched Telephone Network (PSTN) 9, 280
- Push to talk over Cellular (PoC) 281
- PVC 238, 240, 309
- PVR 66–67
- PVS 55, 59
- PW, See pseudowire
- PWE3 344
- QAM 209, 214–215, 267, 274
- Q-in-Q 322
- QoE 89, 99
- QoS 5, 15, 18, 23–24, 29, 32–33, 38, 40–41, 45–47, 53, 66, 90–91, 101–102, 106, 151–152, 240, 254–255, 262–264, 270, 275–276, 279–280, 283, 293, 298, 300

- QoS (*Continued*)
 - architectures 177
 - DS 194
 - IS 183
 - ATM, *See* ATM
 - Authorization 298
 - congestion management 153
 - delay 155
 - See also* Delay 155
 - Differentiated 59, 153
 - E-LAN 310
 - Guaranteed 8, 153, 285
 - hard 153, 184
 - IP 177, 182
 - Monitoring 109
 - negotiated parameters 178
 - PCR 180
 - soft 153, 184
 - traffic differentiation 152
 - See also* Congestion
- QPSK 259–261, 267, 274
- Quadrature Amplitude Modulation (QAM) 209, 267
- Quadruple Play 16, 48, 243, 282
- Quality 151
 - of Experience (QoE) 89
 - of Service (QoS) 151
- Quantum 164
- Quaternary Phase Shift Keying (QPSK) 259, 267

- RACS 302
- Radio
 - Band 273
 - FM 33
 - Frequency Layer (RFL) 255
 - IP 33
 - Link Control (RLC) 255
 - Network Controller (RNC) 261
 - Resource (RR) 251
- RADIUS 290, 292
- Rake receiver 257
- Random Early Detection (RED) 174–175
- Ranging 227
- Rapid Spanning Tree Protocol (RSTP) 322
- RAS 238
- Rating
 - Absolute Category, *See* ACR
 - Algorithmic 42
 - Degradation Category, *See* DCR
 - Objective 42
 - Opinion 40–41
- Raw mode 339
- RC 109
- Real-time
 - Control Protocol (RTCP) 108
 - Polling Service (rtPS) 277
 - Streaming Protocol (RTSP) 101
 - Transport Protocol (RTP) 101
 - Variable Bit Rate (rt-VBR) 179
- Receive diversity 263
- Reception Report Count, *See* RC
- Reference point, *See* Interface
- Registration 279, 283–284, 288, 294–295, 297
- Remote Access Server (RAS) 238
- Remote Authentication Dial-In Service (RADIUS) 290
- Request for Comments (RFC) 155
- Re-registration, *See* Registration
- Reservation Protocol (RSVP) 186
- Resilient Packet Ring (RPR) 319
- Resource
 - and Admission Control Sub-system (RACS) 302
 - Management 46
 - Reservation 298, 302
- Resource Management (RM) 154, 181
- RESV messages 187
- Re-timing 102–103
- R-factor 43
- RFC 155, 280
 - 2198 107
 - 2205 186
 - 2327 121
 - 2406, *See* ESP
 - 2409, *See* IKE
 - 2427 349
 - 2486 288
 - 2543 117
 - 2640 159
 - 2679 156
 - 2684 235, 312, 349
 - 2705 136
 - 2806 116
 - 3036 330
 - 3046 239
 - 3118 161
 - 3209 330
 - 3212 330
 - 3261 117
 - 3329 295
 - 3389 107

- 3393 157
- 3551 107
- 3588, See Diameter
- 4005 292
- 4006 294
- 4445 98
- 4447 338
- 4740 292
- 822 114
- RFL 255
- RLC 255
- RM 181
- RNC 261–262
- Roaming 283, 285, 295, 298
- Round
 - Robin, See Scheduler
 - Trip Delay (RTD) 231
- Round Trip Delay (RTD) 111
- Router 17, 45, 88, 143, 183
 - Broadband 11
 - DSL 20
 - PE 339
 - RSVP PATH 187
 - VoIP enabled 46
- Routing 5, 147, 284, 288, 298
 - Multicast 146–147
 - Algorithms 147–148
 - Protocol 143
 - RSVP 186
- RPR 319, 322
- RR 109, 111–112, 251
- RR, See Scheduler
- RS encoding 211
- RSTP 322
- RSVP 172, 186–188, 190–191, 193–194
 - Adspec 191
 - filter specification (Filterspec) 191
 - flow specification (Flowspec) 191
 - message format 186
 - multicasting 193
 - object 186
 - PATH 187–189
 - reservation styles 191, 194
 - fixed filter 194
 - shared explicit 194
 - wildcard filter 194
 - RESV 187–188, 191
 - routing 186
 - Sender template 188
 - slack term 192
 - traffic specification (Tspec) 188
- RSVP-TE 330
- RTCP 23, 83, 108–109, 113
 - BYE 109
 - Packet 109
 - Receiver Report (RR) 109
 - SDES 113
 - Sender Report (SR) 109
 - Source Description (SDES) 109
- RTD 111, 156, 231
- RTP 23, 37, 62, 80, 83, 88, 92, 101–104, 106, 108–109, 111–112, 270
 - header 104–105
 - Mixer 104, 106
 - Payload
 - Identification 102
 - Timestamping 102
 - Type 105
 - Profile 105
 - Translator 104
- rtPS 277
- RTSP 62–63, 66, 92, 95, 101
- rt-VBR 179–180
- S/MIME 125
- SA 295
- SAA 297
- SAP 121
- SAR 297
- SBLP 293
- SBR 179
- SC 113
- Scalable OFDMA (S-OFDMA) 274
- SCB 233
- SCCP 251
- SC-FDMA 263
- Scheduler 102, 163, 183, 277
 - Deficit Round Robin 164
 - FIFO 163
 - GPS 165
 - priority 165
 - Round Robin 164
 - WFQ 165
- S-CSCF 283–285, 296, 298
- SCTP 290
- SDES 109, 113
- SDH 7, 18, 22–23, 254, 307, 314, 319
 - events 373
 - Next Generation, See NG-SDH
 - TDM 310
 - with MPLS 327

- SDP 101, 121, 262, 280, 293, 298
- Security 24, 108
 - Association (SA) 295
 - Certificate 125
 - Encryption 7, 85
 - End-to-end 123, 292
 - Gateway (SEGW) 270
 - Hop-by-hop 123, 292
 - Key
 - Private 125
 - Public 125
- SEGW 270
- Sequence
 - Barker 266
 - Chipping 257–258, 266
 - Complementary 266
 - Complex 266
 - Identifier (SID) 213
 - Indicator 368
 - Number 105, 366
 - Orthogonal 245, 258
 - Power Leveling (PLS) 229
 - Pseudo-random 266
 - Scrambling 258
 - Spreading 258
- Sequencing 102
- Serialization delay, *See* Delay
- Server
 - Application 284
 - Assignment Answer (SAA) 297
 - Assignment Request (SAR) 297
 - DNS 295
 - Overload 93
 - SIP 286
- Service
 - Assurance 60
 - Asymmetric 252
 - ATM 179
 - ABR, *See* ABR
 - CBR, *See* CBR
 - nrt-VBR, *See* nrt-VBR
 - rt-VBR, *See* rt-VBR
 - UBR, *See* UBR
 - Best-effort 66
 - bundling 15, 28
 - Capability Server (SCS) 286
 - Controlled-load 184, 189
 - Data 252
 - Definition 59
 - Fixed 17
 - Group-shared 147
 - Guaranteed 191
 - IP 12
 - Mobile 17
 - Multimedia 11, 15
 - multiplexing 308, 311
 - Packaging 4
 - Provision 60
 - Qualification 41
 - quality, *See* QoS
 - Source-specific 147
 - Switching Function (SSF) 285
 - Value added 285
 - Voice 28, 286
- Service-Level Agreement (SLA) 154, 180, 310
- Services Inter-Networking NNI (SI-NNI), *See also* NNI 308
- Serving GPRS Support Node (SGSN) 253
- Session
 - Announcement Protocol (SAP) 121
 - Control 108
 - Description Protocol (SDP) 101
 - Handling, *See* Call control
 - Initiation Protocol (SIP) 101, 241
 - management 115
 - Media 298
 - Progress 298
- Session-Based Local Policy (SBLP) 293
- Set Top Box (STB) 63
- SGSN 253, 261–262
- Shaping 102, 167
- SHDSL 235
- Short Message Service (SMS) 247
- SID 213
- Signal
 - Analog 31, 33
 - Coding 33, 44, 255
 - Compression 31, 38
 - Decoding 40
 - Digital 31, 33
 - Encoding 40, 42
 - Encryption 31
 - Modulation 255
 - Quantizing 35
 - Reference 42, 44–15
 - RGB 68
 - Sampling 33
 - Rate 33
 - Voice 33

- to Noise Ratio (SNR) 37
- Transcoding 34, 40
 - Distortion 34
 - Voice 33, 35, 44
 - YUB 68
 - Analog 69
- Signaling 101
 - Connection Control Part (SCCP) 251
 - Protocols for Advanced Networks (SPAN) 300
 - System 7 (SS7) 134, 251
- Signal-to-Noise Ratio (SNR) 211
- SIMPLE 117
- Simple
 - Mail Transfer Protocol (SMTP) 141
 - Traversal of UDP through NAT (STUN) 132
- Single
 - Carrier FDMA (SC-FDMA) 263
 - Copy Broadcast (SCB) 233
 - Sign on 285
- Single-rate Three-Color Marker (srTCM) 169
- SIP 23, 46–7, 101, 115, 118, 241, 262, 280–282, 285, 288, 294–295
 - ACK 298
 - Architectural Entities 117
 - Authentication 124
 - Call
 - Hold 127
 - Transfer 127
 - Extensions 125
 - IMP 126
 - INVITE 118, 298
 - MESSAGE 126
 - MGC 137
 - NOTIFY 127
 - PRACK 298
 - Procedure 295
 - Proxy 46, 282
 - REFER 127
 - REGISTER 125, 295, 297
 - Registrar 118, 282
 - Security 123, 125
 - Server
 - Proxy 117
 - Redirect 117
 - Standardization 117
 - SUBSCRIBE 127
 - Supplementary Services 127
 - UPDATE 298
 - User Agent 117
- Skew 157
- Skype 12
- SLA 154, 167, 180, 310
- Slack term, See also RS VP 193
- SLD 232
- Small Office/Home Office (SOHO) 316
- Smart card 287–288
- SMPTE 71, 88
 - VC-1 71
- SMS 247, 272
- SN 288
- SNDCP 254, 270
- SNR 37, 44, 211
- Society of Motion Picture and Television Engineers (SMPTE) 71
- S-OFDMA 274–275
- Soft QoS, See QoS
- SOHO 316
- SONET, See SDH
- Source Count (SC) 113
- Space Time Code (STC) 263
- SPAN 300
- Spanning Tree Protocol (STP) 311, 322
- Spatial multiplexing 263
- Spectral compatibility 209–210, 216, 221, 236
- Spectrum 57, 273–274
 - Efficiency 249, 261, 274
 - Licensed 266
 - Spread 256, 266
 - Direct Sequence, See DSSS
 - Frequency Hopping, See FHSS
- Speech 34, 43–44
- Speech-layer model 43–14
- Split-horizon rule 341
- Splitter 221
 - See also Optical splitter
- Spreading factor 258
- SR 109, 111–112
- SS7 134, 251, 285–286
- SSRC 103–104, 106, 109
- Statistical Bit Rate (SBR) 179
- STB 19, 63, 79, 87–88, 95, 98
- STC 87, 263
- Stereophony 33
- STM 210
- Storage area networks (SAN) 359
- STP 322

- Stream
 - Control Transmission Protocol (SCTP) 290
 - Elementary
 - Packetized, See PES
 - Program, See PS
 - Transport
 - Description Table, See TSDT
 - Packet, See TSP
 - Transport, See TS
- STUN 47
- Sub-carrier 267, 274–275
- Sub-channel 274
- Subnetwork Dependent Convergence Protocol (SNDCP) 254
- Subscriber Profile 284, 287
- Subscription Locator Function (SLF) 284
- Sustainable Cell Rate (SCR) 178
- Synchronization 173
 - Source, See SSRC
- Synchronous
 - Digital Hierarchy (SDH) 254
 - Transfer Mode (STM) 210
- T1 12
- Table
 - Conditional Access, See CAT
 - Network Information, See NIT
 - Program Association, See PAT
 - Program Map, See PMT
- TACS 244
- Tagged mode 339
- Targeted advertising 54
- TCH 249
- TCP 166, 290
- TCP/IP, See IP
- TD-CDMA 246
- TDD, See TD-CDMA
- TDM 6, 31, 33, 35, 134, 247, 258, 276, 309–310
 - Deterministic 31, 33
 - Statistical 31
- TDMA 244, 255–256, 274–276
- TD-SCDMA 246, 256–257
- Telecommunications and Internet Protocol Harmonization Over Networks (TIPHON) 300
 - Industry Association (TIA) 43, 245
 - Technology Association (TTA) 256
 - Technology Committee (TTC) 256
- Telecoms & Internet converged Services & Protocols for Advanced Network (TISPAN) 286
- Telephone number 287
- Telephony 18, 31, 33–34, 38, 40, 60
 - Cellular 2
 - Converged 67
 - Digital 33
 - Fixed 1–2, 12, 32
 - IP, See VoIP
 - Mobile 32, 53
 - Personal 12
- Television
 - Digital 71
 - IP(IPTV) 1
 - Service 6
- Television, See TV
- Temporary Mobile Subscriber Identity (TMSI) 288
- TIA 43, 245
- Tight link 161
- Tiling 89
- Time 355
 - Arrival 111
 - Division
 - CDMA (TD-CDMA) 246
 - Multiple Access (TDMA) 244
 - Multiplexing (TDM) 31, 247, 310
 - Synchronous CDMA (TD-SCDMA) 246
 - Division Duplexing (TDD) 257
 - Host 157
 - source, See Clock
 - stamp 87, 104–105, 109, 111
 - NTP 111
 - RTP 111
 - To Live (TTL) 123, 326
 - Wire 157
- Timestamping, See Packet
- TIPHON 300
- TISPAN 286, 300, 302
- TLS 123, 292
- TMSI 288
- Token bucket 167, 184, 188
 - defined 168
 - depth 189
 - EF traffic 200
 - maximum packet size 189
 - minimum policed unit 189
 - peak rate 189
 - rate 189, 192

- ToS 326
- Total Access Communication System (TACS) 244
- Traffic
 - Best-effort 61
 - Broadcast 87
 - Bursty 275
 - class 46, 162
 - controlled load 185
 - differentiation 152
 - filtering
 - marking 167
 - policing 167
 - shaping 167
 - flow 162
 - Green 169
 - marking 161
 - Multicast 61–62, 87
 - non-conforming 167
 - out-of-profile 179
 - Pattern 62
 - policing 167, 183, 185
 - srTCM 169
 - trTCM 170
 - priorization 61, 90
 - profile 28
 - Real-time 103
 - re-classifying 185
 - Red 169
 - re-shaping 185
 - See also Packet
 - shaping 167, 183, 185, 188, 193
 - Unicast 61–62, 87
 - Yellow 169
- Transcoding 285
- Transfer Control Protocol (TCP) 161
- Transmission Protocol Specific / Transmission Convergence (TPS-TC) 209
- Transparent GFP (GFP-T) 316, 356, 359
- Transport Layer Security (TLS) 123, 292
- Triple Play 1, 3–5, 8, 11–12, 14–17, 22–23, 27–28, 56, 59, 66, 68, 305–306, 316
 - Challenges 101
 - market 26
- TS 80–81, 85, 88, 92, 96, 98
 - Sync loss 96
- TSDT 86
- TSP 80, 85, 93
- TTA 256
- TTC 256
- TTL 123, 326
- Tunnel 253
 - IPsec 270
 - label 333
- TURN 47
- TV 6, 12, 17–18, 21, 26, 28, 51, 62, 72, 89, 95, 103
 - Analog 68
 - Bidirectional 7, 65
 - Broadcast 11, 27, 53, 57
 - Broadcaster 7
 - Cable 11, 27, 56
 - Color 68
 - Digital 11, 27, 52, 69, 96
 - Terrestrial 14, 73
 - High Definition, See HDTV
 - Interactive 53
 - Last week 67
 - Model
 - Bidirectional 52
 - Unidirectional 52
 - Multicamera program 80
 - Operator 51
 - Pay-to-view 14
 - Private 67
 - Receiver 8
 - Satellite 56
 - Service
 - Linear 57
 - Non-linear 58
 - Standard Definition 8
 - Terrestrial 27, 56
 - Time shift 67
 - Unidirectional 7
- Two-rate Three-Color Marker (trTCM) 170
- Two-Way Active Measurement Protocol (TWAMP) 155
- Type of Service (ToS) 196, 326
- UAA 296–297
- UAR 295, 297
- UBR 179–180
- UDP 80–81, 83, 102, 106, 109, 270, 290
- UGS 277
- UMA, See GAN
- UMTS 246–247, 256–257, 261, 270, 285–287, 295
 - Terrestrial Radio Access Network (UTRAN) 261

- UNI 181, 307–309
 - EVC 308
 - type 1 307
 - type 2 307
 - type 3 307
- Uniform Resource Identifier (URI) 115
- U-NII 267, 273
- Universal
 - Mobile Terrestrial System (UMTS) 246
 - Plug and Play (UPnP) 132
 - Time Coordinated (UTC) 111
- Unlicensed Mobile Access (UMA) 269
- Unshielded Twisted Pair (UTP) 204
- Unsolicited
 - Grant 277
 - Service (UGS) 277
- Unspecified Bit Rate (UBR) 179
- UPC 181
- URI 115
 - SIP 289
 - SIPS 116
 - tel 116, 289
- URL 161
- Usage Parameter Control (UPC) 181
- User
 - agent 282
 - Authorization Answer (UAA) 296
 - Authorization Request (UAR) 295
 - Credential 290
 - Datagram Protocol (UDP) 102
 - Equipment 289
 - Identity
 - Private 288–289, 295
 - Public 288–289, 295
 - Subscription 290
- User-to-Network Interface (UNI) 181, 307
- UTC 111
- UTP 204
- UTRAN 256, 261–262, 272

- VAD 37
- Variable Packet Size (VPS) 161
- VBR 78
- VC 170, 308
 - label 334
- VC-1 65, 71, 88
 - Level 88
 - Profile 88
 - Advanced 88
 - Main 88
 - Simple 88
- VCAT 316, 366
- VCC 256, 269–270, 278, 286
- VCG 361, 368
 - Member 361
- VCI 312, 327
- VCR 65–67
- VDSL 22, 204, 207, 214, 235
 - band plan 216
- VDSL2 14, 19–20, 63, 215, 218
 - band plan 216
 - Ethernet 216, 219
 - FDD 216
 - low frequency band 218
 - PON 219
 - PTM-TC 216
 - remote DSLAM 220
- Vector
 - Motion 76
- Very-high-bit-rate DSL (VDSL) 204, 207
- VHS 71
- Video 3, 11–12, 27
 - Blurring 89
 - Broadcast 6
 - Coding 6, 93
 - Interpolative 93
 - Predictive 93
 - Spatial 93
 - Statistical 93
 - Compression 73, 93
 - Lossy 93
 - Conference 15, 18, 67
 - Digital 7
 - Interlaced 88
 - Multicast 6, 8
 - non-real-time 199
 - on Demand (VoD) 1, 8, 61
 - Pay-per-view 7
 - Personal Recording (PVR) 66
 - Client (CPVR) 67
 - Networked (NPVR) 67
 - Progressive 88
 - Resolution 6
 - Services
 - Personal, See PVS
 - Streaming 268
 - Synchronization 94
 - Timing 97
- Videotelephony 32

- Virtual
 - Circuit (VC) 308
 - Identifier (VCI) 312, 327
 - Concatenation (VCAT) 353, 361
 - Container Group (VCG) 361, 366
 - LAN (VLAN) 309
 - Path Identifier (VPI) 312
 - Private LAN Service (VPLS) 340
 - Private Network (VPN) 46, 305, 340, 373
 - Private Wire Services (VPWS) 336
 - Visiting Location Register (VLR) 250
 - VLAN 309, 322
 - ID 309, 343
 - Q-in-Q 322
 - tagging 315, 322, 324, 343
 - VLC 75, 77
 - VLR 250, 270
 - Vocoder, See Codec Source
 - VoD 8, 11, 14, 17, 21, 63, 65–67, 87, 92
 - Downloading 8, 66
 - Streaming 8, 66
 - Voice
 - Activity Detection (VAD) 37
 - Business 1
 - Call Continuity (VCC) 256
 - Compression 249
 - Distortion 40, 42
 - over IP (VoIP) 31
 - Quality Rating 41
 - Voice, video and data, See Triple Play
 - VoIP 9–10, 12, 15, 17, 34, 37–38, 40, 43, 45–17, 103, 141, 162, 268, 270, 300
 - Enterprise 46
 - Gateway 45
 - Phone 281
 - policing 167
 - Session 118
 - VPI 312, 327
 - VPLS 15, 18, 23, 62, 340
 - Hierarchical, See HVPLS
 - Pseudowire topologies 341
 - VPN 10, 46, 305, 340, 351
 - VPWS 336
- WAG 280
- WAN 24, 46, 306, 312
 - Interface Subsystem (WIS) 315
- WAP 51
- Waveform 34
- Wavelength Division Multiplexing (WDM) 222, 316
- WCDMA 246, 256, 258, 260–263, 265, 270, 281
- WDM 18, 222, 316
- Web 270
- Weight function 147
- Weighted
 - Fair Queuing (WFQ) 165
 - Random Early Discard (WRED) 199
 - RED (WRED) 175
 - Round Robin (WRR) 164, 199
- WFQ 184, 199–200
- WiBro 273, 275
- Wideband CDMA (WCDMA) 246
- Wi-Fi 16–18, 264–268, 270, 272–273, 278, 281–282
- WiMAX 18, 63, 246, 263–264, 270, 272–275, 277–281
 - Forum 272, 275, 278–279
 - MAC layer 275
 - Mobile 272, 275
- Windows Media 9, See WM-9
- Wireless 16, 264
 - Communications Service (WCS) 273
 - LAN (WLAN) 243
 - Local Area Networks (WLAN) 265
 - Metropolitan Area Networks (WMAN) 272
- Wireline 264, 270, 282
- WIS 315
- WLAN 243, 265, 267–268, 270, 278–279
 - Access Gateway (WAG) 280
 - Interworking, See I-WLAN
- WM-9 61, 71, 81, 85, 96
- WM9V, See SMPTE VC-1
- WMAN 272, 278
- World Radio Conference (WRC) 273
- World Wide Web (WWW) 141
- WRC 273
- Zapping 88–89, 92
 - Delay 94

