
CONTENTS

Preface	xv
1 Humanistic Intelligence as a Basis for Intelligent Image Processing	1
1.1 Humanistic Intelligence / 1	
1.1.1 Why Humanistic Intelligence / 2	
1.1.2 Humanistic Intelligence Does Not Necessarily Mean “User-Friendly” / 3	
1.2 “WearComp” as Means of Realizing Humanistic Intelligence / 4	
1.2.1 Basic Principles of WearComp / 4	
1.2.2 The Six Basic Signal Flow Paths of WearComp / 8	
1.2.3 Affordances and Capabilities of a WearComp-Based Personal Imaging System / 8	
1.3 Practical Embodiments of Humanistic Intelligence / 9	
1.3.1 Building Signal-Processing Devices Directly Into Fabric / 12	
1.3.2 Multidimensional Signal Input for Humanistic Intelligence / 14	
2 Where on the Body is the Best Place for a Personal Imaging System?	15
2.1 Portable Imaging Systems / 18	
2.2 Personal Handheld Systems / 18	
2.3 Concomitant Cover Activities and the Videoclips Camera System / 18	
2.3.1 Rationale for Incidental Imaging Systems with Concomitant Cover Activity / 18	

- 2.3.2 Incidental Imaging Systems with Concomitant Cover Activity / 19
- 2.3.3 Applications of Concomitant Cover Activity and Incidental Imaging / 24
- 2.4 The Wristwatch Videophone: A Fully Functional “Always Ready” Prototype / 25
- 2.5 Telepointer: Wearable Hands-Free Completely Self-Contained Visual Augmented Reality / 26
 - 2.5.1 No Need for Headwear or Eyewear If Only Augmenting / 27
 - 2.5.2 Computer-Supported Collaborative Living (CSCL) / 30
- 2.6 Portable Personal Pulse Doppler Radar Vision System Based on Time–Frequency Analysis and q -Chirplet Transform / 31
 - 2.6.1 Radar Vision: Background, Previous Work / 32
 - 2.6.2 Apparatus, Method, and Experiments / 33
- 2.7 When Both Camera and Display are Headworn: Personal Imaging and Mediated Reality / 38
 - 2.7.1 Some Simple Illustrative Examples / 40
 - 2.7.2 Mediated Reality / 42
 - 2.7.3 Historical Background Leading to the Invention of the Reality Mediator / 43
 - 2.7.4 Practical Use of Mediated Reality / 44
 - 2.7.5 Personal Imaging as a Tool for Photojournalists and Reporters / 45
 - 2.7.6 Practical Implementations of the RM / 49
 - 2.7.7 Mediated Presence / 51
 - 2.7.8 Video Mediation / 52
 - 2.7.9 The Reconfigured Eyes / 54
- 2.8 Partially Mediated Reality / 59
 - 2.8.1 Monocular Mediation / 59
- 2.9 Seeing “Eye-to-Eye” / 60
- 2.10 Exercises, Problem Sets, and Homework / 61
 - 2.10.1 Viewfinders / 61
 - 2.10.2 Viewfinders Inside Sunglasses / 62
 - 2.10.3 Mediated Reality / 62
 - 2.10.4 Visual Vicarious Documentary / 62
 - 2.10.5 Aremac Field of View / 63

- 2.10.6 Matching Camera and Aremac / 63
- 2.10.7 Finding the Right Camera / 63
- 2.10.8 Testing the Camera / 63

3 The EyeTap Principle: Effectively Locating the Camera Inside the Eye as an Alternative to Wearable Camera Systems

64

- 3.1 A Personal Imaging System for Lifelong Video Capture / 64
- 3.2 The EyeTap Principle / 64
 - 3.2.1 “Lightspace Glasses” / 67
- 3.3 Practical Embodiments of EyeTap / 67
 - 3.3.1 Practical Embodiments of the Invention / 69
 - 3.3.2 Importance of the Collinearity Criterion / 69
 - 3.3.3 Exact Identity Mapping: The Orthoscopic Reality Mediator / 70
 - 3.3.4 Exact Identity Mapping Over a Variety of Depth Planes / 74
- 3.4 Problems with Previously Known Camera Viewfinders / 79
- 3.5 The Aremac / 82
 - 3.5.1 The Focus-Tracking Aremac / 82
 - 3.5.2 The Aperture Stop Aremac / 84
 - 3.5.3 The Pinhole Aremac / 88
 - 3.5.4 The Diverter Constancy Phenomenon / 90
- 3.6 The Foveated Personal Imaging System / 90
- 3.7 Teaching the EyeTap Principle / 92
 - 3.7.1 Calculating the Size and Shape of the Diverter / 94
- 3.8 Calibration of EyeTap Systems / 97
- 3.9 Using the Device as a Reality Mediator / 99
- 3.10 User Studies / 100
- 3.11 Summary and Conclusions / 100
- 3.12 Exercises, Problem Sets, and Homework / 101
 - 3.12.1 Diverter Embodiment of EyeTap / 101
 - 3.12.2 Calculating the Size of the Diverter / 101
 - 3.12.3 Diverter Size / 101

- 3.12.4 Shape of Diverter / 102
- 3.12.5 Compensating for Slight Aremac Camera Mismatch / 102

4 Comparametric Equations, Quantigraphic Image Processing, and Comparagraphic Rendering **103**

- 4.1 Historical Background / 104
- 4.2 The Wyckoff Principle and the Range of Light / 104
 - 4.2.1 What's Good for the Domain Is Good for the Range / 104
 - 4.2.2 Extending Dynamic Range and Improvement of Range Resolution by Combining Differently Exposed Pictures of the Same Subject Matter / 105
 - 4.2.3 The Photoquantigraphic Quantity, q / 106
 - 4.2.4 The Camera as an Array of Light Meters / 106
 - 4.2.5 The Accidentally Discovered Compander / 107
 - 4.2.6 Why Stockham Was Wrong / 109
 - 4.2.7 On the Value of Doing the Exact Opposite of What Stockham Advocated / 110
 - 4.2.8 Using Differently Exposed Pictures of the Same Subject Matter to Get a Better Estimate of q / 111
 - 4.2.9 Exposure Interpolation and Extrapolation / 116
- 4.3 Comparametric Image Processing: Comparing Differently Exposed Images of the Same Subject Matter / 118
 - 4.3.1 Misconceptions about Gamma Correction: Why Gamma Correction Is the Wrong Thing to Do! / 118
 - 4.3.2 Comparametric Plots and Comparametric Equations / 119
 - 4.3.3 Zeta Correction of Images / 122
 - 4.3.4 Quadratic Approximation to Response Function / 123
 - 4.3.5 Practical Example: Verifying Comparametric Analysis / 125
 - 4.3.6 Inverse Quadratic Approximation to Response Function and its Squadratic Comparametric Equation / 130
 - 4.3.7 Sqrtic Fit to the Function $f(q)$ / 134

- 4.3.8 Example Showing How to Solve a Comparametric Equation: The Affine Comparametric Equation and *Affine Correction* of Images / 136
- 4.3.9 Power of Root over Root Plus Constant Correction of Images / 143
- 4.3.10 Saturated Power of Root over Root Plus Constant Correction of Images / 146
- 4.3.11 Some Solutions to Some Comparametric Equations That Are Particularly Illustrative or Useful / 147
- 4.3.12 Properties of Comparametric Equations / 150
- 4.4 The Comparagram: Practical Implementations of Comparanalysis / 151
 - 4.4.1 Comparing Two Images That Differ Only in Exposure / 151
 - 4.4.2 The Comparagram / 152
 - 4.4.3 Understanding the Comparagram / 152
 - 4.4.4 Recovering the Response Function from the Comparagram / 153
 - 4.4.5 Comparametric Regression and the Comparagram / 160
 - 4.4.6 Comparametric Regression to a Straight Line / 162
 - 4.4.7 Comparametric Regression to the *Exponent over Inverse Exponent of Exponent Plus Constant* Model / 165
- 4.5 Spatiotonal Photoquantigraphic Filters / 169
 - 4.5.1 Spatiotonal Processing of Photoquantities / 172
- 4.6 Glossary of Functions / 173
- 4.7 Exercises, Problem Sets, and Homework / 174
 - 4.7.1 Parametric Plots / 174
 - 4.7.2 Comparaplots and Processing “Virtual Light” / 174
 - 4.7.3 A Simple Exercise in Comparametric Plots / 175
 - 4.7.4 A Simple Example with Actual Pictures / 175
 - 4.7.5 Unconstrained Comparafit / 176
 - 4.7.6 Weakly Constrained Comparafit / 176
 - 4.7.7 Properly Constrained Comparafit / 176
 - 4.7.8 Combining Differently Exposed Images / 177
 - 4.7.9 Certainty Functions / 177

4.7.10 Preprocessing (Blurring the Certainty Functions)
and Postprocessing / 177

5 Lightspace and Antihomomorphic Vector Spaces 179

- 5.1 Lightspace / 180
- 5.2 The Lightspace Analysis Function / 180
 - 5.2.1 The Spot-Flash-Spectrometer / 181
- 5.3 The “Spotflash” Primitive / 184
 - 5.3.1 Building a Conceptual Lighting Toolbox:
Using the Spotflash to Synthesize Other
Light Sources / 185
- 5.4 LAF×LSF Imaging (“Lightspace”) / 198
 - 5.4.1 Upper-Triangular Nature of Lightspace along Two
Dimensions: Fluorescent and Phosphorescent
Objects / 198
- 5.5 Lightspace Subspaces / 200
- 5.6 “Lightvector” Subspace / 201
 - 5.6.1 One-Dimensional Lightvector Subspace / 202
 - 5.6.2 Lightvector Interpolation and Extrapolation / 202
 - 5.6.3 Processing Differently Illuminated Wyckoff Sets
of the Same Subject Matter / 204
 - 5.6.4 “Practical” Example: 2-D Lightvector
Subspace / 208
- 5.7 Painting with Lightvectors: Photographic/Videographic
Origins and Applications of WearComp-Based Mediated
Reality / 211
 - 5.7.1 Photographic Origins of Wearable Computing and
Augmented/Mediated Reality in the 1970s and
1980s / 213
 - 5.7.2 Lightvector Amplification / 216
 - 5.7.3 Lightstrokes and Lightvectors / 221
 - 5.7.4 Other Practical Issues of Painting with
Lightvectors / 224
 - 5.7.5 Computer-Supported Collaborative Art
(CSCA) / 224
- 5.8 Collaborative Mediated Reality Field Trials / 225
 - 5.8.1 Lightpaintball / 225
 - 5.8.2 Reality-Based EyeTap Video Games / 227

5.9	Conclusions / 227	
5.10	Exercises, Problem Sets, and Homework / 227	
5.10.1	Photoquantigraphic Image Processing / 227	
5.10.2	Lightspace Processing / 228	
5.10.3	Varying the Weights / 228	
5.10.4	Linearly Adding Lightvectors is the Wrong Thing to Do / 229	
5.10.5	Photoquantigraphically Adding Lightvectors / 229	
5.10.6	CEMENT / 229	
6	VideoOrbits: The Projective Geometry Renaissance	233
6.1	VideoOrbits / 233	
6.2	Background / 235	
6.2.1	Coordinate Transformations / 235	
6.2.2	Camera Motion: Common Assumptions and Terminology / 239	
6.2.3	Orbits / 240	
6.2.4	VideoOrbits / 241	
6.3	Framework: Motion Parameter Estimation and Optical Flow / 250	
6.3.1	Feature-Based Methods / 250	
6.3.2	Featureless Methods Based on Generalized Cross-correlation / 251	
6.3.3	Featureless Methods Based on Spatiotemporal Derivatives / 252	
6.4	Multiscale Implementations in 2-D / 256	
6.4.1	Unweighted Projective Flow / 257	
6.4.2	Multiscale Repetitive Implementation / 260	
6.4.3	VideoOrbits Head-Tracker / 261	
6.4.4	Exploiting Commutativity for Parameter Estimation / 261	
6.5	Performance and Applications / 263	
6.5.1	Subcomposites and the Support Matrix / 266	
6.5.2	Flat Subject Matter and Alternate Coordinates / 268	
6.6	AGC and the Range of Light / 270	
6.6.1	Overview / 270	

- 6.6.2 Turning AGC from a Bug into a Feature / 270
- 6.6.3 AGC as Generator of Wyckoff Set / 271
- 6.6.4 Ideal Spotmeter / 272
- 6.6.5 AGC / 272
- 6.7 Joint Estimation of Both Domain and Range Coordinate Transformations / 274
- 6.8 The Big Picture / 277
 - 6.8.1 Paper and the Range of Light / 278
 - 6.8.2 An Extreme Example with Spatiotonal Processing of Photoquantities / 279
- 6.9 Reality Window Manager / 281
 - 6.9.1 VideoOrbits Head-Tracker / 281
 - 6.9.2 A Simple Example of RWM / 282
 - 6.9.3 The Wearable Face Recognizer as an Example of a Reality User Interface / 283
- 6.10 Application of Orbits: The Photonic Firewall / 284
- 6.11 All the World's a Skinner Box / 285
- 6.12 Blocking Spam with a Photonic Filter / 287
 - 6.12.1 Preventing Theft of Personal Solitude by Putting Shades on the Window to the Soul / 287
- 6.13 Exercises, Problem Sets, and Homework / 291
 - 6.13.1 The VideoOrbits Head-Tracker / 291
 - 6.13.2 Geometric Interpretation of the Three-Parameter Model / 293
 - 6.13.3 Shooting Orbits / 294
 - 6.13.4 Photoquantigraphic Image Composite (PIC) / 294
 - 6.13.5 Bonus Question / 294

Appendixes

- A Safety First! 295**
- B Multiambic Keyer for Use While Engaged in Other Activities 296**
 - B.1 Introduction / 296
 - B.2 Background and Terminology on Keyers / 297
 - B.3 Optimal Keyer Design: The Conformal Keyer / 298

B.4	The Seven Stages of a Keypress / 301	
B.5	The Pentakeyer / 305	
B.6	Redundancy / 309	
B.7	Ordinally Conditional Modifiers / 311	
B.8	Rollover / 311	
	B.8.1 Example of Rollover on a Cybernetic Keyer / 312	
B.9	Further Increasing the Chordic Redundancy Factor: A More Expressive Keyer / 312	
B.10	Including One Time Constant / 314	
B.11	Making a Conformal Multiambic Keyer / 315	
B.12	Comparison to Related Work / 316	
B.13	Conclusion / 317	
B.14	Acknowledgments / 318	
C	WearCam GNUX Howto	319
	C.1 Installing GNUX on WearComps / 319	
	C.1.1 GNUX on WearCam / 320	
	C.2 Getting Started / 320	
	C.3 Stop the Virus from Running / 320	
	C.4 Making Room for an Operating System / 321	
	C.5 Other Needed Files / 322	
	C.6 Defrag / 323	
	C.7 Fips / 323	
	C.8 Starting Up in GNUX with Ramdisk / 324	
	C.8.1 When You Run <i>install.bat</i> / 324	
	C.8.2 Assignment Question / 324	
D	How to Build a Covert Computer Imaging System into Ordinary Looking Sunglasses	325
	D.1 The Move from Sixth-Generation WearComp to Seventh-Generation / 326	
	D.2 Label the Wires! / 328	

D.3 Soldering Wires Directly to the Kopin
CyberDisplay / 328

D.4 Completing the Computershades / 329

Bibliography **332**

Index **341**