

INDEX

- Adsorption
 chromatography, 391
 liquid exclusion adsorption
 chromatography (LEAC), 398
- Affinity chromatography, 98, 99
- Albumin
 bovine serum albumin (BSA), 166, 265
- Aliphatic
 polyamides, 407
 polyesters, 417
- Amino acids, 23, 265, 270, 271, 311, 328,
 329, 332, 335, 336
 arginine, 270
 cysteine, 23
 glycine, 23, 181, 333, 350
 leucine, 329, 332, 333
 lysine, 270, 332, 351
 methionine, 230, 311, 332
 n-terminal methionine, 311
 phenylalanine, 328, 329, 331–333
 proline, 23, 328, 329–333
 tryptophan, 328, 329, 332, 338
 tyrosine, 328, 329, 332
- Amino NPLC column, 433, 437, 438
- Aminoquinolyl-N-hydroxysuccinimidyl
 carbamate (AQC), 333
- Ammonium acetate, 195, 196, 244–249,
 251, 252, 253, 410
- Amphiphilic compounds, 395
- Analysis reproducibility, 223, 271
- Analytical information markup language
 (AnIML), 114
- Analytical instrument association (AIA)
 format, 113, 115
- Anion-exchange *see also* Ion-exchange
 chromatography, 100, 109, 130, 180,
 181, 192–202, 209, 225, 254,
 295, 308
 gradient(s), 179, 199, 200–202
- Annexins, 237
- Aplasia californicus, 348
- Arginine, *see* Amino acids
- Aromatic
 amines, 103
 amino acids, 351
 polyesters, 414

- Autocorrelation methods, 41
Autocovariance function (ACVF) methods,
28, 68, 74–85, 87, 88, 119
- Band-broadening, 67, 163, 171
Bethe lattice, 29
Biomarkers, 209, 221, 222, 230, 231, 237
Biphasic SCX/RP column, 251
Block copolymers, 389, 403, 404
Bottom-up proteomics, 118, 203, 292
Bovine hemoglobin (BH), 265
Bovine serum albumin (BSA), 166, 265,
350, 389, 403
Brij[®] type surfactants, 398, 427, 432, 433,
435, 438–440, 443
Butylphenoxy end groups, 397
- Capillary electrochromatography (CEC),
147
Capillary electrophoresis (CE), 5, 27, 96,
127, 349, 365, 367
electromigration injections, 372
interfaces, 103
isoelectric focusing, 224, 351
micellar electrokinetic chromatography
(MEKC or MECC), 20, 106, 350
microchip electrophoresis, 380
SDS-sieving electrophoresis, 350
two-dimensional capillary
electrophoresis, 356
with liquid chromatography, 352
Capillary gel electrophoresis (CGE), 428,
429
- Cation-exchange *see also* Ion-exchange
chromatography (CEX), 178
gradient, 181
peak capacity, 182
random access media-strong cation-
exchange (RAM-SCX), 212, 214,
215, 216, 217
strong cation-exchange (SCX)
chromatography, 243, 262, 265
SCX-RP 2DLC method, 270
SCX-RP 2DLC systems, 275
SCX-RP chromatographic modes,
280
SCX gradients, 254
with reversed-phase, 181
with size exclusion, 178
- Cayley tree, 29
Cellular protein homogenates, 350
Central nervous system tissues, 329
Cerebrospinal fluid, 208, 214, 217, 253,
254, 328
Chemical heterogeneity, 415
Chemical variance, 28
Chemiluminescent nitrogen detection, 434
Chemometric analysis, 27, 28, 117
Chip-based MDLC systems, 29, 30
Chiral
achiral-chiral system, 321, 322, 323, 324
chromatography, 338
crown ether column, 328
cyclodextrin column 325, 327–335, 337,
338
drugs, 319, 323, 325, 336–338
enantiomeric purity of amino acids, 336
enantioselectivity, 322, 323, 335, 338
metabolites, 319, 322–327
pindolol enantiomers, 324, 327
stationary phases, 319, 328, 336
S-ketorolac enantiomer, 323–325
Chromatofocusing, 3, 100, 109, 117,
224–234, 293, 312
Chromatogram subtraction, 110, 119, 234
Chromatographic
data systems, 109–113
hardware, 97
methods, 127, 147, 177, 207, 221, 223,
261, 291, 319, 389
performance, 147, 190, 300, 314, 398
pressure limitations, 296
Chromolith[™] columns, 140, 149, 155–157,
165–167, 216, 217, 399–401
Coaxial sheath flow, 368
Comprehensive 2D chromatography, 4, 5,
13–15, 24, 29, 37, 93–109, 118, 127
Computer
-generated map, 84, 87
hardware, 109–113
software, 81, 97, 100, 103, 106, 109–120,
194, 227–231, 293, 302, 348, 398,
443
Condensation
polymers, 406, 407
reactions, 406
Continuous flow electrophoresis, 224
Copolymers, 387, 389, 401–406

- Correlation, 5, 12, 15, 19–37, 42, 43, 54, 55, 77–79, 132, 156, 200, 231–235, 267–271, 292, 306, 392
- Cross-fractionation, 96, 389
- Cyano column, 161, 325–327, 338 *see also* Normal-Phase Liquid Chromatography
- Cyclic oligomers, 395, 406, 408, 410, 414–419
- Cyclodextrin column 325, 327–335, 337, 338
- Data
 - large datasets, 114, 301
 - interpretation, 314
 - mass spectral data, 113, 114, 118, 302, 314
 - presentation, 96, 115, 116, 118, 354
 - storage, 114
- Database searching algorithms, 27, 28, 243, 244
- Datura sanguinea* leaves, 334, 335
- Dendrogram, 231, 232
- Deseparation process, 24
- Detectors,
 - chemiluminescent, 434
 - diode array detector (DAD), 1, 17, 97, 114, 118
 - dynamic range, 29, 119, 141, 207, 223, 261, 262, 282, 292, 294, 304, 308, 311, 348, 351, 256, 357, 358, 360, 365, 367
 - evaporative light scattering (ELSD), 100, 109, 114, 138, 394, 431–434
 - fast data-sampling detectors, 394
 - fluorescence, 100, 104–106, 181, 322, 348–356, 360, 366, 370, 372, 379, 380
 - Fourier transform-ion cyclotron resonance (FT-ICR), 16
 - ion mobility-mass spectrometry (IM-MS), 16
 - laser-induced fluorescence (LIF), 100, 106, 354, 366, 379, 380
 - matrix-assisted laser desorption ionization (MALDI) with Time-of-flight (TOF)
 - detection, 152, 186, 210, 214–217, 229–236, 308–313, 379, 396, 398, 403, 408–414, 419
 - peptide mass fingerprinting, 229, 308
 - tandem mass spectrometry (MS/MS), 243–255, 261, 292, 368
 - time-of-flight mass spectrometry (TOF-MS), 16, 83, 192–194, 291–293, *see also* MALDI
 - ultraviolet (UV) detection, 1, 3, 17, 97, 100, 109, 110, 114, 118, 179–188, 196–198, 212, 226–233, 277, 299, 302, 322, 349–351, 366–368, 376, 379, 394, 428–434
- Detergent additives, 313
- Dielectrophoresis, 6
- Differential gel electrophoresis (DIGE), 348
- Diffusion barrier, 211
- Digraphs, 30
- Dimensionality 2, 22–24, 36, 59, 68, 215
- Diode array detector, 1, 17, 97, 114, 118
- Disulfide bonds, 225, 349, 350
- Dithiothreitol (DTT), 225
- DNA microarrays, 222
- Drug enantiomers, 319, 323, 325, 336–338
- Dynamic range, 29, 119, 141, 207, 223, 261, 262, 282, 292, 294, 304, 308, 311, 348, 351, 256, 357, 358, 360, 365, 367
- Eight-port valve, 94, 96, 99, 100–102, 108, 177–181
- Electrically-gated solute injection, 106
- Electrically/pneumatically-driven fraction transfer device, 393
- Electrophoresis, 60, 348 *see also* Capillary Electrophoresis
 - continuous flow electrophoresis, 224
 - differential gel electrophoresis (DIGE), 348
 - gel, 2, 11, 29, 60, 79, 80, 96, 141, 142, 177, 186–188, 191, 192, 202, 209, 222, 223, 347, 348, 388
 - isoelectric focusing (IEF), 2, 3, 11, 80, 96, 141, 224, 254, 347, 348, 351, 360, 366, 379, 388
 - polyacrylamide gel electrophoresis (PAGE), 60, 79, 80, 96, 141, 142, 177, 188, 191, 192, 202, 222, 233, 234, 347, 348, 350
- Electrophoretic mobility, 64, 349, 429

- Electrospray
 ionization (ESI), 112, 152, 153, 158, 167,
 168, 181, 186, 192, 194, 228, 230,
 236, 244, 291, 293, 297, 300, 301,
 308, 311, 313, 328, 368–370
 TOF-MS, 186, 192, 228, 311
- Elevated temperatures 109, 130, 139, 227
- Emulsifiers, 395
- Enantiomers *see* Chiral
- Enantiomeric purity of amino acids, 336
- Enantioselectivity, 322, 323, 335, 338
- Enthalpic interactions, 391
- Entropic interactions, 391
- Ethylene oxide (EO), 395, 398, 401, 403,
 405, 425, 428–437, 440, 443
 chain length, 442
 distribution, 436, 438, 440, 441, 443
- EO-PO copolymers, 402
- EO-VA copolymers, 401
- Escherichia coli, 181, 247, 254, 305
 cytosol, 305
- Euclidean norm, 17, 18, 143
- Evasive light scattering detector
 (ELSD), 100, 109, 114, 138, 394,
 431–434
- Extensible markup language (XML), 114
- External porosity, 153, 155
- Extra-column effects, 156, 157
- Field-flow fractionation (FFF), 6, 27, 106
- Flow cytometry/cell sorting, 6
- Flow-gating interface (FGI), 104, 367
- Flow splitting, 104, 108, 170, 181, 293
- Fluorescein isothiocyanate (FITC), 373, 374
- Fluorescence detection, 100, 104–106,
 181, 322, 348–356, 360, 366, 370,
 372, 379, 380
- Fluorescent labelling, 351
- Fluorogenic reagents, 351
- Four-port valves, 183
- Four-position valve, 111
- Fourier-based techniques, 74, 119
- Fourier-space description, 5, 22, 74, 119
 complex chromatograms, 22
- Fourier transform-ion cyclotron resonance
 (FT-ICR), 16
- Free-solution electrophoresis, 349, 353
- Functionality-type distribution, 408, 414,
 417
- Gas-liquid chromatography (GLC), 5, 14,
 20, 21, 36, 60, 110, 114, 118, 320
- Gel alignment algorithm, 358
- Gel electrophoresis, 2, 11, 29, 60, 79, 80, 96,
 141, 142, 177, 186–188, 191, 192,
 202, 209, 222, 223, 347, 348, 388
- Gel permeation chromatography (GPC), 13
see also Size-exclusion
 chromatography
- Generalized rank annihilation method
 (GRAM), 28
- Gibbs free energy, 390, 404
- Glutamic acid, *see* Amino acids
- Glycine, *see* Amino acids
- Gradient elution chromatography, 3, 14,
 16, 27, 101, 102, 117, 130–142,
 150, 152, 153, 158–160, 165–171,
 178–181, 184, 191, 193–196,
 198–203, 212–216, 224–226, 231,
 233, 244–248, 251, 254, 262, 263,
 265–267, 275, 280, 281, 293,
 296–299, 303–311, 366–378, 389,
 399–402, 407–410, 414, 416, 417,
 429, 431, 436–440, 443
- Graph theory, 30
- Graphical user interfaces (GUIs), 110
- Graphics packages, 117
- Gray-scale contour plots, 116, 357, 375
- Heart-cutting technique, 5, 29, 94–99, 177,
 320, 321, 328, 329, 335, 366, 389,
 393
- Heat shock proteins (HSPs), 237
- Hemoglobin, 179
 bovine 265
- Hexafluoroisopropanol (HFIP), 408
- Hierarchical clustering, 231, 232
- High-throughput
 analyses, 188, 208, 366
 column designs, 394
 screening, 398, 399
- Histidine, *see* Amino acids
- History of 2D Chromatography, 13
- Human serum, 216, 282, 323, 324, 338,
 366, 370
- Hydrodynamic volumes, 389, 417
- Hydrophilic interaction chromatography
 (HILIC), 100, 141, 142, 265–270,
 273, 274, 275–278, 284

- Hydrophilic-to-lyophilic balance (HLB), 425
- Hydrophobic proteins, 192, 313
- Hydrophobicity, 21, 106, 133, 150, 184, 192, 209, 215, 216, 223, 227, 231–233, 267, 268, 307, 367, 433, 435
- Ion-exchange, 23, 101, 112, 148, 160, 167, 187, 200, 214, 215, 270, 291, 295, 296, 428 *see also* Anion-exchange and Cation-exchange chromatography (IEX, IEC)
with reversed-phase, 166, 299
- Ion suppression, 158
- Immobilized metal ion affinity chromatography (IMAC), 379
- Information
entropy, 21
theory (IT), 20, 36
- Immobilized pH gradient (IPG), 83, 254
- Instant release systems, 401
- Ion mobility-mass spectrometry (IM-MS), 16
- Ion-pair liquid chromatography (IPLC), 267, 300, 428
- Ionic surfactants, 425, 428, 431, 434
- Isocratic elution, 13, 109, 131, 135, 137, 139, 150, 158, 165, 166, 178, 191, 195, 196, 121, 215, 303, 304, 387, 398, 399, 407, 416, 433, 438
- Isoelectric focusing (IEF), 2, 3, 11, 80, 96, 141, 224, 254, 347, 348, 351, 360, 366, 379, 388
- Isoelectric point (pI) 2, 3, 11, 64, 81, 82, 84, 87, 117, 141, 222–6, 233–5, 270, 295, 308, 311, 347
- Laser-induced fluorescence (LIF), 100, 106, 354, 366, 379, 380
- Leucine, *see* Amino acids, 332
- Limit of detection (LOD), 26, 27, 262, 276, 280, 282, 284, 370
- Liquid chromatography-mass spectrometry (LC-MS) 158
- Liquid chromatography at critical conditions (LCCC) 135, 391, 393, 397, 398, 399, 402–405, 419
- Liquid chromatography at the critical point of adsorption (LCCPA) *see* Liquid chromatography at the critical condition (LCCC)
- Liquid chromatography-mass spectrometry (LC-MS) 17, 118, 158, 159, 198, 216, 228, 261–267, 273, 275–283, 294, 299, 300–308, 314, 324, 334
see also Detectors and Mass Spectrometry
- Liquid exclusion adsorption chromatography (LEAC), 398
- Lyophilization, 189, 192, 193, 195
- Lysine, *see* Amino acids
- Macromolecules, *see* polymers
- MALDI peptide mass fingerprinting (PMF), 229, 230, 236, 308, 309, 311
- MALDI-TOF, 152, 186, 210, 214, 217, 229, 308, 325, 236, 379, 396
- Malt beverages, 333
- MascotTM, 230, 244, 247, 249, 254
- Mass spectrometry, 1, 3, 6, 16, 17, 35, 79, 83, 88, 99, 100, 104, 110, 113, 114, 118, 119, 120, 132, 153, 158, 181, 182, 185–187, 192, 193, 198, 200, 207–210, 214, 216, 223, 228, 229, 237, 243, 244, 245, 248, 255, 261, 280, 292–294, 299, 300, 308, 324, 328, 334, 365, 366, 368, 379, 396, 402, 403, 405, 408, 431, 434, 443,
see also Detectors
data, 113, 114, 118, 119, 200, 302
data format, 113
electrospray ionization (ESI), 112, 153, 158, 167, 168, 186, 187, 228, 230, 236, 244–246, 293, 297, 299–301, 308, 311, 313, 328, 368–370
tandem mass spectrometry (MS/MS)
analysis, 2, 96, 118, 208, 243–249, 251, 254, 255, 261, 262, 264, 265, 275, 276, 280–282, 284, 292, 294, 308, 311, 313, 314, 324, 368, 370,
-based proteomics, 243
mass mapping, 221, 228, 230–234
signal intensity, 199, 200, 217, 237, 251, 252, 254
- Matrix-assisted laser desorption/ionization (MALDI), 308
with Time-of-flight (TOF) detection, 229

- Maximum entropy, 228, 301
MEKC buffer solutions, 106
Melt transesterification process, 415
Membrane proteins, 120, 291, 294, 313
Mesoprop, 335
Metabolomics, 6, 28, 59, 133
Metastasis-associated protein profiles, 233
Methacrylate-based monolithic columns, 149, 150
Methacryloyl-terminated polyethylene oxides, 398
Methionine, *see* Amino acids, 230, 311, 330, 332
Methyltrimethoxysilane (MTMS), 154, 155
Method development, 20, 30, 95, 127, 128, 130, 133, 135, 139, 144, 433
 cardinal rules 132
Micellar electrokinetic chromatography (MEKC or MECC), 20, 21, 29, 106, 107, 350–352, 355, 358, 360, 379
Microchip electrophoresis, 380
Microchip fabrication, 152
Microdialysis interfaces, 105
Microfabricated devices, 348
Microfluidics-based chromatography columns, 29
Molar-mass
 analysis, 392
 distribution, 408
Microfraction collector, 375
Molecular topology, 392
Molecular weight search score (MOWSE score), 230
Monolithic columns
 acrylamide, 150
 chromatographic properties of, 156
 columns, 149, 150, 157, 160, 171
 methacrylate-based monolithic columns, 149, 150
 polymer columns, 148–152
 structure, 150
 properties of, 151
 silica columns, 149, 154–162
Monosodium glutamate (MSG), 333
Multichannel data, 118
Multicomponent 2D maps, 60, 68, 62, 72, 74
Multidimensional protein identification technology (MudPIT), 96, 244, 246, 251–254
mzXML 114
Networks of separators, 30
Nonionic surfactants, 395, 425, 428, 429, 431, 433–435
Nonporous silica (NPS) column, 226–228, 435
Normal-phase liquid chromatography (NPLC), 100, 108, 133, 141, 429, 431, 434–443
 amino NPLC column, 432, 433, 436, 437, 438
 cyano column, 161, 325–327, 338
 chromatograms, 441
 silica column, 435, 441
 separations, 432
Octylphenol ethoxylate oligomers, 431
Octylphenol ethoxylate sulphate, 428–430
Octylphenoxy terminated PEO, 396, 397
Off-line SCX-online RP/MS/MS, 244, 247, 248
Off-line MDLC, 4, 115, 148, 152, 188, 189, 191, 275–277, 282, 393, 434
Oligomers, 100, 395, 397, 398, 405, 406, 408–410, 414–417, 419, 428–431, 433, 435, 438, 440 *see also* Polymers
On-chip multidimensional analysis, 105, 130
One-dimensional
 data vectors, 113
 method(s), 60, 128, 130, 365
 resolution, 17
 separation, 35, 224, 429, 435
 techniques, 22, 428, 437
 theory, 41, 190
Open-tubular splitter capillary, 194
Optically gated interfaces (OGI), 104, 105
Optimization, 132
 first dimension, 141
Orthogonal
 chromatography, 12, 19, 263, 292, 390
 separations, 12, 191, 200, 203, 214, 267, 268, 272, 293, 295, 365, 377, 380, 428, 435

- Ovarian surface epithelium (OSE), 231, 232
- Overloading effects, 77, 283, 296
- PAH compounds, 150, 151, 161
- Paper chromatography, 1
- Parallel-column chromatography systems, 103, 184
- Parallel factor analysis (PARAFAC), 28
- Partition free energy, 63, 64
- Pattern recognition, 28, 237
- Peak capacity, 3, 5, 13–17, 19–23, 27, 35–50, 60, 72, 74, 93, 108, 129, 130, 152, 155, 158–160, 163, 165, 167, 170, 171, 177, 180–182, 185–187, 189–191, 196, 198, 200, 202, 203, 109, 215, 255, 262–264, 267–269, 271, 272, 274–276, 280, 283, 284, 295, 299, 300, 303–307, 312, 319, 347, 348, 365, 372, 379, 387, 388
 derived from mass spectrometry, 16–17, 35, 284
- Peak
 counting, 69
 clustering and ordering 23, 24, 39, 62, 69, 70, 78, 84, 85
 overlap, 5, 16, 21–23, 28, 37–39, 41, 74, 83, 88, 134, 272, *see also* Statistical Model of Overlap (SMO)
 plotting, 116, 117, 183
- Pearson correlation coefficient, 231
- Pentabromobenzoyloxy propyl-silyl-bonded (PBB), 162
- Peptides, 16, 20, 104, 109, 150, 151, 152, 158, 185, 207–217, 243–248, 311, 312, 349, 351, 352, 365–370, 377, 378, 407, 429
 concentrations, 208, 209, 217
 mass fingerprint (PMF) analysis, 229, 308
 -protein identification, 276
 resolution of, 261
 two-dimensional separations of, 180, 181, 183, 184, 203, 243, 261–284, 366, 372
 tryptic peptides, 23, 116, 153, 160, 188, 203, 229, 243, 264, 268, 294, 379, 380
- Peptidomics, 207, 208
- Phenoxyalkanoic herbicides, 335
- Phenylalanine, *see* Amino acids
- Phenylpropanolamine, 338
- Phenylthiocarbonyl derivatives, 334
- Phosphopeptide 248, 254
- pI distribution, 84 *see also* Isoelectric point
- Pindolol enantiomers, 324
- Pipecolic acid, 328
- Planar techniques, 3, 11, 388
- Plasma, 141, 208, 210, 211, 214, 216, 217, 323, 282, 283, 292
 analysis of enantiomers, 319, 323, 328, 334
 human 84, 120, 209, 248
- Plotting software, 117
- Poisson
 distribution, 11, 12, 272
 law, 65, 72
 statistics, 41
- Polar organic mode, 328
- Polyacrylamide gel electrophoresis (PAGE), 60, 79, 80, 96, 141, 222, 347, 348, 350
- Polyamides, 407, 408, 412, 413
- Polycondensation polymers, 406, 407
- Polydispersity indices, 406
- Polyester, 406, 407, 414, 415, 417
- Polyether polyols, 403
- Polyethylene glycol (PEG), 138, 154, 398, 399, 400, 405, 427, 428, 432, 433, 435, 436, 440, 443
- Polyethylene oxide (PEO), 23, 395–398, 410, 402, 403, 405, 406, 425–428
- Poly lactides, 417, 419
- Polymer monoliths *see* Monolithic columns
- Polymers,
 aliphatic polyesters, 407, 417
 block copolymers, 389, 403–406
 complex, 390, 392
 condensation polymers, 406, 407
 copolymers, 100, 135, 387, 389
 EO-PO, 402, 403
 EO-VA, 401–403
 triblock, 403–406
 two-block copolymers, 389
 cyclic oligomers, 395, 406, 408, 410, 414–417, 419
 macromolecules, 395
 macromonomers, 387

Polymers (*Continued*)

octylphenol ethoxylate, 428–431, 440
 octylphenol ethoxylate sulphate, 430
 polylactides, 417, 419
 polyamides, 406–408, 410–414,
 propionic amide-propionic amide
 polyamides, 412
 polycondensation polymers, 406, 407
 polyester, 415
 polyether polyols, 403
 polyethylene glycol (PEG), 427
 polyethylene oxide (PEO), 395
 methacryloyl-terminated, 398
 octylphenoxy terminated, 396, 397
 polypropylene oxide (PPO), 405, 426
 Polymeric packing materials, 148, 167,
 212
 Polypropylene oxide (PPO), 405, 426
 Poppe plot, 16, 128, 129
 Pore-size distribution, 148, 152, 211, 390,
 431
 Porosity, 148, 149, 151–153, 155–1157
 Post-translational modification (PTM), 84,
 85, 87, 237, 311
 Postcolumn derivatization, 322, 328
 Product rule, 15
 Propionic amide-propionic amide
 polyamides, 412
 Proteins 2, 296, 313, 348, 352
 analysis methods, 284
 cellular protein homogenates, 350
 chromatography, 292, 296, 312
 expression, 3, 207, 222, 228, 230–233,
 237
 heat shock proteins (HSPs), 236, 237
 homogenates, 348, 350–352, 355
 hydrophobic proteins, 192, 313
 indentification, 3, 223
 intact mass of, 229, 230, 308, 311
 immobilized monoliths, 158, 295
 mass spectrometric analysis of, 313, 314
 membrane proteins, 120, 209, 291, 294,
 313
 mixed-mode interactions, 296
 -peptide workflows, 314
 profiling, 222, 233
 ribosomal proteins, 200, 295, 299–303,
 305–309, 311
 samples, 360

 separations with LC/MS, 314
 sequencing, 368
 SDS complexes, 349, 350
 Protein Prospector, 230
 Protein TrawlerTM, 229
 Proteomics, 6, 16, 20, 22, 27, 28, 59, 79,
 81, 85, 114, 117, 118, 160, 186,
 191, 203, 207, 208, 210, 223, 229,
 230, 237, 243, 244, 251, 254, 255,
 261, 264, 291–294, 311–313, 348
 bottom-up proteomics, 118, 203
 top-down, 118
 Quantitative peak intensity, 301
 Random access media-strong cation-
 exchange (RAM-SCX), 212, 214,
 215, 216, 217
 Random distributions, 39, 152,
 Randomness, 62–65, 67, 68, 78
 Refractive index (RI), 100, 109, 110, 398
 Rejection algorithm, 81
 Resolution in 2D chromatography, 17, 68,
 143
 peak-valley method, 17
 Retention-structure relationships, 62
 Retention-time coordinates, 36–38, 50
 Retention pattern, 62, 65–70, 72, 74, 77, 88
 Reversed-phase liquid chromatography
 (RPLC), 3, 13, 20, 21, 23, 100, 104,
 106, 108, 109, 117, 130, 132, 133,
 139–142, 164, 180–188, 192, 193,
 195, 196, 198, 199, 202, 216, 244,
 265, 276, 280, 293, 294, 312, 313,
 333, 336, 368, 370–375, 380, 408,
 426, 428, 429, 433–442
 column, 226, 254
 gradient, 193
 random-access media (RAM), 211
 Ribosomal proteins, 306, 307, 300, 302
 Roach equation, 42, 47, 49

 S-ketorolac enantiomer, 323
 Sample loops, 24–26, 29, 30, 94, 95, 99–
 103, 105, 110–112, 131, 132, 134,
 137, 139, 161, 178, 193, *see also*
 Storage loops
 Sampling, *see* Zone sampling
 Saturation factor, 72, 74, 77,

- Scanning electron micrographs (SEM), 149, 154, 155
- Schultz–Flory distribution, 406
- SDS-polyacrylamide gel electrophoresis, *see* Sodium dodecyl sulfate polyacrylamide gel electrophoresis
- SDS-protein complexes, 350
- Second-dimension
 column(s), 97, 103, 104, 111, 133, 139, 144
 effluent, 297
 elution process, 112
 elution time, 132, 137
 pumping system, 297
- Separation
 efficiency, 166
 extent, 70, 77
 impedance, 157
 parameters, 68, 81, 84, 85, 231, 267
 techniques, 1, 2, 13, 60, 96, 143, 187, 224, 248, 261, 385, 428
 time, 13, 155, 161, 163, 165, 170, 203, 215, 227, 306, 356, 399
- Serum, 98, 99, 210, 222, 234, 247, 261, 282, 283, 284, 292, 324, 328, 367, 370, 377
- Serum-free conditioned media, 234
- Sheath-flow cuvette, 353, 354
- Signal processing, 22, 88, 110, 119
- Silica-based restricted access materials (RAM), 210
- Single-dimension methods, 388
- Single fixed cell, 358
- Six-port valve, 94–96, 98, 99, 104, 108, 161, 162, 193, 371
- Size exclusion chromatography (SEC), 4, 98–100, 104, 108, 109, 130, 133, 137–139, 148, 160, 178, 179, 181, 183–188, 212, 248, 265–268, 273–276, 293, 352, 379, 389–394, 397, 398, 402, 403, 405–407, 426
 columns, 178, 181
 with reversed-phase, 183
 process, 212
 separations, 178, 185
- Small-molecule metabolite profiles, 6
- Sodium dodecyl sulfate (SDS), 2, 141, 347
- Sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS/PAGE), 80–82, 141, 347–350
- Sol-gel processes, 148
- Solid phase extraction (SPE), 229, 322, 333, 369, 370,
- Speed-resolution trade-off, 143
- Split injection/flow system, 373
- Spot overlapping degree, 67, 82, 85
- Statistical degree of overlapping (SDO), 81–84
- Statistical model of overlap (SMO), 40, 47, 65, 68, 71–73, 81–83, 85, 88
 Poisson statistics, 68
- Step-gradient chromatography, 304, 305, 311,
- Stopped-flow method, 130
- Storage loops, 178, 181, 183, 184, 194, 196
see also Sample Loops
- Strong cation-exchange (SCX), *see* Cation-exchange
- Supercritical fluid chromatography (SFC), 5, 20, 21, 338
- Surfactants, 2, 6, 23, 100, 102, 108, 109, 143, 296, 349, 360, 395, 398, 425–429, 431–435
 alcohol ethoxylate surfactant, 23, 426
 BrijTM 398, 427, 432, 433, 435, 438–440, 443
 ionic, 349, 360, 426, 428
 NeodolTM surfactants, 438
 nonionic, 395, 425, 428, 429, 431, 433–435,
 PEG, 427
 TritonTM, 225, 426, 431, 432
 zwitterionic, 4, 426, 434
- SwissProt (SWISS-2D-PAGE database), 2, 81, 84, 229
- Synovial fluid, 208
- System optimization, 218
- Tablet coating, 400, 401
- Tandem mass spectrometry (MS/MS), 2, 96, 116, 203, 208, 243–249, 251, 254,, 255, 261–265, 275, 276, 280–282, 284, 292, 294, 308, 311, 313, 314, 324, 368, 370, 434
- Temperature-programmed gas chromatography, 14
- Ten-port valve, 94, 96, 99, 100, 102, 161, 297
- t*-butyl methacrylate, 389

- Tetraethoxysilane (TEOS), 154
Tetrahydrofuran (THF), 138, 152, 164–166, 394, 402, 414, 427, 431
Tetramethoxysilane (TMOS), 154, 155, 157
Thin-layer chromatography (TLC), 11, 12, 17, 96, 388, 389
Three-dimensional (3D) separation, 4, 19, 65, 218, 262
Time-of-Flight (TOF) mass spectrometry, 16, 83, 152, 167, 168, 186, 192, 194, 210, 214, 217, 228–230, 235, 236, 247, 249, 254, 293, 308, 311, 314, 379, 396, 398, 403, 408, 410–414, 419 *see also* Detectors
Tissue lysate preparation, 225
Transistor-transistor logic, 111
Trapping column, 160, 216, 217, 246, 248, 251, 254, 292, 297–299, 305, 322, 323, 398
Triblock copolymer(s), 403, 404, 405
Trifluoroacetic acid (TFA), 136, 142, 153, 228, 229, 267, 300, 301, 338, 376, 378
Triphasic column, 246, 254
Tryptic peptides, 153, 229, 264–271, 274, 294, 379
Twelve-port valve, 102, 103
Two-block copolymers, 389
Two-dimensional (2D)
 gel electrophoresis, 2, 209, 347, 348
 electrophoresis, 141, 355, 358–360
 chromatography, 127, 254, 392
 gas chromatography (2DGC), 36, 118
 HPLC/CE separations, 379
 -ion mobility mass spectrometry (2D-IMS), 16
 liquid mass mapping, 221, 230
 planar techniques, 96
 separation space, 306
 theory of peak overlap, 28, 40 *see also* Statistical Model of Overlap (SMO)
 -thin-layer chromatography (2DTLC), 11, 96
Ultrahigh pressure liquid chromatography (UHPLC), 147, 160, 171, 190–192, 196, 202, 203
Ultraviolet (UV) detection, 3, 109, 186, 196, 197, 212, 226, 322, 376, 430, 434
Urine, 208, 214, 217, 319, 323, 324, 326, 328, 334, 374, 375
Valves
 eight-port, 100, 102, 179
 four-port, 100, 183, 194
 four-position, 111
 microfluidic, 105
 sequencing, 111
 six-port valves, 94–96, 98, 99, 104, 108, 161, 162, 193, 371
 ten-port, 94, 96, 99, 100, 102, 161, 297
 twelve-port, 102, 103
 valve-free gating interface, 380
Van Deemter equation, 150, 156, 190
Vinyl acetate (VAc), 401, 402
Void volume, 265, 277
Yeast alcohol dehydrogenase, (ADH), 265
Zirconia material, 133
Zone
 dilution, 26–27, 108
 sampling, 15, 24–26, 129, 132–136, 144
 visualization, 115, 117
Zwitterionic detergents, 4