

Index

Numbers and Symbols

- (dash) character, file naming conventions, 152
- ... (ellipses) characters, dialog box indicator, 154
- _ (underscore) character, file naming conventions, 153
- 8-bit files
 - bit depth, 127
 - color channels, 138–139
 - versus 16-bit files, 129–137
- 16-bit files, versus 8-bit files, 129–137

A

- ACR3 (Adobe Camera Raw 3) format
 - brightness adjustments, 233
 - color casts, 226
 - color channels, 234–237
 - Color Sampler Tool (S), 218, 228–230
 - contrast adjustments, 234
 - Crop Tool (C), 218–222
 - disabling auto adjustments, 50–51
 - exposure correction advantages, 272
 - exposure adjustments, 228–234
 - filmstrip view, 251
 - Hand Tool (H/Spacebar), 217
 - JPEG format nonsupport, 251
 - marking images for deletion, 225
 - opening Adobe Bridge image selections, 251
 - Rotate CCW (L), 223–225
 - Rotate CW (R), 223–225
 - saturation adjustments, 234
 - shadow adjustments, 233
 - sidecar files, 150
 - Straighten Tool (A), 222–22
 - synchronizing filmstrip settings, 230–233
 - White Balance Tool (1), 218, 225–227
 - workflow settings, 238–239
 - Zoom Tool (Z), 216
- actions
 - disc proofing, 178–187
 - saving, 186
 - verifying, 186–187
- adjustment layers
 - color corrections in Adobe Photoshop CS2, 258–260
 - darkening pupils, 377–380
 - elements, 287
 - layers, versus image menu adjustments, 259
- Adobe Bridge
 - batch file renaming, 153–158
 - cache files, 160–162
 - color labels, 249
 - digital light box, 243–244
 - enabling/disabling ACR3 (Adobe Camera Raw 3) format, 49–51
 - exporting cache files, 160–162
 - exposure display preferences, 52
 - image filtering, 250
 - image ranking, 198
 - image ratings, 249
 - image selections, 197–198
 - image sorts, 247–248
 - image views, 48–52
 - keyword uses, 149
 - launch methods, 154
 - opening image selections in ACR3, 251
 - sidecar files, 150
 - thumbnail selections, 245–247

- Adobe Bridge (*continued*)
 - user interface panels, 244
 - viewing enhanced RAW files, 160–162
 - viewing JPEG format images, 251
 - viewing sidecar files, 150
 - Web Photo Gallery, 207–214
- Adobe Camera Raw 3 (ACR3) format
 - brightness adjustments, 233
 - color casts, 226
 - color channels, 234–237
 - Color Sampler Tool (S), 218, 228–230
 - contrast adjustments, 234
 - Crop Tool (C), 218–222
 - disabling auto adjustments, 50–51
 - exposure adjustments, 228–234
 - exposure correction advantages, 272
 - filmstrip view, 251
 - Hand Tool (H/Spacebar), 217
 - JPEG format nonsupport, 251
 - marking images for deletion, 225
 - opening Adobe Bridge image selections, 251
 - Rotate CCW (L), 223–225
 - Rotate CW (R), 223–225
 - saturation adjustments, 234
 - shadow adjustments, 233
 - sidecar files, 150
 - Straighten Tool (A), 222–22
 - synchronizing filmstrip settings, 230–233
 - White Balance Tool (1), 218, 225–227
 - workflow settings, 238–239
 - Zoom Tool (Z), 216
- Adobe Photoshop CS2
 - adjustment layers, 258–260
 - Adobe Camera Raw 3 (ACR3), 215–240
 - Bridge image views, 48–52
 - brush preferences, 291–295
 - color casts, 256–260
 - color fringe corrections, 56
 - color samplers, 256–260
 - comparing original/corrected images, 267–268
 - Contact Sheet II, 197–206
 - Cooling filter, 296–298
 - copyright notices, 175–178
 - disc proofing action, 178–187
 - exposure adjustments, 269–282
 - fine-tuning slider controls, 267
 - grayscale step charts, 270–271
 - highlight balancing, 260–264
 - image views, 48–52
 - Info palette information display, 132–137
 - keyboard shortcuts, 131, 401–403
 - layer masks, 286–301
 - Levels adjustment layer, 277
 - opening ACR3 cropped images, 221
 - Photo Filter adjustment layer, 283–286
 - printing CD/DVD labels, 169–172
 - printing proof sheets, 204–206
 - Rectangular Marquee tool, 287–288
 - saving images, 266
 - shadow neutralization, 264–266
 - 16-bit space support, 129–130
 - specular highlights, 260–261
 - steps, color, 254–255
 - underexposure corrections, 275–279
 - Warming filter, 286–291
 - Web Photo Gallery styles, 213–214
 - zoom percentages, 295
- AE/AF lock, DSLR component, 10–12
- American Standards Association (ASA),
 - film sensitivity, 21
- angle of views
 - fixed-focal length lens, 55–56
 - lenses, 55–56
- apertures (f/stop)
 - corresponding shutter speeds, 28
 - depth of field (DOF), 35–40

described, 34
 exposure control, 11, 19–20
 f/stop formulas, 37
 front element, 37
 full/third stops, 34
 lens placements, 35
 middle gray tone, 42–44
 Apple's Spotlight, cataloging/search software, 153
 archives
 backup files, 162–165
 images, 85
 artifacts
 color fringe, 56
 healing, 364–365
 reasons for, 347
 ASA (American Standards Association), film sensitivity, 21
 auto adjustments, enabling/disabling
 ACR3 (Adobe Camera Raw 3), 49–51

B

Background Eraser, avoiding, 318
 background layers
 backing up by duplicating/renaming, 328–329
 nondestructive editing techniques, 328–336
 Weird Dream effects painting, 310–312
 backups
 background layers, 328–329
 CD versus DVD, 165–166
 external hard drives, 164
 image files, 83–84, 162–165
 importance of, 162–163
 portable storage devices, 164–165
 banding, extreme correction
 outcome, 281
 banners, Web Photo Gallery, 207

Batch Rename dialog box, renaming files, 156
 battery compartment, DSLR component, 10–13
 Bayer Array, sensor's pixel layout, 138
 bevel and emboss, proof sheet images, 201–203
 bit depth
 charts, 129
 color sampler techniques, 130–132
 described, 125
 8-bit files, 127
 gradational gray scales, 127–128
 Info palette information display, 132–137
 16-bit versus 8-bit, 129–137
 tones per recorded pixel, 125–126
 black and white images
 Channel Mixer, 347–350
 color conversions, 344–350
 desaturation, 346
 grayscale conversion, 345
 selecting multiple layers, 350–353
 blocked up shadows, gray scale numbers, 128
 blown-out highlight, gray scale numbers, 128
 body postures, camera handling techniques, 87–91
 Bogen (Manfrotto) tripods, 94
 borders
 active layer masks, 288
 Web Photo Gallery, 212
 bracketing, described, 26
 brightness, ACR3 exposure adjustments, 233
 Brush tool
 brush sizing, 294
 darkening pupils, 378–380
 hiding versus erasing pixels, 323–324

Brush tool (*continued*)
 iris brightening, 382
 painting layer masks, 296
brushes
 crosshair cursor settings, 292–293
 foreground/background color settings, 293
 hard versus soft edges, 294
 painting layer masks, 296
 preference settings, 291–295
 sizing, 294
buffers, on-board memory storage, 76
burning a disc, CDs/DVDs, 167–169

C

cache files, Adobe Bridge, 160–162
calibration, monitors, 391–392
Camera Raw dialog box
 enhancing digital negatives, 158–160
 renaming RAW files while copying, 158
Canon
 full frame sensors, 16
 full-frame lens compatibility, 50
Canon 20D, camera components illustrated, 12
Canon Digital Rebel XT
 camera components illustrated, 10
 white balance settings, 104–105
Canon EOS 20D
 digital/full-frame lens support, 58
 8.2 megapixel sensor, 16, 17
Canon EOS Digital Rebel XT, digital/full-frame lens support, 58
card readers
 battery-powered, 164
 CompactFlash card image transfers, 80–81
card slot cover, DSLR component, 10–13

cathode ray tube (CRT), monitor calibration, 391–392
CD (compact disc)
 burning, 167–169
 versus DVD (digital versatile disc), 165–166
file corruption prevention techniques, 173–175
image archives, 85
nonvolatile media, 165
printing labels, 169–172
reviewing after burning, 187–194
CF readers, CompactFlash card image transfers, 80–81
Channel Mixer
 color to black and white conversion, 347–350
 multiple layer selections, 350–353
 viewing adjustment layers, 353–354
channels, DSLR camera colors, 137–138
charts, bit depth, 129
chromatic aberration, light focusing, 56
cleaning tools, dust removal, 117–122
Clipboard, copying/pasting files, 188
Clone Stamp, image retouching techniques, 329–330
clothing, cold weather, 92
cloudy, DSLR white balance setting, 104
cold weather clothing, camera handling aid, 92
color aliasing, RGB images, 184
color casts
 ACR3, 226
 Adobe Photoshop CS2, 256–260
 ExpoDisc, 110
 neutral reference cards, 107–109
color channels
 ACR3 adjustments, 234–237
 DSLR cameras, 137–138
 8-bit files, 138–139
 primary colors, 344

- color checkers, neutral reference cards, 107–109
- color corrections
 - highlight balancing, 260–264
 - image comparisons, 267–268
 - neutralizing shadows, 264–266
 - specular highlights, 260–261
- Color Efex Pro 2.0
 - background painting, 310–312
 - file naming when saving, 306
 - paint while modifying effects, 304
 - painting techniques, 308–310
 - Selective palette setup, 301–303
 - skin tones, 313
 - special effects, 301–314
 - viewing full screen mode effects, 306–308
 - Weird Dreams effects, 302–314
- color filters, sensors, 137
- color fringe, artifacts, 56
- color images, black and white
 - conversions, 344–350
- color management
 - color profiles, 393
 - monitor calibration, 391–392
- color picker, retouching portraits, 358–359
- color profiles
 - printer translation packages, 393
 - printing application, 394–395
- color references, neutral reference cards, 107–109
- Color Sampler Tool (S), ACR3, 218, 228–230
- color samplers
 - Adobe Photoshop CS2, 256–260
 - inserting, 130–132
 - overexposed versus underexposed values, 270–271
- color temperature
 - light origins, 103
 - lighting conditions, 102
 - monitor calibration, 392
 - white balance settings, 218, 225–227
- colors
 - channels, 137–138
 - chromatic aberration, 56
 - color temperatures, 102
 - fluorescent lighting, 101
 - GretagMacbeth ColorChecker Gray Scale reference card, 107–109
 - image preview sampling, 218
 - middle gray tone, 42–44
 - neutral, 254–255
 - neutral reference cards, 107–109
 - open shade conditions, 101
 - primary, 343–344
 - true daylight, 101
 - Weird Dreams effects, 302–314
 - white balance compensation, 103
 - white light sources, 101–110
- combing, histogram display, 135–136, 281
- CompactFlash cards
 - capacities, 76
 - care/handling guidelines, 79–80
 - data recovery, 77
 - development history, 142
 - durability, 75, 76
 - failure avoidance techniques, 77–78
 - file deletions, 85
 - flash memory, 75
 - formatting, 78
 - image transfers, 80–83
 - lifespans, 76
 - read/write speeds, 76
 - renaming files while copying to a folder, 153–158

- complements, primary colors, 343–344
 - components
 - book sections, 3–5
 - DSLR (digital single lens reflex)
 - cameras, 9–14
 - compositions
 - depth of field, 38–40
 - high-key scenes, 111
 - Kodak's definition, 110
 - low-key scenes, 111
 - March of Time, 95–98
 - metering exposures, 44–47
 - Minneapolis Institute of Arts
 - description, 110
 - principles, 110–116
 - rule of thirds, 111–112
 - scene element recognition, 115–116
 - subject framing, 111
 - swimsuit fashion shoot, 98–99
 - tripod importance, 116
 - water clouds, 31–33
 - wide-angle shots, 60–61
 - compression, lossy, 139, 252
 - computers. *See also* Macintosh
 - computers; Windows PC
 - CompactFlash card image transfers, 80–81
 - information retrieval conventions, 148–150
 - connectors, external power, 13
 - Contact Sheet II
 - bevel and emboss settings 201–203
 - column/row settings, 198–199
 - document size settings, 198–199
 - drop shadows, 201
 - filename display settings, 198–199
 - flattening layers, 198–199, 204
 - font settings, 198–199
 - image embellishments, 201–204
 - layer styles, 201–203
 - printing proof sheets, 204–206
 - resolution settings, 198–199
 - RGB color mode settings, 198–199
 - rotating to fit settings, 198–199
 - source image selections, 198–200
 - thumbnail layout settings, 198–199
 - contact sheets
 - Contact Sheet II, 197–206
 - embellishments, 201–204
 - image selections, 198–200
 - negative development process, 195–196
 - printing, 204–206
 - content panel, Adobe Bridge
 - element, 244
 - contrast, ACR3 exposure
 - adjustments, 234
 - conversions, color to black and white
 - images, 344–350
 - Cooling filter, layer mask adjustments, 296–298
 - copyright symbols
 - image addition, 175–178
 - Web Photo Gallery, 208
 - Crop Tool (C), ACR3, 218–222
 - crosshairs, brush tip settings, 292–293
 - CRT (cathode ray tube), monitor
 - calibration, 391–392
 - cursors
 - crosshair settings, 292–293
 - Sample, 361–362
 - Curves dialog box, darkening pupils, 378
-

D

- dash (-) character, file naming
 - conventions, 152
- daylight
 - DSLR white balance setting, 104
 - timelines, 101

depth of field (DOF)
 aperture property, 35–40
 shallow versus sharp, 36
 telephoto lens, 64
 wide angle lens, 60
depth-of-field preview button, DSLR
 component, 10–13
desaturation, color to black and white
 conversion, 346
diaphragm
 corresponding shutter speeds, 28
 depth of field (DOF), 35–40
 described, 34
 exposure control, 11, 19–20
 f/stop formulas, 37
 front element, 37
 full/third stops, 34
 lens placements, 35
 middle gray tone, 42–44
digital negatives, versus film
 negatives, 166
dioptix adjustment dial, DSLR
 component, 10–12
distortions, wide angle lens, 60
documents, Contact Sheet II size
 settings, 198–199
drop shadows, proof sheet images, 201
DSLR (Digital Single Lens Reflex)
 cameras
 buffers, 76
 cleaning tools, 117–122
 color channels, 137–138
 color filters, 137
 components, 9–14
 direct-to-computer software, 96
 exposure adjustment advantages, 272
 file naming conventions, 147–150
 handling techniques, 87–91
 JPEG format captures, 142
 light meter limitations, 41–42

 micro lenses, 137
 reflective meters, 44
 removable storage media, 73–74
 self timers, 97
 tethering software, 96
 white balance settings, 104–107
duplicated patterns, retouching,
 334–335
dust
 cleaning tools, 117–122
 sensor display effects, 116–117
DVD (digital versatile disc)
 burning, 167–169
 versus CD (compact disc), 165–166
 file corruption prevention, 173–175
 image archives, 85
 nonvolatile media, 165
 printing labels, 169–172
 reviewing after burning, 187–194
dynamic range
 described, 21
 ISO setting tradeoffs, 23–26

E

edges, hard versus soft brush
 strokes, 294
8-bit files
 bit depth, 127
 color channels, 138–139
 versus 16-bit files, 129–137
ellipses (...) characters, dialog box
 indicator, 154
e-mail addresses, Web Photo Gallery
 element, 207
Epson P-2000, battery-powered card
 reader, 164
Eraser tool
 avoiding, 318
 pixel erasing techniques, 319–321

- event numbers, file naming
 - conventions, 151
- ExpoDisc, color filter, 110
- exposures
 - ACR3 image adjustments, 228–234
 - Adobe Bridge display preferences, 52
 - apertures, 34–40
 - bracketing, 26
 - brightness adjustments, 233
 - contrast adjustments, 234
 - controls, 19–20
 - desired characteristics, 270–274
 - ISO setting considerations, 21–26
 - Levels adjustment layer
 - correction, 277
 - metering practice, 44–47
 - middle gray tone, 42–44
 - missing pixel display, 280–281
 - noise issues, 16
 - overexposed versus underexposed
 - values, 270–271
 - saturation adjustments, 234
 - setting methods, 11
 - shadow adjustments, 233
 - shutter speeds, 26–34
 - underexposure corrections, 275–279
- Extensis Portfolio, keyword use, 149
- external hard drives
 - backup media, 164
 - image backups, 83–84
- external power connector, DSLR
 - component, 13
- Eyedropper Tool, color samplers, 132, 256–260
- eyes
 - enhancement intensity reduction
 - techniques, 384–386
 - iris brightening, 381–383
 - pupil darkening, 377–380

F

- facial lines, retouching techniques, 361–368
- Favorites panel, Adobe Bridge
 - element, 244
- file extensions, file naming
 - conventions, 152
- filenames
 - Contact Sheet II display settings, 199
 - Web Photo Gallery display settings, 212
- files
 - backups, 162–165
 - batch renaming, 153–158
 - cache, 160–162
 - camera naming conventions, 147–150
 - copyright notices, 175–178
 - naming conventions, 150–153
 - sidecar, 150
- Fill dialog box
 - darkening pupils, 378
 - layer mask fills, 289–291
- film cameras
 - compression considerations, 143
 - contact sheets, 195–196
 - film versus digital negatives, 166
- film media
 - versus digital sensors, 15–16
 - formats/size issues, 14
 - grain issues, 14
 - resolution issues, 14
- film sensitivity, ASA (American Standards Association), 21
- filmstrips, synchronizing settings in ACR3, 230–233
- filtering
 - Adobe Bridge images, 250
 - Photo Filter adjustment layer, 283–286
- filters
 - Cooling, 296–298
 - ExpoDisc, 110

- Gaussian Blur, 183–185, 380–382
 - Unsharp Mask, 178–182
 - Warming, 286–291
 - fingerless gloves, cold weather camera handling, 92
 - FireWire (IEEE 1394)
 - CF readers, 80
 - file transfer advantages, 86
 - external drive advantages, 164
 - fireworks, slow shutter speeds, 27
 - fixed-focal length lens, angle of view, 55–56
 - flash memory, CompactFlash cards, 75
 - flash, DSLR white balance setting, 104
 - fluorescent, DSLR white balance setting, 104–107
 - fluorescent lights, color tints, 101
 - flyaway hairs, portrait retouching, 371–373
 - focal lengths
 - lens comparison images, 65–68
 - lens distances, 56–57
 - lens magnification factors, 16–17
 - normal lens, 59
 - telephoto lens, 14, 56–57, 62–63
 - wide angle lens, 14, 56–63
 - focus
 - chromatic aberration, 56
 - depth of field (DOF), 35–40
 - Lensbaby lens, 68–70
 - shallow versus sharp DOF (depth of field), 36
 - telephoto lens, 64–65
 - Folder panel, Adobe Bridge element, 244
 - folders
 - description information importance, 152–153
 - naming conventions, 152–153
 - renaming files while copying from a memory card, 153–158
 - fonts
 - Contact Sheet II settings, 199
 - Web Photo Gallery selections, 209, 212
 - forced perspective, wide angle lens, 62
 - formatting, CompactFlash cards, 78
 - freeze frames, high shutter speeds, 27, 31–33
 - f/stop (aperture)
 - corresponding shutter speeds, 28
 - depth of field (DOF), 35–40
 - described, 34
 - exposure control, 11, 19–20
 - formulas, 37
 - front element, 37
 - full/third stops, 34
 - lens placements, 35
 - middle gray tone, 42–44
 - full frame sensors, Canon cameras, 16
 - function (multi) buttons, DSLR component, 10–13
-
- G
-
- gamma
 - monitor calibration, 392
 - RAW format, 143
 - Gaussian Blur filter
 - color aliasing, 183–185
 - iris brightening, 382
 - pupil/iris edge blending, 380–381
 - General Preferences pane, brush preferences, 291–295
 - GIGA Mini, battery-powered card reader, 164
 - Giottos Rocket-Air blower, 117–120
 - Giottos tripods, 94
 - Gitzo tripods, 93, 94
 - gradational gray scales, bit depth, 127
 - grain, film size issues, 14

gray scales, gradational charts, 127–128
grayscale images, color to black and white conversion, 345
grayscale step charts, desired exposure characteristics, 270–271
GretagMacbeth, calibration software, 391
GretagMacbeth ColorChecker Gray Scale Reference card, 107–109
GretagMacbeth Eye-One, spectrophotometer, 393

H

Hand Tool (H/Spacebar), ACR3, 217
hard disks
 external, 164
 image backups, 83–84
 volatile media, 165
Healing Brush tool
 flyaway hair removal, 372–373
 image retouching techniques, 341
 retouching facial lines, 361–366
 retouching laugh lines, 370–371
hero, photograph designation, 97
high-key scenes, composition principles, 111
highlights
 blown-out, 128
 color balancing, 260–264
 desired exposure characteristics, 270–272
 specular, 260–261
histograms
 combing effect, 135–136, 281
 desired exposure characteristics, 272–275
 missing pixel display, 280–281
horizontal lines, straightening in ACR3, 222–223

horizontal orientation, camera handling techniques, 87–88
hot shoe, DSLR component, 10–12
Hue/Saturation dialog box, whitening teeth, 388–390
human mind, event remembrance process, 149

I

IBM/Hitachi Microdrives, removable storage media, 74–75
IEEE 1394 (FireWire)
 CF readers, 80
 external drive advantages, 164
 file transfer advantages, 86
i.Link, 86
image numbers, file naming conventions, 152
Image Processor dialog box, file proofing, 188–194
Image Rescue, CompactFlash card data recovery, 77, 78
image rotation, Contact Sheet II settings, 198–199
image transfers, CompactFlash cards, 80–83
images. *See also* photographs;
 thumbnails
 Adobe Bridge selections, 197–198
 Adobe Bridge views, 48–52
 backups, 83–84
 color aliasing, 184
 color labels, 249
 comparing color corrections, 267–268
 contact sheet embellishments, 201–204
 Contact Sheet II source selections, 198–200
 cropping in ACR3, 218–222

exposure adjustments in ACR3, 228–234
 file deletions, 85
 filtering in Adobe Bridge, 250
 flattening, 204
 luminosity, 183
 marking for deletion in Adobe Camera Raw 3 (ACR3), 225
 permanent archives, 85
 proof sheet ranking, 198
 rating in Adobe Bridge, 249
 rotating in ACR3, 223–225
 saving, 266
 sorting in Adobe Bridge, 247–248
 straightening horizontal/vertical lines in ACR3, 222–223
 thumbnail selections in Adobe Bridge, 245–247
 Web Photo Gallery selections, 207
 zooms, 216
 incident meters, versus reflective meters, 44
 infinity, lens focus setting, 57
 Info palette
 bit depth information display, 132–137
 desired exposure characteristics, 270–272
 iris
 brightening, 381–383
 darkening pupils, 378–380
 enhancement intensity reduction techniques, 384–386
 pupil/edge blending, 380–381
 ISO (International Organization for Standardization). *See also* sensitivity
 bracketing, 26
 dynamic range tradeoffs, 23–26
 light measuring, 22–23
 noise tradeoffs, 23–26
 sensitivity, 21

J

job numbers, file naming conventions, 151
 JOBO GIGA Vu Pro, battery-powered card reader, 164
 Joint Photographic Experts Group (JPEG) format
 color corrections in Adobe Photoshop CS2, 256–260
 development history, 140
 DSLR settings, 142
 file corruption prevention techniques, 173–175
 image quality issues, 140–142
 lossy compression, 139, 252
 overexposure concerns, 273
 pros/cons, 140
 versus RAW format, 145–146
 viewing in Adobe Bridge, 251–252

K

keyboard, layer opacity changes, 385
 keyboard shortcuts
 Adobe Photoshop CS2, 131
 layer copying, 369
 listings, 401–403
 zoom views, 295
 Keyword panel, Adobe Bridge element, 244
 keywords, image naming element, 149–150

L

labels
 image, 249
 printing CD/DVD, 169–172
 landscape shots, wide angle lens, 60–61

- laptops, tethering software uses, 96, 98
- Lasso tool, selection techniques, 338
- laugh lines, nondestructive editing techniques, 368–373
- layer masks
 - active border, 288
 - Cooling filter, 296–298
 - copying between, 299
 - deleting, 299
 - hiding versus erasing pixels, 321–326
 - inverting, 299–300
 - nondestructive editing techniques, 321–326
 - painting, 296
 - unlimited undos, 326–327
 - white reveals/black conceals, 286–289
- layer styles, Contact Sheet II, 201–203
- layers
 - adjustment, 258–260
 - background, 328–336
 - copying, 368–369
 - flattening, 198–199, 204
 - merging, 341–342
 - new layer via copy, 340
 - selecting multiple, 350–353
- Layers palette
 - function icons/purpose, 357
 - keyboard shortcuts, 401–402
 - thumbnail sizing, 298
- LCD (liquid crystal display), monitor calibration, 391–392
- LCD panel, DSLR component, 10–12
- lens magnification factors, digital sensors, 16–17
- lens mount, DSLR component, 10–13
- lens release, DSLR component, 10–13
- Lensbaby lens, focus accessory, 68–70
- lenses
 - aperture placements, 35
 - chromatic aberration, 56
 - fixed focal-length, 55–56
 - focal lengths, 14, 56–57, 65–68
 - full frame sensor matching, 16
 - full-frame compatibility issues, 58
 - infinity, 57
 - Lensbaby, 68–70
 - light reflection focus, 55
 - magnification factors, 16–17
 - medium telephoto, 62
 - nodal point, 57
 - normal, 59
 - shopping guidelines, 58
 - telephoto, 62–65
 - wide angle, 59–63
- Levels adjustment layer, underexposure correction, 277
- Levels dialog box
 - color balancing, 262–264
 - neutralizing shadows, 264–266
 - underexposure correction, 277–278
- Lexar Media
 - FireWire CompactFlash reader, 80
 - Image Rescue, 77, 78
- light box panel, Adobe Bridge
 - element, 244
- light metering, exposure control methods, 11
- light meters
 - Adobe Bridge image views, 48–52
 - DSLR limitations, 41–42
 - exposures, 44–47
 - incident, 44
 - middle gray tone, 42–44
 - reflective, 44
 - scene interpretation, 53–54
 - sensor ISO, 23
- lighting
 - chromatic aberration, 56
 - color reference cards, 107–109
 - color temperatures, 102, 103

ExpoDisc, 110
 fluorescent lights, 101
 nodal point, 57
 open shade conditions, 101
 specular highlights, 260–261
 true daylight, 101
 white balance compensation, 103
 white light sources, 101–110
 linear data, RAW format, 143–144
 lines
 facial, 361–368
 straightening horizontal/vertical, 222–223
 liquid crystal display (LCD), monitor
 calibration, 391–392
 lossy compression, JPEG format, 139, 252
 low light shots, slow shutter speeds, 27
 low-key scenes, composition
 principles, 111
 luminosity, RGB images, 183

M

Macintosh computers
 burning CDs/DVDs, 167–169
 image backups, 83–84
 image file deletions, 85
 memory card formatting issues, 78
 viewing sidecar files, 150
 Magic Eraser, avoiding, 318
 magnification factors, telephoto lens, 62
 main dial, DSLR component, 10–12
 Manfrotto (Bogen) tripods, 94
 medium telephoto lens, magnification
 factor, 62
 memory, buffers, 76
 memory card wallets, memory card
 care/handling, 79–80
 memory cards, development history, 142

menus, keyboard shortcuts, 401
 metadata
 appending/replacing, 184
 image naming element, 150
 Metadata panel, Adobe Bridge
 element, 244
 micro lenses, color filters, 137
 middle gray tone, light meter processes, 42–44
 mirrors, DSLR component, 10–13
 mode dial, DSLR component, 10–12
 monitors, calibration techniques, 391–392
 Move Tool, multiple layers, 352
 multi (function) buttons, DSLR
 component, 10–13
 Multiply blending mode, darkening
 pupils, 378

N

Navigator palette, previewing retouched
 images, 371–372
 neutral color, described, 254–255
 neutral reference cards, color checkers, 107–109
 New Action dialog box, recording
 actions, 180
 nikon, Color Efex Pro 2.0, 301–314
 nodal point, lens inversion, 57
 noise
 described, 21
 digital sensor resolution element, 16
 ISO setting tradeoffs, 23–26
 reasons for, 347
 nondestructive editing
 background layers, 328–336
 Clone Stamp, 329–330
 Healing Brush, 335–336
 hiding versus erasing pixels, 318–327

nondestructive editing (*continued*)

 laugh lines, 368–373

 layer masks, 321–326

 mistake recovery, 337–342

 Patch tool, 333–334

 retouching duplicated patterns,
 334–335

 specular highlights, 333–334

 Spot Healing Brush, 331–333

nonvolatile media, versus volatile
 media, 165

normal lens, focal lengths, 59

numeric links, Web Photo Gallery,
 211–212

O

off-color tones, color casts, 226

one stop change, shutter speeds, 30

open shade, color differences, 101

orientation, camera handling techniques,
 87–91

P

painting

 layer masks, 296

 Weird Dreams effects, 308–310

Patch tool, image retouching techniques,
 333–334

patterns, retouching duplicated, 334–335

PC slot (PCMCIA) card adaptor

 CF readers, 80–81

 Type I/Type II memory cards, 81

Pencil tool, retouching portraits, 358

perspective, forcing, 62

Photo Filter adjustment layer, filtering
 photos, 283–286

photographer's name, Web Photo Gallery
 element, 209

photographs. *See also* images;
 thumbnails

 backups, 162–165

 batch renaming, 153–158

 camera naming conventions, 147–150

 color sampler insertion, 130–132

 copyright notices, 175–178

 file naming conventions, 150–153

 filtering, 283–286

 hero designation, 97

 keywords, 149–150

 metadata, 150

 sidecar files, 150

pixels

 Bayer Array layout, 138

 bit depth, 125–126

 described, 16

 digital sensor resolution element, 16

 8-bit versus 16-bit files, 120

 hiding versus erasing, 318–327

 redoing strokes, 320

 undoing erased, 320, 326–327

 zoom views, 295

plug-ins, Color Efex Pro 2.0, 301–314

port cover, DSLR component, 12–13

portable storage devices, backup uses,
 164–165

portraits

 artifact healing, 364–365

 enhancement intensity reduction
 techniques, 384–386

 facial line techniques, 361–368

 flyaway hair removal, 371–373

 iris brightening, 381–383

 iris edge blending, 380–381

laugh lines, 368–373
 makeup effects, 356
 overdoing retouching, 359
 pupil darkening, 377–380
 retouching reasons, 355–356
 strategy maps, 357–360, 374–376
 teeth brightening, 386–387
 teeth whitening, 388–390
 posterization, abrupt transitions, 281
 power switch, DSLR component, 10–12
 Preferences dialog box, brush
 preferences, 291–295
 Preview panel, Adobe Bridge
 element, 244
 primary colors, described, 343–344
 printing
 CD/DVD labels, 169–172
 color profile application, 394–395
 proof sheets, 204–206
 profiles, color printing, 394–395
 proof sheets
 Contact Sheet II, 197–206
 embellishments, 201–204
 image selections, 198–200
 printing, 204–206
 pucks (calibration sensors), CRT
 monitor calibration, 391–392
 pupils
 darkening, 377–380
 enhancement intensity reduction
 techniques, 384–386
 iris edge blending, 380–381



quick-release systems, tripod
 advantages, 95

R

Random Access Memory (RAM),
 defined, 140
 ratings
 Adobe Bridge images, 249
 color labels, 249
 RAW format
 color fringe corrections, 56
 development history, 144
 gamma functions, 143
 versus JPEG format, 145–146
 linear data, 143–144
 viewing in Adobe Bridge, 48–49
 readers, author's assumptions, 2
 Rectangular Marquee tool, selection
 techniques, 287–288
 reflective meters, DSLR cameras, 44
 remote shutter releases, time
 exposures, 97
 removable storage media
 CompactFlash cards, 75–86
 data corruption concerns, 48
 IBM/Hitachi Microdrives, 74–75
 resolutions
 Contact Sheet II settings, 198–199
 digital sensors, 16
 film size issues, 14
 resources, 399
 RGB channels, overexposed versus
 underexposed values, 270–271
 RGB color mode
 color tones, 254–255
 Contact Sheet II settings, 198–199
 Rotate CCW (L), ACR3, 223–225
 Rotate CW (R), ACR3, 223–225
 rotations, Contact Sheet II images,
 198–199

Roxio's EZ CD Creator, burning Windows PC CDs/DVDs, 168
Roxio's Toast Titanium, burning Macintosh CDs/DVDs, 168
rule of thirds, composition principles, 111–114

S

Sample cursor, retouching facial lines, 361–362

SanDisk Corporation

CompactFlash cards, 75
memory card development history, 142
USB multi-card reader, 81

Sanford Sharpie, CD/DVD labeling, 169

saturation, ACR3 exposure adjustments, 234

Save As dialog box, saving images, 266

scene element recognition, composition principle, 115–116

scenes, light meter interpretation, 53–54
selections

Adobe Bridge thumbnail images, 245–247

Channel Mixer, 350–353
keyboard shortcuts, 402

Lasso tool, 338

marching ants, 287

Rectangular Marquee tool, 287–288

selector switch, DSLR component, 10–12

self timers, time exposures, 97

sensitivity. *See also* ISO

bracketing, 26

digital sensor resolution element, 16

dynamic range tradeoffs, 23–26

ISO (International Organization for Standardization), 21

light measuring, 22–23

noise tradeoffs, 23–26

sensors

Bayer Array, 138

chromatic aberration, 56

cleaning tools, 117–122

color filters, 137

dust display effects, 116–117

exposure control methods, 11

versus film media, 15–16

focal lengths, 16–17, 56–57

full frame, 16

infinity, 57

ISO ratings, 21

lens magnification factors, 16–17

light meters, 23, 41–42

nodal point, 57

sensitivity, 16

size issues, 14–16

shade

color light conditions, 101

color temperature, 102

DSLR white balance setting, 104

shades of gray, 8-bit files, 127

shadows

ACR3 exposure adjustments, 233

blocked up, 128

desired exposure characteristics, 270–272

neutralizing, 264–266

underexposure correction, 277–279

short telephoto lens, magnification factor, 62

shutter button, DSLR component, 10–12

shutter speeds

corresponding apertures, 28

one stop change, 30

shutters

creative techniques, 27–31

described, 26

development history, 26–27

exposure control, 11, 19–20
 middle gray tone, 42–44
 remote releases, 97
 stop action shots, 27–30
 sidecar files, metadata information
 storage, 150
 Sigma SD10 camera, X3F sensor, 138
 16-bit files, versus 8-bit files, 129–137
 size
 grain, 14
 resolution, 14
 sensor issues, 14–16
 slider controls, fine tuning in Adobe
 Photoshop CS2, 267
 sorts
 Adobe Bridge images, 247–248
 image filtering, 250
 special characters, file naming
 convention concerns, 153
 special effect
 Color Efex Pro 2.0, 301–314
 Weird Dreams, 302–314
 spectrophotometers, color profiles, 393
 specular highlights
 color balancing, 260–261
 retouching, 333–334
 Spot Healing Brush
 image retouching techniques, 331–332
 retouching duplicated patterns,
 334–335
 stroke centering, 335–336
 stop action shots, fast shutter speeds,
 27–33
 storage media, data corruption
 concerns, 48
 Straighten Tool (A), ACR3, 222–223
 strategy maps
 portrait retouching, 357–360
 viewing retouched images, 374–376

studio stands, tripod uses, 92
 styles, Web Photo Gallery, 210, 212–214
 subject framing, composition
 principle, 111
 sunlight
 color temperatures, 102
 color variations, 101
 super telephoto lens, magnification
 factor, 62
 Synchronize dialog box, ACR3, 230–233

T

tape cartridges, volatile media, 165
 teeth
 brightening, 386–387
 whitening, 388–390
 telephone numbers, Web Photo Gallery
 element, 208
 telephoto lens
 angle of view, 55–56
 focal lengths, 14, 56–57, 62–63
 magnification factors, 16, 62
 selective focus exercise, 64–65
 shallow depth of field, 64
 templates, Web Photo Gallery styles,
 213–214
 tethering software, direct-to-computer
 connections, 96
 thumbnail size slider, Adobe Bridge
 element, 244
 thumbnails. *See also* images;
 photographs
 Adobe Bridge color labels, 249
 Adobe Bridge image ratings, 249
 Adobe Bridge image selections,
 245–247
 Adobe Bridge image sorting, 247–248
 Adobe Bridge image views, 48–49

thumbnails (*continued*)

sizing, 298

Web Photo Gallery settings, 212–213

time exposures

remote shutter release, 97

self timers, 97

tripod uses, 95–98

timelines, true daylight, 101

titles, Web Photo Gallery display settings, 212

tones

bit depth, 125–126

bit depth chart, 129

color casts, 256–260

8-bit versus 16-bit files, 130

middle gray, 42–44

neutral, 254–255

tools, keyboard shortcuts, 402–403

tripod socket, DSLR component, 13

tripods

camera cleaning uses, 117–118

composition improvement element, 116

drying after in-water use, 98

in-water setup, 98–99

material guidelines, 91–92

purchasing guidelines, 93–95

quick-release systems, 95

studio stands, 92

time exposures, 95

true daylight, timelines, 101

tungsten, DSLR white balance setting, 104–106

U

underscore (`_`) character, file naming conventions, 153

Unsharp Mask filter, image sharpness, 178–182

USB 1.0/2.0, CF readers, 80–81

USB 2.0, external drive support, 164

V

vertical lines, straightening in ACR3, 222–223

vertical orientation, camera handling techniques, 89–91

viewfinders, DSLR component, 10–12

Visible Dust Sensor Brush, 120–122

volatile media, versus nonvolatile media, 165

W

wallets, memory card, 79–80

Warming filter, layer masks, 286–291

Web Photo Galleries

banners, 207

borders, 212

copyright symbol, 208

destination location selection, 208

e-mail address, 207

filename display, 212

font selections, 209, 212

image sizing, 211–212

large image display, 210–211

numeric links, 211

photographer's name, 208

site description entry, 208

style selections, 210, 212

telephone number entry, 209

template selection, 210

template styles, 213–214

thumbnail settings, 212–213

Web sites

amesphoto.com, 212

Avery, 172

cleaning tools, 117

color reference cards, 109

ColorCheckers, 109

- ExpoDisc, 109
 - external hard drives, 164
 - Giottos Rocket-Air blower, 117
 - Giottos tripods, 94
 - LaCie Mobile, 164
 - Lensbaby, 70
 - Lightware, 79
 - Lowepro, 79
 - Manfrotto (Bogen) tripods, 94
 - Memorex, 172
 - memory card wallets, 79
 - OWC Mercury On-The-Go, 164
 - Professional Photo Resources, 94,
 - Professional Photographers of America, 175
 - REI stores, 92
 - SanDisk, 142
 - Tamrac, 79
 - The Killers, 207
 - Visible Dust Sensor Brush, 120
 - weather.com, 96
 - WhiBal, 109
 - Weird Dreams effects, 302–314
 - white balance
 - ACR3, 218, 225–227
 - color cast corrections, 226
 - color compensation, 103
 - color temperature settings, 218, 225–227
 - DSLR settings, 104–107
 - white point, monitor calibration, 392
 - wide angle lens
 - angle of view, 56
 - depth of field (DOF), 60
 - distortions, 60
 - focal length, 14, 59–63
 - forced perspective, 62
 - landscape shots, 60–61
 - magnification factors, 16
 - Windows PC
 - burning CDs/DVDs, 167–169
 - image backups, 83–84
 - image file deletions, 85
 - memory card formatting issues, 78
 - viewing sidecar files, 150
 - workflow, ACR3 settings, 238–239
-
- X**
-
- X-rite, calibration software, 391
 - X-rite Pulse, spectrophotometer, 393
-
- Z**
-
- ZIP disks, volatile media, 165
 - zoom lens, angles of view, 56–57
 - Zoom Tool (Z), ACR3, 216
 - zooms
 - ACR 3, 216
 - keyboard shortcuts, 295
 - pixel editing, 295

