

Index

A

abort (), 298

Accordion control, 255–258

templates, 255

ActiveTabChanged, 264

ActiveX, XMLHttpRequest, 7

ActiveXObject, 297

add, **14**

Add (), 10

add (), 129

Add New Item, 36

add_completedRequest, 311

addHandler, 353

\$addHandler, 353, 355

\$addHandlers, 355, 360

AddHistoryPoint, 189

adding

history, 197–200

numbers, 80

strings, 81

add_propertyChanged, 353, 363

adsutil.vbs, 496

AJAX

application services, 267–295

applications, 1–2, 22–32

deploying, 479–498

back button, 17

client-side, 20–21

controls, 342–383

controls, 206–255

client-side, 342–383

server-side, 369–383

custom Web Part with, 398–403

debugging, 443–477

developers, 5–7

developing, 21–22

documentation web page, 499

end users, 4

forums web page, 499

IEEE floating-point standard, 9

initiator component, 8

installation, 480–481

JavaScript, 8–11

JavaScript libraries, 7–8

.NET, 11

networking, 297–327

overview, 1–17

passing data, 314–327

performance monitoring, 492–494

request and response messages, 473–477

server controls, 33–57

server-side, 21

controls, 369–383

Session, 449–450

state management, 449–452

technologies, 7–12

testing, 443–477

updates, 187–188

Web page, 13–16, 499

Web Parts with, 395–397

Web Parts without, 387–392

workflows, 2

XML, 3, 314

XMLHttpRequest, 7

AJAX Control Toolkit, 19, 33, 201–266

- control extender, 377–383
- downloading and installing, 203–205
- extenders, 208–255
- GAC, 482
- installation, 481–482
- server-side controls, 255–265
- UI, 107
- Visual Studio, 203
- Web page, 499

AJAX Extensions, 27, 202

AJAX Library, 12–13, 20–21, 82, 107–148

- arrays, 129–133
- base class, 126–133
- Booleans, 133
- browser page lifecycle, 108–109
- class, 112–118
- dates, 127–129
- debugging, 139–144
- enumerations, 122–125
- errors, 139–144
- flags, 122–126
- IntelliSense, 133–139
- JavaScript, 81
- namespaces, 109–112
- .NET Framework, 107
- numbers, 127–129
- parameters, 144
- prototype, 94

AJAX Server Extensions, 21

AjaxControlExtender.vsi, 203

AjaxControlToolkit, 377

AjaxControlToolkit.dll, 204, 377

Ajax.NET Professional, 12

AjaxToolkit.ExtenderControlBase, 377

AlertHello (), 71

alias, types, 117

allow, 166

AllowClose, 402

AllowEdit, 400

AllowHide, 400

AllowMinimize, 400

AllowZoneChange, 400

Always, 39

- UpdateMode, 56

AlwaysVisibleControlExtender, 207, 208–210

animation, single control, 330–332

AnimationExtender, 210–212, 329

- TargetControlID, 332

animations, 329–340

- DHTML, 329

- div, 338–340

Animations, 332

anonymousIdentification, 170–171

Anthem.NET, 12–13

APIs, 171, 181, 197, 480

- ScriptManager, 182

- XMLHttpRequest, 298

App_Code, 489

App_Data, 389

appendChild, 355

appendChild (), 105

Application, 436

- Session, 443–446

application services, 165–174

- AJAX, 267–295

ApplicationHits (), 445

applications

- AJAX, 22–32

- deploying, 479–498

- cache, 435

application/x-javascript, 432

AppSettings, 425

args, 199

argument (paramName, message), 457

argumentNull (paramName,

- message), 457

argumentOutOfRangeException (paramName, actualValue, message), 457
arguments, functions, 9
argumentType (paramName, actualType, ExpectedType, message), 457
argumentUndefined (paramName, message), 458
ArrayList, 286
Array.remove (), 133
Array.removeAt (), 133
arrays, 10
 AJAX Library, 129–133
 associative, 131–133
.aspx, 390
“ASP.NET Performance Monitoring, and When to Alert Administrators” (Marquardt), 493
asp.net/ajax/ajaxcontroltoolkit, 499
ASPNETDB.MDF, 389
ASP.NETRequests Rejected, 493
aspnet_merge, 489
ASP.NETApplication Restarts, 493
aspnet_regsql, 166, 273, 279
 asp:TextBox, 72
 asp:UpdatePanel, 38
 asp:WebPartManager, 389
 asp:WebPartZone, 389
.aspx, 76, 228, 418, 489
Assembly, 157
AssemblyInfo.cs, 158, 432
assert, 463–465
assert (condition, message, displayCaller), 460
AssociatedUpdatePanelID, 54
associative arrays, 131–133
asynchronous postbacks, errors, 175–176
asynchronous timeout, 176
AsyncPostBackErrorMessage, 175
AsyncPostBackTrigger, 40

authentication, 166
 custom, 273–274
 end users, 267–291
 JavaScript, 274–276
 Windows users, 268–270
Authentication Service, JavaScript, 275
AuthenticationService, 168
 AuthenticationService
 path=:authenticate.aspx: /, 168
Auto
 ScriptMode, 454
 UICulture, 159
AutoCollapse, 217
AutoCompleteExtender, 212–215
 server-side, 227
 Visual Studio, 213
AutoExpand, 217
AutoFormat, Visual Studio, 272
AutoSize, 256, 257

B

back button, 183–200
 AJAX, 17
 history, 188–194
 state coding, 194
Bare.aspx, 149–151
base class, AJAX Library, 126–133
beginRequest, 61
beginRequest (), 58
 endRequest (), 62
beginsWith (), 127
blink, 329
Block, 48
 body, 134
Booleans
 AJAX Library, 133
 C, 83
 C++, 78
 false, 85

Booleans (continued)

implementsInterface, 342
inheritsFrom, 342
JavaScript, 8, 9, 77, 78, 85
.NET, 78
true, 85

BoundControlID, 247

Browse mode, 386

Browser, 145–146

browser page lifecycle, AJAX Library, 108–109

browsers

DHTML, 7
JavaScript, 70–71
Profile accessing data, 284–285
refresh, 194
XMLHttpRequest, 7

Build Action, 155, 431

Button server control, 24

Button1_Click (), 55

Label control, 57

Button3, 45

Button_Click, 401

Button_Click (), 421

C

C

Booleans, 83
JavaScript, 83

C#, 77

C++

Booleans, 78
MFC, 2

Cache, 436

cache

applications, 435
control, 215
variable, 104–105

calendar

PopupButtonID, 215
UpdatePanel, 254

CalendarExtender, 215–216

callbacks, 181, 287

parameters, 279
ScriptManager, 152–153

callBaseMethod, 342

CallTime.aspx, 299–300

CallTimedSleep.aspx, 309–310

CallTimeWebRequest.aspx, 300–301

camel-casing, 77

CancelControlID, 220, 221

CancelEventArgs, 312

Cascading Style Sheets (CSS), 3, 12, 257

Color, 211
ProgressTemplate, 52, 54
Rating control, 264
ResizableControlExtender, 244–245
UpdateProgress, 54

CascadingDropDown, 258–260

TargetControlID, 258

Case, 333

case sensitivity, 77

Catalog mode, 386

cc1: [control name], 207

characters, custom, 236

CheckBox, 250–251

CheckBoxList, 238

CheckedImageAlternateText, 252

CheckedImageUrl, 252

ChildrenAsTriggers, 41–45

Conditional, 42
false, 41, 42
true, 39, 41, 42

circular references, JavaScript, 98–99

class

- AJAX Library, 112–118
- controls, 371–376
 - custom, 366
- extender
 - AJAX Control Toolkit, 208–255
 - server-side, 380–382
 - Web page, 382–383
- strings, 126–127

ClassKey, 425**clear (), 129, 132****\$clearHandlers, 366****clearTrace (), 460****click, 353, 355****Click (), 40****ClientNavigateHandler, 198****ClientPropertyName, 382****ClientScript, 71****ClientScriptResource, 380****client-side**

- AJAX, 20–21
 - controls, 342–383
- controls, 367–369
 - AJAX, 342–383
- culture, 413–417
- extender control, 377–380
- GridViewHeaderBehavior, 378–380
- history, 194–195
- .NET, 71–74
- page requests, 58–61
- Profile, 291
- role checks, 294–295
- updates, 195–197

clone (), 132**closures, JavaScript, 94–97****CLR. See Common Language Runtime****cmdSearch_Click, 192****CodeDOM, .NET Framework, 99****CodePlex, 201****Coding, 126****CollapseControlID, 217****Collapsed, 218****CollapsedText, 217****CollapsiblePanelExtender, 217–218****Color, 333**

CSS, 211

Common Language Runtime (CLR), 489**Community Technology Preview (CTP), 480, 482****compilation, 454, 455****CompositeScript, 180****compression**

- dynamic scripts, 496
- JavaScript, 103–104, 177
- scripts, 496–498
- static scripts, 496–497

Condition, 334**Conditional**

- ChildrenAsTriggers, 42
- UpdateMode, 41, 42, 56

configSections, 23**ConfirmButtonExtender, 218–221****ConfirmText, 219****ConnectionStrings, 425****constructor, controls, 345–346****contains (), 129, 133****Content, 257****content page, 36–37****ContentTemplate, 37–41, 264**

- Label control, 40

contextKey, 229**ControlID, 40, 45****controls**

- AJAX, 206–255
- cache, 215
- class, 371–376

controls (continued)

- client-side, 342–383, 367–369
 - AJAX, 342–383
 - server-side, 372–373
- constructor, 345–346
- custom, 341–383
 - class, 366
 - Web services, 363–365
- extender
 - AJAX Control Toolkit, 377–383
 - client-side, 377–380
- garbage, 365–366
- initializing, 352–355
- JavaScript, 342
- methods, 355–365
- namespaces, 345
- properties, 349–352
- server-side
 - AJAX, 369–383
 - AJAX Control Toolkit, 255–265
 - client-side, 372–373
 - embedding scripts, 370–371
 - HTML, 370
 - JavaScript, 370
- Visual Studio, 204–205
- Web page, 376–377
- WebPartZone, 390

ControlState, 436

ControlToValidate, 236

converters, 327

Cookie, 436

cookieProtection, 292

cookies, 446–448

- HTTP, 446
- sessions without, 442

Corners, 246

\$create, JSON, 367

create (message, errorInfo), 458

CreateChildControls, 400

CreateFunction (), 81

CSS. See Cascading Style Sheets

C-style convention, 9

- JavaScript, 77

CTP. See Community Technology Preview

Culture, 161, 429

culture, 406–410

- client-side, 413–417
- end users, 412–413
- server-side, 410–412

CultureInfo, 161, 409

CurrentCulture, 409

custom

- authentication, 273–274
- characters, 236
- controls, 341–383
 - class, 366
 - Web services, 363–365
- Web Parts, with AJAX, 398–403

customErrors, 486–487

CustomHeaders.aspx, 305–306

customInfo, 275

CutoffMaximumInstances, 261

CutoffWindowSeconds, 261

D

Database-driven Session, 436

DataMember, 258

DataSource, 258

DataSourceID, 258

DataTable, 229

date separator, 236

dates

- AJAX Library, 127–129
- JSON, 324

DateTime, 50

Debug, 140, 153, 454

- WebRequest, 302

debug, true, 125, 153

debug and release scripts,
453–457

debugger, 467–468

debugging

AJAX, 443–477

AJAX Library, 139–144

disabling, 485–486

Firebug, 470–473

Firefox, 470–473

Internet Explorer, 465–470

JavaScript, 82

ScriptMode, 455–456

Visual Studio, 466–470

Debug.traceDump (), 142

debug="true," 123

decimal separator, 236

Decimals, 247

default timeout, WebRequest,
308–311

Default.aspx, 26, 418–423

Default.aspx.resx, 418–423

defer, 70

delimiters, masks, 236

deployment, 455

deployment mode, 488–489

Deserialize, 327

Design mode, 386

developers, AJAX, 5–7

DHTML. See *dynamic HTML*

dipose, 365–366

Display, 255

DisplayAfter, 52

displayCaller, 460

DisplayModalPopupID, 220

dispose, 356

dispose (), 342, 344, 366

div, 367

DOM, 346

_invokeWebService, 364

div, 48, 134

animations, 338–340

DragPanelExtender, 221–222

DynamicPopulateExtender, 228

DLL

JavaScript, 76

namespaces, 109

Visual Studio, 202, 203

Web Parts, 401

.dll

JavaScript, 154

ScriptManager, 154

Document Object Model (DOM), 7, 12, 63

div, 346

Firebug, 471

JavaScript, 98

Sys.UI.Control, 343

XMLHttpRequest, 297

documentation

JavaScript, 136–137

XML, enumerations, 138

document.createElement, 355

DoJo, 13

DOM. See *Document Object Model*

doSomething (), pageLoad (), 112

doubleArg, 156

DragPanelExtender, 221–222

div, 221–222

Driving, 126

DropDownControlID, 224

DropDownExtender, 222–224

DropDownList, 232, 259

DropShadowExtender, 224–227

Duration, 211, 336

dynamic HTML (DHTML), 3, 12

animations, 329

browsers, 7

DynamicPopulateExtender, 227

JavaScript, 4

dynamic scripts, compression, 496

DynamicLayout, 53

false, 53

DynamicPopulateExtender, 227–229

DHTML, 227

div, 228

E

EchoABC.aspx, 302

EchoHeaders.aspx, 304–305

userContext, 306

EcmaScript, 8

Edit mode, 386

element, 367

e-mail, Microsoft Exchange Server, 3

Embedded Resource, 155

embedded scripts, 156–157

EmptyStarCssClass, 264

EmptyValueMessage, 236

EnableCaching, 215

EnableHistory, 188

true, 198

EnableLocalization, true, 159

EnablePageMethods, 322

EnableScriptGlobalization, 414

true, 161

EnableScriptLocalization, 433

true, 428

EnableSecureHistoryState, false, 194

EnableViewState, 449

en-AU, 406

en-CA, 406

encryption, 292

end users

accessing status, 277

AJAX, 4

authentication, 267–291

culture, 412–413

Profile, 279

Web applications, 4

endRequest, 61

endRequest (), 58

beginRequest (), 62

EndRequestEventArgs, 62

endsWith (), 127

en-GB, 406

enumerations

AJAX Library, 122–125

XML documentation, 138

en-US, 406

equality, 82–85

Error, 142, 457–460

Error.argument, 142

Error.argumentNull, 142

Error.argumentOutOfRange, 142

Error.argumentType, 142

errorInfo, 458

Error.invalidOperation, 142

ErrorMessage, 255

Error.notImplemented, 118, 142, 459

Error.parameterCount, 142

errors, 62–63, 174–176

AJAX Library, 139–144

asynchronous postbacks, 175–176

escape separator, 236

eval, 324

eval (), 99–101

Eval.aspx, 317–318

EventName, 40

events, 367

Evjen, Bill, 499

exceptions, 365

JavaScript, 101–102

executeRequest, 312, 313

executeSearch (), 196

ExpandControlID, 217, 218

ExpandedText, 217

extender class

- AJAX Control Toolkit, 208–255
- server-side, 380–382
- Web page, 382–383

ExtenderControlBase, 380**F****Fade, 333****FadeIn, 333**

- FadeOut, 336–338

FadeOut, 333, 334–336

- FadeIn, 336–338

FadeTransitions, 256**fail (message), 460****failedCallback, 275****false**

- Booleans, 85
- ChildrenAsTriggers, 41, 42
- DynamicLayout, 53
- EnableSecureHistoryState, 194
- UpdateMode, 42

Fiddler tool, 392, 473–475**fileName, 458****Fill, 256, 257****FilledStarCssClass, 264****FilteredTextBoxExtender, 229–231****FilterType, 231****Firebug**

- debugging, 470–473
- DOM, 471

Firefox, 88

- debugging, 470–473

FirstDayOfWeek, 216**flags**

- AJAX Library, 122–126
- toString (), 126

Flickr, 3**forEach (), 129****form, 198****Format, 215****format (), 127****format (message), 458****Forms Authentication, 166–168, 267**

- configuring, 270–273
- HTML, 270
- using, 270

Fps, 336**fragment indicators, 183–184****FramesPerSecond, 258****fromMembership.aspx, 275****Function, 144****function, 345****function calls, 87****Function.createDelegate (), 353****functions, 82**

- arguments, 9
- comments, 138–139
- JavaScript, 8, 77
- values, 9

G**GAC. See Global Assembly Cache****garbage**

- controls, 365–366
- JavaScript, 98

GET, 301, 322**\$get, 65****get_, 349****GetCompletionList (), 214****GetControlScriptDescriptors, 372****GetControlScriptReferences, 372****GetDynamicContent (), 228, 229****get_element, 353****getInstance (), 58****getInterfaces (), 120****GetLocalResourceObject (), 422****getResolvedUrl, 308****getResponseHeader, 298**

get_roles, 169
GetScriptDescriptors, 371
GetScriptReferences, 371
GetSlides, 248
GetSlides (), 249
get_timedOut, 303
get_Title (), 113
get_WebRequest, 312
get_xml (), 313
Gibbs, Matt, 499
Global Assembly Cache (GAC), 453, 480
AJAX Control Toolkit, 482
System.Web.Extensions.dll, 498
GlobalCompleted.aspx, 311–312
globalization, 424–426
script, 160–162
globalization, **429**
web.config, 411
web.config.comments, 411
Globalization.aspx, 161–162
Google, 3
Google Suggest, 212
GridView, 49, 229
GridViewHeaderExtender, 382
GridViewHeaderBehavior, client-side, 378–380
GridViewHeaderExtender
GridView, 382
server-side, 380–382

H

HandleCssClass, 244, 247
HandleImageUrl, 247
handlers, 284
hash values, 292
HEAD, 301
Header, **257**
HeaderCssClass, 257
HeaderSelectedCssClass, 257

HeaderTemplate, **264**
HeaderText, 264
heavy deployment and configuration
model, **2**
Height, 256, 257
Hidden Field, 436
history
adding, 197–200
back button, 188–194
client-side, 194–195
Sys.Application, 197
HistoryEventArgs, 189
hookupPanelOne (), 65
Horizontal, 247
HoverMenuExtender, 231–232
HTML, 180–181
Forms Authentication, 270
IntelliSense, 134
JavaScript, 7
Profile, 291
ScriptManager, 150
server-side controls, 370
Submit, 71, 75
thin client, 2
WebPartZones, 390
XML, 11
HTTP. See Hypertext Transfer Protocol
HTTP-GET, 14
HttpHandler, 371
httpHandlers, 284
HTTPS, 298
Hypertext Transfer Protocol (HTTP), 298, 435
constraints, 5
cookies, 446
custom headers, 304–306
setting verbs, 301–303
SOAP, 11
Web Developer Helper, 477

I

- ID**, 140
- IdentityPrincipal**, 268
- IDictionary**, 327
- IEEE floating-point standard**, AJAX, 9
- if (!something)**, 85
- IFRAME**, 188, 198, 298
- IIS 7 Administration tool**, 292
- IIS7**, 495
- IL**. *See Intermediate Language*
- image**, *ProcessTemplate*, 52–53
- ImageDescriptionLabelID**, 248
- ImageTitleLabelID**, 248
- implementsInterface**, **Booleans**, 342
- inequality**, 85–86
- Inherit**, 454
- inheritance**, 90
 - types, 114–116
- inheritsFrom**, **Booleans**, 342
- inheritsFrom ()**, 116
- initialize**, 352, 356
 - set_data, 367
- initialize ()**, 342, 344
- initializeBase**, 342
- initializeBase ()**, 115–116, 342, 343
 - Sys.UI.Control, 346
- initializedRequest**, 61
- initializeRequest ()**, 58
- initiator component**, AJAX, 8
- Inline**, 48
- InlineScript**, true, 163
- InProc**, 438, 441, 483
- in-process mode**, sessions, 438
- IntelliSense**, 280
 - AJAX Library, 133–139
 - HTML, 134
 - Visual Studio, 133
 - XML, 136

- interfaces**, 118–122
- Intermediate Language (IL)**, 480
- Internet Explorer**, debugging, 465–470
- Internet Services Manager**, 496
- Interval**, 50
- InvalidChars**, 231
- InvalidOperationException (message)**, 458
- _invokeWebService**, 356
 - div, 364
- ISAPI**, 495
- isImpletdBy ()**, 120
- IsInAsyncPostBack**, 49
- isInitialized**, 352
- IsInPartialRendering**, 49
- isInstanceOfType ()**, 116
- isInterface ()**, 120
- _isLoggedIn**, 277
- IsNavigating**, 190
- isPersistent**, 275
- isUserInRole**, 169
- IsValidEmpty**, 236
- ItemTemplate**, 231

J

- JavaScript**, 69–106
 - AJAX, 8–11
 - AJAX Library, 81
 - anomalies, 82–85
 - authentication, 274–276
 - Authentication Service, 275
 - Booleans, 8, 9, 77, 78, 85
 - browsers, 70–71
 - C, 83
 - circular references, 98–99
 - closures, 94–97
 - compression, 103–104, 177
 - controls, 342
 - C-style convention, 77
 - debugging, 82

JavaScript (continued)

- DHTML, 4
- DLL, 76
- .dll, 154
- documentation, 136–137
- DOM, 98
- exceptions, 101–102
- extending, 342–344
- functions, 8, 77
- garbage, 98
- HTML, 7
- localization, 430–434
- memory leaks, 98–99
- .NET, 349
- numbers, 8, 77
- parameters, 114
- prototype, 90–94
- proxy objects, 11
- roles, 294
- scope, 94–97, 111–112
- script tags, 76
- server-side controls, 370
- String, 92
- strings, 8, 77
- types, 109, 114
- variable, 86–90
 - types, 77–82
- Visual Studio, 20
- XMLHttpRequest, 1

JavaScript libraries

- AJAX, 7–8
- ScriptManager, 33

JavaScript Object Notation (JSON), 3, 7, 343

- \$create, 367
- dates, 324
- format, 315–318
- passing data, 314–327
- Profile Service, 173–174
- prototype, 346–349

- ScriptManager, 34
- serialization, 318–323
 - configuration, 326
- SOAP, 321
- strings, 494
- XML, 297

JavaScriptConverter, 327

javascript.options.script, 89

JavaScriptSerializer, 321, 326

JIT. See *just-in-time*

.js, 35, 135–136, 496

/js, 163

JScript, 8

JSON. See *JavaScript Object Notation*

json.org, 315

jsonSerialization, 327, 494

just-in-time (JIT), 489

K

Key, 238

Kothari, Nikhil, 475

L

Label control, 24, 38, 246, 330–331

- Button1_Click (), 57

- ContentTemplate, 40

Label1, 28–29

LabelStartText, 400, 402

language="javascript," 70

Lawrence, Eric, 473

Length, 247

LeRoy, Bertrand, 480

Limit, 257

lineNumber, 458

LinkButton, 224, 338

ListBox, 232

Listing, 90–91

ListSearchExtender, 232–234

- TargetControlID, 233

ListView, 184, 231
loadingPage, 61
LoadProfileItems.aspx, 287
LoadProperties, 285
LoadRoles, 170
localeFormat (), 127–128
localization, 405–434
 JavaScript, 430–434
 script, 158–160
 static files, 427–430
 server-side, 410–413
 Visual Studio, 418–420
 Web page, 417–419
LocalizedMessage.fr-FR.resx, 159
LocalizedMessage.resx, 159
localOnly, 487
Lock (), 446
Login.aspx, 167–168
login.aspx, 271
loginCompletedCallback, 275
loginURL, 271
logout.aspx, 277–279
logoutCompletedCallback, 275
longText, 159
Loop, true, 249
loops, 87

M

machine.config, 437, 455
MachineKey, 482–483
Marquardt, Thomas, 493
mashup, 298
Mask, 235
MaskedEditExtender, 234–237
MaskedEditValidator, 234–237
masks, delimiters, 236
MaskType, 235
 values, 235–236
master page, 36–37
Maximum, 239, 247
MaximumOpacity, 336
Membership service, 277, 284
MembershipProvider, 273
memory leaks, 365
 JavaScript, 98–99
message, 365, 460
MFC
 C++, 2
 thick client, 2
Microsoft Exchange Server, e-mail, 3
MicrosoftAjax.debug.js, 484
MicrosoftAjax.js, 178, 484
MicrosoftAjaxTimer.debug.js, 484
MicrosoftAjaxTimer.js, 484
MicrosoftAjaxWebForms.debug.js, 484
MicrosoftAjaxWebForms.js, 178, 484
MIME, 432
Minimum, 239, 247
MinimumLowerCaseCharacters, 262
MinimumNumericCharacters, 262
MinimumOpacity, 336
MinimumSymbolCharacters, 262
MinimumUpperCaseCharacters, 262
ModalPopup, 481
ModalPopupExtender, 218–221
mode, 270
moreCode, 100
mouseout, 353, 355
mouseover, 353, 355
Move, 333
MutuallyExclusiveCheckBoxExtender,
 237–238
MyAssembly, 179
MyCheckboxes, 238
MyEmbeddedScript, 179
MyFunction (), 87

N

Name, 157

namespaces

- AJAX Library, 109–112
- controls, 345
- DLL, 109
- .NET Framework, 109
- scope, 111–112

name-value pairs, 289

Navigate, 189

.NET, 93

- AJAX, 11
- Booleans, 78
- client-side, 71–74
- JavaScript, 349
- state management, 436

.NET Framework, 19

- AJAX Library, 107
- CodeDOM, 99
- namespaces, 109
- numbers, 127
- strings, 127

.NET Reflector, 206

Netscape, 8

networking, AJAX, 297–327

new, 297

NoBot control, 260–262

nonImplemented (message), 458

NotImplementedException, 62

null, 85–86

- redirectUrl, 166

null value, 287

- variables, 9

num, 95

Numbers, 231

numbers

- adding, 80
- AJAX Library, 127–129

JavaScript, 8, 77

.NET Framework, 127

numeric characters, 235

NumericUpDownExtender, 238–239

O

object-oriented programming (OOP), 107, 109

objects, 10

ODBC, 441

Off, 438

OffsetX, 232

OffsetY, 232

OkcontrolID, 220

_onButtonClick, 356

OnCancelScript, 220

OnClick, 210, 329, 332, 333

_onClick, 356

OnClick, 211

OnClientActiveTabChanged, 264

OnClientClick, 228

OnClientClick (), 219

OnClientResize, 243

OnClientResizeBegin, 243

OnClientResizing, 243

OnGenerateChallengeAndResponse, 261

OnHoverOut, 210, 330, 332, 333

OnHoverOver, 210, 329, 332, 333

OnLoad, 210, 330, 332, 333

OnLoad, 332

_onMethodComplete, 356

_onMethodError, 356, 364–365

OnMouseOut, 210, 330, 332, 333

_onMouseOut, 356, 361

OnMouseOut, 337

OnMouseOver, 210, 330, 332, 333

_onMouseOver, 353, 356, 361

OnMouseOver, 336

OnOkScript, 220

_onPropertyChanged, 356, 363
 OnTick, 50
 OnUpdated, 253–254
 OOP. *See object-oriented programming*
 Opacity, 226
 open (), 16
 Option_Click (), 224
 OR, 124
 Orientation, 247
 OSQL, 441
 out of process, sessions, 438–440

P

@ Page, 411
 page mode, 391–392
 page requests

- canceling, 61–62
- client-side, 58–61

Page.ClientScript.

- RegisterClientScriptBlock, 71–72

Page.ClientScript.

- RegisterClientScriptInclude, 74

Page.ClientScript.RegisterStartupScript,
 72–74
 PageItems.resx, 430
 pageLoad, 163, 275, 367
 Page_Load, 50, 283
 pageLoad (), 108–109, 414

- doSomething (), 112

 Page_Load (), 58, 224, 409
 pageLoaded (), 58, 60

- pageLoading (), 62

PageLoadedEventArgs, 65
 pageLoading (), 58

- pageLoaded (), 62

PageMethods, 323–333
PageMethods.aspx, 322–323
Page.RegisterClientScriptBlock, 71
Page.RegisterStartupScript, 71
PageRequestManager, 58–60
 pageUnload (), 108–109
PagingBulletedListExtender, 239–241
Panel controls, 338–340
 Parallel, 334, 340
 parameterCount (message), 458
parameters

- AJAX Library, 144
- callbacks, 279
- JavaScript, 114
- validation, 144

parse (), 133
PasswordStrength control, 262
Path, 157
PathBasedScript.js, 179
 performance monitoring, AJAX, 492–494
Personalizable, 400
PersonalizationScope, 400
PHP, 21
 pid.txt, 484
 PlayInterval, 249
 pop (), 133
PopDelay, 232
popStackFrame, 459
popStackFrame (), 138, 458
PopupButtonID, 216

- calendar, 215

PopupControlExtender, 241–242
PopupControlID, 220, 221, 232
PopupPosition, 216
Portal Framework, 387
POST, 301, 322
postbacks, 181

- Web Parts, 392–395

PostBackTrigger, 40, 45
PreferredPasswordLength, 262
 prefixText, 214
PreloadedProfileItems.aspx, 285
PreLoadProfile.aspx, 285–286

printResults ()

printResults (), 196

PrivacyStatement, 424–425

Process (aspnet_wp) Private Bytes, 493

Process (aspnet_wp) Virtual Bytes, 493

**Processor (_Total) Processor Time and
Process (aspnet_wp) % Processor
Time, 493**

ProcessTemplate, image, 52–53

Profile

accessing data, browsers, 284–285

accessing properties, 281–283

client-side, 291

data, saving, 289–291

defining, 279–280

end users, 279

HTML, 291

preload, 285–286

properties, loading, 287–288

web.config, 170

Profile Service, 170–175

JSON, 173–174

Profile.aspx, 171–173, 281, 282–283, 288

ProfileService, 285

loading, 287–288

profileService, 171, 284

Progress.gif, 53

ProgressTemplate, 51

CSS, 52, 54

PromptCssClass, 234

PromptPosition, 234

PromptText, 234, 258

properties, 367

propertychanged, 353

protocols, 14

Prototype, 13

prototype

AJAX Library, 94

JavaScript, 90–94

JSON, 346–349

proxy objects, JavaScript, 11

Pulse, 333

push (), 133

Q

Querystring, 436

R

Radius, 246

RailCssClass, 247

raisePropertyChanged, 352

raisePropertyChanged (), 352

Rating control, 263–264

CSS, 264

readystate, 16

readyStateChange, 299–300

readyStateChanged Handler, 299

red-gate.com/products/reflector, 206, 453

RedirectMode, 486

redirectUrl, 275

null, 166

Reed, Dave, 499

Reference Source Code Center, 481

references, 367

Web services, 162–165

reflection functions, 116

Reflector, 206, 453

refresh

browser, 194

UpdatePanel, 194

regions, 406–410

Register, 376

registerClass, 343, 366

registerClass (), 113–114, 343, 344

RegisterClientScriptBlock, 71–72

RegisterClientScriptInclude, 74

RegisterStartupScript, 72–74

registerInterface, 343

registerInterface (), 119

registerNamespace, 343, 345
registerNamespace (), 343
RegularExpressionValidator, 254–255
Release, 153, 454
remoteOnly, 486
remove_completedRequest, 311
remove_propertyChanged, 366
RenderMode, 48
Request.UserLanguages [], 415
RequireOpenedPane, 258
ResizableControlExtender, 242–245
 CSS, 244–245
Resize, 333
ResolveScriptReference, 177, 181
Resource, 425
resource editor, Visual Studio, 426
resource files, 417–426
ResourceKey, 425
Resources, 425
ResponseMinimumDelaySeconds, 261
ResponseRewrite, 486
responseText, 298
Response.Write, 409
Response.Write (), 414
responseXML, 298
.resx, 159, 418–419
retail, 455
ReturnURL, 271
Rico, 13
Roeder, Lutz, 206
Role Management, 292–295
 configuring, 292–293
Role.aspx, 169–170
roleManager, 169, 292
roles
 checks, client-side, 294–295
 JavaScript, 294
 service, 168–170
RoleService, true, 170

Rounded, true, 226–227
RoundedCornersExtender, 245–246
Running, 126

S

SaveProfileItems.aspx, 290–291
Scale, 332, 333
ScaleFactor, 332
Schwartz, Michael, 12
scope
 JavaScript, 94–97, 111–112
 namespaces, 111–112
 variable, 86–90, 94–97
script, 150
 combining, 178–181
 compatibility, 181
 compression, 496–498
 customized location, 176–178
 debug and release versions, 453–457
 embedding, server-side controls, 370–371
 globalization, 160–162
 localization, 158–160
 static files, 427–430
 references, moving, 178
 shared, 497
 tags, JavaScript, 76
script, 7, 72, 178
Script.aculo.us, 13
ScriptControl, 372, 382
ScriptControlDescriptor, 382
ScriptIgnore, 325–326
ScriptLocalization.js, 428, 430
ScriptManager, 22, 27, 33–36,
 149–182, 497
 APIs, 182
 callback, 152–153
 .dll, 154
 HTML, 150
 JavaScript libraries, 33

ScriptManager (continued)

- JSON, 34
- ScriptReference, 151–152
- ScriptManager1_Navigate, 192**
- ScriptManagerProxy, 33, 36–37, 177**
- ScriptManager's Services, 363**
- ScriptMethod, 258**
- ScriptMode, 153–154**
 - Auto, 454
 - debugging, 455–456
- ScriptModule, 495**
- ScriptPath, 176–177, 497, 498**
- ScriptProxy.aspx, 321, 322–323**
- ScriptReference, 371, 498**
 - ScriptManager, 151–152
- ScriptResource, 154–157, 158, 495**
- ScriptResource.axd, 35, 179, 181, 371**
- scriptResourceHandler, 494**
- ScrollBars, 264**
- SecuredPage.aspx, 271**
- security**
 - SSL, 494
 - XMLHttpRequest, 298
- SelectedIndex, 256**
- send (), 298**
- Sequence, **211, 332, 333, 334, 340**
- serialization, 314–315**
 - bypassing, 325–326
 - custom, 326–327
 - JSON, 318–323
 - configuration, 326
- Serialize, 327**
- server-side**
 - AJAX, 21
 - AutoCompleteExtender, 227
 - client-side, controls, 372–373
 - controls
 - AJAX, 369–383
 - AJAX Control Toolkit, 255–265
 - embedding scripts, 370–371
 - HTML, 370
 - JavaScript, 370
 - culture, 410–412
 - extender class, 380–382
 - GridViewHeaderExtender, 380–382
 - localization, 410–413
- Servvertime.aspx, 162–163**
- Service Pack 1, 497**
- ServiceMethod, 258, 350, 352, 363, 369**
- ServicePath, 258, 350, 352, 363, 369**
- ServiceReference.aspx, 163–164**
- Session, 279, 282, 435, 436**
 - AJAX, 449–450
 - Application, 443–446
- SessionHits (), 445**
- sessions, 437–442**
 - in-process mode, 438
 - out of process, 438–440
 - SQL Server, 440–441
 - web.config, 437
 - without cookies, 442
- sessionState, 437, 440, 441, 483–484**
- set_, 349**
- set_data, 356, 360–361**
 - initialize, 367
- SetDefaultTimeout.aspx, 310–311**
- setRequestHeader, 298**
- _setStyle, 356**
- set-timeout, 303**
- SetVerb.aspx, 302–303**
- Shared, 400**
- shared scripts, 497**
- shortText, 159**
- ShowProfile.aspx, 283**
- ShowSearchBox, 350**
- ShowStatus.aspx, 277**
- Simple Object Access Protocol (SOAP), 7**
 - HTTP, 11
 - JSON, 321
- single control, animation, 330–332**

- Sleep (), 51**
- Sleep.aspx, 308**
- SliderExtender, 246–247**
- SlideShowExtender, 247–249**
- SlideShowServiceMethod, 248**
- smart caching, 4**
- smart clients, 2**
- SOAP. See *Simple Object Access Protocol***
- Solution Explorer, 156, 431**
- something else, 85–86**
- something [“someField”], 101**
- SourceForge, 12**
- span, 48, 431**
- span id=“Label”/span, 26**
- SQL Server, sessions, 440–441**
- sqlConnectionString, 441**
- SQLMembershipProvider, 273**
- SQLServer, 438, 441**
- src, 35, 70**
- SSL, security, 494**
- stackTrace, 365**
- StarCssClass, 264**
- state coding, back button, 194**
- state management, 435–452**
 - AJAX, 449–452
 - .NET, 436
- stateConnectionString, 440**
- StateServer, 438, 440, 441, 483**
- static files, script localization, 427–430**
- static scripts, compression, 496–497**
- status, 16**
- Status.aspx, 277**
- statusCode, 365**
- StrangeCaselt (), 93**
- String, JavaScript, 92**
- String.format (), 127**
- String.localeFormat, 161**
- strings, 299**
 - adding, 81
 - class, 126–127
 - JavaScript, 8, 77
 - JSON, 494
 - .NET Framework, 127
 - variable, 79–80
- StyleAction, 340**
- Submit, HTML, 71, 75**
- substr (), 102–103**
- Substring (), 102–103**
- Sys, 147–148, 495**
- Sys.Application, 147**
 - history, 197
- Sys.Application.addHistory, 199**
- Sys.Application.load, 198**
- Sys.ApplicationLoadEventArgs, 147**
- Sys.Application.navigate, 198**
- Sys.Application.notifyScriptLoaded, 152**
- Sys.ArgumentException, 457**
- Sys.ArgumentNullException, 457**
- Sys.ArgumentTypeException, 457**
- Sys.ArgumentUndefinedException, 458**
- Sys.CancelEventArgs, 147**
- Sys.Component, 147, 343**
- Sys.CultureInfo, 147**
- Sys.Debug, 147, 460–465**
- Sys\$_Debug\$appendTrace, 461–462**
- Sys.Debug.assert, 463–465**
- Sys.Debug.fail, 465, 468, 471**
- Sys.Debug.trace, 461–463**
- Sys.Debug.traceDump, 462–463**
- Sys.EventArgs, 147**
- Sys.EventHandlerList, 147**
- Sys.Exceptions, 147**
- Sys.HistoryEventArgs, 199**
- Sys.IDisposable, 147**
- Sys.INotifyDisposing, 147**

- Sys.INotifyPropertyChanged, 147**
- Sys.InvalidOperationException, 458**
- Sys.Net, 148**
- Sys.Net.WebRequest, 301**
- Sys.Net.WebServiceError, 365**
- Sys.Net.WebServiceProxy, 364**
- Sys.NotImplementedException, 458**
- Sys.OutOfRangeArgumentException, 457**
- Sys.ParameterCountException, 458**
- Sys.PropertyChangedEventArgs, 147**
- Sys.Res, 147**
- Sys.Serialization, 148**
- Sys.Serialization.JavaScriptSerializer, 324**
- Sys.Services, 148**
- Sys.Services.AuthenticationService, 275**
- Sys.StringBuilder, 147**
- System.Web, 109**
- System.Web.Extensions, 377, 400**
- system.web.extensions, 171, 284, 294, 494**
- System.Web.Extensions.dll, 151, 371, 453**
 - GAC, 498
- System.Web.Script.Serialization**
 - .Converters, 327**
- system.webserver, 284**
- system.webServer, 24**
- System.Web.UI, 155**
- System.Web.UI.ExtenderControl, 371, 377**
- System.Web.UI.ScriptControl**
 - .ScriptControl, 371**
- Sys.UI, 148**
- Sys.UI.Behavior, 352**
- Sys.UI.Control**
 - DOM, 343
 - initializeBase (), 346
- Sys.UI.DomEvent, 353**
- Sys.Webforms, 148**

T

- TabContainer control, 264–265**
- TargetControlID, 209, 232**
 - AnimationExtender, 332
 - CascadingDropDown, 258
 - ListSearchExtender, 233
 - TextBox, 213
- TargetControlType, 382**
- templates**
 - Accordion control, 255
 - Visual Studio, 203–204
- term, 199**
- testing, AJAX, 443–477**
- Text, 331, 420**
- TextArea, 140, 461**
- TextBox, 212**
 - TargetControlID, 213
- TextBoxWatermarkExtender, 250–251**
- TextLabelID, 217**
- thick client, 1–2**
 - MFC, 2
- thin client, 1–2**
 - HTML, 2
 - Web applications, 2
- this, 94, 95**
- this._btnClickHandler, 353**
- this._outHandler, 346**
- this._overHandler, 346, 353**
- this._ShowTextBox, 355**
- thousand separator, 236**
- Thread, 51**
- thread culture, 409–410**
- ThrowError.aspx, 164–165**
- time separator, 236**
- Time.aspx, 299**
- timedOut, 365**
- TimedSleep.aspx, 308–309**
- TimeOfDay, 163**

- timeout, 437**
 - Timeout.aspx, 303–304**
 - Timer, 33, 49–50**
 - Timer1_Tick (), 50**
 - titlebar, 257**
 - ToggleButtonExtender, 251–253**
 - ToolTip, 420**
 - ToolTipText, 247**
 - toString (), 123**
 - flags, 126
 - .ToString (), 85**
 - trace, 461–463**
 - disabling, 487–488
 - trace (message), 460**
 - trace window, 141**
 - TraceConsole, 140, 461**
 - traceDump, 462–463**
 - traceDump (object, name), 460**
 - Transact-SQL, 441**
 - TransitionDuration, 258**
 - Triggers, Visual Studio, 45**
 - Triggers, 37–41**
 - trim (), 126**
 - trimEnd (), 126**
 - trimStart (), 126**
 - true**
 - Booleans, 85
 - ChildrenAsTriggers, 41, 42
 - debug, 125, 153
 - EnableHistory, 198
 - EnableLocalization, 159
 - EnableScriptGlobalization, 161
 - EnableScriptLocalization, 428
 - InlineScript, 163
 - Loop, 249
 - RoleService, 170
 - Rounded, 226–227
 - UpdateMode, 42
 - try-catch-finally, 101**
 - .txt, 35**
 - Type, 342, 343, 346, 366**
 - type, 367**
 - Type.getRootNamespaces (), 111**
 - Type.isNamespace (), 111**
 - typeof, 78**
 - Type.registerNamespace (), 110–111**
 - types**
 - alias, 117
 - inheritance, 114–116
 - JavaScript, 109, 114
- ## U
- UI, 4**
 - AJAX Control Toolkit, 107
 - UICulture, 161, 429**
 - Auto, 159
 - UncheckedImageAlternateText, 252**
 - UncheckedImageUrl, 252**
 - undefined, 85–86, 199**
 - Unlock (), 446**
 - Update (), 45–48**
 - updateGrid (), 228**
 - UpdateMode, 39, 41–45**
 - Always, 56
 - Conditional, 41, 42, 56
 - false, 42
 - true, 42
 - UpdateModePanelUpdate, 41**
 - UpdatePanel, 22, 27, 33, 37–49, 341**
 - calendar, 254
 - multiples, 54–57
 - refresh, 194
 - UpdatePanel1, 55**
 - UpdatePanel2, 55**
 - UpdatePanelAnimationExtender, 253–254**
 - UpdatePanelTrigger Collection Editor, 45**
 - UpdateProgress, 33, 50–54**
 - CSS, 54

updates, 63–65

- AJAX, 187–188
- client-side, 195–197

uppercaseitems (), 139

User, 400

userContext, 164, 166, 287

- EchoHeaders.aspx, 306

UserContext.aspx, 306–307

users. See end users

using, 116–117

UsingRoles.aspx, 294–295

V

_validateParams (), 144

Validateuser, 274

validation, parameters, 144

ValidatorCalloutExtender, 254–255

ValidChars, 231

values, functions, 9

var request = new XMLHttpRequest (), 297

variable

- cache, 104–105
- JavaScript, 86–90
- null value, 9
- scope, 86–90, 94–97
- strings, 79–80
- substitution, 103–104

Vertical, 247

VerticalSide, 209

ViewState, 48–49, 436, 448–449

Visual Studio, 19

- AJAX Control Toolkit, 203
- AutoCompleteExtender, 213
- AutoFormat, 272
- controls, 204–205
- debugging, 466–470
- DLL, 202, 203
- IntelliSense, 133
- JavaScript, 20

localization, 418–420

resource editor, 426

templates, 203–204

toolbox, 27

Triggers, 45

W

W3C, 70

Wahlin, Dan, 499

WaitingStarCssClass, 264

WatermarksCssClass, 250–251

WatermarkText, 250

WCF. See Windows Communication

Foundation

Web applications

- end users, 4
- thin client, 2

Web Deployment projects, 489–492

Web Developer Helper, 475–477

- HTTP, 477

Web farms, 482–484

Web page

- AJAX, 13–16, 499
- AJAX Control Toolkit, 499
- controls, 376–377
- extender class, 382–383
- localization, 417–419

Web Parts, 385–403

- with AJAX, 395–397
 - custom, 398–403
- custom, with AJAX, 398–403
- DLL, 401
- postbacks, 392–395
- without AJAX, 387–392

Web services, 11

- custom controls, 363–365
- references, 162–165

WebApplication.Pageltems, 432

WebApplication.ScriptLocalization.js, 432

WebBrowsable, 400, 402
web.config, 22, 268
 globalization, 411
 Profile, 170
 sessions, 437
web.config.comments, globalization, 411
WebForm1.aspx, 432–434
WebPart, 400, 402
WebPart.AllowClose, 400
WebPartManager, 389
WebPartZone, 389–391
 controls, 390
WebPartZones, HTML, 390
WebRequest, 300
 Debug, 302
 default timeout, 308–311
 global, 311–313
 making calls, 300–308
 management, 308–314
 passing extra data, 306–308
WebRequestExecutor, 308, 312, 313–314
WebResource, 155–156, 432
WebResource.axd, 76–77
Width, 239
window.onload (), 58
window.onunload (), 58
Windows Communication Foundation (WCF), 11
Windows Forms, 2
Windows SharePoint Services (WSS), 386
Windows users, authentication, 268–270

WindowsPrincipal, 268
workflows, 2
 AJAX, 2
WrapperDivCssClass, 382
writeAccessProperties, 284
WSS. *See Windows SharePoint Services*

X

XML
 AJAX, 3, 314
 documentation, enumerations, 138
 HTML, 11
 IntelliSense, 136
 JSON, 297

XMLHttpExecutor.aspx, 313–314

XMLHttpRequest, 3, 297–300

 ActiveX, 7
 AJAX, 7
 APIs, 298
 browsers, 7
 DOM, 297
 JavaScript, 1
 security, 298

Y

year variable, 83

Z

zero-deployment model, 2