

# Index

## • Numerics •

001 MP3 Encoder, 363  
4-band EQ (Pro Tools), 313–314  
16-bit option for mastering, 289–290

## • A •

A connection (USB), 105  
Aardvark audio interfaces, 77  
absorber/reflector, 44–45, 46  
Absynth soft-synth (Native Instruments), 266  
ACID (Sony Media Software), 122, 134–135  
acoustic instruments  
  equalizing, 319  
  microphone for, 185  
Acoustica MP3 Audio Mixer, 363  
acoustics, 43  
active monitor  
  connecting, 111  
  description of, 31, 95  
AD (analog to digital) converter, 13, 15, 66  
ADAT (Alesis Digital Audio Tape) optical connector, 103, 104  
AES/EBU (Audio Engineering Society/European Broadcasting Union) cable, 103, 104  
AIFF (Audio Interchange File Format), 33, 274–275  
Alesis Digital Audio Tape (ADAT) optical connector, 103, 104  
Algorithm setting (reverb plug-in), 329  
Alienware (PC builder), 58  
ambient miking, 179, 188  
amp simulator, 177  
amp-isolator box, 42, 43  
analog connections  
  overview of, 97–98  
  quarter-inch plugs, 98–100  
  RCA, 100–101, 102  
  XLR, 100, 101  
analog inputs, 66  
analog outputs, 66–67  
analog to digital (AD) converter, 13, 15, 66  
Apple. *See also* Logic; Mac  
  Audio Units (AU) format, 259, 300  
  GarageBand, 10, 255–256, 362  
  Apple System Preferences (Mac), 161  
Arrange window (Logic Pro)  
  Port selector, 234, 235  
  track, creating, 196  
arranger, description of, 20, 22  
*The Art of Digital Audio* (John Watkinson), 69  
assigning soft-synth to track, 263  
ATA/IDE drive and FireWire interface, 62  
Atmosphere soft-synth (Spectrasonics), 266  
Attack slider (Pro Tools)  
  compressor, 338, 339–340  
  expander, 345  
  gate, 342  
  limiter, 341  
attenuating, 28  
AU (Audio Units) format, 259, 300  
Audacity editing program, 363  
audio capabilities of software  
  editing, 117–119  
  recording, 116–117  
  track counts, 116  
Audio Compositor, 364  
audio data, editing, 224–226  
Audio Engineering Society/European Broadcasting Union (AES/EBU) cable, 103, 104

- audio instrument track, 194
  - Audio Interchange File Format (AIFF), 33, 274–275
  - audio interface
    - AD and DA converters, 13, 15, 66
    - choosing, 76, 78–79
    - components of, 13–14
    - configurations, 66–67
    - connecting, 108–110
    - controller-based, 74–75
    - description of, 10, 65
    - digital audio specifications, 67–69
    - direct box, 15–16
    - FireWire, 72–73
    - manufacturers of, 77–78
    - PCI, 14, 69–72
    - preamp, 16–17
    - setting up, 163–168
    - sound card and, 15
    - sound from guitar into, 177–178
    - sound from keyboard into, 178
    - sound from microphone into, 178–181
    - types of, 14–15, 69
    - USB port and, 14–15, 73–74
  - Audio MIDI Setup icon, 229
  - Audio MIDI Setup window, 229, 230
  - audio recording. *See also* MIDI track; room for recording
    - automation data, 271–273
    - click track, creating, 206–209
    - first take, 212–213
    - listening to take, 213
    - overdubbing, 218
    - Pro Tools and, 131
    - punching in and out, 213–218
    - setting levels for, 202–203
    - soft-synth performance, 263–264
    - software for, 362
  - audio track, 194
  - Audio Units (AU) format, 259, 300
  - Audio⇄Audio Hardware & Drivers (Logic Pro), 169, 171, 172
  - audio-based loop, 250
  - audio-based loop track, creating, 251–252
  - Audiophile 2496 (M-Audio), 72
  - Audio⇄Soundtrack Loop Utility⇄Open (Logic Pro), 256
  - AudioSuite⇄Duplicate (Pro Tools), 224
  - Auto Latch mode, 271
  - Auto Off mode, 270
  - auto punching, 214–217
  - Auto Read mode, 270
  - Auto Touch mode, 270–271
  - Auto Write mode, 270
  - Autoload song (Logic Pro), 194
  - automating mix
    - benefits of, 124
    - Cubase and, 137
  - automation, enabling, 271–272
  - automation moves, recording and editing, 272–273
  - AutoPlay feature, disabling, 157–158
  - auto-tune, 30
  - aux or auxiliary input track, 194
- B •**
- B connection (USB), 105
  - backplate, 89, 90
  - backup vocal, equalizing, 318
  - balance and monitor mix, 205
  - balanced cord, 99–100
  - balancing levels, 287–288
  - bandwidth, 68
  - bass, electric
    - equalizing, 319
    - microphone for, 184
    - side-chain technique and, 347–348
  - bass (kick) drum
    - equalizing, 319–320
    - miking, 186–187
    - side-chain technique and, 347–348
  - bass traps, 48–50
  - Baxandall curve, 286
  - beat mapping, 123
  - bit depth, 67, 117
  - Blackwood, Brad, Web site of, 358
  - BladeEnc MP3 encoder, 363
  - bleed, 94
  - boosting frequencies, 317
  - Bounce dialog box
    - Logic, 277
    - Pro Tools, 274–275, 290, 291
  - Bounce feature, 273, 276
  - bounce procedure, description of, 267
  - break-out box, 14, 71

- Broadcast Wave, 117
- budget
  - audio interface and, 76
  - software and, 128, 129
- buffer settings, adjusting, 170–172, 353–354
- buffer size, 19, 63
- Building a PC For Dummies*, 4th edition (Mark Chambers), 57
- building
  - emotion of song, 268
  - Windows PC, 57–58
- burning CD master
  - for mass production, 293–295
  - overview of, 291–292
  - protecting rights, 295
  - sequencing songs, 292–293
- bus, 305
- bus track, 194
- .wav extension, 117
- BWF (WAV) file, 274
- Bypass button
  - effects-processor Plug-In window, 323
  - Logic Pro, 305
  - using, 356
- C •
- cable
  - low-Z, 100
  - MIDI, 102
  - USB, 107
  - video or digital audio, 103
- cache buffer, 19, 63
- Cakewalk software
  - description of, 138–139
  - Guitar Tracks Pro, 10, 138
  - SONAR, 139–141
- cardioid microphone, 92
- carving out frequencies, 26, 310
- CD burner, 292
- CD mastering
  - balancing levels, 287–288
  - description of, 33
  - dithering or truncating file, 289
  - final mix, 288
  - optimizing dynamics, 283–285
  - overview of, 267, 279
  - professional, hiring, 280–281
  - sample rate, setting, 290–291
  - session, setting up, 281–283
  - 16-bit option, 289–290
  - steps in process of, 279–280
  - tonal balance, perfecting, 285–287
  - Web site resources for, 358
- chain, audio, 67
- Chambers, Mark, *Building a PC For Dummies*, 4th edition, 57
- Change Duration option (Pro Tools), 247
- Change Velocity option (Pro Tools), 247
- Channel EQ (Logic), 314
- channel strip, 202, 203
- character, description of, 17
- chats, online, Web sites for, 357
- chipset, 56, 63
- choosing
  - audio interface, 76, 78–79
  - computer, 53–54
  - equalizer, 313–314
  - Mac, 62
  - microphone, 93
  - MIDI interface, 86–87
  - plug-in, 307
  - soft-synth, 266
  - software, 53, 78–79, 130
- chorus effects processor, 29, 333
- click track
  - creating, 206–207
  - enabling, 212
  - playing, 209–212
  - tempo, setting, 207–208
  - time signature, choosing, 208–209
- Click/Countoff Options dialog box (Logic Pro), 210, 211
- clipping, 27
- Clock Source option (Hardware Setup dialog box), 166
- combination drive, 64
- component, definition of, 9
- compression ratio, 284
- compressor
  - description of, 27–28, 337
  - multiband, 126
  - optimizing dynamics and, 283–285
  - parameters, 337–338
  - transients and, 181
- Compressor window (Pro Tools), 338

- computer. *See also* CPU; Mac;
    - Windows XP PC
  - audio interface and, 76
  - choosing, 53–54
  - connecting to, 107
  - dedicating to audio, 158, 160, 353
  - hard drive, 19
  - linking computers, 143, 146
  - maintaining system performance, 351–356
  - memory, 18
  - reducing sound from, 39–40
  - requirements for, 18
  - software compatibility and, 128
  - Windows PC, 54–58
  - computer-control surface, 21, 22
  - condenser microphone
    - acoustic instruments and, 185
    - description of, 89–90
    - for vocals, 182
  - configuring Windows XP operating system, 150–158
  - connecting programs, 123
  - connections
    - analog, 97–102
    - to computer, 107
    - digital, 102–104
    - FireWire, 106
    - hardware, 158–159
    - input device, 110–111
    - interface, 108–110
    - keyboard controller, 261–263
    - MIDI port and, 228
    - monitor, 111–112
    - USB, 105
  - consolidation of selection, 125
  - construction type microphone, 89
  - control surface, 61
  - Controller data option (Pro Tools), 270
  - controller-based interface, 74–75
  - controlling, 272
  - Cool Edit Pro software, 119
  - copying track data, 224–225
  - copyright, 295
  - cords, long runs of, 42
  - CPU
    - description of, 56
    - dual-CPU-equipped computer, 55
    - placing in another room, 107
    - reducing sound from, 39–40
    - speed of, 18
  - crashes, 354
  - creating task, 38
  - creativity, inspiring, 39
  - Crystal soft-synth, 365
  - Cubase (Steinberg)
    - description of, 10
    - strengths of, 136–137
    - versions of, 136
    - weaknesses of, 137–138
  - cutting frequencies, 317
  - cymbals, 188, 321
- D •
- DA (digital to analog) converter, 13, 15, 66
  - daisy chain, 228
  - DAW (Digital Audio Workstation), 151
  - deactivating unused tracks, 356
  - dead air, 42
  - Decay setting (Pro Tools)
    - expander, 345
    - gate, 343
    - reverb plug-in, 329
  - dedicating computer to audio, 158, 160, 353
  - delay effects processor, 29, 331–333
  - Delay Lama soft-synth, 365
  - Delay setting (delay plug-in), 331
  - deleting MIDI note, 244–245
  - Depth setting (delay plug-in), 332
  - designer cord, 99
  - de-static process, 107
  - Destructive Record mode, 217
  - Device option (Hardware Setup dialog box), 166
  - diffuser, 47
  - Diffusion setting (reverb plug-in), 329
  - Digi 002 interface (Digidesign)
    - Clock Source options, 166
    - as FireWire interface, 73, 77
    - MIDI ports and, 102
  - Digidesign. *See also* Digi 002 interface; Pro Tools
    - audio interface, 77
    - RTAS format, 260, 301
    - TDM format, 301
    - User's Conference, 54, 57–58

- digital audio specifications
    - bit depth, 67, 117
    - sampling rate, 68–69, 116–117, 204
  - Digital Audio Wave (PC builder), 58
  - Digital Audio Workstation (DAW), 151
  - digital connection
    - AES/EBU, 103, 104
    - MIDI, 102–103
    - overview of, 102
    - S/PDIF, 103, 104
  - Digital Performer (MOTU), 10, 144–145
  - digital signal processor
    - description of, 20, 24–25
    - dynamic, 26–28
    - effects, 28–30
    - equalizers, 25–26
    - features of, 125
  - digital to analog (DA) converter, 13, 15, 66
  - Digital/Optical Input and Output option (Hardware Setup dialog box), 167, 168
  - direct box, 11, 14, 15–16
  - direct memory access (DMA), enabling, 156
  - Direct Monitoring option, 204–205
  - Direct X (DX) format, 260, 301
  - Dirt Keeps the Funk (Primesounds) loop library, 257
  - disabling AutoPlay feature, 157–158
  - Disc at Once mode, 294
  - disk/process buffer, 171–172
  - Display Properties dialog box, 151, 152, 155
  - Display↔Edit Window Shows↔I/O View (Pro Tools), 199, 233–234
  - Display↔Mix Window Shows↔Inserts (Pro Tools), 311
  - Display↔Transport Window Shows↔MIDI Controls (Pro Tools), 206, 207, 239
  - distant miking, 179
  - distraction, eliminating, 38
  - dithering, 126, 289
  - DMA (direct memory access), enabling, 156
  - drawing, 272
  - driver, preparing to install software, 150
  - drum machine, 84–85
  - drums
    - cymbals, 188, 321
    - equalizing, 319–321
    - gating, 343
    - hi-hat, 188, 320–321
    - kick (bass), 186–187, 319–320
    - room and, 186
    - snare, 187, 320
    - tom-tom, 187, 320
    - tuning, 185–186
  - dry signal, 324
  - dual-CPU-equipped computer, 55
  - dual-head AGP graphics card, 64
  - Duplicate dialog box (Pro Tools), 224
  - duplication
    - of CD-R, 359
    - of selection, 125
  - duration of note, changing, 245
  - dust, dealing with, 39
  - DX (Direct X) format, 260, 301
  - dynamic microphone
    - description of, 89, 90–91
    - vocals and, 182
  - dynamic range, 67, 335
  - dynamics, optimizing, 279, 283–285
  - dynamics processor
    - compressor, 27–28, 337–340
    - description of, 26–27, 335
    - expander, 28, 343–346
    - gate, 28, 341–343
    - as Insert effects, 335–336
    - limiter, 27–28, 340–341
- **E** •
- ECHO audio interface, 77
  - Edirol audio interface, 77
  - Edit window (Pro Tools), 233–234
  - Edit↔Clear (Pro Tools), 245
  - editing
    - audio data, 224–226
    - loop, 122, 255–256
    - MIDI data manually, 241–246
    - MIDI operations/functions, 246–247
    - nondestructive, 223–224
    - overview of, 219
    - region, 222–223
    - selecting audio to edit, 219–221
    - soft-synth sound, 265
    - software for, 362–363
  - editing capabilities of software
    - Cakewalk, 139
    - Cubase, 137
    - Digital Performer, 145
    - Logic, 143

- editing capabilities of software (*continued*)
    - Nuendo, 146
    - overview of, 117–119
    - Pro Tools, 131–132
    - SONAR and, 141
  - Edit↔Insert Silence (Pro Tools), 226
  - editor, description of, 20, 22–23
  - effects
    - adding, 268
    - Insert, 324–325
    - performing on loops, 123
    - routing, 324
    - Send, 326–328
    - vocals, adding to, 205
  - Effects dialog box, 155, 156
  - effects processor
    - chorus, 29, 333
    - delay, 29, 331–333
    - description of, 28–29, 323
    - flanger, 29–30
    - pitch correction, 30
    - reverb, 29, 328–330
  - efficient working environment, creating, 36–39
  - electric bass
    - equalizing, 319
    - microphone for, 184
    - side-chain technique and, 347–348
  - electric guitar
    - equalizing, 319
    - microphone for, 183–184
  - eliminating distraction, 38
  - eMac (Apple), 61
  - emotion of song, building, 268
  - E-Mu audio interface, 77
  - enabling
    - automation, 271–272
    - click track, 212
    - DMA (direct memory access), 156
    - MIDI device in Windows XP, 231–232
    - MIDI device on Mac, 229–231
    - recording, 200–202, 236
  - Energy Saver dialog box, 161
  - engineer, mastering, hiring, 280–281
  - engineering task, 38
  - Environment window (Logic Pro), 252, 253
  - equalization (EQ). *See also* equalizers
    - description of, 309
    - of drums, 319–321
    - frequency guidelines, 317
    - of guitar, 318–319
    - mastering and, 286–287
    - mixing and, 268, 316
    - multiband, 313
    - of percussion, 321
    - of piano, 321
    - plug-in, inserting in track, 311–312
    - of vocals, 318
  - equalizers. *See also* parametric equalizer
    - choosing, 313–314
    - description of, 25
    - graphic, 25
    - low-pass/high-pass, 311, 315–316
    - shelf, 25–26, 310, 315
  - Error Reporting dialog box, 153
  - error-detection software, 294
  - errors accessing hardware, 354
  - expander, 28, 343–346
  - Expander window (Pro Tools), 344
  - External Key button (Pro Tools), 344, 347
  - external keyboard
    - connecting, 110
    - feel of, 84
    - MIDI port and, 228
    - sound from, 178
- **F** ●
- fader, 237
  - Feedback setting (delay plug-in), 332
  - figure-8 microphone, 92
  - file format
    - MP3, 33
    - recording and, 117
  - file management and SONAR, 141
  - File↔Bounce (Pro Tools), 274
  - File↔Bounce to Disk (Pro Tools), 276
  - File↔New Session (Pro Tools), 192
  - File↔New Track (Pro Tools), 195, 232

File⇨Song Settings⇨Recording Options  
(Logic Pro), 240

filter, 311

FireWire connector, 106

FireWire interface

ATA/IDE drive and, 62

connecting, 109–110

description of, 72–73

FireWire port, audio interface through, 15

fish fillets plug-ins, 364

flanger effects processor, 29–30

Flatten Performance option (Pro Tools), 247

formats for plug-ins, 129, 300–301

4-band EQ (Pro Tools), 313–314

freeze function

effects plug-in and, 300

Logic and, 142, 300

SONAR and, 141

using, 354

frequency and equalization, 314–315

frequency spectrum

equalization and, 317

rolling off top or bottom end of, 25–26, 91

splitting, 284

Functions⇨Track⇨Create (Logic Pro),

196, 251

FXpansion wrapper, 301

## ● G ●

gain, 314, 315

Gain slider (Pro Tools)

compressor, 338

delay plug-in, 331

limiter, 341

GarageBand (Apple)

description of, 10, 362

editing loop in, 255–256

gate, 28, 341–343

Gate window (Pro Tools), 342–343

Gear Acquisition Syndrome (GAS), 358

gear, essential, keeping handy, 38

gluing instruments together, 330

graphic equalizer, 25

graphics card, 56, 64

graphics, slow, 354

Groove Quantize option (Pro Tools), 247

Groove setting (delay plug-in), 332

grunge, adding to track, 341

guitar

acoustic, microphone for, 185

connecting, 110–111

electric, microphone for, 183–184

equalizing, 318–319

sound from, getting great, 177–178

Guitar Tracks Pro (Cakewalk), 10, 138

## ● H ●

Hammerfall (RME), 70

hard drive

cleaning, 351–352

keeping free of unnecessary

applications, 353

Mac, 59

multiple, organizing, 62–63

requirements for, 19

Windows PC, 55

hardware

compatibility of, 128–129

connecting, 158–159

Digital Performer and, 145

errors accessing, 354

interface, setting up, 163–168

preparing to install software, 150

Pro Tools and, 132, 133–134

settings, configuring, 169–172

Hardware Setup dialog box, 164, 166–168

HD192 interface (MOTU), 72

headphones

description of, 94

as monitor, 30–31

quality of, 206

headroom, 340

heat, dealing with, 39

HF Cut setting (reverb plug-in), 330

high-pass equalizer, 311, 315–316

high-shelf equalizer, 310, 315

hi-hat, 188, 320–321

hiring mastering engineer, 280–281

Hold setting (Pro Tools)  
 expander, 345  
 gate, 342–343  
*Home Recording For Musicians For Dummies*  
 (Jeff Strong), 2, 179, 292  
 Home Studio 2 (Cakewalk), 138  
 host-based plug-in, 301, 302  
 host-based version, 131  
 hot-swapping, 107  
 hybrid preamp, 17  
 Hyper Edit window (Logic Pro), 242, 243

## • I •

iBook (Apple), 61  
 IEEE 1394. *See* FireWire interface  
 iMac (Apple), 60  
 impedance level and direct box, 16  
 In port (MIDI), 228  
 increasing punch of track, 339  
 indie music resources, 360  
 input device  
 connecting, 110–111  
 description of, 10, 11  
 instrument, 11  
 microphone, 11–12  
 sound module and soft-synth, 12–13  
 Input Quantize option (Pro Tools), 247  
 input/output buffer, 170–171  
 inputs, monitoring, 203–206, 236–237  
 Insert effects, 324–325. *See also* dynamics  
 processor  
 Insert pop-up menu  
 Logic Pro, 304, 325, 336  
 Pro Tools, 325, 336  
 inserting  
 dynamics processor into track, 335–336  
 effects, 324–325  
 EQ plug-in into track, 311–312  
 MIDI program change, 244  
 plug-in into track, 303–305  
 soft-synth into track, 263  
 inserts, 124  
 installing. *See also* installing software  
 plug-in, 303  
 soft-synth, 260–261  
 installing software  
 hardware settings, configuring, 169–172  
 interface, setting up, 163–168

Mac, 160–163  
 preparation for, 149–150  
 Windows XP, configuring operating  
 system, 150–158  
 Windows XP, connecting hardware,  
 158–159  
 Windows XP, steps for, 159–160  
 instrument. *See also specific instruments*  
 connecting, 110  
 as input device, 11, 66  
 miking, 179–180  
 instrument cord, 99  
 intellectual property, 361  
 interface. *See also* audio interface; FireWire  
 interface  
 Cakewalk software and, 139  
 connections and, 108–110  
 controller-based, 74–75  
 Cubase and, 137  
 Digital Performer, 145  
 hardware, setting up, 163–168  
 keyboard controller, 74, 75, 261–263  
 MIDI, 81, 86–87  
 PCI-based, 14, 69–72, 108–109  
 USB, 14–15, 73–74, 110  
 internal bit depth, 117  
 International Standard Recording Code  
 (ISRC), 295  
 I/O section (Edit window, Pro Tools),  
 233–234  
 isolation booth, 42  
 isolation box, 40, 43  
 iTunes-LAME Encoder, 363

## • K •

Katz, Bob, Web site of, 358  
 Key HPF setting (Pro Tools), 345  
 key input (Pro Tools), 346  
 Key Listen button (Pro Tools), 344, 347  
 Key LPF setting (Pro Tools), 345  
 keyboard  
 connecting, 110  
 feel of, 84  
 MIDI port and, 228  
 sound from, getting great, 178  
 keyboard controller interface  
 connecting, 261–263  
 description of, 74, 75

- kick (bass) drum
  - equalizing, 319–320
  - miking, 186–187
  - side-chain technique and, 347–348
- Knee slider (Pro Tools), 338
- **L** ●
- labeling CD, 294
- latency
  - buffer settings and, 170
  - FireWire interface and, 72
  - low-latency monitoring, 165–166
  - managing, 204–205
  - PCI-based interface and, 70
  - sampling rate and, 68
  - USB port and, 14
  - USB-based interface and, 73
- LCD monitor, 64
- lead vocal, equalizing, 318
- level for recording, setting, 202–203
- levels, balancing, 287–288
- limiter
  - description of, 28
  - multiband, 126
  - optimizing dynamics and, 283–285
  - using, 340–341
- Limiter window (Pro Tools), 340–341
- line insert, 181
- linking computers
  - with Logic, 143
  - with Nuendo, 146
- liquid cooling of computer, 40
- listening to take, 213
- Logic (Apple)
  - Arrange window, 222
  - assigning key, time signature, and tempo, 254–255
  - audio-based loop track, creating, 251–252
  - Auto punching, setting up, 215–216
  - Bounce feature, 277
  - buffer settings, adjusting, 171, 172
  - Channel EQ, 314
  - channel strip, 202, 203
  - click track, playing, 209–212
  - editing soft-synth sound, 265
  - editing windows, 241–242, 243
  - enabling automation, 271–272
  - features of, 118, 128
  - freeze function, 142, 300
  - hardware, setting up, 169–170
  - Insert pop-up menu, 325, 336
  - inserting plug-in into track, 304
  - inserting soft-synth into track, 263, 264
  - keyboard controller, connecting, 262–263
  - loop browser, 252, 253
  - loop, creating, 256–257
  - loop punching, 218
  - MIDI-based loop track, creating, 250–251
  - naming track, 198
  - overdubbing, 239–240
  - Peak Level display, 203
  - Plug-In window, 325
  - Record Enable button, 201, 236
  - routing input and output signals, 199–200
  - Send effects, 237–328
  - Send for plug-in, using, 305–306
  - setting inputs and outputs, 234–235
  - song file, creating, 194
  - starting recording, 213
  - Stop button, 212
  - strengths of, 142–143
  - tempo, setting, 207–208
  - tempo/time signature dialog box, 206–207
  - time signature, choosing, 208–209
  - track, creating, 196–197
  - track for soft-synth, creating, 261
  - versions of, 141–142
  - weaknesses of, 143–144
- loop
  - assigning key, time signature, and tempo for, 254–255
  - choosing, 252–254
  - creating, 256–257
  - description of, 10, 249–250
  - editing, 255–256
  - formats, 250
- loop libraries, finding, 257–258
- loop punching, 217–218
- loop track, creating, 250–252
- looping
  - ACID and, 135
  - description of, 121–123
  - SONAR and, 141
- low latency, 165–166
- Low Latency monitoring option, 204
- Low Pass setting (reverb plug-in), 330
- low-pass equalizer, 311, 315–316

low-shelf equalizer, 310, 315  
 low-Z cable, 100  
 LPF setting (delay plug-in), 331  
 Lynx Studio Technology, 77–78

## • M •

Mac (Apple)  
 choosing, 62  
 configurations of, 60–61  
 enabling MIDI device on, 229–231  
 installing plug-ins, 303  
 installing software, 160–163  
 minimum requirements, 59  
 operating system, 59–60  
 OS X, 160–162, 352  
 Windows PC compared to, 57  
 MachFive soft-synth (MOTU), 266  
 Mackie  
 Control, 21, 22  
 Spike-XD2, 74  
 maintaining system performance, 351–356  
 manual punching, 214  
 MAS format, 260, 301  
 mass, 42  
 master or master fader track, 194  
 mastering  
 balancing levels, 287–288  
 description of, 33  
 dithering or truncating file, 289  
 final mix, 288  
 optimizing dynamics, 283–285  
 overview of, 267, 279  
 professional, hiring, 280–281  
 sample rate, setting, 290–291  
 session, setting up, 281–283  
 16-bit option, 289–290  
 steps in process of, 279–280  
 tonal balance, perfecting, 285–287  
 Web site resources for, 358  
 mastering capabilities of software, 126  
 Matrix window (Logic Pro), 242  
 M-Audio  
 audio interface, 78  
 Audiophile 2496, 72  
 Oxygen8, 86, 87  
 Ozonic, 75  
 media  
 CD, 33  
 computer file, 33  
 mastering, 10  
 overview of, 32  
 memory  
 Mac, 59  
 requirements for, 18, 63  
 Windows PC, 55  
 metadata, 256  
 Metamorphosis (Spectrasonics) loop  
 library, 257  
 Meter setting (delay plug-in), 332  
 meters, making dance, 284  
 metronome function. *See* click track  
 Metronome Settings section (Song Settings  
 dialog box, Logic Pro), 209, 210  
 Mick Fleetwood: Total Drumming (Sony  
 Media Software) loop library, 258  
 microphone  
 for acoustic instruments, 185  
 choosing, 93  
 condenser, 89–90  
 connecting, 111  
 construction type, 89  
 description of, 11–12  
 for drum set, 185–189  
 dynamic, 90–91  
 for electric bass, 184  
 for electric guitar, 183–184  
 overhead, 321  
 polarity patterns, 92–93  
 preamp, 14, 16, 66  
 ribbon, 91–92  
 signal chain for, 176  
 sound from, getting great, 178–181  
 transients, dealing with, 180–181  
 for vocals, 181–183  
 MID Converter 3.3, 364  
 MIDI cable, 102  
 MIDI capabilities of software  
 ACID, 135  
 Cubase, 136–137  
 Digital Performer, 145  
 Logic, 142  
 Nuendo, 147  
 overview of, 120–121  
 Pro Tools, 133

- MIDI channel
  - description of, 228–229
  - enabling in Windows XP, 231–232
  - enabling on Mac, 229–231
- MIDI controller
  - description of, 12, 81
  - MIDI port and, 228
  - types of, 88
- MIDI file, 33
- MIDI interface
  - choosing, 86–87
  - description of, 81
- MIDI jack, 102, 103
- MIDI Merge/Replace button, 239
- MIDI (Musical Instrument Digital Interface)
  - computer-based system for, 81–88
  - description of, 24, 79–80, 227
- MIDI Operations window (Pro Tools), 246–247
- MIDI port, 228
- MIDI sequencer, 20, 24, 81
- MIDI software, 364
- MIDI track
  - adding MIDI event to, 242–243
  - creating, 232–233
  - description of, 194
  - editing manually, 241–246
  - enabling recording for, 236
  - monitoring inputs, 236–237
  - overdubbing, 238–240
  - playing back, 238
  - Pro Tools automation options, 270
  - recording, 237–238
  - setting inputs, outputs, and channels, 233–235
- MIDI-based loop, 250
- MIDI-based loop track, creating, 250–251
- MIDI-capable recording programs,
  - evaluating, 120–121
- MIDI↔Click (Logic Pro), 212
- MIDI↔Input Devices (Pro Tools), 231, 232
- miking instrument, 179–180
- Mix setting (delay plug-in), 331
- mixer
  - description of, 20–22
  - external, using, 205
- mixer controller, 75
- mixing. *See also* equalization (EQ); mixing in-the-box
  - automation features, 124, 137, 269
  - automation modes, 270–271
  - to external recorder, 277–278
  - goals of, 268–269
  - mastering and, 280
  - overview of, 267
  - Pro Tools automation options, 269–270
  - recording automation data, 271–273
  - reverb and, 330
  - side-chain technique, 346–348
  - software capabilities for, 124
  - sound control during, 45–50
- mixing in-the-box
  - bounce options, 274–276
  - overview of, 273
- modulation, 333
- monitor. *See also* near-field monitor
  - connecting, 111–112
  - description of, 10, 30, 93–94
  - headphones, 30–31
  - placement of, 37
  - speakers, 31–32, 94–95
  - video, 64
- monitor mix, 205–206
- monitoring inputs, 203–206, 236–237
- Mono (Summed) format, 275
- motherboard, 56
- MOTU
  - audio interface, 78
  - Clock Source options, 166
  - Digital Performer, 10, 144–145
  - FireWire Audio dialog box, 165, 166, 168
  - HD192 interface, 72
  - MachFive soft-synth, 266
  - MAS format, 260, 301
- mousing, 272
- MP3 file format, 33
- MP3 programs, 363
- multiband compressor, 126
- multiband EQ, 313
- Multiple Mono format, 275
- multitimbrality, 84
- Music Creator Pro (Cakewalk), 138
- Musical Instrument Digital Interface
  - cable, 102

- Musical Instrument Digital Interface channel
    - description of, 228–229
    - enabling in Windows XP, 231–232
    - enabling on Mac, 229–231
  - Musical Instrument Digital Interface controller
    - description of, 12, 81
    - MIDI port and, 228
    - types of, 88
  - Musical Instrument Digital Interface file, 33
  - Musical Instrument Digital Interface interface
    - choosing, 86–87
    - description of, 81
  - Musical Instrument Digital Interface jack, 102, 103
  - Musical Instrument Digital Interface (MIDI)
    - computer-based system for, 81–88
    - description of, 24, 79–80, 227
  - Musical Instrument Digital Interface port, 228
  - Musical Instrument Digital Interface sequencer, 20, 24, 81
  - Musical Instrument Digital Interface software, 364
  - musical style
    - audio interface and, 76
    - dynamics and, 283
    - software and, 128
  - musicians, indie, finding, 360
  - MusicXPC (PC builder), 58
  - Mute option (Pro Tools), 269, 270
- **N** •
- Name the Track dialog box (Pro Tools), 198
  - naming track, 197–198
  - native plug-in, 302
  - near-field monitor
    - description of, 31
    - placement of, 37
    - sound control and, 45
    - types of, 94
  - New Session dialog box (Pro Tools), 192–193
  - New Track dialog box (Pro Tools), 195–196, 232–233
- New↔Audio Object (Logic Pro), 252
  - nondestructive editing, 223–224
  - non-destructive record mode, 217
  - normalizing track, 299
  - n-Track Studio recording program, 362
  - Nuendo (Steinberg), 146–147
  - Nyquist frequency, 68
- **O** •
- offline bouncing, 124
  - offline processing, 300, 306–307
  - omnidirectional microphone, 92
  - online forums, 357
  - operating system. *See also* Windows XP PC
    - Mac, 59–60, 160–162
    - Windows PC, 55, 150–158
  - optical drive
    - description of, 64
    - Mac, 59
    - Windows PC, 55
  - optimizing dynamics, 279, 283–285
  - organizing work space, 37
  - OS X (Mac)
    - installing software with, 160–162
    - reformatting audio drive, 352
  - Out port (MIDI), 228
  - output track, 194
  - over, digital, 180
  - overdubbing, 218, 238–240
  - overhead microphone, 188, 321
  - overhead panel, 47
  - Oxygen8 (M-Audio), 86, 87
  - Ozonic (M-Audio), 75
- **P** •
- Pan option (Pro Tools), 269, 270
  - panel
    - absorber/reflector, 44–45, 46
    - overhead, 47
  - panning, stereo, 268
  - parametric equalizer
    - benefits of, 317
    - description of, 26, 27, 126, 286, 310
    - settings, 314–315

- passive monitor
  - connecting, 112
  - description of, 31–32, 95
- PC. *See also* Windows PC; Windows XP PC
  - internal components of, 56
  - Mac compared to, 57
  - minimum requirements, 54–55
  - operating system, 55
  - setting up, 57–58
- PC builder, MusicXPC, 58
- PCI (Peripheral Component Interface) card,
  - 13, 66
- PCI-based interface
  - connecting, 108–109
  - description of, 14, 69–72
- Pencil tool (Pro Tools), 225, 242–244
- percussion, equalizing, 321. *See also* drums
- performance, tips for maintaining, 351–356
- Peripheral Component Interface (PCI) card, 13
- Peripherals list box (Hardware Setup dialog box), 164, 166
- phono plug, 100–101, 102
- piano, equalizing, 321
- pitch correction, 30
- pitch of note, changing, 245
- pitch shifting, 125
- placement of microphone
  - for acoustic instruments, 185
  - for drums, 186–189
  - for electric bass, 184
  - for electric guitar, 183–184
  - techniques for, 179–180
  - for vocals, 182
- placement of monitor, 37
- planning for future, 129–130
- Play button, 213, 238
- playback buffer, 171–172
- playing back
  - MIDI track, 238
  - recorded track, 264
- plosives, 182
- plug-in delay compensation
  - Pro Tools and, 133
  - SONAR and, 141
- Plug-in parameters option (Pro Tools), 269
- Plug-In window
  - Logic Pro, 304, 305, 325
  - Pro Tools, 325
- plug-ins. *See also* dynamics processor; effects; equalizers
  - choosing, 307
  - delay, 331–333
  - description of, 299
  - formats, 129, 300–301
  - host-based, 302
  - inserting into track, 303–305
  - installing, 260–261, 303
  - native, 302
  - offline processing and, 306–307
  - processing tracks with, 300
  - resources for, 363–364
  - reverb, 328–330
  - Send function and, 305–306
- Pohlmann, Ken, *Principles of Digital Audio*, 69
- polarity patterns, 92–93
- polyphony, 83
- pop filter, 182
- post-fader, 324
- Power Mac (Apple), 60, 61
- Power MP3 Cutter, 363
- Power Options Properties dialog box, 154
- PowerBook (Apple), 61
- powered monitor, connecting, 111–112.
  - See also* active monitor
- PQ subcode, 292, 294
- preamp
  - hybrid, 17
  - microphone, 14, 16, 66
  - solid-state, 16–17
  - tube, 17
- preamp/interface in signal chain, 176
- Predelay setting (reverb plug-in), 329
- pre-fader, 324
- Preferences dialog box
  - Logic Pro, 169, 170
  - Pro Tools, 290
- pre-roll, creating, 216–217
- Primesounds Dirt Keeps the Funk loop library, 257

- Principles of Digital Audio* (Ken Pohlmann), 69
- Pro Tools (Digidesign)
  - Arrange window, 222
  - Auto punching, setting up, 214–215
  - balancing levels, 287–288
  - Bounce feature, 274–275, 276
  - buffer settings, adjusting, 171, 172
  - channel strip, 202, 203
  - compressor plug-in, 337–338
  - copying track data, 224–225
  - deactivating unused tracks, 356
  - delay plug-in, 331–333
  - deleting MIDI note, 244–245
  - description of, 130–131
  - duration of note, changing, 245
  - editing regions, 222–223
  - enabling MIDI channel, 231, 232
  - expander plug-in, 344–345
  - features of, 117–119
  - 4-band EQ, 313–314
  - gate plug-in, 342–343
  - hardware and, 128–129
  - Insert pop-up menu, 325, 336
  - inserting EQ plug-in into track, 311–312
  - inserting MIDI program change, 244
  - inserting soft-synth into track, 263, 264
  - key input, 346–348
  - limiter plug-in, 340–341
  - loop punching, 218
  - mastering session, creating, 281–283
  - MIDI event, adding, 242–244
  - MIDI Merge, 239
  - MIDI Operations window, 246–247
  - mixing automation options, 269–270
  - monitoring MIDI inputs, 237
  - naming track, 197–198
  - offline processing, 307
  - Parametric Equalizer icon, 310
  - Pencil tool, 225, 242–244
  - performing punch, 217
  - pitch of note, changing, 245
  - Plug-In window, 325
  - pre-roll, creating, 216
  - Record Enable button, 201, 236
  - redrawing waveform, 225–226
  - reverb plug-in, 328–330
  - routing input and output signals, 198–199
  - sample rate conversion process, 290
  - Scrub tool, 225
  - selecting on the fly, 220–221
  - Selector tool, 226
  - Send effects, 326–327
  - setting inputs, outputs, and channels, 233–234
  - silencing section of track, 226
  - song file, creating, 192–193
  - starting recording, 213
  - strengths of, 131–132
  - Tab to Transients function, 221
  - TDM format, 301
  - tempo, setting, 207
  - tempo/time signature dialog box, 206, 207
  - time location, changing, 246
  - time signature, choosing, 208
  - track, creating, 195–196, 232–233
  - track, selecting, 220
  - velocity of note, changing, 245–246
  - versions of, 131
  - weaknesses of, 133–134
  - Zero Return button, 212
  - Zoomer tool, 225
- processor (computer)
  - Mac, 59
  - Windows PC, 54
- processor (software). *See* digital signal processor; dynamics processor; effects processor
- producing task, 38
- Propellerhead, ReBirth soft-synth, 266
- protecting rights, 295
- proximity effect, 182
- PSP Audioware plug-ins, 307
- punching in and out
  - auto punching, 214–217
  - description of, 213–214
  - loop punching, 217–218
  - manual punching, 214
  - MIDI track, 241
  - performing punch, 217

## • Q •

Q setting, 310, 315  
quality of sound  
  synthesizer and, 84  
  volume and, 285  
quantization, 120, 125  
Quantize option (Pro Tools), 247  
quantizing loops, 123  
quarter-inch analog plug  
  TRS, 99–100  
  TS, 98–99

## • R •

rack-mountable sound module, 12–13  
Range setting (Pro Tools)  
  expander, 345  
  gate, 343  
Rate setting (delay plug-in), 332  
Ratio setting (Pro Tools)  
  compressor, 338  
  expander, 345  
RCA plug, 100–101, 102  
real-time processing, 300  
ReBirth soft-synth (Propellerhead), 266  
rebooting computer, 150  
Record Enable button, 236  
record-enabling  
  audio track, 200–202  
  MIDI track, 236  
recording. *See also* MIDI track; room for recording  
  automation data, 271–273  
  click track, creating, 206–209  
  first take, 212–213  
  listening to take, 213  
  overdubbing, 218  
  Pro Tools and, 131  
  punching in and out, 213–218  
  setting levels for, 202–203  
  soft-synth performance, 263–264  
  software for, 362  
recording capabilities of software  
  bit depth, 117  
  file format, 117

  Pro Tools, 131  
  sample rate, 116–117  
recording studio, components of, 9–10  
Red Book CD, 292  
redrawing waveform, 225–226  
reducing sound from computer, 39–40  
reflection, 42, 46  
reformatting audio drive, 352–353  
region  
  description of, 219  
  editing, 222–224  
Release slider (Pro Tools)  
  compressor, 338, 339–340  
  limiter, 341  
replication, 359  
Restore Performance option  
  (Pro Tools), 247  
reverb effects processor, 29, 328–330  
ReWire program, 123  
ribbon microphone  
  description of, 89, 91–92  
  for vocals, 182  
RME  
  audio interface, 78  
  Hammerfall, 70  
rolling off top or bottom end of frequency  
  spectrum, 25–26, 91  
room effect, 328  
room for recording  
  dealing with sound in, 42–50  
  efficient working environment, creating,  
    36–39  
  heat and dust, taming, 39  
  keeping sound in or out of, 41–42  
  optimizing sound in, 40–41  
  preparing, 35–36  
room modes, 43  
RoomMachine 844 plug-in, 364  
rotational speed, 19, 62  
rounding error, 68  
routing  
  effects, 324  
  input and output signals, 198–200  
RTAS format, 260, 301  
RubyTube plug-in, 364  
rumble, 26

## • S •

- sample rate
  - description of, 68–69, 116–117
  - latency and, 204
  - setting, 290–291
- sample rate conversion process, 290–291
- Sample Rate drop-down list (Hardware Setup dialog box), 167, 168
- sampler, 85–86
- sampling rate. *See* sample rate
- Sayers, John, Web site of, 359
- Score window (Logic Pro), 242, 243
- scoring, 120
- screen saver, disabling, 154–155
- Scrub feature, 118, 119
- Scrub tool (Pro Tools), 225
- seek time, 19, 63
- Select Notes option (Pro Tools), 247
- selecting
  - audio to edit, 219–220
  - entire track, 220
  - on the fly, 220–221
  - loop, 252–254
  - Tab to Transients function (Pro Tools), using, 221
- Selector tool (Pro Tools), 226
- Send effects, 124, 326–328
- Send function, 305–306
- Send option (Pro Tools), 269
- Send Output window (Pro Tools), 326
- sequencer, built-in, 84, 88
- sequencing
  - burning CD and, 292–293
  - mastering and, 279–280
  - multitimbral synth and, 84
- Setups⇨Hardware Setup (Mac), 164
- Setups⇨Playback Engine (Pro Tools), 171, 172
- Setups⇨Preferences (Pro Tools), 290
- Shareware Music Machine Web site, 362
- shelf equalizer
  - description of, 25–26, 310
  - using, 315
- Shuffle editing mode, 118
- Shure, SM57 and SM58, 90
- sibilants, 182
- side-chain, 346–348
- signal chain, 175–176
- signal processor, 323
- Signature/Key Change List Editor window (Logic Pro), 254
- silencing section of track, 226
- SimulAnalog Guitar Suite plug-in, 364
- 16-bit option for mastering, 289–290
- Size setting (reverb plug-in), 329
- slap-back echo, 333
- SM57 and SM58 (Shure), 90
- smoothing out track, 340
- snare drum, 187, 320
- soft-synth
  - assigning to track, 263
  - choosing, 266
  - description of, 13, 82, 259
  - Digital Performer and, 145
  - editing sound, 265
  - formats for, 259–260
  - installing, 260–261
  - keyboard controller, connecting, 261–263
  - Logic and, 142
  - recording performance, 263–264
  - resources for, 365
  - sound from, getting great, 178
  - track for, creating, 261
- software. *See also* installing software; Logic; Pro Tools; soft-synth
  - ACID (Sony Media Software), 122, 134–135
  - arranger, 22
  - audio capabilities of, 116–119
  - Cakewalk, 138–139
  - CD burner, 292
  - choosing, 53, 78–79, 130
  - compatibility of, 129
  - cracked copies of, 361
  - Cubase (Steinberg), 10, 136–138
  - description of, 10, 19–20
  - Digital Performer (MOTU), 10, 144–145
  - digital signal processor, 24–30, 125
  - editing, 362–363
  - editor, 22–23
  - error-detection, 294
  - looping capabilities of, 121–123, 249
  - mastering capabilities of, 126
  - MIDI, 364
  - MIDI capabilities of, 120–121, 227
  - MIDI sequencer, 24

- mixer, 20–22
- mixing capabilities, 124
- MP3, 363
- multiple programs, using, 127
- needs, identifying, 128–130
- Nuendo (Steinberg), 146–147
- overview of, 115
- recording, 362
- in signal chain, 176
- SONAR (Cakewalk), 139–141
- synchronizing, 123
- trying before buying, 130
- upgrading, 129–130
- Software monitoring option, 204
- software synthesizer. *See* soft-synth
- Software Update dialog box, 162
- solid-state preamp, 16–17
- Sonalksis plug-ins, 307
- SONAR (Cakewalk), 139–141
- song file
  - assigning key, time signature, and tempo, 254–255
  - creating, 192–194
  - input and output signals, 198–200
  - tracks, working with, 194–198
- Song Settings dialog box (Logic Pro), 209, 210, 240
- Sony Media Software
  - ACID, 122, 134–135
  - Mick Fleetwood: Total Drumming loop library, 258
- Sony/Phillips Digital Interface Format (S/PDIF) connector, 103, 104
- sound
  - controlling during mixing, 45–50
  - controlling during tracking, 44–45
  - controlling in room, 42–44
  - from guitar, 177–178
  - keeping in or out of recording room, 41–42
  - from keyboard, 178
  - from microphone, 178–181
  - signal chain and, 175–176
- sound card
  - description of, 13, 15, 66
  - PCI-based, 70–72
- sound generator
  - description of, 81
  - drum machine, 84–85
  - sampler, 85–86
  - soft-synth, 82
  - sound module, 85
  - synthesizer, 83–84
- sound module, 12–13, 85
- soundhack editing program, 363
- Sounds and Audio Devices Properties dialog box, 156
- Soundtrack Loop Utility window (Logic Pro), 256, 257
- source in signal chain, 176
- S/PDIF (Sony/Phillips Digital Interface Format) connector, 103, 104
- speaker cord, 98–99
- speakers
  - home stereo, 112
  - as monitor, 31–32, 94–95
- spectral analyzer, 287
- Spectrasonics
  - Atmosphere soft-synth, 266
  - Metamorphosis loop library, 257
- Spike-XD2 (Mackie), 74
- spindle speed, 19, 62
- Split Notes option (Pro Tools), 247
- Spot feature, 118
- spot miking, 179
- standby power, 154
- standing waves, 48
- Start⇄Settings⇄Control Panel (XP), 151
- starved-plate preamp, 17
- Steinberg
  - Cubase, 10, 136–138
  - Nuendo, 146–147
  - VST format, 260, 301
- Stereo Interleaved format, 275–276
- stereo miking, 180
- Strong, Jeff, *Home Recording For Musicians For Dummies*, 2, 179, 292
- studio
  - commercial, compatibility with, 132–133
  - components of, 9–10
  - support for setting up, 358–359
  - submixing, 255
  - surround mixing
    - description of, 124
    - Nuendo and, 146
  - synchronizing software, 123

synthesizer. *See also* soft-synth  
 description of, 83–84  
 MIDI port and, 228  
 System Preferences dialog box, 161  
 System Properties dialog box, 153  
 system sound, disabling, 156

## • T •

Tab to Transient feature, 118, 119  
 take, listening to, 213  
 TASCAM audio interface, 78  
 TC Powercore, 302  
 TDM format, 301  
 Tempo Match setting (delay plug-in),  
 332, 333  
 tempo, setting for click track, 207–208  
 Tempo/Signature Display (Logic Pro),  
 206–207  
 threshold, 28  
 Threshold setting (Pro Tools)  
 compressor, 338, 339  
 expander, 344  
 gate, 342  
 limiter, 341  
 Thru port (MIDI), 228  
 time location, changing, 246  
 time, placing between songs on CD, 293  
 time signature, choosing for click track,  
 208–209  
 Tip/Ring/Sleeve (TRS) plug, 99–100, 101  
 Tip/Sleeve (TS) plug, 98–99  
 tom-tom, 187, 320  
 tonal balance, 279, 285–287  
 tonal clarity, 268  
 Toslink connector, 103, 104  
 track count  
 description of, 116  
 hard drive speed and, 19  
 minimizing, 355  
 Pro Tools and, 133  
 tracking, sound control during, 44–45  
 tracks. *See also* click track; MIDI track  
 assigning soft-synth to, 263  
 cleaning up, 355–356  
 creating, 195–197  
 dynamics processor, inserting into,  
 335–336

enabling recording in, 200–202  
 EQ plug-in, inserting into, 311–312  
 equalizing when mixing, 316  
 naming, 197–198  
 normalizing, 299  
 plug-in, inserting into, 303–305  
 real-time processing, 300  
 selecting to edit, 220  
 silencing section of, 226  
 for soft-synth, creating, 261  
 turning off unused, 356  
 types of, 194–195  
 Tracktion recording program, 362  
 transient  
 compressor and, 337  
 description of, 27, 180–181  
 Transport window, 206  
 Transpose option (Pro Tools), 247  
 transposition, 120, 125  
 troubleshooting  
 performance issues, 354  
 record-enabling, 201–202  
 TRS (Tip/Ring/Sleeve) plug, 99–100, 101  
 truncating file, 289  
 trying software before buying, 130  
 TS (Tip/Sleeve) plug, 98–99  
 tube preamp, 17  
 tuning drums, 185–186  
 turning off computer, 107  
 tweaking, 284

## • U •

unbalanced line, 99  
 Universal Audio UAD 1, 302  
 unpowered monitor  
 connecting, 112  
 description of, 31–32, 95  
 updating system software before installing  
 audio program, 149  
 upgrading software, 129–130  
 USB cable, 107  
 USB connection, 105  
 USB interface, connecting, 110  
 USB port, audio interface through,  
 14–15, 73–74

• *V* •

velocity of note, changing, 245–246  
video monitor, 64  
virus protection, disabling, 158  
vocals  
  adding effects to, 205  
  breath from singer, dealing with, 344, 346  
  equalizing, 318  
  making room for in dense mix, 347  
  microphone for, 181–183  
  reverb and, 330  
  slap-back echo and, 333  
voice coil, 90  
volume  
  low, and mixing, 45  
  quality of sound and, 285  
  of songs, matching, 279  
volume balance, 268  
Volume option (Pro Tools), 269, 270  
Voxengo plug-ins, 307  
VST format, 260, 301

• *W* •

Watkinson, John, *The Art of Digital Audio*, 69  
.wav extension, 117  
WAV file, 33  
waveform, redrawing, 225–226  
WaveLab software, 119  
Waves Audio Ltd. plug-ins, 307  
Web sites  
  ACID, 135  
  audio interface manufacturers, 77–78  
  author, 40  
  Cakewalk, 139  
  copyright, 295  
  Cubase, 138  
  Digidesign User's Conference, 54  
  Digital Performer, 145  
  duplication, 359  
  editing software, 363  
  FXpansion wrapper, 301  
  gear, 358  
  indie music, 360  
  Logic, 144  
  loop libraries, 257–258

  mastering, 358  
  mastering professionals, 280  
  MIDI software, 364  
  MP3 software, 363  
  musicians, indie, 360  
  Nuendo, 147  
  online forums, 357  
  PC builders, 58  
  plug-ins, 307, 363–364  
  Pro Tools, 134  
  recording software, 362  
  replication, 359  
  ReWire program, 123  
  room modes, 43  
  Shareware Music Machine, 362  
  soft-synths, 266, 365  
  SONAR, 141  
  support for setting up studio, 358–359  
  TC Powercore, 302  
  Universal Audio UAD 1, 302  
wet signal, 324  
windows, multiple, 120, 121  
Windows PC. *See also* Windows XP PC  
  Direct X (DX) format, 260, 301  
  internal components of, 56  
  Mac compared to, 57  
  minimum requirements, 54–55  
  operating system, 55  
  setting up, 57–58  
Windows XP PC  
  AutoPlay, disabling, 157–158  
  Classic mode, 151–152  
  configuring operating system, 150–158  
  Control Panel settings, 153  
  DMA, enabling, 156  
  enabling MIDI channel on, 231–232  
  hardware, connecting, 158–159  
  installing plug-ins, 303  
  reformatting audio drive, 352  
  settings, 151  
  software, installing, 159–160  
  virus protection, disabling, 158  
Windows⇄Open Transport (Logic Pro), 206  
Windows⇄Show Tempo/Meter  
  (Pro Tools), 207  
Windows⇄Show Transport (Pro Tools), 206  
Winer, Ethan, Web site of, 359

working environment, efficient,  
  creating, 36–39

workstation, setting up, 36–37

wrapper, 301

Write Disk mode, 294

## • X •

XLR connector, 100, 101

## • Y •

Y cord, 99, 100, 101

## • Z •

001 MP3 Encoder, 363

Zoomer tool (Pro Tools), 225