

# Index

COPYRIGHTED MATERIAL



# Index

## NUMERICS

- 3D images and video card, 70–72
- 3D Rocket Cooler Pro (Gigabyte)
  - connecting power supply to, 197–204
  - description of, 173–174
  - fan controller, installing, 217–221
  - installing, 192–195
- 4-pin peripheral and floppy power connector, 198, 202–204
- 4-pin, 12-volt power connector, 197, 201–202
- 5.1 speaker system, 108–109
- 6.1 speaker system, 110
- 7.1 speaker system, 110
- 24-pin main connector cable, 197, 200
- 32-bit processor, 24
- 64-bit processor, 24, 29

## A

- AC (alternating current), 139, 140–141
- access panels, 134
- access point, 305
- accessories, gaming
  - controllers
    - Logitech Rumblepad 2 Vibration Feedback Gamepad, 168–169
    - Nostromo N52 Speedpad, 169–171
    - overview of, 168
    - Saitek R440 Force Feedback Wheel, 171–173
  - input devices
    - The Gamer's Keyboard (Saitek), 163–164, 165
    - Logitech MX 1000 Laser Cordless Mouse, 164–167
- action and frames per second, 76
- Ad-Aware (Lavasoft), 304
- adjusting screen resolution, 263–264, 290
- aftermarket antenna, 307
- AGP slot, 38, 44–45, 81

- airflow in case
  - heat transfer and, 127–128
  - poor, example of, 129
  - size of case and, 130
  - Thermaltake Armor VA8000 and, 136
- aliasing, 73
- alternating current (AC), 139, 140–141
- aluminum case, 128, 131
- AMD (manufacturer)
  - Athlon 64
    - Intel Pentium 4 compared to, 26, 33–34
    - north bridge and, 40
    - specs, 33
  - chipset
    - DDR and, 59
    - design of, 41
    - memory and, 56
  - processors
    - core frequency and, 30
    - Front Side Bus and, 31
    - FX series, 35
    - FX-55 2.6 GHz Socket 939, 188
    - FX-57 chip, 42
    - integrated memory controller, 30
    - Intel processors compared to, 31–32
    - 64-bit capabilities of, 29
- anisotropic filtering, 73, 75
- Antech (manufacturer), 134, 144
- antenna, aftermarket, 307
- anti-aliasing, 70, 73–74, 75
- antistatic mat, 189
- anti-virus software, 283–284, 303–304
- API (Application Program Interface), 75, 111
- Apple Cinema HD Display M9178II/A, 160–161
- Aquamark (manufacturer), 288, 290
- Armor VA8000 (Thermaltake), 136, 179–180
- ASDW systems of movement, 168
- Asherson Call 2, 313
- ASUS (manufacturer), 50–51, 78, 81

- Athlon 64 (AMD)
    - Intel Pentium 4 compared to, 26, 33–34
    - north bridge and, 64
    - specs, 33
  - ATI (manufacturer)
    - Crossfire, 79, 80
    - Radeon X850 chipset, 81, 84–85
    - video card and, 77
  - ATX, 140
  - ATX form factor, 39, 131, 184
  - audio. *See also* sound card; speakers
    - playback of in-game, 110–111
    - positional, 106, 111–112
  - Audiotrak Maya 1010, 119–120
  - auto starting programs, disabling, 285
  - Automatic Updates, disabling, 271–272
  - AVG anti-virus software, 304
- B**
- bandwidth, 54, 56
  - bandwidth tester, 299
  - bargain parts, 10, 64, 98
  - battery for wireless mouse, 166
  - Battlefield 1942 (game), 314
  - bay
    - case and, 126, 131, 136
    - hard drive and, 90, 93
  - beeping of motherboard, 208
  - Belkin Dual-Band Wireless A+G Suite, 306
  - benchmarking. *See also* testing
    - description of, 253, 287
    - game to benchmark against, 289
    - gaming, 288
    - Intel versus AMD processors and, 31–32
    - memory, 288–289
    - overall, 289
    - results of, 289, 290
    - types of, 287–288
    - video card, 76–77
  - bezel, 126
  - BFG GeForce 6800 Ultra OC video card
    - description of, 82, 83–84
    - drivers, installing, 262–263
  - BIOS, 255
  - black cables, 205
  - BlueGears X-Mystique 7.1 Gold 8, 119–120
  - boosted Wireless G router, 306
  - booting from CD, 257
  - bottlenecks, 74–75
  - brightness and LCD monitor, 155
  - broadband connection, 297, 298
  - Broadband Reports Website, 298
  - brownout, 142–143
  - BTX form factor, 39, 131
  - budget. *See also* cost; saving money when
    - building PC
      - saving money and, 9–10
      - setting, 8–9
      - types of PCs and, 7–8
  - building PC
    - buying compared to, 3
    - cost of, 6–8
    - customizing and, 6
    - knowledge gained by, 7
  - bus
    - AMD chipset and, 56
    - definition of, 39, 54
    - Intel chipset and, 56
  - buying. *See also* cost; selecting; warranty
    - parts
      - from brick and mortar store, 14–15
      - direct from manufacturer, 64
      - on eBay, 157
      - no-name brand, 10, 64, 98
      - overview of, 11
      - through Internet shopping portals, 13–14
      - from Websites, 12–13
    - PC
      - from electronics superstore, 6
      - freebies offered with, 4–5
      - from gaming PC Website, 5–6
      - generic options when, 3–4
      - parts included when, 4
      - performance issues, 5
      - warranty and, 4
  - byte, 55

## C

- cable connection to Internet, 296, 297, 298
- cable management system, 144
- cables
  - Cat5, 296, 308
  - installing
    - binding with twist ties, 251
    - black cables, 205
    - overview of, 181–182
    - power button, case speaker, and case lighting, connecting, 204–207
    - power supply, connecting to motherboard and heatsink, 197–204
    - ribbon, 234–235, 240, 244, 245–246
    - for sound card, 247
  - RJ45, 296, 308
  - secondary power connector, 198
  - 24-pin main connector, 197, 200
- cache
  - hard drive and, 88, 89
  - Intel Extreme Edition and, 28
  - memory and, 24, 26–27
- Call 2 (Asherson), 313
- capacitor, 141
- case
  - airflow and, 127–128, 129, 130, 136
  - cooling system and, 127, 131–132
  - ease of use of, 132–134
  - features of, 129–134
  - heat transfer and, 127–128
  - inserting motherboard into, 186–188
  - manufacturers of, 134
  - material of, 128, 131
  - modding, 135
  - motherboard and, 131
  - orientation to, 180
  - as providing structure for components, 125–126
  - removing from box, 179
  - removing panels from, 181
  - safety and, 126
  - saving money on, 137
  - scratches to, 181
  - selecting, 135–136
  - shopping for online, 137
  - size of, 129–131
  - terminology, 126
  - view of, after installation, 250, 251
  - wiring power supply and, 199
- Caslis, Russ, *Going Mod*, 135
- Cat5 cable, 296, 308
- cathode-ray tube (CRT)
  - description of, 150
  - monitor
    - description of, 152–155
    - features of, 158–160
- CD drive
  - overview of, 98–100
  - selecting, 103–104
- CD-ROM
  - booting from, 257
  - drivers, installing from
    - motherboard, 265–266
    - for mouse, 261–262
    - SoundBlaster, 264–265
    - video card, 262–263
- ceiling fan, installing, 221–222
- center channel of surround sound, 108
- chassis alarm, 207
- cheating, 325
- chipset, 38, 40
- choosing
  - case, 135–136
  - DVD or CD drive, 103–104
  - hard drive, 97–98, 100–103
  - Internet connection type, 297–298
  - memory, 67
  - monitor, 160–162
  - motherboard, 50–51
  - network type, 310–312
  - operating system, 254–255
  - power supply, 145–146
  - processor, 33–34
  - sound card, 119–120
  - speakers, 121–122
  - video card, 82–84
- clock speed, 24, 25–26
- CNET Website, 298, 299
- communications between components, 38, 40–41

- compression of soundtrack, 107
- Computer Management dialog box, opening, 267
- Computer Name Changes dialog box, 320
- connection speed, 312–313
- connections on sound card, 116
- connectors on power supply, 144
- controller card, 92
- controllers
  - Logitech Rumblepad 2 Vibration Feedback Gamepad, 168–169
  - Nostromo N52 Speedpad, 169–171
  - overview of, 168
  - Saitek R440 Force Feedback Wheel, 171–173
- cooling system
  - case and, 127, 131–132
  - installing
    - case fan controller, 212
    - ceiling fan, 221–222
    - front fan, connecting, 222
    - Gigabyte Rocker Cooler fan controller, 217–219
    - hard drive fan, connecting, 223
    - new case fan, 210–211
    - overview of, 210
    - testing after, 223
  - power supply and, 141
  - 3D Rocket Cooler Pro (Gigabyte)
    - connecting power supply to, 197–204
    - description of, 173–174
    - fan controller, installing, 217–221
    - installing, 192–195
- cordless mouse, Logitech MX 1000 Laser, 164–167
- core frequency, 30
- core logic, 40
- Corsair (manufacturer), 67–68
- cost. *See also* budget; saving money when building PC
  - of building PC, 6–8
  - of buying PC from gaming PC Website, 5
  - of case, 137
  - of floppy drive, 237
  - Internet shopping and, 12
  - Internet shopping portal and, 13
  - of LAN party, 317–318
  - memory and, 61
  - of monitor, 157
  - price match policy and, 15
  - rebates and, 14, 95
  - of shipping
    - monitor, 157, 159
    - PC, 4–5, 12
- CPU
  - AMD
    - core frequency and, 30
    - Front Side Bus and, 31
    - FX series, 35
    - FX-55 2.6 GHz Socket 939, 188
    - FX-57 chip, 42
    - integrated memory controller, 30
    - Intel processors compared to, 31–32
    - 64-bit capabilities of, 29
  - cache and, 26–27
  - description of, 23, 25
  - future of, 32–33
  - in generic gaming PC, 4
  - grounding self before touching, 189
  - heatsink, installing, 192–195
  - installing onto motherboard, 188–192
  - Intel
    - AMD processors compared to, 31–32
    - core frequency and, 30
    - Extreme Edition, 28–29, 35
    - Front Side Bus and, 31
    - hyperthreading and, 27
    - saving money on, 34–35
    - selecting, 33–34
    - speed of, 25–26
    - terminology related to, 24
- Creative Labs (manufacturer)
  - Audigy 2 ZS Platinum, 119–120
  - EAX technology, 107, 112, 115
- Crossfire (ATI), 79, 80
- CRT (cathode-ray tube)
  - description of, 150
  - monitor
    - description of, 152–155
    - features of, 158–160
- Crucial (manufacturer), 64, 66, 67
- current, 140

**D**

DC (direct current), 139, 140–141  
 DDR (Double Data Rate), 54, 57–58, 59  
 DDR Memory Controller (AMD), 56  
 DDR2, 54  
 dead pixel, 159  
 decoding capability, 115  
 decoding surround sound, 107–108  
 decompression of soundtrack, 107  
 default pagefile, 94  
 Dell UltraSharp 2405FPW Flat Panel  
   description of, 160–161  
   resolution for, 263–264  
 design of speakers, 118  
 desktop case, 126, 129, 130  
 Diablo II (game), 300  
 dial-up connection, 297, 314  
 digital signal processor (DSP), 113  
 Digital Subscriber Line (DSL), 296, 297,  
   298, 299  
 Digital Theater Systems (DTS), 107  
 Digital Visual Interface (DVI), 150, 152, 158  
 direct, buying, 64  
 direct current (DC), 139, 140–141  
 DirectX, 75, 82, 111  
 disabling  
   auto starting programs, 285  
   Automatic Updates, 271–272  
   Remote Assistance and Remote Desktop  
     Sharing, 274  
   Windows Firewall, 279–280, 322  
   Windows Messenger, 275  
   Windows Services, 276–278  
 Disk Clean Up, 281–283  
 Disk Defragmenter, 280–281  
 Disk Management, 268–269  
 Disk Striping, 96  
 Display Properties dialog box, 263, 264  
 D-Link firewall/router, 300  
 Dolby Digital, 107  
 Dolby Digital Surround EX, 110  
 Doom 3 (game), 289, 290  
 Double Data Rate (DDR), 54, 57–58, 59  
 downloading SP2, 303  
 DPI (dots per inch), 151

drive. *See also* hard drive  
 CD, 98–100, 103–104  
 DVD  
   installing  
     Lite-On, 236–237  
     Memorex, 232–236  
   making first bootable drive, 257–258  
   overview of, 98–100  
   selecting, 103–104  
   floppy, 99, 237–241  
   multiple, and pagefile, 94, 95  
 drive installation, tool-free, 132  
 driver  
   loading custom, 255  
   motherboard, installing, 265–266  
   mouse, installing, 261–262  
   optimization and, 77  
   SoundBlaster, installing, 264–265  
   updating, 284  
   video card, installing, 262–263  
 DSL (Digital Subscriber Line), 296, 297,  
   298, 299  
 DSP (digital signal processor), 113  
 DTS (Digital Theater Systems), 107  
 DTS Extended Surround, 110  
 dual core, 24, 32–33  
 Dual-Band Wireless A+G Suite (Belkin), 306  
 duration of LAN party, 316  
 DVD drive  
   installing  
     Lite-On, 236–237  
     Memorex, 232–236  
   making first bootable drive, 257–258  
   overview of, 98–100  
   selecting, 103–104  
 DVI (Digital Visual Interface), 150, 152, 158

**E**

EAX technology, 107, 112, 115  
 eBay, buying monitor on, 157  
 ECC technology, 54, 60  
 efficiency of processor, 26  
 electricity, 139, 140–141  
 encryption of files, 254, 307  
 Enermax (manufacturer), 144

Ethernet connection, 308–310  
 e-VGA (manufacturer), 82, 83  
 exhaust vent, 127  
 expansion card clip, 132–133  
 expansion cover, removing, 224  
 external hard drive, 90  
*Extreme Tech's LAN Party: Hosting the Ultimate  
 Frag Fest* (Steinmetz), 315  
 EZISP Website, 298–299

## F

faceplate, choosing, 242  
 “factory reconditioned” item, 11  
 fair play, ensuring at LAN party, 325  
 fans  
   case and, 127, 136  
   installing  
     case fan controller, 212  
     ceiling fan, 221–222  
     front fan, connecting, 222  
     Gigabyte Rocker Cooler fan controller,  
       217–219  
     hard drive fan, connecting, 223  
     new case fan, 210–211  
     overview of, 210  
     testing after, 223  
   power supply and, 144–145  
   3D Rocket Cooler Pro (Gigabyte)  
     connecting power supply to, 197–204  
     description of, 173–174  
     fan controller, installing, 217–221  
     installing, 192–195  
 FDD socket on motherboard, 240  
 file encryption, 254, 307  
 firewall  
   overview of, 299–300  
   physical, 300–301  
   software, 301–302  
   Windows Firewall  
     disabling, 279–280, 322  
     functions of, 302–303  
 FireWire port, 38, 49  
 first person shooter (FPS) game  
   gamepads and, 168  
   Nostramo N52 Speedpad and, 170

  ping and, 312  
   size of monitor and, 156  
   sound and, 106  
 5.1 speaker system, 108  
 flatscreen monitor, 152–153  
 floppy drive  
   installing, 237–241  
   uses of, 99  
 force feedback game, 173  
 form factor, 39, 131, 184  
 formatting partitions, 260, 266  
 4-pin peripheral and floppy power connector,  
   198, 202–204  
 4-pin, 12-volt power connector, 197, 201–202  
 FPS (first person shooter) game  
   gamepads and, 168  
   Nostramo N52 Speedpad and, 170  
   ping and, 312  
   size of monitor and, 156  
   sound and, 106  
 fragmentation, 280  
 frames per second  
   evaluating Video card using, 76–77  
   monitor and, 154  
 FRAPS software, 288  
 freeing up space on hard drive, 282  
 frequency  
   definition of, 24, 56–57  
   memory and, 57, 64  
   numbers indicating, 57–58  
 Fresh UI software, 279  
 front channel of surround sound, 108  
 front fan, connecting, 222  
 Front Side Bus (FSB), 24, 31, 39  
 F6 floppy, 255  
 full tower case, 130  
 Futuremark Corporation (manufacturer)  
   gaming benchmarking, 288  
   PCMark04, 289

## G

GA-K8N Ultra-9 motherboard (Gigabyte)  
   description of, 50–51  
   drivers, installing, 265–266  
   installing, 184

- gamepad, 168–169
  - The Gamer's Keyboard (Saitek), 163–164, 165
  - games. *See also* multiplayer gaming; online gaming
    - Battlefield 1942, 314
    - to benchmark against, 289
    - with benchmarking programs, 287
    - bundled with video card, 83
    - Diablo II, 300
    - Doom 3, 289, 290
    - first person shooter (FPS) game
      - gamepads and, 168
      - Nostramo N52 Speedpad and, 170
      - ping and, 312
      - size of monitor and, 156
      - sound and, 106
    - force feedback, 173
    - Halo PC, 289, 297, 312
    - for LAN party, 318
    - online experience and, 314
    - perspective in 3D, 72
    - racing, 171–173
    - role playing, 313
    - saving, 93
    - speed of processor and, 25–26
    - strategy, and ping, 312
    - with time demos, 287
    - Warcraft III, 296
  - GameXP (Theorica Software), 279
  - gaming accessories
    - controllers, 168–173
    - input devices, 163–167
  - gaming benchmarking, 288
  - gaming server, 323–324
  - GeForce 6800 Ultra OC video card (BFG)
    - description of, 82, 83–84
    - drivers, installing, 262–263
  - ghosting, 154
  - GHz, 24
  - gigabit Ethernet, 309–310
  - gigabyte, 87, 88
  - Gigabyte (manufacturer)
    - GA-K8N Ultra-9 motherboard
      - description of, 50–51
      - drivers, installing, 265–266
      - installing, 184
  - 3D Rocket Cooler Pro
    - connecting power supply to, 197–204
    - description of, 173–174
    - fan controller, installing, 217–219
    - installing, 192–195
  - Going Mod* (Caslis), 135
  - graphics card
    - anti-aliasing and, 73–74
    - bottlenecks and, 74–75
    - built-in, 49
    - description of, 69–70
    - drivers
      - installing, 262–263
      - updating, 284
    - dual card systems, 78–80
    - features of, 80–82
    - frames per second, evaluating using, 76–77
    - GPU (Graphics Processing Unit) and, 70–71
    - graphics pipeline and, 71–72
    - installing, 224–228
    - LCD monitor and, 158
    - manufacturer of, 77–78
    - performance and, 75
    - power requirement for, 82
    - removing, 226
    - saving money on, 84–85
    - selecting, 82–84
    - SLI (Scalable Link Interface) and, 78–79
    - terminology, 70
    - testing, 228
    - 3D images and, 70–72
    - graphics pipeline, 70, 71–72
  - Graphics Processing Unit (GPU), 70–71, 77
  - grounding self, 189, 195
- ## H
- Halo PC (game), 289, 297, 312
  - hard drive
    - controller card and, 92
    - description of, 88
    - Disk Clean Up, 281–283
    - Disk Defragmenter and, 280–281
    - features of, 97–98
    - in generic gaming PC, 4

*Continued*

- hard drive (*continued*)
    - IDE, 90
    - installing, 228–232
    - memory and, 62
    - minimum about of storage needed, 92–94
    - multiple
      - buying, 93
      - deciding on, 94–95
      - setting up, 96–97
    - naming, 269–270
    - paging data to, 55, 62
    - partitioning, 94, 96
    - performance of, 89, 96
    - removable cage for, 133
    - SATA, 91
    - SATA II, 91–92
    - saving money on, 95–96
    - SCSI, 91
    - selecting, 100–103
    - selecting setup, 97
    - setting up, 266–269
    - as storage device, 87
    - terminology, 88
    - types of, 90
  - hard drive fan, connecting, 223
  - hardware firewall, 300–301
  - heat and power supply, 140, 141, 143
  - heat transfer, 127–128
  - heatsink (Gigabyte 3D Rocker Cooler Pro)
    - connecting power supply to, 197–204
    - description of, 173–174
    - fan controller, installing, 217–221
    - installing, 192–195
  - hop, 313–314
  - host-based audio, 49
  - hosting game, 313, 314
  - hub, 296, 301, 318–319
  - hyperthreading, 24, 27–28
  - Hypertransport technology, 31
- I**
- ICH (I/O Controller Hub), 40
  - IDE (Integrated Drive Electronics), 88, 90
  - IEEE (Institute of Electrical and Electronics Engineers) wireless standards, 305–306
  - IEEE1394 port, 49
  - in-game audio, playback of, 110–111
  - input devices
    - The Gamer’s Keyboard (Saitek), 163–164, 165
    - Logitech MX 1000 Laser Cordless Mouse, 164–167
  - inserting motherboard into case, 186–188
  - installing
    - cables
      - binding with twist ties, 251
      - black cables, 205
      - overview of, 181–182
      - power button, case speaker, and case lighting, connecting, 204–207
      - power supply, connecting to motherboard and heatsink, 197–204
      - ribbon, 234–235, 240, 244, 245–246
      - for sound card, 247
    - drive, 132
    - fans
      - case fan controller, 212
      - ceiling fan, 221–222
      - front fan, connecting, 222
      - Gigabyte Rocker Cooler fan controller, 217–219
      - hard drive fan, connecting, 223
      - new case fan, 210–211
      - overview of, 210
      - testing after, 223
    - final view of case after, 250, 251
    - floppy drive, 237–241
    - grounding self and, 189, 195
    - hard drive, 133, 228–232
    - heatsink, 192–195
    - Lite-On DVD drive, 236–237
    - Memorex DVD drive, 232–236
    - memory, 195–196
    - motherboard, 133, 184–188
    - motherboard drivers, 265–266
    - mouse drivers, 261–262
    - order of, 177–178
    - power supply, 181–183
    - power supply test, first, 207–209
    - processor onto motherboard, 188–192

- sound card
    - card, 244–248
    - control panel, 242–243
    - overview of, 241
    - platinum drive, 243–244
  - sound card drivers, 264–265
  - USB ports, 248–250
  - video card, 224–228
  - video card drivers, 262–263
  - Windows XP Professional SP2, 257–261
  - workspace, setting up, 178
  - Institute of Electrical and Electronics Engineers (IEEE) wireless standards, 305–306
  - intake fan, 127
  - Integrated Drive Electronics (IDE), 88, 90
  - Intel (manufacturer)
    - chipset
      - bus and, 56
      - DDR2 and, 59
      - design of, 40
    - Pentium 4
      - AMD Athlon 64 compared to, 26, 33–34
      - specs, 33
    - processors
      - AMD processors compared to, 31–32
      - core frequency and, 30
      - Extreme Edition, 28–29, 35
      - Front Side Bus and, 31
      - hyperthreading and, 27
  - interface for firewall and router, 300, 301
  - internal hard drive
    - description of, 90
    - IDE, 90
    - SATA, 91
    - SATA II, 91–92
    - SCSI, 91
  - Internet, connecting to, 297–298
  - Internet Explorer Temp folder, cleaning out, 282
  - Internet Protocol (TCP/IP) Properties, 321
  - Internet Service Provider (ISP)
    - description of, 296
    - finding, 298–299
  - Internet shopping, 12–13
  - Internet shopping portals, 13–14
  - Internet traffic and online gaming, 314
  - invitation list for LAN party, 315–316
  - I/O Controller Hub (ICH), 40
  - ISP (Internet Service Provider)
    - description of, 296
    - finding, 298–299
- ## K
- keyboard
    - Saitek, The Gamer's Keyboard, 163–164, 165
    - USB port and, 47
  - Kingston (manufacturer), 64, 66, 67
  - Klipsch Promedia Ultra 5.1 speakers, 121
- ## L
- LAN (local area network)
    - description of, 296
    - party, hosting
      - activities of host, 325–326
      - cost of, 317–318
      - duration of, 316
      - fair play and, 325
      - games for, 318
      - invitation list, 315–316
      - network for, 318–323
      - overview of, 314–315
      - requirements for, 316–317
      - server for, 323–324
      - things for guests to bring to, 323
    - latency, 300, 313
    - Lavasoft Ad-Aware, 304
  - LCD (liquid crystal display)
    - description of, 150
    - monitor
      - description of, 151–153
      - features of, 158–160
      - response time and, 154–155
  - Leadtek (manufacturer), 82, 83
  - Level 1 and Level 2 cache, 27
  - Lian-Li (manufacturer), 134
  - lighting
    - in case, connecting, 204–207
    - in workspace, 178
  - Linksys firewall/routers, 300

- LCD (liquid crystal display)
    - description of, 150
    - monitor
      - description of, 151–153
      - features of, 158–160
      - response time and, 154–155
  - LiteOn DVD drive
    - description of, 104
    - installing, 236–237
  - Local Area Connection Properties dialog box, 321
  - local area network (LAN)
    - description of, 296
    - party, hosting
      - activities of host, 325–326
      - cost of, 317–318
      - duration of, 316
      - fair play and, 325
      - games for, 318
      - invitation list, 315–316
      - network for, 318–323
      - overview of, 314–315
      - requirements for, 316–317
      - server for, 323–324
      - things for guests to bring to, 323
  - location
    - online gaming and, 313
    - of pagefile, adjusting, 270–271
  - Logitech (manufacturer)
    - MX 1000 Laser Cordless Mouse
      - description of, 164–167
      - installing drivers for, 261–262
    - Rumblepad 2 Vibration Feedback Gamepad, 168–169
    - Z-5500 5.1 speakers, 121
  - Lucasfilm THX, 107, 115
- M**
- mainboard. *See* motherboard
  - maintenance steps
    - antivirus software, 283–284
    - Disk Clean Up, 281–283
    - Disk Defragmenter, 280–281
    - spyware removal, 283
  - System Tray and extra Startup programs,
    - cleaning out, 284–286
    - updating drivers, 284
  - Maxtor (manufacturer), 88
  - Maya 1010 (Audiotrak), 119–120
  - Mbps (millions of bits per second), 305
  - MCH (Memory Controller Hub), 40–41
  - media encoding, 29
  - megabyte, 87
  - Memorex 16x Dual Format Double Layer Internal DVD Recorder
    - description of, 104
    - installing, 232–236
  - memory
    - AMD chipset and, 56
    - cache and, 24, 26–27
    - cells of, 55
    - compatibility issues with, 61, 65
    - DDR/DDR2, 59
    - description of, 53
    - ECC versus non-ECC, 60
    - features to look for, 65–66
    - frequency and, 56–58
    - in generic gaming PC, 4
    - installing, 195–196
    - Intel chipset and, 56
    - manufacturers of, 67
    - maximum amount supported, 63
    - minimum amount needed, 61–62
    - RDRAM and SDRAM, 60–61
    - saving money on, 63–64
    - selecting, 67
    - terminology related to, 54–55
    - video card and, 71
    - Windows XP and, 61
  - memory benchmarking, 288–289
  - memory controller
    - AMD processors and, 30
    - description of, 55
  - Memory Controller Hub (MCH), 40–41
  - memory slots on motherboard, 43–44
  - Memtest86 and Memtest86+, 288–289
  - message board
    - basic concepts for using, 19–20
    - description of, 17

- MHz, 24
- Microsoft Windows Firewall
  - disabling, 279–280, 322
  - functions of, 302–303
- Microsoft Windows Messenger, disabling, 275
- Microsoft Windows Services, stopping
  - unneded, 276–278
- Microsoft Windows 2000 Professional, Virtual
  - Memory required by, 93–94
- Microsoft Windows XP
  - Home edition compared to Professional edition, 254
  - memory required for, 61
- Microsoft Windows XP Professional SP2
  - installing, 257–261
  - tweaking
    - Automatic Updates, disabling, 271–272
    - location of pagefile, adjusting, 270–271
    - naming hard drives, 269–270
    - overhead of Windows interface, reducing, 272–274
    - overview of, 269
    - Remote Assistance and Remote Desktop Sharing, disabling, 274
    - software for, 279
    - Windows Firewall, disabling, 279–280
    - Windows Messenger, disabling, 275
    - Windows Services, stopping unneded, 276–278
- Microsoft Windows XP Professional x64, 29
- mid-tower case, 130, 131
- millions of bits per second (Mbps), 305
- minimizing bottleneck, 74–75
- mini-tower case, 129, 130
- MIP-mapping, 73
- modding case, 135
- modem, built-in, 49
- module, 54
- molex connector, 222, 223
- monitor
  - CRT, 153, 156
  - description of, 150–153
  - features of, 149, 158–160
  - LCD, 154–156
  - performance of, 157–158
  - refresh rate and, 152
  - resolution of, 151–152
  - saving money on, 156–157
  - selecting, 160–162
  - size of, 151, 155–156
  - terminology, 150
  - types of, 152–153
- motherboard
  - beeping of, 208
  - built-in components, 49–50
  - bus speed and, 57
  - case and, 131
  - chipset, 40–41
  - connecting power supply to, 197–204
  - connections on, 41
  - description of, 37, 39
  - drivers, installing, 265–266
  - FDD socket on, 240
  - FireWire port, 49
  - hard drive, interface for, 92
  - installing, 184–188
  - memory slots, 43–44, 65
  - PCI slot, 44–47
  - processor socket, 41–43
  - removable tray for, 133
  - ripple effect and, 52
  - saving money on, 52
  - selecting, 50–51
  - signal from power supply to, 143
  - terminology related to, 33–34
  - USB port, 47–48
  - video card selection and, 81
  - video card slots, 44–45
- mounting speakers, 118–119
- mouse
  - drivers, installing, 261–262
  - Logitech MX 1000 Laser Cordless Mouse, 164–167
  - USB port and, 47
- multicore technology, 32–33
- multi-media speakers, 117–118
- multiplayer gaming. *See also* online gaming
  - Halo PC and, 297
  - overview of, 295

*Continued*

multiplayer gaming (*continued*)

- party, hosting
  - activities of host, 325–326
  - cost of, 317–318
  - duration of, 316
  - fair play and, 325
  - games for, 318
  - invitation list, 315–316
  - network for, 318–323
  - overview of, 314–315
  - requirements for, 316–317
  - server for, 323–324
  - things for guests to bring to, 323
- terminology, 296
- Warcraft III and, 296
- music, background, 106

**N**

- naming hard drive, 269–270
- “native resolution”, 151, 155
- Netgear firewall/routers, 300
- network card, built-in, 49
- networking hardware
  - choosing between wireless and Ethernet, 310–312
  - Ethernet connection, 308–310
  - router, 296, 301
  - wireless connection, 304–308
- Nintendo, 60
- no-name brand, buying
  - hard drive and, 98
  - memory and, 64
  - parts, 10
- non-ECC memory, 55, 60
- north bridge/south bridge configuration, 40
- Nostromo N52 Speedpad, 169–171
- number of players and online gaming
  - experience, 314
- Nvidia (manufacturer)
  - chipset, 41
  - GeForce 6800 chipset, 81, 82, 84
  - GPU chip, 77
  - RAID BIOS program, 256–257
  - SLI (Scalable Link Interface), 78–79

**O**

- OEM (original equipment manufacture)
  - memory, 63–64
  - operating system, 254
  - parts, 11
- onboard sound, 49, 52
- onboard video, 49
- online gaming. *See also* multiplayer gaming
  - antivirus software and, 303–304
  - firewalls and, 299–303
  - game and, 314
  - Internet connection type, selecting, 297–298
  - Internet traffic and, 314
  - location and, 313
  - number of players and, 314
  - overview of, 297
  - ping and, 312–313
  - ping rate of friends and, 313–314
- OpenGL, 75, 82
- operating system
  - choosing, 254–255
  - installing, 257–261
  - making Windows see storage drive, 267
  - 64-bit processor and, 29
- optimization
  - Automatic Updates, disabling, 271–272
  - location of pagefile, adjusting, 270–271
  - naming hard drives, 269–270
  - overhead of Windows interface, reducing, 272–274
  - Remote Assistance and Remote Desktop Sharing, disabling, 274
  - software for, 279
  - video card and, 77
  - Windows Firewall, disabling, 279–280
  - Windows Messenger, disabling, 275
  - Windows Services, stopping unneeded, 276–278
- Options dialog box, 275
- original equipment manufacture (OEM)
  - memory, 63–64
  - operating system, 254
  - parts, 11
- overclocking
  - DDR2 and, 59
  - description of, 58

- Intel Extreme Edition and, 28
- risks of, 57
- video card and, 78, 83
- overhead of Windows interface, reducing, 272–274

## P

- pagefile

- adjusting location of, 270–271
  - multiple drives and, 94, 95

- paging data to hard drive, 55, 62

- Parallel ATA, 90

- partitions

- creating, 259–261

- formatting, 266

- parts. *See also specific parts*

- bargain versus brand, 10, 64, 98

- harvesting from old PC, 9

- intertwining of, 68

- making sure all are ready for assembly, 177

- OEM (original equipment manufacture), 11

- priorities, setting, 9

- removing from boxes, 178

- researching and selecting, 15–16

- retail, 10–11

- PC Power & Cooling (manufacturer), 144, 145–146

- PCI Express lanes, 38

- PCI Express (PCIe)

- connection, 44–45, 81

- expansion slot, 38

- video slot, 38

- PCI slot, 38, 44–47

- PCI sound card, 46, 49

- Pentium 4 (Intel)

- AMD Athlon 64 compared to, 26, 33–34

- specs, 33

- performance

- cache and, 26–27

- efficiency and, 26

- frames per second and, 76–77

- of hard drive, 89, 96

- hyperthreading and, 27–28

- maintaining

- antivirus software, 283–284

- Disk Clean Up, 281–283

- Disk Defragmenter, 280–281

- spyware removal, 283

- System Tray and extra Startup programs, cleaning out, 284–286

- updating drivers, 284

- memory and, 55

- monitor and, 157–158

- multiple hard drives and, 95

- north bridge/south bridge chipset and, 40–41

- of power supply, 143–144

- sound card and, 115

- speed of processor and, 25–26

- video card and, 75

- of wireless router, 306–308

- Performance Options dialog box, 273

- perspective in 3D game, 72

- phone support from manufacturer, 83

- physical firewall, 300–301

- ping

- of friends, 313–314

- online gaming experience and, 312–313

- pixel

- dead or stuck, 159

- description of, 150

- pixel assembly line, 71–72

- pixel density, 151

- pixel response time, 154

- placement of wireless router, 306–308

- platter density, 89

- playback of in-game audio, 110–111

- point-to-point connection, 39

- pop-up blocker, 302

- port

- description of, 38

- Diablo II and, 300

- FireWire, 38, 49

- IEEE1394, 49

- USB

- description of, 38, 47–48

- installing, 248–250

- positional audio, 106, 111–112

- power button, connecting, 204–207

- power, definition of, 140, 142
  - power requirement for video card, 82
  - power supply
    - brownout and, 142–143
    - byproducts of, 141
    - cable management system for, 144
    - connecting to motherboard and heatsink, 197–204
    - connectors on, 144
    - description of, 139–140
    - fan noise and, 144–145
    - features of, 143–145
    - heat and, 140, 141, 143
    - installing, 181–183
    - operation of, 140–141
    - performance of, 143–144
    - ripple effect in conversion and, 142
    - saving money on, 147
    - selecting, 145–146
    - signal to motherboard and, 143
    - terminology, 140
    - testing, 207–209, 251
    - “throw-in”, 139, 142
  - preventing
    - bottleneck, 74–75
    - spyware, 302
  - priorities, setting, 9
  - processor
    - AMD
      - core frequency and, 30
      - Front Side Bus and, 31
      - FX series, 35
      - FX-55 2.6 GHz Socket 939, 188
      - FX-57 chip, 42
      - integrated memory controller, 30
      - Intel processors compared to, 31–32
      - 64-bit capabilities of, 29
    - cache and, 26–27
    - description of, 23, 25
    - future of, 32–33
    - in generic gaming PC, 4
    - grounding self before touching, 189
    - heatsink, installing, 192–195
    - installing onto motherboard, 188–192
    - Intel
      - AMD processors compared to, 31–32
      - core frequency and, 30
      - Extreme Edition, 28–29, 35
      - Front Side Bus and, 31
      - hyperthreading and, 27
      - saving money on, 34–35
      - selecting, 33–34
      - speed of, 25–26
      - terminology related to, 24
    - processor slot on motherboard, 41–43
    - program, unused, removing, 282–283
    - Promedia Ultra 5.1 speakers (Klipsch), 121
    - protecting computer
      - antivirus software, 283–284, 303–304
      - firewalls and, 299–303
    - PurePower TWV500W (Thermaltake), 145–146, 181
- ## Q
- quality
    - Internet shopping and, 13–14
    - no-name brand and, 64, 98
- ## R
- racing game, 171–173
  - RAID (Redundant Array of Independent Disks)
    - description of, 91, 95, 96
    - setting up
      - floppy driver diskette, creating, 255–256
      - interfaces for, 256
      - overview of, 255
      - RAID volume, creating, 256–257
  - rails, 132
  - RAM (Random Access Memory), 54, 55. *See also* memory
  - RAMDAC (Random Access Memory Digital-to-Analog Converter), 71
  - range of wireless network, 305
  - Raptor WD740GD drive (Western Digital), 101, 102
  - RDRAM, 60–61

- reading reviews
    - advanced concepts for, 19
    - basic concepts for, 17–18
  - real time strategy (RTS)
    - monitor size and, 155
    - Nostromo N52 Speedpad and, 171
  - rear mounts for speakers, 119
  - rebates, 14, 95
  - rectification, 140
  - Redundant Array of Independent Disks (RAID)
    - description of, 91, 95, 96
    - setting up
      - floppy driver diskette, creating, 255–256
      - interfaces for, 256
      - overview of, 255
      - RAID volume, creating, 256–257
  - refresh rate, 152
  - registry, updating, 285–286
  - reliability of memory, 65
  - Remote Assistance and Remote Desktop
    - Sharing, disabling, 274
  - removing
    - parts from boxes, 178
    - PCI Express video card, 226
    - spyware, 283, 304
    - unused program, 282–283
  - researching parts
    - message boards and, 17, 19–20
    - review sites and, 16–19
  - resolution
    - adjusting, 263–264, 290
    - definition of, 150
    - monitor and, 151–152, 155
  - response rate, 150, 154–155
  - retail parts, 10–11
  - returning part, 15
  - review sites
    - memory, 65
    - overview of, 16–17
    - reading reviews
      - advanced concepts for, 19
      - basic concepts for, 17–18
  - revolutions per minute (RPM), 88, 89
  - reward program, 15
  - ribbon cable, 234–235, 240, 244, 245–246
  - ripple effect in power conversion, 142
  - risers, 184
  - RJ45 cable, 296, 308
  - role playing game, 313
  - router
    - as access point, 305
    - description of, 296, 301
    - getting best results from, 306–308
    - hub compared to, 318–319
  - RPM (revolutions per minute), 88, 89
  - RTS (real time strategy)
    - monitor size and, 155
    - Nostromo N52 Speedpad and, 171
- ## S
- Saitek (manufacturer)
    - The Gamer's Keyboard, 163–164, 165
    - R440 Force Feedback Wheel, 171–173
  - SATA controller, 51
  - SATA II, 91–92
  - SATA (Serial ATA), 88, 90, 91, 97
  - saving games, 93
  - saving money when building PC
    - on case, 137
    - on hard drive, 95–96
    - on memory, 63–64
    - on monitor, 156–157
    - on motherboard, 52
    - non-ECC memory and, 60
    - overview of, 9–10
    - on power supply, 147
    - on processor, 34–35
    - on sound card, 122
    - on speakers, 123
    - on video card, 84–85
  - Scalable Link Interface (SLI), 78–79
  - screen resolution. *See* resolution
  - screwdrivers needed for assembly, 178, 186, 224, 245
  - screws
    - case fan controller and, 215
    - to fasten motherboard to case, 186
    - securing power supply with, 183

*Continued*

- screws (*continued*)
  - “tapping” holes and, 218
  - video card and, 224, 226
- SCSI (Small Computer Systems Interface), 88, 91
- SDRAM, 54, 60–61
- Seagate (manufacturer), 88, 101
- secondary power connector cable, 198
- seek speed, 89
- selecting
  - case, 135–136
  - DVD or CD drive, 103–104
  - hard drive, 97–98, 100–103
  - Internet connection type, 297–298
  - memory, 67
  - monitor, 160–162
  - motherboard, 50–51
  - network type, 310–312
  - operating system, 254–255
  - power supply, 145–146
  - processor, 33–34
  - sound card, 119–120
  - speakers, 121–122
  - video card, 82–84
- selection and Internet shopping, 12
- Serial ATA (SATA), 88, 90, 91, 97
- Serial Attached SCSI, 88
- server, gaming, for LAN party, 323–324
- Service Pack 2 (SP2), downloading, 303
- 7.1 speaker system, 110
- shipping, cost of when buying
  - monitor, 157, 159
  - PC, 4–5, 12
- shopping for parts
  - from brick and mortar store, 14–15
  - on Internet, 12–13
  - through Internet shopping portals, 13–14
- side panel, easy open, 133
- 6.1 speaker system, 110
- 64-bit processor, 24, 29
- size
  - of CRT monitor, 153, 156
  - of hard drive, 89
  - of LCD monitor, 154, 155–156
  - of monitor, 151
- SLI (Scalable Link Interface), 78–79
- slot, 38
- Small Computer Systems Interface (SCSI), 88, 91
- Socket 939 connection, 42, 43
- software
  - antivirus, 283–284, 303–304
  - gaming benchmarking, 288
  - for optimizing PC, 279
  - speed of processor and, 25–26
- software firewall, 301–302
- sound card. *See also* SoundBlaster Audigy 2 ZS Platinum sound card
  - audio processing capabilities of, 113–115
  - built-in, 49, 52
  - connections on, 116
  - decoding capability of, 115
  - description of, 107
  - EAX compatibility and, 115
  - importance of, 106
  - installing
    - card, 244–248
    - control panel, 242–243
    - overview of, 241
    - platinum drive, 243–244
  - PCI, 46, 49
  - saving money on, 122
  - selecting, 119–120
  - speakers and, 105
  - terminology, 107
- sound effects, 106
- sound formats, 111
- SoundBlaster Audigy 2 ZS Platinum sound card
  - card, installing, 244–248
  - control panel, installing, 242–243
  - drivers, installing, 264–265
  - platinum drive, installing, 243–244
  - removing from box, 241
- south bridge, 40
- SP2 (Service Pack 2), downloading, 303
- speakers
  - case, connecting, 204–207
  - design of, 118
  - external volume control, 118
  - features of, 116–117

- importance of, 106
- inputs/outputs, 118
- mounting, 118–119
- multi-media, 117–118
- saving money on, 123
- selecting, 121–122
- sound card and, 105
  - for surround sound, 108–109
- speed of processor
  - gaming and, 25–26
  - memory and, 55, 65
- Spybot Search & Destroy, 304
- spyware
  - preventing, 302
  - removing, 283, 304
- steel case, 128, 131
- Steinmetz, William, *Extreme Tech's LAN Party: Hosting the Ultimate Frag Fest*, 315
- storage device. *See also* hard drive
  - description of, 87
  - other drives, 98–100
- STR (Sustained Transfer Rate), 89
- strategy games and ping, 312
- stuck pixel, 159
- subwoofer channel of surround sound, 109
- surround channel of surround sound, 108
- surround sound, 106
- surround sound decoder, 107–108
- Sustained Transfer Rate (STR), 89
- switch, 296, 301
- System Properties dialog box, 274, 319
- System Tray, 284

## T

- TCP/IP settings, 320–321
- technical jargon in reviews, 18, 19
- technology, improvements to, and upgrading, 9
- Temp folder, cleaning out, 282
- terminology
  - case, 126
  - hard drive, 88
  - memory, 54–55
  - monitor, 150
  - motherboard, 38–39
  - multiplayer gaming, 296

- power supply, 140
- processor, 24
- sound, 107
- video card, 70
- testing. *See also* benchmarking
  - fans, 223
  - power supply, 207–209, 251
  - speakers, 116–117
  - video card, 228
- texture, drawing, 73
- Theorica Software GameXP, 279
- thermal paste, applying to heatsink, 193
- Thermaltake (manufacturer)
  - Armor VA8000, 136, 179–180
  - case and, 134
  - power supply and, 144
  - PurePower TWV500W, 145–146, 181
- 32-bit processor, 24
- 3D images and video card, 70–72
- 3D Rocket Cooler Pro (Gigabyte)
  - connecting power supply to, 197–204
  - description of, 173–174
  - fan controller, installing, 217–221
  - installing, 192–195
- thumbscrews, 132
- THX certification, 107, 115
- time demos, 287
- Total Watt Viewer, 212, 216
- Totalidea Software Tweak-XP Pro 4, 279
- tower case, 126, 129–130
- Trend Micro Incorporated (manufacturer), 303, 304
- trilinear filtering, 73
- troubleshooting first power supply test, 209
- Tweak-XP Pro 4 (Totalidea Software), 279
- 24-pin main connector cable, 197, 200

## U

- UltraSharp 2405FPW Flat Panel (Dell)
  - description of, 160–161
  - resolution for, 263–264
- updating
  - driver, 284
  - registry, 285–286

- upgrading
  - parts, 9
  - wireless network, 306
- uplink speed, 298
- USB port
  - description of, 38, 47–48
  - installing, 248–250
- used monitor, buying, 157
- users, number of, in wireless network, 305

## V

- VGA (Video Graphics Array), 150, 152, 158
- video card
  - anti-aliasing and, 73–74
  - bottlenecks and, 74–75
  - built-in, 49
  - description of, 69–70
  - drivers
    - installing, 262–263
    - updating, 284
  - dual card systems, 78–80
  - features of, 80–82
  - frames per second, evaluating using, 76–77
  - GPU (Graphics Processing Unit) and, 70–71
  - graphics pipeline and, 71–72
  - installing, 224–228
  - LCD monitor and, 158
  - manufacturer of, 77–78
  - performance and, 75
  - power requirement for, 82
  - removing, 226
  - saving money on, 84–85
  - selecting, 82–84
  - SLI (Scalable Link Interface) and, 78–79
  - terminology, 70
  - testing, 228
  - 3D images and, 70–72
- video card slots on motherboard, 44–45, 52
- Video Graphics Array (VGA), 150, 152, 158
- video RAM (VRAM), 71
- video scaling, 151
- Virtual Memory, 93
- Virtual Memory dialog box, 271
- visual performance of Windows, adjusting, 272–274

- voice reproduction, 106
- voltage
  - definition of, 140
  - internal, for components, 139
  - power supply and, 141
- volume control on speakers, 118
- VRAM (video RAM), 71

## W

- wall mounts for speakers, 118
- Warcraft III (game), 296
- warranty
  - hard drive and, 98
  - monitor and, 159
  - OEM parts and, 11
  - power supply and, 145
  - retail parts and, 11
  - video card and, 83
  - when buying parts for PC, 7
  - when buying PC, 4, 5, 6
- watts, 142
- WD2500SD (Western Digital), 102, 103
- Websites
  - antivirus software, 284, 304
  - Aquamark, 288
  - BFG, 263
  - Broadband Reports, 298
  - CNET, 298, 299
  - EZISP, 298–299
  - firewall, 302
  - FRAPS, 288
  - Futuremark Corporation, 288
  - Internet shopping, 13
  - Memtest86 and Memtest86+, 289
  - Microsoft Service Pack 2 (SP2), 303
  - optimization software, 279
  - review sites, 17, 65
  - spyware removal tools, 283, 304
  - Theorica Software, 279
  - third-party driver, 284
- weight of CRT monitor, 156
- WEP (Wired Equivalency Privacy), 307
- Western Digital (manufacturer)
  - drive, partitioning, 267–269
  - hard drive and, 88

- Raptor WD740GD drive, 101, 102
  - WD2500SD, 102, 103
  - widescreen format monitor, 159
  - Windows Configuration software, 279
  - Windows Firewall
    - disabling, 279–280, 322
    - functions of, 302–303
  - Windows Messenger, disabling, 275
  - Windows Services, stopping unneeded, 276–278
  - Windows 2000 Professional, Virtual Memory
    - required by, 93–94
  - Windows XP
    - Home edition compared to Professional
      - edition, 254
      - memory required for, 61
    - Windows XP Professional SP2
      - installing, 257–261
      - tweaking
        - Automatic Updates, disabling, 271–272
        - location of pagefile, adjusting, 270–271
        - naming hard drives, 269–270
        - overhead of Windows interface, reducing, 272–274
        - overview of, 269
        - Remote Assistance and Remote Desktop
          - Sharing, disabling, 274
          - software for, 279
        - Windows Firewall, disabling, 279–280
        - Windows Messenger, disabling, 275
        - Windows Services, stopping unneeded, 276–278
        - Windows XP Professional x64, 29
        - Wired Equivalency Privacy (WEP), 307
        - WLAN (wireless LAN), 304
        - wireless mouse, 164–167
        - wireless network
          - getting best results from, 306–308
          - overview of, 304–305
          - standards for, 305–306
        - wires
          - binding with twist ties, 251
          - off case fan controller, 215–216
          - off heatsink fan controller, 220
        - wireless LAN (WLAN), 304
        - “Workgroup”, 319–320
        - workspace, setting up, 178
- X**
- Xteq X-Setup software, 279
- Z**
- ZIF (zero insertion force) bar, 189–190, 192









