

Index

- Acceptance testing, 78
- Acquisition process, IEEE Std 1012-1998:
 - planning V&V/supplier interface, 44
 - process summary, 39, 43
 - recent changes to, 112
 - reviewing system requirements, 44–45
 - scoping V&V effort, 43–44
 - V&V support activity, 43–45
- Activation functions:
 - defined, 125
 - in neural network fault model, 8
 - testing, 11, 67, 73
- ACTIVE (Advanced Control Technology for Integrated Vehicles) aircraft, 6–7
- Adaptive components, defined, 125. *See also* Adaptive software systems
- Adaptive neural networks. *See* Adaptive software systems; Neural networks
- Adaptive resonance neural network architecture, 37
- Adaptive software systems:
 - defined, 125
 - general, selection, 30–31
 - high-level goals for, 13
 - list of special considerations, 5
 - overview, 1
 - safety-critical, 6–7
 - simulations, 28–29
 - vs. traditional software, 1
 - writing requirements, 12–13
- Ames Research Center (ARC), 6, 7
- ANN (artificial neural networks), 17. *See also* Neural networks
- ATTG (Automated Test Trajectory Generator), 22, 23, 87
- Automated Test Trajectory Generator (ATTG), 22, 23, 87
- Backpropagation, 68, 69, 125
- Boeing Phantom Works, 6
- Boundary conditions, 56, 71, 97, 125
- CCB (Change Control Board), 107
- Change Control Board (CCB), 107
- CM (Configuration Management), 60
- Component Test Plan, 67–71
- Component testing, 73–74
- Computer Software Component (CSC), 49
- Computer Software Configuration Item (CSCI), 52, 102
- Confidence Tool, 20
- Configuration files, 98–99, 102, 106–107, 125
- Configuration management, 27–28, 54, 60–61, 125
- Configuration Management (CM), 60
- Conjunctive rules, 14
- Contract verification, 45–46
- Convergence, 54–55, 84, 125
- Criticality analysis:
 - as Concept V&V task, 49
 - as Design V&V task, 65–67
 - maintenance phase, 109
 - as Requirements V&V task, 59
 - V&V implementation phase, 86
- CSC (Computer Software Component), 49
- CSCI (Computer Software Configuration Item), 52, 102
- Data sniffing, 19
- DCS (Dynamic Cell Structure), 7
- Decompositional rule extraction, 14–15
- Developers, defined, 126
- Development process, IEEE Std 1012-1998:
 - Concept V&V activity, 46–51
 - Design V&V activity, 63–84
 - Implementation V&V activity, 84–92
 - Installation and Checkout V&V activity, 97–100
 - process summary, 39, 46
 - recent changes to, 112–114
 - Requirements V&V activity, 52–62
 - Test V&V activity, 93–97

- Documentation:
 concept, 46–49
 Software Verification and Validation Report (SVVR), 100
- Dryden Flight Research Center (DFRC), 6, 7
- Dynamic Cell Structure (DCS), 7
- Eclectic rule extraction, 15
- F-15 ACTIVE (Advanced Control Technology for Integrated Vehicles) aircraft, 6–7
- Failure, defined, 126
- Failure modes and effects analysis (FMEA), 9, 11, 12
- Fault, defined, 126
- Fault tree analysis (FTA), 8
- Feedforward, defined, 125
- FHA. *See* Functional hazard analysis (FHA)
- Fidelity, 28–29, 60, 72–73, 74, 75, 76, 77–78, 88, 89, 93, 94, 95, 125
- Fixed neural network, 126
- Fixed systems, 126
- FMEA (failure modes and effects analysis), 9, 11, 12
- FTA (fault tree analysis), 8
- Function testing, neural networks, 22
- Functional hazard analysis (FHA):
 as Concept V&V task, 50–51
 defined, 126
 in hybrid neural network safety life cycle, 18
- Growth, 55, 74, 80, 105, 126
- Hardware:
 user requirements allocation analysis, 49–50
- Hazard analysis:
 as Concept V&V task, 50–51
 as Design V&V task, 78–79
 developing fault model, 8–12
 functional (FHA), 18, 50–51, 126
 as Implementation V&V task, 91–92
 as Installation and Checkout V&V task, 99–100
 as Maintenance V&V task, 109
 as Operation V&V task, 103–104
 overview, 7–12
 as Requirements V&V task, 61–62
 as Test V&V task, 96
- Hazards, defined, 126
- HAZOPs, 8, 12, 50
- High-level goals:
 in Acquisition Support V&V activity, 44–45
 for adaptive system behavior and knowledge, 13
 in Concept V&V activity, 47–48, 50
 defined, 126
- Higher-order neural network architecture, 37
- HLG. *See* High-level goals
- Hybrid neural networks:
 safety life cycle, 18–19
- IEEE Std 1012-1998 (IEEE Standard for Software Verification and Validation):
 Acquisition Process guidance, 43–45
 Development Process guidance, 46–100
 Maintenance Process guidance, 107–110
 Management Process guidance, 40–43
 Operation Process guidance, 101–107
 recent changes to, 111–117
 software integrity levels, 43
 and V&V standards, 1–2
- If-then syntax, 14
- IFCS (Intelligent Flight Control systems) project:
 adaptive system simulations, 28–29
 as example of safety-critical adaptive system, 6–7
- F-15 ACTIVE (Advanced Control Technology for Integrated Vehicles) aircraft, 6–7
- GEN1, 6–7
- GEN2, 7, 11–12
- neural networks in, 6–7
- Initial knowledge, 13
- Installation and checkout V&V, 97–100
- Institute for Scientific Research, Inc. (ISR), 6
- Integration testing, 71–73, 74–77
- Intellectual property rights, 45–46
- Intelligent Flight Control systems (IFCS) project. *See* IFCS (Intelligent Flight Control Systems) project
- Interface analysis:
 as Design V&V task, 64–65
 as Implementation V&V task, 85–86
 overview, 21–22
 as Requirements V&V task, 58–59
- Interpolation, defined, 126
- ISR (Institute for Scientific Research, Inc.), 6
- Knowledge testing, neural networks, 22
- Knowledge acquisition, 41, 67, 78, 83, 92, 126
- Learning, defined, 126
- Lyapunov stability analysis, 26

- Maintenance process, IEEE Std 1012-1998:
 - anomaly evaluation, 108–109
 - criticality analysis, 109
 - hazard analysis, 109
 - migration assessment, 109
 - proposed change assessment, 108
 - recent changes to, 115
 - retirement assessment, 109
 - risk analysis, 110
 - summary, 39, 107
 - SVVP revision, 107–108
 - task iteration, 110
 - V&V activity, 107–110
- Management process, IEEE Std 1012-1998:
 - assessing baseline changes, 41–42
 - generating Software Verification and Validation Plan (SVVP), 40–41
 - interfacing with organizational and support processes, 42–43
 - process summary, 39
 - recent changes to, 112
 - technical review support, 42
 - V&V activity, 40–43
 - V&V review, 42
- MATLAB Neural Network Toolbox, 29
- MLP. *See* Multilayer perceptrons (MLPs)
- Multilayer perceptrons (MLPs):
 - defined, 126
 - developing fault model, 8–12
 - in GEN2 intelligent flight controller, 7
 - mathematical equations, 9
 - in nested loop development process, 17
 - overview, 8
 - in pretrained neural network (PTNN), 6
- NASA (National Aeronautics and Space Administration):
 - ACTIVE (Advanced Control Technology for Integrated Vehicles) aircraft, 6–7
 - Ames Research Center (ARC), 6, 7
 - Dryden Flight Research Center (DFRC), 6, 7
 - role in IFCS project, 6–7
- National Aeronautics and Space Administration. *See* NASA (National Aeronautics and Space Administration)
- Nested loop model:
 - neural network development process, 16–18
- Neural networks:
 - complete vs. incomplete solutions, 31–34
 - continuous, 32
 - defined, 126
 - design evaluation, 80–84
 - Dynamic Cell Structure (DCS), 7
 - dynamic vs. fixed, 15–16
 - function testing, 22
 - in GEN1 intelligent flight control scheme, 6–7
 - in GEN2 intelligent flight control scheme, 7
 - high-level, selection, 31–34
 - hybrid, safety life cycle, 18–19
 - in ICFS project, 6–7
 - interface testing, 21–22
 - knowledge testing, 22
 - low-level, 34–36
 - modified life cycle for developing, 16–19
 - multilayer perceptron (MLP), 7
 - nested loop development model, 16–18
 - pretrained (PTNN), 6–7
 - safety life cycle, 18–19
 - selection, 30
 - self-organizing map, 7
 - Sigma-Pi, 7
 - single-hidden layer (SHL), 7
 - structure testing, 22–23
 - taxonomy, 36, 37
 - testing, 17, 18
 - testing considerations, 20–23
 - testing tools, 23
 - training and design configuration management, 27–28
 - visualization techniques, 29
- Neurons, defined, 126
- NN (Neural Network) Evaluator, 20
- OLNN (Online Neural Network), 48, 50, 51, 54, 55, 80
- Operation process, IEEE Std 1012-1998:
 - adaptive system and operational monitoring performance assessment, 104–105
 - configuration file change assessment, 106–107
 - evaluation of new constraints, 101–102
 - hazard analysis, 103–104
 - operating procedures evaluation, 103
 - periodic test execution and verification, 105–106
 - proposed change assessment, 102–103
 - proposed knowledge change assessment, 106
 - recent changes to, 115
 - risk analysis, 104
 - summary, 39, 101
 - V&V activity, 101–107
- Operational monitoring:
 - defined, 126
 - overview, 19–20
 - performance assessment, 104–105

- Pedagogical rule extraction, 15
- Perceptron neural network architecture, 37
- Performance assessment:
 - adaptive system and operational monitoring, 104–105
- PHI. *See* Preliminary hazard identification (PHI)
- Practitioners, defined, 126
- Preliminary hazard analysis, defined, 126. *See also* Functional hazard analysis (FHA)
- Preliminary hazard identification (PHI), 18, 50–51, 126
- Pretrained neural network (PTNN):
 - in GENI intelligent flight control scheme, 6–7
- Radial basis neural network architecture, 37
- Recurrent neural network architecture, 37
- Risk, defined, 127
- Risk analysis:
 - as Concept V&V task, 51
 - as Design V&V task, 79–80
 - as Implementation V&V task, 92
 - as Installation and Checkout V&V task, 100
 - as Maintenance V&V task, 110
 - as Operation V&V task, 104
 - as Requirements V&V task, 62
 - as Test V&V task, 96–97
- Rule extraction:
 - advantages and disadvantages, 15–16
 - algorithms, 14
 - decompositional, 14–15
 - defined, 127
 - eclectic, 15
 - overview, 13–14
 - pedagogical, 15
 - types of, 14–15
 - in V&V, 15
- Rule initialization, 14, 15, 127
- Rule insertion, 14, 15, 127
- Rules, symbolic. *See* Symbolic rules
- Safety life cycle, 18–19
- Security Analysis task, 116
- Self-organizing map, 7, 73, 79, 90, 127
- Self-organizing map (SOM) neural network:
 - in GENI intelligent flight control scheme, 7
- Self-organizing map (SOM) neural networks, 7
- Self-organizing neural network architecture, 37
- Sensitivity Tool, 20
- SHL (single-hidden layer), 7
- Sigma-Pi, 7
- SILS (software-in-the-loop simulation), 28, 93, 94, 96
- Simulations:
 - adaptive systems, 28–29
- Single-hidden layer (SHL) neural network, 7
- Software:
 - configuration management assessment, 60–61
 - design evaluation, 64
 - developing fault model, 8–12
 - integrity levels in IEEE Std 1012-1998, 43
 - interface analysis, 58–59, 64–65
 - migration assessment, 109
 - requirements, 52–62
 - requirements evaluation, 53–58
 - retirement assessment, 109
 - traditional vs. adaptive, 1
 - user requirements allocation analysis, 49–50
- Software hazard analysis, defined, 127. *See also* Hazard analysis
- Software-in-the-loop simulation (SILS), 28, 93, 94, 96
- Software Verification and Validation Plan (SVVP):
 - generating, 40–41
 - revising, 107–108
- Software Verification and Validation Report (SVVR), 100
- SOM (self-organizing map) neural networks, 7
- Source code:
 - documentation evaluation, 85
 - evaluation, 85
- Stability analysis, 26–27, 127
- Structure testing, neural networks, 22–23
- Supply process, IEEE Std 1012-1998:
 - contract verification, 45–46
 - process summary, 39, 45
 - recent changes to, 112
 - V&V planning activity, 45–46
 - V&V/supplier interface planning, 45
- Support files, 98, 127
- SVVP (Software Verification and Validation Plan):
 - generating, 40–41
 - revising, 107–108
- SVVR (Software Verification and Validation Report), 100
- Symbolic rules, 13, 127
- System testing, 77–78
- System V&V Test Plan, 59–60
- Testers, defined, 127
- Testing:

- acceptance V&V test execution and verification, 95–96
- component V&V test execution and verification, 90–91
- defined, 127
- function, 22
- integration V&V test execution and verification, 94–95
- interface, 21–22
- knowledge, 22
- periodic execution and verification, 105–106
- structure, 22–23
- system V&V test execution and verification, 95
- test case generation and verification, 86–89
 - component level, 86–88
 - integration level, 88–89
- test procedure generation and verification, 89–90
- tools for, 23
 - V&V implementation phase, 86–89
- Threshold function, 8, 11, 128
- Traceability analysis:
 - as Concept V&V task, 50
 - as Design V&V task, 63–64
 - as Implementation V&V task, 84–85
 - as Requirements V&V task, 53
- as Test V&V task, 93
- Training data:
 - defined, 128
 - set analysis, 24–26
 - version control, 26
- Transients, 12, 71, 72, 128
- Validation. *See also* V&V (verification and validation) standards
 - IEEE Std 1012 definition, 2
 - overview, 1–2
- Verification. *See also* V&V (verification and validation) standards
 - IEEE Std 1012 definition, 2
 - overview, 1–2
- Visualization techniques, 29
- V&V (verification and validation) standards:
 - adaptive system overview, 1–2
 - hazard analysis, 7–12
 - overview, 1–2
 - role of operational monitoring, 19–20
 - rule extraction in, 15
- validation, defined, 1
- verification, defined, 1
- Weight, defined, 128

