

Index

• Numerics •

3-D ultrasound, 151, 366

4-D ultrasound, 151

• A •

abdominal exercise, 245

abdominal pain, 101, 173. *See also* labor

abscess, breast, 266

accelerations, fetal heartbeat, 176

accident, 110

acetaminophen, 40, 80, 322

acetylcholinesterase, 144

acne, 14, 215

active phase of labor, 183

adherent placenta, 124

advanced maternal age (AMA), 276, 288

aerobic exercise, 68–69

AFP (alpha-fetoprotein), 143–144, 162

African Americans, 85

afterbirth. *See* placenta; placenta previa

age, mother's

 amniocentesis recommendation, 152

 for chromosomal testing, 139

 infertility, relationship to, 19

 multiple-birth incidence, 280, 288

 pregnancy considerations, 275–279

air travel, 46

ALACE (Association of Labor Assistants
and Childbirth Educators)

(Web site), 124

alcohol consumption, 11, 41–43, 310

Alexander birthing method (Web site), 122

allergies, 252, 269, 324

alpha-fetoprotein (AFP), 143–144, 162

alpha-thalassemia, 85

alternative birthing methods, 191–192

alternative conception methods, 278

alternative pain management methods, 190

AMA (advanced maternal age), 276, 288

American Academy of Pediatrics, 220,

251, 266

American College of Nurse-Midwives (Web
site), 266

American College of Obstetrics and
Gynecology, 41, 42, 139, 191–192, 266

American Heart Association (Web site), 123

amniocentesis

 age of mother, 276

 alcohol consumption after, 42

 first trimester, 142

 multi-fetal pregnancy, 284

 pain involved, 150

 procedure, 149–151

 reasons for, 152–153

 risks, 139, 151–152

 scheduling, 162

 side effects, 151–152

amnion membrane, 74

amniotic fluid

 complications overview, 308–309

 defined, 74

 exercise risk for low levels of, 65

 fundal height test, 35

 leaking of, 108, 129–130, 151

 post-term pregnancy, 317

 as protection for fetus, 45, 110

 third trimester reduction in, 65, 108,
 127–128, 166

amniotic sac, 74, 280–281, 309–310.

See also ruptured membranes

amniotomy, 180

anemia

 ethnic roots, relationship to, 85

 fetal, 154, 314, 329

 as iron deficiency, 60, 247

 Rh factor problem, 313–314

 testing for, 87, 146

anencephaly, 12, 144

anesthesia. *See also* epidural anesthesia

 availability of, 30

 cesarean recovery, 234–235

 circumcision, 221

 delivering without, 191

 dental use of local, 47

- anesthesia (*continued*)
 forceps delivery, 203
 general, 189, 205
 spinal, 188, 204
 types, 188
 vacuum extractor delivery, 203
- angel kiss, newborn skin, 215
- antacid medication, 61, 99
- antepartum fetal surveillance, 155–157
- antibiotics, 13, 15, 47, 219, 320
- antibodies, 16, 87, 117, 313
- anti-D immune globulin, 313
- antidepressants, 13, 15
- antiemetic medication, 13
- antihistamine medication, 13
- antiphospholipid antibody syndrome, 311, 336–337
- antiseizure drug, 14
- Apgar score, 209
- apnea, infant, 134
- areolae, 76
- arrest disorders, 185
- artificial sweeteners, 62
- Asian descent, 85
- aspirin, 81
- assisted vaginal delivery, 202–203
- assisted-reproductive technology, 83, 276, 278, 281
- Association of Labor Assistants and
 Childbirth Educators (ALACE)
 (Web site), 124
- asthma, 332
- augmenting labor, 181
- **B** •
- baby. *See* fetus; newborn
- baby blues, 209, 241–242
- baby-sitting, 296–297
- back pain, 38, 118, 183, 190
- bacterial vaginosis (BV), 331
- barrier contraceptive methods, 18
- basal body temperature, 21
- bath, 45, 114, 229, 230
- beauty treatment, 43–44
- bed rest, 285
- belly, newborn's, 218
- beta-thalassemia, 85
- bikini-line incision, 204, 292
- bilirubin, 314
- biophysical profile (BPP), 156–157
- birth control. *See* contraception
- birth control patch, 18
- birth defects. *See also* chromosomes;
 folic acid
 age consideration, 276–279
 chickenpox related, 321–322
 dealing with, 344
 fetal alcohol syndrome, 42–43
 high temperature for mother's body, 45
 in-vitro fertilization, relationship to, 83
 IUD, relationship to, 19
 medications associated with, 14, 15, 338
 neural tube defects, 12, 143, 144
 oral contraceptives, relationship to, 13
 toxoplasmosis, 88, 310, 330
 vitamin A risk, 14, 44, 61
- birth plan, 121
- birth weight, 41, 67, 217, 223, 279. *See also*
 weight
- birthing center, 30, 192
- birthing class, 106, 121–123
- birthing methods, 121–122, 191–192
- birthing room, 175
- birthmarks, 215
- black-and-blue marks, newborn's, 214
- bladder, fetal development, 76
- bladder, mother's
 catheter, 188, 204, 234
 infection of, 319–320
 postpartum issues, 232
 pressure on, 80, 115, 119
- blanket for swaddling newborn, 219
- blastocyst, 73
- bleeding
 exercise risk, 65
 first trimester, 82, 90–91
 gums, 101
 hemorrhage, 91, 124, 300
 hemorrhoids, 113–114
 implantation, 25, 90
 miscarriage, relationship to, 91
 nosebleed, 101
 placenta previa, 104, 305, 306
 placental abruption, 104, 307

- postpartum, 124, 208–209, 228–229, 235
second trimester, 104
third trimester, 127, 172
- bloating, 79
- blood
alpha-fetoprotein screen, 143
antibody status, 87
baby's compared to mother's, 74, 75, 312–314
breast blood vessel changes, 76
clotting of, 120, 219, 311, 333
Down syndrome, 141
ethnicity and genetic disorders, 84–85
fetal blood flow test, 154
increase in mother's volume, 80
Rh factor, 87, 142, 151, 164, 312–313
standard tests during pregnancy, 87
testing for pregnancy, 27
type, 87
varicose veins, 120
- blood pressure. *See* hypertension
- blood thinner, 14
- blood transfusion, 154, 289, 314
- bloody show, 125, 127, 170, 184
- body mass index (BMI), 52
- bonding, 252
- bottle-feeding, 220, 224, 251–254, 267–270
- bowel movement, baby's
breast- compared to bottle-fed, 253
newborn pattern, 220, 253
in utero, 130, 172, 212, 317
- bowel movement, mother's
constipation, 64, 81, 113, 114
diarrhea as indicator of labor, 125, 170
inflammatory bowel disease, 337–338
perineum care guidelines, 231
postpartum resumption, 233
during pushing, 197, 351
- boy baby, 31–32, 79, 93, 138, 366–367
- BPP (biophysical profile), 156–157
- bra, 76, 97
- bracelet, newborn's hospital, 218
- Bradley birthing method (Web site), 122
- bradycardia, 176
- brain development
after birth, 75, 217
first trimester, 9, 76, 89
neural tube defects, 12, 143, 144
- Braxton-Hicks contractions, 101, 111–112, 125, 170
- breaking of water. *See* ruptured membranes
- breast-feeding. *See also* nipples
abscess, breast, 266
benefits of, 352
bottle-feeding, compared to, 251–254
bottle-feeding of breast milk, 224
burping, 259, 260, 270
clogged ducts, 264
dietary guidelines, 261–262
engorgement, 264
HIV, avoiding with, 327
lactation mechanics, 255–256
latching on, baby's, 258
mastitis, 264–265
medications during, 262–263
oral contraceptives, 263
ovulation delay, 249
positions, 256–258
resources for support, 266
schedule and amount, 259
stools of newborn, 220
twins, 266–267
vitamin supplements during, 247, 261
- breasts. *See also* nipples
cancer, 254
colostrum, 117, 252, 255
early signs of pregnancy, 26
engorgement of, 240–241, 256, 264, 352
first trimester changes, 76
stopping milk production, 267
swelling of newborn's, 216
- breathing
baby's, 109, 209, 217, 258, 317 (*see also* lungs, baby's)
mother's
asthma, 332
exercise considerations, 69
labor techniques, 122, 183, 184
shortness of breath, 66, 118
- breech presentation
cesarean delivery, 205, 206, 315–316
frequency of, 108
multi-fetal pregnancy, 287
risks for, 315
third trimester options, 127
vaginal breech delivery, 205, 315–316

bupropion, 15, 41
 burping, 259, 260, 270
 BV (bacterial vaginosis), 331

• C •

caffeine, 22, 59, 80, 261
 calcium, 58, 60–61, 247, 305
 caloric intake, 56, 261
 caput succedaneum, 212
 car seat, 133–134
 car travel, 45
 carbon monoxide risk for fetus, 41
 cardiovascular system, 14, 66, 75, 223, 310.
See also blood; heart, baby's
 carpal tunnel syndrome, 112–113
 cat litter box and toxoplasmosis, 88, 330
 catheter, 188, 204, 234
 caudal block, 188
 CBC (complete blood count), 87, 146
 center of gravity changes, 38, 66
 central nervous system, neural tube defects, 12, 143, 144
 cephalopelvic disproportion (CPD), 185, 200, 206
 cerclage, 105, 290
 cervical (PAP) smear, 11, 86, 244
 cervical cone biopsy (LEEP), 105
 cervical insufficiency, 23, 65, 104–105
 cervix. *See also* dilation of cervix
 bleeding in third trimester, 127
 defined, 74
 effacement, 172, 173
 incompetent, 23, 65, 104–105
 inducing labor, 180
 mucous plug, 125, 170
 preterm labor diagnosis, 130, 290–291, 302
 ripening, 180
 ultrasound measurement, 149
 cesarean delivery (C-section)
 anesthesia, 188, 189, 204, 234–235
 breech presentation, 205, 206, 315–316
 on demand, 123–124
 elective induction risk, 178–179
 fetal monitoring risk, 178
 genital herpes, 327
 large babies, 312
 lung maturity test prior to, 155
 multi-fetal pregnancy, 286
 placenta previa, 203, 206, 293, 306
 postpartum bleeding, 228
 process, 203–207
 recovery, 207, 234–240
 vaginal delivery after, 292–295
Cesarean Delivery (Clark and Phelan), 205
 CF (cystic fibrosis), 85
 cheese, 61, 62, 328
 chickenpox, 16, 18, 88, 321–322
 childbirth class, 106, 121–123, 164
Childbirth without Fear (Dick-Read), 122
 children, older. *See* siblings
 chlamydia, 331
 chloasma, 103
 cholestasis of pregnancy, 117
 chorion membrane, 74
 chorionic villi, 75, 140
 chorionic villus sampling (CVS), 140, 142, 162, 283, 284
 chromosomes. *See also* Down syndrome
 abnormality types, 104
 age of parent risk, 276–277, 278
 amniocentesis, 149–153
 fragile X syndrome, 84
 gender of baby, relationship to, 93, 138
 introduction, 137–142
 in-vitro fertilization risk, 83
 miscarriage, 91, 92, 342
 multi-pregnancy risk, 288
 small for gestation age condition, 310
 circulatory system, 14, 66, 75, 223, 310. *See also* blood; heart, baby's
 circumcision, 220–221
 Clark, Steve, *Cesarean Delivery*, 205
 classical incision for cesarean, 204, 293
 clogged ducts, 264
 clothes, maternity, 97, 162
 clumsiness, 98
 CMV (cytomegalovirus), 88, 310, 325–326
 cocaine, 311
 colds and flu, 322–324
 collagen vascular diseases, 336
 colostrum, 117, 252, 255
 combined spinal-epidural analgesia, 189
 complete blood count (CBC), 87, 146
 complications. *See also specific problems*
 exercise, relationship to, 65
 first and subsequent pregnancies, 292
 first trimester, 82, 90–92

- history of, 10
 - second trimester, 103–106
 - third trimester, 126–132, 172
 - computer work, 49
 - conception, 20–22
 - condom, 18
 - conehead effect, baby's, 206, 212–214
 - congenital CMV, 325–326
 - congenital nephrosis, 143
 - congenital rubella syndrome, 326
 - congenital varicella syndrome, 321–322
 - conjoined twins, 281
 - conjunctivitis, 331
 - constipation, 64, 81, 113, 114
 - continuous epidural infusions, 189
 - contraception
 - breast-feeding as, 249, 253
 - getting pregnant while on the Pill, 13
 - postpartum period, 249, 261–262, 263
 - quitting for pregnancy attempt, 18–19
 - contraction stress test (CST), 156
 - contractions
 - in active phase of labor, 183
 - aerobic exercise effects at term, 66
 - Braxton-Hicks, 101, 111–112, 125, 170
 - early/latent phase of labor, 182
 - herbal remedy risks, 15
 - home monitoring, 302
 - identifying, 171
 - oxytocin, relationship to, 180
 - placental delivery, 201
 - post-delivery, 202, 208, 228, 236
 - preterm labor, 130–131
 - pushing timing, 197
 - second trimester, 101
 - sexual activity, relationship to, 48
 - timing of, 183
 - transition phase of labor, 184
 - Cooley's anemia, 85
 - cordocentesis, 153
 - corpus luteal cyst, 90
 - coumadin, 14
 - CPD (cephalopelvic disproportion), 185, 200, 206
 - CPR, infant, 123
 - cradling position for feeding, 256, 257
 - cramping, 82, 151. *See also* contractions
 - Crohn's disease, 337–338
 - crowning, 198
 - crown-rump length (CRL), 89, 361, 362
 - crying, newborn's, 209, 217
 - CST (contraction stress test), 156
 - CVS (chorionic villus sampling), 140, 142, 162, 283, 284
 - cystic fibrosis (CF), 85
 - cystitis, 319–320
 - cysts on ovaries, 90
 - cytomegalovirus (CMV), 88, 310, 325–326
- D •
- D&C (dilation and curettage), 91, 92, 105, 209
 - death of baby
 - fetus, 92, 316–317, 343, 345–346
 - newborn, 41, 252, 343, 345
 - decelerations, fetal heartbeat, 176
 - deep-vein thrombosis (DVT), 120, 333
 - dehydration, 45, 58, 80, 329
 - delivery. *See also* cesarean delivery;
vaginal delivery
 - baby's condition, 209, 214
 - bleeding after, 208–209
 - cutting umbilical cord, 209
 - dilation of cervix, 194, 195
 - duration of, 195, 200
 - epidural anesthesia effects, 200
 - fetal heart monitoring, 176–177
 - first cry, 209
 - forceps, 202, 203
 - home birth, 191–192
 - introduction, 193
 - multiple births, 286–288, 290–291
 - placenta, 201
 - shaking after, 208
 - station of baby in, 116, 174, 185
 - support group at, 124, 197
 - vacuum extractor, 202, 203
 - water birth, 192
 - without anesthesia, 191
 - delta OD-450 test, 153
 - dental care, 46
 - depilatories, 99
 - DepoProvera, 18
 - depression, postpartum, 48, 241–244
 - Depression After Delivery, Inc.
(Web site), 244
 - dermoid cyst, 90

- development of baby
 - first trimester, 9, 54, 73–76, 89
 - second trimester, 54, 95–98
 - third trimester, 54, 107–110
 - diabetes, preexisting, 11, 54, 64, 334–335.
 - See also* gestational diabetes
 - diamniotic/dichorionic twins, 280–281, 282
 - diamniotic/monochorionic twins, 281, 282, 289
 - diaphragm, 18
 - diarrhea as indicator of labor, 125, 170
 - diastasis, 245
 - Dick-Read, Grantly, *Childbirth without Fear*, 122
 - dietary guidelines. *See* food
 - digestive system
 - gas, intestinal, 98–99, 236–237
 - heartburn, 31, 99–100
 - newborn, 220, 252, 270–271, 300
 - dilation and curettage (D&C), 91, 92, 105, 209
 - dilation of cervix
 - defined, 74
 - at delivery, 194, 195
 - first stage of labor, 183, 184
 - incompetent cervix, 104–105
 - as labor indicator, 172, 173
 - mucous plug loss, 170
 - as preterm delivery indicator, 130, 290–291
 - second stage of labor, 185
 - sexual activity, 48
 - timing of labor, 125
 - dilutional anemia, 60
 - discrimination, work, 50
 - dizygotic twins, 279–283
 - dizziness, 66
 - doctor. *See* practitioner
 - donors of eggs and sperm, 10, 278
 - Doppler studies, 35, 154
 - Doppler velocimetry test, 157
 - douching, 38
 - doula, 124
 - Doulas of North America (DONA)
 - (Web site), 124
 - Down syndrome
 - age and risk for, 277
 - as chromosomal abnormality, 138
 - first trimester tests, 141, 161
 - multi-fetal pregnancy, 283
 - second trimester tests, 145
 - driving, post-cesarean consideration, 238
 - dropping of fetus in uterus, 115–116, 170
 - drugs, illicit, 11, 22, 42, 54
 - dry birth, 108, 127–128
 - ductus arteriosus, 223
 - due date
 - calculating, 28, 30–31, 349
 - fundal height, relationship to, 35
 - inaccuracy of, 131–132, 349
 - inducing labor, 126, 132
 - menstrual cycle, relationship to, 30–31, 83, 160
 - post-term pregnancy, 132, 316–317
 - ultrasound test to confirm, 31, 89
 - DVT (deep-vein thrombosis), 120, 333
- E •**
- early phase of labor, 182–183, 184
 - ears, baby's, 216
 - echocardiogram, 154, 223, 334
 - ectopic pregnancy, 19, 90, 92
 - EDC (estimated date of confinement), 30–31
 - edema, 119, 130
 - effacement of cervix, 172, 173
 - EFW (estimated fetal weight), 128
 - elective cesarean, 205–206
 - elective induction, 178–179
 - embryo, implantation in uterus, 20, 73
 - emergency cesarean, 206
 - emotions
 - baby blues, 209, 241–242
 - breast- compared to bottle-feeding, 251, 252
 - cesarean delivery, 207
 - depression, postpartum, 48, 241–244
 - father's response to pregnancy, 93, 135
 - grief, 343, 345–346
 - libido, 23, 48, 248
 - mood swings, 36–37

- morning sickness worries, 79
 - post-delivery, 208
 - practitioner-patient match, 29
 - sibling issues with new arrival, 295–297
 - stranger comments, 112, 351
 - work stress, 48–49
 - employment, 48–50, 253, 301
 - encephalocele, 144
 - engagement, fetal, 115–116, 170
 - engorged breasts, 240–241, 256, 264, 352
 - environmental toxins, 39–45, 54, 310
 - epidural anesthesia
 - availability at hospital, 30
 - cesarean delivery, 204
 - delivery methods, 189
 - numbness of legs, 234
 - process and effects, 187–188, 200
 - pushing phase, 195
 - transition phase, 184
 - urinary issues after, 232
 - epilepsy, 14, 338
 - episiotomy, 126, 187, 198–199, 230, 233
 - erythema toxicum, 215
 - estimated date of confinement (EDC), 30–31
 - estimated fetal weight (EFW), 128
 - estriol, 145
 - estrogen, 79
 - ethnicity and medical history, 11, 84–85
 - exercise
 - adapting pregnant body to, 65–67
 - aerobic options, 68–69
 - complications, relationship to, 65
 - as constipation reducer, 81
 - gestational diabetes, 335
 - hemorrhoid avoidance, 114
 - as insomnia cure, 114
 - introduction, 65
 - Kegel, 119, 232, 247–248
 - moderation in, 67–68
 - muscle toning, 69
 - planning for pregnancy, 22
 - post-cesarean restriction, 238
 - postpartum, 244–245
 - resistance training, 69
 - yoga, 69–70
 - external cephalic version, 316
 - external fetal monitoring, 176
 - eyes, newborn's, 96, 216, 219
- **F** ●
- face of fetus in ultrasound, 362
 - fallopian tube, 73
 - false labor, 101, 111–112, 125, 170, 171
 - family history, 10, 54, 84–86
 - family practice physician, 28. *See also* practitioner
 - father's perspective
 - adjustment to newborn, 224–225
 - cesarean operating room, 204
 - childbirth class, 122
 - delivery room, 197
 - first prenatal visit, 82
 - first trimester, 93–94
 - importance of, 2, 124
 - older father, 278
 - second trimester, 106
 - sexual activity during pregnancy, 23
 - third trimester, 135
 - fatigue
 - baby blues, relationship to, 242
 - first trimester, 77, 350
 - libido, affect on, 248
 - postpartum, 224
 - third trimester, 113
 - fats and oils food group, 58
 - feeding, bottle-feeding, 220, 224, 251–254, 267–270. *See also* breast-feeding
 - feet of fetus in ultrasound, 365
 - fertility problems, 19, 21, 83, 276, 281
 - fetal abnormalities. *See* birth defects
 - fetal alcohol syndrome, 42–43
 - fetal blood sampling, 153–154
 - fetal blood transfusion, 154, 314
 - fetal fibronectin, 291, 302
 - fetal heart tracing, 155, 175
 - fetal position, newborn's preference
 - for, 215
 - fetoscope, 35

- fetus. *See also* movements, fetal; multi-fetal pregnancy; position, fetal
 - abnormalities, dealing with, 344
 - amniotic fluid as protection, 45, 110
 - anemia, 154, 314, 329
 - blood compared to mother's, 74, 75
 - bowel movement, 130, 172, 212, 317
 - circulatory system, 223
 - death of, 92, 343, 345–346
 - defined, 75
 - development, 73–76, 95–98, 107–110
 - dropping of, 115–116, 170
 - engagement of, 115–116, 170
 - environmental toxins, 39–43, 54, 310
 - growth problems, 128–129, 310–312
 - health tests, 149–157
 - heart. *See* heart, baby's
 - infections, 54, 321–322, 325–326
 - length of, 95, 107
 - lung maturity, 153, 155, 166
 - medically indicated induction, 179
 - monitoring during labor, 175–178
 - non-stress test (NST), 126, 155–156, 157, 166
 - pain medication effects on, 186
 - urination and amniotic fluid, 308
 - viability, 89, 96
 - weight, 54, 95, 107, 128–129, 310
- fever reduction, 322
- fiber-rich foods, 81
- fibroid tumor, 90, 206, 335–336
- fifth disease, 328–329
- fingers, newborn's, 215–216
- first cry, newborn's, 217
- first stage of labor, 182–185, 187
- first trimester
 - bodily changes, 26, 76–82, 350
 - complications, 82, 90–92
 - due date confirmation ultrasound, 31
 - father's perspective, 93–94
 - fetal development, 9, 54, 73–76, 89
 - first prenatal appointment, 82–90
 - high body temperature risk, 45
 - miscarriages, 342
 - mood swings, 36–37
 - mother's weight gain pattern, 53
 - prenatal visit schedule, 34
 - testing, 89, 137–142, 161, 361–362
 - week-by-week guide, 160–162
- fish, 63
- fitness. *See* exercise
- floating position, fetal head in, 116
- flu and colds, 322–324
- flu vaccine, 17, 323
- fluid intake. *See* water intake
- Foley bulb, 180
- folic acid
 - epilepsy, 338
 - first prenatal visit, 34
 - importance of, 12, 58
 - multi-fetal pregnancy, 285
 - nausea and vitamin supplement, 79
- fontanelles, 217
- food. *See also* nutritional supplements
 - artificial sweeteners, 62
 - aversions, 26
 - balancing diet, 56–58
 - breast-feeding, 261–262
 - caffeine, 22, 59, 80, 261
 - calcium, 58, 60–61, 247, 305
 - constipation, 64
 - cravings, 26
 - diabetes, 64, 335
 - fetal growth, 311
 - fiber-rich foods, 81
 - folic acid in, 12
 - healthy snack recipes, 353–360
 - iron, 58, 60, 64, 285
 - listeria avoidance, 328
 - multi-fetal pregnancy, 285
 - myths about, 31, 32
 - nausea, relationship to, 58, 77
 - postpartum period, 239, 246–247
 - safety considerations, 61–63
 - small for gestation age condition, 310
 - special needs, 63–64
 - toxoplasmosis prevention, 330
 - vegetarian diet, 64
- football hold for feeding, 257, 258
- footprints, taking newborn's, 219
- forceps delivery, 202, 203
- forgetfulness, 98

formula, infant, 220, 269
 4-D ultrasound, 151
 Fragile X syndrome, 84
 frank breech position, 315
 fraternal twins, 279–283
 fruits food group, 57
 full-term status, 165
 fundal height, 35, 36, 98, 310

• G •

gas, intestinal, 98–99, 236–237
 gastroesophageal reflux disease (GERD), 271
 gastrointestinal problems, 271, 300, 329
 gay and lesbian families, 295
 gender of baby, 31–32, 79, 93, 138, 366–367
 general anesthesia, 189, 205
 genetic counseling, 161
 genetic testing. *See also* chromosomes
 age-related, 276, 278
 amniocentesis, 149–153
 multi-fetal pregnancy, 283–284
 risks for disorders, 11, 84–86
 genital herpes, 327
 genitalia, newborn's, 216, 220–221
 GERD (gastroesophageal reflux disease), 271
 German measles, 16, 17, 88, 310, 326
 gestational diabetes
 glucose screening, 88, 145–146
 large babies, relationship to, 129
 multiple births, 288
 treating, 335
 urine test, 89
 girl baby, 31–32, 79, 93, 138, 366–367
 glucose screening, 88, 164
 goiter, fetal, 339
 grains food group, 57
 Grave's disease, 339
 grief, 343, 345–346
 groin pain, 101
 group B strep culture, 154, 165
 gynecological history, 10
 gynecologist, 28. *See also* practitioner

• H •

hair
 baby's, 31, 96, 215
 mother's, 43–44, 99, 241
 hands of fetus in ultrasound, 364
 Hanson, Melissa Sexson, *When Mourning Breaks: Coping with Miscarriage*, 345
 hat, newborn, 219
 hCG (human chorionic gonadotropin), 27, 141, 145
 head, newborn's, 206, 212–214, 217
 headache, 80–81
 health care professional. *See* practitioner
 health insurance, 30, 50, 139, 238
 heart, baby's
 contraction stress test (CST), 156
 echocardiogram, 154, 223, 334
 infant CPR, 123
 labor and delivery, 176–177
 murmur in, 223
 myths about, 31
 non-stress test (NST), 155–156, 157
 prenatal visit routine check, 35
 ultrasound view, 363–364
 viability, relationship to, 89
 vibracoustic stimulation, 157
 heartburn, 31, 99–100
 Heavilin, Marilyn Willett, *Roses in December: Comfort for the Grieving Heart*, 345
 height, baby's, 95, 107, 217
 hemangioma, 214
 hemoglobin, 85
 hemorrhage, 91, 124, 300
 hemorrhoids, 113–114, 232–233, 351
 hepatitis A, 326
 hepatitis B, 17, 87, 219, 253, 326
 hepatitis C, 326
 herbal remedies, 15
 hereditary condition. *See* genetic testing
 herpes, 327
 herpes zoster, 322
 hiccups in utero, 110
 high blood pressure. *See* hypertension

- high-risk pregnancy, 2, 29, 34. *See also* complications
- Hispanic Americans, 85
- HIV infection, 16, 88, 253, 327
- home birth, 191–192
- home pregnancy test, 27
- homecoming, newborn's, 224–225, 234, 297
- hormones. *See also* progesterone
- constipation, relationship to, 64, 81
 - hair loss postpartum, 241
 - human chorionic gonadotropin (hCG), 27, 141, 145
 - libido, affect on, 248
 - luteinizing hormone (LH), 21
 - mood swings, relationship to, 36–37, 241
 - oxytocin for labor induction, 156, 180
 - postpartum fluctuations, 240
 - stress, 39
- hospital
- admittance, 174–175
 - choosing, 30
 - duration of stay, 227, 234, 238
 - newborn procedures, 218–220
 - pre-labor touring of, 122
 - support team, 124–125, 195, 197, 204
 - timing of entry, 183
 - visit preparation, 132–134
 - water birth in, 192
- How to Go on Living After the Death of a Baby* (Peppers and Knapp), 345
- human chorionic gonadotropin (hCG), 27, 141, 145
- human papilloma virus (HPV), 16
- hydramnios, 308
- hyperemesis gravidarum, 79
- hypertension. *See also* preeclampsia
- exercise risk, 65
 - multi-fetal pregnancy, 289
 - planning for pregnancy, 11, 14
 - preexisting condition, 40, 332–333
 - small for gestational age condition, 311
- hyperthyroidism, 339
- HypnoBirthing method, 122
- hypoglycemia, 66
- hypothyroidism, 339
- 1 •
- ibuprofen, 14
- ICSI (intracytoplasmic sperm injection), 83
- identical twins, 279–283
- identification bracelet, 218
- illicit drugs, 11, 22, 42, 54
- immunity, 16–18, 87, 117, 252, 313
- immunological problems, 336–337
- implantation bleeding, 25, 90
- implantation of embryo, 20, 73
- incision, cesarean, 204, 239, 292–293
- incompetent cervix, 23, 65, 104–105
- incontinence, 119–120, 124, 232, 247
- inducing labor
- augmenting labor in progress, 181
 - contraction stress test (CST), 156
 - due date factor in decision, 126, 132
 - elective option, 178–179
 - lung maturity test, 155
 - for medical reasons, 179
 - myths about, 125
 - oxytocin hormone, 156, 180
 - process, 180
- infant warmer, 175
- infections. *See also specific infections*
- amniocentesis to detect, 153
 - breast milk's advantage against, 252
 - growth of fetus, effect on, 54, 310
 - mucous plug, relationship to, 170
 - post-cesarean, 240
 - preterm infant's susceptibility, 300
 - vaccinations for, 16–18, 46, 88
- infertility, 19, 21, 83, 276, 281
- Infertility For Dummies* (Meyers-Thompson and Perkins), 19
- inflammatory bowel disease, 337–338
- inheritable diseases, risks for, 84–86
- inhibin A, 145
- insomnia, third trimester, 114
- insurance, health, 30, 50, 139, 238
- intermittent epidural bolus dosing, 189
- internal fetal monitoring, 177
- internal pressure transducer (IPT), 177
- International Board of Lactation Consultant Examiners (Web site), 266

International Lactation Consultant Association (Web site), 266
 intracytoplasmic sperm injection (ICSI), 83
 intrauterine device (IUD), 19
 intrauterine growth restriction (IUGR), 65, 128, 129, 289, 310–312
 intraventricular hemorrhage, 300
 invasive compared to non-invasive tests, 139, 141, 327
 inverted nipples, 117, 254–255
 in-vitro fertilization (IVF), 83, 276
 IPT (internal pressure transducer), 177
 iron, 58, 60, 64, 285
 ischial spines, 115
 itches and rashes, 116–117
 IUD (intrauterine device), 19
 IUGR (intrauterine growth restriction), 65, 128, 129, 289, 310–312
 IV line, 175, 234
 IVF (in-vitro fertilization), 83, 276

• J •

Jewish descent, 84–85
 job considerations, 48–50, 253, 301
 joints, pregnancy effects, 66

• K •

karyotype, 138
 Kegel exercise, 119, 232, 247–248
 kidney infection, 320
 kidney stones, 320
 kidneys, baby's, 14
 Knapp, Ronald J., *How to Go on Living After the Death of a Baby*, 345
 knee-chest position, 196, 197

• L •

labia, swelling of newborn's, 216
 labor. *See also* inducing labor; preterm labor
 augmenting, 181
 back labor, 38, 183, 190
 breathing techniques, 122, 183, 184
 continuous labor support, 125, 190

 duration, 181, 182, 183, 184, 185
 false, 101, 111–112, 125, 170, 171
 fetal head position, 116
 hemorrhoids, 114
 hospital admission, 174–175
 monitoring the baby, 176–178
 multi-fetal pregnancy, 286–288, 290–291
 pain management, 183, 184, 185–190
 phases of first stage, 182–185
 post-term, 131–132
 preparation for, 120–124, 132–133
 pushing phase, 184, 188, 195–198, 351
 rupture of membranes, 172, 183, 309–310
 stages, 181–185, 187, 200–201
 timing of, 125
 true, indicators of, 169–174
 labor, delivery, and recovery (LDR)
 rooms, 175
 labor curve, 181, 182
 lacerations during delivery, 198–199
 lactation, 117, 240–241, 255–256. *See also*
 breast-feeding
 LaLeche League International
 (Web site), 266
 Lamaze birthing method (Web site), 122
 lanugo, 215
 large for gestational age (LGA), 312, 317
 last menstrual period (LMP), 31, 160
 latent phase of labor, 182–183, 184
 late-pregnancy loss, 343
 laxatives, avoiding, 81, 231
 LDR (labor, delivery, and recovery)
 rooms, 175
 Leboyer birthing method, 122
 lecithin/sphingomyelin (L/S) ratio, 155
 LEEP (cervical cone biopsy), 105
 leg cramps, 37
 length, baby's, 95, 107, 217
 lesbian and gay families, 295
 letdown reflex, 256, 259
 LGA (large for gestational age), 312, 317
 libido, 23, 48, 248
 lifestyle, assessment, 43–48, 83
 ligaments, stretching of, 101
 lightening, 115–116
 linea nigra, 103
 listeria, 61, 62, 328

lithotomy position, 196
 liver, 61
 LMP (last menstrual period), 31, 160
 lochia, 208–209, 228–229, 235
Loss During Pregnancy or in the Newborn Period (Woods), 345
 low birth-weight baby, 279
 low transverse incision for cesarean, 292
 low vertical incision for cesarean, 293
 L/S (lecithin/sphingomyelin) ratio, 155
 lubricant, personal, 22
 lungs, baby's
 development in utero, 96, 300
 maturity testing in utero, 153, 155, 166
 newborn's, 217–218
 lupus, 11, 336, 337
 luteinizing hormone (LH), 21
 lying-down position for feeding, 257
 Lyme disease, 328

• M •

macrosomia, 129, 312
 manicure, 44, 99
 March of Dimes (Web site), 343
 marijuana, conception, effect on, 22
 mask of pregnancy, 103
 massage, 44, 126, 190
 mastitis, 264–265
 maternal serum alpha-fetoprotein (MSAFP), 143, 145
 maternal-fetal medicine specialist, 2, 28.
 See also practitioner
 MCA (middle cerebral artery)
 Dopplers, 329
 meat and beans food group, 58, 61, 63
 meconium, 130, 172, 212, 220, 317
 median episiotomy, 198, 199
 medical history, 10–11, 83–84
 medically indicated induction, 179
 medications. *See also specific medications*
 birth defect associations, 14, 15, 338
 breast-feeding, 230, 254, 262
 consulting with practitioner, 40, 161
 fetus, effects on, 39–40
 pain management, 13, 14, 40, 80, 81, 186, 322
 planning for pregnancy, 11, 13–15
 teratogenic, 13, 14, 15, 40, 338
 mediolateral episiotomy, 198, 199
 Mediterranean anemia, 85
 membranes, amniotic, defined, 74. *See also*
 ruptured membranes
 menopause, 276
 menstrual cycle
 due date calculation role, 30–31, 83, 160
 missed period as sign of pregnancy, 25
 ovulation timing, 21
 premenstrual syndrome (PMS), 36
 quitting birth control, 19
 mental retardation, 84, 138, 141, 145
 metabolism, pregnancy changes, 66
 methyleronovine malleate (Methergine), 228
 metoclopramide (Reglan), 78
 Meyers-Thompson, Jackie, *Infertility For Dummies*, 19
 Micromedex, Inc. (Web site), 40
 microwave, heating bottles in, 269
 middle cerebral artery (MCA)
 Dopplers, 329
 midline incision for cesarean, 204
 midwife, 28, 191. *See also* practitioner
 migraine headache, 80
 milk production, 117, 240–241, 255–256.
 See also breast-feeding
 milk products food group, 58, 60
 miscarriage
 abnormalities as reason for, 91–92, 342
 amniocentesis risk, 152
 bleeding as sign of, 91
 caffeine risk, 59
 chromosomal testing risk, 139, 140
 herbal remedy risks, 15
 incompetent cervix, 104–105
 IUD's relationship to, 19
 listeria risk, 61, 62
 medications associated with, 14, 15
 parvovirus risk, 329
 recurrent, 342
 resources for recovery, 345
 smoking risk, 41
 misoprostol, 180
 missed abortion, 92
 molding of baby's head, 206, 212–214
 mongolian spots, 214
 monoamniotic/monochorionic twins, 281, 282, 289

- monozygotic twins, 279–283
 - mood swings, 36–37, 241
 - morning sickness, 58, 59, 77, 78–79, 285
 - morphine-based drugs, 186
 - movements, fetal
 - decrease in, 128
 - first trimester, 76, 161
 - second trimester, 95, 96–97, 162, 163
 - testing for, 155
 - third trimester, 109, 164, 165
 - MSAFP (maternal serum alpha-fetoprotein), 143, 145
 - mucous plug, 125, 170
 - multi-fetal pregnancy
 - age, mother's, relationship to, 280, 288
 - alpha-fetoprotein screen, 143
 - breast-feeding twins, 266–267
 - cesarean delivery frequency, 206
 - complications, 288–291
 - exercise risk, 65
 - fetal growth effect of, 54
 - first trimester bleeding, 90
 - genetic testing, 283–284
 - identifying individuals, 284
 - incompetent cervix from, 105
 - infertility treatments, relationship to, 83
 - intrauterine growth restriction, 289
 - labor and delivery, 286–288, 290–291
 - odds of having, 281
 - pregnancy process, 285–286
 - preterm delivery, 285, 288, 290–291
 - PUPP occurrence, 116
 - selective termination, 290
 - small for gestational age condition, 310
 - twin-twin transfusion syndrome, 289
 - types, 279–283
 - ultrasound test for, 90, 286
 - multi-fetal pregnancy reduction, 105, 289
 - murmur, heart, in newborn, 223
 - muscle toning exercise, 69
 - myths, pregnancy, 23, 31–32, 79, 125
- **N** •
- nails
 - mother's, 99
 - newborn's, 215–216
 - narcotic drugs for pain management, 186
 - nasal bone (NB), fetal, 361, 362
 - nasal congestion, 101, 323
 - natural childbirth, 191
 - nausea, 58, 59, 77, 78–79, 285
 - neonatal acne, 215
 - neonatal intensive care, 221–222
 - neural tube defects, 12, 143, 144
 - newborn. *See also* breast-feeding;
premature baby
 - apnea, 134
 - appearance, 14, 96, 206, 211–218
 - bottle-feeding, 220, 224, 251–254, 267–270
 - car seat, 134
 - circumcision, 220–221
 - crying, 209, 217
 - death of, 41, 252, 343, 345
 - digestive system, 220, 252, 253, 270–271, 300
 - father's adjustment, 224–225
 - first doctor visit, 222–223
 - gender of, 31–32, 79, 93, 138, 366–367
 - homecoming, 224–225, 234, 297
 - hospital procedures, 218–220
 - introduction, 211
 - neonatal intensive care, 221–222
 - placement of baby post-delivery, 210
 - rooming in with mother, 236
 - weight, 41, 67, 217, 223, 279
 - nicotine patch, 41
 - nipples, bottle, 268
 - nipples, mother's
 - initial changes to, 76
 - inverted, 117, 254–255
 - retracted, 117, 254–255
 - sore, 263–264
 - stimulating to induce labor, 125, 156
 - nonimmune hydrops, 153
 - non-invasive compared to invasive tests, 139, 141, 327
 - nonsteroidal anti-inflammatory agents, 14
 - non-stress test (NST), 126, 155–156, 157, 166
 - normal baseline fetal heart rate, 176
 - nosebleed, 101
 - NST (non-stress test), 126, 155–156, 157, 166
 - nuchal cord, 201
 - nuchal translucency (NT), 141, 283, 361, 362
 - nurse-midwife, 28. *See also* practitioner

nursing. *See* breast-feeding
 nutrition. *See* food
 nutritional supplements. *See also* folic acid
 breast-feeding, 247, 261
 calcium, 58, 60–61, 247, 305
 first prenatal visit, 34
 iron, 58, 60, 64, 285
 multi-fetal pregnancy, 285
 nausea, relationship to, 77, 78, 79
 omega-3 fatty acid, 59, 77
 overview, 58–61
 planning for pregnancy, 15, 160
 preeclampsia prevention, 305
 pregnancy risks, 14

• O •

obstetrician, 28, 40. *See also* practitioner
 oils and fats food group, 58
 oligohydramnios, 108, 127–128, 309
 omega-3 fatty acid supplement, 59, 77
 ondansetron (Zofran), 78
 oocyte, 73
 operative vaginal delivery, 202–203
 oral contraceptive pill, 13, 18–19, 263
 ovaries, ultrasound test for, 90
 overdue labor, 131–132, 316–317
 ovulation, 20–22, 160, 249
 oxytocin (Pitocin), 156, 180, 228

• P •

pads, breast, 264
 pain. *See specific type*
 palmar erythema, 103
 PAP smear, 11, 86, 244
 PAPP-A, 141
 parvovirus, 328–329
 patent ductus arteriosus (PDA), 223
 patient-controlled analgesia (PCA), 237
 patient-controlled epidural analgesia (PCEA), 189
 pediatrician, 222
 pedicure, 44
 pelvic examination, 86–87
 pelvic floor exercise, 119, 232, 247–248
 Pepper, Larry G., *How to Go on Living After the Death of a Baby*, 345

percutaneous umbilical blood sampling (PUBS), 153
 perinatal mortality, 316–317
 perinatologist, 2, 28. *See also* practitioner
 perineal massage, 126
 perineal pain, 229–231, 234, 237
 perineum repair, 187, 198, 202
 period. *See* menstrual cycle
 periodontal disease, 46
 Perkins, Sharon, *Infertility For Dummies*, 19
 Pfannensteil incision for cesarean, 204
 Phelan, Jeffrey, *Cesarean Delivery*, 205
 phosphatidyl glycerol (PG), 155
 physical examination, 11, 86, 222, 244
 PIH (pregnancy-induced hypertension).
 See preeclampsia
 the Pill, 13, 18–19, 263
 Pitocin (oxytocin), 156, 180, 228
 placenta
 chorionic villus sampling (CVS), 140
 delivery of, 201
 fetal growth, relationship to, 54
 formation, 73, 74–75
 leftover material in uterus, 209
 movements of fetus, effect on feeling, 97
 post-term pregnancy, 317
 retroplacental hemorrhage, 91
 small for gestational age condition, 310
 twins, 280–281, 289
 placenta accrete, 124
 placenta previa
 cesarean delivery, 203, 206, 293, 306
 exercise risk, 65
 overview, 305–306
 second trimester bleeding, 104
 sexual activity risks, 23, 48
 smoking, relationship to, 41
 placental abruption, 41, 104, 307
 platelet count, testing for, 87, 146
 PMS (premenstrual syndrome), 36
 polyhydramnios, 308
 position, fetal, 108, 174, 183, 206, 286–288.
 See also breech presentation
 post-date/post-term pregnancy, 131–132,
 316–317
 postpartum period
 bleeding, 124, 208–209, 228–229, 235
 bowel movement, mother's, 233
 breast engorgement, 240–241

- contraception, 249, 261–262, 263
- depression, 48, 241–244
- dietary guidelines, 239, 246–247
- fatigue, 224
- first practitioner visit, 244
- fitness, 244–246
- hair loss, 241
- hormone fluctuations, 240
- incontinence, 232
- Kegel exercise, 247–248
- sexual activity, 224, 248
- sweating, 240
- swelling, 231–232, 352
- weight, 231, 245–246, 352
- Postpartum Support International, 244
- practitioner
 - baby's first doctor visit, 222–223
 - bleeding, reporting of, 91
 - calling when in labor, 172
 - checking for labor, 173
 - epiotomy debate, 199
 - first postpartum visit, 244
 - first prenatal appointment, 82–90
 - medication consultation, 40, 161
 - natural childbirth, 191
 - nausea remedies, 78
 - pain relief resource, 80–81
 - preconception visit, 9–19
 - pregnancy testing by, 26, 27
 - prenatal visit planning, 33–36
 - relationship to, 35
 - selecting, 27–30
- preconception visit, 9–19
- preeclampsia. *See also* hypertension
 - delivery as cure for, 305
 - multi-fetal pregnancy, 289
 - overview, 130, 304
 - preventing, 305
 - risk factors, 304–305, 333
 - signs and symptoms, 81, 304
 - small for gestational age condition, 311
 - swelling, 119
 - urine testing for, 89
- preexisting medical conditions, 332–339
- pregnancy
 - bodily changes from, 36–39, 66–67
 - duration, 28, 288, 349
 - emotional changes, 36–39
 - history, 10
 - introduction, 1–6
 - myths about, 23, 31–32, 79, 125
 - signs of, 25–26
 - subsequent pregnancy, 291–295
 - testing for, 26–27
 - timing of, 275–279
 - week-by-week guide, 159–166
- pregnancy wheel, 31
- pregnancy-induced hypertension (PIH).
 - See* preeclampsia
- premature baby
 - breast-feeding delay, 253
 - car seat fit for, 134
 - infection susceptibility, 300
 - multi-fetal pregnancy, 165, 285, 288, 290–291
 - smoking, relationship to, 41
 - viability age, 96
 - weight loss, 223
- premature rupture of the membranes (PROM), 128, 131, 309–310
- premenstrual syndrome (PMS), 36
- prenatal care. *See also* practitioner
 - first visit, 82–90, 161
 - multi-fetal pregnancy, 285–286
 - second trimester visits, 103
 - third trimester visit schedule, 34, 126
 - visit length, 82
 - visit planning, 33–36
- preterm labor
 - amniotic fluid infection, 153
 - bleeding in third trimester, 127
 - Braxton-Hicks contractions, compared to, 112
 - definition, 300
 - delivery process, 303
 - exercise risk, 65
 - indicators of, 130–131, 290–291, 302
 - listeria risk, 61, 62
 - low back pain, 38
 - multi-fetal pregnancy, 165, 285, 288, 290–291
 - overview, 300
 - placenta previa, 306
 - preventing, 301, 303
 - risk factors, 300–301
 - ruptured membranes, 128, 131, 309–310
 - second trimester bleeding, 104
 - sexual activity risk, 48

preterm labor (*continued*)
 signs and symptoms, 300, 301–302
 stopping, 302–303
 vaginal infections, 331
 working, effect on, 49

private umbilical cord blood bank, 131

progesterone
 bloating, 79
 breast changes, 26, 76
 constipation, 64, 81
 heartburn, 99
 hemorrhoids, 113
 preterm labor prevention, 290, 303
 shortness of breath, 118

prolapse of organs, 247

PROM (premature rupture of the membranes), 128, 131, 309–310

prostaglandins, 180

protraction disorders, 184–185

Pruritic Urticarial Papules of Pregnancy (PUPP), 116

public umbilical cord blood bank, 131

PUBS (percutaneous umbilical blood sampling), 153

pudendal block, 189

pulmonary embolus, 333

pushing, 184, 188, 195–198, 351

pyelonephritis, 320

• Q •

quadruplets. *See* multi-fetal pregnancy

quickening, 96

• R •

rashes and itches, 116–117

raw food, 61, 63

recessive gene, 84, 85

recovery
 appearance, 228
 bleeding, postpartum, 228–229
 bowel function, 233
 cesarean delivery, 207, 234–240
 duration, 244
 going home, 234
 hemorrhoids, 232–233

introduction, 227–228

perineal pain, 229–231

shaking after delivery, mother's, 208

swelling, 231–232

urination challenges, 232

recreational drugs, 11, 22, 42, 54

rectum, labor pressure on, 184, 195

red spots, newborn skin, 215

reflux disease, 271

Reglan (metoclopramide), 78

relaxation techniques, 39, 43, 77, 183, 184

Renova, 14

reproductive system, 20, 74

Reproductive Toxicology Center (Web site), 40

respiratory system. *See* breathing

Retin A, 14

retracted nipples, 117, 254–255

retroplacental hemorrhage/collection, 91

Rh factor, 87, 142, 151, 164, 312–313

rhythmic breathing movements, 109

rights for pregnant workers, 50

ripe cervix, 180

rooming-in option, 30

Roses in December: Comfort for the Grieving Heart (Heavilin), 345

round ligament pain, 101, 350

rubella, 16, 17, 88, 310, 326

ruptured membranes
 defined, 74
 exercise risk, 65
 for induction, 180
 labor onset, 172, 183, 309–310
 preterm, 128, 131, 309–310
 response to, 129–130
 sexual activity, avoiding, 48
 smoking, relationship to, 41

• S •

saddle block, 188

saline infusion, 177

saliva accumulation, 77

sanitary pads, 352

sauna, 45

scalp pH test, 177

scalp stimulation test, 178

- scar, cesarean, 239
sciatica, 38, 118
seat belt, 45
second stage of labor, 185, 187, 200
second trimester
 bodily changes, 98–103
 complications, 103–106
 father's perspective, 106
 fetal development, 54, 95–98
 introduction, 95
 maternity clothes, 97
 mother's weight gain pattern, 53
 movements, fetal, 95, 96–97, 162, 163
 prenatal visit schedule, 34, 103
 testing, 106, 142–154, 163, 362–366
 week-by-week guide, 164–165
security, hospital newborn, 218
seizure disorders, 338
selective serotonin uptake inhibitors (SSRIs), 15
selective termination, multiples, 290
serum screening, 141
sex of baby, 31–32, 79, 93, 138, 366–367
sexual activity. *See also* contraception
 for conception, 19, 21, 22
 postpartum, 224, 248
 during pregnancy, 23, 32, 47–48
sexually transmitted disease (STD), 86, 87, 219, 331
SGA (small for gestational age), 310–312
shaking after delivery, mother's, 208
shingles, 322
shortness of breath, 66, 118
shoulder dystocia, 201, 312
Siamese twins, 281
siblings
 in labor and delivery room, 125
 preparing for new arrival, 295–297
 spacing of, 291
sickle cell anemia, 85
SIDS (sudden infant death syndrome), 41, 252
silent bladder infection, 319
simple cyst, 90
single-mother pregnancy, 295
sitz bath, 230
skin, mother's
 acne medication risk, 14
 beauty treatments, 43–44
 rashes and itches, 116–117
 second trimester changes, 102
 stretch marks, 118–119
skin, newborn's, 14, 214–215
skin tags, 103
SLE (systemic lupus erythematosus), 11, 337
sleeping, third trimester insomnia, 114
small for gestational age (SGA), 310–312
smoked meat or fish, 63
smoking
 baby, effects on, 11, 41, 54
 cessation medications, 15
 conception, effect on, 22
 quitting prior to pregnancy, 11
snacks during pregnancy, 353–360
snoring, 101
soft spot on baby's head, 217
sonogram. *See* ultrasound exam
sore nipples, 263–264
special care nursery, 221–222
sperm, 20, 21, 73, 93, 278
spermicide, 18
spider angioma, 103
spina bifida, 12, 144
spinal anesthesia, 188, 204
spinal chord defects, 12, 143, 144
spine view in ultrasound, 363
spitting up, 270–271
spontaneous vaginal delivery. *See* vaginal delivery
 squatting position, 196
SSRIs (selective serotonin uptake inhibitors), 15
staples, surgical, 235
station of delivery, 116, 174, 185
STDs (sexually transmitted diseases), 86, 87, 219, 331
steam room, 45
stem cells, 131
steroids, 303
stillbirth, 316–317, 343
stitches, episiotomy, 230
stomach flu, 329
stool softener, 64, 81, 231, 233
stork bites, newborn skin, 215
stress
 contraction stress test (CST), 156
 mother's, 39, 48–49
 urinary, 119–120, 124, 232, 247

stretch marks, 56, 118–119
 subchorionic hemorrhage/collection, 91
 subcutaneous pump, 78
 sub-dermal implantable contraceptives, 19
 sub-fertility, 19
 suckling reflex, 258
 suctioning of mouth and nose, 200, 201
 sudden infant death syndrome (SIDS), 41, 252
 suitcase, packing, 132–133
 superficial thrombophlebitis, 120
 supine hypotension syndrome, 66
 supplements. *See* nutritional supplements
 support group. *See also* father's perspective
 baby blues support, 242
 cesarean operating room, 204
 delivery role, 195, 197
 feeding help from, 268
 multiple births, 267
 post-cesarean, 238
 potential members of hospital, 124–125
 surfactant secretions from baby's lung cells, 96
 sushi, 63
 swaddling, 219
 sweating, postpartum, 240
 swelling, 119, 130, 216, 231–232, 352
 syphilis test, 87
 systemic lupus erythematosus (SLE), 11, 337
 systemic medication methods, 186

• T •

tachycardia, 176
 tampons, 229
 Tay-Sachs disease, 84
 tear, perineal, 187, 198, 202
 teenage mothers, 279
 temperature, body, 21, 45, 69, 219
 Teratogen Information System, 40
 teratogenic medications, 13, 14, 15, 40, 338
 termination of pregnancy, elective, 139, 140, 290
 testing. *See* ultrasound exam; *specific tests*
 tetracycline, 15
 third stage of labor, 185, 201

third trimester
 amniotic fluid reduction, 65, 108, 127–128, 166
 bodily changes, 110–120
 complications, 126–132, 172
 father's perspective, 135
 fetal development, 54, 107–110
 hospital visit preparation, 132–134
 labor preparation, 120–124
 mother's weight-gain pattern, 53
 movements, fetal, 109, 164, 165
 perineal massage, 126
 placenta previa, 306
 placental abruption, 307
 prenatal visit schedule, 34, 126
 sexual activity, 48
 support team at hospital, 124–125
 testing, 128, 154–157, 165
 timing of labor, 125
 week-by-week guide, 163–166
 3-D ultrasound, 151, 366
 thyroid problems, 338–339
 timing of labor, 125
 tocolytics, 42, 302
 toes, newborn's, 215–216
 toxemia. *See* preeclampsia
 toxoplasmosis, 88, 310, 330
 tranquilizers, 13
 transabdominal CVS, 140
 transcervical CVS, 140
 transition phase of labor, 184–185
 transvaginal ultrasound, 89, 302
 transverse presentation, 108, 206, 287
 travel risks, 45–46
 triplets, 105, 280. *See also* multi-fetal pregnancy
 twins, 110, 165, 266–267, 279–283, 286–287.
 See also multi-fetal pregnancy
 twin-twin transfusion syndrome, 289

• U •

ulcerative colitis, 337–338
 ultrasound exam
 alpha-fetoprotein test follow-up, 143
 anemia in fetus, 314
 Doppler studies, 154, 157, 329
 due date confirmation, 31, 89

ectopic pregnancy detection, 92
 first trimester, 89, 161
 multi-dimensional, 151, 366
 multi-fetal pregnancy, 90, 281,
 282–283, 286
 myth of baby sexing accuracy, 32
 nuchal translucency (NT), 141, 283,
 361, 362
 preterm delivery prediction, 290, 302
 reasons for, 149
 safety of, 148
 second trimester, 106, 163, 362–366
 things to see on, 361–367
 third trimester, 128, 165
 workings of, 147

umbilical cord
 blood sampling from, 153
 collecting blood for donation, 131
 cutting, 210
 function of, 74
 myths about, 31
 nuchal cord, 201
 stump appearance, 216–217

underwear, 97

urinary catheter, 188, 204, 234

urinary stress incontinence, 119–120, 124,
 232, 247

urinary tract infection (UTI), 35, 80, 232

urination, 59, 79–80, 220, 261, 308

urine testing, 27, 35, 89, 304

urine-based ovulation predictor, 22

USDA Food Guide Pyramid (Web site),
 56–58

uterine atony, 208–209

uterine myoma, 335–336

uterine rupture, 180, 293–294

uterus
 dilation and curettage, 91, 92, 105, 209
 dropping of fetus, 115–116, 170
 first trimester fetal development, 73–76
 fundal height, 35, 36, 98, 310
 growth pattern, 98
 implantation of embryo, 20, 73
 internal fetal monitoring, 177
 postpartum shrinking of, 228, 234
 size issues in third trimester, 128–129
 UTI (urinary tract infection), 35, 80, 232

• **V** •

vaccination, 16–18, 46, 88

vacuum extractor delivery, 202, 203

vaginal delivery
 breech presentation, 205, 315–316
 after cesarean, 292–295
 episiotomy, 198–199
 large babies, 312
 operative/assisted, 202–203
 perineum repair, 187, 198, 202
 placenta delivery, 201
 process, 193–195, 200–201
 prolonged second-stage labor, 200
 pushing phase, 184, 188, 195–198, 351
 twins, 286–287

vaginal infections, 38, 331

varicella, 16, 18, 88, 321–322

varicella zoster immune globulin
 (VZIG), 321

varicose veins, 120

VDRL/RPR test, 87

vegetables food group, 57

vegetarian diet, 64

vernix caseosa, 212

vertex presentation, 108, 286–287

vertical incision for cesarean, 204

viability of fetus, 89, 96

vibracoustic stimulation, 157

vision, newborn's, 216

vitamin A, 14, 44, 61

vitamin B₆ for nausea, 78

vitamin C, 305

vitamin D, 60

vitamin E, 305

vitamin K, 219

vitamins. *See* nutritional supplements

vomiting, 270–271, 285

VZIG (varicella zoster immune
 globulin), 321

• **W** •

walking, 183, 245

walking epidural, 187–188, 189

water birth, 192

water intake
air travel, 46
amniotic fluid amount, 308
breast-feeding, 261, 267
cold and flu treatment, 322
constipation, 81
frequent urination, 80
importance of, 58
insomnia, 114
nausea, 79
postpartum, 246
stomach virus, 329
thirst in first trimester, 26
week-by-week guide, 159–166
weight, fetal, 54, 95, 107, 128–129, 310
weight, mother's
breast-feeding effect, 253, 261
checking at prenatal visits, 35
healthy weight gain, 51–53
multi-fetal pregnancy gain, 286
planning for pregnancy, 12–13, 22
postpartum, 231, 245–246, 352
sources of weight gain, 55
weight, newborn's, 41, 67, 217, 223, 279
weight-bearing exercises, 68–69

well-baby nursery, 221
When Mourning Breaks: Coping with Miscarriage (Hanson), 345
witch's milk, 216
womb. *See* uterus
Woods, James, Jr., *Loss During Pregnancy or in the Newborn Period*, 345
working outside home, 48–50, 253, 301

• X •

X-rays, dental, 47

• Y •

yeast infection, 38, 331
yoga, 69–70

• Z •

zero station, baby in, 116
Zofran (ondansetron), 78
zygosity study, 283
zygote, 73