

Index

- A**
- ab. *See* Apache Benchmark
 - ACCEPT rule, 286, 473
 - access control forms for
 - iptables, 272, 274
 - TCP wrappers, 272, 273
 - access control list. *See* ACL
 - access control rules
 - ACCEPT, 285
 - FORWARD, 286
 - INPUT, 286
 - REJECT, 285, 286
 - access control, trusted, 270
 - access controlling in Apache
 - .htaccess file, use of, 440, 441
 - .htpasswd file, use of, 441
 - htpasswd command, use of, 441
 - password protection, enabling of, 441
 - ACL (access control list)
 - for Apache, 433
 - use of, 287, 306
 - ACPI (Advanced Configuration and Power Interface), 232, 235
 - acpid daemon, 235
 - ADS (Active Directory Service) mode, 398
 - Advanced Maryland Automatic Network Disk Archiver. *See* Amanda
 - Advanced Power Management. *See* APM
 - allow ssh rule, 307
 - AllowOverride directive, 477
 - alternatives command, 488
 - alternatives system
 - defined, 486
 - GUI configuration tools, 491
 - MTA and, 486
 - MTAs switching process, 488, 489
 - rebooting aspects, 490
 - runlevel changes, 489
 - runlevels changes, 490
 - using PostFix MTA, 488, 490
 - using Sendmail MTA, 489
 - Amanda
 - backup aspects, 120
 - client/server, 120, 136
 - features, 120
 - overview of, 120
 - Anaconda
 - Fedora Core installer, 51, 52
 - Red Hat installation program, 16
 - Apache 1.3, 427. *See also* Apache 2.0
 - Apache 1.x to 2.0, migrating from
 - DirectoryIndex directive defaults, 439
 - RPM base package name, 439
 - security features, 439
 - VirtualHost blocks, copying, 439
 - Apache 1.x versions, 428
 - Apache 2.0
 - Apache 1.x, migration from, 439
 - API, 428
 - autoconf build system, 428
 - configuration files, 429
 - filtering, 429
 - for non-UNIX platforms, 428
 - IPv6 support, 428
 - libtool build system, 428
 - multilanguage error responses, 429
 - multiprotocol support, 428
 - Regular Expression Library, 429
 - security features, 439
 - simplified configuration, 429
 - UNIX threading, 427
 - Apache 2.0 tips and tricks
 - configuration file testing, 440
 - restarting versus reloading, 442
 - user access, controlling, 440
 - virtual host settings, 443
 - Apache Benchmark, 450, 452
 - Apache commands, 437
 - Apache compile-time options
 - httpd binary, use of, 443
 - httpd -l flag, use of, 443
 - httpd -V flag, use of, 443
 - MPM (multiprocessing module support), 444
 - suexec binary package, 444
 - Apache configuration files
 - /etc/httpd/conf.d/ directory, 430
 - httpd.conf file, 430
 - Apache configuring
 - configuration files, use of, 430
 - httpd.conf files, use of, 431
 - log files, 430
 - main server, 432
 - redhat-config-httpd tool, 437
 - Apache daemon, 442
 - Apache directories
 - /home/httpd/, 431
 - /var/www/cgi-bin/, 431
 - /var/www/html/, 431
 - subdirectories, 430
 - Apache for higher loads
 - benchmarking, 450
 - MaxClients directive, use of, 448
 - server status for performance tracking, using, 452

576 Index

- Apache HTTP server, 444
 - Apache log files
 - /var/log/httpd/access_log, 430
 - /var/log/httpd/error_log, 431
 - /var/log/messages, 431
 - apache migrations, 135. *See also* server migrations
 - Apache on Fedora Core, 429
 - Apache resources, 453
 - Apache RPM base package name
 - for Apache 1.x systems, 439
 - for Apache 2.x systems, 439
 - Apache server configuration file, 431
 - Apache server loads and hardware requirements
 - ATA drives, 449
 - ATA RAID cards, 450
 - dynamic content operations, 449
 - RAM, 449
 - SCSI hardware, 449
 - SCSI/RAID systems, 450
 - Apache subdirectories for SSL transactions
 - management
 - ssl.crt, 430
 - ssl.csr, 430
 - ssl.key, 430
 - Apache troubleshooting
 - DNS problems, 453
 - of access problems, 453
 - of permissions errors, 452
 - run time error generation, 453
 - virtual site, non-working of, 453
 - Apache Web directory permissions
 - chgrp solution, 445
 - for defining new virtual hosts, 444
 - relaxed permissions, 446
 - security through obscurity method, 447
 - user private groups, 447
 - API for Apache modules, 428
 - APM (advanced power management)
 - configuring, 233
 - in Fedora Core, 233
 - software, 232
 - apm command, 234
 - apmscript file events handling
 - change battery, 234
 - change power, 234
 - resume, 234
 - start, 234
 - stop, 234
 - suspend, 234
 - apt package manager, 14
 - apt-cache tool, 550
 - apt-rpm (apt-get) for Fedora upgrading, 51, 56
 - archiving file system/directory, 119
 - ash shell, 143
 - AT commands, 350, 353
 - ATA RAID cards for Apache, 450
 - ATA versus SCSI, 449
 - ATA/UDMA-based system for Apache, 450
 - ATAPI tape drives for backup, 110
 - ATI chipsets, 188
 - authentication
 - key-based, 456, 469
 - SSH-key based, 80
 - via SMTP-Auth, 503
 - authentication packets, 286
 - authoritative
 - name servers, 322
 - TTL values, 324
 - automated update. *See also* manual update; source update
 - up2date, using, 40
 - yum, using, 43
 - automatically mounted file systems, 214
 - autorefresh setting, 452
 - Autoyast, 541
 - axfr option, 331
- B**
- back door daemon, 242, 247
 - backing up system directories, 113
 - backup
 - backup agent method, 115
 - centralized, 109
 - examples, 122
 - interface, 111
 - LAN-free, 109
 - levels, 104, 117
 - management, 109
 - media types, 106
 - multiserver, 106
 - network, 109
 - related resources, 136
 - SAN (Storage Area Network), 109
 - server, 109, 121
 - strategy, 112
 - tools, 118
 - types, 99
 - backup agent method, 115
 - backup examples
 - tar with runlevel 4, scripting, 122
 - using dump, 125, 129
 - using tar, 122, 124
 - backup hardware. *See* backup media types
 - backup interface, dedicated, 111
 - backup levels
 - level 0, 104
 - level 1, 104
 - levels 2–9, 104
 - runlevel 4, 117
 - backup management, centralized, 109
 - backup media tips
 - dedicated backup interface, 111
 - IDE/ATAPI tape drives, 110
 - SCSI tape drives, 110, 111
 - tape drive cleaning, 111
 - tape drive error flash codes, 111
 - backup media types
 - comparison, 108
 - medium- to large-scale backup, 109
 - network backups, 109
 - small-to-medium, 108

- backup server
 - centralized, 121
 - multiserver, 106
 - use of, 106
 - backup strategy
 - backup hardware tips, 110
 - backup media types, 106
 - backup processes and policies, 112
 - data to be backed up, 112
 - for databases, 115
 - for Linux system, 114
 - for operating system (OS), 113
 - level-based backups, 103
 - off-site storage, 112
 - overview, 103
 - retention times, 112
 - shutting off services, 117
 - system config files for total system backup, 114
 - tape drives setting, 116
 - tape rotation aspects, 112
 - TOH (Tower of Hanoi) backup, 104
 - backup tools
 - Amanda client/server, 120
 - dump/restore programs, 119
 - find command, use of, 121
 - mt command, use of, 121
 - Star, 119
 - tar, 119
 - backup types
 - differential, 102, 103
 - full, 100
 - incremental, 101, 103
 - baseline, RPM, 249
 - bash shell tuning, 144
 - bash shell, 143, 253
 - benchmarking tools
 - Apache Benchmark, 450, 452
 - baselining, 452
 - bottleneck testing, 452
 - website hammering, 452
 - Berkeley Internet Name Domain. *See* BIND
 - binaries, 245, 255
 - BIND (Berkeley Internet Name Domain)
 - DNS server reinstalling, 114
 - DNS server, 311, 317
 - installing, 315
 - resources, 338
 - BIND/DNS servers, 311
 - BIND9
 - bug, 333
 - name server, 318
 - resources, 339
 - troubleshooting, 316, 334
 - BIND9 directory structure
 - chroot mode, 316
 - configuring, 316
 - BIND9 DNS server
 - master, 316
 - slave, 328
 - BIND9 running
 - in chroot mode, 332
 - ps command, use of, 333
 - BIND9 security
 - access control lists, 331
 - DNSSEC, 331
 - RNDC and TSIG, 331
 - settings, 331
 - Split DNS, 331
 - transaction signatures, 331
 - BIOS set up, 88
 - BIOS, 66
 - bonnie
 - command, 226
 - tool, 226
 - bonnie testing activities
 - busy system, 226
 - data blocks reading and writing programs, 226
 - database applications, 226
 - single characters reading and writing programs, 226
 - boot CD creating
 - easy way, 91
 - not-so-easy way, 92
 - boot disk for Linux installation, 22
 - boot floppies, customized
 - creating, 88
 - customization information, 94
 - boot floppies, Red Hat, 85
 - boot loader
 - GRUB, 159
 - GRUB, 21, 35, 159
 - LILO, 21
 - boot media
 - for installing kickstart, 85
 - isolinux, 66, 89, 92, 93
 - syslinux, 66, 95, 97
 - boot prompt troubleshooting
 - kernel installation options, trying, 31
 - overview, 29
 - Red Hat installation, trying, 30
 - boot server DHCP/BOOTP, 66
 - Bourne shell (sh), 144
 - Bugzilla facility for
 - countering Linux installation failures, 27
 - fixing bugs, 16
 - reporting bugs, 15
 - searching bugs, 15
 - burning errors, CD, 91
 - BusyBox, 253
- C**
- C shell (csh), 144
 - caches
 - disk read-ahead, 227, 228
 - disk write-back, 227
 - caching name servers, 324
 - CD
 - burning errors, 91
 - customization, 94
 - CD boot. *See* boot CD
 - CD installs testing, 95. *See also* floppy installs testing

578 Index

- CDC ACM specification, 346
 - CD-ROM for
 - Linux installation, 24
 - network installing, 71
 - CD-RW for backups, 106, 108
 - centralized backup management, 109
 - centralized server
 - backup server, 121
 - web server, 84
 - cfdisk command, 219
 - chain of rules
 - ACCEPT rule, 288, 289, 291
 - ACCEPT, 285, 286
 - DROP rule, 289, 290, 296
 - FORWARD chain, 287, 298
 - FORWARD rule, 296
 - INPUT chain, 287
 - PREROUTING chain, 297
 - QUEUE rule, 289
 - REJECT rule, 289, 290, 291
 - REJECT, 285
 - RETURN rule, 289
 - RH-Firewall-1-INPUT chain, 286, 287, 290
 - rules testing, 289
 - change attribute (chattr), 243
 - chattr (change attribute), 243
 - chattr command, 249
 - chgrp solution, 445
 - chipsets for PCI modems, 343
 - chipsets troubleshooting
 - 3dfx, 187
 - ATI, 188
 - Intel i810, 187
 - NVIDIA, 187
 - chkconfig command for alternatives system, 488, 489
 - chkconfig command, 438
 - chkconfig running levels, 529
 - chkconfig tool for
 - alternatives system, 492
 - sshd service, 466, 467
 - chkrootkit package, 251
 - chroot mode for running DNS server, 332
 - clear text protocol, 455. *See also* encrypted text protocols
 - client/server
 - backup package, 120
 - technology, 66
 - command-line interpreter, shell, 139
 - commands, shell. *See* shell commands
 - comment methods
 - C style, 317
 - C++ style, 317
 - Unix style, 317
 - Common UNIX Printing System. *See* CUPS
 - compromised machine, resecuring, 261
 - compromised system, 249, 258, 259
 - config files, 72, 114, 120
 - configtest command, 438
 - configuration file testing , Apache, 440
 - configuration files
 - /etc/vim/vimrc, 556
 - for Apache 2.0, 429
 - for Sendmail, 494
 - controller-based modems, 342. *See also* winmodems
 - controller-based PCI modems, 343, 346
 - controller-less modems. *See* winmodems
 - cracker
 - detecting, 243
 - rootkit, 252
 - tools, 258
 - virus scanner, 251
 - cracking, 242
 - critical security patches, 262
 - csh shell, 144
 - CUPS (Common UNIX Printing System)
 - footmatic software package, 360
 - for Fedora Core, 359
 - troubleshooting, 359
 - CUPS daemon, 360, 368, 381
 - CUPS Web configuration tool, 368
 - customization, network install floppy and CD, 94
 - customized boot floppies, 88
 - customized OS install template, building, 74
 - CustomLog directive, 434
 - cyber-squatting, 315
- D**
- daemon
 - access control, 275
 - Apache, 442
 - cupsd, 360, 381
 - firewall, 269
 - for non-Red Hat distributions, 277
 - for Red Hat distributions, 276
 - FTP, 456
 - host access control, 272
 - httpd, 443
 - named, 315, 316
 - TCP wrappers, 275
 - daemon level config file service, 273
 - data security using TOH backup, 106
 - databases backing up options
 - backup agent, 115
 - freeze, copy, and back up, 115
 - shutting off services, 115, 117
 - stop, copy, and back up, 115
 - Debain reportbug package, 572
 - debconf scripts, 557
 - Debian 3.0 Woody system, installing, 560
 - Debian archives, 549
 - Debian basics
 - alternative init systems, 564
 - Debian archives, 549
 - finding packages, 550
 - Graphical administration systems, 564
 - package conventions, 564
 - packages managing aspects, 551-558
 - runlevels managing
 - Debian CD-ROMs
 - alternative installation CDs, 548
 - rescue CDs, 547

- Debian commands, 562-563
- Debian debugging tools
 - Ddd, 569
 - gdb, 569
 - ltrace, 569
 - strace, 569
- Debian family tree
 - Debian/Sid, 546
 - Debian/stable, 545
 - Debian/testing, 546
 - Debian/unstable, 547
 - Sarge, 546
- Debian file system tools
 - e2fsprogs, 566
 - parted, 566
 - reiserfsprogs, 566
 - util-linux, 566
 - xfsdump, 566
 - xfspg, 566
- Debian GNU/Linux troubleshooting, 545
- Debian installing
 - hardware detection and setup, 548
 - packages, picking of, 548
 - post-installation tasks, 549
 - run package installation programs, 548
- Debian Linux distribution, 243
- Debian network tools
 - dnsutils, 567
 - iputils-ping, 567
 - iputils-tracepath, 567
 - monit, 567
 - mtr-tiny, 567
 - netcat, 567
 - netcat6, 567
 - openssl, 567
 - ssh, 567
 - tcptraceroute, 567
 - telnet-ssl, 567
- Debian package documentation, 569
- Debian packages managing
 - configuration file, handling of, 553
 - debconf, use of, 557
 - dpkg commands, 558
 - installation upgrading, 560
 - packages, installing, 551
 - packages, removing, 553
- Debian packages troubleshooting
 - debugging tools, 569
 - file system tools, 566
 - moving from Fedora to Red Hat, 565
 - network tools, 567
 - system integrity tools, 568
- Debian system integrity tools
 - aide, 568
 - amanda-client, 568
 - amanda-server, 568
 - checksecurity, 568
 - chkrootkit, 568
 - Debsums, 568
 - duplicity, 568
 - rsync, 568
 - tar, 568
- debsums program for intrusion detection, 243
- dedicated backup interface
 - SCSI bus, 111
 - SCSI card, 111
- deleted file, recovering, 216
- demilitarized zone. *See* DMZ
- dependencies
 - RPM packages, 197
 - software packages, 197
- desktops loads, locking
 - enterprise desktop needs, identifying, 73
 - overview, 73
- Device section, 179. *See also* screen section
- df command, 213
- DHCP configuration, 528
- DHCP/BOOTP boot server, 66
- DHCP/BOOTP protocols, 66
- dial-up modem configuring, 349
- dial-up modem, 347
- differential backups, 102, 103. *See also*
 - incremental backups
- dig command, 322, 331, 334
- Digital Linear Tape (DLT), 109
- direct memory access. *See* DMA
- Direct Rendering Infrastructure (DRI), 186
- director backing up, 113
- Directory directive, 435, 440
- directory structure, BIND9, 316
- DirectoryIndex directive, 434, 439
- disk partitioning
 - for Lniux installation, 21
 - problems, 33
- disk performance troubleshooting references, 237
- disk read-ahead caches, 227, 228
- disk tuning options, 231
- disk write-back caches, 227
- disk-to-disk server migration, 133
- Display Settings window, 172, 173
- DLT (Digital Linear Tape), 109
- DMA, hard disk transfer modes of
 - multiword DMA (MDMA), 229
 - Programmed I/O (PIO), 229
 - ultra DMA (UDMA), 229
- DNS (Domain Name Service)
 - caching name services, 324
 - configuring tips, 328
 - domain names, 326
 - history and theory, 311
 - hosting, 314
 - IP addresses, 311, 313, 326
 - name service tools, 321
 - records, 311, 315
 - recursive requests, 324
 - registering, 314
 - resources, 339
 - security aspects, 331
 - troubleshooting tools, 338
 - working, 312

580 Index

- DNS caching
 - defined, 314
 - IP address information, 314
 - TTL (Time to Live) value, 314
 - DNS hosting, 314
 - DNS records, 311
 - DNS servers
 - master and slave, 313
 - master server, 315
 - slave BIND9, 328
 - whois server, 337
 - DNS structure
 - namespace, 312
 - resolver, 312
 - TLD (top-level domain) servers, 313
 - top-level domains, 312
 - DNS troubleshooting
 - /etc/named.conf files, 316, 329
 - BIND9 directory, 316
 - comment methods, 317
 - directory setting, 317
 - issues, 334
 - localhost zone file, 320
 - master server, configuring, 315
 - overview, 311, 315
 - slave server, configuring, 328
 - TTL, 320
 - zone file troubleshooting, automated DNS, 338
 - zone file, 318
 - DNS zone file troubleshooting, automated, 338
 - document root directory of Apache, 431
 - Domain Name Service. *See* DNS
 - domain names, registering, 314
 - dpkg commands
 - dpkg -i, 559
 - dpkg -l, 558
 - dpkg -L, 559
 - dpkg -r, 558
 - dpkg -S, 560
 - dpkg-reconfigure command, 557
 - DRI (Direct Rendering Infrastructure), 186
 - dual-home network firewall iptables, 296
 - dual-homed firewall. *See also* single-homed firewall
 - network firewalls, 293
 - routing firewall, 294
 - use of, 271
 - dual-key encryption, 464
 - dump command
 - as backup package, 125
 - file restoring aspects, 130
 - for level 0 backup, 125
 - local dump session, usage for, 125
 - using remotely, 129
 - using runlevel 4, 125
 - using script, 126
 - using TOH backup plan, 125
 - dump using
 - locally, 125
 - remotely, 129
 - dump/restore command, 130
 - dump/restore programs for backups, 119
 - dump/restore version 0.4b34, 120
 - DVD+/-RW for backups, 106, 108
 - dynamic content operations, 449
 - dynamic IP configuration, 511
 - dynamic port, 266
- ### E
- e-mail aliases
 - abuse, 498
 - help, 498
 - postmaster, 498
 - e-mail server troubleshooting, 485
 - encrypted FTPs
 - FTP-SSL, 455
 - SecureCopy, 455
 - SecureFTP (sftp), 455
 - WebDAV over SSL, 455
 - encrypted text protocols, 455. *See also* clear text protocol
 - encryption, dual-key, 464
 - end-of-life dates for Red Hat Linux, 59
 - environmental variables, configuring, 460
 - ephemeral ports, 266
 - error codes, 111
 - ethereal
 - as troubleshooting tool, 164
 - for rpnliter access troubleshooting, 376
 - executable files, 261
 - exportfs command, 414
 - ext3 file system, repairing, 218
- ### F
- fdisk command, 212, 219, 221. *See also* cfdisk command; sfdisk command
 - Fedora
 - announcements, 13
 - documentation, 11
 - for Linux troubleshooting, 4
 - IRC channel, 13
 - Linux, 4
 - mailing lists, 13
 - open-source community and, 15
 - Project, 4, 9, 11, 13
 - public keys, 194
 - software repositories, 521
 - software updates, 13
 - updating, 40
 - Fedora Configuration Tools Project, 16
 - Fedora Core
 - anaconda install, 88
 - Apache package, 428
 - automated updating aspects, 40
 - boot images, 86
 - firewall mechanisms, 272
 - for desktop, 5
 - for Linux servers, 6
 - for Linux workstation, 8
 - for specialized Linux systems, 8
 - FTP mirror sites, 85
 - GPG keys, 194
 - kickstart install, 88
 - mirror sites, 85

- OpenSSH and, 463
- PostFix MTA, 485
- printer settings, 364
- printer sharing features, 371
- repositories, 56
- suexec and, 444
- video, keyboard, and mouse, configuring, 171
- window managers, 170
- Fedora Core 2, kernel, 10
- Fedora Core Linux
 - intrusion detection tools, 242
 - kickstart provisioning server, 83
 - operating system, 10
- Fedora Core memory amounts
 - for graphical mode, 23
 - for text mode, 23
- Fedora Core updating. *See also* Fedora Core upgrading
 - automated updates, 40
 - manual updates, 40
 - security and stability concerns, 39
 - source updates, 40
- Fedora Core upgrading. *See also* Fedora Core updating
 - apt-rpm (apt-get), 51, 56
 - using the Fedora Core installer, 51, 52
 - using yum (Yellowdog Updater, Modified), 51, 55
- Fedora Core versions
 - Fedora Core 1, 4, 9, 11
 - Fedora Core 2, 10
- Fedora facts
 - Fedora and Red Hat Linux, 4
 - Fedora Core 1 as a solid Linux system, 4
 - Red Hat Enterprise Linux and Fedora, 5
 - Red Hat Inc. and Fedora, 4
- Fedora installation
 - disk partitioning problems, 33
 - hardware choosing aspects, 23
 - installation problems, 27
 - list of choices, 20
 - RAM installing aspects, 23
 - RAM testing, 24
 - reference information, 37
- Fedora Internet Relay Chat (IRC)
 - Fedora development chat, 14
 - Fedora general chat, 13
 - Fedora problem reporting chat, 14
- Fedora Legacy Project, 60
- Fedora Linux
 - Desktop, 5
 - Servers, 6
 - Workstation, 8
- Fedora Project's Bugzilla facility, 15
- Fedora Projects features
 - Anaconda, Red Hat Installation Program, 16
 - Configuration Tools Project, 16
 - Desktop Project
 - IRC channels, 13
- Fedora software packages
 - apt package manager, 14
 - Fedora Alternatives, 15
 - Fedora Extras, 15
 - Fedora Legacy, 15
 - up2date, 14, 40
 - yum package manager, 14
 - yum, 43
- Fedora troubleshooting of
 - desktop, 5
 - servers, 6
 - specialized Linux systems, 8
 - workstation, 8
- Fedora updating ways
 - automated updates, 40
 - manual updates, 46
 - source updates, 51
 - update problems, troubleshooting, 51
- Fedora versions
 - Fedora Core 1, 9
 - Fedora Core 2, 10
- Fedora-release package, upgrading, 56
- fibre channel, SAN, 109
- file alteration
 - defined, 243
 - monitoring, 242
- file integrity monitoring, 243
- file system
 - checking, 218
 - creating, 219, 220
 - deleting, 219
 - modifying, 219
 - mounting, 220
 - troubleshooting references, 236
- file system checking
 - bad blocks, 218
 - fsck running, 218
- file system/directory archiving, 119
- file systems types
 - automatically mounted, 214
 - manually mounted, 214
 - Pseudofile, 214
- file transfer methods
 - FTP, 455
 - multiple servers, 480
 - network-based tar backups, 479
 - scp, 456
 - sftp, 456
 - WebDAV, 457
- File Transfer Protocol. *See* FTP
- file transfer resources
 - ssh/scp/sftp suite, 483
 - VSFTPD, 484
 - WebDAV on Apache, 483
- file transfer troubleshooting
 - key-based authentication, non-working, 482
 - permission denied errors, 482
 - sshd daemon logging, 482
 - WebDAV not working, 483
- files restoring, 129
- filter drivers, 361
- filter table, 286, 295
- find command
 - for backup, 121
 - for intrusion detection, 261

582 Index

- firewall
 - access control features, 270
 - DMZ (demilitarized zone), 270
 - dual-homed, 271, 293
 - enterprise-level, 265
 - for Linux system, 22, 272
 - internetwork, 273
 - iptables-based, 271, 282, 293, 301
 - NAT, 294
 - network, 293
 - personal, 265, 283
 - services and daemons, 269
 - single-homed, 270
 - stand-alone, 270
 - state triggers, 292
 - third-party solutions, 274
 - troubleshooting, 265
 - using TCP wrappers, 270
 - firewall resources
 - iptables, 308
 - TCP wrapper, 308
 - TCP/IP, 307
 - firewall rules, building
 - manually entering and saving rules, 295
 - NAT/PAT setting, 296
 - firewall services. *See also* TCP wrapper services
 - domain, 269
 - ftp, 269
 - http, 269
 - https, 269
 - ipp, 269
 - mysql, 269
 - nfs, 269
 - smtp, 269
 - ssh, 269
 - sunrpc, 269
 - firewall theory
 - IP address, 266
 - IP stack, 266
 - port assignments, 267
 - TCP/IP packet structures, 267
 - firewall tools
 - CD-bootable, 274
 - Guarddog, 274
 - SmoothWall Express, 274
 - firewall tools, graphical
 - Firestarter, 303
 - firewall distributions, 302
 - FrazierWall, 303
 - KMYFirewall, 303
 - Shorewall, 303
 - SmoothWall, 302
 - firewalling
 - configurations, 74
 - stateful firewalling, 290
 - TCP/IP, 267
 - use of, 272
 - fish library, 481
 - floppies as boot media, 90
 - floppy and CD customization, 94
 - floppy installs testing, 94. *See also* CD installs testing
 - font modules
 - freetype, 179
 - speedo, 179
 - type1, 179
 - xft, 179
 - foomatic package components
 - backend filter, 361
 - database, 360
 - PostScript Printer Description (PPD) file, 361
 - FORWARD chain, 286, 298
 - forward lookups, defined, 326. *See also* reverse lookups
 - FORWARD rule, 286
 - foundational security, 257, 261
 - FQDN (fully qualified domain name), 435, 495
 - freeze, copy, and back up method, 115
 - fsck running, 218
 - FTP (File Transfer Protocol)
 - access blocking aspects, 459
 - daemon, 456, 457
 - installs, 85
 - iptables and, 462
 - nonpassive, 461
 - passive, 461, 462
 - problems, 461
 - protocols, 96
 - session tracking, 461
 - FTP configuring and using
 - environmental variables, configuring, 460
 - FTP access, restricting, 459
 - netstat command, use of, 459
 - passive, 461
 - vsftpd daemon, installing, 458
 - vsftpd daemon, running, 458
 - FTP-based boot media installing, 71
 - full backup, 100
 - fully qualified domain name (FQDN), 435, 494
- ## G
- GhostScript drivers, 361
 - GID. *See* group ID
 - global environment configuration for Apache, 431
 - GNOME. *See also* KDE
 - desktop, 5, 170
 - Terminal window, 140, 142
 - Terminal, 143
 - GNU Privacy Guard (GPG) keys, 194
 - GPG (GNU Privacy Guard) keys
 - importing, 195
 - overview of, 194
 - viewing, 194
 - GPG signature, 196
 - graphical firewall tools, 302
 - graphical installation, 29
 - graphical user interface. *See* GUI
 - graphics drivers, third-party, 59
 - grep filter, 252
 - group ID (GID), 447. *See also* user ID; user
 - private groups
 - GRUB boot loader, 21, 35, 159
 - gtop window, 154

- GUI (graphical user interface)
 - administration tools, 564
 - configuration tool, 474, 491
 - for Apache configuring, 437
 - for modem setting, 349
 - keyboard, 169
 - mouse, 169
 - printer administration, 380
 - redhat-config-securitylevel, 474
 - utility, 72
 - video, 169
- H**
- hard disk for backups, 106, 108
- hard disk settings, changing
 - benchmarking changes, 224
 - Bonnie, use of, 226
 - timing reads, 224
 - timing writes, 225
 - use of hdparm command, 224
- hard disk transfer modes
 - multiword DMA (MDMA), 229
 - Programmed I/O (PIO), 229
 - ultra DMA (UDMA), 229
- hard disk troubleshooting
 - hard disk settings, changing, 224
 - hard disk, getting information about, 221
 - hdparm settings, 232
- hard disk, getting information about
 - geometry, 222
 - IO.support, 221
 - keepsettings, 222
 - multcount, 221
 - readahead, 222
 - readonly, 222
 - unmaskirq, 221
 - using_dma, 222
- hdparm
 - for changing hard disk settings, 224
 - settings, 232
- hdparm command
 - A option, 228
 - d option, 230
 - for power management, 232, 235
 - l option, 222
 - i option, 222, 230
 - t option, 224
 - T option, 224
 - Tt option, 224
 - y option, 236
 - Y option, 236
- HIDS. *See* host intrusion detection systems
- homes directory sharing, troubleshooting, 399
- host access control files
 - /etc/hosts.allow, 273, 277, 281
 - /etc/hosts.deny, 273, 277, 280
- host command, 322, 327
- Host Controller (HCF) modem, 341
- host intrusion detection systems (HIDS), 242
- host intrusion detection systems (HIDS), installing, 261
- host-based intrusion detection, 253
- hosting, name-based, 435
- HostnameLookups directive, 434
- hosts.allow file, 278. *See also* host access control files
- hosts.deny file, 278. *See also* host access control files
- .htaccess file, 441, 442, 475
- htpasswd command, 441
- .htpasswd file, 441, 442, 475, 477
- HTTP
 - installs, 85
 - protocols, 96
 - server for yum configuring, 45
- httpd daemon, 443
- httpd.conf file
 - /etc/httpd/conf.d, 429, 430
 - /etc/httpd/conf/httpd.conf, 435
 - for Apaches global environment configuring, 431
 - for main server configuring, 432
 - for virtual hosts, 435
- I**
- IDE tape drives for backup, 110
- IDE/ATAPI interface, 110
- IDS. *See* intrusion detection systems
- incremental backups, 101, 103. *See also* differential backups
- info command, 12
- INPUT chain, 286
- INPUT rule, 286
- InputDevice section, 177
- Intel i810 chipsets, 187
- Internet Relay Chat (IRC), 13
- Internet service providers. *See* ISP
- internetwork firewall, 273
- intrusion detection
 - chkrootkit scans, use of, 251
 - cracker detecting, 243
 - file alteration monitoring, 242
 - file-system-level forms, 242
 - host-based IDS (HIDS), 242
 - network-based IDS (NIDS), 242
 - overview, 241
 - resources, 262
 - rootkit, 242
 - RPM baseline, creating, 249
 - system scanning, automating, 252
- intrusion detection systems (IDS)
 - host-based (HIDS), 241
 - network-based (NIDS), 241
 - network-node-based (NNIDS), 242
- intrusion detection tools
 - chkrootkit, 251
 - file system tools, 243
 - Portsentry, 245, 255
 - Red Hat Package Manager (RPM), 242
 - SNARE, 245
 - Snort, 244
 - system watching, 243
 - third-party tools, 244

584 Index

- intrusion forensics, 248
 - intrusion troubleshooting
 - compromised system, 259
 - cracking aspects, 258
 - security foundation, 261
 - threatening ISP, 260
 - IP (Internet Protocol)
 - addresses, 311
 - datagram structure, 268
 - ip forwarding, 270
 - ipchains, 274, 305
 - ipop3 service, 508
 - iptables
 - access control mechanism, 272
 - command, 284
 - configurations, 74, 283
 - for trusted network, 270
 - kernel modules, 291
 - overview, 274
 - passive FTP and, 462
 - rule for ssh, 474
 - rules, 288
 - security settings, 298
 - single server access control, 281
 - iptables troubleshooting
 - denied access, 306
 - ipchains, conflict with, 305
 - overview, 304
 - packet forwarding, enabling, 304
 - SSH access denied, 304
 - iptables types
 - filter, 285, 295
 - mangle, 285
 - nat, 285
 - iptables-based firewall, 282, 293
 - iptables configuration
 - /etc/sysconfig/iptables configuring, 286
 - iptables rules, testing, 288, 289
 - overview, 282
 - RH-Firewall-1-INPUT chain, 287, 290
 - stand-alone server, 283
 - using /etc/sysconfig/iptables file, 283
 - iptables rule, target value of
 - ACCEPT, 289
 - DROP, 289
 - QUEUE, 289
 - RETURN, 289
 - IPv4
 - forwarding, 296
 - networking, 78
 - IPv6
 - encryption, 286
 - support for Apache 2.0, 428
 - IRC (Internet Relay Chat), 13
 - iSCSI, 109
 - ISO images, 19
 - isolinux boot media, 66, 89, 92, 93
 - ISP (Internet service providers),
 - running, 324
- K**
- KDE. *See also* GNOME
 - desktop, 5, 170
 - Konsole Terminal window, 142
 - Terminal window, 142
 - kernel
 - 2.6 kernel, 10
 - boot media and, 90
 - for Linux installation, 20
 - installation options, 31
 - kernel options after installation
 - at boot time, 35
 - to GRUB boot loader, 35
 - key pair generation
 - private, 469
 - public, 469
 - key-based authentication
 - for scp, 469
 - for sftp, 469
 - for ssh, 471
 - key pair generation, 469
 - keyboard configuring, 171, 173, 177
 - kickstart
 - automated provisioning system, 66
 - feature, 35
 - install boot media, 85
 - installations, 27
 - server installing, 82
 - server, 71
 - kickstart boot media, network install
 - options
 - custom or stock boot CD, 87
 - custom or stock boot floppy, 87
 - LAN PXE boot solution, 88
 - kickstart boot media, testing
 - CD installs, 95
 - floppy installs, 94
 - kickstart file
 - centralizing, 83
 - config files, 66, 67
 - for network installing, 70
 - generating, 67
 - saving, 73
 - standardizing, 83
 - kickstart file parts
 - Install Command Area, 66
 - New System Packages Area, 67
 - Post-Install Script, 67
 - Pre-Install Script, 67
 - kickstart provisioning
 - boot media creating, 86, 87, 88
 - problems, 96
 - server creating, 82
 - kickstart provisioning boot media,
 - creating
 - customized boot floppy, creating, 88
 - Fedora Core boot images, use of, 86
 - floppy and CD customization aspects, 94
 - network install boot CD option, 90
 - network install options, 87
 - Red Hat boot images, use of, 85

- kickstart technology
 - overview, 65
 - using Anaconda client program, 66
 - using isolinux boot media, 66
 - using syslinux boot media, 66
- kickstart template file
 - creating, 66
 - saving, 73
 - using Red Hat kickstart configuration tool, 71
- kickstart template locking down
 - additional system, 79
 - networking/ip stack settings, 78
 - overview, 74
 - unnneeded services, shutting off, 75
- kickstart troubleshooting
 - kickstart provisioning problems, 96
 - references, 98
- kickstarting, 65
- kill processes, 156
- Konsole Terminal window, 140
- Korn shell (ksh), 144
- ks.cfg file, 66. *See* kickstart file
- ksh shell, 144
- kudzu
 - for hardware detection, 159
 - modem installing, 343
- L**
- LAN
 - hosting, 330
 - PXE boot solution, 88
- LAN-free backup, 109
- laptop
 - power settings, 232
 - using boot media, 90
- laptop installations problems
 - boot failure, 27
 - intalling problems on notebooks, 27
- LDP (Linux Documentation Project), 570
- LED error codes, 111
- LED flash codes. *See* LED error codes
- legacy operating systems (OS), 59
- level 0, backup, 104, 125
- level 1, backup, 104
- levels 2-9, backup, 104
- levels of backups. *See* backup levels
- libwrap support, 273, 276
- LILO boot loader, 21
- Linear Tape Open standard (LTO), 109
- linmodems, 341, 342, 343. *See also* winmodems
- Linux
 - backup, 136
 - driver for winmodem, 343
 - Fedora, 4
 - firewall mechanisms, 272
 - intallation, Red Hat Linux, 20
 - kernel, 274
 - modem drivers, 342
 - modem reference, 355
 - using iptables-based firewalling, 274
 - using TCP wrappers-based firewalling, 273
 - workstation, 8
- Linux booting
 - kernel options after installation, 35
 - rescue mode, entering, 36
- Linux distribution
 - Debian, 545
 - instrusion detection tools, 242
 - SUSE, 523
- Linux Documentation Project (LDP), 570
- Linux file systems, troubleshooting
 - overview, 211
 - partitions and file system, checking of, 212
 - partitions and file system, troubleshooting, 215
- Linux hardware choosing aspects
 - CD-ROM installation, 24
 - laptop installing problems, 27
 - RAM installation, 23
 - video cards installation, 25
- Linux installation problems
 - CD drive not booting, 28
 - CD drive not found, 28
 - from boot prompt, 29
 - no CD drive, 29
 - nonbootable CD drive or floppy, 28
 - not bootable CD drive, 28
 - PXE (Preboot eXecution Environment), use of, 28
 - unreadable screen, 29
- Linux installation problems, overcoming
 - disk partitioning, 33
 - from boot prompt, 29
- Linux installation types
 - graphical, 29
 - text-based, 29
- Linux installation, troubleshooting
 - failures in Linux installing, countering, 27
 - Fedora, 20
 - hardware choosing, 23
 - installation problems overcoming, 27
 - Linux booting, 35, 36
 - reference installation, 37
 - tips for, 34
- Linux installation, choices list for
 - boot disk, 22
 - configure networking, 22
 - disk partitioning, 21
 - firewall, 22
 - GRUB boot loader, 21
 - install type, 21
 - Keyboard, 20
 - language, 20
 - LILO boot loader, 21
 - media checking, 20
 - monitor, 20
 - mouse, 20
 - packages, 22
 - root password, 22
 - upgrade options, 20
- Linux operating system, Fedora Core, 10

586 Index

- Linux ports, 266
 - ephemeral or dynamic, 266
 - registered, 266
 - reserved or well-known, 266
 - Linux printer
 - commands, 380
 - references, 383
 - Linux server/machine talking to centralized
 - backup SAN, 110
 - Linux system back up, making, 114
 - Linux system, commonly attacked files on
 - /bin/login, 248
 - /bin/ls, 248
 - /bin/netstat, 248
 - /bin/ps, 248
 - /sbin/ifconfig, 248
 - /usr/bin/chattr, 248
 - /usr/bin/passwd, 248
 - Linux troubleshooting tips
 - grabbing install screens, 34
 - partitions changing, 34
 - Release Notes, reading, 34
 - virtual consoles, 34
 - list attribute, 249
 - Listen directive, 429
 - loaded modules, checking, 160. *See also*
 - modules loading
 - localhost zone file, 320, 324
 - lock down measures
 - iptables/firewall service restrictions, 80
 - SSH-key based authentication, 80
 - locking down desktop and servers
 - % postscript, 80
 - desktop needs identifying, 73
 - server needs identifying, 74
 - template installs locking, 74
 - log file
 - Apache, 430
 - for Sendmail problems diagnosing, 503
 - monitoring, 244
 - logical volume manager (LVM), 536
 - login commands
 - rlogin, 163
 - ssh, 163
 - telnet, 163, 165
 - logwatch automated monitoring service, 243
 - lpadmin command, 382
 - lpoptions command, 378
 - lsattr command, 249
 - lsmod command, 160
 - LTO (Linear Tape Open standard), 109
 - LVM (logical volume manager), 536
- M**
- mail
 - bounces problems, 511
 - Mail Transfer Agent. *See* MTA
 - redirecting, 499
 - relaying, defined, 503
 - server misconfiguration, 510
 - servers overview, 485
 - mailing lists, 27
 - man command, 12
 - manual update formats
 - non-security-related update, 48
 - security-related update, 46
 - manual update, 40, 46. *See also* automated
 - update; source update
 - manually mounted file systems, 214
 - master and slave DNS servers, 313
 - master boot record (MBR), 115
 - master DNS server, configuring, 315
 - master PostFix daemon, 515
 - master server, defined, 313
 - MaxClients
 - directive, 448
 - setting, 432, 448
 - MBR (master boot record), 115
 - MD5sum
 - defined, 243
 - for files validity tracking, 243
 - for RPM baseline, creating, 250
 - use of, 248
 - MDMA (multiword DMA), 229
 - medium- to large-scale backup, 109. *See also*
 - small-to-medium backup
 - metapackages, 70
 - minicom command
 - for changing modem settings, 352
 - for modem testing, 351
 - starting, 351
 - using, 350
 - mkswap command, 535
 - modem
 - configuring in kudzu, 345
 - controller-based, 342
 - dial-up, 347, 349
 - drivers, Linux-based, 342
 - Host Controller (HCF), 341
 - linmodems, 341
 - PCI, 342
 - probing and trying, 347
 - troubleshooting resources, 355
 - winmodems, 341
 - modem settings
 - permanent settings, 354
 - via minicom command, 352
 - modem troubleshooting tips
 - dead modem, 354
 - modem keeps disconnecting, 355
 - modem not detected, 354
 - modem performs slowly, 354
 - not getting a dial tone, 355
 - not logging in, 355
 - modem, choosing
 - overview, 342
 - PCI modems, 342
 - serial modems, 347
 - USB modems, 346
 - modem, setting up
 - through GUI, 349
 - with minicom, 350

- modem, setting up steps for
 - dial-up modem configuring, 349
 - on Fedora desktop, 349
 - modinfo command, 160
 - modprobe command, 161
 - module configuration
 - dbe, 178
 - dri, 179
 - extmod, 178
 - fbdevhw, 178
 - font modules, 179
 - glx, 178
 - record, 179
 - Module section, 178. *See also* Device section
 - modules loading, 161. *See also* loaded modules, checking
 - monitor configuring, 171, 177
 - Monitor section, 177
 - mouse
 - buttons remapping, 189
 - configuring, 171, 173, 176
 - troubleshooting tips, 188
 - Mouse Configuration window, 189
 - MPM (multiprocessing module support), 444
 - mt command for backup, 121
 - MTA (Mail Transfer Agent)
 - alternatives system and, 486
 - PostFix, 511
 - sendmail configuration, 493
 - Sendmail, 493
 - MTA binary, 487
 - multi-homed network firewall configurations, 283
 - multiprocessing module support (MPM), 444
 - multiserver backup, 106
 - multiword DMA (MDMA), 229
 - MySQL database backup methods
 - Backup Agent, 115
 - Freeze and Copy option, 116
 - MySQL databases file restoring aspects, 132
 - mysqldump program, 115, 116, 132. *See also* mysqlhotcopy program
 - mysqlhotcopy program, 115, 116, 124, 132. *See also* mysqldump program
- N**
- name servers (NS)
 - authoritative, 313, 322
 - caching, 314, 324
 - domain name, 313
 - internet-type (IN), 321
 - IP addresses, 326
 - localhost, 321
 - locking down, 331
 - primary, 313
 - registrar, 313
 - Samba, 400
 - secondary, 313
 - TLD (top-level domain), 313
 - name service tools
 - dig, 322
 - host, 322
 - nslookup command, 321
 - name-based hosting, 435
 - named
 - config file, 317
 - daemon, 315, 316
 - names resolving
 - by Samba, 400
 - by Windows clients, 400
 - NAT (Network Address Translation)
 - buttons remapping, 189
 - routing firewall, 294
 - nat table, 286
 - NetBIOS tips, 401
 - netfilter, 272, 274
 - netstat
 - command, 459
 - listing, 77
 - network
 - backups, 109
 - client requests, 272
 - firewall configuration, 270
 - firewalls, 293
 - Network Address Translation. *See* NAT
 - Network File System. *See* NFS
 - network install boot CD, making. *See* boot CD creating
 - network install options
 - LAN PXE boot solution, 88
 - stock or custom boot CD, 87
 - stock or custom boot floppy, 87
 - network intrusion detection systems (NIDS), 241
 - network protocol analyzers
 - atmsnoop, 165
 - LANalyzer, 165
 - Microsoft Network Monitor, 165
 - Sniffer, 165
 - snoop, 165
 - Surveyer, 165
 - network securing using TCP wrappers, 275
 - network time protocol (NTP), 22
 - network troubleshooting basics, 165
 - network troubleshooting tools. *See also* troubleshooting tools
 - LAN monitoring via ethereal, 164
 - overview, 162
 - remote login, 163
 - screen utility, 165
 - ssh command, use of, 163
 - network-based backups, 119
 - networking/ip stack settings locking down, 78
 - network-node-based intrusion detection
 - systems (NNIDS), 242
 - newaliases command, 499
 - NFS (Network File System)
 - installs, 85
 - protocols, 96
 - services, 277
 - troubleshooting references, 422

588 Index

- NFS behavior, monitoring
 - using `nfsstat` command, 419, 420, 421
 - using `showmount` command, 419, 420
 - NFS client, configuring, 410. *See also* NFS server, configuring
 - NFS commands
 - `exportfs`, 414, 422
 - `mount`, 416
 - `nfsstat`, 420, 422
 - `rpcinfo -p`, 422
 - `showmount`, 420, 422
 - `umount`, 415
 - NFS configuration and log files, 422
 - NFS directory mounting
 - at boot time, 410, 411
 - `automountl`, 410
 - manual, 410, 411
 - using `automount`, 412
 - NFS Server Configuration window, 414, 415
 - NFS server, configuring. *See also* NFS client, configuring
 - NFS service, starting, 410
 - shared NFS directory, adding, 408
 - NFS shared directory
 - exporting, 414
 - mount failure, 416
 - unmount failure, 415
 - NFS troubleshooting
 - export failures, 414
 - file and directory permissions, 417
 - monitoring NFS behavior, 419
 - mount failure, 416
 - slow performance, 417
 - unexpected NFS behavior, 418
 - unmount failure, 415
 - NFS user permissions
 - anonymous users, 413
 - read-only, sharing, 413
 - user IDs, mapped, 413
 - NFS, configuring
 - NFS client, 410
 - NFS server, 408
 - overview, 407
 - user permissions, 412
 - `nfsstat` commands, 419, 420, 421
 - NIDS. *See* network intrusion detection systems
 - NNIDS (network-node-based intrusion detection systems), 242
 - non-security-related updates, 48
 - non-SUSE packages, installing, 542
 - NOTIFY command, 335
 - NOTIFY message, 329
 - NS records, 321, 325, 330, 336
 - `nslookup` command, 321. *See also* `dig` command
 - NTP (network time protocol), 22
 - NVIDIA chipsets, 187
- O**
- of the shelf (OTS) solutions, 242
 - off site rotation aspects of backups, 105
 - off-site storage policy of backing up, 105, 112
 - Open Source vulnerabilities, 262
 - OpenSSH
 - Fedora Core and, 463
 - protocol security aspects, 462
 - user clients, 472
 - OpenSSH protocol
 - `scp`, 456, 462
 - `sftp`, 456, 462
 - `sshd`, 463
 - OpenSSH services, configuring, 466
 - operating system (OS), backing up, 113
 - OS backups, 114
 - OS install technology. *See* kickstart technology
 - OS reinstalling
 - as backup measure, 114
 - using `up2date` or `apt-get`, 114
 - OUTPUT chain, 286
- P**
- Package Management window, 191
 - packet
 - filtering, 274, 283
 - forwarding, 304
 - logging, 244
 - packet-level mechanisms, 268
 - Page Description Languages (PDL)
 - PostScript, 362
 - Print Control Language (PCL), 362
 - partition
 - checking, 212
 - creating, 219
 - formatting, 251
 - partitions and file system, troubleshooting
 - damaged ext3 file system, repairing, 218
 - deleted file recovering, 216
 - directory unmounting aspects, 217
 - file system checking, 218
 - file system type, finding of, 218
 - files creating, modifying, and deleting, 219
 - no boot screen, 215
 - passive FTP, 461, 462
 - `passwd` package, 557
 - password, root, 22
 - PAT (Port Address Translation), 296
 - patches installing, 262
 - patches, security, 261. *See also* critical security patches
 - PCCard slots, 90
 - PCI modems
 - chipsets, 343
 - controller-based, 343
 - installing steps, 343
 - modem checking aspects, 345
 - using, 342
 - PCMCIA cards, 90
 - PCRE (Perl Compatible Regular Expression library), 429
 - PDL. *See* Page Description Language

- Perl 5 syntax, 429
- Perl Compatible Regular Expression library (PCRE), 429
- personal firewall, 270
- personal firewalls, 265, 283
- PGP public key, 194
- ping command, 157, 165
- PIO (Programmed I/O), 229
- PIO transfer modes, 230
- POP3 protocol
 - defined, 507
 - problems, 507
 - running of, 508
- port
 - assignments, 267
 - Linux, 266
 - scanning, 281
- Port Address Translation. *See* PAT
- port/IP mapping. *See* PAT
- Portsentry, 245, 255. *See also* Snort tool; SNARE tool
- POSIX
 - compatibility, 119
 - threads, 427
- postalias command, 517
- PostFix. *See also* Sendmail
 - binary, 487
 - overview, 511
 - resources, 517
 - versus Sendmail, 512
 - virtual file, 516
- PostFix configuration files
 - access, 513
 - aliases, 513
 - aliases.db, 513
 - canonica, 513
 - main.cf, 513
 - main.cf.default, 513
 - master.cf, 513
 - pcre.table, 513
 - postfix-files, 513
 - postfix-script, 513
 - post-install, 513
 - regexp.table, 513
 - relocated, 513
 - transport, 513
 - virtual, 513
- PostFix configuring
 - /etc/postfix/aliases file, using, 517
 - /etc/postfix/main.cf file, using, 513
 - /etc/postfix/master.cf file, using, 515
 - /etc/postfix/virtual file, using, 516
- PostFix daemon, master, 515
- PostFix MTA. *See* MTA, Postfix
- PostScript, 362
- % postscript, 79, 80
- % postscripting, 74
- PostScript Printer Description (PPD) file, 361
- power management troubleshooting references, 237
- power settings for laptops
 - ACPI configuring, 235
 - APM configuring, 233
 - hdparm settings, 235
 - monitoring power use, 232
- PPD (PostScript Printer Description) file, 361
- Preboot eXecution Environment (PXE), 28
- Preboot Execution Environment (PXE), 66
- Print Control Language (PCL), 362
- print drivers
 - Filter, 361
 - for PCL versions, 363
 - for Postscript printers, 363
 - GhostScript, 361
 - Uniprint, 361
- printer access troubleshooting steps, remote
 - allowed hosts, checking, 376
 - CUPS daemon, checking, 376
 - firewall checking, 376
 - network traffic analyze, running, 376
 - print locally, 376
 - printer name, checking, 376
- printer access troubleshooting steps, remote:, 376
- printer administration, GUI
 - printer adding with lpadmin, 382
 - printer commands, using, 380
- printer configuration
 - tool options, 378
 - tools, 366, 374
- printer configuration log files
 - /var/log/cups/access.log, 381
 - /var/log/cups/error_log, 381
 - var/log/messages, 381
- printer resources, 382
- printer setting under Fedora
 - CUPS Web configuration tool, using, 368
 - printer setting during Fedora installation, 364
 - Red Hat's printer configuration too, using, 365
- printer settings, reviewing steps for
 - check driver options, 377
 - check notes, 377
 - check printing database, 378
- printer setup, troubleshooting, 374
- printer sharing
 - troubleshooting, 399
 - under Fedora, 371
- printer troubleshooting tips, 379
- printer, selecting
 - overview, 362
 - Page Description Languages (PDL), use of, 362
 - print drivers details, 363
- printing commands, administrative
 - accept, 381
 - cupsaddsmb, 381
 - Cupsconfig, 381
 - cupstestppd, 381
 - disable, 381
 - lpadmin, 381
 - lpinfo, 381
 - lpoptions, 381
 - reject, 381
 - /usr/bin/enable, 381

590 Index

- printing commands, user
 - lptions, 380
 - lpq, 380
 - lpr, 380
 - lprm, 380
 - lpstat, 381
- private key encryption, 464
- Progeny Linux Systems, 60
- Programmed I/O. *See* PIO
- ps command, 333
- public key
 - encryption, 464
 - signatures, 194
 - use of, 471
- PXE (Preboot eXecution Environment)
 - boot solution, 88
 - booting, 66
 - use of, 28
- Q**
- QoS (Quality of Service), 294
- Quality of Service (QoS) controls, 294
- querying
 - individual packages, 203
 - local or remote packages, 203
 - multiple packages, 205
- R**
- RAID (Redundant Array of Independent Disks)
 - backups, 100
 - data availability aspects, 100
 - hardware availability aspects, 100
 - overview, 100
- RAM (Random Access Memory)
 - for Apache server, 449
 - swap space, 449
- RAM installation for Linux
 - after installation memory checking, 24
 - memory testing from boot prompt, 24
- Random Access Memory. *See* RAM
- rc scripts, 528
- rcservice
 - reload command, 529
 - start command, 528
 - status command, 529
 - stop command, 528
- read-ahead cache option, 228
- recursive DNS requests, 324
- recursive lookups, 324
- Red Hat
 - boot floppies, 85
 - configuration tools, 16
 - intrusion detection tools, 242, 243
 - kickstart configuration tool, 71
 - Linux, 5, 14
 - logs tool, 243
 - public keys, 194
- Red Hat Enterprise
 - anaconda install, 88
 - kickstart install, 88
- Red Hat Enterprise Linux versions
 - Red Hat Enterprise Linux 3, 11
 - Red Hat Linux 10, 4
 - Red Hat Linux 9, 4, 11
- Red Hat Fedora
 - Amanda client/server, using, 120
 - dump/restore programs, using, 120
- Red Hat GUI tool, 72, 334, 447
- Red Hat installation
 - options, 30
 - program (Anaconda), 16
- Red Hat Linux 9, upgrading, 56
- Red Hat Linux distribution
 - Fedora Core, 19
 - Red Hat Enterprise Linux, 19
 - Red Hat Linux 9, 19
- Red Hat Linux installation
 - disk partitioning problems, 33
 - hardware choosing, 23
 - installation problems, 27
 - list of choices, 20
 - RAM testing, 24
 - reference information, 37
- Red Hat Linux installation, 20
- Red Hat Linux systems
 - documentation, 11
 - end-of-life dates, 59
- Red Hat Network (RHN), 40
- Red Hat Package Manager. *See* RPM
- Red Hats printer configuration tool, 365
- redhat-config-* utilities, 10, 153
- redhat-config-bind, 334
- redhat-config-httpd, Apache configuring tool, 437
- redhat-config-kickstart, 72
- redhat-config-packages, 54
- redhat-config-securitylevel tool, 474
- redhat-config-users, 447
- redhat-config-users, GUI tool, 447
- redhat-release package, 56
- redhat-switch-mail-nox command, 488
- registered ports, 266
- Regular Expression library, 429
- REJECT rule, 286
- Release Notes, 34
- reload command, 442
- remote login, 163
- remote printer access troubleshooting, 375
- remote procedure calls (RPC), 420
- reports, data, 262
- rescue mode, 36, 157
- reserved ports, 266, 267
- restart command, 442
- restore programs. *See* dump/restore programs
 - for backups
- restoring, files
 - from dump, 130
 - from MySQL databases, 132
 - from tar, 130
- retention times, backing up, 112

- reverse lookups. *See also* forward lookups
 - /etc/named.conf file, 326
 - defined, 326
 - for testing DNS configuration, 327
 - zone file, 326
- RH-Firewall-1-INPUT chain, 287, 290
- RHN (Red Hat Network)
 - protocol, 41
 - servers, 41
- root password, 22
- root privilege, obtaining, 151
 - from GUI, 153
 - from shell, 151
- rootkit
 - detection tools, 242
 - for compromised system, 260
 - packages, 259
 - signatures, 251
- RPC (remote procedure calls), 420
- RPM
 - as security tool, 248
 - attributes, 248
 - binaries, 245
 - file alteration tracking capability, 245
 - for Fedora Core upgrading, 56
 - for files verifying, 245
 - for intrusion detection, 242
 - for kickstarting, 70
 - for package management, 245
 - for system security checking, 247
- RPM baseline
 - comparison, 253
 - creating, 249
- rpm command
 - for checking, 201
 - for deleting, 192, 193
 - for installing, 192
 - for querying, 203, 205
 - for software package signature
 - checking, 194
 - for upgrading, 192
 - for verifying, 206
 - last option, 208
 - p option, 203
 - qa option, 204
 - qf query option, 208
 - qi option, 204
 - V option, 206, 247
 - va option, 247
 - verify option, 247
 - vv option, 207
- RPM database, 207, 247, 260
- RPM packages
 - BIND, 315
 - checking, 193
 - deleting, 192, 193
 - installing, 192
 - querying, 202
 - rpm command, use of, 192, 193
 - troubleshooting reference, 208
 - troubleshooting, 207
 - upgrading, 192
 - verifying, 206
- RPM tools
 - overview of, 191
 - software management aspects, 191
- RPM-based Linux distributions, 191
- rsync command, 480
- RULE project, 24
- run level scripts, 529
- runlevel 4
 - command, 117
 - overview, 117
 - services shut off, 117
 - with tar, 122
- S**
- S registers, 350
- Samba
 - features, 386
 - for mixed-OS environment administering, 386
 - for Windows-based networks, 385
 - log files, 404
 - name server, 400
 - name service problems, 400
 - printer sharing facilities, 386
 - resources, 403
 - server configuration resources, 393
 - understanding of, 385
 - UNIX/Linux implementation, 385
 - use of, 394, 395
- Samba client tools
 - ntlm_auth, 404
 - rpcclient, 404
 - smbclient, 404
 - smbcquotas, 404
 - smbmnt, 404
 - smbmount, 404
 - smbsh, 404
 - smbspool, 404, 405
 - smbtar, 404
 - smbtree, 405
 - smbumount, 404
- Samba configuration files, 404
- Samba daemons
 - nmbd, 404
 - smbd, 404
 - winbindd, 404
- Samba security modes
 - ADS security, 398
 - domain security, 398
 - server security, 398
- Samba setup
 - command-line configuration, 388
 - Samba configuration tool, use of, 388
 - Samba packages, use of, 387
- Samba server access troubleshooting with
 - Samba server, Windows client, 401
 - Windows 98 clients, 402
 - Windows server, Linux client, 401

592 Index

- Samba shares, 387, 395. *See also* Samba users
- Samba troubleshooting tips
 - file permission problems, 402
 - for homes directory sharing, 399
 - for printer sharing, 399
 - for resolving name service problems, 400
 - for server access, 401
 - host access blocking, 397
 - interfaces, blocking, 397
 - performance problems, 402
 - perimeter firewalls, blocking, 396
 - security modes
 - share level, 397
 - user level, 397
 - users and groups, blocking, 397
- Samba users. *See also* Samba shares
 - guest access permissions, 387
 - guest ok option, 386
 - guest only option, 386
 - overview, 386
- Samba utilities
 - log2pcap, 405
 - nmblookup, 405
 - profiles, 405
 - smbstatus, 405
 - testparm, 405
 - testprns, 405
 - wbinfo, 405
- Samba utilities, administrative
 - net, 404
 - pdbedit, 404
 - smbcontrol, 404
 - smbpasswd, 404
 - SWAT, 404
 - tdbbackup, 404
- Samba Web Administration Tool. *See* SWAT
- SAN (storage area network), 107, 109
- SAN fibre channel, 109
- Sarge trees, Debian, 546
- SAX for SUSE configuring, 529
- sax2
 - color depth configuration, 533
 - defined, 529
 - graphics card configuration, 531
 - initial screen, 530
 - monitor configuration, 532
 - resolution configuration, 534
- scanning script
 - automating, 257
 - defined, 253
 - running, 255
- scp configuring and using, 462
- scp file transfer method, 456
- SCP working
 - key-based authentication, 469
 - via encrypted network connection, 467
- scp/sftp clients, 473
- screen
 - configuring, 176
 - utility, 165
- Screen section, 176
- script alias directory, 431
- script, scanning. *See* scanning script
- scripts in RPM package
 - checking, 201
 - defined, 201
- SCSI tape drives for backup, 110, 111
- SCSI versus ATA, 449
- secure system, 261
- security baseline, creating. *See* system security
- security foundation tenets
 - passwords, 261
 - patches, 261
 - scanning and reporting, 262
 - services, 261
- security through obscurity method, 447
- security-related update, 46, 50
- Sendmail configuration files
 - /etc/mail/domaintable, 496
 - /etc/aliases, 495
 - /etc/mail/, 495
 - /etc/mail/access, 496
 - /etc/mail/genericstable, 496
 - /etc/mail/mailertable, 496
 - /etc/mail/sendmail.cf, 495
 - /etc/mail/sendmail.mc, 495
 - /etc/mail/virtusertable, 496
- sendmail configuring
 - /etc/aliases file, use of, 498
 - /etc/mail/virtusertable file, use of, 496
 - overview, 493
- Sendmail log files
 - /var/log/maillog, 496
 - /var/log/messages, 496
- Sendmail options
 - public IP SMTP bindings, 501
 - sendmail.cf, rebuilding, 500
 - SMTP-Auth, 502
- Sendmail problems and solutions
 - blacklisted IP addresses, 509
 - mail bouncing due to dynamic IP configuration, 511
 - misconfigured mail server, 510
 - spam, 509
- Sendmail problems, diagnosing
 - using log files, 503
 - using telnet, 505
- sendmail tips and tricks
 - outgoing mail queue, looking at, 500
 - Sendmail options, changing, 500
 - Sendmail settings, 499
 - system mail, redirecting, 499
 - user .forward files, securing, 500
- Sendmail troubleshooting
 - e-mail address, not-deliverable, 506
 - expected e-mail volume, not receiving, 506
 - POP3, not running, 507
 - queue trouble, 507
 - Sendmail not accepting connections, 506

- Sendmail user/system directories
 - /var/spool/mail/, 496
 - /var/spool/mqueue/, 496
- Sendmail. *See also* PostFix
 - binary, 487
 - command, 498
 - daemon, 489
 - overview, 485
 - resources, 517
 - versus PostFix, 512
- sendmail.cf file, 500, 502
- sendmail.mc file, 500
- serial modems, using, 347
- server loads, locking
 - enterprise server needs, identifying, 74
 - overview, 73
- Server Message Block. *See* SMB
- server migrations
 - disk-to-disk, 133
 - overview, 133
 - security aspects, 135
 - software issues, 133
 - Web/Apache, 135
- server. *See also* name servers
 - access control, 270
 - BIND/DNS, 311
 - config files, 120
 - DNS, 311, 312
 - NFS, 408
 - stand-alone, 283
 - troubleshooting, 6
- ServerLayout section, 176
- server-status module, 452
- service location protocol (SLP), 535
- service/packet filtering, 283
- sfdisk command, 219
- sftp
 - configuring and using, 462
 - file transfer method, 456
- sh shell, 144
- shared directory for NFS server configuring, 408
- shell
 - bash shell tuning, 144
 - choosing and using, 143
 - for Linux troubleshooting, 139
 - terminal windows, 140
- shell commands
 - alias, 145
 - cat, 145
 - chgrp, 145
 - chmod, 145, 147
 - chown, 145
 - df -h, 147
 - dmesg, 149
 - fdisk -l, 147
 - find, 145, 146
 - finger, 150
 - grep, 145, 146
 - groups, 150
 - head, 145, 146
 - id, 150
 - lastlog, 150
 - lsmod, 160
 - lspci, 148
 - mv, 147
 - ping, 157
 - rm, 147
 - runlevel, 148
 - set, 149
 - sort, 145
 - ssh, 163
 - strace, 156
 - tail, 145, 146
 - traceroute, 166
 - uname -a, 147
 - uname, 147
 - who, 150
- shell script
 - automating, 257
 - creating, 253
 - testing, 255
- shell types
 - ash, 143
 - bash shell, 253
 - bash, 143
 - csh, 144
 - ksh, 144
 - sh, 144
 - zsh, 144
- showmount command, 419, 420
- shutting off services method, 115, 117
- Sid tree, 546, 547, 572
- signature checking, 194
- simple mail transfer protocol (SMTP), 166
- single server access control
 - with iptables, 281
 - with TCP wrappers, 270
- single-homed firewall, 270. *See also* dual-homed firewall
- single-homed server, 275
- slave BIND9 DNS servers, 328
- slave name server
 - updating problems, 335
 - working, 328
- slave server, configuring. *See also* master server, configuring
 - /etc/named.conf file, 329
 - zone refresh settings, 330
- slave server, defined, 313
- SLP (service location protocol), 535
- small-to-medium backup. *See also* medium-to-large-scale backup
 - AIT-1 tape, 108
 - AIT-2, 108
 - AIT-3, 108
 - CD-RW, 108
 - DDS3 tape, 108
 - DDS4, 108
 - DVD+/-RW, 107
 - DVD-RW, 108
 - hard disk, 108
 - LTO-1 tape, 108
 - LTO-2 tape, 108

594 Index

- SMB (Server Message Block) protocol
 - defined, 385
 - server security mode, 398
- SMB shares. *See* Samba shares
- smb.conf file
 - file sections
 - global, 389
 - homes, 389
 - local, 389
 - printers, 389
 - permissions, 402, 403
 - using, 389
- smbclient command, 395
- SMTP (simple mail transfer protocol)
 - daemon, 509
 - protocol, 505
 - traffic, 501, 502
 - use of, 166
- SMTP-Auth, 278, 502
- SNARE tool, 245. *See also* Portsentry; Snort tool
- Snort tool, 244. *See also* Portsentry; SNARE tool
- SOA (Start of Authority Record), 320
- soft partition, 251, 252, 253
- software package signatures, checking
 - Fedora/Red Hat public keys, 194
 - GPG keys importing, 195
 - GPG keys viewing, 194
 - overview of, 194
 - third-party public keys, 195
- software package. *See also* RPM packages
 - for Fedora, 14
 - troubleshooting reference, 208
 - troubleshooting, 207
 - verifying, 206
- software packages, checking
 - dependencies, 197
 - package contents, cross-checking of, 200
 - scripts, 201
 - signatures, 194, 196
 - using RPM universal database, 198
- software packages, querying
 - individual packages, 203
 - local or remote packages, 203
 - multiple packages, 205
 - overview, 202
- software repositories for Linux installation, 20
- source update, 40, 51. *See also* automated update; manual update
- spam, dealing with, 509
- SPI (stateful packet inspection), 265
- SSH
 - access, 304, 306
 - firewalls and, 473
 - login, 243, 255
 - sessions, 279
- ssh command, 163. *See also* remote login
- SSH-based file transfers
 - scp, 456
 - sftp, 456
- sshd
 - configuring, 463
 - daemon, 463, 466, 473
 - sshd username/password authentication, 464
- SSH-key based authentication, 80
- SSL services for WebDAV securing, 478
- stable release, Debian, 545
- stand-alone
 - firewall, 270
 - server, 275, 283
- Start Of Authority (SOA), 328, 330
- state triggers, 292
- stateful firewalling, 290
- stateful packet inspection (SPI), 265
- stateful packet network control, 274
- stock or custom boot CD, 87
- storage area network (SAN), 107, 109
- strace command, 156
- su command, 151, 152
- sudo command, 152
- suexec binary, 444
- suexec, Fedora Core and, 444
- SUSE
 - /etc/sysconfig/network file, 527
 - config file settings, 527
 - configuration tool, 526, 529
 - configuring with SAX, 529
 - DHCP configuration, 528
 - distribution rpm files, 535
 - installation using YaST, 533
 - rc scripts, 528
 - setting options, 536
 - swap partition, creating, 535
 - troubleshooting, 523
 - using chkconfig, 529
 - using network scripts, 527
- SUSE versions, current
 - SUSE Linux Desktop, 525
 - SUSE Linux Enterprise Server 8, 525
 - SUSE Linux OpenExchange Server, 525
 - SUSE Linux Personal 9.1, 525
 - SUSE Linux Professional 9.1, 524
 - SUSE Linux Standard Server 8, 525
- SUSE, history of
 - Enterprise Server 7, 523
 - Enterprise Server 8, 524
 - Enterprise Server 9, 524
- SUSE's licenses and maintenance
 - for business products, 526
 - for home user versions, 526
- SuSEconfig and YaST, 538
- SuSEconfig, 527
- sux command, 537
- SWAT (Samba Web Administration Tool)
 - on Linux system, 390
 - remotely using, 392
 - shares adding features, 391
- symbolic link, 477, 529
- symlink pointers, 84
- sysconfig directory, 526

- syslinux boot media, 66, 95, 97
 - syslinux, 66
 - system backup runlevel, 117
 - system backup, 117
 - system baseline scan, 242
 - system binary, 255
 - system config files, 114
 - system directories, backing up, 113
 - System Logs tool, Red Hat, 243
 - system processes, examining, 153
 - system scanning, automating. *See* scanning script
 - system scans, 253
 - system security
 - chkrootkit package, adding, 251
 - RPM baseline, creating, 249
 - system security, overview, 249
- T**
- Tape Archive. *See* tar
 - tape drive
 - cleaning, 111
 - devices setting up, 116
 - error flash codes, 111
 - tape rotation aspects of backups, 105, 112
 - tar (Tape ARchive)
 - file restoring features, 130
 - use of, 119
 - with runlevel 4, 122
 - tar using
 - locally, 122
 - remotely, 124
 - TCP ports, 267
 - TCP wrapper services
 - CUPS-LPD, 276
 - Domain, 276
 - FTP, 275, 278
 - HTTP, 275, 278
 - HTTPS, 276
 - IMAP, 276
 - IMAPS, 276
 - IPP, 276
 - MySQL, 276
 - NFS, 276
 - POP3, 275, 278
 - POP3S, 276
 - SMTP, 276, 278
 - SSH, 275, 278
 - SunRPC, 276
 - TCP wrappers
 - /etc/hosts.allow file, 279
 - /etc/hosts.deny file, 279
 - access control lists (ACL), 273
 - access control mechanism, 272
 - centralized daemon host access control, 272
 - for port activity monitoring, 281
 - for trusted network, 270
 - hosts.allow file, 278
 - hosts.deny file, 278
 - libwrap support, 273, 275
 - overview, 273
 - securing local services, 275
 - services and daemons, 275
 - single server access control, 270
 - troubleshooting, 280
 - using /etc/hosts.allow files, 275
 - using /etc/hosts.deny files, 275
 - TCP/IP
 - firewalling, 267
 - packet structures, 267
 - stack securing, 78, 79
 - telnet for Sendmail problems, diagnosing, 505
 - terminal windows
 - changing colors, 143
 - font size changing, 143
 - GNOME, 140, 142, 143
 - KDE, 140, 142
 - multiple shells, 142
 - scrolling settings, 142
 - tuning, 142
 - testing tree, Debian, 546
 - text-based installation, 29
 - third-party
 - graphics drivers, 59
 - package repositories, 56
 - public keys, checking, 195
 - software issues, 59
 - tools for intrusion detection, 244
 - updates checking, 59
 - third-party updates choices
 - Fedora Legacy Project, 60
 - Progeny Linux Systems, 60
 - threading, UNIX, 427
 - threads, POSIX, 427
 - time command, 225
 - Time to Live. *See* TTL
 - TLD (top-level domain) servers, 313
 - TLD name servers, 313
 - TOH (Tower of Hanoi) backup
 - advantages, 105, 106
 - disadvantages, 106
 - implementation, 105
 - use of, 125, 129
 - top command for
 - checking general processor activity, 155
 - checking memory leaks, 155
 - checking memory usage, 155
 - giving processes more priority, 156
 - kill processes, 156
 - processes sorting, 154
 - selected processes watching, 155
 - usage, 154
 - top-level domain servers. *See* TLD servers
 - Tower of Hanoi. *See* TOH backup
 - traceroute command, 166
 - trigger scripts
 - checking, 202
 - defined, 201
 - trojan, 242, 247

596 Index

- troubleshooting
 - Apache, 452
 - BIND, 315
 - BIND9, 311, 316, 334
 - Debian GNU/Linux, 545
 - Debian packages, 565
 - DNS, 311, 315
 - e-mail server, 485
 - Fedora Linux, 5, 6, 8
 - file transfer, 455, 482
 - firewall, 265
 - hard disk, 221
 - intrusion, 258
 - iptables, 304
 - kickstart problems, 96
 - Linux file system, 211
 - Linux installation, 19
 - Linux with Fedora, 4
 - modem, 341
 - NFS, 407, 414
 - printer setup, 374
 - printer, 359
 - remote printer access, 375
 - RPM packages, 207
 - Samba, 385, 396
 - Sendmail, 506
 - software packages, 191, 207
 - specialty Fedora Linux systems, 8
 - SUSE Linux, 523
 - TCP wrappers, 280
 - video, mouse, and keyboard, 169
 - web server, 427
- troubleshooting tips
 - for mouse, 188
 - for video, 185
- troubleshooting tools. *See also* network troubleshooting tools
 - for Linux system, 139
 - hardware detecting and configuring, 159, 161
 - lsmod, 139, 160
 - modinfo, 139, 160
 - modprobe, 139, 161
 - rescue mode, going into, 157
 - root privilege, obtaining, 151, 153
 - screen, 139
 - ssh, 139
 - strace command, use of, 156
 - top command, use of, 154
- trusted access control, 270
- trusted network interface, 270
- trusted network, 270. *See also* untrusted network
- TTL (Time to Live) value, 314
- TWM
 - desktop manager, 170
 - window manager, 174
- U**
 - UDMA (ultra DMA), 229
 - UDMA-ATA systems, 450
 - UDP/IP datagram, 267
 - UID. *See* user ID
 - ultra DMA (UDMA), 229
 - umount command, 415
 - Uniprint drivers, 361
 - UNIX threading, 427
 - unstable tree, Debian, 547
 - untrusted interfaces, 294
 - untrusted network, 270. *See also* trusted network
 - up2date
 - for Fedora upgrading, 58
 - options, 43
 - overview, 40
 - software package, 14, 40
 - up2date repository type
 - apt, 41
 - dir, 41
 - Yum, 41
 - update problems, troubleshooting, 51
 - updates
 - non-security-related, 48
 - security-related, 46
 - updating, Fedora Core, 39
 - UPG. *See* user private groups
 - upgrade problems, troubleshooting
 - graphics drivers, 59
 - overview, 58
 - third-party updates, checking, 59
 - Ximian GNOME desktop, updating, 58
 - upgrade.log file, 55
 - upgrading, Fedora Core, 51
 - USB Communication Device Class Abstract Control Model (CDC ACM) specification, 346
 - USB modems drivers, 346
 - user access controlling in Apache, 440
 - user ID (UID), 447. *See also* group ID; user private groups
 - user private groups (UPG). *See also* group ID; user ID
 - defined, 447
 - implementing, 447
 - user space
 - control system, 272
 - defined, 270
- V**
 - VESA driver, 186
 - VGA settings, 25
 - video card configuring
 - dual head setting, 173
 - in Fedora Core, 172
 - Monitor Type tab, 173
 - settings tab choices, 173
 - Video Card tab, 173
 - video card driver
 - determining, 180
 - tuning and testing, 182
 - video cards for Linux installation, 25
 - video configuring, 171, 179
 - video crashes, fixing of, 188
 - video driver setting
 - overview, 179
 - video card driver, determining, 180

- video card tuning and testing, 182
- video settings, refining of, 184
- xvidtune command, use of, 184
- video hardware configuring steps, 25
- video troubleshooting tips
 - Direct Rendering Infrastructure (DRI), 186
 - driver supporting aspects, 186
 - driver-specific options, finding of, 185
 - for 3dfx Chipsets, 187
 - for ATI Chipsets, 188
 - for fixing video crashes, 188
 - for Intel i810 chipsets, 187
 - for NVIDIA Chipsets, 187
 - low-memory video card, use of, 186
 - overview, 185
 - VESA drives, use of, 186
 - X server current state, finding of, 186
- virtual consoles, 34
- virtual host
 - defined, 435
 - defining new, 444
 - setting, 435
 - settings, 443
- virtual host section, 475
- virtual terminals, 141
- virtual terminals, switching keys for, 34
- virtuserable file, 497, 516
- visudo command, 152
- vsftpd
 - configuration file, 460
 - daemon, 456, 457
- vulnerable systems, 261

W

- Web directory permissions, Apache, 444, 445, 447
- web server
 - centralized, 84
 - performance tuning, 450
 - troubleshooting, 427
- WebDAV
 - clients, 479
 - protocol, 457, 474
 - share, 475
- WebDAV, configuring and using
 - .htaccess file, use of, 475, 477
 - .htpasswd file, use of, 475, 477
 - authentication, 475
 - on Linux, 474
 - securing with SSL, 478
 - WebDAV share, 475
- well-known ports, 266, 267
- whitelists, 503
- whois
 - server, 337
 - use of, 336
- Windows using SMB protocol, 385
- winmodems, 343. *See also* linmodems
 - using, 341, 346
 - working in Fedora, 342

- worms, 242, 261
- write caching feature, 225, 226, 228
- write-back caches risks
 - inconsistent data, 228
 - power failures, 228
- write-back option, 227
- write-protected removable media, 252

X

- clients, 169
- command, 170
- desktop, 170
- performance commands, 190
- server, 169, 171, 174
- X server configuration files
 - desktop file, 174
 - Xclients-default file, 174
 - XF86Config, 174, 175
- X window managers
 - GNOME, 170
 - KDE, 170
 - TWM, 170, 174
- X Window System
 - configuration files, 169
 - X clients, 169
 - X server, 169
- Xclients-default file, 174
- xcssa alias, 498
- XF86Config file for
 - keyboard configuration, 177
 - module configuration, 178
 - monitor configuration, 177
 - mouse configuration, 176
 - screen configuration, 176
 - ServerLayout section, 175
 - video configuration, 179
- XFree86
 - version, 179
 - X server, 10
- Ximian desktop software, 58
- Ximian GENOME desktop, updating, 58
- Ximian RPMs, 58
- xinetd daemon, 508
- xvidtune command, 184

Y

- YaST (Yet another Setup Tool)
 - as system administration tool, 537
 - for SUSE installing, 533
 - installing on low-memory machine, 535
 - menus, 538
 - overview, 532
 - partitioning tool, 536
 - startup screen, 538
 - SuSEconfig and, 538
- yast command, 537
- YaST Online Updater (YOU), 541
- YaST tools
 - Autoyast, 541
 - YaST Online Updater (YOU), 541
- Yellowdog Updater, Modified. *See* yum

598 Index

Yellowdog Updater. *See* yup
Yet another Setup Tool. *See* YaST
YOU (YaST Online Updater), 541

yum

- configuration file, 44, 45
- for Fedora updating, 43
- for Fedora upgrading, 51, 55
- main configuration, 44
- package manager, 14, 43
- server, 44, 45
- using tips, 46
- yum server, setting up, 45

yum main, 44. *See also* yum server

yum repository, configuring

- main section, 44
- server section, 44, 45

yum server, 45. *See also* yum main

yup (Yellowdog Updater), 43. *See also* yum

Z

Z shell (zsh), 144

zone file

- creating, 324
- localhost, 320
- reloading, 337
- troubleshooting, 338

zone refresh settings, 330

zone transfers

- defined, 313
- DNS security aspects, 331
- in slave DNS server, 329

zsh shell, 144