

Index

• Numerics •

- & (ampersand), stringing variables with, 69
- ' (apostrophe), commenting out/uncommenting code with, 72
- () (parentheses), creating multiple functions and, 106–107
- 4GuysFromRolla Web site, 389

• A •

- Add New Item dialog box (Visual Web Developer 2005 Express), 47–48
- addentry.aspx page, creating, B48–B50
- administration, improved tools for, 37–38
- advantages
 - of ASP.NET pages, 28
 - of .NET Framework, 30
- ampersand (&), stringing variables with, 69
- And, separating conditions, 80
- apostrophe ('), commenting out/uncommenting code with, 72
- application header, Classy Classifieds, B25
- Application object, versus Session object, 135–136
- Application variables
 - adding to Café application, B12–B13
 - overview, 136–138
 - versus Session variables, 138
- applications. *See* programs; Web applications
- ArrayList class
 - features of, 129–130
 - HashTable and, B57, B60
 - overview, 127–129
- arrays
 - For Each...Next and, 98
 - objects acting like, 127
 - overview, 96–98
 - versus ArrayList object, 130

- ASPAlliance Web site, 390
- ASP.NET Connections conference, 386
- ASP.NET Web Service template, Visual Web Developer 2005 Express, 42
- ASP.NET Web site, 388
- ASP.NET Web Site template, Visual Web Developer 2005 Express, 42
- .aspx extension, saving pages with, 17–18
- authentication settings
 - for Classy Classifieds, B42–B43
 - options for, 338–339
 - in Visual Web Developer 2005 Express, 337
- authorization settings
 - options for, 339
 - in Visual Web Developer 2005 Express, 337
- automatic conversion, 248–249
- AutoPostBack property
 - CheckBox, 190
 - CheckBoxList, 187–188

• B •

- BackColor property, 166
- BehaviorEditor, 370
- BindingPoint UDDI, 372
- blogs, as resource, 382–383
- body variables
 - locations used, 110
 - overview, 108–109
- Bold property, 169
- bookstores, as resource, 380
- Boolean variables, using with conditions, 78–79
- BorderColor property, 167–168
- borders, label properties, 167–168
- BorderStyle property, 167–168
- bottom-tested loops, 94
- bread-crumbs, SiteMapPath control and, 38
- Browse mode, overview, 365–366
- Browser.Request, B65–B67

browsers

- accessing newsgroups from, 381
- compatibility with ASP.NET, 28
- retrieving information about user's, B65–B67
- supporting scripting, 27
- updating with new information, B8–B9
- validation controls and, 240, B83–B85

buttons

- as links, 211–213
- radio, 190–195
- setting properties for, 177–178
- using images as, 209–211

Café Chat Room. *See also* chat rooms

- adding new users to, B12–B13
- capacity limits of, B12
- creating conversation frame, B16–B17
- creating login page for, B10–B12
- creating primary page for, B14
- displaying updated user lists, B21–B22
- enabling user messages, B14–B16
- entrance page, B4, B9
- exit/entrance announcements, B5
- listing users in, B17–B19
- overview, B3–B4
- primary page, B4–B5
- suggested enhancements for, B22
- techniques demonstrated by, B7
- updating users list, B20–B21
- updating users most-recent refresh time, B19

CafeConvo.aspx page, creating, B16–B17

Calendar server control

- properties, 217–220
- using, 215–217

calendars, creating navigable, 215–220

Cascading Style Sheets (CSS)

- creating file, 348–349
- function of, 34

case sensitivity

- in `HashTable`, B59
- in Visual Basic 2005, 63
- in XML, 269

Catalog mode, overview, 366

catalogs, listing Web services, 372

CatalogZone, 370

categories

- listing ads in, B26
- selecting classified ad, B33

category.aspx page, `Classy Classifieds`, 298–299, B26, B38–B40CellPadding property, `CheckBoxList`, 186–187CellSpacing property, `CheckBoxList`, 186–187chat rooms. *See also* Café Chat Room

- listing people in, B9–B10
- overview, B3
- sharing information in, B8

check boxes

- creating with `CheckBox`, 188–189
- creating with `CheckBoxList`, 180–183
- overview, 179
- responding to users' answers in, 183–184

`CheckBox` server control

- properties, 189–190
- using, 188–189

`CheckBoxList` server control

- properties, 184–188
- using, 180–183

Checked property, `CheckBox`, 190

chrome, of Web parts, 359

classes

- creating, 118–119
- creating multiple instances of, 120–122
- creating objects with, 119–120
- public versus private variables and, 122–124

Classic ASP

- calling functions/subroutines changes, B102–B103
- changes to, B96–B97
- migrating from, B96
- object changes, B104–B105
- page structure setup changes, B97–B99
- programming language changes, B100–B101
- renamed functions in, B103–B104
- sequence of events changes, B97
- user interaction changes, B99–B100
- using *ASP.NET 2.0 For Dummies*, B106–B112
- variable data types and, B101–B102
- Web applications configuration changes, B105–B106

- classified ads
 - displaying details of, B27
 - editing, B29
 - selecting categories for, B33
 - value of, B24
- Classy Classifieds
 - Ad Detail page, B27
 - authentication settings for, B42–B43
 - Category page, 298–299, B26, B38–B40
 - Confirm page, 311–314, B28, B43–B44
 - creating master page for, B36–B37
 - Detail page, 305–308, B40–B42
 - Edit Ad page, 320–325, B29, B45
 - home page, 296–297, B24–B25, B37–B38
 - overview, 279–280, B23
 - Place Ad page, 315–319, B29–B30, B44
 - planning creation of, B32–B35
 - Search page, 301–305, B30–B31, B45–B46
 - suggests in enhancements, B46
 - techniques demonstrated by, B32
- client-side scripting, making pages
 - interactive with, 26–27
- code
 - accessing/changing validation controls from, B86–B88
 - accessing/updating data from, 311–314
 - adding comments to, 71–72
 - breaking lines of, 81
 - changing server control properties and, 147–148
 - commenting out/uncommenting, 72
 - defined, 60
 - delimiters and, 62–63
 - reducing amount necessary, 28, 29
 - translating source into machine, 60–61
 - writing in response to events in Visual Web Developer 2005 Express, 51–52
- code behind approach, 101
- code-behind pages feature, Visual Web Developer 2005 Express, 55
- color
 - setting label border, 168
 - setting label properties, 165–167
- columns, identifying database to display, 287–288, 308–310
- Columns property, `ListBox`, 198
- commands
 - `Continue`, 96
 - creating code with, 60
 - `Exit`, 95–96
 - functions, 72–74
 - `SELECT (SQL)`, B117–B119
 - statements versus functions, 72
- comments, overview, 71–72
- `CompareValidator`, using, 232–234
- compiler, function of, 60–61
- compiling
 - programs, 60–61
 - Web applications in Visual Web Developer 2005 Express, 52–54
- compound conditionals, creating, 80
- concatenation, of variables, 69
- conditionals. *See* `If...Then` structure
- conditions. *See also* `If...Then` structure
 - defined, 76
 - false, 81–82
 - handling multiple, 82–83
- conferences, as resource, 385–386
- configuration
 - Classic ASP versus ASP.NET, B105–B106
 - improved tools for, 37–38
 - Web applications, 267–275
- `confirm.aspx` page, Classy Classifieds, 311–314, B28, B43–B44
- connection strings, storing, 274–275
- `connectionStrings` section
 - (`web.config` file), 283–284
- `ConnectionsZone`, 370
- `Const` statement, declaring constants
 - with, 70
- constants, overview, 70–71
- content pages
 - creating, 332–333
 - defined, 329
 - master pages and, 334
 - running and testing, 333
 - securing access to private, 344
 - versus master pages, 330
- `Continue` command, using with loops, 96
- `ControlParameter` tag, 301–305
- controls. *See* server controls
- conversion
 - automatic versus explicit, 248–249
 - forcing explicit, 251–252
 - standard functions for, 249–250
- cookies
 - creating, B61–B63
 - overview, B61
 - retrieving, B64–B65

Copy method, 259–260

CSS (Cascading Style Sheets)

- creating file, 348–349
- function of, 34

CType conversion function, 250

customization, Web Parts feature and, 35

CustomValidator, B81–B85

• D •

data binding, 287, 308–310, B39–B40

data source controls, overview, 36

data types

- Classic ASP versus ASP.NET, B101–B102
- converting, 247–249
- integral, 244
- non-integral, 244–245
- overview, 67–68, 243–244
- standard conversion functions for, 249–250
- storing values other than numbers, 245–247

Database Management Systems (DBMS).

- See also* databases
- accessibility of, 280–281
- identifying primary keys, B115–B116
- identifying surrogate keys, B116
- overview, B113–B114
- storing data, B115
- using SQL `SELECT` command in, B117–B119

database-access server controls, 281–282

databases. *See also* Classy Classifieds; Database Management Systems (DBMS)

- accessing/updating data from code, 311–314
- automatically created authorization, 339
- creating page for data retrieval, 284–287
- cross-referencing relations in, B116–B117
- displaying detailed information from, 305–308
- ease of retrieving/changing information, 28
- identifying columns to display, 287–288, 308–310
- improved access to, 36
- narrowing query with select parameters, 296–300

- overview, B113–B114
- preparing for access to, 282–284
- retrieving information from, 286–287, 308–310, B39–B40
- users editing/deleting rows in, 320–325
- users entering search criteria for, 301–305
- users inserting new rows in, 315–319
- users updating, 314

Date data type, 245–247

date, functions, B73–B74

DBMS. *See* Database Management Systems (DBMS)

debugging, Web applications in Visual Web Developer 2005 Express, 52–54

decimal point, storing numbers with, 244–245

default.aspx page, Classy Classifieds, 296–297, B24–B25, B37–B38

default.htm page, creating, B47–B48

delimiters

- defined, 20
- function of, 62–63

deployment, ease of, 28–29

Design mode

- overview, 366
- running, 367–368

Design view, putting Document window in Visual Web Developer 2005 Express, 48

detail.aspx page, Classy Classifieds, 305–308, B27, B40–B41

developer.com Web site, 389

development environment, necessity of, 13–14

DevX Web site, 389

Dim statement

- creating variables with, 63–64
- origin of, 65
- placing, 110–111

directives

- @ Import, 267
- including in global.asax file, 267
- page, 63, 67, 349–350

discussion forums, as resource, 381

Document window (Visual Web Developer 2005 Express)

- overview, 45–46
- putting in Design view, 48

Do...Loop, 93–94

DotNetJunkies Web site, 388

double-precision values, variables
 holding, 68

drop-down lists, 204–206
 adding mode, 366–367
 validation for, 231–232

DropDownList server control
 properties and methods, 206
 using, 204–205

● E ●

Edit mode

 overview, 366
 running, 367–369

editad.aspx page, Classy Classifieds,
 320–325, B29, B45

EditorZone

 editors available to add to, 369–370
 overview, 368

elementary data types. *See* data types

Else statements, using false conditions
 and, 81–82

Elseif statements, handling multiple
 conditions with, 82–83

e-mail, sending from Web pages, 254–255

Empty Web Site template, Visual Web
 Developer 2005 Express, 42

Enabled property

 for buttons, 177
 of labels, 171

entrance page, Café Chat Room, B4

enumeration objects, assigning property
 values with, 149

enumeration properties

 assigning server control property values
 with, 148–149

 setting label colors with, 166–167

error messages, displaying, 236–240

errors

 catching empty text boxes, 230–231

 catching incorrectly entered value
 ranges, 235–236

 catching incorrectly entered values,
 232–234

 catching unselected drop-down lists,
 231–232

 catching user, 229

events

 beyond default, 51

 capturing with Web Forms, 144–146
 responding to with `global.asax` file,
 265–267

 writing code in response to in Visual Web
 Developer 2005 Express, 51–52

execution, speed of ASP.NET pages, 28

Exit command, 95–96

explicit conversion, 248, 249, 251–252

Explicit option, forcing variable creation
 with, 67

eXtensible Markup Language (XML),
 understanding, 268–269

● F ●

features. *See also specific features*

 enhanced, 35–38

 new, 34–35

file extensions

 HTML files versus ASP.NET files, 23

 master page, 34

 master pages versus content pages, 330

 saving pages with correct, 17–18

files

 copying and moving, 259–260

 creating/deleting on hard drive, 258–259

 executable, 61

`global.asax`, 262, 265–267

 identifying Web application, 262

`machine.config`, 267–268

`.skin`, 34–35, 348, 350–355

`web.config`, 262, 267–275, 283–284

flexibility, of ASP.NET pages, 28

folders

 creating multiple themes and, 349

 creating theme, 348

 creating virtual for Web applications,
 262–264

 identifying root Web applications, 262

 saving pages and, 17

 skins files and, 353

 virtual, 262–264, 283

font

 defined, 168

 label properties, 168–170

Font property, for buttons, 177

For Each...Next loops, 98

ForeColor property, 166

For...Next loops

- overview, 89–90
- using Step with, 90–91

4GuysFromRolla Web site, 389

frames

- in Café Chat Room primary page, B4–B5
- chat room conversation, B16–B17
- creating Café Chat Room primary page and, B14
- HTML in Café Chat Room, B9

FromARGB method, setting label colors in code with, 167

functions

- arguments and, 73–74, 104–106
- calling, 102–104
- calling in Classic ASP versus ASP.NET, B102–B103
- creating, 101–102
- creating multiple, 106–107
- CType conversion, 250
- date and time access and manipulation, B73–B74
- defined, 72, 100
- exiting, 108
- getting data with, 72–73
- object, 118
- renamed from Classic ASP, B103–B104
- returning values, 74
- <script> tag and, 100–101
- standard conversion, 249–250
- string, B68–B73
- using variables in, 110

● **G** ●

Getting Started section, on Visual Web Developer 2005 Express Start Page, 40

global themes, 355–356

global variables

- locations used, 110
- overview, 108–109

global.asax files

- overview, 262
- responding to Application and Session object events with, 265–267

GotDotNet Web site, 388

grids

- adding paging to, 292–294
- customizing, 289–290
- sorting data in, 290–291

GridView control, 287, B39–B40

Guestbook

- creating home page, B47–B48
- creating maintenance page, B52–B55
- creating sign in page for, B48–B50
- overview, B47
- viewing roster, B50–B52

● **H** ●

hackers, validation server controls protecting from, 240

HashTable

- adding/editing elements with, B59
- ArrayList and, B60
- creating dictionary with, B58–B59
- overview, B57

Height property

- of buttons, 177
- of labels, 170

hosting services

- ease of, 16
- supporting ASP.NET 2.0, 15

HTML (Hypertext Markup Language), produced by code, 22

HTML (Hypertext Markup Language) frames

- in Café Chat Room, B9
- creating Café Chat Room primary page and, B14

HTML (Hypertext Markup Language) pages, converting to ASP.NET pages, 23

hyper links. *See* links

HyperLink server control, using, 213–214

● **I** ●

IDE (integrated development environment), for creating ASP.NET applications, 13–14

If...Then structure. *See also* conditions

- creating compound, 80
- nesting, 84–85
- overview, 75–76

- using a Web page, 76–78
- using Boolean variables with, 78–79
- using inequalities with, 79–80
- IIS (Internet Information Server)
 - accessing pages, 17
 - requirements, 14
- Image server control, using, 208–209
- ImageButton server control, using, 209–211
- ImageMap server control, 211
- images
 - displaying on Web pages, 208–209
 - using as button, 209–211
- tag, replacing, 208–209
- inequalities
 - using with conditionals, 79–80
 - using with Select Case statement, 87–88
- inetpub folder, 17
- information
 - accessing/updating from code, 311–314
 - arguments passing to functions, 104–106
 - passing among Web pages, 132–135
 - sharing in chat rooms, B8
 - sorting in grids, 290–291
- instantiation, defined, 121
- Int conversion function, 251
- integrated development environments (IDE), for creating ASP.NET applications, 13–14
- Internet connection, creating/testing ASP.NET pages and, 15
- Internet Information Server (IIS)
 - accessing pages, 17
 - requirements, 14
- Internet Information Services manager, creating virtual folders and, 263–264
- Italic property, 169
- Items.Add, ListBox, 199, 201–203
- Items.Clear, ListBox, 200, 201–203
- Items.FindByText, ListBox, 200–201, 203–204
- Items.FindByValue, ListBox, 200–201
- Items.Insert, ListBox, 199
- Items.Remove, ListBox, 200, 201–203
- Items.RemoveAt, ListBox, 200

• J •

- jargon, object-oriented programming and, 121
- JavaScript
 - doing clients-side scripting with, 26–27
 - Visual Basic 2005 and, B85
- journals, as resource, 380–381
- JScript, B101

• L •

- labels
 - border properties, 167–168
 - color properties, 165–167
 - Enabled and Visible properties of, 171
 - font properties, 168–170
 - overview, 165
 - setting height and width of, 170
- languages. *See* programming languages
- LayoutEditor, 370
- LinkButton server control, using, 211–213
- links
 - buttons as, 211–213
 - creating to randomly selected sites, 213–214
- ListBox server control
 - .Items methods, 199–204
 - properties, 198–199
 - using, 195–198
- local themes. *See* themes
- local variables
 - locations used, 110
 - overview, 108–109
- location, selecting in Visual Web Developer 2005 Express, 43
- Login controls, versus authentication, B42
- login page
 - chat rooms needing, B9
 - creating, 343–344
 - creating Café Chat Room, B10–B12
- login.aspx page, 343–344
- loops
 - bottom-tested, 94
 - Do...Loop, 93–95
 - exiting, 95–96

loops (*continued*)

- For Each...Next, 98
- For...Next, 89–91
- nesting, 91–93
- overview, 88
- top-tested, 95
- working with, 21

● M ●

machine code, creating, 60–61

machine.config files, versus web.config files, 267–268

magazines, as resource, 380–381

maint.aspx, creating, B52–B55

manuals, as resource, 379–380

.master extension, 34

master pages

- application header and, B25

- creating, 331–332

- creating for Classy Classifieds, B36–B37

- defined, 329

- overview, 329–331

- rules regarding, 334

- running and testing, 333

Master Pages feature, overview, 34

Math object, B74–B75

members, of objects, 121

Menu control, overview, 38

messages

- chat room exit/entrance, B5

- chat room new user announcement, B13

- enabling chat room user, B14–B16

<meta> tag

- updating chat room conversation, B16–B17

- updating chat room users list, B19

methods

- objects and, 117, 118

- using in objects, 120

Microsoft Access, accessing, 281

Microsoft ASP.NET Web site, 388

Microsoft Developer Network (MSDN)

- Visual Studio 2005, on Visual Web

- Developer 2005 Express Start Page, 40

Microsoft GotDotNet Web site, 388

Microsoft .NET data providers, accessing DBMS, 280–281

Microsoft .NET Framework

- ASP.NET technology and, 14

- DBMS accessibility and, 280–281

- overview, 29–30

Microsoft .NET Framework 2.0

- Software Development Kit (SDK), requirements, 14

Microsoft .NET Framework Class Library

- classes and objects and, 125

- migrating from Classic ASP and, B105

- namespaces and, 256

- shortcut to features of, 257–258

Microsoft .NET Framework MSDN

- documentation, namespaces

- resources, 256

Microsoft .NET Web Forms

- capturing events with, 144–146

- changing properties with, 146–147

- creating simple, 142–144

- overview, 142

Microsoft Professional Developers

- Conference (PDC), 386

Microsoft SQL Server, accessing, 280

Microsoft Tech-Ed conferences, 385–386

Microsoft UDDI Business Registry Node, 372

Microsoft Visual Studio 2005

- as advanced tool, 13–14

- creating Web portals and, 358

Microsoft Visual Web Developer 2005

- Express Edition

- accessing resources from Start Page of, 40–41

- adding pages to Web sites, 47–48

- adding server controls in, 48–49

- adding user controls in, 223

- adding Web references and, 373–374

- authentication and authorization settings in, 337

- changing server control properties and, 149

- choosing templates and, 42–43

- code-behind pages feature, 55

- creating calendars with, 217

- creating check box lists with, 182

- creating content pages and, 333

- creating master pages in, 332

- creating new Web sites with, 41

- creating skins and, 353

- creating themes with, 349
- creating Web portals and, 358
- debugging, compiling, running Web application in, 52–54
- Document window, 45–46, 48
 - as entry-level tool, 14
 - handling events and, 146
 - IIS requirements and, 15
 - managing workspace, 44
 - overview, 39–40
 - Properties window, 46–47
 - running book examples and, 54
 - <script> tag and, 101
 - selecting Web site location/language, 43
 - setting control properties in, 49–51
 - setting page themes in, 350
 - Solution Explorer window, 46
 - Task window, 47
 - Toolbox window, 44–45, 48
 - using `RegularExpressionValidator` in, B79
 - writing code in response to events in, 51–52
- Microsoft Web technical support, 384
- modes. *See* page modes
- Move method, 259–260
- MSDN ASP.NET Developer Center Web site, 387
- MSDN (Microsoft Developer Network) Visual Studio 2005, on Visual Web Developer 2005 Express Start Page, 40
- MultiLine text box, 173–174
- My keyword
 - copying and moving files and, 259–260
 - creating/deleting files on hard drive and, 259
 - overview, 257–258
- MyNewsNow Web portal application, 358–360

• N •

- Names property, 169
- namespaces
 - accessing databases and, 280–281
 - automatically included an ASP.NET 2.0 pages, 257
 - creating cookies with `System.Web`, B61–B65

- locating, 255–256
- overview, 253–254
- sending e-mail from Web page with, 254–255
- naming
 - constants, 70
 - constants versus variables, 71
 - variables, 64
- navigation tools, improved, 38
- nesting, overview, 84–85
- .netWire Web site, 388
- newsgroups, as resource, 381–382
- nicknames
 - Café Chat Room entrance page and, B4
 - chat rooms and, B3
 - prompting for, B10–B11
- Notepad, saving pages with `.aspx` extension, 17–18

• O •

- Object data type, 247
- Object variables, using, 247
- object-oriented programming (OOP). *See also* objects
 - jargon of, 121
 - overview, 115
- objects
 - Application versus Session, 135–136
 - ArrayList, 127–130
 - automatically created, 131
 - Classic ASP versus ASP.NET, B104–B105
 - creating class for, 118–119
 - creating multiple class instances, 120–122
 - creating with class, 119–120
 - Math, B74–B75
 - in namespaces, 256
 - nested, 124–125
 - Page, 151, 153–156
 - private versus public variables and, 122–124
 - programming, 117–118
 - Request, 132–135, B65–B67, B67–B68
 - Response, 131–132
 - understanding, 116–117
 - using properties and methods and, 120
- OLE DB data provider, 281
- online help, as resource, 379–380

OOP (object-oriented programming).

See also objects

jargon of, 121

overview, 115

operating system, required in, 14

Or, separating conditions, 80

Oracle, accessing, 281

organization, controlling Properties

 window (Visual Web Developer 2005 Express), 46–47

• p •

page directive

 adding themes to, 349–350

 forcing creation of variables for, 67

 using, 63

page header

 creating reusable, 220–222

 overview, 20

 using, 222–223

page modes

 adding drop-down list, 366–367

 running Design, 367–368

 running Edit, 367–369

 type of, 365–366

 in Web Parts feature, 359

Page object

 defined, 151

 Page_Load event of, 153–156

page settings, changing, 271

Page.IsValid subroutine, 239

Page_Load event

 overview, 153–154

 repeating, 154–156

pages. *See* Web pages

parameters

 functions and, 73–74, 104–106

 using QueryString, 297–300

parentheses, creating multiple functions

 and, 106–107

Password text box, 172

passwords

 for Classy classifieds, B43

 entering on Confirm page, B28

PDC (Microsoft Professional Developers Conference), 386

Personal Web Site Starter Kit template,

 Visual Web Developer 2005 Express, 42

placead.aspx page, Classy Classifieds, 315–319, B29–B30, B44

portal pages

 adding user controls to as Web parts, 362–364

 creating, 361–362

post back, Page_Load event and, 155–156

primary keys, overview, B115–B116

programming languages. *See also specific languages*

 Classic ASP versus ASP.NET, B100–B101

 .net Framework and, 30

 overview, 60

 selecting, 16

 selecting in Visual Web Developer 2005 Express, 43

programming process, of ASP.NET

 pages, 61

programs

 code and, 60

 compiling/running, 60–61

properties. *See also specific properties*

 of Calendar server control, 217–220

 changing server control, 147–150

 changing with Web Forms, 146–147

 of CheckBox server control, 189–190

 of CheckBoxList server control, 184–188

 common browser capability, B66

 common browser identity, B67

 common validation controls, B90–B93

 of DropDownList server control, 206

 of GridView control, 287, 289–290

 of ListBox server control, 198–199

 objects and, 117, 118

 of RadioButtonList and RadioButton server controls, 194–195

 of Request object, B67–B68

 server controls subobject, 149–150

 setting label border, 167–168

 setting label color, 165–167

 setting label font, 168–170

 setting label height and width, 170

 of SqlDataSource control, 286

 using in objects, 120

Properties window, Visual Web Developer 2005 Express, 46–47

PropertyGridEditor, 370

public welcome page, creating, 340–341

• Q •

QueryString parameter, 297–300

• R •

radio buttons

 creating, 191–194
 overview, 190

RadioButton server control

 properties, 194–195
 using, 193–194

RadioButtonList server control

 properties, 194–195
 using, 191–193

RangeValidator, using, 235–236

ReadOnly property, 171–172

Recent Projects section, on Visual Web

 Developer 2005 Express Start Page, 40

reference variables, defined, 121

Refresh, resetting pages/variables with, 77

register.aspx page, 341–343

registration page, creating, 341–343

RegularExpressionValidator, B77–B81

remarks, overview, 71–72

RepeatColumns property, CheckBoxList,
 184–186

RepeatDirection property,

 CheckBoxList, 184–186

RepeatLayout property, CheckBoxList,
 184–186

Request object

 Browser.Request object in, B65–B67
 properties, B67–B68

Request.QueryString object, 132–135

RequiredFieldValidator

 using with drop-down lists, 231–232
 using with text boxes, 230–231

requirements, for creating/testing ASP.NET
 2.0 pages, 14–15

Response.Redirect object, 132

Response.Write object, 131

rich user interface controls, 215–220

Rows property, ListBox, 198

• S •

saving, Visual Web Developer 2005 Express
 Web sites, 43

Say.aspx page, creating, B14–B16

<script> tag

 creating multiple functions within,
 106–107

 functions and, 100–101

script theft, clients-side JavaScript and, 27

search criteria, users entering database,
 301–305

search.aspx page, Classy Classifieds,
 301–305, B30–B31, B45–B46

secure-sockets layer (SSL) encryption, 345

security

 access to private content pages, 344

 of ASP.NET pages, 28

 creating application for registered users
 only, 335–339

 creating login pages, 343–344

 creating registration page and, 341–343

 enhanced, 37

 protecting from sniffers, 345

 server controls for, 345–346

Select Case statement

 comparing variables with, 85–87

 using inequalities with, 87–88

SELECT (SQL) command, B117–B119

Selected property, CheckBoxList, 190

SelectedIndex property

 ListBox, 198

 RadioButtonList and RadioButton,
 194–195

SelectedIndexChanged property,

 CheckBoxList, 187–188

SelectedIndexList property,

 CheckBox, 190

SelectedItem property

 ListBox, 198

 RadioButtonList and RadioButton,
 194–195

server components, B105

server control tag, setting label colors
 in, 166

- server controls. *See also* Microsoft .NET Web Forms; *specific server controls*
 - adding in Visual Web Developer 2005 Express, 48–49
 - advantages of, 28
 - appearing on Web pages as real controls, 145
 - assigning property values with enumeration objects, 149
 - assigning property values with enumeration properties, 148–149
 - buttons, 177–178
 - changing properties in code/tag, 147–148
 - CheckBox, 188–190
 - CheckBoxList, 180–188
 - creating links to randomly selected sites, 213–214
 - creating navigable calendars, 215–220
 - database-access, 281–282
 - displaying images with, 208–209
 - drop-down lists, 204–206
 - enhanced, 36–37
 - labels, 165–171
 - list boxes, 195–204
 - overview, 141–142
 - radio buttons, 190–195
 - resetting variables, 157–159
 - rich, 215
 - security related, 345–346
 - setting properties for in Visual Web Developer 2005 Express, 49–51
 - skins and, 350
 - storing on Web pages, 159–163
 - subobject properties of, 149–150
 - text boxes, 171–176
 - using buttons as links, 211–213
 - validation, 230–240
- servers. *See* Web servers
- server-side scripting, versus client-side scripting, 26
- Session object, versus Application object, 135–136
- Session State server, using, 272
- Session variables, 136
 - overview, 136
 - storing, 272–273
 - versus Application variables, 138
- Simple Object Access Protocol (SOAP), Web services and, 372
- SingleLine text box, 172, 173
- single-precision values, variables
 - holding, 68
- SiteMapPath control, overview, 38
- Size property, 169
- skinid property, 353–355
- skins
 - creating, 351
 - defined, 348
 - overview, 34–35, 350–351
 - providing multiple definitions, 353–355
 - using, 352–353
- sniffers, protecting from, 345
- SOAP (Simple Object Access Protocol), Web services and, 372
- Solution Explorer window, Visual Web Developer 2005 Express, 46
- sorting, data in grids, 290–291
- source code. *See* code
- SQL (Structured Query Language), SELECT command, B117–B119
- SqlDataSource control, 286, B39
- SSL (secure-sockets layer) encryption, 345
- Start Page (Visual Web Developer 2005 Express), overview, 40–41
- statements. *See also* commands
 - of conditionals, 76
 - defined, 72
- static HTML page, functioning of, 26
- Step, using with For . . . Next loops, 90–91
- Str conversion function, 251
- Strict conversion option, 252
- strings
 - functions, B68–B73
 - overview, B68
 - variables holding, 69
- structured programming, 99. *See also* functions
- Structured Query Language (SQL), SELECT command, B117–B119
- subroutines
 - calling in Classic ASP versus ASP.NET, B102–B103
 - exiting, 108
 - object, 118
 - overview, 107
 - using variables in, 110
- surrogate keys, overview, B115
- System.Web namespace, creating cookies with, B61–B65

• T •

Tab key, setting controls for, 172
 tabbed dialog interface, configuring Web applications with, 273–274
 TabIndex property, 172
 tables
 cross-referencing relations in, B116–B117
 DBMS storing information and, B115
 identifying primary keys in, B115–B116
 identifying surrogate keys in, B116
 tags
 changing server control, 147–148
 delimiters and, 62–63
 in XML, 268–269
 Task window, Visual Web Developer 2005 Express, 47
 technical journals/magazines, as resource, 380–381
 technologies, determining Web application creation, B35
 Tek-Tips ASP.NET forum, 389
 templates, for Visual Web Developer 2005 Express, 42–43
 text
 specifying in ToolTip box, 170
 user changing in text boxes, 174–176
 writing to Web pages, 131–132
 text boxes
 creating different types of, 172–174
 overview, 171
 read only, 171–172
 setting Tab key controls for, 172
 user changing text in, 174–176
 validation for empty, 230–231
 Text property, for buttons, 177
 TextAlign property, CheckBoxList, 184
 TextChanged event, 174–176
 TextMode property, 172–174
 themes
 creating, 348–349
 global, 355–356
 overview, 34–35, 347–348
 using, 349–350
 Then. *See* If . . . Then structure
 time, functions, B73–B74
 Today function, 72–73

Toolbox window (Visual Web Developer 2005 Express)
 overview, 44–45
 pinning open, 48
 ToolTip box, specifying text in, 170
 ToolTip property, for buttons, 177
 top-tested loops, 95
 TreeView control, overview, 38

• U •

UDDI (Universal Description and Discovery Integration), listing Web services, 372
 undeclared variables, using, 66–67
 Underline property, 169
 UNIX, ASP.NET 2.0 and, 15
 user controls
 adding to pages with, 223–228
 adding to portal page as Web part, 362–364
 creating page header with, 220–222
 creating Web parts with, 361
 using page header with, 222–223
 user groups, as resource, 385
 user interface, creating in Visual Web Developer 2005 Express, 48–51
 users
 changing Web parts appearance, 368
 control over Web parts
 display/arrangement, 360
 creating application for registered only, 335–339
 displaying updated chat room lists, B21–B22
 editing/deleting database rows, 320–325
 enabling chat room message
 sending/receiving, B14–B16
 entering database search criteria, 301–305
 inserting new rows in databases, 315–319
 listing chat room, B17–B19
 retrieving information about browsers of, B65–B67
 sending to different Web pages, 132
 updating chat room list, B20–B21
 updating chat room most-recent refresh time, B19
 updating databases, 314
 users.aspx page, creating, B17–B22

• U •

Val conversion function, 251

validation controls

accessing/changing from code, B86–B88

common properties, B90–B93

comparing values entered, 232–234

describing necessary data for, B77–B81

displaying error messages, 236–240

for drop-down lists, 231–232

for empty text boxes, 230–231

evaluating particular values for, B81–B85

importance of, 229

summary, B89

of value ranges, 235–236

ValidationSummary, displaying error messages with, 236–240

values

checking ranges of, 235–236

comparing with CompareValidator, 232–234

creating variables with, 70

displaying variable, 65–66

functions returning, 74

storing other than numbers, 245–247

storing whole number, 244

storing with decimal point, 244–245

variables

Application, 136–138, B12–B13

Application versus Session, 138

arrays and, 96–97

body, 108–109, 110

Boolean, 78–79

comparing with Select Case statement, 85–87

creating, 63–65

creating with values, 70

data type of, 67–68

declaring, 110–111

defined, 21, 63

displaying values for, 65–66

forcing creation of, 67

global, 108–109, 110

holding stirrings, 69

local, 108–109, 110

locations used, 110

naming, 64

object, 118

Object, 247

preference, 121

private versus public, 122–123

reference, 121

reset, 157–159

resetting with Refresh, 77

Session, 136, 138, 272–273

types of, 108–109

undeclared, 66–67

using Boolean with conditions, 78–79

using undeclared, 66–67

versus constant, 70

VBScript, B85

view.aspx page, creating, B50–B52

views, adding controls to multiple, 36–37

ViewState feature, storing/retrieving page variables in, 159–163

virtual folders

accessing databases and, 283

creating for Web applications, 262–264

Visible property

for buttons, 177

of labels, 171

Visual Basic 2005

adding comments to code in, 71–72

breaking lines of code in, 81

case sensitivity and, 63

creating variables in, 63–65

date and time access and manipulation

functions, B73–B74

displaying variable values and, 65–66

function of & (ampersand) in, 69

naming variables in, 64

popularity of, 59

string functions, B68–B73

understanding page creation with, 20–22

using undeclared variables in, 66–67

variables data type, 67–68

Visual Studio .NET Developer (Technical journal), 380–381

Visual Web Developer 2005 Express.

See Microsoft Visual Web Developer 2005 Express

VSLive! Conference, 386

• W •

Web applications. *See also specific applications*

adding Web references to, 373–374

- changing general settings of, 270
 - changing page settings, 271
 - changing session settings and, 271–273
 - configuring, 267–275
 - creating for registered users only, 335–339
 - creating virtual folders for, 262–264
 - debugging, compiling, running in Visual Web Developer 2005 Express, 52–54
 - identifying root folder for, 261–262
 - overview, 61–62
 - responding to `Application` and `Session` object events in, 265–267
 - storing settings in `web.config` file, 274–275
- Web farm, using, 271–272
- Web Forms. *See* Microsoft .NET Web Forms
- Web logs, as resource, 382–383
- Web pages
- adding to user controls, 223–228
 - adding to Web sites in Visual Web Developer 2005 Express, 47–48
 - advantages of ASP.NET, 28
 - Café Chat Room, B4–B5
 - content, 329, 330, 332–334
 - converting HTML to ASP.NET, 23
 - creating “Hello and Welcome!”, 18–20
 - creating login, 343–344
 - creating new, 23
 - creating public welcome, 340–341
 - creating registration, 341–343
 - creating reusable header for, 220–222
 - determining Web application needs, B34
 - displaying images on, 208–209
 - functioning of simple, 26
 - initialization, 152
 - ISS accessing, 17
 - master, 329–334
 - modifying, 22–23
 - `Page_Load` event and, 153–156
 - passing information among, 132–135
 - processing ASP.NET, 27–28
 - programming process of ASP.NET, 61
 - resetting variables on, 157–159
 - resetting with Refresh, 77
 - retesting, 23
 - saving with `.aspx` extension, 17–18
 - sending user to different, 132
 - storing server controls on, 159–163
 - testing, 18
 - using client-side scripting with, 26–27
 - using conditionals on, 76–78
 - writing text to, 131–132
- Web parts
- adding user controls to portal page as, 362–364
 - creating portal page for, 361–362
 - creating quote-of-the-day, 374–376
 - creating with user controls, 361
 - rearranging in Design mode, 367
 - user control over display/arrangement of, 360
 - users changing appearance of, 368
 - in Web portal application, 359
- Web Parts feature
- creating Web portals with, 357–358
 - overview, 35
 - page modes and, 359
- Web portal applications
- creating from ASP.NET application, 361
 - creating portal page for, 361–362
 - MyNewsNow sample application, 358–360
 - overview, 357–358
- Web references, adding, 373–374
- Web servers
- browsers checking in with, B8–B9
 - hosting services, 15
 - identifying sessions, 137
 - selecting, 16
- Web services
- adding Web references to, 373–374
 - finding, 372–373
 - overview, 370–371
 - retrieving quote-of-the-day from, 374–376
 - SOAP and, 371–372
- Web sites. *See also specific Web sites*
- adding pages to in Visual Web Developer 2005 Express, 47–48
 - for ASP.NET developers, 387–390
 - blogs, 383
 - for conferences, 385–386
 - creating user interface in Visual Web Developer 2005 Express, 48–51
 - creating with Microsoft Visual Web Developer 2005 Express, 41–43
 - for discussion forums, 381
 - Microsoft Web technical support, 384
 - navigating with drop-down lists, 204–206

Web sites (*continued*)

- for newsgroups, 381–382
- for technical magazines, 381
- for UDDI, 372
- value of classified ads on, B24
- for Webcasts, 384

Webcasts, as resource, 384

web.config files

- changing general Web application settings, 270
- changing page settings, 271
- changing session settings, 271–273
- overview, 262
- preparing database access and, 283–284
- storing application settings and, 274–275
- versus machine.config, 267–268
- Web application settings and, 269–270

WebPartManager control, creating portal page and, 361–362

WebPartZone

- adding Web parts to portal pages and, 362–363
- Web parts and, 362

whole numbers, data types storing, 244

Width property

- for buttons, 177
- of labels, 170

windows

- Document (Visual Web Developer 2005 Express), 45–46, 48
- managing Visual Web Developer 2005 Express, 44
- Properties (Visual Web Developer 2005 Express), 46–47
- Solution Explorer (Visual Web Developer 2005 Express), 46
- Task (Visual Web Developer 2005 Express), 47
- Toolbox (Visual Web Developer 2005 Express), 44–45, 48

workspace, managing Visual Web Developer 2005 Express, 44

World Wide Web, stateless condition of, B8

WriteAllText method, 259

wwwroot folder, 17

• X •

- XMethods UDDI, 372
- understanding, 268–269

• Z •

zones

- adding Web parts to portal pages and, 362–363
- additional types available, 370
- Editor, 368
- for Web parts, 362