

# Index

---

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

---

- a switch
  - in arp, 462
  - in nbtstat, 466–467
  - in netstat, 463
  - in ping, 459
  - in tree, 173
  - in Winnt.exe, 33
- A switch
  - in cipher, 741
  - in nbtstat, 466
- Absolute Telnet SSH program, 622
- Accept option for cookies, 546
- Accept Client Certificates option, 578
- Accept SNMP Packets From Any Host option, 530
- Accept SNMP Packets From These Hosts option, 530
- Accepted Community Names option, 529
- access and access control
  - auditing, **275–279**, 276–279
  - for FTP sites, **601–604**, 602
  - in Home Edition vs. Professional, **3–4**, 4
  - for incoming dial-up connections, **515–516**, 516
  - to Registries, **310–312**, 311–312
  - remote. *See* remote access
  - for websites, **573–574**
- access control lists (ACLs), 4, 11
- Access denied message, 736
- Accessibility category, 540
- account-based scripts, **667**
- Account Is Disabled option, 632
- Account Lockout Policy branch, 646
- Account Logon Events, auditing, 272
- Account Management
  - auditing, 272
  - in Outlook Express, **553–557**, 555
- accounts
  - special mail accounts, **557–560**, 558, 560
  - for Telnet, **618–619**, 618
  - user. *See* user accounts
- ACLs (access control lists), 4, 11
- ACPI (Advanced Configuration and Power Interface)
  - compliance, 334–335
- Action menu, 220
- Action view in System Monitor, 262
- actions for alerts, 267
- activating partitions, 351
- active command, 366
- Active Desktop policies, **656**
- Active Directory
  - for IntelliMirror, 197
  - with RIS, 46–47
- Active Directory domain, 111
- Active Directory Sites And Services console
  - for disk quotas, 292
  - for group policies, 79, 83
- Active Directory Users And Computers console
  - for disk quotas, 292
  - for redirection policy, 78
- ActivePerl tool, 581
- adapters
  - configuring, **418–419**
  - for incoming connections, **517**
  - multiple, **417–418**
  - selecting, **411–412**
- Add A Script dialog box, 84, 667
- Add Counters window, 262, 262
- Add Default Document dialog box, 157
- add disk command, 366
- Add Drive Letter Or Path dialog box, 351, 351, 369
- Add/Edit Application Extension Mapping dialog box, 581, 581
- Add IP Filter dialog box, 768, 768
- Add LPR Compatible Printer dialog box, 532, 532
- Add Network Place Wizard, 592
- Add Or Remove Programs window, 211
- Add Port screen, 153, 153
- Add Printer Wizard, 144–145, 150, 153, 532
- Add/Remove Snap-In dialog box, 111
- Add Standalone Snap-In dialog box, 111, 222, 294
- Add Standard TCP/IP Printer Port Wizard, 153, 153

- Address Bar toolbar, 137
- address book
  - backing up, 21
  - importing, **555**, 555
- Address toolbar, 117
- addresses
  - for devices, 334
  - IP. *See* IP addresses
  - for shared Internet connections, **504**
- administrative actions, auditing, 281
- Administrative Templates policies, **646–647**
- Administrative Tools folder
  - for Device Manager, 316
  - for Telnet, 614
  - turning on, 243
- Administrator account, 11
  - for Device Manager, **316–317**, 316
  - for Disk Defragmenter, **358**
  - for Telnet servers, **619–622**
- administrator privileges, auditing, **282**
- Administrators group, 629
- Advanced Appearance dialog box, 123
- Advanced Attributes dialog box
  - for compression, 359, 360
  - for encryption, 5, 5, 740, 742
- Advanced Configuration and Power Interface (ACPI) compliance, 334–335
- Advanced Connection Options page, 763
- Advanced Restore Options dialog box, 688, 688
- Advanced Security Settings dialog box
  - for auditing, 275–276, 276
  - for certificates, 721
  - for dial-up connections, 396, 396
  - for Registry, 307–308
- Advanced Settings dialog box
  - for ICMP, 509, 509
  - for Internet Connection Sharing, 765
  - for LANs, 424–425, 424
  - for security logging, 507, 508
  - for shared Internet connections, 506, 506
- Advanced—Specify Locations For Various User Groups option, 80, 661
- Advanced TCP/IP Settings dialog box
  - for filters, 757
  - for WINS, 446, 446
- AH (Authentication Header), 754
- alerts, **266–267**
- alias-to-account mapping, 607
  - aliases with virtual folders, 607
- All Programs menu, 108, 110, 113–115
- /all switch, 451–452, 451
- Allow Anonymous Connections option, 602
- Allow Network Users To Change My Files option, 379
- Allow Only Anonymous Connections option, 602
- Allow other network users to connect through this computer's Internet connection option, 500
- Allow other users to control or disable the shared Internet connection option, 501
- Allow Service To Interact With Desktop option, 235
- Allow The Caller To Set The Callback Number option, 514
- Allow The User To Customize Views option, 224
- Allow Unsecured Password option, 395
- Allow Users To Connect option, 481
- AllowAllPaths variable, 712
- AllowedPaths key, 312
- AllowRemovableMedia variable, 712
- AllowWildCards variable, 712
- Alternate IP configuration, 438
- Always Allow Session Cookies option, 546
- Always Call Me Back At The Number(s) Below setting, 401
- Always Prompt Client For Password option, 475
- Always Use The Following Callback Number setting, 515
- America Online, **559**
- anonymous access
  - for FTP sites, **601–604**, 602
  - for websites, **572–573**, 573
- answer files, **38–39**
- APIPA (Automatic Private IP Addressing), 421, 438, **441–442**
- appearance
  - of Desktop, **123–124**, 123
  - of Help And Support Center, **180–181**, 181–182
- Append To Existing Log File option, 257
- AppEvents key, 302
- Application Compatibility Toolkit, 203
- Application Fix Management Console, **203–205**, 204–205
- Application log, 244
- Application Verifier tool, **205–206**, 206
- applications
  - installing and configuring, **189**
  - cleaning up improperly uninstalled applications, **191–193**, 193

- with Files And Settings Transfer Wizard, **193–195**, *194–195*
  - with IntelliMirror, **196–198**
  - moving applications between computers, **196**
  - tips for, **190**, *191*
  - legacy, **199**
    - Program Compatibility Wizard for. *See* Program Compatibility Wizard
    - Unix and Linux hosts for, **209–210**
    - virtual machines for, **209**
    - migrating manually, **24–26**, *25*
    - shortcuts for, **91–94**, *92–93*
  - Applications option in SNMP, **528**
  - Apply To All Folders option, **132**
  - approved sites in Content Advisor, **548**
  - Aqua theme, **123**
  - area code rules, **390–391**, *391*
  - Argent Guardian utility, **253**
  - arp command, **461–462**
  - ASCII Setup dialog box, **388**, *388*
  - Ask For Assistance section, **177**
  - Ask Me During Dialing When The Server Offers option, **401**
  - ASR (Automated System Recovery) disk
    - creating, **674–675**
    - recovery with, **696–698**
  - ASR.SIF file, **697**
  - ASRPNP.SIF file, **697**
  - assign command, **366**
  - AT commands, **387–389**
  - attrib command, **709–710**
  - auditing, **271–272**
    - enabling, **273–275**, *274*
    - event selection for, **281–283**
    - object access, **275–279**, *276–279*
    - printer access, **278**, *278*
    - Registry access, **278–279**, *279*
    - in Telnet, **621**
    - tips for, **280–281**, *280*
  - Auditing Entry dialog box, **276–277**, *277*
  - authentication
    - for bridges, **428**
    - for dial-up connections, **395–399**, *395–396*, *399*
    - for FTP sites, **601–604**, *602*
    - for IPsec, **749**
    - for remote access, **474–475**
    - for Telnet, **621**
    - for VPN connections, **767**
    - for websites, **572–573**, *573*
  - Authentication Header (AH), **754**
  - Authentication Methods dialog box, **491**, *491*, *572*, *573*
  - Author mode in MMC consoles, **223–225**, *224*
  - Auto-Hide The Taskbar option, **119**
  - auto-logons, **121**
  - AutoComplete feature
    - for command prompt, **164–166**, *165–166*
    - in Internet Explorer, **538–539**, *538*
  - Automated System Recovery (ASR) disk
    - creating, **674–675**
    - recovery with, **696–698**
  - Automated System Recovery Preparation Wizard, **674**
  - Automated System Recovery Wizard, **674**, *696*
  - Automatic Dialing And Hanging Up dialog box, **404**, *404*
  - automatic operations
    - backups, **676**, *677*
    - defragmentation, **358**
    - Internet Connection Sharing connections, **501**
    - IP addressing, **440–442**
    - setup, **38–40**
  - Automatic Private IP Addressing (APIPA), **421**, *438*, **441–442**
  - Automatic service type, **232**
  - Automatic Updates dialog box, **215–216**, *216*
  - Automatic Updates feature, **27–28**, *28*, **214–215**
    - accepting and declining updates in, **215–216**, *216*
    - pausing downloads in, **216**
    - restoring declined updates in, **216**
    - turning off, **217**
  - Automatic Updates Properties dialog box, **233–236**, *233–234*, *236*
  - Automatic Updates Setup Wizard, **215**
  - Automatically Detect And Install My Plug And Play Printer option, **153**
  - Automatically Log On dialog box, **121**
  - Automatically Restart option, **69**
  - availability of printers, **146**, **149–150**, *149*
- 
- ## B
- 
- b-mode computers, **447**
  - background for Desktop, **124–125**
  - Backup Operators group, **629**
  - Backup or Restore Wizard, **672**, *672*, *676*
  - Backup to CD-RW (Made Simple) 4.0 program, **673**
  - Backup Utility and backups, **19**, **671**
    - ASR disk for, **674–675**

- automating, **676**, *677*
  - backup sets for
    - ASR, **696–698**
    - importing, **677–678**, *677*
    - recovering data from, **687–689**, *688*
  - basics of, **671–672**, *672*
  - for CDs, **672–673**, *673*
  - in disaster recovery, **682–683**, *682*
  - with encryption, *737*
  - in Home Edition, **674**
  - redirection for, *659–660*
  - restoring, **678–680**, *679*, *687*
  - for stand-alone installations, **18–19**
    - documents in, **20–21**
    - options for, **19–20**
    - for system state data, **675–676**
    - third-party applications for, **680–682**
  - BACP (Bandwidth Allocation Control Protocol), **403–404**, *404*
  - BAP (Bandwidth Allocation Protocol), **403–404**, *404*
  - Base64-encoded format, *730*
  - /BASEVIDEO switch, *75*
  - Basic Authentication, *572*
  - basic disks, **348–350**, *350*
  - Basic—Redirect Everyone’s Folder To The Same
    - Location option, *79*, *660*
  - batch command, *709–710*
  - /BAUDRATE switch, *75*
  - behavior command, *362*
  - bindings in LANs, **424–425**, *424*
  - .bkf extension, *671*
  - blank systems, Setup for, **22–23**
  - Blat tool, *583–584*
  - Blinds program, *139–140*
  - Block option for cookies, *546*
  - blocking applications, **202**
  - Blue Screen of Death (BSOD), *251*
  - BlueSave utility, **69**
  - boot and recovery options, **66**
    - in multiple operating systems, **60–61**
    - startup and failure, **69–71**, *70*
    - system failure, **68–69**
    - system startup, **66–68**, *66–67*
  - boot disks, **22–23**
  - Boot.ini file, *60–61*
    - [boot loader] section, **72**
    - Bootcfg for, **76–77**
    - editing, **71–72**
    - [operating systems] section, **73**
    - switches for, **75–76**
    - syntaxes in, **73–75**
  - [boot loader] section, **72**
  - boot menu, display delay in, **67–68**
  - Bootcfg utility, **76–77**, *709–710*
  - /BOOTLOG switch, *75*
  - BootMagic boot manager, *54*, **61**
  - break disk command, *366*
  - bridging LAN connections, **426–428**, *428*
  - broadcast computers, *447*
  - broadcast updates, *524*
  - Browse button, *235*
  - Browse For Folder dialog box, *183*
  - Browsing category, *540*
  - brute-force password attacks, **281–282**
  - BSOD (Blue Screen of Death), *251*
  - buffers
    - for command prompt, *170*
    - for trace logs, *267*
  - bugcheck information in STOP messages, *252*
  - BulletProof FTP program, *610*
  - BulletProof FTP Server program, *610*
  - /BURNMEMORY switch, *75*
  - bypassing Startup folder, **81**
- 
- ## C
- 
- C switch in efsinfo, *746*
  - c switch in nbtstat, *466*
  - cabinet files, *692–693*
  - cable for networks, *406*, *408–409*, **413–414**
  - cable modems, *499*
  - caches for user account passwords, **635**, *635*
  - call waiting, problems with, *394*
  - callbacks, **401–402**, **513–515**, *513–515*
  - calling cards, **392–394**, *393–394*
  - capacity, disk, **356–357**
  - CAs (certification authorities), **717–718**
    - obtaining certificates from, *574–577*, **727–729**
    - trusting, **719–720**
  - Category 5 (Cat5) cable, *406*, *408*
  - Category field in event logs, *246*
  - cd command, *709*
  - CDs, Backup utility for, **672–673**, *673*
  - centralized administration, **4–5**
  - centralized security, *5*

- Certificate dialog box, 724, 725–726
- Certificate Export Wizard, 731, 731
- Certificate Import Wizard, 732, 744–745
- Certificate Properties dialog box, 726
- Certificate Request Wizard, 729
- certificates, **717**
  - Certificates console for, 721–723, 722–723
  - certification authorities for, 574–577, **717–720**
  - editing, **726**
  - exporting, 731–732, 731, **738**
  - file formats for, **730**
  - importing, **732**
  - in Internet Explorer, 544, **723–724**, 724
  - for IPsec, **749**
  - need for, **728**
  - obtaining, 574–577, 575–577, **726–730**
  - operation of, **718**
  - protecting, **745**
  - purpose of, **718**
  - in SSL, 574–577, 575–577
  - storing, **721**
  - updating, **732–733**
  - validating, **720–721**
  - viewing, **724**, 725–726
  - weaknesses of, **719–721**
- Certificates console, **721–723**, 723
- Certificates dialog box, 723–724, 724
  - for exporting certificates, 731
  - for importing certificates, 732
- Certificates Snap-in dialog box, 722
- certification authorities (CAs), **717–718**
  - obtaining certificates from, 574–577, **727–729**
  - trusting, **719–720**
- Certification Authority service, 729
- Challenge Handshake Authentication Protocol (CHAP), **397**
- Change Anonymous Access Settings screen, 590, 591
- change control, group policy for, 6
- Change Drive Letter Or Path dialog box, 369
- change logon command, 485
- change port command, 485
- change user command, 485
- CHAP (Challenge Handshake Authentication Protocol), **397**
- Character Generator service, 526
- chdir command, 709
- /checkupgradeonly option, 33, 38
- child domains, 627
- chkdsk utility, 172, 709–710
- chkntfs utility, 172
- Choose Details dialog box, 106, 130, 416, 417
- cipher command, **741–742**, 744
- Cis.scp script, 400
- class IDs, **449**
- classic interface, 128
- classic Start menu, **110**
- clean boots, **695–696**
- clean command, 366
- cleaning up improperly uninstalled applications, **191–193**, 193
- Clear Log button, 249
- Clear Type fonts, 123–124
- clearing
  - Event Viewer logs, **249–250**
  - paging file, **739**
- Client Certificates option, 578
- Client for Microsoft Networks, **422–423**, 422
- Client (Respond Only) policy, 751
- Client Service for NetWare, **423–424**, 423
- clients
  - for incoming connections, **519**
  - for LANs, **421–424**, 422–423
  - for shared Internet connections, **501**, **504–505**
- Clipboard with command prompt, **171**
- cloning existing installations, **26–27**, **56–60**
- Close Toolbar option, 120
- cls command, 709
- cluster stack, 352
- clusters, 352, 356–357
- cmd.exe vs. command.com, **162**
- /cmd switch, 33, 35–36
- /cmdcons switch, 34, 38
- Cmddlines.txt file, **42**
- collisions, network, 412
- color
  - in command prompt, 169
  - of text, 123
- Comdlg32.dll file, 97
- command.com vs. cmd.exe, **162**
- Command History setting, 170
- command keys with folders, **98–100**, 99
- command prompt, **159–160**
  - AutoComplete for, **164–166**, 165–166
  - changing, **173–174**, 174
  - with Clipboard, **171**
  - cmd.exe vs. command.com, **162**
  - command execution at, **166–167**
  - disk quotas from, **295**

- for file sharing, **381**
- online help for, **161–162**
- properties and startup in, **167–170**, *167*, *169–170*
- for recovery tools, **172–173**
- for Terminal Services, **483–488**
- tips for, **162–164**, **172**
- tree command, **173**
- for users and groups, **637**
- for volumes, **362–368**
- commands in Cmdlines.txt, **42**
- Communities policy, **652**
- company CAs, **729**
- compatibility
  - of basic disks, **349**
  - of drivers, **328**
  - FAT for, **344**
  - of legacy applications. *See* Program Compatibility Wizard
  - with multiple operating systems, **52**, **56**
- Compatibility Administration tool, **203–205**, *204–205*
- Compress Drive To Save Space option, **359**
- compression
  - and disk quotas, **290–291**
  - with encryption, **736**
  - in NTFS, **345–346**, **358–360**, *359–360*
- CompuServe, **559**
- Computer Configuration, **642**, **645–647**
- Computer field, **246**
- Computer Is Docked option, **338–339**
- Computer Is Undocked option, **338–339**
- Computer Management console, **220–221**
  - for Device manager, **313**
  - for disks, **347**
  - for groups, **628**
  - for services, **82**
  - for Telnet, **614**, **618**
- computers
  - moving applications between, **196**
  - remote
    - Device Manager for, **320–321**
    - Registry on, **310–312**, *311–312*
- configuration logs, **319–320**
- configuration strings, **389**
- Confirm Attribute Change dialog box
  - for compression, **359**, **736**
  - for encryption, **740**, *740*
- Confirm Password field, **235**
- Confirm Restore dialog box, **687–688**, **698**
- Confirm Restore Point Selection screen, **679**
- confirmation of delete operations, **102–104**, *103*
- conflicts, IRQ and DMA, **317**
- Connect dialog box
  - for dial-up connections, **390**
  - for VPN, **762**
- Connect My Desktop dialog box, **520**, *520*
- Connect Only If Server Name Ends With setting, **399**
- Connect To dialog box, **387**, **388**
- Connect To item, **109**
- Connection Description dialog box, **387**
- Connection Name page, **761**
- connections
  - dial-up. *See* dial-up connections
  - direct cable, **518–520**, *520*
  - incoming. *See* incoming connections
  - VPN. *See* VPN connections
- connectivity, ping command for, **458–459**, *458*
- consistent freeze, **692**
- console mode for Telnet, **621**
- Console tree, **220**
- consoles, MMC. *See* MMC (Microsoft Management Console)
- Contact option, **527**
- content, adding, for help, **183–186**
- Content Advisor, **547–549**, *548*
- content zones, **541–543**, *542–543*
- contents of Details view, **106**
- context menu items, **100–101**, **116**
- Control Panel
  - policies for, **656–657**
  - on Start menu, **109**
- Convenience Callback dialog box, **515**, *515*
- convert command, **161**, **353–355**
- convert basic command, **366**
- convert dynamic command, **366**
- convert gpt command, **366**
- convert mbr command, **366**
- converting
  - between basic and dynamic disks, **349–350**, *350*
  - between FAT and NTFS, **353–355**
  - partitions, **54**
- cookies, **544–547**, *545–547*
- Cool Page 2.7 program, **595**
- copies for backups, **681**
- Copy backups, **683**
- copy command, **709**
- Copy Items dialog box, **593**

/copydir option, 33, 35

copying

compressed files, **360**

disk quotas, **289–290**

encrypted files, 737

folders, **35**

Registry key names, **304**

/copysource option, 33

Corporate Update site, **28–29**

counters

in Performance Log And Alerts, **264–265, 265**

in System Monitor, 260, **262–264, 262**

for websites, **580**

Crash Dump setting, 256

Crash Dump Type setting, 256

/CRASHDEBUG switch, 75

Create A New Connection wizard, 519, 522

Create A New Port option, 153

Create An Application Fix dialog box, 204, 205

Create Crash Dump File option, 257

create partition commands, 367

create volume raid command, 367

create volume simple command, 367

create volume stripe command, 367

createnew option, 363

crossover cables, **517**

Cryptographic Message Syntax Standard, 730

Crystal FTP Pro program, 611

Ctrl-Alt-Delete, policies for, **653–654**

Ctrl key with folders, **98–100, 99**

current connections for FTP sites, **600–601, 601**

Cursor Size setting, 170

Custom compatibility mode, 203

custom error pages, **579, 580**

custom files for Setup, **40–42, 41**

Custom Security Method Settings dialog box, 753

Customize Start Menu dialog box, 143

Customize Toolbar dialog box, 138, *138*

Customize View dialog box, 224

/CvtArea option, 354

cylinders, 356

## D

d switch

in arp, 462

in tracert, 461

D switch in cipher, 741

Daily backups, 683

Data Encryption Standard (DES) encryption, **749**

datagrams, 456

Datalink And Subnetworks option, 528

dates in event logs, 245, 245

Daytime service, 526

debug port information in STOP messages, 252

/debug switch

in Boot.ini, 75

in Winnt32.exe, 33, 37

debugging symbols in Dr. Watson, **254–255**

/DEBUGPORT switch, 75

declined updates, restoring, 28, **216**

DECM (Directory Enabled Client Management)

technologies, 640

default documents for websites, **568, 569**

default FTP site

authenticated and anonymous access, **601–604, 602**

current connections, **600–601, 601**

general properties for, **598–600, 599–600**

home directory in, **604–606, 605**

user directories in, **606**

Welcome, Exit, and Maximum Connections

messages, **604, 604**

default gateways, **442–443**

.DEFAULT key, 302

default operating system, **67, 67**

default setting in Boot.ini, 72

Default Tree and Context setting, 423

Default Web Site, 564–566, *565*

Default Web Site Properties dialog box, 490, *490,*

*565–566, 566*

defragmenting, 22, **357–358, 357**

del command, 709

delete command, 709

delete disk command, 367

delete operations, confirming, **102–104, 103**

delete partition command, 367

Delete the private key if the export is successful option,

732

delete volume command, 367

deleting

AutoComplete entries, **539**

components, **212–213, 213**

folders with reserved names, 609

restore points, **690**

SAM hive files, **637**

- sites from security zones, **542–543**
  - Start Menu items, 113
  - users from Remote Desktop Connection, **483**
- Deny disk space to users exceeding quota limit option, 287
- DeployCenter, **49**
- DER-encoded binary format, 730
- DES (Data Encryption Standard) encryption, **749**
- Description field in event logs, 246
- Desktop, **121–122**
  - background for, **124–125**
  - fonts for, **123–124**, 123
  - look and feel of, **122**
  - policies for, **655–657**
  - shortcuts on, **89–90**
  - themes for, **122–123**
- Desktop Items dialog box, 106, 106
- Desktop toolbar, 117
- detail disk command, 367
- detail volume command, 367
- Details pane
  - in Computer Management, 220
  - in Windows Explorer, 128–129
- Details view
  - in folders, **106**
  - in Network Connections folder, 416, 417
  - in Windows Explorer, 130
- developer certificates, 718
- device logs, **319–320**
- Device Manager, **313**
  - in Administrator context, **316–317**, 316
  - for disabling devices, 340
  - for drivers, 324, 328–330
  - for hidden devices, **319**, 336
  - logs for, **319–320**
  - management console for, **315**, 315
  - for remote computers, **320–321**
  - for resources, 335, 335
  - as stand-alone program, **314–315**, 314
  - tips for, **313**, 314
  - views in, **317–319**, 318–319
- devices
  - drivers for. *See* drivers
  - enabling and disabling, **334**, **340**, 341
  - hidden, **336**
  - resource use for, **334–336**, 335
- Devices By Connection view, 317
- Devices By Type view, 317, 318
- Devices For Incoming Connections page, 763
- Devmgmt.msc file, 314
- DHCP (Dynamic Host Configuration Protocol), 421, 437
  - operation of, **441**
  - for VPN connections, **767**
- diagnostics for modems, **386–389**, 387–388
- dial-up connections, **390**
  - authentication settings for, **395–399**, 395–396, 399
  - callback for, **401–402**
  - calling cards for, **392–394**, 393–394
  - dialing rules for, **390–395**, 391–394
  - incoming. *See* incoming connections
  - multilink for, **402–404**, 403–404
  - scripting for, **400**
- dialing rules, **390–395**, 391–394
- dictionary password attacks, **281–282**
- Did You Know? section, 177
- Differential backups, 683
- digital IDs, linking to physical IDs, **720**
- dir command, 709
- Direct Cable Connection software, 519–520, 520
- direct cable connections, **518–520**, 520
- Direct Memory Access (DMA), 334
- Directory Enabled Client Management (DECM)
  - technologies, 640
- Directory Service Access, 272
- dirty command, 363
- disable command, 241, 709–710
- Disable Remote Desktop Sharing policy, 654
- Disabled policy option, 643
- Disabled service type, 233
- disabling
  - AutoComplete, **539**
  - automatic TCP/IP configuration, **438–439**
  - devices, **334**, **340**, 341
  - Encrypting File System, **743**
  - print spooling, 738
  - redirection, **475**
  - services, 241, **699**
- disaster recovery. *See* recovery
- Discard Old Duplicates setting, 170
- Discard service, 526
- Disk Defragmenter, **357–358**, 357
- disk imaging
  - applications for, 48
  - for backups, 682
- Disk List view, 347

- Disk Management console, 347–348
  - for activating partitions, 351
  - for converting between basic and dynamic disks, 350, 350
  - for drive letters, 351
- Disk object, 267
- disk performance, 355
  - compression for, 358–360, 359–360
  - disk capacity and fragmentation, 356–358, 357
  - with multiple operating systems, 52
  - zipped folders and files, 361–362, 361
- disk quotas, 285–286
  - from command prompt, 295
  - compression effect on, 290–291
  - copying, 289–290
  - folder-specific, 291–292
  - global settings, 286–288, 287
  - ownership effect on, 291
  - policies for, 292–295, 293–294, 650
  - on remote volumes, 290
  - user limits, 288–289, 289
- Diskeeper tool, 22, 358
- diskpart command
  - in Recovery Console, 709–710
  - subcommands, 365–368
- disks, 347–348
  - basic and dynamic, 348–350, 350
  - boot, 22–23
  - drive letters and paths for, 351, 351
  - mapping, 121
  - partitions, 350–351
    - on basic disks, 348
    - converting and resizing, 54
    - creating and activating, 350–351
    - for multiple operating systems, 56
  - performance. *See* disk performance
  - quotas for. *See* disk quotas
- Display Name field, 248
- display options
  - for command prompt, 170
  - for Taskbar, 118–120, 118–120
- Display Properties dialog box, 122
  - for appearance, 123
  - for background, 124–125
  - for fonts, 123–124
  - for themes, 122–123
- /displaydns switch, 451
- DLLs in migration, 24, 26
- DMA (Direct Memory Access), 317, 334
- DNS (Domain Name System), 444–445, 445
- DNS Suffix and NetBIOS Computer Name dialog box, 445, 445
- Do Not Allow Callback option, 514
- Do Not Allow Clipboard Redirection option, 475
- Do Not Allow Drive Redirection option, 475
- Do Not Allow Installation option, 331
- Do Not Allow Printer Redirection option, 475
- Do Not Allow Virtual Private Connections option, 514
- Do not limit disk usage option, 287
- Do Not Overwrite Events option, 249
- Do Not Save Changes To This Console option, 224
- Do not specify administrative policy for My Pictures option, 662
- Do not Use This Device (Disable) option, 334
- Docking State is unknown option, 338
- documents, backing up, 20
- dollar signs (\$) for hidden shares, 380
- domain groups, 626–628, 627
- domain local groups, 628
- Domain Name System (DNS), 444–445, 445
- domain namespace, 444
- domains
  - centralized security for, 5
  - scope for, 627–628
- Download the updates automatically and notify me when they are ready to be installed option, 27
- downloading updates, 216–218
- Dr. Watson tool, 253
  - collecting and submitting data in, 257
  - configuring, 255–257, 256
  - debugging symbols in, 254–255
  - operation of, 253–254
- Dreamweaver program, 595
- drive letters for disks, 351, 351
- driver.cab file, 324
- Driver Signing Options dialog box, 330, 331
- driverquery command, 325–328
- drivers, 323–324
  - compatibility of, 328
  - driverquery command, 325–328
  - Plug and Play for, 332–333
  - printer, 142
  - properties for, 324–325, 325
  - rolling back, 329, 689
  - signed vs. unsigned, 330–331, 331
  - stopping and starting, 332

- uninstalling, **329–330**
- updating and replacing, **328–329**
- drivertype option, 364
- drives. *See* disks
- drives option, 364
- Drwtsn32.log file, 254, 256
- DSL with Internet Connection Sharing, 499
- /dudisable switch, 34, 37
- Dump All Thread Contexts option, 257
- /duprepare switch, 34, 37
- /dushare switch, 34
- dynamic disks, **348–350**, 350
- Dynamic Host Configuration Protocol (DHCP), 421, 437
  - operation of, **441**
  - for VPN connections, **767**
- dynamic IP addresses, 437, **480**
- dynamic multilink connections, **403–404**, 404
- dynamic routing, 524
- Dynamic Update
  - for compatibility information, 202
  - managing, 37

---

## E

---

- E-Mail Server Names screen, 560, 560
- e-mailing form results, **582–584**, 582–583
- e switch
  - in netstat, 463
  - in Winnt.exe, 33
  - in Winnt32.exe, 36
- /E switch in cipher, 741
- EAP (Extensible Authentication Protocol)
  - for dial-up connections, **398**
  - for VPN connections, **767**
- Easy CD Creator program, 673
- Echo Reply messages, 456
- Echo Request messages, 456
- Echo service, 526
- Edit Calling Card dialog box, 392, 393
- Edit Multi-String dialog box, 312, 312
- Edit Options setting, 170
- Edit Rule Properties dialog box, 752–754, 753
- Edit String dialog box, 91, 91
- Edit System Variable dialog box, 19, 20
- editing
  - AutoComplete settings, **539**
  - Boot.ini, **71–72**
  - certificates, **726**
  - IPSec policies, **751–753**, 752–753
- Effects dialog box, 124
- EFS (Encrypting File System), **735**
  - benefits of, **737**
  - cautions for, **737–738**
  - with cipher, **741–742**
  - disabling and enabling, **743**
  - for files and folders, **736–737**, **740–741**, 740
  - in Home Edition vs. Professional, 5, 5
  - limitations of, **736**
  - operation of, **735–736**
  - recovery policy for, **743–746**
  - sharing encrypted data, **742–743**, 742
  - tips for, **738–740**
- EFSDump utility, 746
- efsinfo command, **746**
- Enable Certificate Trust List option, 578
- Enable Client Certificate Mapping option, 578
- enable command, 241, 709–710
- Enable File And Folder Compression option, 352
- Enable Logging option, 599
- Enable Printer Spooling option, 147
- Enable quota management option, 287
- Enable strong protection option, 731
- Enable Windows NTP Server policy, 657
- Enabled policy option, 643
- enabling
  - auditing, **273–275**, 274
  - AutoComplete, **539**
  - Content Advisor, **548–549**, 548
  - devices, **334**, **340**, 341
  - Encrypting File System, **743**
  - Internet Connection Sharing, **499–500**, 499
  - services, 241
- Encapsulating Security Protocol (ESP), 754
- encapsulation, 760
- Encrypt Contents To Secure Data option, 740
- Encrypting File System. *See* EFS (Encrypting File System)
- encryption
  - for dial-up connections, 396
  - EFS for. *See* EFS (Encrypting File System)
  - for IPSec, **749**
  - in NTFS, 346, 736
  - for remote access, **475**
  - for VPN connections, **767**

Encryption Details dialog box, 742, 742

End-To-End option, 528

End-User compatibility mode, 203

environment policies, 655–657

Environment Variables dialog box, 19, 20, 255, 255

Error and Event Messages document, 250

Error events, 245

Error Mapping Properties dialog box, 579

error pages for websites, 579, 580

ESP (Encapsulating Security Protocol), 754

Establish a dial-up connection whenever a computer on my network attempts to access the internet option, 501

event IDs, 246, 250

Event Reporter tool, 269

Event Viewer, 243

- filtering in, 247, 247
- logs in
  - clearing and saving, 249–250
  - exporting to other programs, 250–251
  - settings for, 248–249, 248
  - views in, 247–248
- tips for, 243–246, 244–245
- views in, 246–247

EventAdmin utility, 253

events

- Dr. Watson for, 253–257, 255–256
- Event Viewer for. *See* Event Viewer
- STOP messages, 251–252, 251
- third-party management applications, 252–253

Exceed products, 210

execution, command

- at command prompt, 166–167
- of scripts, 84–85, 667–668
- after Setup, 36

existing OS installations, cloning, 26–27, 56–60

exit command

- in diskpart, 368
- in Recovery Console, 709

Exit messages for FTP site, 604, 604

expand command, 709

Explore All Users option, 114

/Explorer switch, 134

Explorers. *See* Internet Explorer; Windows Explorer

Export File Format screen, 745

Export List dialog box, 232

Export Private Key screen, 745

Export Quota Settings dialog box, 290

Export Registry File dialog box, 25–26, 25, 192, 306

exporting

- certificates, 731–732, 731, 738
- Event Viewer logs, 250–251
- quota settings, 290
- Registry keys, 305–307
- service lists, 232

extend command, 368

Extended Logging Properties dialog box, 600–601, 600–601

extended partitions, 348

Extended Volume Wizard, 372

extending volumes, 371–372, 372

Extensible Authentication Protocol (EAP)

- for dial-up connections, 398
- for VPN connections, 767

Extraction Wizard, 361

---

## F

f switch

- in ping, 459
- in route, 465
- in tree, 173

F switch in cipher, 741

Failure Audit events, 245

failure options, 68–69

- remote setup for, 69–71, 70
- for services, 236, 236

Fast User Switching feature, 480–481, 638, 638

/FASTDETECT switch, 75

FAT (File Allocation Table) system, 11, 344–345

- converting with NTFS, 353–355
- in multiple operating systems, 53–54

favorite Registry keys, 304–305

Favorites bar, 134–135, 135

File Allocation Table (FAT) system, 11, 344–345

- converting with NTFS, 353–355
- in multiple operating systems, 53–54

file command, 363

file formats for certificates, 730

File Transfer Protocol (FTP) Service, 562–563. *See also* FTP sites

files, 343. *See also* disks; volumes

- auditing for, 275–278, 276–277, 281, 283
- backing up. *See* Backup Utility and backups
- encrypting. *See* encryption

- file systems for
  - in multiple operating systems, **53–55**
  - selecting, **344–346**
- sharing. *See* sharing
- zipped, **361–362**, *361*
- Files And Settings Transfer Wizard, **193–195**, *194–195*
- Fill Screen mode, 168
- Filmstrip view, 131, *131*
- Filter Action Wizard, 756
- filters
  - in Event Viewer, **247**, *247*
  - in IPsec, **749–750**, **755–757**, *755*
  - in TCP/IP, **448–449**
  - for VPN connections, **767–769**
- Find Certificates dialog box, **723**, *723*
- find command, 172
- findbysid option, 363
- finding
  - certificates, **723**, *723*
  - encrypted files and folders, **745–746**
  - Help And Support Center items, **178–179**, *179*
  - Registry items, **57**
- findstr command, 172
- firewalls
  - for IPsec, **749–750**
  - for remote access, **475–476**, *476*
  - for shared Internet connections
    - ICF, **505–508**, *506–508*
    - third-party, **508–510**, *509*
- 1st QuickRes utility, **94**, *95*
- fixboot command, 709, 711
- fixmbr command, 709, 711
- /flushdns switch, 451
- /FO parameter, 325
- Folder Options dialog box
  - for command keys, **99**, *99*
  - for file sharing, **375**
  - for folder views, 132, 136
  - for Simple File Sharing, 152
  - for Windows Explorer, 128–129
- folders
  - for applications, 190
  - auditing for, **275–278**, *276–277*, *281*
  - command keys with, **98–100**, *99*
  - copying, **35**
  - disk quotas for, **291–292**
  - encrypted, **736–737**
  - encrypting, **738**, **740–741**, *740*
  - navigating, **136–137**
  - redirection with, **659–662**, *661–662*
  - views for, **132**
  - zipped, **361–362**, *361*
- Folders bar in Windows Explorer, **136**
- Folders item on Start menu, 109
- fonts, **123–124**, *123*
- Foreign Address category, 463
- forests, 627
- Form Properties dialog box, 582, *582*
- form results, e-mailing, **582–584**, *582–583*
- format command, 353, 709, 711
- Format dialog box, 352, *352*
- Format New Volume dialog box, 352–353, *353*
- formatting volumes, **351–353**, *352–353*
- FormMail tool, 583
- Found New Hardware Wizard, 333
- fpremadm.exe utility, 588
- fpsrvadm.exe utility, 587
- fpsrvwin.exe utility, 587
- fragmentation, **356–358**, *357*
- Frequently Used Programs item, 108
- FrontPage MMC, **582–583**, *582–583*, **587–588**
- FrontPage Server Extensions, 571, **585**, 589, *590*
  - administering, **587–588**, **593–594**
  - alternatives to, **594–595**
  - benefits of, **585–587**
  - installing and configuring, **589–591**, *590–591*
  - Web Folders for, **591–593**, *592*
- /FS:NTFS option, 354
- fsinfo command, **364**
- fsutil command, 295, **362–365**
- FTP (File Transfer Protocol) Service, **562–563**
- FTP sites, **597–598**
  - default site, **598**, *598*
    - authenticated and anonymous access, **601–604**, *602*
    - current connections, **600–601**, *601*
    - general properties, **598–600**, *599–600*
    - home directory in, **604–606**, *605*
    - user directories in, **606**
    - Welcome, Exit, and Maximum Connections messages, **604**, *604*
  - miscreants on, **609–610**
  - security for, **607–608**
  - third-party applications for, **610–611**
  - virtual directories for, **606–607**
- Full-text Search Matches options, 178, 181

## G

g switch  
 in arp, 462  
 in pathping, 460

gateways  
 default, 442–443  
 multiple, 448

Ghost application, 48, 48

global IPsec filters, 755–756, 755

global Registry search and replace, 57

global scope for domains, 628

globally unique IDs (GUIDs), 46

GlobalSign NV company, 727

GoLive 6 program, 595

GoToMyPC program, 495

Go!Zilla tool, 551

GPT (GUID Partition Table), 348

Grant the user exclusive rights to folder option, 662

Graph view  
 in Disk Management, 347  
 in System Monitor, 262–263

group policies, 639–641  
 for auditing, 273–275, 274  
 for disk quotas, 292–293, 293  
 for drivers, 331  
 Group Policy console for, 641–645, 642–644  
 in Home Edition vs. Professional, 6  
 scripts for, 83  
 for SNMP service, 531, 531  
 for Startup folder, 78–80, 78–79  
 in Windows 9x and Me, 12, 12  
 for Windows Update, 218

Group Policy console, 83, 83, 641–645, 642–644

Group Policy editor, 79, 79, 111–112

grouping Taskbar buttons, 119, 119

groups, 625–626  
 console for, 637  
 creating and managing, 628–631, 628, 630  
 local and domain, 626–628, 627

Guests group, 629

GUID Partition Table (GPT), 348

GUIDs (globally unique IDs), 46

[GuiRunOnce] section, 42

## H

H switch in cipher, 741

h switch in pathping, 460

hardlink command, 364

hardware, 323  
 drivers for. *See* drivers  
 in network topologies, 411–414, 413  
 policies for, 650–654

hardware-based firewalls, 509–510

Hardware Compatibility List (HCL), 22

hardware profiles, 337–338, 338  
 creating, 339  
 enabling and disabling devices for, 340, 341  
 properties of, 338–339, 339  
 services for, 234

Hardware Profiles dialog box, 337–339, 338

HARDWARE subkey, 301

hardware support, 13

hardwired connections, incoming, 516–517  
 network adapters and crossover cables for, 517  
 serial and parallel port, 517–520  
 USB-to-USB connections for, 517

HCL (Hardware Compatibility List), 22

heap-related bugs, testing for, 209

help, 175  
 for command prompt, 161–162  
 Help And Support Center, 175–176, 176  
 appearance of, 180–181, 181–182  
 home page, 176–178  
 new content for, 183–186  
 toolbar in, 178–179, 179  
 tour in, 180  
 on Web, 182–183

Help and Manual tool, 185

Help And Support menu item, 109

help command  
 in diskpart, 368  
 in Recovery Console, 709

Help Content screen, 177

Help Development Studio tool, 186

HelpKit tool, 186

HelpServicesGroup group, 629

Hidden attribute for Boot.ini, 72

hidden devices, 319, 336

Hidden view in Disk Management, 347

- Hide These Specified Drives In My Computer policy, 643, 644, 653
  - hiding
    - shares, **380**
    - Taskbar, 118–119, 118
  - Histogram view in System Monitor, 262–263
  - History bar, **136**
  - hive files in Registry, **300–301, 309–310, 310**
    - HKEY\_CLASSES\_ROOT, **302**
    - HKEY\_CURRENT\_CONFIG, **302–303**
    - HKEY\_CURRENT\_USER, **302**
    - HKEY\_LOCAL\_MACHINE, **301–302**
    - HKEY\_USERS, **302**
  - home directory
    - for FTP site, **604–606, 605**
    - for Telnet servers, **615–616**
    - for websites, **567, 568**
  - Home Edition vs. Professional, **3**
    - access control, **3–4, 4**
    - Backup Utility, **674**
    - centralized administration, **4–5**
    - Encrypting File System, **5, 5**
    - group and local policies, **6**
    - Multilingual User Interface add-on, **6**
    - Offline Files, **6–7, 7**
    - Remote Desktop, **7–8, 8**
    - Remote Installation Services, **8–9**
    - roaming user profiles, **9**
    - scalable processor support, **10**
    - software installation and maintenance, **10**
  - home page for Help And Support Center, **176–178**
  - HomeSite program, 595
  - host headers for websites, **567**
  - hosting
    - FTP sites. *See* FTP sites
    - websites. *See* websites
  - hostname command, **464**
  - HOSTS file, **447**
  - hosts for incoming connections, **519**
  - HotDogProfessional program, 595
  - Hotmail accounts, **558–559, 558**
  - HoTMetaL Pro program, 595
  - hours of printer availability, **146**
  - HTML Administration Forms, 588
  - HTML code, 594
  - HTTP 1.1 Settings category, 540
  - hubs, **406–408, 407, 412**
  - Hummingbird products, 210
  - hybrid password attacks, **281–282**
  - HydraLinks tool, 551
  - HyperTerminal, 387
- 
- I
- I switch
    - in cipher, 741
    - in efsinfo, 746
  - i switch in ping, 459
  - i386 folder, 34
  - ICF (Internet Connection Firewall), **505–508, 506–508**
  - ICMP (Internet Control Message Protocol), **456, 508**
  - icons
    - restoring, **105–106, 106**
    - sorting, **133**
  - Icons views in Windows Explorer, 131
  - ICS (Internet Connection Sharing), 421, **498–499, 498**
    - automatic connections in, **501**
    - client control in, **501**
    - enabling, **499–500, 499**
    - for VPN, **765**
  - identities in Outlook Express, **556–557**
  - if switch in route, 465
  - Ignore Client Certificates option, 578
  - IIS (Internet Information Services)
    - for certificates, 574, 575
    - for FTP sites, 597–598, 598
    - installing, **563–564, 564**
  - IIS Certificate Wizard, 574, 575
  - iisadmin folder, 569
  - import command, 368
  - importing
    - backup sets, **677–678, 677**
    - certificates, **732**
    - Outlook Express accounts and messages, **553–556, 555**
    - Registry keys, **305–307**
  - improperly uninstalled applications, cleaning up, **191–193, 193**
  - Include all certificates in the certification path if possible option, 731
  - incoming connections
    - dial-up, **511**
      - access control in, **515–516, 516**
      - callbacks in, **513–515, 513–515**

- configuring, **511–512**
  - security risks in, **512–513**
- hardwired, **516–517**
  - network adapters and crossover cables for, **517**
  - serial and parallel port, **517–520**
  - USB-to-USB connections for, **517**
- VPN, **762–766, 764**
- Incoming TCP/IP Properties dialog box, *516, 516, 764, 764*
- Incremental backups, **683**
- Information events, **245**
- infrared devices and connections, **521**
  - links for, **521–522**
  - working with, **522**
- infrared (IR) ports, **521**
- Inherit from parent the auditing entries that apply to child objects option, **277**
- Inherit from parent the permission entries that apply to child objects option, **307**
- Input Filters dialog box, *768–769*
- input filters for VPN connections, **767–769**
- Inset Mode option, **170**
- Install And Share Windows Help dialog box, **183**
- installation
  - applications, **189**
    - cleaning up improperly uninstalled applications, **191–193, 193**
    - with Files And Settings Transfer Wizard, **193–195, 194–195**
    - with IntelliMirror, **196–198**
    - moving applications between computers, **196**
    - tips for, **190, 191**
  - FrontPage Server Extensions, **589–591, 590–591**
  - Internet Information Services, **563–564, 564**
  - in multiple operating systems, **55**
  - Remote Desktop Connection, **477–478**
  - Remote Desktop Web Connection, **489–490, 489**
  - SNMP service, **527**
  - Terminal Services, **483**
  - Windows XP, **31–32**
    - automated and unattended setup, **38–40**
    - Cmdlines.txt for, **42**
    - DeployCenter for, **49**
    - Ghost for, **48, 48**
    - parallel copies, **699**
    - with RIS, **45–47**
    - Setup files for. *See* Setup files
    - slipstream, **44–45**
    - stand-alone. *See* stand-alone installations
    - Sysprep for, **43–44**
    - Systems Management Server for, **47**
- Integrated Windows Authentication (IWA), **572**
- IntelliMirror
  - for deploying applications, **196–198**
  - for recovery, **683–684**
  - support for, **10**
- interface, **107**
  - Desktop. *See* Desktop
  - shortcuts for, **94**
  - Start menu. *See* Start menu
  - Taskbar, **116–117**
    - customizing, **117–118**
    - display options for, **118–120, 118–120**
    - policies for, **656**
- interface changers, **550**
- internal VPN connections, **770**
- Internet
  - network topologies for, **410, 411**
  - printing on, **154–157, 155–156**
  - services for, **562–563**
- Internet Connection Firewall (ICF), **505–508, 506–508**
- Internet Connection page, **765**
- Internet Connection Sharing (ICS), **421, 498–499, 498**
  - automatic connections in, **501**
  - client control in, **501**
  - enabling, **499–500, 499**
  - for VPN, **765**
- Internet Connection Wizard, **560, 560**
- Internet connections, **497**
  - configuring clients for, **504–505**
  - Internet Connection Sharing for, **498–501, 498–500**
  - on multihomed systems, **510**
  - routers for, **502–503, 502**
  - security for, **505–510, 506–509**
- Internet Control Message Protocol (ICMP), **456, 508**
- Internet Explorer, **537**
  - add-ons for, **550–551**
  - Advanced Settings for, **540–541, 540**
  - AutoComplete in, **538–539, 538**
  - for certificates, **544, 723–724, 724**
  - Content Advisor in, **547–549, 548**
  - cookies in, **544–547, 545–547**
  - policies for, **654–655**
  - security for, **541–544, 542–543**

Internet Explorer Maintenance branch, 647

Internet Information Services (IIS)  
 for certificates, 574, 575  
 for FTP sites, 597–598, 598  
 installing, **563–564**, 564

Internet Neighborhood program, 611

Internet option in SNMP, 528

Internet Options dialog box  
 for Content Advisor passwords, 549  
 for cookies, 545–546, 545  
 for proxies, 217  
 for zones, 543, 543

Internet Printing Protocol (IPP), 154

Internet Protocol (IP), 420

Internet Protocol (TCP/IP) Properties dialog box,  
 434–435, 435, 442, 756–757

Internet zone, 541

Interrupt Requests (IRQs), 317, 334–335

IO base addresses, 334

IP (Internet Protocol), 420

IP Address Assignment page, 766

IP addresses, 421, **435–436**  
 assignment methods for, **437–438**  
 automatic, **440–442**  
 default gateways, **442–443**  
 for FTP sites, 608  
 manual, **438–440**, 439–440  
 for network printers, 153  
 for Remote Desktop Connection, **480**  
 for shared Internet connections, 504  
 types of, **436–437**  
 for VPN connections, **766–767**  
 for websites, **565–566**, 566

IP Filter List dialog box, 755

IP Security Policies branch, 646

IP Security Policy Management dialog box, 753

IP Security Policy Wizard, 754

IPConfig utility, **450–452**, 450–451

IPP (Internet Printing Protocol), 154

IPSec, **747–748**  
 filters for, **749–750**, **755–757**, 755  
 policies for  
 assigning, 755  
 creating, 754  
 modifying, **751–753**, 752–753  
 preconfigured, 751  
 purpose of, **748–749**  
 requirements of, **749–750**

IPSec tunnel mode, 748

IPX/SPX protocol, **421**

IR (infrared) ports, 521

IRQs (Interrupt Requests), 317, 334–335

IrTran-P infrared transfer protocol, 521

ISA-bus devices, 333

IUSR account, 602–603

IWA (Integrated Windows Authentication), 572

---

## J

j switch in ping, 459

junction points, 13

Just Clear tool, 551

---

## K

K switch in cipher, 741–742

k switch in ping, 459

Keep Printed Documents option, 148

Keep the Taskbar on top of other windows option, 119

Kerberos V5, **749**

Kerio Personal Firewall, 509

Key Exchange Security Methods dialog box, 752, 752

Key Exchange Settings dialog box, 752, 752

key pairs for certificates, 718

Keyboard option, 479

keys in Registry, **303–304**

---

## L

l switch in ping, 459

L2TP (Layer 2 Tunneling Protocol), 748, 760,  
**767–768**

Language toolbar, 117

LANs, **415**  
 adapters for, **418–419**  
 bindings in, **424–425**, 424  
 bridging connections in, **426–428**, 428  
 clients for, **421–424**, 422–423  
 Network Connections folder for, **415–418**,  
 416–417  
 protocols for, **419–421**  
 provider order in, **425–426**, 426  
 wireless, **428–431**, 430

- Last Known Good Configuration, **694–695**
- last used key, Registry Editor for, **305**
- Layer 2 Tunneling Protocol (L2TP), 748, 760, **767–768**
- layers in compatibility, 202
- leasing in DHCP, 441
- Leave the folder in the new location when policy is removed option, 80, 662
- legacy and non-Windows applications, **199**
  - Program Compatibility Wizard for. *See* Program Compatibility Wizard
  - Unix and Linux hosts for, **209–210**
  - virtual machines for, **209**
- licenses, 29
- Limit disk space to option, 287
- linking digital IDs to physical IDs, **720**
- links for infrared devices and connections, **521–522**
- Links toolbar, 117, 137
- Linux hosts, **209–210**
- list disk command, 368
- List view in Windows Explorer, 130
- list volume command, 368
- listsvc command, 241, 709
- LMHOSTS file, **447–448**
- .lnk extension, 90
- Load Hive dialog box, 309
- Load Startup Items option, 696
- loading Remote Desktop Connection, **481**
- Local Address category, 462
- Local Area Connection Properties dialog box, 439, 439
- Local Computer Policy console, 295
- Local devices option, 479
- local groups, **626–628**, 627
- Local Intranet zone, 541
- Local Or Network Printer screen, 150, 153
- local policies, **639–641**
  - for disk quotas, **294–295**, 294
  - in Home Edition vs. Professional, **6**
- Local Policies branch, 646
- Local Printer Attached To This Computer option, 153
- local printers, 142
- local scope for domains, 628
- Local Security console, 273
- local stores, backing up, 21
- Local System Account option, 234
- Local Users And Groups snap-in, **628–632**
- localized versions, 6
- Location Information dialog box, 763
- Location option in SNMP, 528
- locked toolbars, 117–118, 138
- Log Dropped Packets setting, 507
- Log event when a user exceeds their quota limit option, 288
- Log event when a user exceeds their warning level option, 288
- Log File Path field, 255
- log files. *See* logs
- Log Name field, 248
- Log Off item on Start menu, 109
- Log On Locally Properties dialog box, 603
- Log Successful Connections setting, 507
- LogCaster utility, 253
- logging. *See* logs
- Login.cmd file, 615
- Login Script Options setting, 424
- logoff command, 485
- logon and logoff
  - with Remote Desktop Connection, **494**
  - scripts for, 82–83, **665**
    - account-based, **667**
    - alternatives to, **668**
    - execution of, **667–668**
    - location of, **665–666**
    - policy-based, **666–667**
    - for Telnet servers, **616–617**, 616
    - of services, **234–235**, 235
- logon banner for Telnet servers, **614–615**, 615
- logon command, 709, 711
- Logon Events, auditing, 272
- Logon screensavers, spoofing, **636**
- logs
  - for application installation, 190
  - for Device Manager, **319–320**
  - in Dr. Watson, 254–256
  - in Event Viewer, 244, 244
    - clearing and saving, **249–250**
    - exporting to other programs, **250–251**
    - settings for, **248–249**, 248
    - views for, **247–248**
  - for FTP, 599–600, 600, 608
  - in Internet Connection Firewall, **507**, 508
  - for modems, **389**
  - in Performance Log And Alerts
    - counter, **264–265**, 265
    - trace, **265–266**, 266
  - in System Restore, 678

lost passwords, **635–637**

Luna interface, 107

## M

m switch in Winnt32.exe, 34–35

mail messages, importing, **555–556**

mail relay, 563

Main Identity in Outlook Express, 556

Make My Pictures a subfolder of My Documents  
option, 662

Make This Folder Private option, 380

/makelocalsource option, 34

Manage IP Filter Lists dialog box, 755, 755

managed switches, 412, 413

management console. *See* MMC (Microsoft  
Management Console)

Management Server tool, 527

Managing Multiple Remote Access Servers page, 766

Mandatory Password feature, 495

mandatory profiles, **665**

manual operations

    dial-up connection dialing, **394–395**

    IP addressing, **438–440**, 439–440

    migration, **24–26**, 25

    recovery, **699–701**

    Remote Desktop Connection installation, **477–478**

    Windows Update, **217–218**

Manual service type, 233

map command, 709

mappers, 468

mapping

    alias-to-account, 607

    drives, **121**

mask switch, 465

Master Key Perfect Forward Secrecy option, 752

Maximum Connections messages, **604**, 604

Maximum log size setting, 249

Maximum Strength Encryption option, 396

/MAXMEM switch, 75

MD-5 CHAP, 397

md command, 709, 711

Media bar, **135**

Media Player policies, **655**

memory addresses for devices, 334

memory leaks, testing for, 209

Memory object, 267

menu display, speeding up, **105**, 105

metric switch, 465

Microsoft Challenge Handshake Authentication  
Protocol (MS-CHAP), **397**

Microsoft HTML Help Workshop tool, 185

Microsoft Knowledge Base group, 178–179

Microsoft Knowledge Base options, 181

Microsoft Management Console (MMC). *See* MMC  
(Microsoft Management Console)

Microsoft Plus!, **140**

Microsoft SharePoint Administrator, 589

Microsoft VM category, 540

MigDB.inf file, 201

migration

    manual, **24–26**, 25

    with multiple operating systems, 52

miscreants on FTP sites, **609–610**

mkdir command, 709

MMC (Microsoft Management Console), **219–220**

    creating, **221–225**, 222, 224

    for Device Manager, **315**, 315

    policies for, **653**

    Taskpads for, 225–227, 226

    User mode vs. Author mode in, **223–225**, 224

    working with, **220–221**, 221

ModemDet.txt file, 389

modems, **385**

    configuration strings for, **389**

    diagnostics for, **386–389**, 387–388

    logs for, **389**

    standard, **386**

modularity, services for, 230

monitoring

    events. *See* Event Viewer

    performance. *See* performance

    more command, 457, 709

mounted volumes, **368–369**, 369

    disk quotas with, **291–292**

    in NTFS, 346

Move the contents of folder to the new location  
option, 662

moving

    applications between computers, **196**

    files

        compressed, **360**

        encrypted, 737

    toolbars, 120

MS-CHAP (Microsoft Challenge Handshake Authentication Protocol), **397**

MS-CHAP v2, **397–398**

msconfig.exe file, 93

msg command, 485

MSN, **560**, *560*

multi syntax in Boot.ini, **73–74**

multihomed systems, **510**

Multilingual User Interface add-on, **6**

multilink connections, **402**

dynamic, **403–404**, *404*

setting up, **402–403**, *403*

Multimedia category, 540

multiple adapters in Network Connections folder, **417–418**

multiple gateways in TCP/IP, **448**

multiple operating systems, **51**

advantages and limitations of, **52–53**

boot options in, **60–61**

cloning existing installations, **56–60**

file system considerations in, **53–55**

installation order in, **55**

locations in, **55–56**

running, **61–64**, *63–64*

multiple websites, **569–570**, *570*

multiuser support and Remote Desktop connection, **11–12**

My Computer icon label, **90–91**

My Computer zone, 541

## N

n switch

in explorer.exe, 134

in nbtstat, 466

in netstat, 464

in pathping, 460

in ping, 459

N switch

in arp, 462

in cipher, 741

name resolution, **443–444**

DNS for, **444–445**, *445*

HOSTS for, **447**

LMHOSTS for, **447–448**

WINS for, **445–447**, *446*

Name Service Provider setting, 422

NAT (network address translation), 499–500, **505**

navigating folder structure, **136–137**

nbtstat command, **466–467**, *467*

NeoTrace Professional tool, 468

Nero Burning ROM program, 673

net command, 381, 637

.NET Passport, **634–635**

net start command, 240

net stop command, 240

net use command, 709, 711

NetBEUI protocol, **420**

NetBIOS over TCP/IP, 445

NETLOGON share, 617, 666–667

NetMeeting policies, **654**

NetScan Tools, 468

Netscape Composer program, 595

netsh command, **467–468**

netstat command, **462–464**

NETSVC.EXE utility, 239

network adapters. *See* network interface cards (NICs)

Network Address setting, 422

network address translation (NAT), 499–500, **505**

Network branch, 647

Network Bridge dialog box, 427–428, *428*

Network Configuration Operators group, 629

Network Connection dialog box, 401

Network Connection page, 761

Network Connection Type page, 761, 763

Network Connections folder, **415–418**, *416–417*

for incoming connections, 513, 516, 519

for infrared devices, 522

Network Connections screen, 763

Network Information tool, 468

network interface cards (NICs)

configuring, **418–419**

for incoming connections, **517**

multiple, **417–418**

selecting, **411–412**

Network object, 267

network port scanners, 468

network printers, 142

availability of, **149–150**, *149*

connecting to, **150–151**, *150*

network interface printing, **152–153**, *153*

permissions on, **151–152**, *152*

redirecting print jobs, **154**

Networking Software page, 763

- networks and networking
    - components for, **523**
      - Print Services for Unix, **532**, *532*
      - RIP listener, **524–525**, *525*
      - SNMP service, **526–531**, *528–531*
      - TCP/IP services, **526**
      - Universal Plug and Play, **532–533**
    - connection policies for, **657**
    - LANs. *See* LANs
    - printers on. *See* network printers
    - TCP/IP settings, **452–453**, *453*
    - topologies for
      - hardware considerations in, **411–414**, *413*
      - for Internet performance, **410**, *411*
      - wired options, **405–409**, *407*, *409*
      - wireless options, **409–410**
  - New Area Code Rule dialog box, *390*, *391*
  - New Connection Wizard
    - for dial-up connections, *390*, *513–514*, *513–514*
    - for VPN, *763*
  - New Desktop Item dialog box, *125*
  - New Group dialog box, *603*, *618*, *618*, *630*
  - New Partition Wizard, *350*
  - New Rule Properties dialog box, *754*
  - New Security Method dialog box, *753*
  - New Site Wizard, *570*
  - New System Variable dialog box, *255*
  - New Task Wizard, *226*, *226*
  - New Taskpad View Wizard, *225–226*, *226*
  - New Technology File System. *See* NTFS (New Technology File System)
  - New User dialog box, *631*, *631*, *763*
  - New Volume Wizard, *371*, *371*
  - /NH parameter, *326–327*
  - NICs (network interface cards)
    - configuring, **418–419**
      - for incoming connections, **517**
      - multiple, **417–418**
      - selecting, **411–412**
  - No Administrative Policy Defined option, *660*
  - No administrative policy specified option, *79*
  - No Callback option, *401*
  - No Encryption Allowed option, *396*
  - /NODEBUG switch, *75*
  - /NOGUIBOOT switch, *75*
  - non-Windows applications, **199**
    - Program Compatibility Wizard for. *See* Program Compatibility Wizard
    - Unix and Linux hosts for, **209–210**
    - virtual machines for, **209**
  - noreboot switch
    - in Sysprep, *44*
    - in Winnt32.exe, *34*, *37*
  - Normal backups, *683*
  - NoSecurity option, *354*
  - nosidgen option, *44*
  - Not Configured policy option, *643*
  - Notify me before downloading any updates and notify me again before installing them on my computer option, *27*
  - Notify option, *530*
  - NScan tool, *468*
  - NTCompat.inf file, *201*
  - NTFS (New Technology File System), *11*, **345–346**
    - compression in, *345–346*, **358–360**, *359–360*
    - converting between FAT, **353–355**
    - encryption in, *346*, *736*
    - in multiple operating systems, **54–55**
    - for websites, *571*
  - NTFS for Win98 tool, *344*
  - ntfsinfo option, *364*
  - Ntoskrnl.exe file, *73*
  - Ntuser.dat file, *301*, *309*, *664*
  - Ntuser.dat.log file, *301*
  - ntuser.man file, *664–665*
  - Number Of Buffers setting, *170*
  - Number of Errors To Save field, *256*
  - Number of Instructions field, *256*
  - /NUMPROC switch, *75*
- 
- 0
- 
- o switch
    - in dir, **164**
    - in netstat, *464*
  - objectid command, *364*
  - objects
    - auditing access to, **275–279**, *276–279*
    - in System Monitor, *260*
  - Offer Remote Assistance policy, *651*
  - Offline Files
    - in Home Edition vs. Professional, **6–7**, *7*
    - policies for, **657**
  - 100 Mbps Full Duplex option, *419*
  - 100 Mbps Half Duplex option, *419*

- online command, 368
- online help, **161–162**
- online service mail accounts, **559–560**, 560
- Open Command Window Here option, 170, 170
- Open dialog box
  - for backup sets, 677, 677
  - customizing, 139
  - Places bar in, **96–98**
- Open Folder option, 120
- Open or Explore option, 114
- OpenView tool, 527
- operating systems
  - components for, **211**
    - adding, **211–212**, 213
    - removing, **212–213**
  - service packs and updates for, **214–218**, 216
  - default, 67, 67
  - multiple. *See* multiple operating systems
- [operating systems] section, **73**
- operator-assisted dialing, **394–395**
- optimizing disk performance, **355**
  - compression for, **358–360**, 359–360
  - disk capacity and fragmentation, **356–358**, 357
  - with multiple operating systems, 52
  - zipped folders and files, **361–362**, 361
- Optional Encryption option, 396
- Options dialog box
  - for MMC mode, 223–224
  - for recovery, 682
  - for restoring backups, 687
- Options page, 180, 183
- Outlook Express, **553**
  - account management in, **553–557**, 555
  - backing up folders in, 21
  - for special mail accounts, **557–560**, 558, 560
- Output Filters dialog box, 768–769
- output filters for VPN connections, **767–769**
- Overall System/Paging object, 267
- Override Automatic Cookie Handling option, 546
- Overwrite Events As Needed option, 249
- Overwrite Events Older Than n Days option, 249
- ownership and disk quotas, **291**
- in pathing, 460
  - in route, 465
- packaging applications for IntelliMirror, 198
- packet filtering for IPSec, **749–750**
- packet sniffers, 468
- /PAE switch, 76
- PageHeap tool, **209**
- paging file, clearing, **739**
- PAP (Password Authentication Protocol), 397
- parallel port connections, **517–520**
- parallel Windows XP copies, installing, **699**
- parameters for scripts, 667
- parent domains, 627
- PartitionMagic
  - for file systems, 355
  - for partitions, 54
- partitions
  - on basic disks, 348
  - converting and resizing, **54**
  - creating and activating, **350–351**
  - for multiple operating systems, 56
- Password Authentication Protocol (PAP), 397
- Password field, 235
- Password Never Expires option, 631
- Password page, 744
- Password Policy branch, 645–646
- password reset disks, **636**
- passwords
  - auditing attacks on, **281–282**
  - for Content Advisor, **549**
  - for Desktop, 121
  - for dial-up connections, 395
  - in pcAnywhere, 495
  - policies for, 645–646
  - for recovery agents, 744
  - for remote access, **474–475**
  - with System Restore, **694**
  - for user accounts, **631–633**, 633
    - caches for, **635**, 635
    - lost, **635–637**
  - for VPN connections, **767**
- patch panels, 413–414
- pathing command, **459–460**
- paths for disks, **351**, 351
- pausing update downloads, **216**
- pcAnywhere program, **495**
- PCI-bus devices, 333
- /PCIOLOCK switch, 76
- Per Site Privacy Actions dialog box, 546, 547

---

## P

- P parameter in driverquery, 325
- p switch
  - in netstat, 464

- Perform A Quick Format option, 352
- performance, **259**
  - disabling devices for, 340
  - disk, **355**
    - compression for, **358–360**, 359–360
    - disk capacity and fragmentation, **356–358**, 357
    - with multiple operating systems, 52
    - zipped folders and files, **361–362**, 361
  - with FAT, 345
  - network topologies for, **410**, 411
- Performance Log And Alerts for. *See* Performance Log And Alerts
- specific issues in, **267–268**
- System Monitor for, **260–261**
  - configuring, **261–264**, 261–262
  - counters in, **262–264**, 262
  - views in, **262**
- third-party monitoring applications, **268–270**
- Performance Log And Alerts, **264**
  - alerts for, **266–267**
  - counter logs for, **264–265**, 265
  - trace logs for, **265–266**, 266
- Performance Options dialog box, 105, 105
- Perl for websites, **580–581**, 581
- Permission Entry dialog box, 308
- permissions, 3–4
  - for network printers, **151–152**, 152
  - for Registry, **307–309**, 308
  - share vs. NTFS, **374**
  - for sharing, 378, 378
  - for websites, **567**, 568
- Permissions dialog box
  - for auditing, 279, 279
  - for Registry, 307, 308, 311
- Permissions For Users dialog box, 378, 378
- Permitted Managers policy, 531, 652
- personal certificates, 718
- Personal Information Exchange format, 730
- Phone And Modem Options dialog box, 390, 763
- physical IDs, linking digital IDs to, **720**
- Physical option, 528
- Pick a Help topic section, 176–177
- Pick A Task section, 177
- pictures for user accounts, **633–634**, 634
- ping command, **458–459**, 458
- pingers, 468
- pinned programs, 109–110, 113
- pipe symbol (|), 457
- PKI (public key infrastructure), 717
- Places bar, **96–98**
- plenum-rated cable, 408
- Plus!, **140**
- PnP (Plug and Play), **332–333**
- pnp option, 44
- Point-to-Point Tunneling Protocol (PPTP), 760, **765–766**, **769**
- policies, **639–641**, **649**
  - auditing changes in, 272
  - Computer Configuration for, **645–647**
  - Desktop and environment, **655–657**
  - for disk quotas, **292–295**, 293–294, **650**
  - group. *See* group policies
  - in Home Edition vs. Professional, **6**
  - for IPsec
    - assigning, **755**
    - creating, **754**
    - modifying, **751–753**, 752–753
    - preconfigured, **751**
  - for Recovery Console, **711–713**, 712
  - software, **654–655**
  - system and hardware, **650–654**
  - User Configuration for, 642, **647–648**
- policy-based scripts, **666–667**
- pooling printers, **146–147**, 147
- Popup Stopper tool, 551
- Port Name dialog box, 154
- port scanners, 468
- Port Settings dialog box, 387
- port sniffers, 468
- ports
  - for incoming connections, **517–520**
  - for modems, 387
  - for printers, 142, 154
  - for Telnet, 621
  - for VPN, **766–767**
  - for websites, **565–566**, 566
- Power Users group, 629
- PowerToys, 269–270
- Pppmenu.scip script, 400
- PPTP (Point-to-Point Tunneling Protocol), 760, **765–766**, **769**
- Preboot Execution Environment (PXE), 8–9, 46
- Preferred Server setting, 423
- prefixes for phone numbers, 391, 391
- Preserve existing volume mount points option, 688

- Prevent Changes to Taskbar and Start Menu Settings
  - setting, 112
- primary partitions, 348
- print devices, 141
- Print Directly To The Printer option, 149
- Print Options setting, 424
- Print Services for Unix, 532, 532
- Printer Ports dialog box, 154
- printers
  - auditing, 278, 278, 283
  - availability of, 146, 149–150, 149
  - managing, 144–145, 145
  - network. *See* network printers
  - pooling and priority, 146–147, 147
  - queues for, 147–148
- Printers And Faxes folder, 143–144, 143, 148
- Printers And Faxes menu item, 109
- Printers branch, 647
- printing, 141–143, 143
  - Device Manager report, 320, 321
  - Internet, 154–157, 155–156
  - spooling, 148–149, 738
  - tips for, 144
- Printing category, 540
- Printing object, 267
- priority
  - for printers, 146–147, 147
  - with Remote Desktop Connection, 480–481
- private IP addresses, 436–437
- privilege use, auditing, 272, 282
- Process Tracking, auditing, 272
- Processor object, 267
- Profile Path setting, 663–665, 663
- profiles
  - hardware, 337–338, 338
    - creating, 339
    - enabling and disabling devices for, 340, 341
    - properties of, 338–339, 339
    - services for, 234
  - user, 663–664, 663
    - in Home Edition vs. Professional, 9
    - mandatory, 665
    - roaming, 9, 664–665
- Program Compatibility Wizard, 199
  - advanced options for, 201–202
  - basic options for, 200–201, 200
  - compatibility modes in, 202–203
    - for customizing and extending compatibility features, 203
      - Application Verifier tool, 205–206, 206
      - Compatibility Administration tool, 203–205, 204–205
      - PageHeap tool, 209
      - QFixApp tool, 203, 206–207, 207–208
- Program Files folder, 190
  - with multiple operating systems, 55–56
  - in stand-alone installations, 26
- program misuse, auditing for, 283
- Prompt option for cookies, 546
- prompts
  - changing, 173–174, 174
  - command. *See* command prompt
- properties
  - in command prompt, 167–170, 167, 169–170
  - for drivers, 324–325, 325
  - for hardware profiles, 338–339, 339
- Proto category, 462
- protocols
  - binding, 425
  - for LANs, 419–421
- provider order in LANs, 425–426, 426
- proxies, 217
- public CAs, 727–729
- public IP addresses, 436–437
- public key infrastructure (PKI), 717
- Public Key Policies branch, 646–647
- Public Network page, 761
- publishing applications for IntelliMirror, 197
- PurgeIE tool, 551
- PXE (Preboot Execution Environment), 8–9, 46

---

## Q

- q switch
  - in dir, 163
  - in pathing, 460
- Q switch in cipher, 741
- QFixApp tool, 206–207, 207–208
- query process command, 485
- query session command, 486
- query termsrv command, 486
- query user command, 486
- queryalocranges option, 363
- querying modems, 386, 387

queues for printers, **147–148**  
 Quick Edit Mode option, 170  
 Quick Launch toolbar, 117  
 Quickres utility, 94  
 -quiet option, 44  
 quota command, 364  
 Quota Entries dialog box, 288–290, 289  
 Quota Settings dialog box, 288, 289  
 quotas. *See* disk quotas  
 Quote of the Day service, 526

## R

r switch  
   in nbtstat, 466  
   in netstat, 464  
   in pathping, 460  
   in ping, 459  
   in Winnt.exe, 33  
   in Winnt32.exe, 35  
 R switch  
   in cipher, 741  
   in efsinfo, 746  
   in nbtstat, 466–467  
 Raid volumes, 349, 373  
 ratings in Content Advisor, 548  
 RC (Recovery Console), **703–704**  
   commands for, **708–711**, 710  
   launching, **704–707**, 707  
   policies for, **711–713**, 712  
   for restoring, **701**  
   for services, **241**  
 rd command, 709, 711  
 rdisk command, 59  
 RDWC (Remote Desktop Web Connection),  
   **488–489**  
   configuring, **490–491**, 490–491  
   installing, **489–490**, 489  
   working with, **491–493**, 492–493  
 Read Create option, 530  
 Read-Only attribute for Boot.ini, 72  
 Read Only option, 530  
 Read Write option, 530  
 rearranging Start menu, **110–115**, 112, 114  
 -reboot option, 44  
 Reboot the Computer option, 236  
 recommended user action in STOP messages, 252  
 recover command, 172–173  
 recovery  
   with ASR, **696–698**  
   backup sets for, **687–689**, 688  
   of encrypted data, **743–746**  
   IntelliMirror for, **683–684**  
   options for  
     services, **235–237**, 236  
     startup and failure, **69–71**, 70  
     system failure, **68–69**  
   strategies for, **682–683**, 682  
   of system state information, **700**  
   tools for. *See* system recovery tools  
 recovery agents  
   certificates for, **744**  
   designating, **744–745**  
   setting up, **738**  
 Recovery Console (RC), **703–704**  
   commands for, **708–711**, 710  
   launching, **704–707**, 707  
   policies for, **711–713**, 712  
   for restoring, **701**  
   for services, **241**  
 Recycle Bin, **101–102**  
   confirmation of delete operations, **102–104**, 103  
   size of, **104**  
 Redirect the folder back to the local userprofile  
   location when policy is removed option, 80,  
   662  
 redirection  
   for folders, **659–660**  
   options for, **660–661**  
   setting up, **661–662**, 661–662  
   for print jobs, **154**  
   for remote access, **475**  
   for Startup folder, 78  
 REG\_ types, 303  
 .REG extension, 306  
 register command, 486  
 /registerdns switch, 451  
 Registry and Registry Editor, 25, 25, 193, **299–301**,  
   301  
   auditing access to, **278–279**, 279  
   for cleaning up improperly uninstalled applications,  
     191–193, 193  
   for command prompt, 167  
   for context menus, 101  
   copying key names in, **304**

- for Encrypting File System, 743
- exporting and importing keys in, **305–307**
- for favorites, **304–305**
- hives in, **301–303, 309–310, 310**
- for IP addresses, 439
- keys and values in, **303–304**
- for last used key, **305**
- in migration, 24–26, 25
- in moving application, 196
- for multihomed systems, 510
- for My Computer icon label, 90–91
- permissions for, **307–309, 308**
- for Places bar, 97–98
- on remote computers, **310–312, 311–312**
- for restore points, 690
- restoring, **701**
- for restoring backups, 680, 681
- search and replace in, 57
- for services, 699
- for shared Internet connections, 505
- for startup and failure options, 69–70, 70
- for startup behavior, **92–93**
- for Startup folder, **80–82**
- for user profiles, 664
- reinstalling Windows XP, **699**
- /release adapter switch, 451–452
- rem command, 368
- remote access, **471–472**
  - managing and securing, 472–476, 474, 476
  - Remote Desktop Connection for. *See* Remote Desktop Connection
  - Remote Desktop Web Connection for, **488–489**
    - configuring, **490–491, 490–491**
    - installing, **489–490, 489**
    - working with, **491–493, 492–493**
  - third-party applications for, **495–496, 496**
- Remote Assistance
  - policies for, **651**
  - for services, **240**
- Remote Client Protocols page, 765
- Remote Computer Sound option, 479
- remote computers
  - Device Manager for, **320–321**
  - Registry on, **310–312, 311–312**
- Remote Desktop, 471–472
  - in Home Edition vs. Professional, **7–8, 8**
  - for Registry, 70–71
- Remote Desktop Connection, **476**
  - adding and removing users to, **481–483, 482**
  - configuring, **478–481, 478–479**
  - IP addresses with, **480**
  - loading, **481**
  - managing services with, **239–240**
  - manual installation, **477–478**
  - priority with, **480–481**
  - requirements for, **477**
  - Terminal Services with, **483–488, 484**
  - troubleshooting, **493–494**
- Remote Desktop Users group, 629
- Remote Desktop Web Connection (RDWC), **488–489**
  - configuring, **490–491, 490–491**
  - installing, **489–490, 489**
  - working with, **491–493, 492–493**
- Remote Installation Services (RIS), **8–9, 31**
- remote processes
  - services management, **237–240, 238**
  - startup and failure options setup, **69–71, 70**
  - system recovery, **698**
- Remote Registry service, **312**
- remote servers, Telnet, **621–622**
- Remote Task Manager policy, 653
- remote volumes, disk quotas on, **290**
- Remove Change Password policy, 654
- remove command, 368
- Remove Lock Computer policy, 654
- Remove Logoff policy, 654
- removing. *See* deleting
- ren command, 709
- rename command, 709
- renaming Start Menu items, 113
- /renew adapter switch, 451–452
- reparse points, 355
- reparsepoint command, **364–365**
- Replace auditing entries on all child objects with
  - entries shown here that apply to child objects option, 277
- Replace permission entries on all child objects with
  - entries shown here that apply to child objects option, 307
- replacing drivers, **328–329**
- Replicator group, 629
- Report view, 262
- reports
  - in Device Manager, 320, 321
  - in System Monitor, 262

Require 128-bit Encryption option, 578  
 Require Client Certificates option, 578  
 Require Secure Channel option, 578  
 Require Secured Password option, 395  
 Required Encryption option, 396  
 rescan command, 368  
 Reset All Folders option, 132  
 Reset Fail Count After setting, 236  
 reset session command, 486  
 resetting Content Advisor passwords, **549**  
 resizing partitions, **54**  
 Resources By Connection view, 319, *319*  
 Resources By Type view, 317, *318*  
 resources for devices, **334–336**, *335*  
 Restart Computer Options dialog box, 237  
 Restart The Computer option, **237**  
 Restart the Service option, 236  
 Restoration Incomplete message, **693**  
 Restore declined updates option, 28  
 Restore Defaults button, 249  
 Restore junction points, and restore file and folder data  
   under junction points to the original location  
   option, 687–688  
 restore points  
   for application installation, 190  
   creating, **689–690**  
   deleting, **690**  
   examining, **692–693**  
 Restore security option, 687  
 Restore the cluster registry to the quorum disk and all  
   other nodes option, 688  
 restoring  
   backups, **678–680**, *679*, *687*  
   declined updates, 28, **216**  
   icons, **105–106**, *106*  
   Recovery Console for, **701**  
   tape backup sets, 19  
 Restrict The User From Entering Author Mode  
   policy, 653  
 Restrict User To Explicitly Permitted List Of Snap-Ins  
   policy, 653  
 Restricted Sites zone, 541  
 retain command, 368  
 Return Up to xx Results Per Provider setting, 181  
 RIP (Router Information Protocol), **45–47**, *524*  
 RIP listener service, **524–525**, *525*  
 RIS (Remote Installation Services), **8–9**, *31*  
 RM.EXE tool, 609

rmdir command, 709  
 roaming profiles, **9**, **664–665**  
 RoboHelp tool, 185  
 rolling back drivers, **329**, **689**  
 root authorities, 717  
 root certificates, updating, **732–733**  
 root domains, 627  
 root folders for FTP sites, 608  
 /root switch, 134  
 route command, **464–465**  
 Router Information Protocol (RIP), **45–47**, *524*  
 routers, **502–503**, *502*  
 -RR switch, 466  
 RRAS setup wizard, 765  
 Run A Program option, **236–237**  
 Run As dialog box, 316, *316*  
 Run item on Start menu, 109  
 Run Legacy Logon Scripts Hidden policy, 668  
 Run Logoff Scripts Visible policy, 668  
 Run Logon Scripts Synchronously policy, 667  
 Run Logon Scripts Visible policy, 668  
 runas command, 316–317  
 running multiple operating systems, **61–64**, *63–64*  
 rx switch  
   in Winnt.exe, 33  
   in Winnt32.exe, 35

---

## S

s switch  
   in arp, 462  
   in nbstat, 466  
   in netstat, 464  
   in ping, 459  
   in Winnt.exe, 32  
   in Winnt32.exe, 33–34  
 S switch  
   in cipher, 741  
   in driverquery, 325  
   in efsinfo, 746  
   in nbstat, 466  
 /SAFEBOOT switch, 76  
 SAM subkey, 301, **637**  
 sampling by performance monitors, 259  
 Save dialog box, customizing, 139  
 Save As dialog box for snap-ins, 222  
 saving Event Viewer logs, **249–250**

- Saving Results dialog box, 582, 583
- scalable processor support, 10
- Schedule Job dialog box, 676, 677
- schedules
  - for alerts, 267
  - for backups, 676, 677
  - for defragmentation, 358
  - for trace logs, 267
- scope for domains, 627–628
- screen buffer size, 168
- scripts
  - for dial-up connections, 400
  - logon and logoff, 82–83, 665
    - account-based, 667
    - alternatives to, 668
    - execution of, 667–668
    - location of, 665–666
    - policy-based, 666–667
  - for startup and shutdown, 82–85, 83–84
  - for Telnet servers, 616–617, 616
- Scripts branch for policies, 645
- SCSI drives with multiple operating systems, 52
- SCSI syntax in Boot.ini file, 74
- Sdbinst.exe program, 204–205
- Search Assistant, 134
- Search bar, 134, 135
- Search From The Address Bar category, 541
- Search item on Start menu, 109
- searching
  - for certificates, 723, 723
  - for encrypted files and folders, 745–746
  - in Help And Support Center, 178–179, 179
  - in Registry, 57
- sector slack, 356
- sectors, 356
- Secure Communications dialog box, 577–578, 578
- Secure Server (Require Security) policy, 751
- Secure Sockets Layer (SSL)
  - certificates in, 574–577, 575–577, 718
  - configuring sites for, 577–578, 578
  - in Internet Explorer, 544
  - testing, 578–579, 579
- SecureCRT program, 622
- security
  - certificates for. *See* certificates
  - for dial-up connections, 395–399, 395–396, 399, 401–402, 512–513
  - Encrypting File System. *See* EFS (Encrypting File System)
    - for FTP sites, 607–608
    - for Internet Explorer, 541–544, 542–543
    - with IPsec. *See* IPsec
    - in NTFS, 345
    - for remote access, 472–476, 474, 476
    - services for, 230
    - for shared Internet connections, 505–510, 506–509
    - in SNMP, 529–530, 529–530
    - for Telnet servers, 617–619, 618
    - VPN connections for. *See* VPN connections
    - for websites
      - access restrictions in, 573–574
      - anonymous vs. authenticated access in, 572–573, 573
      - general, 571–572
      - SSL for, 574–579, 575–579
      - vs. Windows 9x and Me, 10–11
      - for wireless networks, 428–431, 430
- Security Alert dialog box, 579, 579
- Security branch, 645–646
- Security category, 541
- Security Group Membership options, 80
- security identifiers (SIDs)
  - for encryption, 735–736
  - Sysprep for, 43–44
- Security log, 244
- Security Settings window, 542, 542
- SECURITY subkey, 301
- Select A Printer Port screen, 153
- Select A Restore Point screen, 679, 679
- Select Computer dialog box
  - for Registry, 69, 70, 311
  - for services, 238, 238
- Select Custom Files And Settings dialog box, 195, 195
- select disk command, 368
- Select Disks screen, 371, 371
- Select Group Policy Object dialog box, 294, 294, 474, 641, 642, 650
- Select Groups dialog box, 632, 632
- select partition command, 368
- Select Program window, 556
- Select Recovery Agents page, 744
- /select switch, 134
- Select the first profile listed if I don't select a profile in setting, 338

- Select User dialog box
  - for encrypted files, 742
  - for services, 235, 235
- Select User Or Group dialog box, 276
- Select User Or Groups dialog box, 151
- Select Users dialog box
  - for disk quotas, 288–289
  - for groups, 630, 630
  - for Remote Desktop Connection, 482–483, 482
- select volume command, 368
- SELFCERT.EXE applet, 727
- Send An Administrative Alert option, 69
- Send Authentication Trap option, 529
- Send To menu, 94–96, 95
- sendmail program, 583
- serial port connections, 517–520
- Server Administration page, 591
- Server (Request Security) policy, 751
- server-side applications for websites, 580–581, 581
- servers
  - print, 142
  - Telnet. *See* Telnet servers
  - WINS, 445–447, 446
- service packs
  - for components, 214–218, 216
  - in slipstream installations, 44–45
- service set identifiers (SSIDs), 429
- Service Settings dialog box
  - for shared Internet connections, 506–507, 507
  - for VPN connection, 765
- SERVICE\_ types, 241
- services, 229–230
  - configuring startup of, 232–234, 233–234
  - disabling, 241, 699
  - failure options for, 236, 236
  - logon of, 234–235, 235
  - in migration, 24
  - Recovery Console for, 241
  - recovery options for, 235–237, 236
  - remote management of, 237–240, 238
  - Services console for, 230–232, 231
  - in sessions, 240
  - at startup, 82
- Services console, 230, 231
  - exporting service lists in, 232
  - for remote management, 238, 238
  - for Telnet, 614, 614
  - views in, 231, 232
- session IDs, 619–620
- Session Key Perfect Forward Secrecy option, 753
- sessions
  - services in, 240
  - for Telnet servers, 619–620
- Set all drives at once option, 104
- Set Client Connection Encryption Level Properties
  - option, 475, 476
- set command, 709, 711
- Set drives individually option, 104
- Set Password dialog box, 632, 633
- Set Search Options page, 181, 182
- Set warning level to option, 288
- /setclassid switch, 451
- setshortname option, 363
- Setup files, 31, 34
  - for automated and unattended installation, 38–40
  - for blank systems, 22–23
  - copying folders with, 35
  - custom files for, 40–42, 41
  - for Dynamic Update, 37
  - executing commands after, 36
  - for preparing drives for other systems, 36–37
  - source files and destination with, 34–35
  - switches for, 23, 32–34, 37–38
- Setup Manager tool, 40–42, 41
- setvaliddata option, 363
- setzerodata option, 363
- SFS (Simple File Sharing), 70, 152, 375, 379, 379
- shadow command, 486
- share names for printers, 150
- share permissions, 3, 374
- Share This Folder On The Network option, 379
- sharing
  - files, 373
    - classic, 377–378, 377–378
    - command-line tools for, 381
    - encrypted data, 742–743, 742
    - hiding shares, 380
    - options for, 373–376, 375
    - SFS, 375, 379, 379
  - Internet connections
    - configuring clients for, 504–505
    - Internet Connection Sharing for, 498–501, 498–500
    - on multihomed systems, 510
    - routers for, 502–503, 502
    - security for, 505–510, 506–509

## Shift key

- for bypassing Startup folder, 81
  - with folders, **98–100**, 99
  - with Recycle Bin, 102
- Shiva Password Authentication Protocol (SPAP), 397
- shortcut-dragging method for Start Menu items, 113
- Shortcut menus, 221
- shortcuts, **89**
- for applications, **91–94**, 92–93
  - command keys with folders, **98–100**, 99
  - context menu items, **100–101**
  - for Details view, **106**
  - for interface changes, **94**
  - for menu display, **105**, 105
  - for Places bar, **96–98**
  - for Recycle Bin, **101–104**, 103
  - for restoring icons, **105–106**, 106
  - for Send To menu, **94–96**, 95
  - shortcut files, **89–91**
- Show Encrypted Or Compressed NTFS Files In Color option, 360
- Show In Groups command, 133
- Show Text option, 120
- /showclassid switch, 451
- Shut Down The System right, 85
- shutdown
- failure options for, **68–71**, 70, **236**, 236
  - restricting, **85**
  - scripts for, 82
- /SI parameter, 326
- SIDs (security identifiers)
- for encryption, 735–736
  - Sysprep for, 43–44
- SIF (state information file) files, 697
- signature syntax in Boot.ini file, 74
- Signatures On Downloaded Programs option, 544
- signed drivers, **330–331**
- Silently Succeed option, 331
- Simple File Sharing (SFS), 70, 152, **375**, **379**, 379
- Simple Folder view, 136
- Simple Mail Transfer Protocol (SMTP), 554, **563**
- Simple Network Management Protocol (SNMP), **652**
- Simple TCP/IP Services, **526**
- Simple volumes, 348
- Site Administration Help page, 591
- size
- clusters, 352, 356–357
  - partitions, **54**

- Recycle Bin, **104**
- screen buffer, 168
- Size Limit setting, 507
- skins for GUI, 139
- Slip.scp script, 400
- Slipmenu.scp script, 400
- slipstream installations, 31, **44–45**
- Smart Card Or Other Certificate Properties dialog box, 399, 399, 721
- smart menu feature, 110
- SMS (Systems Management Server), **47**, 527
- SMTP (Simple Mail Transfer Protocol), 554, **563**
- snap-ins, 219–220
- sniffers, 468
- SNMP (Simple Network Management Protocol), **652**
- SNMP service, **526–527**

  - configuring, **527–530**, 528–530
  - group policies for, **531**, 531
  - installing, **527**

- SNMP Service Configuration dialog box, 529–530, 529–530
- software

  - in Home Edition vs. Professional, **10**
  - policies for, **654–655**

- software-based firewalls, **508–509**, 509
- software-based routers, **503**
- Software Restriction Policies branch, 646
- Software Settings branch, **645**
- SOFTWARE subkey, 301
- Solicited Remote Assistance policy, 651
- sorting

  - in Event Viewer, 246–247
  - icons, **133**

- /SOS switch, 76
- Sound Notification option, 257
- source files

  - in event logs, 246
  - with Winnt32.exe, **34–35**

- spanned volumes, 348, **370–372**, 371–372
- SPAP (Shiva Password Authentication Protocol), 397
- sparse command, 365
- special mail accounts, **557–560**, 558, 560
- Specify Default Category For Add New Programs policy, 656
- Specify Group And Location dialog box, 661–662, 662
- speed

  - with command prompt, 159
  - of menu display, **105**, 105
  - of networks, 406

- spoofing Logon screensavers, **636**
- spoolers, 142
- spoofing, **148–149**, 738
- SRDIAG.EXE program, 692
- SSIDs (service set identifiers), 429
- SSL (Secure Sockets Layer)
  - certificates in, **574–577**, 575–577, 718
  - configuring sites for, **577–578**, 578
  - in Internet Explorer, 544
  - testing, **578–579**, 579
- staging servers, 562
- stand-alone installations
  - backups for, **18–19**
    - documents in, **20–21**
    - options for, **19–20**
  - cloning existing installations, **26–27**
  - migrating applications manually, **24–26**, 25
  - preparation for, **21–22**
  - Setup for, **22–23**
  - updating system, 27
    - configuring Windows Update, **27–28**, 28
    - Corporate Update site for, **28–29**
  - Upgrade Advisor for, **17**, 18
  - upgrade options in, **15–16**
  - Windows Product Activation in, **29**
- Standard Buttons toolbar, 137
- Standard modems, **386**
- Start menu, **107–110**, 108
  - adding content to, **115–116**, 143
  - classic, **110**
  - context menu changes for, **116**
  - policies for, **656**
  - rearranging, **110–115**, 112, 114
- Start Menu Properties dialog box, 79–80
- starting drivers, **332**
- startup, **65**
  - boot and recovery options, **66–71**, 66–67, 70
  - Boot.ini for. *See* Boot.ini file
  - in command prompt, **167–170**, 167, 169–170
  - remote setup for, **69–71**, 70
  - scripts for, **82–85**, 83–84
  - of services, **232–234**, 233–234
  - shutdown restrictions, **85**
  - Startup folder for, 65, 77
    - alternatives to, **82**
    - bypassing, **81**
    - location of, **77–81**, 78–79
    - as logon script alternative, 668
    - shortcuts in, 91–92, 92
  - Startup and Recovery dialog box, 67–68, 67
  - Startup option, Recovery Console as, **706–707**
  - Startup Properties dialog box, 84
  - startup scripts, **82–85**, 83–84, **616–617**, 616
  - State category in netstat, 463
  - state information file (SIF) files, 697
  - static IP addresses, 437–438, **440**, 767
  - static routes, 524
  - statistics, nbtstat for, **466–467**, 467
  - statistics option, 364
  - status bar, **134–137**, 135
  - stolen passwords, auditing for, **282**
  - STOP messages, troubleshooting, **251–252**, 251
  - stopping drivers, **332**
  - Stored User Names And Passwords dialog box, 635, 635
  - stores, backing up, 21
  - storing certificates, **721**
  - stream mode for Telnet, 621
  - String Editor dialog box, 91, 91
  - striped volumes, 349, **373**
  - subnet masks, **443**
  - subnets, 443
  - Success Audit events, 245
  - Suggested Topics option, 178, 181
  - Support Properties dialog box, 78, 78
  - Switch Help Version dialog box, 183
  - Switch Identities window, 557
  - switches, **406–408**, 407, **412–413**, 413
  - switching TCP/IP network settings, **452–453**, 453
  - syntaxes in Boot.ini file, **73–75**
  - SysMain database, 204
  - SysMain.sdb file, 202
  - sysoc.inf file, 214
  - /syspart switch, 33, **35–37**
  - Sysprep.inf file, 43
  - Sysprep tool, **43–44**
  - System branch, 647
  - System Commander 7 boot manager, **61**
  - System compatibility mode, 203
  - System Configuration Utility, **93–94**, 93, 695–696
  - System Events, auditing, 272
  - system failure options, **68–69**
  - System log, 244
  - System Monitor, **260–261**
    - configuring, **261–264**, 261–262
    - counters in, **262–264**, 262
    - views in, **262**

System Properties dialog box  
 for Automatic Updates, 215–216  
 for Boot.ini, 71  
 for event filters, 247, 247  
 for Remote Desktop Connection, 481, 482  
 for startup options, 66, 66  
 for updates, 27–28, 28

system recovery tools, **685–686**  
 ASR, **696–698**  
 for backup set data, **687–689**, 688  
 clean boots, **695–696**  
 command-line, **172–173**  
 Last Known Good Configuration, **694–695**  
 manual methods, **699–701**  
 remote, **698**  
 for rolling back drivers, **689**  
 System Restore. *See* System Restore  
 for uninstalling and reinstalling programs, **689**

System Restore, **689**  
 for application installation, 190–192, 191  
 with encrypted files, **739–740**  
 locking down, **693**  
 operation of, **678–680**, 679  
 passwords with, **694**  
 policies for, **651**  
 quirks in, **691–692**  
 restore points for, **689–690**, **692–693**  
 turning off, **692**

system restriction policies, **650–654**  
 system startup options, **66–68**, 66–67  
 system state data  
 backing up, **675–676**  
 recovering, **700**

SYSTEM subkey, 301  
 system summary with Device Manager, 320  
 systemroot command, 709  
 Systems Management Server (SMS), **47**, 527

## T

t switch  
 in dir, **163–164**  
 in pathping, 460  
 in ping, 459  
 in Winnt.exe, 32  
 in Winnt32.exe, 35

Take No Action option, 236

target folders, **133–134**  
 Task pane, 128–129, 128  
 Taskbar, **116–117**  
 customizing, **117–118**  
 display options for, **118–120**, 118–120  
 policies for, **656**

Taskbar And Start Menu Properties dialog box  
 for hiding Taskbar, 118–119, 118  
 for new programs, 115  
 for printers, 143

Taskpad Properties dialog box, 226

taskpads  
 creating, 225–227, 226  
 in Services console, 231

TCP (Transmission Control Protocol), 420  
 TCP/IP protocol, **420–421**, **433–434**, **455**  
 class IDs in, **449**  
 commands in, **457–458**  
 arp, **461–462**  
 hostname, **464**  
 nbtstat, **466–467**, 467  
 netsh, **467–468**  
 netstat, **462–464**  
 pathping, **459–460**  
 ping, **458–459**, 458  
 route, **464–465**  
 tracert, **461**  
 configuring, **434–435**, 435  
 filtering in, **448–449**, **756–757**  
 ICMP for, **456**  
 IP addressing. *See* IP addresses  
 IPConfig for, **450–452**, 450–451  
 multiple gateways in, **448**  
 name resolution in, **443–444**  
 DNS for, **444–445**, 445  
 HOSTS for, **447**  
 LMHOSTS for, **447–448**  
 WINS for, **445–447**, 446  
 services for, **526**  
 switching network settings for, **452–453**, 453  
 third-party utilities for, **468–469**

TCP/IP Filtering dialog box, 756  
 TCP/IP WINS Server dialog box, 446, 446  
 TechFacts tool, 269  
 Telnet servers, **613**  
 administrator for, **619–622**  
 configuring, **620–621**  
 home directory for, **615–616**

- logon banner for, **614–615**, *615*
- for remote service management, 238
- security for, **617–619**, *618*
- setting up, **613**
- starting, **614**, *614*
- startup scripts for, **616–617**, *616*
- third-party, **622**
- /tempdrive switch, 33, 35
- 10 Mbps Full Duplex option, 419
- 10 Mbps Half Duplex option, 419
- temporary folders, encrypting, **738**
- Terminal Services, **483**
  - adding, **473–474**, *474*
  - command prompt for, **483–488**
  - installing, **483**
- Terminal Services Client, 477
- text, color of, 123
- Text Services And Input Languages dialog box, 117
- Thawte Consulting (Pty) Ltd. company, 727
- themes for Desktop, **122–123**
- third-party applications
  - backups, **680–682**
  - boot managers, **61**
  - event management, **252–253**
  - firewalls, **508–510**, *509*
  - for FTP sites, **610–611**
  - performance monitoring, **268–270**
  - remote access, **495–496**, *496*
  - for TCP/IP, **468–469**
  - Telnet servers, **622**
- This Account setting, 235
- This Is A Portable Computer option, 338
- 3DES encryption, **749**
- /3GB switch, 75
- Thumbnails view, 130
- Tile view in Network Connections folder, 416
- Tiles view in Windows Explorer, 130
- time
  - in event logs, 245, *245*
  - policies for, **657**
- Time To Display List Of Operating Systems setting, 67
- Time To Display Recovery Options When Needed setting, 68
- timeouts
  - in Boot.ini, 72
  - for Internet connections, **504–505**
  - for Telnet sessions, 620
- Tiny Personal Firewall, 509
- Tivoli NewView tool, 527
- tntadmn program, 619–622
- toolbars, 117
  - customizing, **117–118**
  - displaying, 120
  - in Help And Support Center, **178–179**, *179*
  - for mapping drives, **121**
  - in Windows Explorer, **137–138**
- Toolbars option, 120
- topologies, network
  - hardware considerations in, **411–414**, *413*
  - for Internet performance, **410**, *411*
  - wired options, **405–409**, *407, 409*
  - wireless options, **409–410**
- tour in Help And Support Center, **180**
- trace logs, **265–266**, *266*
- tracert command, **461**
- tracks, 356
- Transmission Control Protocol (TCP), 420
- Traps For Public Community policy, 531, 652
- tree command, **173**
- trees, 627
- triggered updates, 524
- Triple DES (3DES) encryption, **749**
- troubleshooting
  - Remote Desktop Connection, **493–494**
  - STOP messages, **251–252**, *251*
- Trusted Root Certificate Authority setting, 399
- Trusted Sites zone, 541
- trusting CAs, **719–720**
- tscon command, 487
- tsdiscon command, 487
- tskill command, 487
- tsprof command, 487
- tsshutdn command, 487–488
- tunneling, 759
- Turn off automatic updating. I want to upgrade my computer manually option, 28
- Turn Off Computer item, 109
- Turn Off Configuration policy, 651
- Turn Off System Restore policy, 651
- Tweak UI program
  - for command prompt, 166, *166*
  - compatibility of, 270
  - for dialog boxes, **139**, *139*
- Tweak-XP tool, 269
- type command, 709
- types of Registry values, 303

## U

- U switch
  - in cipher, 741
  - in driverquery, 325
  - in efsinfo, 746
- u switch, 32
- /udf switch
  - in Winnt.exe, 32
  - in Winnt32.exe, 33
- UDFs (Unique Database Files), **39–40**
- /unattend option, 33
- unattended setup, **38–40**
- unauthorized use, auditing for, **282**
- Undo My Last Restoration option, 694
- unencapsulation, 760
- unhandled errors, 254
- UniCenter tool, 527
- uninstalling
  - cleaning up after, **191–193**, 193
  - drivers, **329–330**
  - programs, **689**
- Unique Database Files (UDFs), **39–40**
- [UniqueIds] section, 40
- Universal Plug and Play (UPnP) service, **532–533**
- universal scope for domains, 627
- Unix
  - for legacy and non-Windows applications, **209–210**
  - Print Services for Unix, **532**, 532
- Unlimited File Size option, 600
- unlocking toolbars, 117–118, 138
- unmanaged switches, 412
- Unsigned Driver Installation Behavior policy, 331
- unsigned drivers, **330–331**, 331
- Update Root Certificates component, 733
- updates, 27
  - Corporate Update site for, **28–29**
  - downloading, **217–218**
  - for drivers, **328–329**
  - for RIP, 524
  - for root certificates, **732–733**
  - Windows Update for. *See* Windows Update
- Upgrade Advisor, **17**, 18
- upgrade options, **15–16**
- UPnP (Universal Plug and Play) service, **532–533**
- USB-to-USB connections, **517**
- Use A Certificate On This Computer option, 399
- Use A Different User Name For The Connection option, 399
- Use a Low-Speed Connection option, 249
- Use Automatic Settings option, 336
- Use Extensible Authentication Protocol option, 398
- Use Fast User Switching option, 638
- Use My Smart Card option, 399
- Use Simple File Sharing option, 375
- Use Smart Card option, 396
- Use the Files And Settings Transfer Wizard option, 681
- Use The Following IP Address option, 504
- Use Windows Classic Folders option, 128
- user accounts
  - creating and managing, **631–633**, 631–633
  - .NET Passport for, **634–635**
  - passwords for, **631–633**, 633
    - caches for, **635**, 635
    - lost, **635–637**
    - pictures for, **633–634**, 634
  - User Accounts object, 633
  - User Accounts window, 634, 634
  - User Cannot Change Password option, 631
  - User Configuration branch, 642, **647–648**
  - User field in event logs, 246
  - User mode in MMC consoles, **223–225**, 224
    - User Mode - Full Access, 223
    - User Mode - Limited Access, Multiple Window, 224
    - User Mode - Limited Access, Single Window, 224
  - User Must Change Password At Next Logon option, 631
  - User Permissions page, 763
  - user profiles, **663–664**, 663
    - in Home Edition vs. Professional, **9**
    - mandatory, **665**
    - roaming, **9**, **664–665**
  - usernames for Desktop, 121
  - users, **625**, **659**
    - accounts for. *See* user accounts
    - auditing, **281–282**
    - console for, **637**
    - disk quotas for, **288–289**, 289
    - fast user switching feature, **638**, 638
    - folder redirection for, **659–662**, 661–662
    - logon and logoff scripts for, **616–617**, 616, **665–668**
    - with Remote Desktop Connection, **481–483**, 482

Users group, 629  
 usn command, 365

## V

V switch  
   in convert, 354  
   in driverquery, 326  
 -v switch in ping, 459  
 Validate Server Certificate option, 399  
 validating certificates, **720–721**  
 values in Registry, **303**  
 VBSys Windows Monitoring System tool, 269  
 VeriSign company, 727  
 Vermillion FTP Daemon program, 610  
 View menu, 220  
 View option for Taskbar, 120  
 View Options dialog box, 722, 722  
 views  
   in Device Manager, **317–319**, *318–319*  
   in Disk Management, 347  
   in Event Viewer, **246–248**  
   in Network Connections folder, **416**, *417*  
   in Services console, **231**, *232*  
   in System Monitor, **262**  
   in Windows Explorer, **129–133**, *130–132*  
 virtual directories  
   for FTP sites, **606–607**  
   for printers, **156–157**  
 Virtual Directory Wizard, 157  
 virtual machine (VM) managers, 52, 62, **209**  
 virtual machines (VMs), 62, **209**  
 Virtual Network Computing (VNC) program, **496**,  
   *496*  
 Virtual PC manager, **63**, *64*  
 virtual printers, 142–143  
 Virtual Private Network (VPN) Connection page, 763  
 viruses  
   auditing for, 283  
   and sharing, 376  
 Visual Notification option, 257  
 VM managers, 52, 62, **209**  
 VMs (virtual machines), 62, **209**  
 VMware manager, **63**, *63*  
 VNC (Virtual Network Computing) program, **496**,  
   *496*

volume command, 365  
 Volume List view, 347  
 volumeinfo option, 364  
 volumes, 286, **347–348**  
   command prompt for, **362–368**  
   formatting, **351–353**, *352–353*  
   mounted, **291–292**, 346, **368–369**, *369*  
   spanned, 348, **370–372**, *371–372*  
   striped, 349, **373**  
   types of, **348–349**  
 VPN connections, **759**  
   connecting to, **762**  
   incoming, **762–766**, *764*  
   internal, **770**  
   operation of, **759–760**  
   outgoing, **761–762**  
   purpose of, **760–761**  
   security for, **766–770**, *768*  
 VPN Server Selection page, 761  
 VShell program, 611

## W

w switch  
   in pathping, 460  
   in ping, 459  
 W switch in cipher, 741  
 Wait For dialog box, 393, *393*  
 Wait until I select a hardware profile option, 338  
 Warn But Allow Installation option, 331  
 Warning events, 245  
 Wave File field, 256  
 Web, help on, **182–183**  
 Web Distributed Authoring and Versioning  
   (WebDAV), 591, 739  
 Web Folders, **591–593**, *592*  
 web pages for background, **125**  
 Web Server Certificate Wizard, 574  
 WebDAV (Web Distributed Authoring and  
   Versioning), 591, 739  
 websites, **561**  
   counters for, **580**  
   custom error pages for, **579**, *580*  
   e-mailing form results in, **582–584**, *582–583*  
   installing IIS for, **563–564**, *564*  
   Internet services for, **562–563**

- multiple sites, **569–570**, *570*
- Perl for, **580–581**, *581*
- security for
  - access restrictions in, **573–574**
  - anonymous vs. authenticated access in, **572–573**, *573*
  - general, **571–572**
  - SSL for, **574–579**, *575–579*
  - site setup for, **564–568**, *565–566*, *568*
- Welcome messages for FTP site, **604**, *604*
- Welcome To Support page, 182
- WEP (Wired Equivalent Privacy) services, 429–431
- When restoring replicated data sets, mark the restored data as the primary data for all replicas option, 688
- When To Backup window, 676
- window size in command prompt, 168
- Window Washer 4.1 tool, 550
- Windows 9x and Me
  - cloning, **57–59**
  - reading NTFS volumes from, **54–55**
  - vs. Windows XP
    - group policy support, **12**, *12*
    - multiuser support and Remote Desktop connection, **11–12**
    - security, **10–11**
- Windows 2000 compatibility, 201
- Windows Address Book, 21
- Windows Blinds program, 139–140
- Windows Component Wizard, **211**, *212*, 489, *490*
  - adding components in, **212**, *213*
  - extending list of components in, **213–214**
  - removing components in, **212–213**
- Windows Explorer, **127–129**, *128*
  - customizing, **138–140**, *139*
  - policies for, **652–653**
  - for Start Menu, 114, *114*
  - status bar in, **134–137**, *135*
  - target folders in, **133–134**
  - toolbars in, **137–138**
  - views in, **129–133**, *130–132*
- Windows Help Designer/HTML Edition, 186
- Windows Installer policies, **655**
- Windows Internet Naming Service (WINS), **445–447**
- Windows key, **100**
- Windows logon service, 617
- Windows Management Interface (WMI), 527
- Windows Messenger, **655**
- Windows NT and 2000
  - cloning, **59–60**
  - differences, **13–14**, *13*
- Windows PowerToys, 269–270
- Windows Product Activation (WPA), **29**
- Windows Settings branch, **645–648**
- Windows Time Service policies, 657
- Windows Update, **214**
  - accepting and declining updates in, **215–216**, *216*
  - Automatic Updates feature in, **214–215**
  - for compatibility information, 202
  - configuring, **27–28**, *28*
  - history in, 217
  - manual operation, **217–218**
  - pausing downloads, **216**
  - policies for, **653**
  - preventing users from using, **218**
  - restoring declined updates in, **216**
  - turning off, **217**
- Windows Update Catalog page, 218
- Windows Update website, 217
- Winnt.exe program, 23, 32
  - copying folders with, **35**
  - switches for, **32–33**
- Winnt32.exe program, 23, 32
  - for Dynamic Update, **37**
  - for preparing drives for other systems, **36–37**
  - source files and destination with, **34–35**
  - switches for, **33–34**, **37–38**
- WINS (Windows Internet Naming Service), **445–447**, *446*
- Winternals tools
  - BlueSave, **69**
  - for NTFS volumes, 54, 344
- WinZip utility, 361–362
- Wired Equivalent Privacy (WEP) services, 429–431
- Wireless Network Properties dialog box, 430–431, *430*
- wireless networks
  - considerations for, **409–410**
  - security for, **428–431**, *430*
- WMI (Windows Management Interface), 527
- workstation configuration, 525
- World Wide Web Service, 489, *489*, **562**
- WPA (Windows Product Activation), **29**
- Wright, Matt, 583

Write An Event To The System Log option, 68–69  
WYSIWYG editors, 594

---

## X

---

X option in convert, 354  
x option in dir, **163**  
X-Setup tool, 269  
X-Win32 manager, 210  
X Window managers, 210  
xcopy32 command, 57–58

## Y

---

Y switch in efsinfo, 746

## Z

---

zipped folders and files, **361–362**, 361  
ZoneAlarm program, 508  
ZoneAlarm Pro program, 509  
zones in Internet Explorer, **541–543**, 542–543