

INDEX

- ACFM, 253
- Acid gas dew point, 8
- Africa, 21
- Ag feedstock, 253
- Agricultural feedstocks, 19
- Air sweep feeder, 253
- Alcohol from biomass, 42
- Alternate fuels, 1
 - agricultural feedstocks, 2
 - application to equipment, 7, 8
 - biogas, 2
 - biomass, 2
 - burning of, 7
 - ethanol, 2
 - petroleum coke, 2
 - plant and refinery gas, 2
 - reclaimed oil, 2
 - solid wastes, 2
 - used cooking oil, 2
 - used tires, 2
 - wood, 2
- Amazon region, 21
- Ambient air standards, 159
- Ash content, 20
- Ash slagging, 90
- Ash waste, 163
- Augers, 111, 253

- B100 biodiesel, 38
 - burner manufacturers, 41
 - burners, 41
 - combustion of, 40
 - manufacture of, 40
- B20 biodiesel, 38
- Babcock and Wilcox, 52
- Baghouse, 147, 253
- Bark, 106
- Belt conveyor, 110, 253
- Biodiesel, 20, 37
- Bioenergy feedstocks, 22, 23
- Bioethanol, 20
- Biofuels, 22, 23
- Biogas, 5
- Biomass fuels, 1, 6, 7, 19, 26, 95, 193
 - combustion equipment, 45
 - economic analysis, 191
 - heating value, 38
 - liquid, 37, 38
 - processing network, 221
 - processing routes and economics, 191, 193
 - properties, 38
 - storage and handling, 95
- Biomass gasification, 193
- Biomass materials, 20
- Biomass resource potential, 25
- Boiler types, 45
 - firetube, 46
 - field-erected, 47
 - horizontal return tube (HRT) package, 47
 - radiant, 253
 - watertube, 46
- Bottom ash, 253

- Btu, 253
- Bubbling fluidized beds, 79
- Bucket elevator, 113, 253
- Bulk density, 253
- Burners, 47, 76
 - cyclone, 52, 76
 - Earth Care Products, Inc (ECPI), 76
 - dry wood waste, 77
 - Coen Company, 77
 - Dutch oven, 48
 - gravity feed, 49
 - heaped pile, 48
 - particulate problems, 49
 - suspension, 52, 76
- Calcining, 254
- Capital costs, 216
- Carbon monoxide (CO), 254
- Carbon, activated, 254
- Carbon, fixed, 254
- Cascade dryers, 117
- Catalytic oil, 193, 256
- Chain conveyor, 254
- Char, 254
- Clean Air Act, 137
- Coal, 6
- Coal boiler system, 214
- Cogeneration, 125, 128, 254
 - economic considerations, 128
 - system size, 134
- Coke, 6
- Combined systems, hot gas and thermal oil, 71
- Combustion, 7, 13
 - direct, 209
 - efficiency, 254
 - issues, 7
 - systems, 2, 88
 - Heuristic Engineering, Inc., 88
 - temperature, 14
 - time, 14
 - turbulence, 14
- Combustor, 79
- Condenser, 254
- Condensing steam turbine, 254
- Construction and demolition (C&D)
 - debris, 24
- Controlled melting, 91
- Conveyor, 254
- Cooking oil, 37
- Corrosion in MSW boilers, 92
- Covered storage, 107
- Cubes, 254
- Cyclones, 145, 254
- Cyclone burner, 254
- Cyclone furnace, 76
- Deforestation, 21
- Densification, 254
- Densified wood, 194
- Designs for wood fuel facilities, 120
- Drag chains, 110
- Dragchain conveyor, 254
- Dry scrubber, 254
- Dryers, 115
 - cascade, 117, 254
 - equipment, 116
 - feasibility for boiler steam plants, 120
 - flash, 117, 254
 - new Installations, 120
 - retrofitting, 119
 - rotary, 116, 255
 - single-pass, 116
 - triple-pass, 116
 - tunnel, 255
- Dump trucks, 100
- Dutch oven, 48
- Economic analysis of biomass
 - combustion systems, 183
 - depreciation, 184
 - Investment tax credits, 185
 - sensitivity analysis, 189
 - tax considerations, 184
- Electricity generation, 203
- Electrostatic precipitators (ESPs), 151, 255
- Emissions, 138, 255
 - air pollution standards, 138
 - areas affecting, 140
 - boiler design, 141
 - boiler operation, 141
 - characteristics, 143
 - factors, 143
 - fluidized-bed hot gas heaters, 143
 - fuel, 140

- suspension burning, 143
- control of, 137, 144
 - baghouse, 147
 - costs, 152
 - cyclones, 145
 - electrostatic precipitators, 151
 - mechanical collectors, 145
 - wet scrubbers, 148
- expected, 140
- regulations, 10, 138
- types of, 138
- Endangered species, 163
- Environment and safety, 157
- Environmental impact, 157
- EPA 40 CFR 279.11, 6
- Equipment manufacturers and
 - vendors, 239
- biomass gasification and pyrolysis
 - systems, 244
- combustion and heat recovery, 242
- electric power generation
 - equipment, 245
- fuel preparation, handling, storage,
 - transport, and related
 - equipment, 239
- pollution control equipment, 245
- Ethanol, 37, 38, 193, 255
 - from grain, 42
 - from wood or cellulosic feedstocks,
 - 43
- Feasibility study, nonforest products
 - facility, 225
 - background, 225
 - conceptual design, 226
 - contract document preparation, 231
 - contractor selection, 230
 - economic analysis, 234
 - horizontal return tube boiler, 233
 - life cycle analysis, 236
 - operations, 236
 - size of the boiler, 226
 - space requirements, 230
 - system description, 232
 - wood fuel availability, 230
 - wood fuel handling, 229, 233
 - wood fuel storage and handling, 227
 - wood storage, 233
- Fines, 255
- Flash dryers, 117
- Floodplains, 163
- Fluidized-bed combustion, 255
- fluidized-bed combustors, 71
 - Energy Products of Idaho (EPI), 75
 - Johnston Fluid Fire, 74
 - York-Shipley, 74
- Fluidizing blower, 79
- Fly ash, 255
- Fossil fuels, 2
- Front-end loaders, 112, 155
- Fuel costs, 1, 216
- Fuel properties, 95
- Fuel supply, 171
 - establishing a database, 172
 - mill residue, 172, 173
 - mill waste, 173
 - NAICS (North American Industry
 - Classification System), 172
 - planning, 173
 - procuring biomass, 171
 - State Department of Industry and
 - Trade (or Economic
 - Development), 172
 - State Forestry Commission, 172
 - USDA Forestry office, 172
 - whole-tree chips, 172, 173
- Fuel supply safety, 166
- Fuel-switching feasibility study, 175
 - economic analysis, 182
 - energy requirements, 176
 - existing system and site data, 180
 - facility layout, 181
 - operational requirements, 182
 - system and fuel requirements, 179
- Furnaces, 76, 79
 - cyclone, 76
 - rotary, 255
 - shaft, 255
- Gas boiler system, 215
- Gasification, 255
- Gasifier, 85, 193
- Georgia, 24
- Georgia Tech, 23
- Government incentives, 125
- Grates, 47, 255
 - dump, 51, 255
 - gravity-fed, 50

- Grates (*continued*)
 inclined, 255
 moving, 50, 52
 reciprocating, 79
 rotary, 51
 sloping, 79
 traveling, 51, 255
- Green whole-tree chips, 106
- Gross heating value (GHV), 17
- Groundwater, 164
- Hammermill, 256
- Heat- and mass-balance programs, 14
 free, 15
 Hauck E-Solutions, 15
 HSC Software, 15
- Heat recovery, 2
- Heat recuperation, 8
- Heating value of fuel, 16
- Heating values and costs for fuels, 3
- Higher heating value (HHV), 16, 256
- Hogged material, 256
- Hot oil systems, 59
- In-plant fuel handling, 108
- Kyoto Protocol, 7
- Lignin, 194
- Liquid fuels, 37
- Live-bottom van, 98, 256
- Lower heating value (LHV), 17, 256
- Magnetic separator, 256
- Major pollution emitting facilities, 159
- Material screen, 256
- Maximum achievable control
 technology (MACT), 162
- Metering bin, 256
- Methanol, 44, 193, 256
- Mill residues, 105
- Moisture content, 28
- Multiclone, 256
- Multifuel firing, 2
- NAICS (North American Industry
 Classification System), 172
- National Ambient Air Quality
 Standards, 158
- National Biodiesel Board, 40
- Net heating value (NHV), 17
- New Source Performance Standards
 (NSPS), 158
- Nitrogen oxides, 161
- Noncondensing steam turbine, 256
- North America, 22
- NO_x, 256
- Oak Ridge National Laboratory, 27
- Oak Ridge study, 26
- Occupational Safety and Health Act
 (OSHA) (Public Law 91-596),
 164
- Oil boiler system, 215
- Opacity regulations, 256
- Open storage, 102
- OSHA, 164
- Overfire air, 256
- Particle resistivity, 257
- Particle size, 32
- Particle strength, 257
- Particulates, 138, 161, 257
- Petrodiesel, 37
- pH, 257
- Physical and chemical considerations,
 34
- Pile burners, 79, 257
- Pile drying, 115
- Pneumatic conveyors, 113, 257
- Pneumatic stokers, 51
- Power generation, 125
- Predrying, 257
- Preparation of wood fuel, 113
- Prevention of Significant
 Deterioration—Clean Air Act,
 158
- Production of hot gas from biomass,
 69
 components of, 70
- Properties affecting heat transfer, 63
- Proximate analysis, 32, 257
- Purchasing and contracting for wood
 fuels, 173
- Pyrolysis, 81, 257
 oil, 193, 256
 systems, 81
 Energy Resources Co. Inc., 83

- Tech-Air Corporation, 82
- Railroad delivery, 100
- Receiving methods, 98
- Reciprocating grate, 79
- Refractory lining, 257
- Residence time, 257
- Rotary dryers, 116
- Runoff, 164
- Safety, 164
 - fire prevention program, 167
 - OSHA, 164
 - personal protective equipment, 166
 - personnel, 164
 - storage and conveying systems, 166
 - storage and handling of wood chips and logs, 167
- Sawdust, 105
- Scrubber, 257
- Shave-off scrubber system, 257
- Silos, 107
- Size reduction, 113
- Slag control, 90
 - empirical tests for, 91
- Sloping grate furnace, 50
- Slurry treatment, 92
- SO₂, 8
- Solid waste, 163
- Solid Waste Management Act, 158
- Solids handling, 95
- South America, 21
- SO_x, 257
- Spec oil, 5
- Spreader stokers, 52, 258
- Steam costs, 216
- Steam generation, 209
- Steam turbines, 126
- Stokers, 79
 - underfed, 258
- Sulfur oxides, 161
- Surface water, 164
- Suspension burner, 258
- Sustainability of wood fuels, 21
 - versus steam, 59
- Thermal oil circulation system, 65
 - primary circulation loop, 66
 - secondary loops, 68
- Thermal oil heaters, 63
 - “convective” tube bundle, 64
 - combination, 65
 - helical coil, 63
 - multiple coil, 63
- Thermal oil properties, 62
- Tire-derived fuel, 5
- Truck dumps, 99
- Tube fouling, 92
- Tunnel kilns, 53
- Turbine, back pressure, 258
- Turbine, extraction, 258
- Turndown ratio, 49, 258
- U.S. Forest Service, 23, 27
- Ultimate analysis, 33
- Underfire air, 258
- United States, 23, 26
- University of Georgia (UGA), 41
- Used cooking oil, 39
- Used oil, 5
- Vegetable oil, 39
- Vibrating conveyors, 113, 258
- Waste wood boiler systems, 210
- Wet scrubbers, 148, 258
- Wood, 95
 - bark, 96
 - boards, 96
 - cants, 96
 - dry, 95
 - fuel properties, 97
 - green, 95
 - hogged fuel, 96
 - mill yard waste, 96
 - moisture content, 95
 - pellets, 96
 - purchase, 96
 - quantity requirements, 97, 98
 - receiving methods, 98
 - dump trucks, 100
 - live-bottom van, 98
 - railroad, 100
 - truck dumps, 99
- Testing for fuel properties, 18
- Thermal heat transfer fluids, 61
- Thermal oil, 59
 - reasons for using, 59

- Wood (*continued*)
 - sander dust, 96
 - sawdust, 96
 - shavings, 96
 - size of, 95
 - storage, 100
 - covered, 107
 - for green whole-tree chips and/or bark, 106
 - for sawdust and mill residues, 105
 - open, 102
 - silos, 107
 - whole tree chips, 96
 - yard requirements, 97
- Wood chip boiler system, 212
- Wood chipper, 258
- Wood fuel properties, 28
- Wood fueled fluidized-bed combustor system to produce hot gas, 213
- Wood gasifiers, 85
 - Biomass Gas & Electric (BG&E), 87
 - Energy Products of Idaho (EPI), 87
- Wood pellet boiler system, 213
- Wood pellets, 52, 96, 195, 258
 - global pellet imports, 203
 - industry, 201
 - market in Europe, 202
 - Pellet Fuels Institute, 202
 - prices, 206
 - production process, 197
 - raw material source, 205
 - sawmill waste, 205
 - Southeastern U.S. plants, 205
 - Sweden, 207
 - Unit energy cost, 208
 - United States, 204
 - Wood Pellet Association of Canada, 204
- Wood waste gasifier with gas/oil boiler, 215
- Wood-fired package boilers, 54
 - manufacturers, 54
 - Biomass Combustion Systems, Inc., 57
 - Deltak Corporation, 58
 - Hurst Boiler and Welding Company, 56
 - Industrial Boiler Company/Cleaver Brooks, 55
 - Teaford Company, Inc., 57
 - Wellons, Inc., 58