

# Contents

<b>Acknowledgments</b>	<b>xv</b>
<b>Foreword</b>	<b>xvii</b>
<b>Preface</b>	<b>xix</b>
Audience	xix
Scope	xx
Conventions Used in this Book	xx
<i>Source Code</i>	xx
<i>Terminology</i>	xxi
<i>Unified Modeline Language (UML)</i>	xxi
Organization	xxi
Additional Material and Author Contact	xxi
<b>PART I The Operating Environment (OE)</b>	<b>1</b>
<b>1 Introduction</b>	<b>3</b>
1.1 Software Radios	3
1.1.1 <i>Software Radio Aspects</i>	4
1.2 The Software Communications Architecture	6
1.2.1 <i>The Evolution of the SCA</i>	6
1.2.2 <i>What is the SCA?</i>	9
1.2.3 <i>Common SCA Perceptions</i>	9
1.2.4 <i>Why Use the SCA?</i>	11
1.3 The Operating Environment	13
1.3.1 <i>Conceptual Organization</i>	14
1.3.2 <i>OE Interface Constraints</i>	14
1.4 The SCA Specification Structure	16
1.5 Summary	19

---

<b>2</b>	<b>Operational Scenarios</b>	<b>21</b>
2.1	Startup	22
2.2	Shutdown	26
2.3	Application (Un)Installation	28
2.4	Instantiate Application	30
2.5	Control Application	32
2.6	System Configuration	34
<b>3</b>	<b>General Requirements and Services</b>	<b>37</b>
3.1	Non-Functional Requirements	37
3.1.1	<i>General Requirements</i>	38
3.1.2	<i>General Software Rules</i>	39
3.1.3	<i>Hardware Architecture Requirements</i>	39
3.1.4	<i>Interface Organization</i>	40
3.2	Name Service	42
3.3	Event Service	44
3.3.1	<i>Event Types</i>	46
3.4	Log Service	47
3.4.1	<i>Data Types</i>	48
3.4.2	<i>Exceptions</i>	48
3.4.3	<i>Types</i>	50
3.4.4	<i>LogStatus Operations</i>	54
3.4.5	<i>LogAdministrator Operations</i>	56
3.4.6	<i>LogProducer Operations</i>	58
3.4.7	<i>LogConsumer Operations</i>	61
3.5	FileSystem	63
3.5.1	<i>Exceptions</i>	64
3.5.2	<i>Types and Constants</i>	64
3.5.3	<i>Types</i>	66
3.5.4	<i>Operations</i>	67
3.6	File	75
3.6.1	<i>Exceptions</i>	76
3.6.2	<i>Attributes</i>	77
3.6.3	<i>Operations</i>	78
<b>4</b>	<b>Foundation Interfaces and Data Types</b>	<b>83</b>
4.1	TestableObject	83
4.1.1	<i>Exceptions</i>	83
4.1.2	<i>Operations</i>	84
4.2	PortSupplier	86
4.2.1	<i>Exceptions</i>	87
4.2.2	<i>Operations</i>	87

---

4.3	LifeCycle	88
4.3.1	<i>Exceptions</i>	88
4.3.2	<i>Operations</i>	88
4.4	PropertySet	89
4.4.1	<i>Exceptions</i>	89
4.4.2	<i>Operations</i>	90
4.5	Resource	92
4.5.1	<i>Exceptions</i>	92
4.5.2	<i>Attributes</i>	93
4.5.3	<i>Operations</i>	93
4.6	ResourceFactory	95
4.6.1	<i>Exceptions</i>	95
4.6.2	<i>Attributes</i>	96
4.6.3	<i>Operations</i>	96
4.7	Port	99
4.7.1	<i>Exceptions</i>	101
4.7.2	<i>Operations</i>	102
<b>5</b>	<b>Devices and the Device Manager</b>	<b>105</b>
5.1	Introduction	105
5.1.1	<i>SCA Device Abstraction</i>	106
5.2	Device	108
5.2.1	<i>Exceptions</i>	109
5.2.2	<i>Types and Constants</i>	109
5.2.3	<i>Attributes</i>	110
5.2.4	<i>Operations</i>	118
5.3	LoadableDevice	121
5.3.1	<i>Types</i>	122
5.3.2	<i>Exceptions</i>	123
5.3.3	<i>Operations</i>	123
5.4	ExecutableDevice	127
5.4.1	<i>Types and Constants</i>	127
5.4.2	<i>Exceptions</i>	128
5.4.3	<i>Operations</i>	130
5.5	AggregateDevice	134
5.5.1	<i>Types and Attributes</i>	134
5.5.2	<i>Operations</i>	134
5.6	DeviceManager	135
5.6.1	<i>Types</i>	136
5.6.2	<i>Attributes</i>	137
5.6.3	<i>Operations</i>	140
<b>6</b>	<b>Domain Management</b>	<b>151</b>
6.1	DomainManager	151
6.1.1	<i>Types</i>	151
6.1.2	<i>Exceptions</i>	153

6.1.3	<i>Attributes</i>	155
6.1.4	<i>DomainManager Instantiation</i>	157
6.1.5	<i>Operations</i>	158
6.2	<b>FileManager</b>	178
6.2.1	<i>Types</i>	180
6.2.2	<i>Exceptions</i>	180
6.2.3	<i>Operations</i>	181
6.3	<b>The ApplicationFactory</b>	183
6.3.1	<i>Exceptions</i>	184
6.3.2	<i>Attributes</i>	184
6.3.3	<i>Operations</i>	185
6.4	<b>Application</b>	192
6.4.1	<i>Types</i>	192
6.4.2	<i>Attributes</i>	193
6.4.3	<i>Operations</i>	195
6.4.4	<i>General Requirements</i>	199
<b>7</b>	<b>Operating Environment Security</b>	<b>201</b>
7.1	<b>Core Framework Security Requirements</b>	201
7.1.1	<i>Application</i>	201
7.1.2	<i>ApplicationFactory</i>	202
7.1.3	<i>DomainManager</i>	203
<b>8</b>	<b>Certification</b>	<b>205</b>
8.1	<b>Certification Process</b>	205
8.2	<b>Operating Environment Certification</b>	206
8.2.1	<i>OE-1</i>	206
8.2.2	<i>OE-2</i>	208
8.2.3	<i>OE-3</i>	209
8.3	<b>Waveform Assessment and Certification</b>	210
<b>PART II</b>	<b>The Domain Profile</b>	<b>213</b>
<b>9</b>	<b>The Domain Profile</b>	<b>215</b>
9.1	<b>Overview</b>	215
9.2	<b>SCA Domain Profile XML</b>	215
9.3	<b>Domain Profile Data Types</b>	218
<b>10</b>	<b>Base Descriptor Files</b>	<b>219</b>
10.1	<b>Properties Descriptor</b>	219
10.1.1	<i>Simple</i>	219
10.1.2	<i>Simple Sequence</i>	222
10.1.3	<i>Struct</i>	222
10.1.4	<i>Struct Sequence</i>	224
10.1.5	<i>Test</i>	224

---

10.2	softpkg	225
	10.2.1 <i>title</i>	226
	10.2.2 <i>author</i>	226
	10.2.3 <i>description</i>	226
	10.2.4 <i>propertyfile</i>	226
	10.2.5 <i>descriptor</i>	227
	10.2.6 <i>implementation</i>	227
10.3	Software Component Descriptor	230
10.4	Device Package Descriptor	232
<b>11</b>	<b>Device Configuration Descriptor</b>	<b>235</b>
11.1	Overview	235
11.2	deviceconfiguration	235
	11.2.1 <i>description</i>	236
	11.2.2 <i>devicemanagersoftpkg</i>	236
	11.2.3 <i>componentfiles</i>	236
	11.2.4 <i>partitioning</i>	237
	11.2.5 <i>connections</i>	239
	11.2.6 <i>domainmanager</i>	239
	11.2.7 <i>filesystemnames</i>	239
<b>12</b>	<b>The Domain Manager Descriptor</b>	<b>241</b>
12.1	Overview	241
<b>13</b>	<b>The Software Assembly Descriptor</b>	<b>243</b>
13.1	Overview	243
<b>PART III</b>	<b>Building an SCA-Compliant System</b>	<b>251</b>
<b>14</b>	<b>The POSIX Operating System</b>	<b>253</b>
14.1	An Operating Environment	253
14.2	Linux 2.6 Kernel	256
	14.2.1 <i>Unavailable POSIX Calls</i>	262
	14.2.2 <i>More Unavailable POSIX Calls</i>	273
<b>15</b>	<b>POSIX Threads</b>	<b>277</b>
15.1	The Thread Object	278
15.2	Un-named Semaphores	282
15.3	Mutex Variables	285
15.4	Thread Attributes	290
15.5	Conditional Variables	295
15.6	Less Interesting Thread Calls	299

---

<b>16 All ORBS are not Created Equal</b>	<b>303</b>
16.1 CORBA Basics	305
16.1.1 <i>Starting the Servant Object</i>	307
16.1.2 <i>Accessing the Object Reference</i>	308
16.2 The Object Management Group	308
16.3 'C' ORB versus C++ ORBs	310
16.4 Initial Services	311
16.4.1 <i>Starting a Client</i>	311
16.5 The Interface Repository	312
16.5.1 <i>Type Codes</i>	312
16.6 Minimum CORBA	313
16.7 The Portable Object Adapter (POA)	314
16.7.1 <i>Policy</i>	315
16.7.2 <i>Run-time Performance</i>	316
16.7.3 <i>ORB Concurrency Models</i>	317
16.7.4 <i>One-ways, Two-ways, and Blocking</i>	319
16.8 Real-time CORBA	319
16.9 Overview of Available ORBs	320
16.9.1 <i>TAO ORB</i>	320
16.9.2 <i>ORBexpress</i>	321
16.9.3 <i>ORBit2</i>	321
16.9.4 <i>MICO</i>	321
16.9.5 <i>OMNI</i>	322
<b>17 The Services</b>	<b>325</b>
17.1 Interoperable Naming Service	325
17.1.1 <i>Universal Unique Identifiers</i>	335
17.1.2 <i>Core Framework Usage of the Naming Service</i>	335
17.1.3 <i>Application Usage of the Naming Service</i>	336
17.2 Event Service	336
17.2.1 <i>Core Framework Usage of the Event Service</i>	349
17.2.2 <i>Resource Usage of the Event Service</i>	350
17.3 Log Service	350
17.3.1 <i>Core Framework Usage of the Log Service</i>	355
17.3.2 <i>Resource Usage of the Log Service</i>	357
<b>18 Exploring the Domain</b>	<b>359</b>
18.1 Application Factory Attributes	360
18.2 Application Attributes	362
18.3 DeviceManager Attributes	366
18.4 Device Attributes	368
18.5 AggregateDevice Attributes	370
18.6 DomainManager Attributes	371

Contents	xi
<hr/>	
18.7 Properties	373
18.8 Manipulating Ports	378
18.9 Summary	378
<b>19 An SCA-compliant Application</b>	<b>383</b>
19.1 Hello World Legacy Application	383
19.2 Legacy Hello World SPD	388
19.3 HMI Applications	391
19.4 Shutting Down	396
19.5 An SCA-compliant Hello World Application	397
19.5.1 <i>An SCA-compliant Terminal Device</i>	397
19.5.2 <i>Domain Profile for Terminal Device</i>	405
19.5.3 <i>An SCA-compliant Talk Application</i>	409
19.5.4 <i>Multi-threaded Servant</i>	414
19.5.5 <i>Talk Application XML</i>	417
19.5.6 <i>Modifications for Minimum CORBA Compliance</i>	423
19.5.7 <i>Concluding Remarks</i>	424
<b>Appendix A Mandatory POSIX Calls</b>	<b>427</b>
<b>Appendix B References to Part III</b>	<b>429</b>
<b>Index</b>	<b>431</b>

