

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- abs method, **695**
- Absolute mode, 237
- absolute paths
 - for local HTML files, **652–654**
 - in multiple-Timeline movies, **326–327**, 327
- Accessibility panel, **31**, 31, 596–597, 596
- accessible content, **596–597**, 596–597
- ACID PRO editor, **516–517**, 516
- action-safe zone, 612, 612
- Action Script Debugger panel, **31**, 31
- actions and ActionScript, **217**, **271**, **291**, **303–304**
 - Actions panel for. *See* Actions panel
 - attaching
 - to buttons and movie clips, **288–289**
 - to frames, **227–228**, **289–290**
 - in FreeHand, **503**, 503
 - steps in, **223–227**, 223–224
 - for audio
 - controlling. *See* Sound object
 - stopping, **231**
 - breaking down, **272–274**, 273
 - for browsers, **228–229**
 - for buttons, 221, **288–289**, **312–317**, 313–317
 - conditionals in, 274, **304–306**, 365
 - for custom controllers, **317–321**, 319–321
 - data types in, **297–299**
 - deprecated, **229**
 - external editors for, **287–288**
 - for Flash Player, **233**
 - flow in, **274–276**, 275
 - for frames, 137, **222–223**, 222, **227–228**, **289–290**
 - functions in, 278, **306–307**
 - for graphic elements, **333–334**
 - animation, **334–337**
 - color, **339–342**, 340–341
 - scaling, **337–339**, 337
 - inspirational design model for
 - African Voices site, 342, 343
 - Core Five Creative site, **238**, 239
 - Destroy Everything site, 309, 309
 - Goodnight Mr. Snoozleberg, 290, 290
 - for interactive multilayered Timeline, **377–378**, 378
 - movie preparation for, **378–379**, 379
 - playback controls for, **383–385**, 383
 - steps in, **379–383**
 - for interactive resumes, **264–265**, 265
 - for keystrokes, **321–324**, 323–324
 - for menu system, **645–647**, 647
 - for mouse event handlers, **230–231**
 - for movies and Movie Clips, 182, **229**
 - controlling, **231**, **236–237**, 237
 - event handlers, **235–236**
 - loading, **234–235**
 - multiple, **234–235**
 - multiple-Timeline, **324–333**, 325, 327, 330–333
 - navigating, **228**
 - properties, **237–238**
 - unloading, **235**
 - new features for, **14**
 - objects in, 272, 278, **298**, **308–309**
 - attaching, **223–227**, 223–224
 - event handlers for, **221–222**
 - operators in, **302–303**
 - planning and assigning, **276**
 - reference guide for, **666–676**
 - for scenes, **198**
 - for skipping to frames and scenes, **229–230**, 230
 - syntax in

- case sensitivity, **296**
- constants, **295–296**
- keywords, **296**
- mistakes in, 364
- punctuation marks, **292–295**, 292
- terminology in, **277–279**
- troubleshooting. *See* troubleshooting
 - ActionScript
 - for URL linking, **232–233**
 - variables in, 279, **299–302**
 - in Debugger, **368**, 368
 - names for, 299, 362
 - in Output window, **373**
 - problems in, 365
 - for video, **606–608**, 607
- Actions panel, **30**, 30, 217–221, 218
 - code hints in, **283–286**, 283, 285
 - display actions in, **280–282**, 281–282
 - in Expert mode, **279–280**, 279
 - files in, **286–287**
 - navigating in, 286
 - replacing scripts in, 286
 - searching in, 286
 - syntax checking in, **287**
- ActionScript Dictionary option, 36
- ActionScript Editor, 282, 282
- ActionScript Toolbox, 219
- actionsEnabled property, **488–489**
- activating Debugger, 367
- Active Server Pages (ASP), **353**
- adaptive differential pulse-code modulation (ADPCM) compression, **415**
- Adaptive palette, 591
- Add Colors option, 65
- Add/Delete an Action Statement button, 219
- addition operator, **683**
- Adobe Type Manager (ATM), 72
- ADPCM (adaptive differential pulse-code modulation) compression, **415**
- Advanced Effect dialog box, 128, 128
- advertising, 9
- African Voices site, 342, 343
- .aif (Audio Interchange File Format), 394
- Align panel, **29**, 29, **94**, 94
 - for aligning objects, **95**
 - for distributing objects, **95–96**, 96
 - for matching object size, **96**, 96
 - for spacing objects, **96**, 97
- aligning
 - objects, **95**
 - text, **78**, 78
- Allow Smoothing option, 90
- allowscale command, 233, 629
- alpha
 - in QuickTime, **594**
 - of symbol instances, **128**, 128
- _alpha property
 - for Movie Clips, 333
 - reference for, **676**
- Alpha setting, **594**
- Amapi 3D program, **553–555**, 554–555, 567
- ambient audio loops, 525, **528**
- Ambient Light setting, 542
- Amorphium Pro tool, **561–564**, 561–563, **571–573**, 572
- Amount/mix reverb setting, 523
- ampersands (&) for AND operator, **682**
- analog sound, 390
- AND operator, **682**
- animatedButton.fla file, 251
- animation
 - 3D logos, **571–578**, 572, 576
 - ActionScript for, **334–339**, 338
 - audio with. *See* synchronizing audio
 - buttons, **250–253**, 251–253
 - in Director, **478–479**
 - frames for. *See* frames
 - in FreeHand
 - multiframe, **498–500**
 - previewing, **501**, 501
 - settings for, **504–505**
 - shape-tweened, **500–501**
 - GIF files, 583
 - inspirational design model for, **179**, 180
 - keyframes in, **160**, 161
 - masks, **175–176**

- movie clips from, **183–184**
- objects in
 - brightness of, **178**
 - color of, **179**
 - transparency of, **177–178**
- scenes for. *See* scenes
- simulated 3D objects, **535–539**, *536–539*
- space scene. *See* space scene
- still images in, **176–177**
- in Swift 3D, **546–547**, *547*
- Timeline for. *See* Timeline
- tweened, **169**
 - creating, **169–171**
 - editing, **171–172**, *171*
 - motions in, **174–175**, *174–175*
 - shapes in, **172–173**, *173*
- in Vecta3D, **559–560**
 - for video, **621–622**, *622*
- Animation option, *504–505*
- Answers panel, **29**, *29*
- Anti-Alias display mode, **502–503**, *502–503*
- appearance
 - of frames, **161–163**, *161–163*
 - of symbol instances, **126–128**, *126–128*
- arguments
 - in ActionScript, *277*, *306*
 - problems in, *364–365*
- Arguments object, *308*
- arranging
 - objects, **96–97**, *97*
 - scenes, **196**, *196*
- Array object, *308*
 - methods in, **687–688**
 - reference for, **686–687**
- arrays, **660–663**, *661*, *663*
- Arrow tool
 - for moving objects, **45**
 - for selecting objects, **44–45**, *44*
 - for shape of objects, **45**, *45*
 - for smoothing curves, **47**
 - for snapping
 - to objects, **46**, *46*
 - to pixels, **46–47**
 - for straightening curves, **47**
- ASP (Active Server Pages), **353**
- aspect ratio, *611–612*, *612*
- Assemble room, *567*
- assigning scripts, **276**
- assignment operators, **303**, **684**
 - addition, **683**
 - division, **683**
 - modulo, **682**
 - multiplication, **682**
 - subtraction, **684**
- asterisks (*)
 - for comments, **683**
 - for multiplication, **682**
- ATM (Adobe Type Manager), *72*
- Atomic Cartoons, *104*, *104*
- attaching
 - actions
 - to buttons and Movie Clips, **288–289**
 - to frames, **227–228**, **289–290**
 - in FreeHand, **503**, *503*
 - steps in, **223–227**, *223–224*
 - audio
 - to buttons, **409–410**
 - with linkage identifiers, **441–442**, *441*
- attachMovie method, **698**
- attachSound method
 - with linkage identifiers, *442*
 - reference for, **704**
- attack in sound, *520–522*
- .au format, *394*
- audio, **389**
 - with ActionScript
 - controlling. *See* Sound object
 - stopping, **231**
 - with animation. *See* synchronizing audio
- attaching
 - to buttons, **409–410**
 - with linkage identifiers, **441–442**, *441*
- bit-depth resolution in, **391–392**, *392*
- clipping in, **519**
- editing, **396**
 - multitrack editors for, **510–512**, *511–512*
 - normalizing files, **399–400**, *400*, **519**, *519*

- trimming files, **396–399**, 397–399
 - waveform editors for, **512–516**, 513–515
 - effects and processing, **410–411**, **518**
 - compression, **413–418**, 415, 417, **521–522**
 - equalization, **520–521**, 520
 - normalization, **519**, 519
 - pitch shift, **523–524**, 523
 - reverb, **522–523**, 523
 - with sound envelopes, **411–413**, 412–413
 - time shift, **524**
 - exporting, **413–414**, 414
 - importing, **109–110**, **406**, 406
 - inspirational design model for
 - Beatnik Player, 529, 529
 - Nineteen Point Five Collective site, 403, 403
 - Radiskull & Devil Doll site, 418, 419
 - interactivity with, **400–401**
 - loops in
 - problems in, 365
 - seamless, **524–528**, 525–528
 - tools for, **516–517**, 516
 - working with, **401–402**
 - MIDI sequencers for, **517–518**
 - in movies, **406–408**, 407–408
 - preparing, **394**
 - resources for, **395–396**
 - sample rate for, **390–391**, 390–391
 - soundtracks. *See* soundtracks
 - stereo vs. mono, **392–393**, 393
 - stopping sounds, **231**, **408–409**
 - storing, **393–394**
 - for videotape, **612–614**, 613
 - Audio Event setting, 587
 - Audio Interchange File Format (.aif), 394
 - Audio setting, 621
 - Audio Stream setting, 586
 - audioMC.flac file, 429
 - audioMC.swf file, 429
 - author-time Shared Symbol Library
 - linking to, **125–126**, 125
 - purpose of, **121**
 - auto format in Actions panel, **281–282**, 281
 - Auto Format Options dialog box, 281, 281
 - Auto Kern option, 77
 - Auto option for rotating objects, 172
 - Auto-Size option, 482
 - Autoplay option, 505
 - Autorun feature, 639
 - autorun.inf file, 637–638
 - AutoStart feature, 639
 - AVI format, **617–619**, 617–618
-
- ## B
- backends, 345
 - components of, 346
 - dynamic, **352–353**
 - ASP for, **353**
 - CGI for, **355–356**
 - ColdFusion for, **353–354**
 - PHP for, **354–355**
 - Background Color setting, 542
 - background for garden scene, **149**
 - Background Transparent option, 485
 - backing up scripts, 362
 - bandwidth for frames, 165
 - Bandwidth Profiler, 595
 - banner.flac file, 661–663
 - banner.swf file, 663
 - baseline shift, 77, 77
 - bass sound, 520–521
 - batch-processing feature, 514
 - Beatnik Player, 529, 529
 - beginFill method, **702**
 - Best option for MP3 compression, 416
 - Biospheres tool, 562
 - bit depth
 - in audio, **391–392**, 392
 - in PNG, **593**
 - Bit Depth setting, **593**
 - Bitmap Properties dialog box, 89–90, 90
 - bitmaps
 - broken apart, 48
 - editing, **91–92**
 - external, **86–87**, 86
 - fills for, 59, **69**, 69

- importing, **87–88**, 109
 - properties for, **89–91**, 90
 - tracing, **88–89**, 88–89
 - blank keyframes, 138
 - _blank option for URLs, 78, 232, 349–350
 - Blend option, 485
 - blends
 - in Director, 485
 - in FreeHand, 500–501
 - Blitz Digital Studios, 148, 148
 - BodyPaint program, 566
 - Boolean object, 308
 - Boolean values, **298**
 - Bowers, Scott, 432
 - Box option, 541
 - braces ({})
 - in ActionScript, **294**
 - problems in, 364
 - break action
 - reference for, **666–667**
 - in switch, 305
 - breaking apart text, **81–82**, 81–82
 - breakpoints, **369–370**, 370
 - brightness
 - of animation objects, **178**
 - of symbol instances, **127**, 127
 - Bring Forward command, 97
 - Bring to Front command, 97
 - broadcast media, **8**
 - browser-safe palette, 64
 - browsers, actions for, **228–229**
 - Brush tool, **51**
 - modes, **52**, 52
 - shape, **52**
 - size, **51**
 - bubbles in undersea scene, **189–191**, 191
 - Button objects, 308
 - buttons
 - actions and ActionScript for, 221, **288–289**, **312–317**, 313–317
 - animated, **250–253**, 251–253
 - audio in
 - attaching, **409–410**
 - synchronizing, **422–423**
 - creating, **243–246**, 244–245
 - editing, **247–248**, 247–248
 - inspirational design model for, **258**, 258
 - multilayered, **249–250**, 249–250
 - with multiple interfaces, **253–256**, 254–256
 - non-button, **256–257**, 257
 - previewing, **247**
 - selecting, **242–243**, 242
 - for soundtracks, 472–473
 - symbols for, **109**
 - testing, **247**
 - buttonSync.swf file, 424
-
- C**
- Cakewalk Home Studio 2000 MIDI sequencer, **517**
 - camera properties, **542**, 542
 - Capabilities object, 308
 - Capture setting, 621
 - Carrara Studio program, **567**
 - cartoons, **9–10**
 - case sensitivity, **296**
 - casts and cast members, 479, 483–484
 - CCW option, 172
 - CD-ROM, **623**
 - hybrid, **635–639**, 636–638
 - inspirational design model for, **633**
 - interfaces for, **628–629**
 - FSCCommands in, **629–630**
 - letterbox projectors in, **630–633**, 632
 - opening local HTML files from, **651–655**
 - CeBit pump, 10
 - ceil method, **695**
 - cells in Timeline, 160
 - center point of gradients, 59
 - .cfm extension, 354
 - CFML (ColdFusion Markup Language), 353–354
 - CGI (Common Gateway Interface), **355–356**
 - channels, 479, 480
 - Character Options dialog box, 80, 80
 - charAt method, **707–708**
 - CheckBox component, 330
 - Chen, Jimmy, 83
 - Chian, Doug, 132–133

- child Movie Clips, 325
- chunks in Sound Families, 464
- Cinema 4D program, **566**, 566
- circles, 49
- classes, 272, 277
- Clear option
 - in Movie Explorer, 130
 - in Output window, 372
- Clear Colors option, 65
- click sound, 313
- clipping in audio, **519**
- CMYK (Cyan/Magenta/Yellow/Black) color system, 64
- code hints, **283–286**, 283, 285
- ColdFusion, **353–354**
- ColdFusion Markup Language (CFML), 353–354
- ColdFusion Server, 353–354
- Collapse Branch option, 131
- Collapse Folder option, 116
- Collapse Others option, 131
- collapsing
 - folders, 116, **142**, 142
 - panels, **34–35**, 35
- colons (:) in conditional operator, **682**
- color and Color object, 308, 335
 - of actions, 282
 - ActionScript for, **339–342**, 340–341
 - of animation objects, **179**
 - for GIF files, 590
 - of layer outlines, **139**, 139
 - for linear gradients, 68
 - reference for, **689**
 - for Stage, **25–26**
 - of text, **76**
 - in tracing bitmaps, **88–89**, 89
 - in Vecta3D, 558–559
 - Web-safe, **64–65**
- Color Mixer panel, **29**, 29
 - for bitmap fills, **69**, 69
 - Color object for, **340–342**, 341
 - for Hex colors, **67**, 67
 - for HSB colors, **67**, 67
 - for linear gradients, **68–69**, 68
 - None fill style in, **67**, 67
 - for radial gradients, **69**, 69
 - for RGB colors, **66–67**, 66–67
 - for solid colors, **66**
- Color Swatches panel, **30**, 30, **65**, 65
- colorMixer.fla file, 340
- colorMixer.swf file, 340
- colorMixerCD.fla file, 340
- Colors section in toolbox, **23**
- ComboBox component, 330
- command shortcuts, **37–40**, 37–39
- comment action, 293
- comments in ActionScript, **293–294**, 363
 - in debugging, 366
 - reference for, **682–683**
- Common Gateway Interface (CGI), **355–356**
- Common Libraries panel, **32**, 32
- Common Library, 113, **242–243**, 242
- compacting gradients, 60
- comparing strings, 297
- comparison operators, **302**, **683–684**
- Compatibility option, 505
- complex preloaders, **658–660**
- component audio, synchronizing, **424**
- Component Definition dialog box, 116
- Component Parameters panel, **32**, 32
- Components panel, **32**, 32, 330–331, 330
- Compress Movie option, 586
- Compress Video option, 618
- compression
 - in audio, **413–418**, 415, 417, **521–522**
 - for AVI files, 618
 - for bitmap files, 90
 - in FreeHand, 504
 - for JPEG files, 592
 - for movies, 586
 - for QuickTime files, 616
 - in Spark, 602
- Compression menu, 90
- Compression Quality option, 618
- Compressor option
 - for AVI, 618
 - for QuickTime, 616

concat method
 in Array, **687**
 in String, **708**

concatenating strings, 297, 374

conditional operator, **682**

conditionals, 274, **304–306**
 alternative syntax for, **382**
 problems in, 365

console games, 9

constants, 277, **295–296**

constructors, 272, 277

continue action, **667**

Control menu, **20**

Controller setting, **594**

Controller toolbar, **21, 21**

controllers, **317–321, 319–321**

controls. *See* buttons

Convert to Symbol dialog box, 112–113, *112*

converting
 corner points to curve points, **56**
 graphics to symbols, **112–113, 113**

Cool Edit Pro sound editor, 402

coordinates
 for mouse, 335
 for Movie Clips, 334–335

Copy option
 in Director, 485
 in Movie Explorer, 130
 in Output window, 372

Copy All Text to Clipboard option, 130

Copy Styles tool, 559, *559*

copying layers, **143**

Core Five Creative site, **238, 239**

corner points, converting to curve points, **56**

Corner Threshold setting, **89**

corners in tracing bitmaps, **89**

counters in loop structures, 305

Create New Symbol dialog box, 110–111, *111, 244, 244*

Create Temporary Partition dialog box, 636, *636*

createEmptyMovieClip method, **702**

Cubase VST MIDI sequencer, **517**

cubes, wireframe, **534–535, 535**

cueing sounds, **441–443, 441**

curly braces ({})
 in ActionScript, **294**
 problems in, 364

_currentFrame property, **676**

cursors, **334–337**

Curve Fit setting, **89**

curve points, converting corner points to, **56**

curves
 editing, **55–56, 56**
 Pen tool for, **53–54, 54**
 smoothing, **47**
 straightening, **47, 51**
 in tracing bitmaps, **89**

curveTo method, **702**

custom controllers, **317–321, 319–321**

custom cursors, **334–337**

Custom option for sound effects, 411

Cut option for Movie Explorer, 130

cutting sound files, **396–399, 397–399**

CW option, 172

Cyan/Magenta/Yellow/Black (CMYK) color system, 64

D

data event, 226

Data Rate setting, 619

data types, 277, **297–299**

databases, **346**

Date area for bitmaps, 90

Date Modified option, 114

Date object, 308
 methods in, **691–693**
 reference for, **690–691**

Debug Level option, 372

Debugger, **366–367**
 activating, **367**
 elements in, **367–372, 368–371**

Debugging Permitted option, 586

Decay setting for reverb, 523

declaring variables, 299

decrement operator, **680–681**

Default (Show All) option setting, 589

- defaults
 - audio compression, **415**, *415*
 - in switch, 305
- defining functions, 307
- Delete option, 115
- Delete Swatch option, 65
- deleting
 - layers, **143**
 - scenes, **195–196**, *195*
 - swatches, 65
 - symbols, 115
- deprecated items
 - actions, **229**
 - reference for, **712**
- deselecting items, 45
- Destroy Everything site, 309, *309*
- destructive audio editing, 518
- Detail Thickness tool, 558
- device fonts, 72, **78**
- DHTML (Dynamic HTML), 647
- Diffusion setting, 523
- digital art, **10**
- digital audio. *See* audio
- digital color, **64**
 - Color Mixer panel for, **66–69**, *66–69*
 - Color Swatches panel for, **65**, *65*
 - Web-safe, **64–65**
- Digital Performer MIDI sequencer, **518**
- digital signal processing (DSP), 511
- dimensions for layers, **144–145**, *144*
- Dimensions setting
 - for AVI, 617
 - for bitmap files, 90
 - for GIF files, 590
 - for HTML files, **587–588**
 - for QuickTime files, 593, 615
- Direct to Stage option, 482
- direction, text, **77**, *77*
- Director program, **477**
 - environment in, **478–479**
 - importing movies into, **479–480**, *480*
 - inspirational design model for, **495**, *495*
 - movie properties in, **480–483**, *481*, *483*
 - passing information to, **489–491**
 - playback in, **486–489**, *488*
 - sprites in, 484–486, *485*, **491–494**
- DirectX plug-in effects, 512–513
- Display List, **367**, *368*
- display properties in Swift 3D, **541–542**
- distorting objects, **101–102**, *101*
- distributing objects
 - Align panel for, **95–96**, *96*
 - with Flash Player, **626**, *626*
 - to layers, **145**
 - new features for, **15**
- Dither setting, **591**
- Dither Solids setting, 590
- division assignment operator, **683**
- Djojo Studios, 179, *180*
- do...while loops, 305–306, **667**
- docking panels, 28, **33–34**, *33–34*
- Document Properties dialog box, 25–26, *25*, 165, *165*
- DoReMedia Sound Families, 396
 - for soundtracks, **463**
 - components for, **472–474**, *472*
 - creating, **464–471**, *465–471*
 - planning, **463–464**
 - tips for, **474**
- dot syntax, **292–293**, *292*
- Double Sided tool, 558
- Doug Chiang Studio, 132–133
- Down state for buttons, 109, 243, *244*, 245
- drag-and-drop animations, **546–547**, *547*
- draggable pop-up windows, **647–651**, *648–649*
- dragOut event, 225
- dragOver event, 225
- drawing tools
 - Brush, **51–52**, *52*
 - Line, **49**
 - Oval, **49**
 - Pen, **52–56**, *53–56*
 - Pencil, **50–51**, *50*
 - Rectangle, **50**, *50*
- Dreamweaver documents, **576–578**, *576*
- Dreamweaver.pdf file, 576

drop-down, drag-out menu systems, **644–647**,
645, 647

Dropper tool, **60**, 60

_dropTarget property, **676**

DSP (digital signal processing), 511

Duplicate dialog box, 37

Duplicate Swatch option, 65

Duplicate Symbol dialog box, 118, 186

duplicateMovieClip action

- in MovieClip, **698**
- reference for, **667–668**

duplicating

- movie clips, **186**
- scenes, **196**, 196
- symbols, 115, **118**

duration property, **704**

dynamic backends, **352–353**

- ASP for, **353**
- CGI for, **355–356**
- ColdFusion for, **353–354**
- PHP for, **354–355**

dynamic content, **356–358**, 357–358

dynamic frontends, **346–347**

- moving server data with, **349–352**, 350
- text boxes for, **347–349**, 348

dynamic greetings, **660–663**, 661, 663

Dynamic HTML (DHTML), 647

dynamic text

- for gathering data, **348–349**
- Property Inspector for, **79–80**, 79–80

dynamic tools, 28

Dynamics dialog box, 522

E

easing tweened animation, **172**

Edit Character Options button, 80

Edit Envelope dialog box

- for custom effects, 412–413, 412–413, 467,
468
- for mixing audio, **612–613**, 613
- for volume, 438–439, 439

Edit in New Window option, 130

Edit in Place option, 130

Edit menu, **18**

Edit Multiple Frames option, 168

Edit option for symbols, 115

Edit Registration Center, 557

Edit Scene button, 197

Edit Scene menu, 25

Edit Symbol menu, 25

Edit With option, 116

editing

- audio, **396**
 - multitrack editors for, **510–512**, 511–512
 - normalizing files, **399–400**, 400, **519**, 519
 - trimming files, **396–399**, 397–399
 - waveform editors for, **512–516**, 513–515
- bitmaps, **91–92**
- buttons, **247–248**, 247–248
- curves, **55–56**, 56
- layers, **142–145**, 144
- movie clips, **185**
- symbols, **118–119**, **129**, **131–132**
- tweened animation, **171–172**, 171

Editing tab, 53

editors

- audio
 - multitrack, **510–512**, 511–512
 - waveform, **512–516**, 513–515
- script, **287–288**
- video, **620–621**, 620

else statement, 274–275, 304

embedded audio, **614**

embedded video, **604–605**, 605

empty keyframes, 160

endFill method, **702**

endTellTarget action, 491–493

enhanced CDs, **639**

enterframe event, 226

envelopes

- object, **102–103**, 103
- sound, **411–413**, 412–413

environmental properties in Swift 3D, **542**, 542

equal signs (=)

- for assignment, **684**
- for comparisons, **683–684**

- for equality, **684**
 - for inequality, **681**
 - equality operators
 - in ActionScript, **303**
 - reference for, **684**
 - equalization in audio, **520–521**, 520
 - Equalizer dialog box, 520, 520
 - Erase Fills mode, 61
 - Erase Inside mode, 61
 - Erase Lines mode, 61
 - Erase Normal mode, 61
 - Erase Selected Fills mode, 61
 - Eraser tool, **61**
 - error checking in Actions panel, **287**
 - eval function, **679**
 - Event sync, **422–423**, **428–429**, 428
 - events
 - and actions, 218, 277–278
 - handlers for, **221–222**, **230–231**, **235–236**
 - mouse, **224–226**, **230–231**
 - Movie Clip, **235–236**
 - problems in, 365
 - sounds for, 407–408
 - Exact Fit option
 - in Director, 482
 - for HTML files, 589
 - exclamation points (!)
 - for inequality operator, **681**
 - for NOT operator, **681**
 - exec command, 233, 629–630
 - Expand All Folders option, 116
 - Expand Branch option, 131
 - Expand Folder option, 116
 - expanding
 - folders, 116, **142**, 142
 - panels, **34–35**, 35
 - Expert mode, 218, 220, **279–280**, 279
 - Export as File command, 286
 - Export Document dialog box, 504
 - Export Movie dialog box, 506
 - Export QuickTime Video dialog box, 615, 615
 - Export Windows AVI dialog box, 617, 617
 - Export Windows WAV dialog box, 619
 - exporting
 - in Actions panel, 286
 - audio, **413–414**, 414
 - movies into Director, **479–480**, 480
 - video
 - for QuickTime, **614–617**, 615, 617
 - to video editors, **620–621**, 620
 - for Video for Windows, **617–619**, 617–618
 - for WAV files, **619**
 - expressions, 277–278
 - Extending text boxes, 74
 - external bitmaps, **86–87**, 86
 - editing, **91–92**
 - importing, **87–88**
 - properties for, **89–91**, 90
 - tracing, **88–89**, 88–89
 - external Libraries, **119–120**
 - external script editors, **287–288**
 - external sounds, loading, **457–460**, 458–459
 - extrusion in Vecta3D, 555
-
- F**
- Fade In option, 411
 - fade-ins, 411, **448–450**
 - Fade Left to Right option, 411
 - Fade Out option, 411
 - fade-outs, 399, 399, **448–450**
 - Fade Right to Left option, 411
 - fadeInOut.fla file, 448–449
 - fadeOut.swf file, 448–449
 - families of buttons, 242
 - Fast Forward control, 608
 - Fast option, 416
 - Fast Shaded option, 541
 - Faucet option, **61**
 - file loops.swf file, 402
 - File menu, **18**
 - files in Actions panel, **286–287**
 - Fill Transform tool, **58–60**, 59–60
 - fills
 - bitmap, 59, **69**, 69
 - Brush for, 51
 - for objects, **63**, 63

- Paint Bucket for, **57–58**, 58
- sampling, **60**, 60
- selecting, 45
- in Vecta3D, 558, 560
- Filter Options setting, **593**
- filters
 - for Movie Explorer categories, **131**, 131
 - for PNG files, **593**
 - for reverb, 523
- Find option
 - in Actions panel, 286
 - in Output window, 372
- Find Again option
 - in Actions panel, 286
 - in Output window, 372
- Find in Library option, 130
- Fireworks PNG, 88
- fish in undersea scene, **187–188**, 188
- fish.swf file, 187
- fishScaler fla file, 337
- Fixed option, 483
- Fixed text boxes, 74
- Flash Versions 1-5, 5
- Flash Alignment setting, 589
- Flash Asset Properties dialog box, 481–483
- Flash Asset Xtra, 478
- Flash Export Settings dialog box, 555, 555
- Flash MX, **6**
- Flash Player, 9, 583
 - actions for, **233**
 - distributing stand-alone files with, **626**, 626
- Flash Projectors
 - creating, **627–628**, 628
 - stand-alone files as, **627**, 627
- Flash Support Center option, 36
- Flash tab, 371, 371
- Flash Tutorials option, 36
- Flash Video (FLV) format, 602
- flashProjector.exe, 638
- Flatten (Make Self-Contained) setting, 594
- Flip Faces tool, 558
- flipping objects, **100**, 100
- floating panels, 28
- floor method, **695**
- flow in scripts, **274–276**, 275
- flowerbeds in garden scene, **150–153**, 150–151, 153
- flowers in garden scene, **153–156**, 153–156
- FLV (Flash Video) format, 602
- flyCursor fla file, 335
- folders
 - for layers, **140–142**, 140–142
 - for symbols, 114–116, 119, 119
- Font menu, **75–76**
- Font Symbol Properties dialog box, 83, 83, 122, 122
- fonts, **72**
 - creating, **82–83**, 83
 - limitations of, **72–73**
 - replacing, **132**
 - for Shared Symbol Library, 122
 - size of, **76**
 - symbols for, 115
- for loops, 305–306, **668**
- for...in loops, **668–669**
- Format option for QuickTime Video, 615
- Format Options dialog box, 79, 79
- formats
 - for publishing movies, **582–585**, 585
 - raster vs. vector, **6–8**, 7
- formatting
 - in Actions panel, **281–282**, 281
 - text, **79**, 79
- frame-by-frame animation
 - creating, **165–167**, 167
 - onion skinning in, **167–169**, 168
- frame property, **488**, 488
- Frame Rate option, 505
- frameCount property, **488**, 488
- frames, **160**, 161
 - actions for, 137, **222–223**, 222, **227–228**, **289–290**
 - appearance of, **161–163**, 161–163
 - in Lingo, **488**, 488
 - printable, **598–599**
 - rates for, **164–165**, 165, 505

- skipping to, **229–230**, *230*
 - in Timeline, **27**
- _framesloaded property, **676**
- free lights, 546
- Free Transform tool, 97–99
 - for objects
 - distorting, 101
 - envelope of, 102
 - flipping, 100
 - rotating, 99
 - scaling, 98
 - skewing, 100
 - for transformation points, 104
- FreeHand, **497–498**
 - animation in
 - multiframe, **498–500**
 - previewing, **501**, *501*
 - settings for, **504–505**
 - shape-tweened, **500–501**
 - Anti-Alias display mode for, **502–503**, *502–503*
 - attaching actions in, **503**, *503*
 - exporting files from, **505–506**
 - inspirational design model for, **506**, *506*
 - movie properties in, **503–505**, *504*
- frontends, **345–347**
 - moving server data with, **349–352**, *350*
 - text boxes for, **347–349**, *348*
- fscommand action
 - for CD-ROM interfaces, **629–630**
 - for Flash Player, 228, 233
 - reference for, **669**
- Full Screen Playback option, 505
- fullscreen command, 233, 629–630
- functions in ActionScript, 278, **306–307**
 - problems in, 365
 - reference for, 666, **669**, **679–680**
- FutureSplash, 159
- garden scene, **149**
 - background for, **149**
 - flowerbeds for, **150–153**, *150–151*, *153*
 - flowers in, **153–156**, *153–156*
 - ground for, **149–150**, *150*
 - perspective in, **151–152**, *151–152*
- Gay, Jonathan, 4
- General setting for video editors, 620
- Generate Size Report option, 586
- GET method, 350
- getAscii method, 322, **694**
- getBytesLoaded method
 - in MovieClip, **698**
 - for preloaders, 659–660
 - in Sound, 457
- getBytesTotal method
 - in MovieClip, **698**
 - for preloaders, 659–660
 - in Sound, 457, 459
- getCode method, 322–323, **694**
- getDate method, **692**
- getDay method, **692**
- getFlashProperty action, 491
- getFullYear method, **692**
- getHours method, **692**
- getMilliseconds method, **692**
- getMinutes method, **692**
- getMonth method, **692**
- getPan method, 439, **704**
- getProperty function, **680**
- getRGB method, 339, **689**
- getSeconds method, **692**
- getTime method, **692**
- getTimer method, **680**
- getTransform method
 - in Color, 339, **689**
 - in Sound, 440, **704–705**
- getURL action, 228
 - attaching, 232
 - for external files, 654–655
 - for local files, 652
 - for moving server data, **349–351**, *350*
 - for passing information to Director, 489–491
 - reference for, **669–670**, **698**

G

gameLab, 495–496
 gaming consoles, **9**
 Gap Size option, **58**

getVolume method, 438, **705**
 getYear method, **692**
 GIF (Graphic Interchange Format) format, **583**,
 590–591, 590
 _global, reference for, **685**
 Global Intersection Style Color tool, 559
 Global Intersection Style Thickness tool, 559
 global variables, 300–301
 globalToLocal method, **699**
 Go to Line command, 286
 Go to Location option, 130
 Go to Symbol Definition option, 130
 Goodnight Mr. Snoozleberg, 290, 290
 goto action, 646
 gotoAndPlay action, 228, 285
 in MovieClip, **699**
 reference for, **670**
 for scenes, 198
 gotoAndStop action, 228, 230
 in MovieClip, **699**
 reference for, **670**
 for scenes, 198
 gotoFrame action, 488, 491, 493
 gradient fills, 59
 gradients, 59–60
 for GIF files, 590
 linear, **68–69**, 68
 radial, **69**, 69
 Graphic Interchange Format (GIF) format, **583**,
 590–591, 590
 graphics
 ActionScripts for, **333–334**
 animation, **334–337**
 color, **339–342**, 340–341
 scaling, **337–339**, 337
 converting to symbols, **112–113**, 113
 in Director, **478**
 symbols for, **109**
 vector and raster, 8
 graphics tablets, 51
 greater than signs (>) for comparisons, **684**
 greetings, arrays for, **660–663**, 661, 663

Grid option, 542
 grids
 snapping objects to, 46
 in Swift 3D, 542
 gripper region, 34
 ground for garden scene, **149–150**, 150
 grouping objects, **92–93**, 93
 guide layers, **145–146**

H

Hand tool, 23
 HandlerMan.swf file, 226
 handlers, event, **221–222**
 in ActionScript, 278
 for mouse, **230–231**
 for Movie Clip, **235–236**
 problems in, 365
 handsOn5 fla file, 378
 height of bitmap fills, 59
 _height property
 for Movie Clips, 333, 339
 reference for, **676–677**
 Hellz Kitchen, 624, 624
 help, **36**, 36
 help documents, 29
 Help menu, **20**
 Hex colors, mixing, 64, **66–67**, 67
 Hidden option, 542
 hide method, **696**
 high cut filters for reverb, 523
 High Quality Printing option, 505
 hints, code, **283–286**, 283, 285
 history of Flash, **4–6**
 Hit state for buttons, 109, 243, 244, 246
 hitTest method, **699**
 Holm, Peter, 70
 homer.txt file, 358
 host processing in RTAS systems, 511
 hot keys, 18
 HSB colors, **67**, 67
 hscroll property, **709**
 HTML buttons, **80**

HTML files

- for navigational widgets, **651–655**
- for publishing movies, **583, 587–589, 587**

HTML_Launcher.swf file, 654

hybrid CD-ROMs, **635–639, 636–638**

HyperText Preprocessor, 354

identifiers, 278

if statement, **304–305**

- reference for, **670**

- working with, 273–275

ifFrameLoaded action, 229

Image option, 481

Image Compression option, 504

immersion, 400

Import dialog box

- for bitmaps, 87

- for sound files, 406, 406

- for video, 604, 604

- for video editors, 621

Import File dialog box, 541

Import Files dialog box, 480, 480

Import from File command, 286

Import Video dialog box, 604, 604

Import Video Settings dialog box, 604–605, 605

importing

- 3D objects. *See* 3D

- in Actions panel, 286–287

- audio, **109–110, 406, 406**

- bitmaps, **87–88, 109**

- from FreeHand, **505–506**

- from Swift 3D, **547–550, 547–550**

- symbols, **109–110**

- video, **110, 603–606, 604–605**

#include action, 287

increment operator, **681**

Indent setting, 79

indenting

- in ActionScript, 282

- text, 79

indexOf method, **708**

inequality operator, **681**

Info panel, **30, 30**

initializing variables, 299

Ink Bottle tool, **56–57**

Ink option, 51

Ink effects options, 485

input and output

- databases, **346**

- dynamic backends for, **352–353**

- ASP for, **353**

- CGI for, **355–356**

- ColdFusion for, **353–354**

- PHP for, **354–355**

- dynamic content, **356–358, 357–358**

- dynamic frontends for, **346–347**

- moving server data with, **349–352, 350**

- text boxes for, **347–349, 348**

- inspirational design model for, **358–359, 359**

input text, **81, 81**

Input Text fields, **347–348, 348**

Insert menu, **19**

Insert target Path button, 219

inserting movie clips into Timeline, **184**

Inset Target Path dialog box, 237, 237

Inspirational Design Models

- for 3D, **568–569, 568**

- for actions and ActionScript

- African Voices site, 342, 343

- Core Five Creative site, **238, 239**

- Destroy Everything site, 309, 309

- Goodnight Mr. Snoozleberg, 290, 290

- for animation, **179, 180**

- for audio

- Beatnik Player, 529, 529

- Nineteen Point Five Collective site, 403,

- 403

- Radiskull & Devil Doll site, 418, 419

- for buttons, **258, 258**

- for CD-ROM, **633**

- for Director, **495, 495**

- for FreeHand, **506, 506**

- for input and output, **358–359, 359**

- for interactive audio, **460, 461**

- for layers, **147–148, 148**

- for movie clips, **191**, 192
- for objects, **104**, 104
- for publishing movies, **599**
- for reusable content, **132–133**, 133
- for scenes, **198–199**, 199
- for synchronizing audio with animation, **432**, 432
- for text, **83**, 83
- for troubleshooting, **374–375**
- for video, **624**, 624

instances

- in ActionScript, 278
- of classes, 272
- Movie Clip, **184–185**, 185, 333
- names of, 278
- problems in, 365
- of symbols, 108, **126–129**, 126–129

interactive controls. *See* buttons

interactive multilayered Timeline, **377–378**, 378

- movie preparation for, **378–379**, 379
- playback controls for, **383–385**, 383
- steps in, **379–383**

interactive resumes

- completing, **265–267**, 266–267
- creating, **261–262**, 261–262
- navigational elements for, **262–264**, 263–264
- scripting for, **264–265**, 265
- setting up, **259–261**, 259–260

interactivity, scripts for. *See* actions and ActionScript

interfaces

- for buttons, **253–256**, 254–256
- CD-ROM, **628–629**
 - FSCCommands in, **629–630**
 - letterbox projectors in, **630–633**, 632
- help, **36**, 36
- main menu bar, **18–20**, 19
- panels, **28–32**, 29–32
 - collapsing and expanding, **34–35**, 35
 - customizing, **33**, 33
 - docking, **33–34**, 33–34
 - preset layouts for, **35**, 35
- Property Inspector, **27–28**, 27

- shortcuts, **35**
- Stage, **24–26**, 24–25
- Timeline, **26–27**, 26
- toolbars, **21–22**, 21–22
- toolbox, **22–24**, 22

interframes, 602

Interlace setting, 590

interlaced GIFs, 583, 590

international_club.fla file, 661–663

Internet, **9**

Internet Cast window, 481–482, 481

intersecting lines, 559–560

Intersections setting, 560

Invisible tool, 558

isDown method, 322, **694–695**

ISO 9660 window, 637, 637

Jackson, Charlie, 4

jaggies, 86

JavaScript, 272

JPEG (Joint Photographic Experts Group) format

- loading files in, **351–352**
- for publishing movies, **583**, **591–592**, 592

JPEG Quality setting, 586

Jump menu, 219–220

K

Keep Use Counts Updated option, 117

Kerb news agency, 624

kerning text, **77**

key code values, **710–712**

Key Frame Every setting, 619

Key object, 295, 308, 322

- key code values for, **710–712**
- reference for, **694**

keyboard properties in Swift 3D, **542**

Keyboard Shortcuts editor, 35, 37–40, 37–39

keyDown event, 226

Keyframe and Rendering setting, 621

keyframes, 138

- actions for, 222

- in Spark, 602
 - working with, **160**, 161
 - keyPress event, 225
 - keyPress.fla file, 323
 - keystrokes, recording and monitoring, **321–324**, 323–324
 - keyUp event, 226
 - keywords, 278, **296**
 - kind, sorting symbols by, 114
 - kiosk development, **10**
-
- labels for frames, 164
 - Lamarque, Jean-luc, 460
 - Large option for frames, 162
 - Lasso tool, **47**
 - Magic Wand option in, **48**
 - Polygon mode in, **47–48**, 48
 - lastIndexOf method, **708**
 - Launch ActionScript Reference button, 220
 - Layer Properties dialog box, 139, 139, 144, 144
 - Layer setting, **594**
 - layers, **135–136**, 136
 - adding content to, **137–138**
 - for buttons, **249–250**, 249–250
 - copying, **143**
 - creating, **137**
 - deleting, **143**
 - dimensions for, **144–145**, 144
 - distributing objects to, **145**
 - folders for, **140–142**, 140–142
 - in FreeHand, 499
 - guide, **145–146**
 - inspirational design model for, **147–148**, 148
 - locking, **139–140**
 - mask, **146–147**, 147
 - moving, **142–143**
 - for objects, **96–97**
 - outline color in, **139**, 139
 - outline objects in, **138–139**, 138–139
 - in QuickTime, **594**
 - renaming, **143–144**
 - in Sound Families, 464
 - in Timeline, **27**, 136, 136
 - visibility of, **138**
 - layouts
 - for panels, **35**, 35
 - in Swift 3D, **541–542**
 - lead time in printing to video, 623
 - Left/Right Channel option, 411
 - LEGO game, 495–496, 495
 - length method, 663
 - length property
 - in Array, **687**
 - in String, **708**
 - Lens Length setting, 542
 - Lerdorf, Rasmus, 354
 - less than signs (<) for comparisons, **683–684**
 - lessons, 12
 - Lessons option, 36
 - letterbox projectors, **630–633**, 632
 - _level, reference for, **685**
 - level meters, 519, 519
 - levels, 325, 325, 358
 - libraries
 - Common Library, 113, **242–243**, 242
 - in FreeHand, 499
 - in Poser, 550
 - shared symbol. *See* Shared Symbol Libraries
 - sound effect, 395
 - Library, **113**, 113
 - buttons in, **114–115**
 - external, **119–120**
 - Library Options menu in, **115–117**
 - organizing, **119**, 119
 - Sort window in, **114**
 - for symbols, 108
 - adding, **117**
 - duplicating, **118**
 - editing, **118–119**
 - renaming, **117–118**
 - Library Options menu, **115–117**
 - Library panel, **32**, 32
 - lights, **545–546**, 545–546
 - LightWave 3D program, **566–567**
 - line numbering, **280–281**, 281

- line settings, 560
- Line Spacing setting, 79
- Line tool, **49**
- Line Thickness tool, 558
- Line Type menu, **80**
- linear gradients, **68–69**, 68
- lines
 - intersecting, 559–560
 - Pen tool for, **53**, 53
 - points for, **54–55**, 54–55
 - in Vecta3D, 560
- lineStyle method, **702**
- lineTo method, **702**
- Lingo language, 478–479, **486**
 - for passing information, **489–491**
 - for playback, **486–489**, 488
 - for sprites, **491–494**
- linkage identifiers, attaching sounds with, **441–442**, 441
- Linkage option, 114, 116
- Linkage Properties dialog box, 441, 441
- linked video files, **605–606**
- linking
 - to shared symbol libraries, **123–126**, 125
 - to URLs, **232–233**
- lip sync, **424**, **426–428**, 426–427
- lipSync.flc file, 426
- lipSync.swf file, 426
- ListBox component, 330
- Load Default Colors option, 65
- load event, 226
- Load Order option, **585–586**
- Load View tool, 558
- loadExternal.html file, 654
- loading
 - JPEG files, **351–352**
 - movie levels, **328–329**
 - movies, **234–235**
 - preloaders for, **655**
 - complex, **658–660**
 - simple, **656–658**
 - sounds, **457–460**, 458–459
- loadMovie action, 229, 234–235
 - for JPEG files, **351–352**
 - for movie levels, 328–329
 - in MovieClip, **700**
 - in preloaders, 655
 - reference for, **670**
- loadMovieNum action, 235
 - for JPEG files, **351–352**
 - reference for, **670–671**
- loadMP3.flc file, 458, 459
- loadSound method, 457–458
- loadVariables action
 - for JPEG files, **351**
 - in MovieClip, **700**
 - reference for, **671**
- loadVariablesNum action
 - for JPEG files, **351**
 - reference for, **671**
- LoadVars object, 308
- local HTML files, **651–655**
- local variables, 301–302
- localToGlobal method, **700**
- Lock command, 97
- Lock Fill option, **58**, 58
- Lock-Step option, 483
- locking layers, **139–140**
- logical operators, **303**
 - AND, **682**
 - NOT, **681**
 - OR, **683**
- logos, animated 3D, **571–578**, 572, 576
- loop CDs, 395–396
- Loop setting
 - in Director, 482
 - in QuickTime, 594
- loop structures, 275–276, 275, **305–306**
- loopDesign.html file, 528
- loops
 - audio
 - problems in, 365
 - seamless, **524–528**, 525–528
 - tools for, **516–517**, 516
 - working with, **401–402**
 - movies
 - Director, 482
 - QuickTime, 594

loose synchronization, 422, 428
 low cut filters for reverb, 523

M

Macintosh Projector format, **584**
 Macintosh/Windows hybrid CD-ROMs, **635–639**,
636–638
 Mack, Bernie, 520–521
 Macromedia website, 375
 Magic Wand option, **48**
 Magic Wand Settings dialog box, 48, *48*
 magnetic tape, 390, *390*
 main menu bar, **18–20**, *19*
 Main toolbar, **21**, *21*
 Make Movie dialog box, 552–553, *552*
 margins for text, 79
 markers for onions, 169
 mask layers, **146–147**, *147*
 masks, animating, **175–176**
 matching object size, **96**, *96*
 materials, **544–545**, *545*
 math, problems from, 365
 Math object, 295, 308
 methods in, **695–696**
 reference for, **695**
 max method, **695**
 maxhscroll property, **710**
 maxscroll property, **710**
 Maya program, **568**
 _mc class suffix, 284–285
 Media management options, 481
 Medium option
 for frames, 162
 for MP3 compression, 416
 memory for frames, 165
 menu bar, **18–20**, *19*
 menu system, **644–647**, *645*, *647*
 methods, 272, 278, 436
 MIDI (Musical Instrument Digital Interface)
 sequences, **517–518**
 min method, **695**
 Minimum Area setting, **89**

minus signs (-)
 for decrement operator, **680–681**
 for subtraction, **682**
 Mirman, Eugene, 432
 mixing
 audio, **612–613**, *613*
 color. *See* Color Mixer panel
 mobile computing and communications, **8**
 modifiers for objects, 97–98
 Modify menu, **19–20**
 Modify Onion Markers menu, 169
 modules in MIDI, 517
 modulo operator
 assignment operator, **682**
 reference for, **681–682**
 Mondo Media, **198**, *199*
 monitoring keystrokes, **321–324**, *323–324*
 monitors, **611–612**, *612*
 mono in audio, **392–393**, *393*
 morph targets, 550
 motion, ActionScript for, **334–337**
 motion guide layers, 145–146
 motion-tweened animation, **174–175**, *174–175*
 mouse events
 attaching, **224–226**
 handlers for, **230–231**
 Mouse object, 308, **696–697**
 mouseDown event, 226
 mouseMove event, 226
 mouseUp event, 226
 mouth positions in lip syncs, 426
 Move Selected Action Statement(s) button, 219
 Move to a New Folder option, 115
 moveTo method, **702**
 Movie Clips. *See* movies and Movie Clips
 Movie Explorer, **129–130**, *129*
 options for, **130–131**
 for scenes, 197, *197*
 working with, **131–132**, *131*
 Movie Explorer panel, **31**, *31*
 Movie Explorer Settings dialog box, 131, *131*
 Movie Settings dialog box, 504, *504*

- MovieClip object, 308
 - methods in, **697–702**
 - reference for, **697**
- moviePath function, 653–655
- movies and Movie Clips, **181–182**
 - actions and ActionScripts for, 221, **229, 298**
 - attaching, **288–289**
 - for control, **236–237, 237**
 - for event handlers, **235–236**
 - for events, **226–227**
 - loading, **234–235**
 - for navigating, **228**
 - for properties, **237–238**
 - for unloading, **235**
 - from animations, **183–184**
 - audio in, **406–408, 407–408**
 - buttons for, **247–248, 247–248**
 - creating, **182–183**
 - distributing, **626, 626**
 - duplicating, **186**
 - editing, **185**
 - exporting into Director, **479–480, 480**
 - inserting into Timeline, **184**
 - inspirational design model for, **191, 192**
 - levels, loading, **328–329**
 - multiple, **234–235**
 - multiple-Timeline, **324–326, 325**
 - absolute target paths in, **326–327, 327**
 - components for, **330–333, 330–333**
 - controlling, **328–330**
 - relative target paths in, **327–328**
 - naming instances of, **184–185, 185**
 - panning, 23
 - playing and stopping, **231**
 - properties for
 - in Director, **480–483, 481, 483**
 - in FreeHand, **503–505, 504**
 - publishing. *See* publishing movies
 - as sprites, 484–486, 485, **491–494**
 - swapping, **185, 185**
 - symbols for, **109**
 - synchronizing audio with animation in, **429–432, 429**
 - undersea scene, **186**
 - bubbles in, **189–191, 191**
 - fish in, **187–188, 188**
 - ocean in, **186–187, 187**
- moving
 - layers, **142–143**
 - objects, **45, 93–94, 94**
 - server data, **349–352, 350**
- MP3 files and compression, 394
 - for audio, **416**
 - equalization for, 520, **521**
 - loading, 458
- MPEG Layer 3 format, 394
- muddy sound, 520–521
- multiframe animations, **498–500**
- multilayered buttons, **249–250, 249–250**
- multilayered Timeline, **377–378, 378**
 - movie preparation for, **378–379, 379**
 - playback controls for, **383–385, 383**
 - steps in, **379–383**
- multiline comment operator
 - reference for, **683**
 - working with, 294
- Multiline option, 80
- Multiline No Wrap option, 80
- multiple interfaces, buttons with, **253–256, 254–256**
- multiple movies, actions for, **234–235**
- multiple-Timeline movies, **324–326, 325**
 - components for, **330–333, 330–333**
 - controlling, **328–330**
 - target paths in
 - absolute, **326–327, 327**
 - relative, **327–328**
- multiple versions of scripts, 362
- multiplication, **682**
- multisession CDs, **639**
- multitrack audio
 - editors for, **510–512, 511–512**
 - synchronizing, **424**
- music
 - royalty-free, 395–396
 - synchronizing, **424, 428–429, 428**

Musical Instrument Digital Interface (MIDI)

sequences, **517–518**

mxVideo.flv file, 606

mxVideo.mov file, 606

N`_name` property, **677**

names

ActionScript instances, 278

bitmaps, 90

layers, **143–144**movie clip instances, **184–185**, 185

problems in, 365

scenes, **196**, 196

sorting symbols by, 114

symbols, 115, **117–118**

variables, 299, 362

NaN property, **677**native symbols, **109**

navBar.fla file, 253

navBarButtons.fla file, 315

navBarButtons.swf file, 315

navBarLesson.fla file, 315

navigating

actions for, **228**

in Actions panel, 286

in interactive resumes, **262–264**, 263–264scenes, **197**, 197

Navigation panel, 503, 503

navigational widgets, **644**local HTML files for, **651–655**menu system for, **644–647**, 645, 647pop-up windows for, **647–651**, 648–649

Neostream, 191, 192

Nero program, 639

nesting Movie Clips, 325, 325

New Folder button, 114

New Font option, 115

new function, 273

New Project Settings dialog box, 620–621, 620

New Symbol button, 114

New Video option, 115

newline function, **680**

nextFrame action

in MovieClip, 447, **700**reference for, **671**nextScene action, **671**

Nineteen Point Five Collective site, 403, 403

No Border option

in Director, 482

for HTML files, 589

No Scale option, 482

non-button buttons, **256–257**, 257

nondestructive audio editing, 518

None fill style, **67**, 67Nonuniform Rational B-Splines (NURBS) model,
554Normal mode, 218, **220–221**, 279–280

Normal option

in Director, 483

for frames, 162

Normalize dialog box, 519, 519

normalizing sound files, **399–400**, 400, **519**, 519

Number object, 295, 308

numbers

in ActionScript, **297**operators for, **302**NURBS (Nonuniform Rational B-Splines) model,
554Nyquist theorem, **391****O**Object object, 308, **703**

object-oriented programming languages, 218

object references, 666, **685–686**

Object Style Fill Color, 558

Object Style Outline Color, 558

Object Trackball, **543**, 543objects, **85–86**actions and ActionScript for, 272, 278, **298**,
308–309attaching, **223–227**, 223–224event handlers for, **221–222**aligning, **95**

in animation

brightness of, **178**

- color of, **179**
 - transparency of, **177–178**
 - distorting, **101–102**, *101*
 - distributing
 - Align panel for, **95–96**, *96*
 - with Flash Player, **626**, *626*
 - to layers, **145**
 - new features for, **15**
 - envelope of, **102–103**, *103*
 - external bitmaps, **86–87**, *86*
 - editing, **91–92**
 - importing, **87–88**
 - properties for, **89–91**, *90*
 - tracing, **88–89**, *88–89*
 - fill for, **63**, *63*
 - flipping, **100**, *100*
 - grouping and ungrouping, **92–93**, *93*
 - inspirational design model for, **104**, *104*
 - layers for, **96–97**
 - moving, **45**, **93–94**, *94*
 - in Output window, **373**, *373*
 - reference for, **686–710**
 - restoring, **103**
 - rotating, **99–100**, *100*
 - in Swift 3D, *543*
 - in tweened animation, **172**
 - scaling, **98–99**, *98–99*
 - selecting, **44–45**, *44*
 - shape of, **45**, *45*
 - size matching, **96**, *96*
 - skewing, **100–101**, *101*
 - snapping to, **46**, *46*
 - spacing, **96**, *97*
 - stroke for, **61–63**, *62–63*
 - transformation points for, **103–104**
 - transforming, **97–98**
- Objects List, *558*
- ocean in undersea scene, **186–187**, *187*
 - Omit Trace Actions option, *586*
 - on action, *228*
 - onClipEvent event, *226–227*, *229*, *235–236*
 - onDragOut event, *314*
 - onDragOver event, *314*
 - onion skinning, **167–169**, *168*
 - onKillFocus event, *314*
 - onLoad event, **705**
 - onPress event, *314*
 - onRelease event, *314*
 - onReleasedOutside event, *314*
 - onRollOut event, *314*
 - onRollOver event, *314*
 - onSetFocus event, *314*
 - onSoundComplete method, **705**
 - Opaque setting, *591*
 - Opaque Windowless setting, *589*
 - Open dialog box
 - in Amorphium Pro, *571*
 - in Vecta3D, *556*
 - Open as Library dialog box, *120*
 - Open File dialog box, *541*
 - opening
 - external Libraries, **119–120**
 - local HTML files, **651–655**
 - operands, *302*
 - operators, *278*, **302–303**
 - problems in, *364*
 - reference for, *666*, **680–685**
 - OpinionLab, *358*, *359*
 - OpinionOnline, *359*
 - Optimize Colors setting, *590*
 - Options section in toolbox, **23–24**
 - OR operator, **683**
 - outline color
 - in layers, **139**, *139*
 - in Vecta3D, *558*
 - Outline option, *541*
 - outlines and outline objects
 - in layers, **138–139**, *138–139*
 - for onion skinning, *168*
 - output setting for audio compression, *522*
 - Output window, **31**, *31*, **372**, *372*
 - object lists in, **373**, *373*
 - syntax errors in, *287*
 - trace statement in, **374**
 - variable lists in, **373**
 - Oval tool, **49**

Over state for buttons, 109, 243, 244, 245
 Override Sound Settings option, 587

P

Page Properties dialog box, 576, 576

pages in FreeHand, 500, 504

Pages option, 504

Paint Behind option, 52

Paint Bucket tool, **57–58**, 58

Paint Fill option, 52

Paint Inside option, 52

Paint Normal option, 52

Paint Selection option, 52

Palette Type setting, **591**

panels, **28–32**, 29–32

 collapsing and expanding, **34–35**, 35

 customizing, **33**, 33

 docking, **33–34**, 33–34

 preset layouts for, **35**, 35

panning

 audio, 392, 410–411

 ActionScript for, **443–445**, **451–453**, 452

 parameters for, **438–439**, 439

 video, 23

parameters

 in ActionScript, 277, 306

 problems in, 364–365

Parameters pane, 219

parent Movie Clips, 325

_parent option

 for paths, 328

 reference for, **685**

 for URLs, 78, 232, 350

parentheses () in ActionScript, **294–295**

partitions, temporary, 636

passing information to Director, **489–491**

Password option, 586

passwords

 for Debugger, 586

 for input text, **81**, 81

Paste option, 130

Path Compression option, 504

paths

 in ActionScript, 278–279

 for bitmaps, 90

 for local HTML files, **652–654**

 for motion-tweened animation, **174–175**,
 174–175

 in multiple-Timeline movies, **326–327**, 327

 problems in, 365

 in Swift 3D, 542

Paths option, 542

Pause control, 608

Paused at Start setting, 594

Paused option, 482

Peak editor, 397, 402, **514**, 514

Pen tool, 44, **52–53**, 53

 for curves, **53–54**, 54

 for lines, **53**, 53

 for points, **54–55**, 54–55

 preferences for, **53**

Pencil tool, **50–51**, 50

percent signs (%) for modulo operator, **681–682**

Personal Home Page Tools (PHP), **354–355**

perspective

 in garden scene, **151–152**, 151–152

 in Vecta3D, 560

Perspective setting, 560

Peter Grafik Retro Experience site, 70

PHP (Personal Home Page Tools), **354–355**

pitch shift, **523–524**, 523

Pitch Shift dialog box, 523, 523

Pivots option, 541

pixels

 in raster images, 6

 snapping to, **46–47**

planning

 scripts, **276**

 soundtracks, **463–464**

play action, 228, 231

 for frames, 198

 in Lingo, 491, 493

 in MovieClip, **700**

 reference for, **671**

play command, **487**

- Play Every Frame setting, 594
- Play option, 116
- playback
 - Lingo language for, **486–489**, 488
 - movies, **231**
 - Sound object for, **437–438**, **442–443**
 - video, **606–608**, 607
- Playback setting
 - in Director, 481, 484
 - for GIF files, **590**
 - for HTML files, **588**
- playhead in Timeline, **27**
- plus signs (+)
 - for addition, **683**
 - for increment operator, **681**
- PNG (Portable Network Group) format, **584**, **592–593**, 592
- PNG Import Settings dialog box, 88
- Pocket PC platform, 8
- Point Lights, 545
- points for lines, **54–55**, 54–55
- Polygon mode, **47–48**, 48
- polygon models, 554
- pop method, **687**
- pop-up windows, **647–651**, 648–649
- Portable Network Group (PNG) format, **584**, **592–593**, 592
- Poser and Poser Pro Pack, **550–553**, 551–553
- position
 - sound playback, **705**
 - text, **77**, 77
- POST method, 350
- Postlewaite, Ashley, 506
- PostScript fonts, 72
- pow method, **696**
- precedence of operators, 302
- predefined objects, 666, **686–710**
- preferences
 - for code hints, 283
 - for Pen tool, **53**
- Preferences dialog box, 283
- preloaders, **655**
 - complex, **658–660**
 - simple, **656–658**
- Presentation option, 485
- preset materials, **544–545**, 545
- preset panel layouts, **35**, 35
- press event, 225
- prevFrame action
 - in MovieClip, **700**
 - reference for, **671**
- Preview option for frames, 163
- Preview window for bitmaps, 90
- previewing
 - animations, **501**, 501
 - bitmaps, 90
 - buttons, **247**
 - movies, **595**
- prevScene action, **672**
- primitive objects in Swift 3D, **542–543**, 543
- print action, reference for, **672**
- Print option
 - in Actions panel, 286
 - in Movie Explorer, 131
 - in Output window, 372
- Print to Video dialog box, 623, 623
- printable movies, **598–599**
- printAsBitmap action, **672**
- printAsBitmapNum action, **672**
- printing
 - in Actions panel, 286–287
 - Movie Explorer contents, 131
 - Output window contents, 372
 - to video, **623**, 623
- printNum action, **672–673**
- Pro Tools editor, **510–511**, 511
- profiling movies, **595**
- Progressive setting, 592
- Project Settings dialog box, 623
- projectorDemo file, 633
- projectorDemo.exe file, 633
- projectorDemo.flc file, 633
- properties
 - in ActionScript, 278
 - for bitmaps, **89–91**, 90
 - of classes, 272
 - reference for, 666, **676–679**

- Properties option
 - for Library, 115
 - for symbols, 116
- Properties tab, **368**
- Property Inspector, **27–28**, *27*
 - for animated objects, **177–179**
 - for audio, 406–409, *407*
 - with Director, 483
 - for fill, **63**, *63*
 - for movie clips, 185
 - for stage, 26
 - for stroke, **61–63**, *62–63*
 - for symbols, **126–128**, *126–128*
 - for text, **74–75**, *75*
 - dynamic, **79–80**, *79–80*
 - static, **75–79**, *75–79*
 - for tweened animation, **171–172**, *171*
- Protect from Import option
 - in FreeHand, 505
 - for publishing movies, 586
- Publish Settings dialog box
 - for audio compression, 415, *415*
 - Flash Tab, 585–587, *585*
 - GIF tab, 590–591, *590*
 - HTML tab, 587–589, *587*
 - JPEG tab, 591–592, *592*
 - PNG tab, 592–593, *592*
 - for previewing movies, 595
 - for projectors, 628, *628*
 - QuickTime tab, 593–595, *593*
 - for remote debugging, 371, *371*
 - for symbols, 123, *123*
- publishing movies, **581**
 - accessible content in, **596–597**, *596–597*
 - formats for, **582–585**, *585*
 - inspirational design model for, **599**
 - new features for, **15**
 - previewing, **595**
 - printable, **598–599**
 - settings for, **582**
 - Flash, **585–587**, *585–586*
 - GIF, **590–591**, *590*
 - HTML, **587–589**, *587*
 - JPEG, **591–592**, *592*
 - PNG, **592–593**, *592*
 - QuickTime, **593–595**, *593*
 - on videotape, **609–610**
 - audio for, **612–614**, *613*
 - Timeline for, **610–612**, *610–612*
 - Publishing window, 628
 - punctuation marks, **292–295**, *292*
 - push method, **687**
 - PushButton component, 330

Q

 - `_quality` property, **677**
 - Quality setting
 - in Director, 482
 - for HTML files, **588**
 - for JPEG files, 592
 - for QuickTime Video, 616
 - question marks (?) in conditional operator, **682**
 - QuickTime format
 - for audio, 394, **417–418**
 - exporting video for, **614–617**, *615*, *617*
 - for publishing movies, **584**, **593–595**, *593*
 - with Vegas Audio, 512
 - QuickTime Flash format, 614
 - quit command, 233, 630
 - quotes.flr file, 356
 - quotes.swf file, 356–357

R

 - radial gradients, **69**, *69*
 - RadioButton component, 330
 - Radiskull & Devil Doll site, 418, *419*
 - random method, 336, **696**
 - raster format
 - for bitmaps, 86
 - vs. vector, **6–8**, *7*
 - Rate option, 483
 - rates for frames
 - in Director, 483
 - importance of, **164–165**, *165*
 - ratio setting for audio compression, 522

- raw audio compression, **416**
- RaydioCity Options dialog box, 562, 562, 572, 572
- raytracing, 554
- read-only elements, 362
- Real-Time AudioSuite (RTAS) system, 511
- rearranging scenes, **196**, 196
- Record dialog box, 638, 638
- recording keystrokes, **321–324**, 323–324
- Rectangle Corner Radius option, **50**, 50
- Rectangle Settings dialog box, 50, 50
- Rectangle tool, **50**, 50
- Red/Green/Blue (RGB) color system, 64, **66–67**, 66–67
- Reference panel, **31**, 31
- registration center, 557
- registration points
 - for motion-tweened animation, 175
 - in snapping, 46, 46
- Relative mode, 237
- relative target paths, **327–328**
- release event, 225
- release setting for audio compression, 522
- Release to Layers dialog box, 501
- releaseOutside event, 225
- Remote Debug dialog box, 371
- remote debugging, **370–372**, 371
- Remove Gradients setting, 590
- removeMovieClip action
 - in MovieClip, **701**
 - reference for, **673**
- removing points, **54–55**, 54–55
- Rename option, 115, 130
- renaming
 - layers, **143–144**
 - scenes, **196**, 196
 - symbols, 115, **117–118**, 130
- render settings in Vecta3D, **560**
- Render Text as HTML button, 80
- Renegade Cartoons, 506, 506
- Replace Colors option, 65
- Replace command, 286
- replacing
 - fonts, **132**
 - scripts, 286
 - symbol instances, **128–129**, 128–129
- ReRender tool, 559
- Reset Model Position tool, 557
- resolution in audio, **391–392**, 392
- restoring transformed objects, **103**
- resume.flc file, 259
- resumes, interactive
 - completing, **265–267**, 266–267
 - creating, **261–262**, 261–262
 - navigational elements for, **262–264**, 263–264
 - scripting for, **264–265**, 265
 - setting up, **259–261**, 259–260
- return statement, 653
- reusable content. *See* Library; Movie Explorer; symbols
- reverb in audio, **522–523**, 523
- rewind function
 - creating, 384–385
 - in Lingo, **487–488**
- RFM (Rich Music Format), 529
- RGB (Red/Green/Blue) color system, 64, **66–67**, 66–67
- rich media, **13–14**
- Rich Music Format (RFM), 529
- ring sound, 313
- rocket_animation file, 204, 208, 210, 212
- rocket ship in space scene
 - approaching planet, **210–212**, 210–211
 - creating, **201–204**, 202–204
 - moving through space, **208–210**, 209
 - speeding away from Earth, **204–208**, 206–207
- rollOut event, 225
- rollOver event, 225
- Room size setting for reverb, 523
- rooms
 - in Amorphium Pro, 561–562, 561
 - in Carrara Studio, 567
- _root, **686**
- rotating
 - gradients, 59
 - objects, **99–100**, 100
 - in Swift 3D, 543
 - in tweened animation, **172**
 - text, **77**

_rotation property
 for Movie Clips, 333
 reference for, **677**
 round method, 460, **696**
 Rounded Rectangle Radius setting, 50
 royalty-free music, 395–396
 RTAS (Real-Time AudioSuite) system, 511
 rubato music, 525
 runtime shared symbol libraries
 creating, **121–123**, 122–123
 linking to, **123–124**
 unlinking from, **124–125**

safe zones, 612, 612

sample rate

for audio, **390–391**, 390–391, 416
 for speech, 417

Samples option, 36

sampling fills and strokes, **60**, 60

Sarbakan, 290

Save As Default option, 65

Save As dialog box, 560

Save Colors option, 65

Save Panel Layout dialog box, 35

Save to File option, 372

Save View tool, 557

Scale option

in Director, 482

for HTML files, **589**

Scale Mode option, 482

scaling

Director cast members, 482

graphics

ActionScript for, **337–339**, 337

vector and raster, 8

objects, **98–99**, 98–99

in publishing movies, **589**

Scene and Symbol bar, 25, **194–195**, 194

scene lights, **545–546**, 546

Scene panel, **30**, 30, **194**, 194, 197

scenes, **193–195**, 194

ActionScripts for, **198**

adding, **195**, 195

deleting, **195–196**, 195

duplicating, **196**, 196

inspirational design model for, **198–199**, 199

navigating, **197**, 197

rearranging, **196**, 196

renaming, **196**, 196

skipping to, **229–230**, 230

space scene. *See* space scene

testing, **197**

scope

problems in, 365

of variables, **300–302**

S

Score in Director, 479, 480, 484

scored music, synchronizing, **424**

screen readers, 596

script display actions, **280–282**, 281–282

Script pane, 219

Script Pin button, 220

scripts. *See* actions and ActionScript; Lingo language

scroll property, **710**

ScrollBar component, 330–331

scrollBarComponent.fla file, 331

scrolling Timelines, **318–321**, 319–321

ScrollPane component, 330

scrubbing tracks, 426

seamless audio loops, **524–528**, 525–528

searching

in Actions panel, 286

for Movie Explorer items, **131**

Secret Level company, 599

Select External Editor dialog box, 91

Select File dialog box, 576

Select Source Symbol dialog box, 125, 125

Select Symbol Instances option, 130

Select Unused Items option, 116

Select Volume dialog box, 636–637, 636

Selectable option, **78**

Selectable text button, 80

selecting

with Arrow tool, **44–47**, 44–46

buttons, **242–243**, 242

with Lasso tool, **47–48**, 48

- Selection object, 308
- _self option, 78, 232, 350
- semicolons (;)
 - in ActionScript, **295**
 - problems in, 364
- Send Backward command, 97
- Send to Back command, 97
- sequences, MIDI, 517
- server data, moving, **349–352**, 350
- setDate method, **692**
- setDay method, **693**
- setFlashProperty action, 491
- setFullYear method, **693**
- setHours method, **693**
- setMilliseconds method, **693**
- setMonth method, **693**
- setPan method, 439, **705–706**
- setProperty action
 - for Movie Clips, 229, 237–238
 - reference for, **673**
 - for simulated 3D objects, 535, 538
- setRGB method, 339, **689–690**
- setSeconds method, **693**
- setTime method, **693**
- Settings tab, 637
- setTransform method
 - for audio, 439–440, 454–455, **706**
 - for color, 339–342, **690**
- setTransformer.fla file, 454
- setTransformer.swf file, 454
- setVolume method, 438, 444–446, **706**
- setYear method, **693**
- SFX in Sound Families, 464, 468
- Shaded option, 541
- shape
 - Brush tool, **52**
 - Eraser tool, **61**
 - of objects, **45**, 45
 - of text, **82**, 82
- shape-tweened animation
 - creating, **172–173**, 173
 - in FreeHand, **500–501**
- Shared Library Properties dialog box, 116
- Shared Symbol Libraries, **120–121**, 120
 - author-time
 - linking to, **125–126**, 125
 - purpose of, **121**
 - runtime
 - creating, **121–123**, 122–123
 - linking to, **123–124**
 - unlinking from, **124–125**
- Shift key
 - for circles, 49
 - for squares, 50
- shift method, **687–688**
- Short option for frames, 162
- shortcuts
 - changing, **37–40**, 37–39
 - customizing, **35**
- Show All option, 482
- Show All Scenes option, 130
- show method, **697**
- Show Movie Elements option, 130
- Show Pen Preview option, 53
- Show Precise Cursors option, 53
- Show Solid Points option, 53
- Show Symbol Definitions option, 130
- Show Warning Messages setting, 589
- showmenu command, 233, 629
- simple preloaders, **656–658**
- single-line comment operator, **682–683**
- Single Line option, 80
- Sitespring panel, **32**, 32
- size
 - Brush tool, **51**
 - fonts, **76**
 - object, matching, **96**, 96
 - Paint Bucket gap, **58**
 - Stage, **25**, 25
- skewing
 - bitmap fills, 60
 - objects, **100–101**, 101
- skins for components, 332
- skip function, 384
- skipping to frames and scenes, **229–230**, 230
- slanting bitmap fills, 60

- slashes (/)
 - in ActionScript, **293**
 - for comments, **682–683**
 - for division, **683**
- slice method
 - in Array, **688**
 - in String, **708–709**
- slider.fla file, 318
- sliders, **318–321**, *319–321*
- slots in arrays, 661
- Small option, 162
- Smart Clips, 330
- SmartSketch program, 4
- Smooth option
 - for AVI, 618
 - for GIF, 590
 - for Pencil, 51
 - for QuickTime Video, 615
- smoothing
 - bitmaps, 90
 - curves, **47**
 - edges, 48
- Smoothing option, 48
- Snap to Objects option, **46**, *46*
- Snap to Pixels option, **46–47**
- snapping
 - to objects, **46**, *46*
 - to pixels, **46–47**
- solid colors, mixing, **66**
- Sort by Color option, 65
- sort method, **688–689**
- Sort window, **114**
- sound. *See* audio
- Sound Designer II format, 394
- sound effects
 - CDs for, 395
 - synchronizing, **423**, **428–429**, *428*
 - websites for, 396
- Sound Forge editor, 397, 402, **513**, *513*
- Sound Format option
 - for AVI, **618**
 - for QuickTime Video, 616
- sound modules in MIDI, 517
- Sound object, 308, **435–436**
 - for cueing sounds, **441–443**, *441*
 - loading sounds into, **457–460**, *458–459*
 - methods in, **704–707**
 - for panning, 410–411
 - ActionScript for, **443–445**, **451–453**, *452*
 - parameters for, **438–439**, *439*
 - for playback, **437–438**
 - reference for, **703**
 - for special effects, **454–457**
 - for stereo effects, **439–440**
 - for volume, **438**, **443–450**, *447*, *449*
 - working with, **436–437**
- sound-only Movie Clips, 449
- Sound option, 481, 485–486
- Sound Properties dialog box, 414, *414*
- Sound Settings dialog box, 417–418, *417*, *586–587*, *586*
- _soundbuftime property, **677**
- SoundEdit 16 editor, 397, 402, **515–516**, *515*
- soundtracks, **463**
 - components for, **472–474**, *472*
 - creating, **464–471**, *465–471*
 - planning, **463–464**
 - in QuickTime, **616–617**, *617*
 - tips for, **474**
- space_flight.fla file, 201
- space_flight.swf file, 201
- space scene, **201**
 - finishing, **212–213**
- rocket ship in
 - approaching planet, **210–212**, *210–211*
 - creating, **201–204**, *202–204*
 - moving through space, **208–210**, *209*
 - speeding away from Earth, **204–208**, *206–207*
- spacing
 - in ActionScript, 282
 - objects, **96**, *97*
 - text, **76–77**, *76*
- Spark codec, **602–603**
- Sparks, Joe, 418–419
- special effects, **454–457**

- speech compression, **417**
- spheres, 3D, **532–534**, *533–534*
- Spin tool, 557
- Spot Lights, 545
- sprites in Director, 479, *480*
 - manipulation of, 485
 - movies as, 484–486, *485*, **491–494**
- squares, 50
- Stage, **24–25**, *24–25*
 - color of, **25–26**
 - in Director, 479, 484
 - size of, **25**, *25*
- Stage object, 308
- stand-alone files, **626**
 - distributing, **626**, *626*
 - as Flash Projectors, **627**, *627*
- Star Wars Starfighter, 599
- start method, **438**, 442–444, **706–707**
- Start sync, **424**
- startDrag action, 318, 649
 - reference for, **673**
 - in Sound, **701**
- starter templates, 12
- states, button, 109, 243, *244*, 245–246
- static text, **75–79**, *75–79*
- status bar in Debugger, **367**
- Status toolbar, **21**, *22*
- Step In button, 370
- Step Out button, 370
- Step Over button, 370
- stereo
 - vs. mono, **392–393**, *393*
 - Sound object for, **439–440**
- stereoEffect.fla file, 454
- still images in animation, **176–177**
- stingers, synchronizing, **423**
- stop action
 - for frames, 198
 - in Lingo, **487**, 491, 493
 - in MovieClip, 228, 231, **701**
 - reference for, **673**
 - in Sound, **438**, 443, **707**
- Stop sync, **425**, *425*
- stopAllSounds action, 228, 231, 409
- stopDrag action, 318, 649
 - in MovieClip, **701**
 - reference for, **673–674**
- stopping
 - movies, 228, **231**
 - sounds, 228, **231**, **408–409**, **442–443**
- storing audio, **393–394**
- storyboarding, 276, 363
- straight lines, **53**, *53*
- Straighten option, 51
- straightening curves, **47**, 51
- Stream sync, **423–424**, *423*
- Streaming Sound setting, **594**
- streaming sounds
 - vs. event sounds, 408
 - for QuickTime files, 418, **594**
- stretching gradients, 60
- strict equality operator, **684**
- strict inequality operator, **681**
- String function, **680**
- String object, 308
 - methods in, **707–709**
 - reference for, **707**
- strings in ActionScript, **297**
- stroke
 - for objects, **61–63**, *62–63*
 - sampling, **60**, *60*
 - selecting, 45
- Stroke Style dialog box, 63, *63*
- Stumpo, Nicola, 309
- style, text, **76**
- Styles window, **558–559**, *558–559*
- Subselection tool, 44
 - for curves, **55–56**, *56*
 - for points, **55**
- subString method, 653
- subtraction operator
 - assignment operator, **684**
 - reference for, **682**
- suffixes, 284–286
- support documents, 29
- Surface Detail tool, 558, 560

Swap Symbol dialog box, 129, *129*, 185, *185*

swapping

movie clips, **185**, *185*

symbol instances, **128–129**, *128–129*

.swd extension, 371

SWF format for publishing movies, **582**

Swift 3D LW plug-in, 567

Swift 3D Max plug-in, 565

Swift 3D program, **540**

drag-and-drop animations in, **546–547**, *547*

exporting in, **547–550**, *547–550*

lights in, **545–546**, *545–546*

object trackball in, **543**, *543*

preset materials in, **544–545**, *545*

primitive objects in, **542–543**, *543*

property toolbox in, **541–542**, *541–542*

starting projects in, **540–541**

text in, **543–544**, *543*

swish sound, 313

switch statements, 304

benefits of, **382**

reference for, **674**

symbol behaviors, 108

Symbol Editing mode, 111–112, *112*, 244, *244*

Symbol Properties dialog box, 115–116, 122, *122*, 124–126

symbols, **107–108**

converting graphics to, **112–113**, *113*

creating, **110–113**, *111–112*

editing, **129**, **131–132**

importing, **109–110**

instances of, 108, **126–129**, *126–129*

Library for. *See* Library

native, **109**

SYNC_100.aif file, 465, 473

Sync Track file, 465–466

synchronizing audio, **421–422**, *422*

Event sync for, **422–423**, **428–429**, *428*

inspirational design model for, **432**, *432*

lip sync, **426–428**, *426–427*

in movie clips, **429–432**, *429*

Start sync for, **424**

Stop sync for, **425**, *425*

Stream sync for, **423–424**, *423*

for videotape, **613**, *613*

syntax in ActionScript

case sensitivity, **296**

checking, **287**

constants, **295–296**

keywords, **296**

mistakes in, 364

punctuation marks, **292–295**, *292*

version tracking, **282**

System 7 Sound format, 394

T

tapGlass.fla file, 272

target fields for URLs, **78**

target lights, 546

target paths

in ActionScript, 278–279

in multiple-Timeline movies

absolute, **326–327**, *327*

relative, **327–328**

problems in, 365

_target property, **677**

target references, **685–686**

targetPath function, **680**

TDM (time division multiplexing) system, 511

television monitors, 611–612, *612*

tellTarget action, 229, 236–238, 491–493

Template setting, **587**

templates

in ColdFusion, 354

for HTML files, **587**

starter, 12

temporal compression, 602

temporary partitions, 636

Test button for bitmaps, 91

Test Movie mode, 373

testing

buttons, **247**

scenes, **197**

scripts, 362

text, **71–72**

in Actions panel, **282**, *282*

- breaking apart, **81–82**, *81–82*
- creating, **82–83**, *83*
- font limitations in, **72–73**
- in FreeHand, 504
- inspirational design model for, **83**, *83*
- Property Inspector for, **74–75**, *75*
 - dynamic, **79–80**, *79–80*
 - static, **75–79**, *75–79*
- shape of, **82**, *82*
- in Swift 3D, **543–544**, *543*
- text boxes for, **73–74**, *73*
- Text tool for, **73**
- text boxes
 - for dynamic frontends, **347–349**, *348*
 - types of, **73–74**, *73*
- Text Color swatch, **76**
- text files, dynamic content from, **356–358**, *357–358*
- Text menu, **20**
- Text option, 504
- Text tool, **73**
- TextField object, 309, **709–710**
- TextFormat object, 309
- this reference, 328, **686**
- 3D, **531**
 - animated logo, **571–578**, *572*, *576*
 - importing, **539–540**
 - from 3ds max, **565**
 - from Amapi 3D, **553–555**, *554–555*
 - from Amorphium Pro, **561–564**, *561–563*, **571–573**, *572*
 - from Carrara Studio, **567**
 - from Cinema 4D, **566**, *566*
 - from LightWave 3D, **566–567**
 - from Maya, **568**
 - from Poser, **550–553**, *551–553*
 - from Swift 3D. *See* Swift 3D program
 - from Vecta3D, **555–560**, *555*, *557–559*
 - inspirational design model for, **568–569**, *568*
 - simulating, **532**
 - animation, **535–539**, *536–539*
 - with painting and drawing tools, **532–535**, *533–535*
- 3ds max program, **565**
- threshold setting
 - for audio compression, 522
 - for Magic Wand, 48
- THUNKdesign site, 258, *258*
- time division multiplexing (TDM) system, 511
- time shift in audio, **524**
- Timeline, **26–27**, *26*, **159**
 - animation representation on, **163–164**, *163–164*
 - frame appearance on, **161–163**, *161–163*
 - inserting movie clips into, **184**
 - interactive multilayered, **377–378**, *378*
 - movie preparation for, **378–379**, *379*
 - playback controls for, **383–385**, *383*
 - steps in, **379–383**
 - layers in. *See* layers
 - multiple. *See* multiple-Timeline movies
 - in reference guide, 666
 - scrolling, **318–321**, *319–321*
 - for videotape, **610–612**, *610–612*
- tint of symbol instances, **127–128**, *127*
- Tinted Frames option, 163
- Tiny option for frames, 161
- title-safe zone, 612, *612*
- Titoonic site, 568–569, *568*
- Toast 5 Titanium, **635–639**, *636–638*
- toggleHighQuality action, 229
- toLowerCase method, **709**
- toolbars, **21–22**, *21–22*
- toolbox, **22–24**, *22*
- Tools room, 562
- Tools section in toolbox, **22**
- _top option, 78, 232, 350
- toString method, **693**
- _totalframes property, **677**
- toUpperCase method, **709**
- Trace Bitmap dialog box, 88, *88*
- Trace Dashed Strokes option, 504
- trace function, 300, 323, 363, **374**
- tracing bitmaps, **88–89**, *88–89*
- trackball, **543**, *543*
- trackball lights, **545**, *545*

- tracking text, **76–77**, 76
 - Transform panel, **30**, 30
 - transforming objects, **97–98**
 - distorting, **101–102**, 101
 - rotating, **99–100**, 100
 - scaling, **98–99**, 98–99
 - skewing, **100–101**, 101
 - transformation points for, **103–104**
 - transmedia, 342, 403
 - transparency
 - of objects, **177–178**
 - of symbol instances, 128, 128
 - transparent GIFs, 583, **591**
 - Transparent setting
 - in Director, 485
 - for GIFs, **591**
 - Transparent Windowless option, 589
 - trapallkeys command, 233, 629
 - trimming sound files, **396–399**, 397–399
 - troubleshooting ActionScript, **361**
 - avoiding problems, **362–363**
 - Debugger for, **366–367**
 - activating, **367**
 - elements in, **367–372**, 368–371
 - inspirational design model for, **374–375**
 - Output window for, **372–374**, 372–373
 - tips for, **363–365**
 - tools for, **366**
 - tutorials, 12, 36
 - tweened animation, **169**
 - creating, **169–171**
 - editing, **171–172**, 171
 - motions in, **174–175**, 174–175
 - shapes in, **172–173**, 173
 - type, **72**
 - typefaces, 72
 - typeof operator, **684–685**
-
- U**
- UltraDev product, 353, 355
 - undefined data type, **298–299**
 - under_the_sea.fla file, 186
 - under_the_sea.swf file, 186
 - ungrouped objects, envelopes for, 102
 - ungrouping objects, **92–93**, 93
 - unload event, 226
 - unloading movies, **235**
 - unloadMovie action, 229, 235, 329
 - in MovieClip, **701**
 - reference for, **674**
 - unloadMovieNum action, 235, **675**
 - Unlock All command, 97
 - unlocking layers, 97, **139–140**
 - unshift method, **689**
 - Up state for buttons, 109, 243, 244, 245
 - Update option
 - for bitmaps, 91
 - for symbols, 116
 - Update Use Counts Now option, 117
 - Update Video Properties dialog box, 609
 - updateAfterEvent action, **675**
 - _url property, **677–678**
 - URLs
 - linking to, **232–233**
 - target fields for, **78**
 - text for, **77–78**
 - usability, new features for, **12**
 - Use Count option, 114
 - Use Device Fonts option, **78**
 - Use Document Default Quality option, 90
 - Using Flash option, 36
-
- V**
- valueOf method, **701**
 - Van Citters, Darell, 506
 - van Schaik, Joost, 179
 - Variable Bit Rate (VBR) files, 603
 - Variable field for dynamic text, **80**
 - variables in ActionScript, 279, **299–302**
 - in Debugger, **368**, 368
 - names for, 299, 362
 - in Output window, **373**
 - problems in, 365
 - Variables tab, **368**, 368

VBR (Variable Bit Rate) files, 603

Vecta3D program, **555–556**, *555*, *557–559*

- animation in, **559–560**
- exporting from, **556–557**, *557*
- render settings in, **560**
- Styles window in, **558–559**, *558–559*
- View tools in, **557–558**

vector format

- in Director, 485
- vs. raster, **6–8**, 7

Vegas Audio tool, **512**, *512*

Version option, **585**

versions

- in Actions panel, **282**
- in publishing movies, **585**

vertical bars (|) for OR operator, **683**

video, **601–602**

- ActionScript for, **606–608**, *607*
- animation for, **621–622**, *622*
- editors for, **620–621**, *620*
- exporting
 - for QuickTime, **614–617**, *615*, *617*
 - to video editors, **620–621**, *620*
 - for Video for Windows, **617–619**, *617–618*
 - for WAV files, **619**
- importing, **110**, **603–606**, *604–605*
- inspirational design model for, **624**, *624*
- managing files for, **609**
- preparing for tape, **619–623**, *620*, *622–623*
- printing to, **623**, *623*
- Spark codec for, **602–603**
- symbols for, 115

Video Compression dialog box, 618, *618*

Video for Windows format, **617–619**, *617–618*

Video Format option, 617–618

Video object, 309

Video setting, 621

video2MX.flc file, 608

video2MX.swf file, 608

videotape, **609–610**

- audio for, **612–614**, *613*
- Timeline for, **610–612**, *610–612*

View menu, **19**

View Options menu, 220

View section in toolbox, **23**

View tools in Vecta3D, **557–558**

visibility of layers, **138**

_visible property

- for Movie Clips, 333
- reference for, **678**

visual creativity, new features for, **13**

visual elements for menu system, **644–645**, *645*

volume

- normalization for, 519
- Sound object for, **438**, **443–450**, *447*, *449*

volumePanner.flc file, 446–447, 451

volumePanner.swf file, 446, 451

VST plug-ins, 514

W

Watch List tab, **369**, *369*

water.swf file, 187

.wav (Windows Audio File) format, 394, **619**

waveform editors, **512–516**, *513–515*

Wax modeling technique, 562

Web 216 palette, 65, 591

web applications, 345

Web games, **9–10**

Web-safe color, **64–65**

Web Snap Adaptive palette, 591

webtoons, 506, *506*

while loops, 275–276, *275*, 305–306, **675**

Whiskey_A.aif file, 467

Whiskey_A_02.aif file, 468

Whiskey_B.aif file, 469–470

Whiskey_B_02.aif file, 469

Whiskey_break.aif file, 469

Whiskey_crash.aif file, 467, 469–470

Whiskey_drums.aif file, 467

Whiskey_fill.01.aif file, 467

Whiskey_lead_01.aif file, 468–469

Whiskey_lead_02.aif file, 469

Whiskey_lead_03.aif file, 469–470

whiskey100.flc file, 464

whiskey100.swf file, 464, 474

widgets, navigational, **644**
 local HTML files for, **651–655**
 menu system for, **644–647**, *645*, *647*
 pop-up windows for, **647–651**, *648–649*

width
 of bitmap fills, 59
 of linear gradients, 59

_width property
 for Movie Clips, 333, 339
 reference for, **678**

Window menu, **20**

Window Mode setting, **589**

Windows Audio File (.wav) format, 394, **619**

Windows/Macintosh hybrid CD-ROMs, **635–639**,
636–638

Windows Projector format, **584**

wireframe cubes, **534–535**, *535*

with action, **675–676**

woofwoofbark.aif file, 426

work area, **24–26**, *24–25*

workflow, new features for, **12**

XML object, 309

XML Socket object, 309

_xmouse property
 for Movie Clips, 334
 reference for, **678**

_xscale property, 337–339
 for Movie Clips, 334
 reference for, **678–679**

Y

_y property
 for Movie Clips, 334–335
 reference for, **679**

_ymouse property
 for Movie Clips, 334
 reference for, **679**

_yscale property, 337–339
 for Movie Clips, 334
 reference for, **679**

Z

Zoom tool
 in Toolbox, 23
 in Vecta3D, 557

X

_x property
 for Movie Clips, 334–335
 reference for, **678**