

Index

A

Abrams technique, 163, 168
Abundant bone, 31
Abutments, 66
 biocompatibility of, 305–306
 in presurgical planning, 14–15
 from zirconium dioxide, 263–269
Acellular dermal matrix, 159, 220–221
Acrylic resins, 62
Actinomyces spp, 318
Addison's disease, 15
Adhesive bridges, 56–57, 66
Adornment, 3
Adrenal glands, 15
Adriaenssens technique, 166–168
Age, 91–95, 287
Alcohol consumption, 18
Alendronate (drug), 32
AlgiPore, 257–258, 264
AlgOss, 257–258
Allergies, 17
AlloDerm, 220–221
Allografts, 181, 241
Alloplasts, 181, 210
Alpha-1-antitrypsin (a-1-AT), 17
Alpha-2-macroglobulin (a-2-MG), 17
Alveolar arteries, 44
Alveolar bones, 30–31, 47, 225
Alveolar distraction osteogenesis, 243–247
Alveolar mucosa, 47
Alveolar nerve, 44
Alveolar ridge atrophy, 210
Alveolar socket therapy, 133–137
Ames test, 266
Amoxicillin, 316–317
Amphiroa ephredra, 257
Ancient cosmetics, 3
Anemia, 16
ANEW Implants, 60
Angulation, 119–122
Anterior mandible, 31
Anterior maxilla, 9
Anterior single-implant crowns, 9
Antero-posterior cephalometric view, 27
Antibiotics, 316–317
Antioxidants, 287
Antitrypsin, 17
Apicocoronal ridge atrophy, 140
Apicoectomy, 13

Apicoocclusal ridge atrophy, 140
Areal contrast, 285–286
Aredia (drug), 32
Art and beauty, 4
Artificial joints, 17
Asymmetrical contours, 308–309
Augmentin, 317
Autogenous bone grafts, 32–35, 319–322
Autologous bone grafts, 210, 256
Automatic exposure control (AEC), 27
Automatic profile recognition (APR), 27
Autotac System, 241
Axial positioning, 122–124

B

Bacteremia, 17
Bacteroides spp, 315
Balance, 104–106
Barely sufficient bone, 31
Barrier membranes, 211
Baxter, 259
Beagle's technique, 235
Beautification, 3
Beauty, definitions of, 4
Beta-lactamase enzyme, 317
Bilirubin, 17
Binocular difference, 288
Bio-Col technique, 220
Biocompatibility, 266–269, 305–306
Bio-Gide Membrane, 264
Biological barriers, 198–201
Bio-Lok International Inc., 114
Biomechanical complications, 323–325
Bisphosphonates, 32
Black triangle, 230–231, 313–314
Bleaching, 289–290
Bleeding, 130, 210
Blood dyscrasias, 16
Blood supply, 232
Body image, 96
Bon-Apatite, 187
Bone density, 16, 32
Bone grafting, 32–42
 autogenous, 32–35, 319–322
 autologous, 256
 cell culture techniques in, 35–36
 cell sources, 256
 cell-based therapy in, 42
 cortico-cancellous bone blocks, 33

- Bone grafting (cont'd)
 esthetic, 8
 interpositioning techniques in, 33–35
 marine algae-derived materials for, 257–258
 materials, 181, 210–211, 220–221, 321–323
 morbidity, 319–321
 receptor bed sites, 36
- Bone loss, 301
- Bone marrow, 16
- Bone morphogenic protein (rhBMP-2), 181, 319
- Bone probing length (BPL), 229
- Bone resorption, 31, 115, 182, 209
- Bone tissue engineering, 255–261
- Bone volume, 30–31
- Bone wax, 130
- Branemark system, 305
- Buccal contour, 314
- Buccal periosteum, 145
- Buccal plates, 131, 211
- Buccal rotated flap, 186–188
- Buccal tissue volume, 314
- Buccinator muscle, 42, 82, 90
- Buccinator nerve, 43
- Buccolingual ridge atrophy, 140
- Bundle bone, 47
- Burstone line, 88
- C**
- C GRAFT, 257–258
- CAD/CAM technology, 111–112
- Calcium phosphate, resorption of, 17
- Canine fossa, 44
- Carbamazepine, 320
- Cavernous sinus, 43
- Cell culture, 35–36
- Cell-based therapy, 42
- Cementoamel junction (CEJ), 48, 115, 167–168
- Cementum, 47
- Central incisors, 91–92
- Ceramic abutments, 263–269
- CERCON, 264, 269–270
- Cervical folding, 165
- Cesium iodide scintillator, 26
- Charge coupled device (CCD), 26–27
- Chin bone harvesting, 320
- Chlorhexidine, 196, 316
- Chondrogenesis, 256–257
- Chroma, 279–280
- Chroma contrast, 285
- Chromosome aberration test, 266
- Clavulanate potassium, 317
- Clean-contaminated wounds, 129
- Clinician-patient relationship, 9–11
- Clonazepam, 320
- Closure techniques, 146–151, 183–189
- CMY (cyan, magenta, yellow) color model, 278–279
- CMY(K) color model, 278–279
- Cola Tape collagen pack, 194
- Collagen fibers, 47, 129
- Collagen membrane, 259
- Collagen pack, 194
- Collagen wound dressing, 212–214
- CollaPlug, 214, 220
- Color blindness, 286–287, 290
- Color of teeth, 15
- Color-corrected lighting, 281
- Colors, 275–277
 CMY model, 278–279
 complementary, 279–280
 in dentistry, 275
 dimensions, 279–280
 elements affecting, 280–281
 perception of, 277–278, 282–286
 contrast effects, 283–286
 metamerism, 282–283
 physiological effects, 286–288
 age, 287
 binocular difference, 288
 color blindness, 286–287
 emotions, 287–288
 fatigue, 287
 nutrition, 287
 pigment, 279
 primary, 278–279
 receptors, 276
 reproduction of, 278
 RGB model, 278–279
 secondary, 279
 theory, 275–290
 and visible light, 275–278
- Commissure smile, 84
- Compact bone, 47
- Complementary colors, 279–280
- Complex smile, 84
- Complications, 301–325
 biomechanical complications, 323–325
 causes of, 301–302
 biological factors, 301
 defective tissues, 302
 etiological factors, 301
 personal factors, 301–302
 communication of, 10
 implant positioning, 302–305
 peri-implant hard tissue, 317–323
 peri-implant soft tissue, 305–317
 asymmetrical contours, 308–309
 dehiscence, 310–313
 incision line opening, 315
 inflammation, 315–317
 loss of keratinized tissue, 315
 missing buccal tissue volume, 314
 missing papillae, 313–314
 postprosthetic recession, 305–309
 prosthetic, 323–325
- Composite graft, 135
- Compromised bone, 31
- Computerized axial tomography (CAT), 28
- Computerized navigation surgery, 112–113
- Computerized tomography (CT), 28–29, 111
- Cones, 277–278, 281
- Connective tissue grafts, 142–145, 162–163
- Contraindications, 16
- Contrast, 283–286. *See also* Colors
 areal, 285–286
 chroma, 285
 hue, 285
 simultaneous, 283–284
 spatial, 286

successive, 286
 value, 284
 Control abutments, 305
 Conventional fixed bridges, 66
 Copings, 269–272
 Corallina officinalis, 257
 Cortical bone, 32
 Cortical bone membrane, 182
 Cortical receptor sites, 36
 Cortico-cancellous bone blocks, 33
 Corticosteroids, 16
 Corticotrabecular grafts, 319
 Cosmetic dentistry, 4
 Cosmetics, 3–4
 Cosmetics, ancient, 3
 Cover screw, exposure of, 310–311
 Creatinine, 16
 Crestal approach, 139
 Crestal bone, 234
 Cross-linking, 182
 Crown lengthening, 13
 Cupid smile, 84
 Curettes, 180
 Cushing's syndrome, 15–16
 Cutting drills, sharpness of, 112
 Cytokines, 129

D

Debonding, 66
 Decorticated receptor sites, 36
 Deficient bone, 31
 Deficient vestibular reveal (DVR), 87
 Dehiscence, 310–313
 classes of, 310–311
 treatment modalities for, 311–313
 Delayed implant placement, 67–68
 Delayed submerged implants, 138
 Demineralized freeze-dried bone allografts (DFDBAs), 181,
 210–211, 220, 317–318
 Dental implants, 66–67
 allergies to, 17
 bending of, 324–325
 dehiscence, 310–313
 design factors, 113–116
 overview, 7
 placement of, 67–69, 190–194
 positioning complications, 302–305
 positioning of, 109–125
 root form, 115
 spontaneous early exposure of, 310–311
 success rates, 7, 70
 surface topography of, 114
 transitional, 57–60
 Dental insurance, 65
 Dental midline, 104–106
 Dental plaque, 14–15
 Dental technicians, 15
 Dentascan, 28–29
 Dentoalveolar group, 47
 Dentogingival group, 47
 Dentoperiosteal group, 47
 Dentsply Friadent Co., 257–259, 269–270
 Depressor anguli, 82
 Diabetes mellitus, 18

Diagnostic procedures, 13–15
 anatomical considerations, 42–45
 medical evaluation in, 16–18
 osseous site management, 29–42
 peri-implant soft tissue optimization, 45–47
 radiography, 25–29
 soft tissue biocharacterization, 47–50
 study cast, 18–25
 surgical templates, 50–55
 Diagnostic radiography. *See* radiography
 Diagnostic tools, 13–14
 Digastric muscle, 43
 Digital radiography, 25–27
 Digital spectrophotometers, 292–293
 Digital subtraction radiography (DSR), 29
 Diphenylphosphorylazide (DPPA), 182
 Distraction osteogenesis, 243–247
 DNA fragments, 36–37
 Drilling, 112
 Dual-purpose template, 53
 Duralay resin, 62

E

El Askary Microsurgery Kit, 129–130
 Elastase, 17
 Electrosurgery, 172
 Electrosurgical sculpturing, 172
 Ellman International, 220
 Emergence profiles, 60
 Emission, 277
 Emissive media, 278–279
 Emotions, 287–288
 Endocrine systemic diseases, 18
 Endodontic lesions, 64
 Endothelial cells, 138
 Enjoyment smile, 82
 Epinephrine, 15
 Essences, 3
 Esthetic bone grafting, 8
 Esthetic dentistry, 4, 6
 Esthetic implant therapy, 7–9
 clinician-patient relationship in, 9–11
 decision-making in, 64–69
 financial topics, 64–65
 implant placement techniques, 67–69
 treatment options, 65–67
 diagnostic factors in, 13–15
 endodontic factors in, 62–64
 goals of, 70
 immediate. *See* Immediate implant therapy
 medical evaluation in, 16–18
 orthodontic factors in, 62–64
 patient satisfaction in, 9–10
 patient selection in, 9
 periodontic factors in, 62–64
 predictability of, 8–9
 provisionalization in, 55–60
 reconstructive, 7
 subgingival profiles, 60–62
 Esthetic zone, 9
 complications in, 301–325
 biomechanical, 323–325
 causes of, 301–302
 implant positioning, 302–305

- Esthetic zone (cont'd)
 peri-implant soft tissue, 305–317
 prosthetic, 323–325
 esthetic and functions goals in, 70
 second-stage surgery in, 160–161
- Esthetics, 3–4
 facial, 81
 gingival, 81
 and harmony, 6–7
 macroesthetics, 82
 microesthetics, 82
- Excessive vestibular reveal (EVR), 87
- Expanded polytetrafluoroethylene (ePTFE), 181–182, 317–318
- Explorers, 180
- Exposed tooth area, 101
- External jugular vein, 43
- Extractions, 68–69, 180, 209
- Eyes, 277–278
- F**
- Faces, 79–80
 and dental anatomy, 79
 effect of teeth loss, 80
 features of, 79–80
 harmony and esthetics, 6–7
 and moral qualities, 6
 and shade selection, 99–101
 and teeth morphology, 91–95
- Facial arteries, 43
- Facial bone wall, 238
- Facial deformities, 96
- Facial esthetics, 81
- Failure of implants, 64, 301
- Fatigue, 287
- Femininity, 95
- Fibrin glue, 259
- Fibroblasts, 129, 210
- Financial cost, 64–65
- Fixed partial dentures (FPD), 65–67, 323
- Fixture position, 15
- Flap designs, 137–138. *See also* Intraoral plastic soft tissue surgery
 buccal rotated, 186–188
 Fugazzotto closure, 146–148
 interproximal papilla incision, 140–141
 modified Elden-Mejchar, 145
 palatal rotated, 184–186
 palatal sliding strip, 167
 pedical island, 188
 subepithelial palatal, 148–151
 tunneling, 142–145
 versatile, 139–146
- Flapless implant placement, 190–194
- Flat tooth biotype, 47–48, 115
- Fluorescence, 289
- Forced tooth eruption, 63, 247–248
- Formaldehyde, 182
- Fosamax (drug), 32
- Four-color processing, 279
- Fovea, 281
- Freeze-dried bone allografts (FDBAs), 181, 210–211, 220
- FRIADENT EsthetiCap, 267
- FRIADENT ProTect, 267
- Fugazzotto closure, 146–148
- Fusobacterium spp, 315
- G**
- Geistlich Pharma, 264
- Gender, 95
- Genioglossus muscle, 42
- Gingiva, 47
 defects in, 45–47
 esthetics, 81
 hyperpigmentation of, 15
 papillae, 229–230
 recontouring of, 171–172
- Gingival col, 229
- Gingival crevicular fluid (GCF), 17, 47
- Gingival/body/incisal (GIB) shade, 292–293
- Glucocorticoids, 15
- Glutaraldehyde, 182
- Gold abutments, 305–306
- Good laboratory practice (GLP), 259
- Grafting materials, 181, 220–221, 257–258, 321–323
- Granulation tissue, 210
- Granulocytes, 210
- Growth factors, 257
- Guided bone generation (GBR), 181–182
 complications in, 317–318
 minicortical screws for, 238
 in presurgical planning, 14
 in socket augmentation, 216–219
 in soft tissue closure, 147
- Guided tissue generation (GTR), 181–182, 318–319
- Gum-punching tool, 173
- H**
- Harmony, 6–7
- Healing, 128–132
 necrotic tissues, 129
 primary intention, 129
 secondary intention, 129
 time, 128
- Hexamethylenediisocyanate (HMDIC), 182
- Hoffmann Laroche Ltd., 320
- Hue, 99, 280
- Hue contrast, 285
- Human gingival fibroblasts, 41
- Hydroxyapatite, 32, 114, 187, 257
- Hyperbaric oxygen (HBO) therapy, 17–18
- Hyperparathyroidism, 16
- Hyperpigmentation, 15
- Hypoglossal nerve, 43
- Hypoglycemia, 18
- I**
- Ibuprofen, 131–132
- Illuminants, 281
- Illusion in dentistry, 101–103
- Image guided implantology, 112–113
- Immediate implant therapy, 179–205
 flapless installation, 190–194
 grafting materials, 181
 guided bone generation (GBR) in, 216–219
 implant morphological characteristics in, 180–181
 implant placement techniques in, 68–69
 natural teeth as provisional prosthesis in, 199–201

- preservation of soft tissue contours in, 194–205
- socket conditions in, 68–69
- socket seal template, 194–205
- soft tissue closure in, 183–189
 - buccal rotated flap, 186–188
 - palatal rotated flap, 184–186
 - pedicle island flap, 188
 - Rehrmanplasty, 183–184
- success factors in, 68–69, 179
- Immunosuppressive drugs, 17
- Implant exposure surgery, 160–173. *See also* Intraoral plastic soft tissue surgery
 - bulking connective tissues in, 162–163
 - bulking keratinized tissues in, 161–162
 - cosmetic incisions in, 168–169
 - intact interproximal papillae in, 165–168
 - limited incisions in, 165
 - midbuccal tissue release in, 168
 - minimal tissue reflections in, 165
 - overcorrection in, 169–170
 - scalloped peri-implant tissue contours, 164–165
 - soft tissue punching, 173
 - soft tissue refining and profiling in, 170–173
- Implant placement techniques, 67–69
 - delayed, 67–68
 - flapless, 190–194
 - immediate, 68–69
 - one-stage, 69
- Implant positioning, 109–125
 - angulation in, 119–122
 - axial, 122–124
 - complications, 302–305
 - factors in, 111–113
 - accuracy of surgical template, 111–112
 - computerized navigation surgery, 112–113
 - grip during drilling, 111
 - positioning devices, 112
 - sharpness of cutting drills, 112
 - mesiodistal, 117–119
 - restorative space, 110–113
- Incisions, 130
 - esthetic incisions, 137–138
 - interproximal papilla, 140–141
- India ink, 137
- Inferior alveolar nerve, 42
- Inflammation, 315–317
- Inflammatory hyperplasia, 251
- Infraorbital artery, 44
- Inlay tissue grafting, 141–145
- Insurance plans, 65
- Integrin, 41
- Interarch space, 19
- Intercommissure line, 85–86
- Interdental papillae, 229–230
 - bone probing length (BPL) of, 229
 - classes of, 226
 - composition of, 229
 - height of, 228
 - and tooth extraction, 225
- Interimplant papillae, 225–252
 - clinical differentiation of, 227
 - definition of, 229
 - orthodontic solutions, 247–248
 - overview, 225
- predictability of, 8
- prosthetic solutions, 247–250
- radiographic length of, 228–229
- reconstruction of, 230–252
 - distraction osteogenesis, 243–247
 - miniautogenous bone blocks, 242–243
 - noninvasive methods, 250–251
 - osseous regenerative methods, 238–247
 - soft tissue procedures, 234–238
- regenerative template, 240–242
- Intermaxillary discrepancy, 96
- Interproximal bone height, 238
- Interproximal height of bone (IHB), 227
- Interproximal papillae, 229
 - effect of, 6
 - incision, 140–141
 - preservation of, 165–168
- Intraoral plastic soft tissue surgery, 127–173
 - closure techniques, 146–151
 - Fugazzotto, 146–148
 - subepithelial palatal connective tissue, 148–151
 - esthetic flap designs, 137–146
 - esthetic incisions in, 137–138
 - flap designs in, 137–146
 - healing, 128–132
 - inlay tissue grafting, 141–145
 - onlay tissue grafting, 145–149
 - peri-implant soft tissue optimization in, 132–137
 - uses of, 171
- Intraoral wounds, 129
- IPS set, 112
- Irradiation therapy, 17–18
- Isodent tissue glue, 220
- J**
- Jugular vein, 43
- K**
- Keratinized mucosa, 127, 133, 234
- Keratinized tissue, 45–46, 161–162, 315
- Kirschner wires, 54
- Kohl, 3
- L**
- Lambone, 182
- Laser therapy, 171–172
- Lateral cephalometric radiographs, 27–28
- Lateral incisors, 95
- Latero-lateral cephalometric view, 27
- Layers technique, 214–216
- Leukocytosis, 16
- Leukopenia, 16
- Levator anguli, 82
- Levator labii superioris, 82
- Lifecore Biomedical, 220
- Light, 275–277
 - constituents of, 275–277
 - emission, 277
 - intensity, 281
 - perception, 277–278
 - reflection, 277
 - sources, 281
 - spectrum, 276–277
 - transmission, 277
 - wavelengths, 277

- Lighting, 281
 Lingual nerve, 42
 Lips, 88–91
 anatomy of, 88
 augmentation therapy, 90
 curvature, 88–89
 effect of teeth loss, 90
 frame, 88
 hyperpigmentation of, 15
 lines, 88
 lower, 88
 philtrum, 88
 size of, 89–90
 upper, 88
 Lipstick, ancient, 3
 Liver cirrhosis, 17
 Loading, 201–205
 clinical factors in, 204
 restorative factors in, 205
 Lower lips, 88
 Lutein, 287
- M**
 Macroesthetics, 82
 Macroglobulin, 17
 Magnetic resonance imaging (MRI), 29
 Malformation, psychological responses to, 96
 Mandible, 43
 Mandibular smile, 84
 Masculinity, 95
 Masseter muscle, 43
 Masticatory mucosa, 47
 Matrix metalloproteinase-8 (MMP-8), 17
 Maxilla, 43–45
 Maxilla sinus grafting, 257–258
 Maxillary anterior incisal curve, 86
 Maxillary artery, 43
 Maxillary canines, 96
 Maxillary central incisor, 92–93
 Maxillary sinus, 44
 Maxillary smile, 84
 Maxillary teeth, 82–84
 Maxillofacial surgery, 248, 256–257
 Mectron Medical Technology Co., 258
 Medical history, 16–18
 Medications, 288
 Mental nerve, 43
 Mesdemet, 3
 Mesiodistal distance, 27
 Mesiodistal position, 117–119
 Metal oxide semiconductor sensors, 26
 Metamerism, 282–283
 Methyl methacrylate resin, 53
 Microblades, 169
 Microesthetics, 82
 Microsuturing, 130
 Midbuccal vertical incision, 168, 169
 Midline, 104–106
 Miniature titanium implants, 57
 Misch bone density, 32
 Modified Elden-Mejchar vestibuloplasty, 145
 Modified roll flap, 163–164
 Modified socket seal, 135
 Monocytes, 210
 Monofilament sutures, 131
 Morbidity, 319–321
 Morphogens, 257
 Morphopsychology, 6
 Mucogingival surgeries, 128
 Mucoperiosteal flap design, 137–138, 146, 166, 170
 Multifilament sutures, 131
 Multislice helical computerized tomography, 28
 Musculoskeletal diseases, 16
 Mylohyoid nerve, 43
 Myofibroblasts, 129
- N**
 Nasopalatine nerve, 44
 Natron, 3
 Necrotic tissues, 129
 Needles, 131
 Nefertiti, 3
 Nerves, 42–43
 Newton, Isaac, 276
 Nicotine, 17
 Nobel Biocare USA Inc., 114
 NobelGuide, 112
 Nonresorbable sutures, 131
 Nonsteroidal antiinflammatory drugs (NSAIDs), 131–132
 Nonsubmerged implants, 138
 Nordland classification, 225–226
 Norepinephrine, 15
 Novartis Pharmaceutical Inc., 320
 Nutrition, 287
 Nylon sutures, 131
- O**
 Occlusal plane, 121
 Occlusal view, 27
 One-stage implant system, 306
 One-stage implant placement, 69
 Onlay graft, 32
 Onlay grafts, 145–149
 Opalescence, 289
 Operating rooms, 10
 Operator lighting, 281
 Oral contraceptives, 288
 Oral hygiene, 14–15
 Oral implantology, 13
 Oral mucosa, 127
 Oral pigmentation, 45
 Oral ulcers, 131
 Orbicularis oris, 42, 82
 Orthodontic extrusion, 63, 247–248
 Orthodontics, 62–64
 Orthoralix digital radiograph, 27
 Osseointegration, 139, 190
 Osseotite implants, 196–197
 Osseous coagulum, 217
 Osseous crest, 229
 Osseous regenerative methods, 238–247. *See also* Bone grafting
 distracted osteogenesis, 243–247
 miniautogenous bone blocks, 242–243
 regenerative template, 240–242
 Osseous sites, 29–42
 alveolar bone deficits, 30–31

- bone density, 32
- bone grafting, 32–42
- defects, 32
- deficiencies, 29–30
 - regenerative therapy, 29
- Osteitis deformans, 16
- Osteoclasts, 17
- Osteoconductive grafts, 210, 256
- Osteogenesis, 256–257
- Osteogenic grafts, 210, 256, 319
- Osteoinductive grafts, 256
- Osteomalacia, 16
- Osteomyelitis, 17
- Osteonecrosis of the jaw (ONJ), 32
- Osteoplasty, 20
- Osteoporosis, 16
- Osteosarcoma, 16
- Overcorrection, 169–170
- Overload, 324
- Oxidants, 289

- P**
- Pacific Coast Tissue Bank, 181–182
- Paget's disease, 16
- Palatal flaps, 130
- Palatal rotated flap, 184–186
- Palatal sliding strip flap, 167, 237
- Palatine arteries, 44–45
- Palatine nerve, 44
- Palm grip, 111
- Pamidronate (drug), 32
- Panoramic Xray view, 25–26, 27
- Papillae, 229–230
- Papillary illusions, 249
- Parotid gland, 43
- Partial dentures, 56, 67
- Patients
 - age of, 91–95
 - gender, 95
 - medical evaluation of, 16–18
 - oral hygiene of, 14–15
 - personality, 96–97
 - with psychological disorders, 18
 - satisfaction of, 9–10
 - selection of, 9
 - teeth morphology of, 91–95
 - treatment records, 103
- Pearson's correlation coefficients, 229
- Pedicle island flap, 188
- Peptostreptococcus micros, 315
- Perception of colors, 277–278, 283–286
- Perforated receptor sites, 36
- Periapical radiographs, 228–229
- Periapical view, 25–26
- Peri-implant mucositis, 301
- Peri-implant papillae, 230. *See also* Interimplant papillae
 - classes of, 227
 - clinical levels of, 231
 - predictability of, 8
- Peri-implant soft tissue, 127. *See also* Soft tissue
 - complications, 305–317
 - asymmetrical contours, 308–309
 - dehiscence, 310–313
 - incision line opening, 315
 - inflammation, 315–317
 - loss of keratinized tissue, 315
 - missing buccal tissue volume, 314
 - missing papillae, 313–314
 - postprosthetic recession, 305–309
 - nonsoft tissue treatment factors, 127–128
 - optimizing, 132–137
 - alveolar socket therapy, 133–137
 - composite graft, 135
 - socket seal technique, 135–136
 - scalloped contours, 164–165
 - socket conditions, 133–137
- Peri-implantitis, 301, 315
- Periodontal defects, 45–47
- Periodontal ligament (PDL), 211
- Periodontal tissues, regeneration of, 257
- Periodontics, 63
- Periodontitis, 46–47
- Periodontium, 47–50
 - morphology of, 47–48
 - parts of, 47
 - thick flat biotype, 47–48, 115
 - thin scalloped biotype, 48–50, 115
- Periodontopathic organisms, 46–47
- Periosteum, 137, 145
- Periotome, 131, 135, 180
- Personality traits, 96–97
- Pharyngeal artery, 44–45
- Philtrum, 88
- Phosphorus sensors, 26
- Photographs, as references, 14
- Physiognomy, 6
- Pigment colors, 279
- Pigmented lesions, 45
- Pigments, 3
- Pink porcelain, 249
- Plaque, 14–15
- Plastic intraoral soft tissue surgery, 127–173
 - closure techniques, 146–151
 - Fugazzotto, 146–148
 - subepithelial palatal connective tissue, 148–151
 - esthetic flap designs, 137–146
 - esthetic incisions in, 137–138
 - healing, 128–132
 - inlay tissue grafting, 141–145
 - onlay tissue grafting, 145–149
 - uses of, 171
- Platelet rich plasma (PRP), 258
- Platelet-derived growth factor (PDGF), 135
- Polymorphism, 266
- Polymorphonuclear neutrophils (PMN), 47
- Pontic enhancement method, 21–23, 249
- Positioning devices, 112
- Preoperative procedures, 13
- Preservative Interproximal papilla incisions, 140–141
- Presurgical planning, 13–15
 - anatomical considerations, 42–45
 - medical evaluation in, 16–18
 - osseous site management, 29–42
 - peri-implant soft tissue optimization, 45–47
 - radiography, 25–29
 - soft tissue biocharacterization, 47–50
 - study cast, 18–25
 - surgical templates, 50–55

- Primary colors, 278–279
 Primary intention healing, 129
 Prosthetic complications, 323–325
 Provisional prosthesis, 55
 adhesive bridges, 56–57
 natural teeth as, 199–201
 removable partial dentures, 56
 silicone soft-tissue substitute, 62
 transitional implants, 57–60
 use of existing prosthesis, 56
 Provisional restoration, 55–60
 modification of existing prosthesis, 56
 removable partial dentures, 56
 Pseudopockets, 318
 Psychological responses, 96–97
 Pterygoid muscle, 43
 Pterygoid plexus, 43
 Puros, 215, 220
 Psychiatric disorders, 18
 Psychological disorders, 18
- R**
 Radiation, 17–18
 Radiographic length, 228–229
 Radiography, 25–29
 digital, 25–27
 digital subtraction, 29
 lateral cephalometric, 27–28
 occlusal view in, 27
 panoramic view in, 25–26, 27
 periapical view in, 25–26
 in presurgical planning, 14
 Radiopaque markers, 53
 Recession, 305–309
 Recombinant growth factors, 36
 Reconstructive esthetic implant therapy, 7
 Red algae, 257–258
 Reference photography, 292–294
 Reflection, 277
 Reflective media, 278–279
 Regenafill, 210–211
 Regeneration Technologies Inc., 211
 Regenerative barriers, 181–182
 Regenerative template, 240–242
 Regional acceleratory phenomena (RAP), 212
 Reguarde, 259
 Rehrmanplasty, 183–184
 Removable partial dentures, 67
 esthetics in, 7
 as provisional prosthesis, 56
 Renal diseases, 15–16
 Resolut XI, 211
 Resorbable sutures, 131
 Resective osseous therapy, 20
 Restorative orthodontics, 63
 Restorative space, 110–113
 Retractors, 130
 Retrofills, 13
 Reverse buttress thread, 114
 RGB (red, green, blue) color model, 278–279
 Ribonucleic acid (RNA), 41
 Ricketts' E-plane, 79–80, 88
 Ridge defects, 128, 151
 Risorius, 82
 Rivotril (drug), 320
 Root canal, 135
 Rule of thirds, 104–105
- S**
 SAC classification system, 31–32
 Salivary glands, 17, 43
 Scalloped biotype, 48–50, 115
 Scalloped implant, 234
 Scalpel blades, 130
 Scar tissue, 4–5
 Scents, 3
 Secondary colors, 279
 Secondary intention healing, 129
 Second-stage surgery, 160–173. *See also* Intraoral plastic soft tissue surgery
 bulking connective tissues in, 162–163
 bulking keratinized tissues in, 161–162
 cosmetic incisions in, 168–169
 flapless implant installation, 190–194
 intact interproximal papillae in, 165–168
 limited incisions in, 165
 midbuccal tissue release in, 168
 minimal tissue reflections in, 165
 overcorrection in, 169–170
 scalloped peri-implant tissue contours, 164–165
 soft tissue punching, 173
 soft tissue refining and profiling in, 170–173
 Self-cure acrylic, 199–200
 Sensors, 26
 Shade, 99–101
 Shade matching, 290–298
 clinical insertion and cementation, 298
 evaluation, 290–292
 fabrication, 297
 image capture/shade analysis, 292–293
 in presurgical planning, 15
 shade communication, 292–294
 shade interpretation, 294–297
 verification, 298–299
 Shade selection, 99
 areal contrast, 285–286
 bleaching, 289–290
 chroma contrast, 285
 fluorescence, 289
 hue contrast, 285
 opalescence, 289
 simultaneous contrast, 283–284
 successive contrast, 286
 value contrast, 284
 Sharpey's fibers, 225, 229, 230
 Short titanium abutments, 305
 SIM/Plant software, 54
 Simultaneous contrast, 283–284
 Single anterior tooth replacement, 9
 Single-tooth implants, 66
 Single-tooth maxillary anterior placement, 140
 Sinus grafts, 257–261
 Size of teeth, 101
 Skin color, 100–101
 Smiles, 79
 classification of, 82
 components of, 81–82
 design, 84–85

- exercise program, 82
 - landmarks, 85–88
 - intercommissure line, 85–86
 - smile arc, 86
 - vestibular reveal, 86–88
 - line, 84
 - lip influence, 88–91
 - muscles responsible for, 82
 - patterns, 82–85
 - and personality factors, 96–97
 - styles of, 84
 - and teeth morphology, 91–95
 - SmithKline Beecham, 317
 - Smoking, 10, 16–17
 - Social smile, 84
 - Socket augmentation, 209–221
 - decision-making in, 219
 - grafting materials, 210–211
 - postoperative care in, 219
 - rationale for, 209–211
 - techniques in, 211–219
 - guided bone generation (GBR), 216–219
 - immediate implant placement, 217–219
 - layers technique, 214–216
 - socket management, 211–219
 - Socket seal technique, 135
 - Socket seal template, 194–205
 - advantages of, 197–198
 - barrier membranes, 211
 - loading conditions, 201–205
 - polymerization in, 194
 - use of biological barriers in, 198–201
 - Sockets, 68–69, 180
 - Soft tissue, 127
 - biocharacterization of, 47–50
 - clinical intervention, 128
 - conservative flap designs in, 137–138
 - esthetic-related parameters, 70–71
 - healing, 128–132
 - inflammation of, 315–317
 - margins, 60–61
 - optimization, 45–47
 - profiling, 170–173
 - punching, 173
 - refining, 170–173
 - sculpture, 8
 - substitute, 62
 - Soft tissue surgery, 127–173
 - closure techniques, 146–151, 183–189
 - buccal rotated flap, 186–188
 - Fugazzotto, 146–148
 - palatal rotated flap, 184–186
 - pedicle island flap, 188
 - Rehrmanplasty, 183–184
 - subepithelial palatal connective tissue, 148–151
 - esthetic flap designs, 137–146
 - esthetic incisions in, 137–138
 - flap designs in, 137–146
 - healing, 128–132
 - inlay tissue grafting, 141–145
 - onlay tissue grafting, 145–149
 - peri-implant soft tissue optimization in, 132–137
 - for reconstruction of interimplant papillae, 234–238
 - Somatization disorders, 18
 - Spatial contrast, 286
 - Spectral data, 277
 - Spectrophotometers, 292–293
 - SpectroShade Micro System, 293
 - Spectrum, 276–277
 - Sphenopalatine artery, 44
 - Spirochetes, 318
 - Steiner S line, 88
 - Storz am Markt GmbH, 131, 135, 180
 - Streptococcus spp, 318
 - Stromal stem cells, 42
 - Study cast, 18–25
 - advantages of, 18–19
 - missing teeth size and number on, 20–21
 - in presurgical planning, 14
 - wax-up, 24–25
 - Stylohyoid muscle, 43
 - Subepithelial palatal connective tissue flaps, 148–151
 - Subgingival profiles, 60–62
 - Submandibular gland, 43
 - Submento-vertex cephalometric view, 27
 - Submerged implants, 139
 - Success rates, 70
 - Successive contrast, 286
 - Superastructures, 323–324
 - Supracrestal fiberotomy, 63
 - Surgical templates, 50–55
 - accuracy of, 111–112
 - dual-purpose, 53
 - fabrication of, 50–55
 - multifunctional, 54
 - partial dentures as, 51–52
 - requirements, 50
 - Sutures, 131
 - Symmetry, 104–106
- T**
- Tal classification, 310–311
 - Tattooing, 3
 - Teenagers, 96
 - Teeth morphology, 91–95
 - age, 91–95
 - gender, 95
 - personality, 96–97
 - Tegretol (drug), 320
 - Temporalis muscle, 43
 - Thick flat biotype, 47–48, 115
 - Thin scalloped biotype, 48–50, 115
 - Thrombocytopenia, 16
 - Tissue biotypes, 232
 - Tissue engineering, 255–261
 - of bones, 255–261
 - dental applications of, 256
 - in maxillofacial surgery, 256–257
 - Tissue glue, 220
 - Tissue preservation, 13–14
 - Tissue welding, 172
 - Titanium implants, 57, 183
 - Titanium papillary insert (TPI), 249–250
 - Tongue, examination of, 18
 - Tooth extraction, 68–69, 180, 209
 - Trabecular bone, 32
 - Trabecular grafts, 319
 - Trace minerals, 287

Transcan, 27
Transducers, 180
Transformation toughening, 266
Transitional implants, 57–60
Translucency, 280
Transmission, 277
Transmissive media, 278–279
Transmucosal components, biocompatibility of, 305–306
Treatment records, 103
Trepine drills, 135
Trepine graft, 243
Troughing, 172
Tutogen Medical GmbH, 110

U

Unexim Co., 257
Upper lips, 88

V

Value contrast, 284
Value of color, 99, 280
Veneer bone graft, 32
Vestibular approach, 139
Vestibular gingival surgery, 46
Vestibular mucosa, 127
Vestibular reveal, 86–88
Viagra (drug), 288
Vidian canal, 44
Visible light, 275–277
Visual cortex, 281

VisualiX eHD digital X-ray sensor, 26–27
Vitamin B complex, 132, 320
Vitamin D, 16
Vitamins, 287
Voxgram, 29
V-shaped thread, 114

W

Wavelengths, 277
Wax-up, 24–25
Witch's chin, 80
Wounds, 129

X

Xenografts, 210
XiVE Implant, 264, 269–270

Z

Zest Anchors Inc., 305
Zimmer Dental Inc., 194, 201–202, 215, 220
Zircon, 264
Zirconium dioxide, 263–269
 biocompatibility of, 266–269
 copings, 269–272
 as implant abutments, 269
 polymorphism, 266
 transformation toughening, 266
Zoledronate (drug), 32
Zometa (drug), 32
Zygomaticus major, 82