

## Subject Index

### a

absorption band 108, 116  
 – carbon dioxide 233  
 absorption coefficient 267  
 ACCVD process 62  
 acoustic coupling coefficient 182f, 192  
 action teams 28  
 active noise control 313  
 agglomerates 234  
 air, optical properties 268  
 air quality monitoring (AQM) 227–238  
 AlCoStruct 273f  
 Al<sub>3</sub> thin films on Au 113  
 aluminum oxide 263ff  
 aluminum nitride (AlN) 182  
 amorphous electrically conducting  
 materials 239–248  
 amorphous phase, titanium dioxide 218  
 amorphous silicon  
 – pin diodes 124f  
 – thin film transistors 130  
 anatase 207  
 annealing  
 – Ta–Si–N films 240  
 – temperatures 170ff  
 antifog functionality 56  
 antireflective surfaces imprinting 263–280  
 application-specific lab-on-a-chip (ALM)  
 119–138  
 applications 225–317  
 – automobile 55  
 – customer related 14  
 – glass coatings 55  
 arrayed waveguide gratings (AWG)  
 207  
 Arrhenius plot 294  
 Asia–Pacific nanotechnology 35–48  
 ASIC metal 120ff  
 aspect ratio 266

atomic force acoustic microscopy (AFAM)  
 89ff  
 atomic force microscopy (AFM) 89ff  
 – Ta–Si–N films 243  
 – TiAl<sub>6</sub>V<sub>4</sub> 159  
 – titanium dioxide 208  
 Australia, R&D 37, 42  
 automatic coating line 54  
 automobile applications, glass coatings 55  
 automobile fuel 62

### b

band-gap effect 141  
 band structure 207  
 bandwidth 183  
 barrier layers 197, 264ff  
 batteries 293ff  
 benchmarking 17  
 Bio Nanotech Research Institute (BNRI) 61  
 biocompatibility 152f  
 bioengineering 72  
 biohybrids 154  
 bio-inspired antireflective surfaces 263–280  
 biometric recognition system 74  
 biomimetic titanium structures 151–162  
 blades, diamond 254f  
 blood clotting 153  
 blue luminescence 174  
 Boehmite aluminum oxide 264f  
 bottom-up approach 79  
 bow measurements, silicon wafer 94  
 Bragg law 217  
 BRITE-EURAM III 227  
 brookite 207  
 bulk starting materials 80f  
 bulk structures 140  
 bulk–liquid eutectic temperature 198  
 bump measurements 97

**c**

capacity, lithium cells 295  
 car head lamp 52  
 carbon mono/dioxide detection 227, 234ff  
 Carbon Nanotech Research Institute (CNRI) 62  
 carriers, nanowire growth 197  
 case studies  
 – car headlamp 52  
 – coatings 54  
 casting 276  
 catalysis, heterogeneous 139–150  
 catalysts 196f  
 cathodoluminescence 175f  
 cellular polypropylene 303–317  
 ceramic fillers 293  
 change acceleration process 29  
 charge injection 109, 304ff  
 chemical bonds 139ff  
 chemical gas sensors 227–238  
 chemical properties, nanoparticles 229  
 chemical vapor deposition (CVD) 62  
 – nanowires 202  
 – resonators 182  
 chemomechanical polishing (CMP) 120, 181–194  
 China, R&D 35f, 42  
 chromatic dispersion 64  
 chromatic optical sensor 91  
 chromium electrodes 120f  
 classification, company sizes 50  
 clean single-walled carbon nanotubes 62  
 clusters 266  
 Coanda effect 134  
 coatings  
 – antireflective 269  
 – market entrance 54  
 cochlear implants 72  
 codeine 73  
 codevelopment 27  
 collective learning process 14  
 colloids 266  
 columnar structures 82  
 CombiCat approach 145f  
 commercial analysis 23  
 commercialization  
 – Asia–Pacific 35–48  
 – Japan 59–70  
 – US 1–10  
 – with SME 49–58  
 common vacuum level (CVL) 108  
 competence, SME 55  
 competition, technological 23

components, market studies 21  
 compositions, nanocomposites 297  
 conducting materials, amorphous 239–248  
 conductivity  
 – diamond 247  
 – membranes 294, 297  
 – nanocomposites 289ff  
 confocal laser scanning microscopy (CLSM) 158  
 contact mode 109  
 contacts, nanowires 205  
 control panels, cellular polypropylene 311  
 cooperating  
 – with Asians 41  
 – with SME 49–58  
 copper metallization 244  
 corneal cuts, diamond 257  
 corona discharge 306  
 corrosion 263  
 – casting 154  
 – metallic glasses 239  
 cost comparison 25  
 Coumadin 73  
 coupling coefficient, acoustic 182f, 192  
 coupling factors 303, 306  
 critical-to-quality issues (CTQ) 28  
 cross relaxation process 174  
 crystal lattice, aluminum oxide 264  
 crystallinity, powders 167ff  
 crystallite size 229  
*see also* grain size  
 crystallization 239  
 CuPc films on Au 114  
 Curie temperature 285  
 current technology markets 51  
*cus* sites 140  
 customer's need 16  
 cutting tools, diamond 251ff  
 cyclic voltammetry (CV) 108  
 cyclotene 122

**d**

damping coefficient 267  
 data collection 12, 19f  
 Debye length 229  
 Debye-Scherrer formula 166  
 decay time, luminescence 174  
 deep etching, electroforming, micro-replication (DEM) 82  
 defects 145  
 – resonators 187  
 degradation  
 – implants 153

- nanowire growth 197
  - Dektak stylus trace 190
  - demand market 13
  - density-of-states (DOS) 109
  - Department of Defense (DOD) 7
  - depletion 203
  - deposition parameters 129
  - detection threshold targets 228
  - development, *see* R&D
  - Device Nanotech Research Institute (DNRI) 63
  - device physics 202
  - diagnostics 26, 72
  - Diamaze blade 255f
  - diamond, optical properties 268
  - diamond-based nanotechnology 247–262
  - dielectrics 201
  - differential optical absorption (DOA) 227
  - differential scanning calorimetry 265
  - differential thermal analysis (TGA)
    - MgO–Ni(Fe) nanocrystals 284
    - nanocomposites 290
  - diffusion 200
  - diffusion barriers, Ta–Si–N films 244
  - diffusional transport, mictamics 239
  - dimensional scaling effects 79–88
  - direct methanol fuel cells (DMFCs) 290
  - dirt repelling functionality 56
  - discovery efforts 18
  - dispersion 139
    - controlling 64
    - nanoparticles 233
  - doped YAG 166
  - doping nanowires 205
  - Drude–Zener theory 232
  - drug delivery 72
- e**
- Ecology Nanotech Research Institute (ENRI) 66
  - elastic deformation, metallic glasses 239
  - elastic energy storage 85
  - elastic modulus, cellular polypropylene 306
  - elastic properties, AFAM measurements 102f
  - electret materials, voided 303–317
  - electrical resistivity 86
    - electrically conducting materials 239–248
    - electrified interface 107–118
  - electroacoustic transducer concept 310
  - electrochemical impedance spectroscopy (EIS) 293
  - electrochemical oxidation of aluminum (ELOXAL) 264f
  - electrochemical sensors 228
  - electrodeposition 82
  - electroencephalogram (EEG) 295
  - electroless plating 82
  - electroluminescence 309f
  - electrolytes 82
    - antireflective surfaces 264
    - polymeric 289–301
  - electromechanical properties, cellular polypropylene 303–317
  - electron–hole pairs 112, 125
  - electronic stopping power 214
  - electronic structure 140
  - electrophoretic separation 134
  - electrophysiological measurements 295f
  - endothelial cell damage 154
  - environmental aspects 24
  - epoxy resins 276
  - etching 207 ff, 211 ff
    - diamond 255
    - Ta–Si–N films 241
  - ethanol 268
  - European Environment Agency (EEA) 228
  - European Union (EU) R&D 38
  - eutectic temperature 198
  - excitons 108 ff
  - exothermic effect 282
  - expansion coefficient 87
  - expert interviews 19
  - exploitation 18
  - exploratory marketing 11
  - extinction coefficient 187
  - extrinsic scaling 81
- f**
- fabrication, ALM 121 ff
  - Faraday shielding 266
  - fast-track-to-market, SME 54
  - fatigue effect, Ta–Si–N films 240
  - FBARs 181 ff
  - Fermi level 108f, 113f
  - ferroelectrets 310
  - ferroelectric polymers 303f
  - ferromagnetic nanoparticles 281
  - fibronectins 157
  - fillers 293, 296
    - cellular polypropylene 305
  - films
    - cellular polypropylene 304
    - diamond 250
    - stacks 186

- thickness measurements 100
- fingerprint sensor 74
- Fourier pattern 141
- Fourier transform infrared spectroscopy (FTIR) 229f
- fracture strength 247
- Fresnel equation 268
- friction coefficient 86
  - diamond 247, 257
- fuel combustion 289f
- full-width-half-maximum (FWHM) 183
- fullerenes 66
- function application pairing(matrix) 16, 22ff
- functionalities, glass coatings 55
- functions, technological 14
- fundamentals 77–224

**g**

- galvanostatic cycling test 293
- gas detection thresholds 228, 234
- gas diffusion expansion (GDE) process 305
- gas influence, cellular polypropylene 309
- gas sensors, nanoparticle based 227–238
- Gashol 62
- gear wheel, diamond-toothed 259
- gel electrolytes, polymeric 289
- generation-recombination rate 197
- geometric structure, catalysis 141
- germanium nanowires 198
- glass
  - optical properties 268
  - transition temperature 239
- global position system (GPS) 237
- glycoproteins 157
- gold nanowire growth 198
- gold electrodes 120, 187
- gold-filled alumina templates 266
- gold mask, titanium dioxide 210
- government R&D investments 4ff
- grain size
  - diamond 250
  - nanoparticles 229
  - oxide nanopowders 163–180
  - reduction 80f, 85ff
- green chemical technology 61
- growth, nanowires 196ff

**h**

- hardness, diamond 247
- healthcare market 71
- heart lung machines 153
- heat capacity 87

- hemocompatibility 152ff
- hemodialysis devices 153
- heterogeneous catalysis 139–150
- high-aspect-ratio 90
- high-aspect-ratio moldings (HARMS) 82
- high-resolution electron microscopy (HREM) 90
  - titanium dioxide 209, 218
- high-throughput experimentation (HTHE) 139, 147
- highest occupied molecular orbital (HOMO) 108, 115
- highly-oriented diamond (HOD) 249, 254f
- hip implant titanium 152
- histocompatibility 152f
- hole–electron pairs 112, 125
- Hong Kong, R&D 37, 43
- hormones replacement 73
- housing, MicroGlider 99
- hybrid polymers 100
- hybrid systems 81
- hydrogen passivation 202
- hyperthermia, magnetic 73

**i**

- immunohistochemical processing 157
- impedance materials 182
- implants, titanium 152ff
- imprinting 64
  - antireflective surfaces 263–280
- India, R&D 37, 44
- indium oxide nanoparticles 229
- indoor air quality 228
- industrial sectors 12
- influence matrix 24
- injection molding 274
- innovation strategies 14, 19ff
- inorganic membranes 61
- insertion loss 183
- insulator materials 201
- integration costs 18
- Intellectual Property Nanotech Research Institute (INRI) 68
- intelligent miniaturized system 81
- interdigitated electrodes 133ff
- interface, electrified 107–118
- interface control 201
- interferometer 93
- interferometric film thickness sensor 100
- interviews 19
- intraocular lens implants 252
- ion irradiation 208ff
- ion speed effect 220

ionization potentials 108  
 isolation technique, fullerenes 66  
 isomer shifts 282  
 IST programm, air quality 227

**j**

Japan, R&D 35f, 39ff

**k**

key feature measurements 98  
 keyboard pushbuttons 311  
 Korea, *see* South Korea  
 Kubo gap 140

**l**

lab-on-a-chip 74  
 laboratoire d'Electronique et de Technologies  
 de l'Information (LETI) 74  
 laboratory-to-business 59–70  
 lanthanum fullerenes 66  
 large nano-objects 143f  
 lattice constant 142  
 – titanium dioxide 218  
 layer by layer deposition 235  
 layers 56  
 – multispectral detectors 129  
 – nanoparticles 234  
 – protective 263ff  
 lead zirconate titanate (PZT) 182  
 LED housing, MicroGlider 99  
 Lewis acids 293  
 LIGA (Lithographie, Galvanoformung,  
 Abformung) 82, 272f  
 ligand structures 152  
 light reflection 267f, 274  
 liquid-phase processing 80f  
 lithium-ion polymeric batteries 293ff  
 lithographics 263ff  
 lotus effect 277  
 lowest unoccupied molecular orbital  
 (LUMO) 108, 115  
 luminescence, oxide nanopowders 163–180

**m**

magnetic hyperthermia 73  
 magnetic hysteresis 266  
 magnetization saturation 87  
 magnetron sputtering 184  
 Malaysia, R&D 37, 45  
 management thinking 27  
 market segments 12  
 market studies, budgets 19  
 marketing types 11

material properties  
 – diamond 247ff  
 – MgO–Ni(Fe) nanocrystals 281–288  
 MatMed initiative 151  
 maximum authorized concentration, AQM  
 228  
 mechanical properties, Ta–Si–N films 242  
 mechanism-dependent scaling 81  
 medical devices  
 – smart 71–76  
 – titanium 151ff  
 medication 73  
 membrane electrode assemblies (MEAs)  
 291  
 membrane resonator 181  
 membranes 61  
 metal catalysts 196ff  
 metallic glasses 239ff  
 metallization, Ta–Si–N films 244  
 metallofullerenes 66  
 metalloporphyrin MF supramolecule 67  
 methanol crossover 293  
 MgO–Ni(Fe) nanocrystalline composites  
 281–288  
 microdischarges 310  
 microelectromechanical systems  
 (MEMS) 83, 239ff  
 – Asia–Pacific 35, 45  
 microfluidic devices 132ff  
 microgear, diamond 259  
 MicroGlider 89–104  
 micromechanical diamond parts 251, 257ff  
 micrometer technology 89  
 micromolding 82  
 microstructural scaling effects 79–88  
 microsurgery, diamond 252  
 microsystem technology 79ff  
 microtechnology, diamond-based 247–262  
 microwave-driven hydrothermal synthesis  
 163–180  
 microwave plasma-enhanced CVD  
 (MWPECVD) 249  
 mictamic alloys 239ff  
 mid-gap energy levels 197  
 Mie theory 269  
 millimeter technology 89  
 miniaturized system, intelligent 81  
 mirror resonator 181  
 mobilities 112  
 – nanowires 205  
 molding 82  
 monolithic system 81  
 Moore's law 195

- Mössbauer spectra, MgO–Ni(Fe)  
 nanocrystals 282  
 moth eye structures 271 ff, 278  
 multilayer patterning 64  
 multiple twinned particle (MTP) 141  
 multiphase-multi-element oxides  
 (MMO) 145  
 multispectral detectors 129
- n**
- Nafion 290 ff  
 nates/nanites 32  
 nanocrystalline materials 79 ff  
 nanocrystalline oxides 289–301  
 nanofabrication, titanium dioxide  
 crystals 207–224  
 nanoimprinting technology road map 64  
 nanomaterials, medical 71–76  
 nanometer–meter bridging 89–105  
 nanoparticle-based chemical gas sensors  
 227–238  
 nanoparticles 196  
 nanoporous alumina tools 273  
 nanotubes 62  
 nanotweezers 79  
 nanowires 195–206  
 National Aeronautics and Space  
 Administration (NASA) 7  
 National Nanofabrication Users Network  
 (NNUN) 8  
 National Nanotechnology Initiative (NNI)  
 1–10  
 nectins 157  
 New Industry Development Strategy (NIDS),  
 Japan 39  
 New Zealand, R&D 37, 46  
 nickel–iron alloys 281  
 nitrogen adsorption method 166, 169  
 nitrogen mictamics 239  
 NO/NO<sub>2</sub> detection, AQM 227, 234 ff  
 noise control, cellular polypropylene 313  
 nondestructive measurements 90  
 nucleation  
 – diamond 254  
 – nanoparticles 230  
 – nanowires 198
- o**
- offer market 13  
 opal structures, titanium dioxide 208  
 operation temperature, fuel cells 290  
 optical applications, glass coatings 55  
 optical interferometry, Ta–Si–N films 242  
 optical loss 207  
 optical properties, transparent  
 materials 268  
 optoelectronics, oxide nanopowders  
 163–180  
 organ replacement 71  
 original equipment manufacturers 51  
 Ostwald ripening 143  
 outdoor air quality (OAQ) monitoring  
 227–238  
 oxide layers 263 ff  
 oxide nanopowders, MV synthesis  
 163–180  
 oxides, nanocrystalline 289–301  
 oxygen plasma treatment 121  
 ozone, AQM 227, 234 ff
- p**
- pacemakers 153  
 palladium electrodes 120 f  
 parasitic resistance 109  
 particle sites 140  
 Patent and Trade Office (USPTO) 7  
 PEEK polymers 64  
 Peilaszek equation 166  
 perfluorinated sulfonated polymer 290  
 performance indicators 85  
 permittivity 201  
 phosphor bronze substrate 84  
 photocurrent density, pin diodes 128  
 photoluminescence 166  
 photonic waveguides 64  
 photoresists 123  
 – antireflective surfaces 272  
 physical properties, nanoparticles 229  
 physical vapor deposition (PVD) 120, 182  
 piezoelectric polymers 303  
 piezoelectric quality, resonator devices  
 181–194  
 pin diodes, a-silicon based 124 f  
 planetary measurements 98  
 plasma coating, antireflective 269  
 plasma-enhanced chemical vapor deposition  
 (PECVD) 130, 185  
 plasma polishing, diamond 255  
 plasma treatment 121 ff  
 platinum electrodes 120 f  
 PMMA, optical properties 268, 274  
 Poisson's equation 203, 218  
 polarization 306 ff  
 polarons 109 ff  
 polishing, diamond 253  
 pollutants concentration 227 ff, 236

polycarbonate  
   – optical properties 268  
   – resins 64  
 polycrystalline substrates 84  
 polydimethylsiloxane casting 276  
 polyethylene, porous 304  
 poly(ethylene oxide) (PEO) 293  
 polymeric electrolyte fuel cells (PEFCs)  
   289–301  
 polyoxometallate functional unit 146  
 polypropylene, cellular 303–317  
 polystyrene, optical properties 268  
 polytetrafluoroethylene (PTFE) 304  
   – antireflective surfaces 277  
 polyvinylidene fluoride (PVDF) 303, 310f  
 pore densities 264  
 porous ceramics, antireflective 269  
 positioning nanowires 199  
 potential spectroscopy 107ff  
 powder technology 163–180  
 precursors 230ff  
 preparation, MgO–Ni(Fe) nanocrystals  
   281–288  
 price defining 25  
 private investments, Asia–Pacific 40  
 problematic nanotechnologies 17  
 process parameters, multispectral  
   detectors 129  
 product definition 13  
 production procedure 90  
 profilometry 159  
 protective layers 263ff  
 protein drugs 72  
 pushbuttons 311  
 Pyrex glass 120, 123  
  
**q**  
 quadrupole splitting 282  
 quality factor, resonator devices 181–194  
 quantified diagnostic and simulations 26  
 quantitative evaluation, 2/3 D structures 91  
 quantum efficiency, pin diodes 127  
 quasi-ferroelectric materials 310  
 quasi-fundamental scaling 81  
 quick-market intelligence 29  
  
**r**  
 R&D  
   – Asia–Pacific 35–48  
   – investments 2ff  
   – Japan 60f  
   – SME activities 50  
   – US 1–10

raison d'être 16f  
 rapid screening 232  
 Rayleigh law 269  
 reactive ion-etching (RIE) 207  
   – antireflective surfaces 266  
   – diamond 254  
 reactive sputtering, Ta–Si–N films 240  
 reactor, MV synthesis 164  
 receptor–ligand structure 152  
 recognition system 74  
 recommendation, managerial synthesis 12f  
 red luminescence 174  
 reflection loss 208  
 reflectivity 269  
 refractive index 187, 267  
   – titanium dioxide 208  
 replacement hormones 73  
 research, *see* R&D  
 residues 208  
 resistances 109  
 resonance frequencies 306  
 resonator devices 181–194  
 retinal implants 72  
 Rogers thesis 19  
 roughness 99, 207, 211  
   *see also* surface roughness  
 RuSiO mictamics 239  
 Rutherford backscattering spectrometry 243  
 Rutherford formula 220  
 rutile titanium dioxide crystals 207–224

## **s**

safety 55  
 saturation current, Ta–Si–N films 245  
 scaling effects 79–88  
 scalpels, diamond 251ff  
 scanning electron microscopy (SEM) 185  
   – nanocomposites 290  
   – titanium dioxide 208  
 scanning probe microscopy 107–118  
 scanning tunneling microscopy (STM)  
   107ff  
 scene setting 15f  
 scleral cuts 257  
 Scherrer formula 230  
 Schottky barrier 205  
 Schottky devices 109, 124  
 scintillating properties, oxide nanopowders  
   163–180  
 screen printing 230ff  
 segmentation, markets 14  
 selective nanowire growth 198  
 self-alignment 200

- self-assembled semiconductor nanowires 195–206
  - self-cleaning 56
  - semiconductor approach 145
  - semiconductor–electrolyte interface 207
  - semiconductor nanowires 195–206
  - semiconductor sensors 227ff
  - sensing potential 232
  - sensors 201
  - shallow pn junctions 245
  - shock resistance, thermal 85
  - sidewall roughness 207, 211
  - signal-to-noise ratio 90
  - silicon-based ALM 119ff
  - silicon chip recognition system 74
  - silicon–diamond interface 255
  - silicon mictamics 239
  - silicon nanowires 198
  - silicon wafers 94
  - silicon-on-insulator (SOI) 202
  - Singapore, R&D 37, 47
  - single-walled carbon nanotubes 62
  - sintering 166f
  - six-sigma method 28
  - size effect, catalysis 140
  - SkinChip 75
  - small and medium sized enterprises (SME) 49–58
    - Japan 61
  - smart medical devices 71–76
  - smoothing 185
  - SnO<sub>2</sub> nanoparticles 230
  - social aspects 24
  - socio-economic impact 251
  - sol-gel methods 56
    - antireflective coatings 270
    - titanium dioxide 208
    - YAG 166
  - solder bumps 97
  - solidly-mounted resonator (SMR) 181f
  - South Korea R&D 36f
  - space-charge electret materials, voided 303–317
  - spark erosion method 281ff
  - speed teams 28
  - sputtering 126
    - aluminum 266
    - resonators 183, 191
    - Ta–Si–N films 240
  - stability, nanowires 200
  - stacked layers 234
  - stopping power, titanium dioxide 215
  - strategic planning 27ff
  - stretching, cellular polypropylene 305
  - structure activity relation 139
  - structure sensitivity 141
  - Su-8 polymer 122
  - substrates, multispectral detectors 129
  - success factors analysis 24
  - superparamagnetic iron clusters 282
  - surface acoustic wave (SAW) filters 181
  - surface-area-to-volume ratio 263
  - surface chemistry 229ff
  - surface diffusion 200
  - surface micromachining, Ta–Si–N films 241f
  - surface potential, cellular polypropylene 306
  - surface roughness
    - antireflective 269ff, 276f
    - implants 156ff
    - resonators 189
  - surface scattering 205
  - surface wetting 276
  - surfaces, antireflective 263–280
  - surgery applications 252
  - swift heavy ions irradiation, titanium dioxide 207–224
  - switching, cellular polypropylene 308
  - symmetry breaking 303f
  - synthesis routes 80f
    - diamond 248
- t**
- Ta–Si–N mictamics 239ff
  - Taiwan, R&D 36, 47
  - team building 31
  - technological marketing 11–34
  - technology 77–224
  - Teflon, porous 304
  - temperature coefficient of frequency (TCF) 181f
  - templates 263ff, 266
  - tensile elongation 86
  - Tesla structure 134
  - textures 82
  - Thailand, R&D 37, 48
  - therapeutics 72
  - thermal expansion coefficient
    - diamond 247
    - Ta–Si–N films 240
  - thermionic emission 111
  - thermogravimetry (TGM) 282ff
  - thin films, mictamic 240
  - thin films, on ASIC (TFA) 124ff
  - thin films, transistors 130
  - thin layer coatings 56

- thin transparent coatings, antireflective 269  
 thinking processes 22  
 three-dimensional nanofabrication, titanium dioxide 207–224  
 threshold behavior, cellular polypropylene 306  
 thrombus formation 153  
 tin oxide nanoparticles 229  
 tip penetration 109 ff  
 TiSiO mictamics 239  
 tissue implant relation 152 f  
 titania 290, 296  
 titanium  
 – biomimetic structures 151–162  
 – nanowire growth 198  
 titanium dioxide crystals 207–224  
 titanium nitride films 120  
 top-down approach 79  
 TouchChip 74  
 toxicity, nanooxides 296  
 tracking, titanium dioxide 208 ff  
 transducer coefficient, piezoelectric 303, 306  
 transducers  
 – amorphous conductor-based 239–248  
 – cellular polypropylene 310  
 transfer function, Ta–Si–N films 242  
 transistors 201  
 translation process 14, 30  
 transmission electron microscopy (TEM) 229  
 – alumina 265  
 transparent materials 267  
 tumors therapeutics 73  
 tungsten oxide nanoparticles 229  
 tunneling resistance 109
- u**
- ultrasonic contact resonance spectroscopy 102  
 ultraviolet photon spectroscopy (UPS) 108  
 US National Nanotechnology Initiative (NNI) 1–10
- v**
- validation marketing 11  
 value analysis 22  
 valve materials 263  
 vanadium pentoxide nanorods 144
- vapor phase processing 80 f  
 Verneuil flame fusion method 208  
 vibration control, cellular polypropylene 312  
 Vickers hardness 86  
 vitronectins 157  
 void size, cellular polypropylene 305  
 voided space-charge electret materials 303–317  
 volume expansion 209  
 volume fraction 80
- w**
- warfarin 73  
 warpage measurements, silicon wafer 94, 98  
 water, optical properties 268  
 Watts-type electrolyte 82  
 wave modes 182  
 WBN mictamics 239  
 wear characteristics 85 f  
 – diamond gear 260  
 wheels, diamond-toothed 258  
 wires 195–206  
 working definitions, market studies 13  
 working potentials, lithium batteries 294  
 workout teams 28
- x**
- X-ray analysis, Ta–Si–N films 242  
 X-ray diffraction (XRD)  
 – nanooxides 290  
 – nanoparticles 229 f  
 – titanium dioxide 209  
 X-ray photon spectroscopy (XPS) 108  
 XstalBio technique 72
- y**
- YAG nano crystals synthesis 166, 177  
 yield strength 86  
 Young's modulus 87  
 – diamond 247  
 – Ta–Si–N films 240
- z**
- zeolite membranes 61  
 zinc oxide resonator devices 181–194  
 zirconia 290, 296  
 ZnO/ZrO<sub>2</sub>/Zr<sub>1-x</sub>Pr<sub>2</sub>O<sub>2</sub> synthesis 165 ff, 172

