

Index

a

- absorbability 67
- absorption 1 ff., 39 ff., 74
 - estimation 49
 - incomplete 14, 43
 - intestinal 8 ff.
 - oral 2 ff., 39, 49 ff., 61, 124
 - potential 11, 51
 - process 39
 - slow 64
 - solubility-limited 13
 - window 42 f.
- absorption, distribution, metabolism and excretion (ADME) 19
 - screen 165
 - space 171 f.
- access channel 98
- accumulation 26
 - ratio 27
- acetaminophen 129
- acetanilide 132
- actin 56
- active carrier 8
- active site 93 ff., 113
- active transport 13, 39, 59, 70, 85
- acute renal injury 137
- ADME, *see* absorption, distribution, metabolism and excretion
- adrenaline 75
- β -adrenergic antagonist 73 ff.
- β -adrenoceptor 31 ff.
 - agonist 107
 - antagonist 31, 43 ff., 59, 73 ff., 80
- affinity 33, 101
 - constant 28 ff.
- age 87
- agonist 29, 75
- agranulocytosis 129 ff.
- albumin 21, 55
- aldehyde oxidase 104
- alfentanil 2, 99
- alioesterase 109
- alkane 10
- alkylamine 60
- alkylating compound 115
- allometric exponent 154 ff.
- allometric relationship 156
- allometric scaling 154 ff.
- allometry 153 ff.
- allylic site 99
- alprenolol 107
- amidothiophenesulfonamide 46
- amine
 - primary 106
 - secondary 103
 - tertiary 72, 99
- amiodarone 99, 123
- amlodipine 20, 61 ff., 80
- amodiaquine 129
- angiogenesis 122
- animal model 141
- antagonist 29, 45
 - competitive 29
- anti-allergy agent 124
- anti-cholinergic 110
- anti-convulsant 126
- anti-dysrhythmic agent 86
- anti-fungal agent 80, 88, 148 f., 154
- anti-malarial 129
- anti-microbial agent 136
- anti-muscarinic agent 109, 162
- anti-viral 104
- antipyrene 20, 158
- aplastic anaemia 126 ff.
- apoptosis 142
- aqueous channel 32
- aqueous pore 42, 55, 73
- aqueous solubility 40

- aromatase inhibitor 148
- aromatic hydroxylation 101
- arylalkylamine 94
- arylesterase 109
- atenolol 31, 57 ff., 74 ff., 132
- AUC (area under the plasma concentration time curve) 22 ff.
- autoimmune reaction 137
- automation 165
- azithromycin 62, 146

- b**
- benzoquinone 128
- benzylic hydroxylation 101
- bergamolin 146
- betaxolol 48, 74 ff., 96
- biliary canaliculus 124
- biliary clearance 61, 68, 160
- biliary excretion 20, 68
- binding free energy 101
- bioavailability 25 f., 46
 - absolute 26
 - low 26
- bioequivalence 14
- bioisostere 116
- biomembrane 42
- biopharmaceutical classification scheme (BCS) 14
- biophase 31 f.
- blood
 - dyscrasias 139
 - flow 21
 - metabolism 109
 - volume 20
- blood-brain barrier 8 ff., 31 ff.
 - crossing 2 ff.
- body weight 154
- bone marrow toxicity 132
- bosentan 159
- brain 6 ff.
 - distribution 56
 - penetration 55
 - weight 157 ff.
- bumetanide 121

- c**
- Caco-2 cell 49, 169 ff.
 - monolayer 2 ff.
- calcium channel antagonist 73
- calcium channel blocker 102
- calculated lipophilicity 168
- candoxatrilat 111
- captopril 110
- carbamazepine 57, 128, 143
- carbinol 92
- carbonium ion 134
- carbutamide 132
- carcinogenesis 125
- carcinogenicity 140
- cardioselectivity 74, 96
- carfentanil 35
- carrier 68
 - active 8
 - sinusoidal 68 ff.
 - tubular 70
- carvedilol 74
- cassette dosing 169
- catalytic selectivity 95
- catechol 115 ff.
- catechol-*O*-methyl transferase (COMT) 115
- celecoxib 101
- celiprolol 49
- cell cycle control 142
- cell death 125
- cerebral capillary network 55
- cerebrospinal fluid (CSF) 56 f.
 - CSF to plasma partition coefficient 57
- charge 70
- chemical lability 76
- chloroform 10
- chloroquinoline 139
- chlorphentermine 13
- chlorpropamide 97
- cholesterol absorption inhibitor 101 ff.
- cholinesterase inhibitor 70
- chromone 124
- cimetidine 2, 83, 139
- cisplatin 141
- clearance 20, 36, 57 ff., 67 ff., 156 f.
 - creatinine 87, 156
 - intrinsic Cl_i 21, 158 ff.
 - intrinsic unbound Cl_{iu} 35, 76 ff., 103
 - oral 26
 - process 67
 - rate 74
 - renal 71 ff., 84, 156
 - systemic 20 ff., 158, 163
 - unbound 21, 35
 - unbound renal (Cl_R) 76
- clotrimazole 148
- clozapine 32, 133, 144
- CNS (central nervous system) 6, 32, 55 f.
- cocaine 99
- cocktail dosing 169
- codeine 63
- collecting tubule 70, 83

- combinatorial chemistry 165
- combinatorial libraries 7
- competitive inhibitor 170
- COMT, *see* catechol-*O*-methyl transferase
- conformational flexibility 8
- conjugation 88
- creatinine clearance 87, 156
- cromakalim 107
- cross-sectional area 8 f.
- crystal
 - packing 40, 168
 - polymorph 41
 - structure 100, 115
- crystalline form 41
- crystallisation 41
- crystallising solvent 41
- CSF, *see* cerebrospinal fluid
- cyclic amide 108
- cyclic voltammetry 15
- cyclohexane 5
- cyclooxygenase inhibitor 101
- cyclosporine A 46, 99, 145
- CYP1A2 77, 94, 147
- CYP2C9 94, 97, 137, 157
- CYP2D6 36, 94
 - inhibition 175
- CYP2E1 94
- CYP3A4 46, 79, 94 ff., 142 ff.
- CYP450 (cytochrome P450) 36 ff., 67 ff. 92, 106, 126 ff., 139 ff.
 - induction 142
 - inhibition 149
 - inhibitor 69
 - metabolism 158, 170
- cytotoxicity 134

- d**
- D₂ antagonist 32
- D₃ receptor antagonist 105, 149
- daily dose size 37
- danazol 40
- dapsone 136
- N*-dealkylation 72, 100
- defence system 115
- N*-demethylation 99, 102
- DEREK 141
- desipramine 56 f.
- desolvation 8, 101
- detergent 124
- diclofenac 98, 129
- diflunisal 141
- dihydropyridine calcium channel antagonist
 - 79
- dihydropyridine calcium channel blocker
 - 61 f.
- dihydropyridine ring 79
- diltiazem 99 ff.
- diprotic molecule 4
- disease 87
- disobutamide 63
- disopyramide 63
- dissociation constant (pK_a) 4, 15, 29 ff., 168
- dissolution 1 ff., 13, 39 ff., 61, 88, 168
 - testing 14
- distal digital reduction 146
- distal tubule 83
- distribution 55, 74
- distribution coefficient (*D*) 2 ff.
 - at pH 7.4 ($D_{7.4}$) 73 ff., 84
- DNA microarray 141
- DNA repair 142
- DNA-damaging agent 141
- dofetilide 25
- dopamine D₂ antagonist 32
- dosage regimen 37, 72 ff., 87, 153
- dose
 - elevated 121
 - estimated 162
 - no-effect 122
 - size 37, 51, 123 ff., 140 ff.
- dosing
 - cassette 169
 - frequency 35, 162
 - interval 23 ff.
 - rate 35
- drug
 - absorption 1 ff.
 - acidic 155
 - activity 35
 - bioavailability 25 f.
 - disposition 1
 - dissolution-limited 40
 - duration of action 60 ff., 97, 162
 - free 19 ff., 67
 - high clearance 26
 - hydrophilic 31 ff., 73
 - infusion 23
 - interaction 87, 146 ff.
 - intravenous administration 19 ff.
 - ionisation 15
 - low clearance 26
 - membrane system 12
 - oral administration 25, 64
 - poorly permeable 59
 - selectivity 59
 - short-acting 110

- total drug concentration 19 ff., 73
- unbound 19 ff., 57, 67 ff., 84 f., 155 ff.
- uptake in the brain 6
- drug-like property 80
- rule 167
- duration of action 60 ff., 97, 162

e

- ECF 57
- efavirenz 143
- efficacy 37, 74
 - concentration 31
- efflux
 - mechanism 8
 - P-glycoprotein mediated 52
- electron abstraction 98, 103
- electron attracting function 83
- electrophile 125
- electrophilic substrate 115
- electrostatic interaction 13
- elimination rate constant (*k_{el}*) 22
- embryonic death 146
- endothelin antagonist 45
- entropy
 - melting 40
- enzyme
 - active site 76
 - induction 142
 - metabolizing 77
 - recombinant 170
- epoxide 126
 - hydrolase 126
- equilibrium 28 ff., 84
- erythromycin 62, 99, 146
- ester
 - hydrolysis 110
 - lability 109
- esterase 109
- ethylmorphine 99
- expert system 173
- extracellular fluid (ECF) 57
- extracellular water volume 20
- extraction 20 ff.
 - first-pass 25, 65
 - hepatic 22 ff.
 - low 157

f

- famciclovir 104
- felodipine 25
- felodopam 115
- fenclofenac 98
- fibrinogen receptor antagonist 49

- fingerprint gene 141
- first-pass hepatic metabolism 35, 174
- flavin mono-oxygenase (FMO) 105, 139
- flecainide 133
- fluconazole 80, 88, 148, 154 ff.
- flufenamic acid 141
- fluorescent probe substrate 170
- fluorinated analogue 77
- fluorine 101
- formulation 40
- free drug 19, 29 ff., 161
 - clearance 35
- free plasma concentration 35
- free radical 142
- free volume 36

g

- G-protein coupled receptor 31 ff., 55
- GABA (γ -aminobutyric acid) 6
- gastrointestinal tract (GIT) 25 ff., 39 ff., 117, 126
- gestodene 146
- Gibbs free energy 41
- glomerular filtration 70
 - rate (GFR) 83 ff., 156
- glomerulus 67 ff., 83
- glucuronic acid 113
- glucuronidation 91, 116 f.
- glucuronyl transferase 70, 112 ff.
- glutathione 116, 125, 140
 - conjugate 138
 - depletion 125
 - thioether adduct 133
- glutathione S-transferase (GST) 115, 125
- glycine/NMDA antagonist 2
- griseofulvin 40
- growth retardation 146
- gut wall metabolism 8, 52

h

- haemolytic anaemia 132
- half-life 22 f., 35 f., 63, 73 ff., 101, 123, 161 ff.
- halofantrine 40
- halogen displacement 139
- haloperidol 32
- Hammett sigma value 113
- heme 147
 - iron 93
- hemolysis 136
- Henderson-Hasselbach relationship 4
- hepatic blood flow 20 ff., 158
- hepatic clearance-metabolism 20

- first-pass 35
 - hepatic extraction 22 ff., 69
 - hepatic impairment 64
 - hepatic necrosis 126 ff.
 - hepatic portal vein 25
 - hepatic uptake 68, 161
 - hepatitis 129, 137
 - hepatocyte 68 ff., 158 f., 170
 - hepatotoxicity 124 ff.
 - hexadecane membrane (HDM) 10
 - high-throughput screening (HTS) 165
 - leads 172
 - histamine H₁ receptor antagonist 6
 - human intestinal absorption 8
 - hydrate 41
 - hydrogen bond
 - acceptor 44, 83
 - donor 44
 - strength 8
 - hydrogen-bonding (H-bonding) 5 ff., 44 ff., 55, 70, 83
 - capability 6
 - capacity 2 ff., 56, 168
 - functionality 69
 - potential 44, 111
 - hydrophilic drug 31 ff., 73
 - hydrophobicity 1 ff.
 - hydroxyl radical 92
 - hydroxylamine 136
 - hyperkeratosis 131
 - hypersensitivity 136
 - hyperthyroidism 123
 - hypothyroidism 123
- i**
- imidazole 147, 163
 - imine 106
 - iminium ion 134
 - iminoquinone 131
 - immobilised artificial membrane (IAM) 10, 168
 - immune response 125
 - in silico* method 167
 - in silico* model 175
 - in silico* revolution 174
 - in vitro* metabolism 158
 - in vitro* model 167
 - indinavir 40
 - indocyanine green 20
 - indomethacin 130
 - informatics 165
 - infusion 23 f.
 - intravenous 23, 110
 - rate 24
 - inhibitor
 - mechanism-based 170
 - time-dependent 146
 - initial concentration 19
 - inter-species scaling 159
 - inter-species variation 153
 - inter-subject variability 153
 - intestine
 - small 42
 - intestinal fluid 31
 - volume 51
 - intracellular barrier 31
 - intravenous administration 20
 - intravenous infusion 23, 110
 - intrinsic clearance 21, 158 ff.
 - intrinsic lipophilicity 2, 75
 - intrinsic potency 73
 - iodine 123
 - ion-pair interaction 76 ff.
 - ionic charge strength 83
 - ionisation 4 ff., 84
 - degree 4
 - state 1
 - isolated perfused rat liver 69
 - isoprenaline 115
 - itopride 106
 - itraconazole 80, 148
- k**
- ketoconazole 40, 69, 88, 148, 171
 - kidney 20, 67 ff., 83 f., 109, 121 ff.
- l**
- law of mass action 28
 - leukocyte 62
 - lidocaine 99, 133
 - ligandin 56
 - lipid membrane 42, 67
 - Lipinski rule of five 8
 - lipophilicity (*P*) 1 ff., 40, 55 ff., 67 ff., 79, 83 f., 111, 168
 - calculated 168
 - computational approach 11
 - effective 3 f.
 - intrinsic 2, 75, 84
 - scales 10
 - liposome partitioning 10 f.
 - liposome/water partitioning 168
 - liquid chromatography/mass spectrometry 169
 - liver 20, 67, 109, 156
 - homogenate 105

- microsome 76, 105, 170
 - lofentanil 35
 - log D , *see also* distribution coefficient 4
 - log $D_{7,4}$, *see also* distribution coefficient 5
 - log P , *see also* partition coefficient 2
 - loop diuretics 121
 - loop of Henle 83
 - luminal volume 51
 - lupus syndrome 133
- m**
- macrolide antibiotic 62
 - macrophage 62
 - maximal response 28
 - maximum absorbable dose (MAD) 51
 - maximum life span potential 157
 - MDCK cell 49
 - melanin 56
 - melting 40
 - membrane 1 ff., 55
 - affinity 13, 75
 - barrier 1, 84
 - biological 42
 - crossing 2 ff., 55
 - hexadecane membrane (HDM) 10
 - immobilised artificial membrane (IAM) 10, 168
 - lipid 42, 67
 - model of biological membrane 5
 - permeability 1
 - transfer 39 ff., 55 ff.
 - transport 8
 - metabolism 1 ff., 21 ff., 67 ff.
 - clearance 73
 - first-pass 35, 47, 174
 - gut wall 8, 52
 - hepatic 35, 174
 - *in vitro* 158
 - lability 104
 - multi-pass 46
 - phase I 91
 - phase I oxidation 71
 - phase II 91
 - phase II conjugation 71
 - rate 76, 157
 - site 67
 - metaboliser
 - extensive 96
 - poor 95
 - metabolite 72
 - protein-reactive cytotoxic 136
 - reactive 125 ff., 137
 - metazosin 157
 - methatropine 110
 - methemoglobinemia 136
 - methscopolamine 110
 - methyl-piperazinyl amino methyl derivative 61
 - metiamide 139
 - metoprolol 48, 59, 76, 96, 107
 - mianserin 134
 - mibefradil 146
 - Michael-type addition 137
 - Michaelis–Menten kinetics 36
 - miconazole 148
 - microdialysis 57
 - miconisation 40
 - microsome 158
 - midazolam 26, 100
 - minoxidil 118
 - model
 - absorption estimation 49
 - animal 141
 - biological membrane 5
 - *in situ* rat 49
 - *in silico* 49, 175
 - *in vitro* 167
 - template 94
 - well-stirred 158
 - molar volume 6 ff.
 - molecular lipophilicity potential (MLP) 12
 - molecular size 8 ff., 56
 - molecular weight 8 f., 44, 70
 - monoamine oxidase 106
 - monoprotic organic acid 4
 - monoprotic organic base 4
 - moricizine 143
 - morphine 115 ff.
 - multiple linear regression 141
 - mutagenicity 140
 - myeloperoxidase 131
 - myosin 56
- n**
- napsagatran 161
 - necrosis 125
 - nephron 83 f.
 - neural networks 141, 168 ff.
 - neutral endopeptidase 111
 - neutrophil 133
 - nifedipine 62
 - nitrenium ion 133, 145
 - nitrofurantoin 40
 - nitrogen-containing heterocycles 149
 - NMR spectroscopy 169
 - nomifensine 132

non-steroidal anti-inflammatories 97
nucleophilicity 113

o

occupancy theory 28
1-octanol 5 ff., 44, 56
off rate 33
olanzapine 144
oral absorption 39, 44, 124
oral clearance 26
organ blood flow 156
organic acid 4
organic base 4
organic cation transporter 70
orofacial clefts 146
Ostwald's rule of stages 41
ototoxicity 121
oxcarbazepine 128
N-oxidation 106
oxidation 92
oxidative deamination 106
oxidative stress 142
S-oxide 137
oxidising species 92
oxprenolol 107

p

P-gp, *see* phospho-glycoprotein
pafenolol 49
paracellular pathway 42 ff., 77, 169
parallel artificial membrane permeability assay (PAMPA) 49, 169
parallel synthesis 165
paroxetine 115
partition coefficient ($\log P$) 2 ff., 55 ff.
– CSF to plasma partition coefficient 57
partitioning
– alkane/water 10
passive diffusion 51, 68 ff., 84, 169
patient compliance 62
pattern recognition analysis 173
peak to trough variation 23, 65
penciclovir 104
permeability 2 ff., 51, 74
permeation factor 35
PET scanning 32
pharmacodynamics 33, 72
pharmacokinetic/pharmacodynamic 161
pharmacokinetics 15
– optimal 171
– optimising 145
– parameter 80
– phase 29

pharmacology 72 f.
Phe-cluster 100
phenacetin 128
phenolate anion 113
phenytoin 40, 97, 126, 143 ff., 158
pholcodine 63
phosphatidylcholine 13
phospho-glycoprotein (P-gp) 8, 46 ff., 169
phospholipid 1, 75 ff.
– acidic 13
– amphipathic 42
– membrane 62
phospholipidosis 124
physicochemical properties 1, 84, 123, 140
physiological time 156
physiologically-based pharmacokinetic (PBPK) modelling 175
physiologically-based pharmacokinetic/ pharmacodynamic (PBPK/PD) 141
pindolol 59
pirenzepine 34
 pK_a 4, 15, 29 ff., 168
plasma protein 20
– binding 37, 85, 107, 154 ff.
plasma volume 20
polar surface area (PSA) 8, 51, 168
polarity 6
polymorphism
– genetic 95, 106
polypharmacology 122, 146
pore
– aqueous 55
practolol 131
procainamide 133
prodrug design 49
propafenone 95
propranolol 31, 47 f., 59, 77, 107 ff.
propylene glycol dipelargonate (PGDP) 10
protein-reactive cytotoxic metabolite 136
proxicromil 124
proximal tubule 83
pulmonary fibrosis 133
pyridine 147

q

QT interval 161
quantitative structure–activity relationships (QSAR) analysis 7, 141
– 3D 12
quantitative structure–metabolism relationships (QSMR) 173
quantitative structure–pharmacokinetic relationships (QSPR) 173

quantitative structure–toxicity relationships 173
quinidine 100
quinone imine 129 ff.

r

Raevsky H-bond score 44, 111
rash 128 ff.
reabsorption 84
reactivity 125
receptor
– activation 28
– affinity 35, 59, 74
– binding 31
– occupancy (RO) 30 ff., 59, 74
– target 31
receptor-ligand equilibrium 28
recombinant enzyme 170
remoxipride 32
renal clearance 70 ff., 83 f., 156
renal excretion 20
renin inhibitor 9
rifabutin 61
rifampicin 61
rifamycin SV 60
ritonavir 41, 146
rizatriptan 107
rosiglitazone 145
rule of five 8, 44, 172

s

S-adenosyl-L-methionine (SAM) 115
safety threshold 161
salbutamol 33
salmeterol 33
saturation kinetics 36
scaling approach 155
selectivity
– catalytic 95
shape 8
signal transduction 142
single minimum energy conformation 8
size 6
skin rash 128
slow offset compound 33
small unilamellar vesicles (SUV) 11
soft-drug approach 110
solubility 1 ff., 40 f., 51, 80, 168
– computational solubility prediction 14
– screen 13
solvent system 10
species difference 105, 122, 158 ff.
species-specific difference 157

spiramycin 146
steady state 23 ff., 35
– concentration 24, 79
steric effect 109
steric factor 77
steric hindrance 88
steroid 33, 100
– receptor 33
structural feature 123
structure–activity relationships (SAR) 80
structure–toxicity relationships 141
substrate concentration 36
sulfamethoxazole 136
sulfentanil 110
sulphate transferase 113
sulpho-transferase 46, 113, 118
sulpiride 32, 57
sumatriptan 107
suprofen 137
surface area 40
– polar surface area (PSA) 8
– topological polar surface area (TPSA) 8
surface plasmon resonance (SPR) 49
systemic circulation (F) 25, 64
systemic clearance 20, 158, 163
systemic exposure 153

t

tacrine 130
talinolol 47 f.
tamoxifen 99, 146
telenzepine 34
template model 94
tenidap 138
teratogenicity 122 ff., 146
terfenadine 99
thalidomide 122
therapeutic index 23
thermodynamic stability 41
thiazide diuretics 121
thiophene ring 137
thioridazine 32
thiourea 139
thromboxane A₂ receptor antagonist 69, 159
thromboxane synthase inhibitor 69
ticlopidine 137
tienilic acid 137, 157
tight junctions 42, 55
time to maximum plasma concentration (T_{max}) 58 ff.
– delayed 64
timolol 107

tissue

- affinity 13, 20, 60 ff.
- binding 37
- distribution 62 ff.

tocainide 133

tolbutamide 97, 132, 157

topical administration 110

topological polar surface area (TPSA) 6 ff.

toremifene 99

torsades de pointes 161

total body water 20

toxicity 121 ff., 132 ff.

toxicogenomics 141

toxicology

- idiosyncratic 125, 143

toxicophore 133 ff.

transcellular pathway 42 f.

transcriptional activation 142

transcytosis 39

transmembrane (7TM) receptor antagonist 29

transport 15, 39

- active 13, 39, 59, 70, 83 ff.
- basic compound 83
- canalicular 68
- sinusoidal 68

transporter 8, 46 ff., 68, 83, 159, 169

- affinity 83
- organic cation 70

transporter-transfected cell line 49

triamterene 40

triazole 88, 147, 163

triptan 107

troglitazone 145

troleandomycin 146

tubular pH 85

tubular reabsorption 74, 87 f., 156

tubular secretion 85

TxRAs, *see* thromboxane A receptor antagonist

u

unbound clearance 21, 35

unbound drug 19 ff., 73, 84 f., 155 ff.

unbound intrinsic clearance 35, 76 ff., 103

unbound (free) plasma concentration 35, 57

unilamellar vesicle 12

urea 48

uridine diphosphate glucuronyl transferase (UDPGT) 68, 113

urine 70, 83 f.

v

van der Waals-interaction 101

variability 153

verapamil 83, 99

vesnarinone 134

volume

- lumenal 51

volume of distribution 1, 19, 36, 59 ff., 73, 154 ff., 168

- unbound drug 36, 76 ff.

voriconazole 148

w

(S)-warfarin 97

wash out 33

water sphere 5

well-stirred model 158

white blood cell toxicity 138

x

X-ray crystallography 115

xanthine oxidase 104

z

zaleplon 104

zamifenacin 115, 155

zolmitriptan 107

zwitterion 6

