

# Index

- 802 202, 207
  - see also* Ethernet
- 802.1D 202
- 802.11a (“WiFi”) 297, 298
- 802.11b (“WiFi”) 297–8
- 802.11g (“WiFi”) 298
- 802.16 (“WiMax”)
  - access technology 301
  - standardization 76
- 802.17, *see* Resilient packet ring (RPR)
- 802.1ad (“Provider Bridges”)
  - features 203
  - standardization 76
- 802.1ah (“Backbone Provider Bridges”)
  - features 203
  - standardization 76
- 802.20 301
- 802.3ae (10 Gbps LAN), standard 76, 204
  
- Access Grid 7
- Ad hoc wireless networks 297
- Additive increase multiplicative decrease (AIMD) 172
- AEON, *see* Application-empowered optical network (AEON)
- AIST, *see* National Institute of Advanced Industrial Science and Technology (AIST)
- All-photonic 235–6
  - network service 235
  
- Application-empowered optical network (AEON) 325
- Application Grid 7
- Application-initiated connections 229
- ARPANET 101
- ASON, *see* Automatically switched optical networks (ASON)
- Assured forwarding 107
- Asynchronous transfer mode (ATM) 199
- Authentication, authorization, and accounting (AAA) 59, 114, 136
  - example of network service 114
  - trust model 137
- Automatically switched optical networks (ASON) 74, 313
- Autonomous system (AS) 186, 189, 254
  
- Bandwidth characteristics 256
  - achievable bandwidth 256
  - available bandwidth 256
  - capacity 256
  - utilization 256
- Behavioral control 224–9
  - L1 224
- Berkeley sockets 179
- BGP, *see* Border gateway protocol
- BIC 153, 160
- BIC TCP 160
- Biomedical Informatics Research Network (BIRN) 316

- Bit error rate (BER) 219
- Border gateway protocol (BGP) 65, 189
  - component of grid network infrastructure 135
  - element of IP networks 198
- BPEL4WS, *see* Business process execution language for web services (BPEL4WS)
- Broadband over power lines (BPL) 301
- Burst 240–50
- Burst control packet (BCP) 242
- Business Process Execution Language for Web Services (BPEL4WS) 70, 89, 139
  - component of grid network infrastructure 139
  - standardization 70
- CA\*net4 292, 326
- California Institute of Telecommunications and Information Technology (Calit2) 34
- CANARIE 326–7
- CAVE 181
- CAVERNsoft 181
- CERN 25–6
- CESNET 321
- CHEETAH (circuit-switched high-speed end-to-end transport architecture) 316
- CineGrid 33–6
- Cipher block chaining (CBC) 194
- Closeness characteristics 257–8
- Cognitive radio 298–9
- Collaboration 18–23
- Command line interfaces (CLI) 127
- Common information model
  - bindings of a grid network infrastructure 113, 127
  - standardization 73
- Community scheduler framework (CSF) 119
- Composable-UDT 178
- Computational science 26–7
- Congestion loss 268
  - class-based QoS 271–2
  - distributed deflection 270–1
  - local deflection 270
  - neighbor deflection 270
- Control plane 225–6
  - functions 226
- DAME, *see* Distributed Aircraft Maintenance Environment (DAME)
- Data Grid 7
- Data mining 30–3
- Decentralization 56, 280
- Decreasing AIMD or DAIMD 176–7
- Delay characteristics 256–7
- Department of Energy (DOE) 323
- Determinism 220
- Differentiated services code point (DSCP) 187
- Differentiated services field 86–7, 105–7, 187–8
- DiffServ 87, 93, 105, 106–7, 188
- Distributed Aircraft Maintenance Environment (DAME) 36–41
- Distributed Management Task Force (DMTF), profile 73–4
- Distributed optical testbed (DOT) 314
- DOE, *see* Department of Energy (DOE)
- DOT, *see* Distributed optical testbed (DOT)
- DRAC service plane 65
- DRAGON (Dynamic Resource Allocation via GMPLS Optical Networks) 316–17
- DWDM-RAM 123–6, 134
  - features 123–4
  - overview 123–4
- Dynamic Ethernet intelligent transit interface (DEITI) 94
- Dynamic range 237
- EarthScope 316
- EGEE, *see* Enabling Grids for E-Science (EGEE)
- Electronic Visualization Laboratory (EVL) 20, 23, 34, 324
- Enabling Grids for E-Science (EGEE) 330
- End-to-end principle 8, 101–2
- Endpoint reference 129
- EnLIGHTened 319
- Enterprise Grid Alliance (EGA), profile 69–70
- E-science applications 219
- Ethernet
  - Ethernet-over-SONET 206–7
  - future wire rates 204
  - metro and WAN challenges 202
  - OAM 203
  - profile 201–5
  - provider-provisioned service 69

- Ethernet-over-SONET 109
- EU datagrid 259
- Euro-Link 324
- EVL, *see* Electronic Visualization Laboratory (EVL)
- eVLBI 284
- Expedited forwarding (EF) 106
- Explicit congestion control protocol (XCP) 166–7
- Exterior BGP (EBGP) 189
- Exterior gateway protocol (EGP) 189
- Extra-Grid 7
  
- FAST 153, 158, 159–60
- Fault detection 263–4
  - BGP 264
  - GMPLS 264
  - IGP 264
  - LMP 264
  - OSPF 264
  - SNMP 264
- Fault-tolerant Grid platform (FT-Grid) 263
- Fiber switches (FXCs) 217
- Fiber to the premises (FTTP) 300
- Forward equivalent class (FEC) 268
- Frame relay 198, 200
- Free space optics (FSO) 301
- FXCs, *see* Fiber switches (FXCs)
  
- G.7042 109
- G.709 109
- GÉANT2 322
- GEL, *see* Global E-science laboratory (GEL)
- General-purpose architecture for reservation and allocation (GARA) 93, 107, 121
- Generic framing procedure (GFP) 109
  - features 207
  - standard 74
- Generic route encapsulation (GRE) 200
- GENI, *see* Global Environment for Network Innovations (GENI)
- GGF NM-WG 255
- GigaPort 325, 327
- GLIF open lightpath exchange (GOLE) 324, 325
- GLIF, *see* Global Lambda Integrated Facility (GLIF)
- Global Environment for Network Innovations (GENI) 322
  
- Global E-science laboratory (GEL) 224
- Global Grid Forum (GGF), profile, 10, 68
- Global Lambda Grid 7
- Global Lambda Integrated Facility (GLIF) 97, 291, 328–9
  - multidomain considerations 137
- Global Ring Network for Advanced Application Development (GLORIAD) 329
- Globus toolkit 115–17
  - container 117
  - data management 119
  - execution management 118–19
  - extensible I/O 122
  - monitoring and discovery 119–20
  - security 120
- GLORIAD, *see* Global Ring Network for Advanced Application Development (GLORIAD)
- GMPLS (Generalized Multiprotocol Label Switching) 218
- GOLE, *see* GLIF open lightpath exchange (GOLE)
- Grid 2–3
  - Grid abstraction 2, 4, 5–6
  - Grid architectural principles 1
  - Grid customization 5, 14
  - Grid decentralization 4, 11–12
  - Grid determinism 4, 11
  - Grid dynamic integration 4, 12
  - Grid first class entities 1–2
  - Grid infrastructure software 114
  - Grid network infrastructure software 114–15
  - Grid network services 219, 235–40
  - Grid-OBS 246–50
  - Grid programmability 4, 10
  - Grid resource allocation and management (Globus' GRAM) 116
  - Grid resource sharing 4
  - Grid resources
    - coordination 233–5
    - discovery 231
    - scheduler 233
  - Grid scalability 4, 12
  - Grid security 5, 13
  - Grid services 219
  - Grid types 7–14
  - Grid virtualization 4

- Grid web services 83
- GridFTP 25
  - features 121–2
  - standardization 68
- GUNI (Grid UNI) 239
  
- High Performance Networking Research Group (GHPN-RG) 64, 69, 114
- High-speed TCP, standardization 161–2
- Hoplist 255–6
- Host channel adapter, *see* Infiniband
- Hourglass design 186
  
- iCAIR, *see* International Center for Advanced Internet Research (iCAIR)
- Infiniband
  - features 211–14
  - MPI libraries 214
  - remote direct memory access 214
  - standard 75–6
  - virtual lane 213
  - web services representation 213
- Infiniband Trade Association (IBTA), profile 75–6
- Institute of Electrical and Electronics Engineers (IEEE) 76
- Inter Grid 7
- Interior BGP (IBGP) 189
- Interior gateway protocol (IGP) 189
- International Center for Advanced Internet Research (iCAIR) 324
- International Organization for Standardization 51
- International Telecommunication Union (ITU) 74–5
- Internet 8, 11
- Internet Engineering Task Force (IETF) 58, 71–3
- Intra-Grid 7
- IntServ 107
- IP multicast 194
- IP packet delay variation (IPDV) 257
- IPsec 193
- IPSphere Forum, profile 71
- IPv6 57, 72, 192–3
- ISO 51
- ITU-T NGN 74, 278–80
- I-WAY 8
- I-WIRE 314–15
  
- Japan Gigabit Network II (JGN II) 317
- JGN II, *see* (Japan Gigabit Network II)
- Job Submission Description Language (JSDL) 90
- Joint wavelength assignment (SPP-JWA) 267
- Just-enough-time 245
- Just-in-time 239
- JuxtaView 22
  
- KISTI, *see* Korean Institute of Science and Technology Information (KISTI)
- Korean Institute of Science and Technology Information (KISTI) 224
  
- L1 (layer 1)
  - benefits 219–21
  - connection type 235
  - high capacity 220
  - network services 217, 219
  - VPN 221–2
- L1 QoS 109
- Lambda User Controlled Infrastructure For European Research (LUCIFER) 320–2
- LambdaGrid 19, 110, 224
- LambdaStream 178–9
- LambdaVision 20, 21
- LAN-PHY 285, 287, 290
- Large Hadron Collider (LHC) 25, 229, 234
- Layer 1 Virtual Private Network (L1VPN), standard 73, 110, 221
- Layer 1, *see* L1 (layer 1)
- Layer 3 185–95
- Layer 4 186, 192
- Light-emitting diodes (LEDs)
  - access technology 301
  - edge technology 300
- Lightpath 14, 217
- The link capacity adjustment scheme (LCAS) 109
  - features 207
  - standard 74
- Loss characteristics 257
- LUCIFER, *see* Lambda User Controlled Infrastructure For European Research (LUCIFER)
  
- Management plane 225
- MaxNet 163–6
- Measurement methodologies 254

- Media access control (MAC) 76, 109, 198
- MEMs switching 248
- Meta-schedulers 234
- Metro Ethernet Forum 202, 204
- Monitoring and discovery services (Globus' MDS) 116
- MPI
  - MPI forum profile 71
  - with Infiniband 211–14
- MPLS-TE, *see* Multiprotocol label switching with traffic engineering (MPLS-TE)
- MSPP, *see* Multiservice provisioning systems (MSPP)
- Multiprotocol label switching with traffic engineering (MPLS-TE) 227
- Multi Router Traffic Grapher (MRTG) 258
- Multiservice provisioning systems (MSPP) 316
- Multiprotocol label switching (MPLS), 284
  - profile 198–201
  - in shared network infrastructure 200
  - virtual private networks 200–1
  - with grid network services 201
- National Institute of Advanced Industrial Science and Technology (AIST) 316
- National Institute of Information and Communications Technology (NICT) 317
- National Lambda Rail (NLR) 327–8
- National Science Foundation (NSF) 314, 316
- NetBLT 173
- NetFlow 129
- NetherLight 286, 292, 325–6
- Network abstraction 53
- Network address port translation (NAPT) 57, 192
- Network determinism 54–6
- Network quality of service 100–1, 102
- Network resource management system 64–5, 123
- Network self-organization 279–80
- Network user categories 50
- Network virtualization 52–3
- Network Weather Service 133
- Network–network interfaces (NNI)
  - component of grid network infrastructure 135
  - standard 75
- NewReno 151, 157–8
- Next-generation network (NGN), *see* ITU-T NGN
- NICT, *see* National Institute of Information and Communications Technology (NICT)
- NLR, *see* National Lambda Rail (NLR)
- NSF, *see* National Science Foundation (NSF)
- O-NNI, *see* Optical network-network interface (O-NNI)
- OBGP 96
- OEO, *see* Optical-to-electrical-to-optical (OEO)
- OFA, *see* Optical fiber amplifier (OFA)
- Offset 242
- OIF, *see* Optical Internetworking Forum (OIF)
- OMNI, *see* Optical Metro Network Initiative (OMNI)
- OMNInet 312–13
- On-demand provisioning 220
- OOO, *see* Optical-to-optical (OOO)
- Open Communications Architecture Forum (OCAF), standardization 75
- Open Grid optical exchanges 283–91
- Open Grid services architecture (OGSA) 62
  - standardization 68
- Open Grid services exchange 281–2
- Open services communications exchange 281–3
- Open shortest path first (OSPF) 65, 189, 198
- Open Systems Interconnect model 51–2
- Open Systems Interconnection basic reference model 51, 279
- OpEx (operational Expense) 220
- Optical burst switching 240–50
- Optical cross-connect (OXC) 248
- Optical dynamic intelligent network (ODIN) 65, 95
- Optical fiber amplifier (OFA) 313
- Optical Internetworking Forum (OIF)
  - demonstration 204
  - NNI 221
  - profile 75
  - UNI 221

- Optical Metro Network Initiative (OMNI) 312–13
- Optical network–network interface (O-NNI) 313
- Optical switches
  - design 304–5
  - futures 306–7
  - high performance 302
  - recent advances 303–4
  - reliability 306
  - use in core networks 305–6
- Optical-to-electrical-to-optical (OEO) 217
- Optical-to-optical (OOO) 217
- OptiCAT 321–2
- OptIPuter 19, 20–2, 34, 110, 315–16
- Organization for the Advancement of Structured Information Standards (OASIS) 70, 89
  - profile 70
- OSI 51–2
- OSPF, *see* Open shortest path first (OSPF)
  
- Pacific Northwest GigaPoP (PNWGP) 317
- Particle physics 24, 26
- Passive optical networking (PON) 300
- Path-based protection 266
  - dedicated path protection (DPP) 266
  - shared path protection (SPP) 266
- Peer-to-peer (P2P) 50, 83
- Per-hop behavior (PHB) 106, 187
- Photonic integrated circuits (PIC)
  - core technology 302
  - general 294
- Photonic switch node (PSN) 313
- Physical layer, QoS 236
- Physical layer impairments 238–9
  - chromatic dispersion (CD) 239
  - linear impairments 238
  - nonlinear 239
  - polarized mode dispersion (PMD) 238
- PIONEIR 322
- PNWGP, *see* Pacific Northwest GigaPoP (PNWGP)
- Pseudo-wire emulation 205
- PSN, *see* Photonic switch node (PSN)
  
- QoS, *see* Quality of service (QoS)
- Quality of service (QoS) 87, 217, 218, 220, 235
- Quanta 180–2
  
- Radio astronomy 24, 30
- Radio frequency identification (RFID) 59, 299
- RealityGrid 27
- Reconfigurable optical add-drop multiplexers (ROADMs) 218
- Recovery 228–9, 264–72
  - ARQ 264
  - dynamic restoration 265
  - preplanned protection 265
  - protection 229
  - restoration 229
- Reliable blast UDP (RBUDP) 173
- Remote direct data placement (RDDP), standardization 72
- Remote direct memory access in Infiniband 214
- Resilient packet ring (RPR)
  - features 207–8
  - requirements posed by Ethernet services 203
- Resource reservation protocol (RSVP) 105
- Resource reservation protocol with traffic engineering (RSVP-TE) 227
- Restoration 264–72
  - loss 268
- RFC 1958 103
- RFC 2474 103
- RFC 2598 106
- RFC 2768 60–1
- RFC 3439 103
- RFC 768 172
- RFID, *see* Radio frequency identification (RFID)
- ROADMs, *see* Reconfigurable optical add-drop multiplexers (ROADMs)
- Routing models 226
- Routing information bases (RIBs) 190
- Routing information protocol (RIP) 189
- Routing metrics 191–2
- Routing policies 190
- Routing topologies 190
- RSVP-TE, *see* Resource reservation protocol with traffic engineering (RSVP-TE)
  
- SABUL (simple available bandwidth utilization library) 174–5
- Scalable adaptive graphics environment (SAGE) 20
- Scalable TCP 162

- Science Technology and Research Transit
  - Access Point (STAR TAP) 323
- SCTP 88
- Semantic web
  - distributed service awareness 139
  - ontologies 131
  - standardization 71
- Semiconductor optical amplifiers (SOAs) 232
- Sensors 299
- Separate wavelength assignment (SPP-SWA) 267
- Service Grid 6
- Service level agreements (SLAs) 53
- Service matrix 289
- Service-oriented architecture (SOA) 61
- Session initiation protocol 138
- Shared path protection with joint wavelength assignment (SPP-JWA) 267
- Shared path protection with separate wavelength assignment (SPP-SWA) 267
- Signal to noise ratio (SNR) 237
- Silicon optical amplifiers (SOA) 232
- Simple network management protocol (SNMP) 128, 258
- Simple path control protocol (SPC) 93, 313
- SNMP, *see* Simple network management protocol (SNMP)
- SOA, *see* Silicon optical amplifiers (SOA)
- Software-defined radio (SDR) 298–9
- SONET/SDH 109, 312, 316
  - Ethernet over SONET 206
  - features exposed via UNIs 208
  - profile 206
  - with regard to Ethernet services 202
- SPC, *see* Simple path control protocol (SPC)
- SPICE 29–30
- SPP-SWA, *see* Joint wavelength assignment (SPP-JWA); Separate wavelength assignment (SPP-SWA)
- STAR TAP 323, 324
- StarLight 28, 292, 323–4
- StarPlane 318–19
- Study group 13 74, 75, 110
- SuperJANET 24, 27
- SURFnet 27, 28, 327
- SURFnet6 138
- Switching granularity 235
- System to intermediate system (IS-IS) 189
- Target channel adapter, *see* Infiniband
- TCP, *see* Transmission Control Protocol (TCP)
- TDM, *see* Time division multiplexing (TDM)
- TE (traffic engineering) 199
- Telecommunication management network (TMN) 133
- Tell and wait 243
- TeraGrid 7
- TeraGyroid 27–9
- TERENA 329
- Testbeds 218, 312–23
- Time division multiplexing (TDM) 217
- T-LEX (Tokyo Lambda Exchange) 317
- Token-based security 136
- TOS octet 187
- Transaction language 1 (TL1) 53, 128
- TransLight 324–5
- Transmission Control Protocol (TCP) 88, 147
  - AIMD 172
  - binary increase congestion (BIC) metrics 153
  - profile 160
  - congestion control
    - delay-based 149
    - explicit signal 149
    - fairness 152
    - feedback system 150–2
    - loss-based 149
    - loss recovery 153
    - queuing delay 153
    - responsiveness 152–3
    - stability 152
    - throughput 152
  - fairness 149
  - FAST
    - metrics 153
    - profile 159
  - high-speed (HS) metrics 156
  - profile 161–2
- NewReno
  - metrics 153
  - profile 157–8

- Transmission Control
  - Protocol (TCP) (*Continued*)
  - profile 147
  - proxies 180
  - Reno 157
  - scalable
    - metrics 153
    - profile 162
  - Vegas 158–9
  - Westwood 162–3
  - window flow control 147–9
- Tsunami 178
- UCLP, *see* User-controlled lightpaths (UCLP)
- UDP 88, 146, 167
- UDP-based data transfer protocol (UDT) 174
- UK e-science 24, 27
- UKLight 24, 26, 326
- UltraLight 330
- UltraScience Net 323
- Uniform resource identifier (URI) 90
- Universal description, discovery, and integration (UDDI) 90
- User-controlled lightpath architecture (UCLP) 95–6
- User-controlled lightpaths (UCLP) 30, 32, 321
  - example of grid network infrastructure 123
  - views on resource scheduling 135
- User datagram protocol (UDP) 105, 146, 171–8
  - profile 146–7
- User–Network Interfaces (UNI) 53, 89
  - bindings of a grid network infrastructure 127
  - definition 208–10
  - fit with SOA 209
  - relationship with other interfaces 208–10
  - requirements posed by grid applications 208–10
  - standard 75
- Vertically integrated optical testbed for large scale applications (VIOLA) 65, 123, 318
- Virtual bridged local area networks 94
- Virtual concatenation (VCAT) 109, 207
  - features 207
  - standard 74
- Virtual organization 50, 51, 53
- Virtual private LAN services 205
- Virtual private networks
  - BGP/MPLS IP VPNs 201
  - general considerations for layer 2 197–8
  - layer 1 210
  - layer 3 205
  - MPLS based 283, 284
  - OAM 204
  - with UNI 208–9
- Visualization 18–23, 55
- vLANs 76, 93, 95
- Vol-a-Tile 22
- W3C 71
- WS-Agreement
  - component of grid network infrastructure 131
  - standardization 68
- WAN-PHY 76, 287
- Wavebands 217
- Wavelength division multiplexing (WDM) 218, 240
- Web Based Enterprise Management (WBEM) 53, 65, 73
  - bindings of a grid network infrastructure 127, 128
  - standardization 73
- Web services business process execution language 89
- Web Services Definition Language (WSDL) 89–90
- Web Services Resource Framework (WSRF) 10, 89
- WS-Notification
  - component of grid network infrastructure 130
  - standardization 70
- World Wide Web Consortium (W3C), profile 71
- WS Resource Framework
  - component of grid network infrastructure 129–30
  - standardization 70
- WSBPEL 89
- XML 71, 90
- Y.1312, *see* Layer 1 Virtual Private Network (L1VPN)







