

Index

SYMBOLS AND NUMERICS

* (asterisk), in URL authorization, 1279
 /// (comment marks), C#, 1425
 "" (comment marks), Visual Basic, 1425
 <!-- --> delimiters, enclosing comments, 513
 <%\$ %> delimiters, enclosing expressions, 432
 <%@ %> delimiters, enclosing page directives, 68
 <!DOCTYPE> element, Web pages, 1438
 > (greater-than sign), in Visual Studio, 940
 ? (question mark)
 in URL authorization, 1279
 in Visual Studio, 940
 <?xml ?> declaration, 512
 3DES (Triple DES) encryption, 1435–1436
 4 Guys from Rolla Web site, 1462
 64-bit processors, support for, 9, 27
 123ASPX Directory Web site, 1462
 200 OK, status code, 967
 301 Moved Permanently, status code, 967
 302 Found, status code, 967
 304 Not Modified, status code, 967
 307 Temporary Redirect, status code, 967
 400 Bad Request, status code, 967
 401 Unauthorized, status code, 968
 403 Forbidden, status code, 968
 404 Not Found, status code, 968

410 Gone, status code, 968
 500 Internal Server Error, status code, 968

A

<a> element, HTML class controlling, 129
 accelerator keys, Label control for, 157–158
Access Control Lists (ACLs)
 displaying, 992–995
 modifying, 995–998
Access, Microsoft
 as data source, 368, 379
 location of files for, 93, 1436
access rules for files and folders, 1350–1351, 1355–1356. See also Access Control Lists (ACLs); URL authorization
 AccessControl namespace, 993
 AccessDataSource control, 368, 379
accessibility, validating HTML for, 45–46
 AccessKey property, server controls, 119
ACLs (Access Control Lists)
 displaying, 992–995
 modifying, 995–998
 AcquireRequestState event, HttpApplication class, 875, 876, 1104
Active Directory Application Mode (ADAM)
 membership provider using, 576–577
 role provider using, 578, 580–582
Active Server Pages (ASP), 2

Active Solution Configuration, 1376

ActiveDirectoryMembershipProvider **class**, 574, 576–577

ActiveForm **property**, mobile Web Form, 1181

ActiveStepChanged **event**, Wizard **control**, 234

ActiveViewIndex **property**, MultiView **control**, 227

ActiveX DLLs, with COM components, 1126, 1128–1131

ADAM (Active Directory Application Mode)

membership provider using, 576–577

role provider using, 578, 580–582

<add> element

of <databases> element, 928–929

of <eventMappings> element, 1323

of <profiles> element, 1328

of <properties> element, 704, 705, 708, 709

of <providers> element, 1325

of <rules> element, 1326–1327

Add() method

ArrayList class, 342

IDictionary interface, 346

SqlBulkCopyColumnMapping class, 468–469

AddAccessRule() **method**, FileSecurity **class**, 996

AddAttribute() **method**, server controls, 1044–1045

AddAttributeToRender() **method**, server controls, 1046–1047

AddRemoveProgramsIcon **property**, installer program, 1398

AddUsersToRole() **method**, Roles **class**, 785

AddUsersToRoles() **method**, Roles **class**, 785

AddUserToRole() **method**, Roles **class**, 777, 785

AddUserToRoles() **method**, Roles **class**, 785

AddWebPart() **method**, WebPartManager **class**, 815

administration. *See also* membership management; role management; Web Site Administration Tool

features for, 6–9

MMC (Microsoft Management Console)

accessing, 1362

application, selecting, 1363

Application tab, 1370–1371

Authentication tab, 1368–1370

Authorization tab, 1367–1368

changing provider for sessions, 564

Custom Errors tab, 1366–1367

definition of, 6–7

editing configuration files using, 868–869

features of, 1364

General tab, 1365–1366

Locations tab, 1372–1373

.NET Framework version, specifying, 1364

State Management tab, 1371–1372

upgrading applications, 1434–1435

virtual path of application, specifying, 1364

web.config file creation and modification dates, specifying, 1364

web.config file location, specifying, 1364

ADO.NET. *See also* data management; *specific classes*

classes for, types of, 445

deleting data, 443–444

history of, 439

inserting data, 441–442

namespaces for, 444–445

selecting (reading) data, 440–441

updating data, 442–443

AdRotator **control**, 199–201, 428–429

AdRotator **mobile Web control**, 1157–1159

Advanced Encryption Standard (AES), 1435–1436

AdvertisementFile **property**, AdRotator **mobile Web control**, 1158

advertisements

AdRotator control, 199–201, 428–429

AdRotator mobile Web control, 1157–1159

AES (Advanced Encryption Standard), 1435–1436

AggregateCacheDependency **class**, 917–918

Ajax (Asynchronous JavaScript and XML)

Atlas toolkit for
 components of, 1447
 definition of, 1445
 example using, 1451–1459
 installing, 1447–1450
 XmlHttpRequest class for, 1445–1447
 definition of, 1445

aliases for classes, registering, 68, 76**Alignment property**

Image mobile Web control, 1167
 Label mobile Web control, 1162
 TextBox mobile Web control, 1163
 TextView mobile Web control, 1165

<allow> **element, of <authorization> element, 773–774, 840–842, 1279**

allowAnonymous **attribute, <add> element, 714**

AllowClose **property, WebPart class, 817, 822, 824**

allowDefinition **attribute, <location> element, 1281**

AllowDirectoryBrowsing **property, File System Editor, 1400**

AllowEdit **property, WebPart class, 817**

AllowHide **property, WebPart class, 817**

AllowLayoutChange property

WebPartZone class, 816
 WebPartZone control, 808–809

AllowMinimize **property, WebPart class, 817**

allowOverride **attribute, <location> element, 1260–1261, 1281**

AllowPaging property

DetailsView control, 416
 GridView control, 5, 396–398

AllowReadAccess **property, File System Editor, 1400**

AllowReturn **property, Wizard control, 231**

AllowScriptSourceAccess **property, File System Editor, 1400**

AllowSorting **property, GridView control, 394–395**

AllowWriteAccess **property, File System Editor, 1401**

AllowZoneChange **property, WebPart class, 817**

AlternateFormat **property, PhoneCall mobile Web control, 1167–1168**

AlternateText **property, Image mobile Web control, 1166**

AlternateUrl **property, PhoneCall mobile Web control, 1168**

AlternatingItemTemplate **template, TemplateField control, 402**

AlternatingRowStyle **property, GridView control, 414**

Anders, Marc (XSP methodology), 2

Angry Coder Web site, 1462

anonymous identification. See personalization system

anonymous methods, 1420–1421

AnonymousID **property, Request class, 712**

<anonymousIdentification> **element, configuration files, 710, 711, 1278**

AnonymousIdentificationEventArgs **event, 713**

AnonymousIdentification_OnCreate **event, 713**

AnonymousIdentification_OnRemove **event, 713**

<AnonymousTemplate> **element, LoginView control, 768**

App_Browsers **folder, 94, 1437**

App_Code folder

build providers for, 98–106
 business objects in, 1121–1122
 classes in, after migration, 1443
 compilation of, 14, 91, 94
 definition of, 88–91, 1436
 multiple languages in, 91–93

App_Data folder

ASPNETDB.mdf file in, 735, 737, 794
 definition of, 93, 1436

AppendDataBoundItems **property, data-bound controls, 427**

App_GlobalResources **folder, 93, 686, 1253, 1436**

Application **class, 896**

application configuration, 1261–1262

@Application **directive, in Global.asx file, 107**

Application event log, 1306

application events, 106–109

Application Restarts performance counter, 1311

Application Scope, 873

Application State, for state management

- advantages and disadvantages, 873
- definition of, 896

Application State section, tracing output, 945

Application tab, MMC (Microsoft Management Console), 1370–1371

Application tab, Web Site Administration Tool

- application settings, 1356–1357
- disabling application, 1360
- SMTP configuration, 1357–1358
- tracing and debugging, 1359–1360

application tracing, 942–943. See also tracing system

Application_AuthenticateRequest event, 107

Application_BeginRequest event, 107

Application_End event, 107–109

Application_Error event, 107

ApplicationName property,

- ProfileManager **class, 724**

ApplicationProtection property, File System Editor, 1401

Applications Running performance counter, 1311

applications, Web. See also deployment

- configuration of
 - in <appSettings> element, 432, 1208, 1264, 1289, 1290
 - in Application tab, 1356–1360
 - in MMC, 1364–1366, 1370–1371
- currently running, performance counter for, 1311
- enabling and disabling, 1284, 1360
- folders for, list of, 88–94
- installing with installer program, 1392–1393
- location of
 - with built-in Web server, 57–59
 - default, 58
 - with IIS Web server, 59–60
 - with remote server using FTP, 60
 - with server using FrontPage Extensions, 60–61

mobile Web applications

- Code view of, 1152
- container controls for, 1153–1155
- creating, 1149–1152
- definition of, 1149
- Design view of, 1152
- device filters for, 1187–1189
- emulators for testing, 1186
- event handling with, 1153
- hidden fields in, 1190–1192
- HTML view of, 1152
- navigating between forms in, 1181–1182
- state management for, 1189–1192
 - StyleSheet control for, 1155–1157
- projects, creating, 39–42
- restarts, performance counter for, 1311
- thick-client applications, 1–2
- uninstalling, 1394–1395, 1409
- upgrading from 1.x to 2.0, 1434–1435
- version of .NET Framework used by, specifying, 1364
- virtual path of, specifying, 1364

Application_Start event, 106

App_LocalResources folder, 93–94, 1248, 1436

AppMappings property, File System Editor, 1401

App_Offline.htm file, 1284

appRequestQueueLimit attribute, <httpRuntime> element, 1286

<appSettings> element, web.config file

- connection strings in, 1264
- definition of, 1289
- managing settings in, 1356–1357, 1366
- manipulating programmatically, 1290
- retrieving settings from, 432
- Web service reference in, 1208

AppSettingsExpressionBuilder class, 432

AppSettingsSection class, 1290

App_Themes folder, 20, 93, 312–313, 1436

App_WebReferences folder, 94, 1437

Array class

- definition of, 331, 362
- finding objects in

- based on equivalence, 334, 335–336
- based on identity, 334–335
- using `BinarySearch()` method, 337–338
- iterating over
 - with `For Each` statement, 332–334
 - with `For` statement, 332–334
- objects in, making comparable, 336–337
- resizing, 334
- sorting objects in, 338–340
- ArrayList class**
 - compared to generics, 345
 - definition of, 340, 362
 - using, 340–343
 - when to use, 345
- .ascx files, 64, 66. See also user controls**
- .ascx.cs files, 66**
- .ascx.vb files, 66**
- .ashx files, 1114. See also HttpHandler class**
- .asmx files, 64, 66. See also XML Web services**
- ASP 101 Web site, 1462**
- ASP (Active Server Pages), 2**
- ASP Alliance Lists, 1462**
- ASP Alliance Web site, 1462**
- ASP+, 2**
- AspNetCompat attribute, @Page directive, 69**
- ASP.NET 1.x**
 - data binding, 365–366
 - migrating to ASP.NET 2.0
 - converting applications in Visual Studio, 1439–1444
 - difficulty of, 1433
 - hard-coded JavaScript files, modifying, 1439
 - reserved folders for, 1436–1437
 - upgrading applications, 1434–1435
 - XHTML compliance, 1437–1439
 - tables in Web pages, creating, 3–4
- ASP.NET 2.0**
 - administration features for, 6–9
 - compilation features of, 14
 - configuration settings, editing features, 16–18
 - controls, new, 21
 - data controls, 20–21, 35
 - health monitoring features, 15–16
 - history of, 1–3
 - installing multiple versions of, 1433–1434
 - localization features, 18
 - membership and role management features of, 10
 - navigation features of, 12–14
 - online resources for, 1461–1462
 - page framework features, 18–20
 - performance features of, 9
 - personalization features of, 10
 - Portal Framework for, 11–12
 - productivity features of, 3–6
 - running multiple versions of, 1434, 1435–1436
 - scalability features of, 9
- ASP.NET account**
 - privileges for, 862–863
 - security of, 971
- ASP.NET applications. See Web applications**
- The ASP.NET Developer Portal Web site, 1462**
- ASP.NET Development Server, debugging with, 957–958**
- ASP.NET Homepage Web site, 1462**
- ASP.NET Management Objects, 1289–1291**
- ASP.NET pages. See Web pages**
- ASP.NET Resources Web site, 1462**
- ASP.NET Snap-In for IIS, editing configuration files using, 1302**
- ASP.NET Worker Process**
 - configuration of, 1286–1288
 - identity settings for, 1371
 - performance counters associated with, 1311
 - security of, 971
- ASP.NET World Web site, 1462**
- aspnet_compiler.exe tool, 14, 96–98, 1384**
- ASPNETDB.mdf file**
 - created by SQL Server Setup Wizard, 569
 - managing with Web Site Administration Tool, 1341–1342
 - membership information in, 735, 737
 - Portal Framework information in, 794
 - security of, 1343
- aspnet_isapi.dll file, 1286**
- aspnet_Membership table, 737–738**
- aspnet_regiis.exe tool, 1288, 1298**

aspnet_regsql.exe tool

- configuring SQL Server cache dependency, 922
- configuring SQL Server cache invalidation, 923
- configuring SQL Session State, 890–891
- GUI version of, 570
- using, 567–569
- viewing tables enabled for caching, 925–926

AspNet_SqlCacheTablesForChange Notification **table, 924–925, 929**

aspnet_state.exe **process, 884–885**

aspnet_wp.exe **process, 1286**

ASPStateTempApplications **table, 891, 892**

ASPStateTempSessions **table, 891, 892**

- .aspx **files, 64, 66**
- .ASPXANONYMOUS **cookie name, 711**
- .aspx.cs **files, 66**
- .aspx.vb **files, 66**

assemblies

- attaching to page, 68, 76–77
- compilation configuration for, 1271
- importing namespaces for, 68, 74–75
- registering, 1143

assemblies **attribute, <compilation> element, 1271**

Assembly **attribute, @Register directive, 76**

@Assembly **directive**

- definition of, 68, 76–77
- in Global.asx file, 107

Assembly Registration Tool, 1143

asterisk (*), in URL authorization, 1279

Async **attribute, @Page directive, 69**

AsyncCallback **class, 490**

asynchronous callbacks. See client-side callbacks

asynchronous command execution

- AsyncCallback class for, 490
- Callback approach for, 506–508
- canceling, 508
- definition of, 487
- IAsyncResult interface for, 489
- Poll approach for, 491–494
- SqlCommand class methods for, 487–489

- Wait approach for
 - definition of, 494
 - for multiple processes, 497–506
 - for single process, 494–497
- WaitHandle class for, 490–491

asynchronous database connections, 509

Asynchronous JavaScript and XML (Ajax)

- Atlas toolkit for
 - components of, 1447
 - definition of, 1445
 - example using, 1451–1459
 - installing, 1447–1450
 - XmlHttpRequest class for, 1445–1447
- definition of, 1445

Asynchronous **property, SqlConnection class, 509**

Asynchronous Web Service Invocation Framework, 1447

AsyncState **property, IAsyncResult interface, 489**

AsyncWaitHandle **property, IAsyncResult interface, 489**

Atlas Client Framework, 1447

Atlas Controls and Behaviors, 1447

Atlas Script Components, 1447

Atlas toolkit

- components of, 1447
- definition of, 1445
- example using, 1451–1459
- installing, 1447–1450
- XmlHttpRequest class for, 1445–1447

<atlas:> **element, Web pages, 1456–1457**

Attributes **property**

- HtmlControl class, 128
- server controls, 119

audio error notifications for validation controls, 271

Audit Failure Events Raised performance counter, 1311

Audit Success Events Raised performance counter, 1311

Authenticate() **method, FormsAuthentication class, 854**

- AuthenticateRequest **event**,
 HttpApplication **class**, **874, 1104**
- authentication. See also membership management; security**
- Basic authentication, 844
 - configuration of, 836, 837–838, 1275–1277, 1368–1370
 - definition of, 732, 836
 - Digest authentication, 845
 - disabling, 1275
 - encrypting in configuration files, 1299–1300
 - of files and folders, 855–856
 - forms-based authentication
 - for anonymous personalization, 710
 - configuration of, 733–735, 845–846, 849–850, 1276–1277
 - against credentials in code, 847–849
 - against credentials in data store, 851–852
 - against credentials in web.config file, 849, 850–851
 - definition of, 731, 845
 - enabling, for membership management, 733–735
 - encryption method for, when running multiple ASP.NET versions, 1435–1436
 - FormsAuthentication class for, 854–855
 - Login control used with, 853–854
 - Web Site Administration Tool specifying, 1343, 1345
 - methods for, 836–837
 - Passport authentication, 855, 1276
 - Windows-based authentication
 - authentication mode, setting, 840
 - configuration of, 840–843, 1275–1276
 - creating users, 838–840
 - definition of, 838, 843–844
 - for groups, 842–843
 - for HTTP transmission methods, 843
 - limitations of, 843
 - Web Site Administration Tool specifying, 1343, 1345
- Authentication tab, MMC (Microsoft Management Console), 1368–1370**
- <authentication> **element, configuration files, 733–734, 837–838, 1275–1276**
- AuthenticationSection **class**, **1290**
- Author **property, installer program, 1398**
- authorization. See also role management; security**
- configuration of, 1278–1280, 1367–1368
 - definition of, 732, 836
 - file authorization, 1280
 - programmatically
 - with User property, 856–859
 - with WindowsIdentity class, 859–861
 - URL authorization, 855–856, 1279–1280
- <authorization> **element, configuration files, 750–751, 773, 1278–1280**
- Authorization tab, MMC (Microsoft Management Console), 1367–1368**
- AuthorizationSection **class**, **1290**
- AuthorizationStoreRoleProvider **class**, **578, 580–582**
- AuthorizeRequest **event**,
 HttpApplication **class**, **875, 1104**
- AUTO **keyword, FOR XML clause, 550–553**
- AutoCompleteType **property, TextBox control, 162–163**
- auto-completion, in TextBox control, 162–163**
- AutoEventWireup **attribute**
 - @Control directive, 73
 - @Master directive, 71
 - @Page directive, 69
- autoEventWireup **attribute, <pages> element, 1282**
- AutoGenerateDeleteButton **property, GridView control, 407, 412–413**
- AutoGenerateEditButton **property, GridView control, 407**
- AutoGenerateInsertButton **property, DetailsView control, 420–421**
- AutoGenerateSelectButton **property, GridView control, 407**
- automaticSaveEnabled **attribute, <profile> element, 718**
- AutomaticSaveEnabled **property, ProfileManager class, 724**

AutoPostBack **property**

- CheckBox control, 178
- DropDownList control, 171
- RadioButton control, 184
- TextBox control, 161–162

B

BackColor **property**

- server controls, 119
- WebPart class, 817
- WebPartZone class, 816

BackImageUrl **property**

- WebPart class, 817
- WebPartZone class, 816

BackLabel **property**, ValidationSummary **control**, 1180

banner ads

- AdRotator control, 199–201, 428–429
- AdRotator mobile Web control, 1157–1159

Base Class Library (BCL), security **regarding**, 971

Basic authentication, 844

batch **attribute**, <compilation> **element**, 1270

batch processing of updates, 474–481

BatchSize **property**, SqlBulkCopy **class**, 465

batchTimeout **attribute**, <compilation> **element**, 1270

BCL (Base Class Library), security **regarding**, 971

BCP (Bulk Copy Program), 464

BeginExecuteNonQuery() **method**, SqlCommand **class**, 488

BeginExecuteReader() **method**, SqlCommand **class**, 488, 491, 506

BeginExecuteXmlReader() **method**, SqlCommand **class**, 489

Beginning JavaScript, Second Edition (Wilton), 137

Beginning Web Programming with HTML, XHTML, and CSS (Duckett), 120

BeginRequest **event**, HttpApplication **class**, 874, 1104

Bin **folder**, 1124, 1436

BinaryReader **class**, 1003, 1005–1006

BinarySearch() **method**

- Array class, 337–338
- ArrayList class, 342

BinaryWriter **class**, 1003, 1005–1006

Bind() **method**, 430–431

Bindable **attribute**, for **properties**, 1039 **binding**, **data**

- in ASPNET 1.x, 365–366
- inline data binding, 429–431
- two-way data binding, 430–431
- XML data binding, 431

BitArray **class**, 354, 362

blogs

- about ASPNET, 1461–1462
- displaying, 541–544

Blowery Http Compression Module, 1010

Blum, Peter (Validation and More (VAM) Web site), 246

Blunck, Jonas (IEHttpHeaders tool), 914

books. *See* publications

Boolean values

- arrays of (BitArray class), 354, 362
- in GridView control, 399

BooleanSwitch **class**, 953

bootstrapping, 1397

BorderColor **property**

- server controls, 119
- WebPart class, 817
- WebPartZone class, 816

BorderStyle **property**

- server controls, 119
- WebPart class, 817
- WebPartZone class, 816

BorderWidth **property**

- server controls, 119
- WebPart class, 817
- WebPartZone class, 816

bound list controls. *See* data-bound list **controls**

BoundField **control**

- adding to GridView control, 401
- null values displayed in, 399
- setting to read-only, 408

boxing, 1413

breadcrumb navigation, 640**BreakAfter property**

- Command mobile Web control, 1166
- Image mobile Web control, 1167
- Label mobile Web control, 1162
- Link mobile Web control, 1170
- PhoneCall mobile Web control, 1168
- TextView mobile Web control, 1165

Brown, Keith (GenerateMachineKey tool), 903**Browsable attribute, for properties, 1039**

`<browser>` **element**, **.browser files, 1272–1273**

.browser files

- in App_Browsers folder, 94, 1437
- in Browsers folder, 1058, 1272
- definition of, 1058–1059, 1272–1273

`<browserCaps>` **element, configuration files, 1271**

browsers

- capabilities of, configuration for, 1058–1060, 1271–1273
- differences between, server controls handling, 111–112

Buffer **attribute**, `@Page` **directive, 69**

buffer **attribute**, `<pages>` **element, 1282**

buffer uploads, configuring, 1285

BufferedStream **class, 999**

BufferedWebEventProvider **class, 588, 1332–1334**

`<bufferModes>` **element, configuration files, 1332–1334**

BufferResponse **property**, WebMethod **attribute, 1202**

build providers

- built-in build providers, 100
- custom build providers, 100–106
- definition of, 98–100

buildproviders **attribute**, `<compilation>` **element, 1271**

`<buildProviders>` **element, configuration files, 99–100, 104**

built-in Web server, 57–59**Bulk Copy Program (BCP), 464****bulk copying of data**

- example of, 469–474
- progress of, showing, 474

SqlBulkCopy class for, 464–467

SqlBulkCopyColumnMapping class for, 467–469

transactions for, 473–474

BulkCopyTimeout **property**, SqlBulkCopy **class, 465**

BulletedList control

- definition of, 207–208
- dynamically populating, 211–213
- hyperlinks as list items, 210–211
- images as bullets, 210
- new properties in, 427–428
- styles for, 208–210

BulletedListEventArgs **class, 211**

BulletImageUrl **property**, BulletedList **control, 210**

BulletStyle **property**, BulletedList **control, 208–210**

business objects

- binding to controls with ObjectDataSource control, 368, 380–385
 - COM components as
 - accessing in C#, 1131–1132
 - deploying with .NET applications, 1135–1137
 - error handling for, 1132–1135
 - interoperability for, 1126–1127
 - releasing manually, 1132
 - using in ASPNET code, 1128–1132
 - using .NET components within, 1140–1143
 - definition of, 1121
 - location of, 1121–1122
 - .NET business objects
 - deploying with COM applications, 1146–1147
 - error handling for, 1144–1145
 - late binding with, 1143–1144
 - precompiled, creating, 1122–1124
 - precompiled, using, 1124–1125
 - using from unmanaged code, 1137–1140
 - using within COM objects, 1140–1143
- Button **control. See also** ImageButton **control**; LinkButton **control**
- client-side JavaScript event for, 165–166
 - cross-page posting from, 166
 - definition of, 163

Button control (continued)

Button **control** (continued)

- multiple
 - using a single event, 164–165
 - validation for, 163
 - OnClick event, 163
 - OnClickClient event, 166
 - OnCommand event, 164–165
 - postbacks using, 166, 898
 - validation caused by
 - definition of, 247
 - disabling, 163
- `<button>` **element, HTML class controlling, 129**
- ButtonField **control, 401, 407**
- Byte **array**
 - moving Stream class contents to, 224
 - streams using, 1000

C

C# compiler

- /debug switch, 956
- location of, 1124

C# Version 2.0

- anonymous methods, 1420–1421
- generics
 - creating, 1413–1416
 - definition of, 1412–1413
 - generic methods, 1416–1418
- Global namespace qualifiers, 1422–1423
- iterators, 1418–1419
- list of new features in, 1412
- operator overloading, 1421–1422
- partial classes, 1423–1425
- property accessors, 1426–1427
- static classes, 1426
- unsigned types, 1427–1428
- XML documentation, creating from comments, 1425–1426

CAB size, specifying, 1398

cabinet files, 1398

Cache **class**

- attaching SQL Server cache dependencies to, 932–936
- cache dependencies using, 916–917

- data caching using, 916
 - for state management, 873
- Cache-Control **Header, 914–915**
- CacheDependency **class, 918**
- CacheDuration **property, WebMethod attribute, 1202, 1220**
- CacheProfile **attribute, @OutputCache directive, 77**
- cacheRolesInCookie **attribute, <roleManager> element, 772**
- caching. See also SQL cache invalidation**
- cache dependencies
 - AggregateCacheDependency class, 917–918
 - CacheDependency class, 918
 - custom, creating, 918–922
 - definition of, 916–917
 - client-side caching, 913–916
 - data caching, 916
 - for data source controls, 385–386
 - definition of, 907
 - events associated with, during HTTP request lifecycle, 874–876
 - HTTP Headers used for, 913–914
 - master pages, 306
 - `<META>` tags used for, 914
 - output caching, 908–910, 1286
 - output caching policies (@OutputCache directive), 68, 77–78, 306, 908, 930
 - partial page caching, 910–911
 - post-cache substitution, 911–913
 - programmatically, 916–922
 - for roles, 782–783
 - of user controls, 1030–1032
 - for Web service responses, 1220
- `<caching>` **element, configuration files, 928–929**
- Calendar **control**
 - date format for selected date, 192–193
 - definition of, 190
 - range of dates
 - retrieving, 193–195
 - validating against, 257–259
 - selecting a date from, 190–192
 - selecting a month from, 193

- selecting a week from, 193
- styles for, 195–199
- Calendar **mobile Web control, 1160–1161**
- Callback approach for asynchronous commands, 506–508**
- callbacks, client-side**
 - compared to postback, 137–140
 - for custom server controls, 1054–1058
 - definition of, 137
 - using
 - with multiple results, 147–153
 - with one parameter, 144–147
 - without parameters, 140–144
- CancelButtonClick **event, Wizard control, 234**
- CancelButtonText **property, Wizard control, 234**
- CancelButtonType **property, Wizard control, 234**
- CancelDestinationPageUrl **property, Wizard control, 234**
- CanConvertFrom() **method, TypeConverter class, 1086**
- Caption **property**
 - GridView control, 414
 - Table control, 189–190
- CaptionAlign **property, Table control, 190**
- CAS (code-access security), 1260–1261**
- Cascading Style Sheets (CSS). See also themes**
 - applying styles to server controls in HTML elements, 120–121
 - using external stylesheets, 122–124
 - using internal stylesheets, 124–125
 - using Style Builder, 121
 - in themes, 315–318
- Cassini (built-in Web server), 57–59**
- casting, 1413, 1432**
- Catalog mode, Portal Framework, 788**
- CatalogZone **control, 801–802, 804**
- Category **attribute, for properties, 1039**
- CausesValidation **property**
 - Button control, 163
 - Command mobile Web control, 1166
- CCW (COM-Callable Wrapper), 1137–1140**
- ChangeExtension() **method, Path class, 987**
- ChangePassword **control, 763–764**
- CheckBox **control**
 - aligning text around, 180
 - assigning a value to, 179
 - compared to CheckBoxList control, 177
 - definition of, 177–179
 - determining whether boxes are checked, 179
 - postbacks on, 178
- CheckBoxField **control, 399, 401**
- CheckBoxList **control**
 - binding to SqlDataSource, 182
 - compared to CheckBox control, 177
 - definition of, 180
 - dynamically populating, 180–182
 - new properties in, 427–428
 - number of columns in, 182
 - removing items from displayed collection, 172–173
 - styling, 182–183
- <CheckboxStyle> **element, Login control, 753**
- CheckChanged **event**
 - CheckBox control, 178
 - RadioButton control, 184
- Checked **property, CheckBox control, 179**
- child nodes, TreeView control, 651**
- ChildNodes.Add() **method, TreeNode class, 666**
- ChromeState **property, WebPart class, 817**
- ChromeType **property, WebPart class, 817**
- Class **attribute, @WebService directive, 1199**
- class attributes, for server controls, 1038–1039**
- Class Designer**
 - definition of, 49–53
 - Visual Studio support for, 27
- Class View window, Visual Studio 2005, 39**
- classes. See also specific classes**
 - aliases for, registering, 68, 76
 - App_Code folder for, 14, 88, 1443
 - partial classes
 - changes during migration, 1443
 - with code-behind model, 14, 63, 67, 1423
 - definition of, 14, 280, 1423–1425
 - source location for, 14
 - static classes, 1426

classic ASP, 2

ClassKey **property, resources, 1254**

ClassName **attribute**

@Control directive, 73

@Master directive, 71

@Page directive, 69

Clear() **method, SqlBulkCopyColumn
Mapping class, 469**

clientConnectedCheck **attribute,
<processModel> element, 1288**

ClientID **property, server controls, 1045**

ClientScript **class, 1049**

ClientScript **property, Page class,
133–137**

client-side caching, 913–916

client-side callbacks

compared to postback, 137–140

for custom server controls, 1054–1058

definition of, 137

using

with multiple results, 147–153

with one parameter, 144–147

without parameters, 140–144

**client-side JavaScript event, for Button
control, 165–166**

**client-side methods for state management,
873–874**

client-side scripts. See JavaScript

client-side validation

by CustomValidator control, 261–263, 266

definition of, 244–245

disabling, 269–270

by RequiredFieldValidator control,
249–250

Close() **method**

DataReader class, 447

FileStream class, 1000

WaitHandle class, 491

<CloseVerb> **element, Web pages, 812**

CloseVerb **property, WebPartZone
class, 816**

CLR types, retrieving from XML, 526–527

CLS (Common Language Specification), 361

code editor, Visual Studio, 26

code snippets

definition of, 47

listing, 47

using, 48–49

Visual Studio support for, 26

code-access security (CAS), 1260–1261

CodeBehind **attribute, @WebService
directive, 1199**

code-behind model

with ASP.NET 1.x, 62–63

with ASP.NET 2.0, 65–67

IntelliSense used with, 23

partial classes used with, 14, 63, 67, 1423

code-change notification, Visual Studio

document window, 31–32

CodeDom infrastructure, 433

CodeExpression **class, 433**

CodeFile **attribute**

@Control directive, 73

@Master directive, 72

@Page directive, 67, 69

codegen **folder, 1285**

code-inline model, 62, 63–65, 282–283

CodePage **attribute, @Page directive, 69**

codeSubDirectories **attribute,
<compilation> element, 1271**

CollapseAll() **method, TreeView control,
661–662**

CollapseImageUrl **property, TreeView
control, 658**

Collection **generic class, 363**

collections. See also Array class

ArrayList class

compared to generics, 345

definition of, 340, 362

using, 340–343

when to use, 345

BitArray class, 354, 362

generics

CLS compliance of, 361

compared to ArrayList class, 345

creating, 1413–1416

definition of, 357–358, 1412–1413

dictionaries, 360–361

- generic methods, 1416–1418
- iterators used with, 1419
- lists, 358–360
- Hashtable class
 - definition of, 346–347, 362
 - iterating over, with For Each statement, 348–350
 - retrieving objects from, 347–348
- HybridDictionary class, 353, 362
- ICollection interface, 343–344
- IDictionary interface, 345–346
- IEnumerable interface, 343
- IEnumerator interface, 343
- ICollection interface, 344–345
- list of, 362–364
- ListDictionary class, 353, 362
- Microsoft.VisualBasic.Collection class, 354, 363
- NameValueCollection class, 353–354, 362
- Queue class, 351–352, 362
- SortedList class, 350–351, 362
 - specialized, 353–354
- Stack class, 351, 352–353, 362
- StringCollection class, 353–354, 362
- StringDictionary class, 353–354, 362
- strongly typed, 354–357
- Collections namespace, **340**. *See also* **collections**
- Collections.Generics namespace, **357**. *See also* **generics**
- ColumnMappings property, SqlBulkCopy class, **465**
- COM components**
 - accessing in C#, 1131–1132
 - deploying with .NET applications, 1135–1137
 - error handling for, 1132–1135
 - interoperability with .NET, 1126–1127
 - releasing manually, 1132
 - using in ASP.NET code, 1128–1132
 - using .NET components within, 1140–1143
- comAuthenticationLevel attribute, <processModel> element, **1288**
- Combine() method, Path class, **987**
- COM-Callable Wrapper (CCW), 1137–1140**
- comImpersonationLevel attribute, <processModel> element, **1288**
- Command class, **445, 446–447**
- Command mobile Web control, **1166**
- Command Window, Visual Studio, 940**
- CommandEventArgs class, **165**
- CommandField control, **402, 407**
- CommandName property, Button control, **164–165**
- CommandText property, SqlCommand class, **447**
- CommandTimeout property, SqlCommand class, **447**
- CommandType property, SqlCommand class, **447**
- comment marks (///), C#, 1425**
- comment marks (“”), Visual Basic, 1425**
- comments, creating XML documentation from, 1425–1426**
- Common Files Folder, installer program, 1402**
- Common Language Specification (CLS), 361**
- CompareTo() method, IComparable interface, **336–337**
- CompareValidator control
 - associating with form element, 254
 - definition of, 246, 252
 - in mobile Web applications, 1179
 - validating
 - against data types, 254–255
 - against other controls, 252–254
 - against values, 255
- compilation**
 - of App_Code folder files
 - build providers for, 98–106
 - definition of, 14, 91, 94
 - configuration of, 92–93, 1269–1271
 - disabling debugging for, 1376
 - of expressions, 434
 - features for, 14
 - precompilation, 14, 96–98
 - when pages are first referenced, 94–96
- <compilation> element, configuration files, **92–93, 434, 1270–1271, 1376**
- compilationMode attribute, <pages> element, **1283**

CompilationSection class

- CompilationSection **class**, **1290**
- CompilerOptions **attribute**
 - @Control directive, 73
 - @Master directive, 72
 - @Page directive, 69
- compilers **attribute**, <compilation> **element**, **1271**
- CompileWith **attribute**
 - @Control directive, 73
 - @Master directive, 72
 - @Page directive, 69
- CompletedSynchronously **property**, IAsyncResult **interface**, **489**
- ComponentDesigner **class**, **1086**
- composite controls**
 - creating, 1072–1073
 - exposing properties of, 1073–1074
- CompositeControl **class**, **1073**
- compressing HTTP output**, **1010–1013**
- compressing streams**, **1008–1013**
- .config **files**. **See configuration files**
- CONFIG **folder**, **1236–1237**, **1259**
- <configSections> **element**, **configuration files**, **1264**
- configSource **attribute**, <pages> **element**, **1283**
- Configuration **class**
 - definition of, 1290
 - encrypting web.config file using, 8–9
- <configuration> **element**, **configuration files**, **1263**
- configuration files**
 - anonymous personalization settings, 709–712, 1278
 - application settings, 1261–1262, 1289
 - ASPNET pages, default behavior settings, 1281–1283
 - ASPNET Worker Process settings, 1286–1288
 - Atlas settings, 1451–1452
 - authentication settings
 - forms-based authentication, 733–735, 845–846, 1276–1277
 - hierarchical application of, 836
 - mode of authentication, 837–838
 - Passport authentication, 1276
 - Windows-based authentication, 840–843, 1275–1276
 - authorization settings, 1278–1280
 - browser settings, 1271–1273
 - build provider settings, 99–100, 104
 - camel-casing convention for, 1258
 - case-sensitivity of, 1258
 - changes in, detection of, 1258, 1263, 1284
 - compilation settings, 92–93, 1269–1271
 - connection strings in, 8–9, 1264–1265, 1291–1294
 - culture settings, 1237
 - custom expression builder in, 434
 - data providers in, 370
 - editing
 - with MMC, 6, 868–869
 - programmatically, 8–9, 16–18
 - tools for, 1301–1302
 - with Web Site Administration Tool, 1341–1342
 - encrypting sections of, 8–9, 595–598, 1296–1300
 - error information settings, 1273–1274
 - file upload size limitations, 219–220
 - format of, 1258, 1263–1264
 - forms-based authentication settings, 733–735, 845–846
 - health monitoring settings, 15–16, 1321–1328
 - HttpModule class, adding, 1106
 - include files for, 1283–1284
 - inheritance between, 1262–1263
 - inheritance of, 1262–1263, 1262–1263
 - localization settings, 685
 - locking down settings in, 1280–1281
 - machine.config file
 - definition of, 1259
 - inheritance of, 1262–1263
 - manipulating programmatically, 1294–1296
 - machine.config.comments file, 1259–1260
 - machine.config.default file, 1259–1260

- master page specified in, 289–290
 - membership provider settings, 749–750
 - nesting, 836
 - password attempts, controlling, 755–756
 - personalization settings, 699–700, 709–712, 721–723, 1278
 - programming, 1289–1296
 - protecting settings in, 1296–1300
 - provider settings, 572–573, 602
 - providers for, 595–598
 - role management settings, 690, 771–774
 - runtime settings, 1284–1286
 - server-wide configuration, 1259–1261
 - Session State provider settings, 876, 1265–1269
 - SQL cache invalidation settings, 928–929
 - syntax notifications in, 938
 - themes specified in, 309–310
 - tracing settings, 942–943
 - transport protocols in, 1213–1214
 - trust level for, 1260–1261
 - URL authorization for files and folders, 855–856
 - Web references in, 1208
 - `web_hightrust.config` file, 1259, 1260–1261
 - `web_lowtrust.config` file, 1259, 1260–1261
 - `web_mediumtrust.config` file, 1259, 1260–1261, 1260–1261
 - `web.config` file
 - application-wide, definition of, 1261–1262
 - creation and modification dates of, specifying, 1364
 - location of, specifying, 1364
 - precompilation of, 98
 - server-wide, definition of, 1259, 1260
 - `web.config.comments` file
 - definition of, 1259, 1260
 - imported namespaces in, 74–75
 - `web.config.default` file, 1259, 1260
 - WS-I Basic Profile conformance, disabling, 1218
- Configuration namespace, 1289–1290**
- ConfigurationElementCollection class, 1290**
- ConfigurationManager class, 388, 1294**
- Configuration.Provider namespace, 607**
- ConflictDetection property, SqlDataReader Source control, 373–375**
- Connection class, 445, 445–446**
- Connection property, SqlCommand class, 447**
- connection strings**
- associating with providers, 572–573, 719–720
 - building at runtime, 388–389
 - configuring for asynchronous command execution, 487
 - configuring for cache invalidation, 928
 - encrypting in configuration files, 8–9, 1297–1299
 - expressions for, 432
 - managing, 1365–1366
 - modifying at runtime, 387–388
 - retrieving from configuration files, 1291–1294
 - storing in configuration files, 386–387, 1264–1265
- connection to data source. See data connection**
- Connections property, WebPartManager class, 815**
- ConnectionString property**
- AccessDataSource control, 379
 - SqlConnection class, 446
 - SqlDataSource control, 370, 371
- connectionStringName attribute, <add> element, 929**
- <connectionStrings> element, configuration files**
- associating with providers, 572–573, 719–720
 - configuring for asynchronous command execution, 487
 - configuring for cache invalidation, 928
 - encrypting, 8–9, 1297–1299
 - retrieving, 1291–1294
 - storing, 386–387, 1264–1265
- ConnectionStrings property, ConfigurationManager class, 388**
- ConnectionStringSettings class, 387–389, 1290**

ConnectionStringExpressionBuilder class

- ConnectionStringExpressionBuilder **class, 432**
- ConnectionsZone **control, 808**
- <ConnectVerb> **element, Web pages, 812**
- ConnectVerb **property, WebPartZone class, 816**
- ConnectWebParts() **method, WebPart Manager class, 815**
- consumer Web Part, 824–825, 828–830**
- Container.DataItem **syntax, 430**
- Contains() **method, IDictionary interface, 346**
- Content **control, 287**
- ContentPlaceholder **control, 283–284, 287**
- <ContentTemplate> **element, CreateUserWizardStep control, 744**
- ContentType **attribute, @Page directive, 69**
- context of user, maintaining. See state management**
- Continue **statement, Visual Basic, 1429–1430**
- ContinueButtonClick **event, CreateUserWizard control, 739–740**
- Control **class, 118, 1033–1034**
- control designers**
 - definition of, 1086
 - designer actions for, 1096–1098
 - designer regions for, 1087–1096
 - specifying, 1086–1087
- @Control **directive**
 - attributes for, list of, 73–74
 - definition of, 68, 73
 - for user controls, 1024
- Control Tree section, tracing output, 945**
- ControlBuilder **attribute, for classes, 1039**
- ControlContainerDesigner **class, 1086**
- ControlDesigner **class, 1086**
- controls. See server controls; user controls**
- ControlState, for state management**
 - for custom server controls, 1064–1066
 - definition of, 874
 - when to use, 903–904
- ControlToValidate **property**
 - CompareValidator control, 254
 - RequiredFieldValidator control, 249
- ConversionReport.txt **file, 1443–1444**
- ConvertFrom() **method, TypeConverter class, 1086**
- ConvertTo() **method, TypeConverter class, 1086**
- cookieless **attribute**
 - <anonymousIdentification> element, 712
 - <forms> element, 735, 846, 1277
 - <sessionState> element, 1266
- cookieless Session State, 894–895**
- cookieName **attribute**
 - <anonymousIdentification> element, 711
 - <roleManager> element, 772
- cookieProtection **attribute, <roleManager> element, 773**
- cookieRequireSSL **attribute, <roleManager> element, 772**
- cookies**
 - advantages and disadvantages, 874
 - in state management life cycle, 872–873
 - storing login information, 751–752
 - storing role information, 772–773
 - trace information regarding, 945
 - when to use, 897
- cookieSlidingExpiration **attribute, <roleManager> element, 772**
- cookieTimeout **attribute**
 - <anonymousIdentification> element, 711
 - <roleManager> element, 772
- Copy Web Site dialog, Visual Studio, 1380–1384**
- CopyTo() **method, ICollection interface, 344**
- CopyWebSite.log **file, 1384**
- Count **property**
 - ArrayList class, 342
 - ICollection interface, 344
- cpuMask **attribute, <processModel> element, 1288**
- Create() **method, XmlReader class, 519–520**

Create, Retrieve, Update, Delete (CRUD) operations

DELETE statement

configuration of, for `ObjectDataSource` control, 383–385

configuration of, for `SqlDataSource` control, 370

executing with `SqlDataAdapter`, 450

INSERT statement

configuration of, for `ObjectDataSource` control, 383–385

configuration of, for `SqlDataSource` control, 370

executing with `SqlDataAdapter`, 450

SELECT statement

in bulk copy operation, 469

configuration of, for `ObjectDataSource` control, 383–385

configuration of, for `SqlDataSource` control, 370

FOR XML clause, 550–553, 556

UPDATE statement

configuration of, for `ObjectDataSource` control, 383–385

configuration of, for `SqlDataSource` control, 370, 405–406

executing with `SqlDataAdapter`, 450

inserting XML data using, 561

CREATE XML SCHEMA COLLECTION statement, SQL, 558–560

`CreateDataReader()` method, `DataTable` class, 459

`CreatedUser` event, `CreateUserWizard` control, 740, 743

`createPersistentCookie` attribute, `<roleManager>` element, 773

`CreateReader()` method, `SqlXml` class, 555

`CreateRole()` method, `Roles` class, 776, 785

`CreateUser()` method, `Membership` class, 744–746, 784

`CreateUserIconUrl` property, `Login` control, 754

`CreateUserText` property, `Login` control, 754

`CreateUserUrl` property, `Login` control, 754

`CreateUserWizard` control

events for, 739–740

personalization properties used in, 741–744 using, 735–737

`CreateUserWizardStep` control, 743–744

`<credentials>` element, of `<forms>` element, 849

cross-page posting

attributes for (`@PreviousPageType` directive), 68, 77

from `Button` control, 166

definition of, 81–87

in state management, 897–899

CRUD (Create, Retrieve, Update, Delete) operations

DELETE statement

configuration of, for `ObjectDataSource` control, 383–385

configuration of, for `SqlDataSource` control, 370

executing with `SqlDataAdapter`, 450

INSERT statement

configuration of, for `ObjectDataSource` control, 383–385

configuration of, for `SqlDataSource` control, 370

executing with `SqlDataAdapter`, 450

SELECT statement

in bulk copy operation, 469

configuration of, for `ObjectDataSource` control, 383–385

configuration of, for `SqlDataSource` control, 370

FOR XML clause, 550–553, 556

UPDATE statement

configuration of, for `ObjectDataSource` control, 383–385

configuration of, for `SqlDataSource` control, 370, 405–406

executing with `SqlDataAdapter`, 450

inserting XML data using, 561

`CryptoStream` class, 999

.cs files, 66. See also XML Web services

csc command, 1124

CSS (Cascading Style Sheets). See also themes

- applying styles to server controls
 - in HTML elements, 120–121
 - using external stylesheets, 122–124
 - using internal stylesheets, 124–125
 - using Style Builder, 121
- in themes, 315–318

.css files, 122. See also CSS (Cascading Style Sheets)

CssClass **property, server controls, 119**

culture **attribute, <globalization> element, 1237**

Culture **attribute, @Page directive, 69, 1237**

CultureInfo **class, 1234–1236**

cultures. See also localization

- associated with threads, 1233–1236
- changing, 1234–1236
- date and time differences, 1239–1240
- definition of, 1231–1232
- invariant culture definitions, 1232–1233
- neutral culture definitions, 1232–1233, 1253
- number and currency differences, 1241–1244
- sorting strings, differences in, 1244–1246
- specific culture definitions, 1232
- specified by client, 1238–1239
- specifying for application, 1236–1237
- specifying for page, 1237

currencies, differences between cultures, 1241–1244

current working directory, 980–982

CurrentCulture **property, CurrentThread class, 1234**

CurrentNode **property, SiteMap class, 680, 680–683**

<CurrentNodeStyle> **element, SiteMapPath control, 645**

<CurrentNodeTemplate> **element, SiteMapPath control, 645**

Custom Actions Editor, installer program, 1408–1409

Custom Errors tab, MMC (Microsoft Management Console), 1366–1367

Custom Folder, installer program, 1403

custom server controls

- adding to Visual Studio, 1036–1037
 - attributes for HTML tags in, 1044–1045
 - browser capabilities, handling, 1058–1060
 - classes derived from, 1033–1034
 - client-side callbacks for, 1054–1058
 - client-side scripts emitted by, 1049–1053
 - composite controls containing, 1072–1074
 - creating, 1034–1038
 - definition of, 113
 - design-time features for
 - attributes for, 1038–1040
 - control designers, 1086–1098
 - list of, 1081–1082
 - type converters, 1082–1086
 - UI type editors, 1098–1100
 - embedded resources, accessing, 1054
 - event lifecycle for, 1040, 1041
 - IDs for, 1045
 - postback events for
 - handling data from, 1070–1071
 - raising, 1066–1070
 - rendering, 1040–1043
 - state management for, 1061–1066
 - style properties for, 1046–1047
 - templated controls
 - adding to Web page, 1079–1080
 - creating container class for, 1076–1079
 - creating inner control class for, 1075–1076
 - default template for, 1080–1081
 - themes and skins for, 1048–1049
 - viewing in Visual Studio, 1037–1038
- <customErrors> **element, configuration files, 968, 1274**
- CustomErrorsSection **class, 1290**
- ## **customization of Web pages. See personalization system; Web pages**
- CustomProviders **application example**
- configuration file definitions for, 615–616
 - creating, 609–610
 - methods and properties for, 616–625
 - using, 625–626
 - XML data store for, 614–615
 - XmlMembershipProvider class for, 610–614

CustomValidator control
 client-side validation with, 261–263, 266
 definition of, 246, 261
 in mobile Web applications, 1179
 server-side validation with, 263–266

D

data binding

in ASP.NET 1.x, 365–366
 inline data binding, 429–431
 two-way data binding, 430–431
 XML data binding, 431

data caching, 916

data connection

asynchronous, 509
 configuring, for `SqlDataSource` control, 368–371
`Connection` class for, 445–446
 connection strings for
 in configuration files, 1264–1265, 1291–1294, 1365–1366
 enabling asynchronous command execution in, 487
 encrypting, 8–9, 1297–1299
 expressions for, 432
 for provider, configuring, 572–573
 enabling asynchronous command execution in, 487
 to Oracle database, 461–462
`SqlConnection` class for, 445–446
 in `web.config` file, 370, 386–389

data management. See also `DataReader`

class; `DataSet` **class**

ADO.NET

classes for, types of, 445
 deleting data, 443–444
 history of, 439
 inserting data, 441–442
 namespaces for, 444–445
 selecting (reading) data, 440–441
 updating data, 442–443

bulk copying of data

 example of, 469–474
 progress of, showing, 474

`SqlBulkCopy` class for, 464–467
 `SqlBulkCopyColumnMapping` class for, 467–469
 transactions for, 473–474
 deleting data
 with ADO.NET, 443–444
 with `SqlDataAdapter` class, 450
 executing SQL commands, 446–447, 453–456
 inserting data
 with ADO.NET, 441–442
 with `SqlDataAdapter` class, 450
 selecting (reading) data
 with `DataReader` class, 440–441, 447–450
 with `DataSet` class, 459–461
 into `DataTable` class, 450–452, 457–459
 multiple result sets from, 481, 482–487, 497
 updating data
 with ADO.NET, 442–443
 batch processing of, 474–481
 with `SqlDataAdapter` class, 450

`Data` **namespace, 444**

data protection API (DPAPI)

configuration provider using, 595, 596–597
 storing configuration settings in registry, 1296–1297

Data Provider classes, 445

data providers

classes for, 444–445
 configuration of, 1361–1362
 connection objects for, 445
 list of, 367
 listed in `machine.config` file, 370
 for Oracle, 461–462, 463
 for site maps, 677

data source controls

`AccessDataSource` control, 368, 379
 binding to `GridView` control, 389–390
 caching for, configuring, 385–386
 connection information, storing, 386–389
 definition of, 20–21, 35, 365, 366–367
 list of, 367, 368

data source controls (continued)

- ObjectDataSource control
 - configuration of, 383–385
 - creating, 380–383
 - definition of, 368, 380
 - events for, 385
- SiteMapDataSource control
 - binding to Menu control, 429, 668–669
 - binding to TreeView control, 428, 648–649
 - current node, starting from, 678–679
 - definition of, 368, 385, 677
 - root node, retrieving, 677–678
 - starting point of hierarchy, specifying, 679–680
- SqlDataSource control
 - caching with, 385–386
 - configuring data connection for, 368–371
 - creating, 368
 - definition of, 21, 368
 - deleting data, enabling, 413
 - events for, 375–376
 - filtering retrieved data, 372–373
 - optimistic concurrency for, 374
 - retrieving data, mode used for, 371
 - updates by, conflict detection for, 373–375
 - updates by, enabling, 405–406
 - using Oracle with, 376–378
- XmlDataSource control
 - binding to BulletedList control, 212
 - binding to DataList control, 540–544
 - binding to Menu control, 429, 675–676
 - binding to TreeView control, 428, 651–654
 - definition of, 368, 379–380, 540
 - namespace qualifications in, 540
- data sources, list of, 367**
- data visualizers, 961–962**
- DataAdapter **class**
 - batch updates using, 475–481
 - definition of, 445
 - using, 450–452
- database**
 - SQL cache invalidation for
 - disabling, 926–927
 - enabling, 923–924
 - for state management, 873
 - tables in
 - disabling for SQL cache invalidation, 926–927
 - enabling for SQL cache invalidation, 924
 - types of, as data sources, 367
- database design, Visual Studio support for, 27**
- Database **property**, SqlConnection **class, 446**
- <databases> **element, of <caching> element, 928**
- DataBind() **method, server controls, 389**
- DataBinding **event, GridView control, 391**
- <DataBindings> **element, TreeView control, 653**
- databound controls. See data-bound list controls**
- DataBound **event, GridView control, 391**
- data-bound list controls. See also GridView control; Menu control; TreeView control**
 - AdRotator control, 199–201, 428–429
 - BulletedList control, 427–428
 - CheckBoxList control, 427–428
 - definition of, 113
 - DetailsView control
 - columns in, customizing, 416
 - creating, 415–416
 - definition of, 415
 - deleting data in, 420–422
 - inserting data in, 420–422
 - paging, 416
 - updating data in, 420–422
 - using with GridView control, 416–420
 - DropDownList control, 427–428
 - FormView control, 423–427
 - ListBox control, 427–428
 - RadioButtonList control, 427–428
- Data.Common **namespace, 444**
- DataFile **property, XmlDataSource control, 380, 541, 543**
- DataGrid **control, compared to GridView control, 3–5, 389**
- DataKeyNames **property, GridView control, 407, 420**
- DataList **control, binding to XmlDataSource control, 540–544**

- DataMember property**
 List mobile Web control, 1171, 1172
 SelectList mobile Web control, 1176
- Data.Odbc namespace, 444**
- Data.OleDb namespace, 444**
- Data.OracleClient namespace, 461–462**
- DataReader class**
 caching not supported by, 385
 closing connection after using, 447–448
 definition of, 439, 445, 447
 displaying results in GridView control, 448–450
 selecting (reading) data using, 440–441, 457–459
 SqlDataSource control using, 371
 when to use, 460
- DataSet class**
 caching supported by, 385
 contained in XmlDataDocument class, 537
 definition of, 439, 456
 retrieving XML from SQL Server using, 536–537
 SqlDataSource control using, 371
 typed DataSets
 definition of, 461
 location of, 88, 1431
 when to use, 445, 459–460
- DataSource property**
 List mobile Web control, 1171, 1172
 SelectList mobile Web control, 1176
- Datasource property, SqlConnection class, 446**
- DataSourceControl class, 368**
- DataSourceID property, CheckBoxList control, 182**
- DataSourceMode property**
 data source controls, 385
 SqlDataSource control, 371
- Data.SqlClient namespace, 445, 464**
- Data.SqlTypes namespace, 445**
- DataTable class**
 definition of, 445, 456
 reading data into
 from DataReader class, 457–459
 from SqlDataAdapter class, 450–452
- DataTableReader class, 459**
- DataTextField property**
 CheckBoxList control, 182
 List mobile Web control, 1171, 1172
 SelectList mobile Web control, 1176
- DataTextFormatString property, data-bound controls, 428**
- datatips, 961**
- DataValueField property**
 List mobile Web control, 1171, 1172
 SelectList mobile Web control, 1176
- dates**
 Calendar control for
 date format for selected date, 192–193
 definition of, 190
 range of dates, retrieving, 193–195
 range of dates, validating against, 257–259
 selecting a date from, 190–192
 selecting a month from, 193
 selecting a week from, 193
 styles for, 195–199
 Calendar mobile Web control for, 1160–1161
 differences between cultures, 1239–1240
- DayRender event, Calendar control, 196–198**
- DayRenderEventArgs class, 198**
- DbgView tool, SysInternals, 947**
- DbProviderFactory element, machine.config file, 370**
- Debug attribute**
 @Control directive, 73
 @Master directive, 72
 @Page directive, 69
 @WebService directive, 1199
- debug attribute, <compilation> element, 1271, 1376**
- debugging. See also error handling; tracing system**
 ASP.NET Development Server with, 957–958
 attaching to a process already running, 958–959
 Command Window for, 940
 configuration of, 956, 1359–1360
 data visualizers, 961–962

debugging (*continued*)

- datatips for, 961
 - debug configuration, Visual Studio, 956
 - design-time features for, 937–941
 - disabling before deployment, 1376
 - Edit and Continue feature, 962–963
 - Edit and Refresh feature, 963
 - error notifications, 962
 - F5 debugging, 958, 959
 - IIS (Internet Information Services) with, 957–958
 - Immediate Window for, 940
 - JIT debug dialog, 956–957
 - Just My Code debugging, 963
 - quote regarding difficulty of, 937
 - remote debugging, 959–961
 - starting a session, 958–961
 - in stored procedures, 964–965
 - syntax notifications, 938–940
 - Task list for, 940–941
 - Tracepoints, 963–964
 - Visual Studio support for, 27
 - Web events used for, 954–955
 - on Windows XP, 960–961
 - for XSLT, 549–550
 - `Debug.Write()` **method**, *Diagnostics* **class**, **947–948**
 - `DeclarativeCatalogPart` **control**, **809–811**
 - `Decoration` **property**, *List mobile Web* **control**, **1172**
 - `Decrypt()` **method**, *FormsAuthentication* **class**, **854**
 - default instances**, **1428**
 - `DefaultDocument` **property**, *File System* **Editor**, **1401**
 - `DefaultEvent` **attribute**, **for classes**, **1039**
 - `defaultLanguage` **attribute**, `<compilation>` **element**, **1271**
 - `DefaultProperty` **attribute**, **for classes**, **1039**
 - `defaultProvider` **attribute**
 - `<profile>` **element**, 722, 723
 - `<roleManager>` **element**, 773
 - `defaultRedirect` **attribute**, `<customErrors>` **element**, **1274**
 - `defaultUrl` **attribute**, `<forms>` **element**, **846, 1277**
 - `defaultValue` **attribute**, `<add>` **element**, **709**
 - `DefaultValue` **attribute**, **for properties**, **1039**
 - `DeflateStream` **class**, **999, 1009**
 - DELETE statement**
 - configuration of
 - for *ObjectDataSource* control, 383–385
 - for *SqlDataSource* control, 370
 - executing with *SqlDataAdapter*, 450
 - `DeleteCommand` **property**
 - SqlDataAdapter* **class**, 450
 - SqlDataSource* control, 413, 421
 - `DeleteCookie()` **method**, *Roles* **class**, **782–783, 785**
 - `DeleteInactiveProfiles()` **method**, *ProfileManager* **class**, **724**
 - `DeleteParameters` **collection**, *SqlDataSource* **control**, **413, 421**
 - `DeleteProfile()` **method**, *ProfileManager* **class**, **724, 729**
 - `DeleteProfiles()` **method**, *ProfileManager* **class**, **724**
 - `DeleteRole()` **method**, *Roles* **class**, **776–777, 785**
 - `DeleteUser()` **method**, *Membership* **class**, **729–730, 784**
 - `DeleteWebPart()` **method**, *WebPartManager* **class**, **815**
- `DelimitedListTraceListener` **class**, **952**
- delimiters**
 - `<!-->` enclosing comments, 513
 - `<%$ %>` enclosing expressions, 432
 - `<%@ %>` enclosing page directives, 68
- denial of service attack**, **219**
- `<deny>` **element**, **of** `<authorization>` **element**, **750–751, 773–774, 840–842, 1279–1280**
- dependencies, cache**
 - AggregateCacheDependency* **class**, 917–918
 - CacheDependency* **class**, 918

- custom, creating, 918–922
- definition of, 916–917
- DependencyDispose() **method**,
CacheDependency **class**, 918
- deployment**
 - Copy Web Site dialog, 1380–1384
 - definition of, 1375
 - installer program
 - advantages of, 1388
 - cabinet files for, 1398
 - component dependencies, specifying,
1397–1398
 - compression of files by, 1398
 - creating, 1388–1392
 - Custom Actions Editor for, 1408–1409
 - definition of, 1386
 - dialogs, adding, 1407–1408
 - File System Editor for, 1400–1403
 - File Types Editor for, 1405–1406
 - folders for, specifying, 1402–1403
 - Launch Conditions Editor for, 1409–1410
 - menus for, specifying, 1403
 - output file name, specifying, 1396
 - packaging options, specifying, 1397
 - project properties for, 1396–1400
 - Registry Editor for, 1404–1405
 - running, 1392–1393
 - shortcut, creating, 1403
 - uninstalling using, 1394–1395, 1409
 - User Interface Editor for, 1406–1408
 - Windows Installer service for, 1386–1388
 - methods for, list of, 1377
 - parts of application to deploy, 1375–1376
 - precompilation, 1384–1386
 - preparation for, 1376–1377
 - XCOPY command, 1377–1380
- Description **attribute**
 - @Control directive, 73
 - @Master directive, 72
 - @Page directive, 69
 - for properties, 1039
- description **attribute**, <siteMapNode>
element, 639, 642
- Description **property**
 - installer program, 1398
 - ProviderBase class, 608
 - WebMethod attribute, 1202
 - WebService attribute, 1202
- Design mode, Portal Framework**, 788,
797, 802
- Design view, Visual Studio 2005**, 28–29
- Designer **attribute, for classes**, 1039
- DesignerActionList **class**, 1096–1097
- DesignerSerializationVisibility
attribute, for properties, 1039
- DestinationColumn **property**, SqlBulk
CopyColumnMapping **class**, 467
- DestinationOrdinal **property**, SqlBulk
CopyColumnMapping **class**, 467
- DestinationTableName **property**,
SqlBulkCopy **class**, 465
- DetailsView **control**
 - columns in, customizing, 416
 - creating, 415–416
 - definition of, 415
 - deleting data in, 420–422
 - inserting data in, 420–422
 - paging, 416
 - updating data in, 420–422
 - using with GridView control, 416–420
- DetectNewerInstalledVersion **property**,
installer program, 1398
- developer productivity, features for**, 3–6
- Developer Solution Kits**, 11
- device filters for mobile devices**, 1187–1189
- <deviceFilters> **element, configuration
files**, 1187
- Diagnostics **namespace**, 1304, 1305,
1308, 1312
- dictionaries**
 - generic dictionaries, 360–361
 - Hashtable class
 - definition of, 346–347, 362
 - iterating over, with For Each statement,
348–350
 - retrieving objects from, 347–348
 - HybridDictionary class, 353, 362
 - IDictionary interface, 345–346
 - ListDictionary class, 353, 362
 - SortedList class, 350–351, 362
 - StringDictionary class, 353–354, 362

Dictionary generic class

Dictionary **generic class**, **360, 363**

Digest authentication, **845**

Direction **property**

Panel control, 203–204

SqlParameter class, 453

WebPart class, 818

directives. See also specific directives

application directives, 107

page directives, list of, 68

directories (folders)

access rules for, 1350–1351, 1355–1356

ACLs (Access Control Lists)

displaying, 992–995

modifying, 995–998

attributes of, accessing and modifying,
991–992

authorization for, 1280

configuration of, 1372–1373

creating, 979–980

current working directory, 980–982

deleting, 979–980

existence of, determining, 981

information about, retrieving, 976–979,
979–980

properties of, accessing and modifying,
991–992

reserved, in ASP.NET 2.0, 1436–1437

URL authorization for, 855–856

Directory **class**, **976, 979–980**

DirectoryInfo **class**, **976–979, 991**

disabilities, accessibility validation for, **45–46**

Disabled **property**, HtmlControl **class**, **128**

Disconnected **classes**, **445**

DisconnectWebParts() **method**,

WebPartManager **class**, **815**

DisplayCancelButton **property**, Wizard
control, **233**

DisplayMode **property**

BulletedList control, 210–211

WebPartManager class, 815

DisplayRememberMe **property**, Login
control, **751**

Dispose() **method**

XmlReader class, 532

XmlWriter class, 532

Disposed **event**, HttpApplication
class, **1104**

DLL files

ActiveX DLLs, with COM components, 1126,
1128–1131

adding references to, 41

as business objects

creating, 1122–1124

using, 1124–1125

/doc **command**, Visual Basic, **1426**

<!DOCTYPE> **element**, Web pages, **1438**

Document Object Model (DOM), **532. See also**

XmlDocument **class**

document window, Visual Studio

code-change notification, 31–32

error notifications, 32–33

page tabs, 30–31

tag navigator in, 29–30

view options for, 28–29

DOM (Document Object Model), **532. See also**

XmlDocument **class**

domain **attribute**, <forms> **element**,
846, 1277

domain name restrictions, IIS, **865–866**

DotNetJunkies Web site, **1462**

DPAPI (data protection API)

configuration provider using, 595, 596–597

storing configuration settings in registry,
1296–1297

DpapiProtectedConfigurationProvider
class, **595, 596–597**

DragHighlightColor **property**,

WebPartZone **class**, **816**

DriveInfo **class**, **972–975**

drives

accessibility of, determining, 975

information about, retrieving, 972–975

DriveType **property**, DriveInfo **class**, **973**

DropDownList **control**

creating from arrays, 170–172

definition of, 169–170

new properties in, 427–428

postbacks on, 171, 172–173

removing items from displayed collection,
172–173

DTD validation in XML editor, 938
DTS environment, 464
Duckett, Jon (*Beginning Web Programming with HTML, XHTML, and CSS*), 120
 Duration **attribute**, @OutputCache
 directive, 77, 908, 930
Duthie, G. Andrew (blog by), 1461
Dynamic Help window, Visual Studio 2005, 39
 DynamicBottomSeparatorImageUrl
 property, Menu control, 673–674
 <DynamicHoverStyle> **element, Menu control, 671**
 <DynamicMenuItemStyle> **element, Menu control, 671**
 <DynamicMenuStyle> **element, Menu control, 671**
 DynamicPopOutImageUrl **property, Menu control, 673**
 <DynamicSelectedStyle> **element, Menu control, 671**
 <DynamicTemplate> **element, Menu control, 671**
 DynamicTopSeparatorImageUrl **property, Menu control, 673**

E

<E2ETraceEvent> **element, 952**
Edit and Continue feature, 962–963
Edit and Refresh feature, 963
Edit mode, Portal Framework, 788
 EditItemTemplate **template, Template Field control, 402, 405, 410, 423–424**
 Editor **attribute, for properties, 1040**
editor, code, 26
 EditorBrowsable **attribute, for properties, 1039**
 EditorZone **control, 804–805**
 EditRowStyle **property, GridView control, 414**
 <EditVerb> **element, Web pages, 812**
 EditVerb **property, WebPartZone class, 816**
 ELEMENTS **keyword, FOR XML clause, 551, 556**

e-mail
 sending, 1021–1022
 SMTP configuration for, 1357–1358
 Web event providers using, 588, 590–592, 1320, 1334–1339
e-mail address, validating user input for, 260–261
 EmptyDataRowStyle **property, GridView control, 414**
 EmptyDataTemplate **property, GridView control, 393–394**
 EmptyDataText **property, GridView control, 393**
 EmptyZoneText **property, WebPartZone class, 816**
emulators for mobile devices, 1186
 enable **attribute**
 <httpRuntime> **element, 1284**
 <processModel> **element, 1287**
 EnableCaching **property, data source controls, 386**
 EnableClientScript **property, validation controls, 269**
 enableCrossAppsRedirect **attribute, <forms> element, 846**
 enabled **attribute**
 <anonymousIdentification> **element, 1278**
 <roleManager> **element, 772**
 Enabled **property**
 ProfileManager class, 724
 server controls, 119
 EnableDocumentFunction **property, XsltSettings class, 546**
 enableKernelOutputCache **attribute, <httpRuntime> element, 1286**
 enableLocalization **attribute, <siteMap> element, 684**
 enablePasswordReset **property, Sql MembershipProvider class, 750, 763**
 enablePasswordRetrieval **property, SqlMembershipProvider class, 749**
 EnableScript **property, XsltSettings class, 546**

EnableSession property, WebMethod attribute

- EnableSession **property**, WebMethod **attribute**, **1202**
- EnableSessionState **attribute**, @Page **directive**, **69**, **883–884**
- enableSessionState **attribute**, <pages> **element**, **1282**
- EnableSortingAndPagingCallbacks **property**, GridView **control**, **399**
- EnableTheming **attribute**
@Control directive, **73**
@Master directive, **72**, **311–312**
@Page directive, **70**, **311**
- EnableTheming **property**
HtmlControl class, **128**
server controls, **119**, **120**, **310–311**
- EnableViewState **attribute**
@Control directive, **73**
@Master directive, **72**
@Page directive, **70**
- enableViewState **attribute**, <pages> **element**, **1282**
- EnableViewState **property**, HtmlControl **class**, **128**
- EnableViewStateMac **attribute**, @Page **directive**, **70**
- encoding format of files, determining**, **1006**
- Encrypt () **method**, FormsAuthentication **class**, **854**
- encryption. See also security**
Advanced Encryption Standard (AES), **1435–1436**
of authentication information, **1299–1300**
of configuration file sections, **8–9**, **595–598**, **1296–1300**
of connection strings, **8–9**, **1297–1299**
of forms-based authentication, **1435–1436**
RSA public-key encryption, **595**, **597–598**
Triple DES (3DES) encryption, **1435–1436**
of ViewState, **903**
- enctype **attribute**, <form> **element**, **215**, **217**
- End **event**, Session **class**, **875**
- EndExecuteNonQuery () **method**, SqlCommand **class**, **488**
- EndExecuteReader () **method**, SqlCommand **class**, **489**, **491**
- EndExecuteXmlReader () **method**, SqlCommand **class**, **489**
- EndRequest **event**, HttpApplication **class**, **875**, **1104**
- EnforceConstraints **property**, DataSet **class**, **539**
- Equals () **method**, System.Object **namespace**, **336**
- Ericsson emulator**, **1186**
- <error> **element**, **configuration files**, **968**, **1274**
- Error **event**, HttpApplication **class**, **1104**
- Error Events Raised performance counter**, **1311**
- error handling. See also debugging**
for application exceptions, **966–967**
for COM components, **1132–1135**
custom error messages, configuring, **1273–1274**, **1367**
custom error pages, configuring, **1360**, **1366–1367**
guidelines for, **965**
HTTP status codes, **967–968**
for .NET business objects, **1144–1145**
for page exceptions, **966**
- error notifications**
during interactive debugging session, **962**
in Visual Studio, **937–941**
Visual Studio document window, **32–33**
- Error **property**, Page **class**, **965**
- ErrorMessage **property**
CompareValidator control, **254**
RequiredFieldValidator control, **249**
validation controls, **270–271**
- ErrorMessage **attribute**, @Page **directive**, **70**
- Eval () **method**, **430**
- EvaluateExpression () **method**, ExpressionBuilder **class**, **435–437**
- event attributes, for server controls**, **1039–1040**
- event logs. See also health monitoring**
Application event log, **1306**
displaying, **1303**

- health monitoring recorded in, 1319
- list of, 1306
- reading from, 1304–1306
- Security event log, 1306
- System event log, 1306
- Windows event log, 588, 589–590
- writing to, 1306–1309
- EventLog **class, 1306–1309**
- EventLogTraceListener **class, 951**
- EventLogWebEventProvider **class, 588, 589–590, 1320**
- <eventMappings> **element, configuration files, 1321–1324**
- events**
 - application events, 106–109
 - client-side callbacks handling, 137–140
 - from mobile Web controls, 1153
 - ordering of, when master pages are used, 305
 - page events
 - definition of, 78–80
 - list of, 79
 - using in server controls, 116
 - performance counters associated with, 1311
 - server control events
 - lifecycle of, 1040, 1041
 - using, 116–118
 - in user controls, 1025–1026
 - Web events
 - buffering, 1332–1334
 - for debugging, 954–955
 - e-mailing, 1334–1339
 - health monitoring using, 15–16, 1318
 - list of, 1323–1324
 - providers for, 587–595, 1319–1320, 1329–1332
 - specifying which events to record, 1325–1327
- Everyone account, privileges for, 862**
- Evjen, Bill (blog by), 1461**
- exception handling. See error handling**
- ExceptionHandled **property, SqlDataReader control, 376**
- exclamation point, <!- -> delimiters, enclosing comments, 513**
- ExecuteNonQuery() **command, 442, 443, 444**
- ExecuteNonQuery() **method, Command class, 447**
- ExecutePermissions **property, File System Editor, 1401**
- ExecuteReader() **method, Command class, 447**
- ExecuteRow() **method, Command class, 447**
- ExecuteScalar() **method, Command class, 447**
- ExecuteXmlReader() **method, Command class, 447**
- executionTimeout **attribute, <httpRuntime> element, 220, 1285**
- Exists() **method, Directory class, 981**
- Expand() **method, TreeView control, 664–665**
- ExpandAll() **method, TreeView control, 661–664**
- Expanded **property, TreeView control, 664–665**
- ExpandImageUrl **property, TreeView control, 658**
- Explicit **attribute**
 - @Control directive, 73
 - @Master directive, 72
 - @Page directive, 70
- explicit **attribute, <compilation> element, 1271**
- EXPLICIT **keyword, FOR XML clause, 556**
- <ExportVerb> **element, 812**
- expression builders, 432–433**
- ExpressionBuilder **class, 432, 433–437**
- <expressionBuilders> **element, configuration files, 434**
- expressions**
 - of connection strings, 432
 - custom, 432–434
 - definition of, 431–432
- eXtensible Markup Language (XML)**
 - comparison tool for, 514
 - configuration files using, 1258
 - creating, 529–532

eXtensible Markup Language (XML)

(continued)

as data source (XmlDataSource control)
binding to BulletedList control, 212
binding to DataList control, 540–544
binding to Menu control, 429, 675–676
binding to TreeView control, 428, 651–654
definition of, 368, 379–380, 540
namespace qualifications in, 540
DataSet classes represented as, 459–460
definition of, 511
editing in Visual Studio, 27, 516–519
empty elements in, 513, 514
generating from SQL Server
 using FOR XML AUTO clause, 550–553
 using FOR XML PATH clause, 556–557
history of, 1196
namespaces in, 513
not precompiled, 98
querying and editing, with XmlDocument class, 535–536
querying, with XPathDocument class, 533–534
reading, with XmlReader class, 520–521, 524–526
resources for, 514, 516
retrieving CLR types from, 526–527
retrieving complicated types from, 527–529
retrieving from SQL Server
 using DataSet class, 536–537
 using XmlDataDocument class, 537–540
role provider using, 578, 580–582
site maps defined using, 638–639
sitemap provider using, 583–584
storing in SQL Server column, 557–558, 561
syntax for, 512–514
transforming with XSLT, 545–547, 553–554
valid, 515
validating
 against schema, with XmlTextReader class, 522–523
 with XmlDocument class, 533
well formed, 513
white space in, 514
external stylesheets, applying styles to server controls, 122–124

F

F5 debugging, 958, 959

<FailureTextStyle> **element**, Login control, 753

Fiddler tool, 647

File **class, 982–986, 1004, 1006**

file extension mappings, IIS, 866–868

file:// protocol, communications over, 1020–1021

File System Editor, installer program, 1400–1403

File Transfer Protocol (FTP)

communications over, 1018–1020

downloading files over, 1019–1020

location of Web application with, 60

File Types Editor, installer program, 1405–1406

FileAccess **enumeration, 1001**

FileContent **property**, FileUpload control, 224

FileInfo **class**

binding to GridView control, 982–986

definition of, 991–992

FileMode **enumeration, 1001**

FileOptions **enumeration, 1001**

files

access rules for, 1350–1351, 1355–1356

ACLs (Access Control Lists)

 displaying, 992–995

 modifying, 995–998

for applications, list of, 1375–1376

attributes of, accessing and modifying, 991–992

authorization for, 1280

configuration of, 1372–1373

displaying in GridView control, 982–986

downloading over FTP, 1019–1020

information about, retrieving, 986

opening, mode to use for, 1000–1001

properties of, accessing and modifying, 991–992

reading, 1000–1001

remote, writing to, 1020–1021

security regarding, 971

URL authorization for, 855–856

writing, 1001–1002

- FileShare **enumeration, 1001**
- FileStream **class**
 definition of, 999
 reading files, 1000–1001
 reading with StreamReader, 1004
 shortcut operations using, 1007
 writing files, 1001–1002
- FileUpload **control**
 definition of, 214–215
 file size limitations, 219–220
 moving file from Stream class to Byte array, 224
 permissions for uploading, 218–219
 saving file to Stream class, 224
 uploading files, 215–218
 uploading multiple files, 220–223
- FileWebRequest **class, 1020–1021**
- FileWebResponse **class, 1020–1021**
- Fill() **method, SqlDataAdapter class, 450, 452**
- FilterExpression **property,**
 SqlDataSource **control, 419–420**
- FilterParameters **collection,**
 SqlDataSource **control, 420**
- FindInactiveProfilesByUsername() **method, ProfileManager class, 724**
- FindNode() **method, TreeView control, 664–665**
- FindProfilesByUsername() **method,**
 ProfileManager **class, 724, 729**
- FindUsersByEmail() **method, Membership class, 784**
- FindUsersByName() **method, Membership class, 784**
- FindUsersInRole() **method, Roles class, 781–782, 785**
- FinishButtonClick **event, Wizard control, 234, 235**
- FinishDestinationPageUrl **property,**
 Wizard **control, 234**
- FinishStepButtonText **property, Wizard control, 234**
- FinishStepButtonType **property, Wizard control, 234**
- FinishStepPreviousButtonText **property,**
 Wizard **control, 234**
- FinishStepPreviousButtonType **property,**
 Wizard **control, 234**
- FirstBulletNumber **property,**
 BulletedList **control, 209**
- FirstDayOfWeek **property, Calendar mobile Web control, 1160**
- 500 Internal Server Error, status code, 968**
- fixed-size IList class, 345**
- Flush() **method, FileStream class, 1001–1002**
- Focus() **method, TextBox control, 160–161**
- folders (directories)**
 access rules for, 1350–1351, 1355–1356
 ACLs (Access Control Lists)
 displaying, 992–995
 modifying, 995–998
 attributes of, accessing and modifying, 991–992
 authorization for, 1280
 configuration of, 1372–1373
 creating, 979–980
 current working directory, 980–982
 deleting, 979–980
 existence of, determining, 981
 information about, retrieving, 976–979, 979–980
 properties of, accessing and modifying, 991–992
 reserved, in ASPNET 2.0, 1436–1437
 URL authorization for, 855–856
- Font **property, server controls, 119**
- Fonts Folder, installer program, 1402**
- FooterStyle **property, GridView control, 415**
- FooterTemplate **template, TemplateField control, 403**
- For Each **loop, VB**
 using with arrays, 332–334
 using with Hashtable class, 348–350
- For **loop, C#, 332–334, 342**
- FOR XML **clause, SQL**
 AUTO keyword, 550–553
 ELEMENTS keyword, 551, 556

FOR XML **clause** (*continued*)

EXPLICIT keyword, 556
PATH keyword, 556
ROOT keyword, 556
XSINIL keyword, 556
ForceCopyBuildProvider **class**, 100
ForeColor **property**, server controls, 119
Form Collection section, tracing output, 945
Form **control**, mobile controls in, 1154
<form> **element**, HTML class controlling, 129
FormatString **property**, LoginName **control**, 760–761
<forms> **element**, of <authentication> **element**, 734–735, 845–846, 1276–1277
FormsAuthentication **class**, 854–855
FormsAuthenticationConfiguration **class**, 1290
forms-based authentication
for anonymous personalization, 710
configuration of, 733–735, 845–846, 849–850, 1276–1277
against credentials in code, 847–849
against credentials in data store, 851–852
against credentials in web.config file, 849, 850–851
definition of, 731, 845
enabling, for membership management, 733–735
encryption method for, when running multiple ASRNET versions, 1435–1436
FormsAuthentication class for, 854–855
Login control used with, 853–854
Web Site Administration Tool specifying, 1343, 1345
FormsCookieName() **method**, Forms Authentication **class**, 854
FormsCookiePath() **method**, Forms Authentication **class**, 854
FormToValidate **property**, Validation Summary **control**, 1180
FormView **control**, 423–427
4 Guys from Rolla Web site, 1462
400 Bad Request, status code, 967
404 Not Found, status code, 968
401 Unauthorized, status code, 968

410 Gone, status code, 968
403 Forbidden, status code, 968
FrontPage Extensions, Web server using, 60–61
FTP (File Transfer Protocol)
communications over, 1018–1020
downloading files over, 1019–1020
location of Web application with, 60
FtpWebRequest **class**, 1018–1020
FtpWebResponse **class**, 1018–1020
fully qualified URLs, requiring, 1284

G

GAC (Global Assembly Cache), 1136–1137
General controls, 34. *See also* custom server controls
General tab, MMC (Microsoft Management Console), 1365–1366
GenerateCode() **method**, BuildProvider **class**, 101–104
GenerateMachineKey tool (Keith Brown), 903
GeneratePassword() **method**, Membership **class**, 767, 784
generics
CLS compliance of, 361
compared to ArrayList class, 345
creating, 1413–1416
definition of, 357–358, 1412–1413
dictionaries, 360–361
generic methods, 1416–1418
iterators used with, 1419
lists, 358–360
GetAllInactiveProfiles() **method**, ProfileManager **class**, 725
GetAllProfiles() **method**, ProfileManager **class**, 725, 728–729
GetAllRoles() **method**, Roles **class**, 776, 785
GetAllUsers() **method**, Membership **class**, 784
GetAuthCookie() **method**, FormsAuthentication **class**, 854
GetCallbackEventReference() **method**, ICallbackEventHandler **interface**, 1057

- GetCodeExpression() **method**,
 ExpressionBuilder **class**, 433
 GetCurrentDirectory() **method**,
 Directory **class**, 980–981
 GetDirectories() **method**,
 DirectoryInfo **class**, 976–979
 GetDirectoryName() **method**, Path
 class, 987
 GetDrives() **method**, DriveInfo
 class, 974
 GetExtension() **method**, Path **class**, 987
 GetFileName() **method**, Path **class**, 987
 GetFileNameWithoutExtension()
 method, Path **class**, 987
 GetFiles() **method**, DirectoryInfo
 class, 982
 GetFullPath() **method**, Path **class**, 987
 GetHashCode() **method**, Hashtable
 class, 346
 GetInvalidFileNameChars() **method**,
 Path **class**, 987
 GetInvalidPathChars() **method**, Path
 class, 987
 GetLastError() **method**, Server
 class, 966
 GetLocalResourceObject() **method**, 1251
 GetLogicalDrives() **method**, Directory
 class, 972
 GetMachineConfiguration() **method**,
 ConfigurationManager **class**,
 1295–1296
 GetNumberOfInactiveProfiles()
 method, ProfileManager **class**, 725
 GetNumberOfProfiles() **method**,
 ProfileManager **class**, 725
 GetNumberOfUsersOnline() **method**,
 Membership **class**, 761–762, 784
 GetPathRoot() **method**, Path **class**, 987
 GetPostBackEventReference() **method**,
 ClientScript **class**, 1066–1068
 GetRedirectUrl(),
 FormsAuthentication **class**, 854
 GetRolesForUser() **method**, Roles **class**,
 780, 785
 GetRowFromElement() **method**,
 XmlDataDocument **class**, 539
 GetTempFileName() **method**, Path
 class, 987
 GetTempPath() **method**, Path **class**, 987
 GetUniqueID() **method**, CacheDependency
 class, 918
 GetUser() **method**, Membership **class**, 784
 GetUserNameByEmail() **method**,
 Membership **class**, 784
 GetUsersInRole() **method**, Roles
 class, 779
 GetWebConfiguration() **method**,
 ConfigurationManager **class**,
 1295–1296
 GetXmlDocument() **method**,
 XmlDataSource **control**, 380
Global Assembly Cache (GAC), 1136–1137
Global Assembly Cache Folder, installer
 program, 1403
Global namespace qualifiers, 1422–1423
global resources, 1253–1255
Global.asax file, 106–109, 966
globalization. *See* localization
 <globalization> **element**, configuration
 files, 685, 1236–1237
Globalization namespace, 1234
GlobalizationSection class, 1290
GotDotNet Web site, 1462
graphics. *See* images
greater-than sign (>), in Visual Studio, 940
GridView control
 adding columns to, 401–402
 binding to data source control, 389–390
 binding to FileInfo class, 982–986
 bit values displayed in, 399
 Boolean values displayed in, 399
 caption for, 414
 columns in, customizing, 399–400, 402–405
 compared to DataGrid control, 3–5, 389
 definition of, 389
 deleting data in, 412–414
 disabling editing for specific columns, 408
 displaying data in, 389–391
 editing (updating) data in, 405–412, 414
 error handling
 when deleting data, 413
 when updating data, 409–410

GridView **control (continued)**

- events for, 391–393, 399, 409–410, 413–414
- footer for, 414, 415
- formatting, 414–415
- header for, 414, 415
- no data to display in, feedback regarding, 393–394, 414
- null values displayed in, 399
- paging, 396–399, 415
- sorting columns in, 394–396
- templates for columns in, 402–405, 410
- using with DetailsView control, 416–420

<group> **element, of** <properties>

element, 704

GroupName **property**, RadioButton **control, 183**

groups, 842–843. See also authentication; authorization; users

Guthrie, Scott

- blog by, 1461
- XSP methodology, 2

GZipStream **class, 999, 1008**

H

hackable URLs, in MSDN2 documentation, 347

Hanselman, Scott (blog by), 1461

HasExtension() **method**, Path **class, 987**

hashed message authentication code (HMAC), 903

HashPasswordForStoringInConfigFile() **method**, FormsAuthentication **class, 855**

Hashtable **class**

- definition of, 346–347, 362
- iterating over, with For Each statement, 348–350
- retrieving objects from, 347–348

<head> **element, HTML class controlling, 129**

Headers Collection section, tracing output, 945

HeaderStyle **property**, GridView **control, 415**

HeaderTemplate **template**, TemplateField **control, 403**

HeaderText **property**

- WebPartZone class, 816

- Wizard control, 232–233

health monitoring

configuration of

- configuration file sections, list of, 1321
- enabling, 15–16
- mapping event names, 1321–1324
- profiles, defining, 1327–1328
- provider, specifying, 1324–1325
- Web events to record, 1325–1327

definition of, 1318–1319

enabling, 1319

example of, 1328–1329

features for, 15–16

Web event providers for

- BufferedWebEventProvider class, 588, 1332–1334

- EventLogWebEventProvider class, 588, 589–590, 1320

- list of, 587–588, 1319–1320

- SimpleMailWebEventProvider class, 588, 590–591, 1320, 1334–1336

- specifying, 1324–1325

- SqlWebEventProvider class, 588, 592–593, 1320, 1329–1332

- TemplatedMailWebEventProvider class, 588, 591–592, 1320, 1337–1339

- TraceWebEventProvider class, 588, 593–594, 1320

- WebEventProvider class, 588

- WmiWebEventProvider class, 588, 594–595, 1320

Web events recorded by

- buffering, 1332–1334

- e-mailing, 1334–1339

- list of, 1323–1324

<healthMonitoring> **element, configuration files, 15–16**

Height **property**

- Panel control, 202

- server controls, 119

- WebPartZone class, 816

HelpMode **property**, WebPart **class, 818**

- HelpPageIconUrl **property**, Login **control**, 754
- HelpPageText **property**, Login **control**, 754
- HelpPageUrl **property**, Login **control**, 754
- HelpUrl **property**, WebPart **class**, 818
- <HelpVerb> **element**, Web pages, 812
- HelpVerb **property**, WebPartZone **class**, 816
- hidden fields**
 - for mobile Web applications, 1190–1192
 - for state management, 874, 900–902
- HiddenField **control**, 213–214
- HiddenVariables **collection**, 1190–1191
- hierarchical data**. *See* Menu **control**;
 - TreeView **control**
- history**
 - of Active Server Pages (ASP), 2
 - of ADO.NET, 439
 - of ASP.NET 2.0, 1–3
 - of thick-client applications, 1–2
 - of Visual Basic (VB), 1
- HMAC (hashed message authentication code)**, 903
- Home tab, Web Site Administration Tool**, 1343
- Homer, Alex (blog by)**, 1461
- HorizontalAlign **property**, Panel **control**, 203–204
- hot keys**, Label **control** for, 157–158
- HotSpotMode **property**, ImageMap **control**, 241–242
- hotspots in ImageMap control**, 240–242
- Howard, Rob (blog by)**, 1461
- HTML**
 - book about, 120
 - classes associated with, 129–131
 - creating HTML server controls from, 126–128
 - generating with XSLT, 547–549
 - precompilation of, 98
 - validating, 44–46, 938–939
- <html> **element**, Web pages, 1438
- HTML server controls**. *See also* server controls
 - classes for, 129–131
 - compared to Web server controls, 112–113, 156
 - creating from HTML elements, 126–128
 - definition of, 34, 112–113, 126
 - properties for, common, 128–129
- HtmlAnchor **class**, 129
- HtmlButton **class**, 129
- HtmlContainerControl **class**, 129
- HtmlControl **class**, 128
- HtmlForm **class**, 129
- HtmlGenericControl **class**, 130–131
- HtmlHead **class**, 129
- HtmlImage **class**, 129
- HtmlInputButton **class**, 129
- HtmlInputCheckBox **class**, 129
- HtmlInputFile **class**, 129
- HtmlInputHidden **class**, 129
- HtmlInputImage **class**, 129
- HtmlInputPassword **class**, 129
- HtmlInputRadioButton **class**, 129
- HtmlInputReset **class**, 129
- HtmlInputSubmit **class**, 130
- HtmlInputText **class**, 130
- HtmlLink **class**, 130
- HtmlSelect **class**, 130
- HtmlTable **class**, 130
- HtmlTableCell **class**, 130
- HtmlTableRow **class**, 130
- HtmlTextArea **class**, 130
- HtmlTextWriter **class**, 1042–1043
- HtmlTitle **class**, 130
- HTTP Headers, caching using**, 913–914
- HTTP output, compressing**, 1010–1013
- HTTP protocol, communications over**, 1014–1018
- HTTP requests**
 - events associated with, 874–876
 - lifecycle of, 872–873
 - performance counters associated with, 1311
 - processing of
 - controlling with `HttpHandler` class, 1101–1102, 1113–1119
 - controlling with `HttpModule` class, 1101–1113
 - default, 1101–1102
 - storing state for a single request, 904–905
- HTTP sniffers**, 647
- HTTP status codes**, 967–968
- HTTP transmission methods, authenticating and authorizing**, 843

HttpApplication class, events associated with

HttpApplication class, events associated with, 874–876, 908, 1104, 1106

HttpBrowserCapabilities class, 1060, 1272

HttpCachePolicy class, 914

HttpContext.Current.Items collection, 904–905

HttpFileCollection class, uploading multiple files using, 221–223

HTTP-GET protocol, 1213–1215

HttpHandler class

custom file extension handler, creating, 1117–1119

definition of, 1101–1102, 1113

generic handler, creating, 1113–1117

HttpHandlerSection class, 1290

HttpModule class

configuration for, 1106

creating, 1102–1104

definition of, 1101–1102

HTTP output, modifying, 1104–1107

IIS wildcards used with, 1111–1113

URL rewriting, 1107–1111

<httpModules> element, configuration files, 1106

HttpModulesSection class, 1290

HTTP-POST protocol, 1215–1216

HttpResponse class

cookie values in, 894

status codes for, 967–968

<httpRuntime> element, configuration files, 219–220, 1284–1286

HttpRuntimeSection class, 1291

HttpSessionState class, 876

HttpRequest class, 1014–1018

HttpResponse class, 1014–1018

HybridDictionary class, 353, 362

HyperLink control, 169

HyperLinkField control, adding to GridView control, 401, 402

hyperlinks

behaving as buttons (LinkButton control), 167

controlling with HyperLink control, 169

in GridView control (as HyperLinkField control), 401, 402

as items in BulletedList control, 210–211
<HyperLinkStyle> element, Login control, 753

I

IAsyncResult interface, 489

IBuySpy demo, 11

ICallbackEventHandler interface, 1055–1056

ICollection interface, 343–344

IComparable interface, 336–337

IComponent interface, 1033–1034

id attribute, <browser> element, 1273

ID property

HtmlControl class, 128

server controls, 1045

<identity> element, configuration files, 863–864

Identity property, User property, 857–858

identity settings, for ASP.NET Worker Process, 1371

IDictionary interface, 345–346

idleTimeout attribute, <processModel> element, 1287

IEHttpHeaders tool (Jonas Blunck), 914

IEnumerable interface, 343

IEnumerator interface, 343

IEqualityComparer interface, 361

IgnoreFileBuildProvider class, 100

IHttpModule interface

events implemented with, 1104

implementing, 1102–1103

IIS (Internet Information Services)

ASP.NET Snap-In for IIS, 1302

debugging with, 957–958

domain name restrictions, 865–866

file extension mappings, 866–868

IP address restrictions, 865–866

location of Web application, 59–60

metabase, 1257

wildcard mappings for, 1111–1113

- IList interface, 344–345**
- Image control, 186–187**
- Image mobile Web control, 1166–1167**
- ImageButton control**
 - definition of, 167–168
 - postbacks using, 898
 - validation caused by, 247
- ImageClickEventArgs class, 168**
- ImageField control, adding to GridView control, 402**
- ImageKey property, AdRotator mobile Web control, 1158**
- ImageMap control, 240–242**
- images**
 - as bullets in **BulletedList** control, 210
 - as buttons (**ImageButton** control), 167–168
 - controlling
 - with **HtmlImage** class, 129
 - with **Image** control, 186–187
 - with **Image** mobile Web control, 1166–1167
 - as dividers in **Menu** control, 673–674
 - as error notifications for validation controls, 270–271
 - in hyperlinks (**HyperLink** control), 169
 - as icons in **TreeView** control, 657–659
 - in mobile Web applications, 1166–1167
 - as navigation menu (**ImageMap** control), 240–242
 - as path separators in site map, 643–644
 - in themes, 318–321
 - for Web Part verbs, 814
- ImageUrl property**
 - Command** mobile Web control, 1166
 - HyperLink** control, 169
 - Image** control, 186–187
 - Image** mobile Web control, 1166
 - ImageButton** control, 167
- element, HTML class controlling, 129**
- Immediate Window, Visual Studio, 940**
- @Implements directive, 68, 76**
- @Import directive**
 - definition of, 68, 74–75
 - in **Global.asx** file, 107
- include files**
 - compared to master pages, 279
 - for configuration files, 1283–1284
- Indent property, XmlWriterSettings class, 532**
- Index property, File System Editor, 1401**
- InfoSet, XML, 514**
- Infrastructure Error Events Raised performance counter, 1311**
- Inherits attribute**
 - @Control** directive, 73
 - @Master** directive, 72
 - @Page** directive, 67
- Init() method, IHttpModule interface, 1103–1104**
- Initialize() method**
 - FormsAuthentication** class, 855
 - ProfileCommon** class, 742
 - ProviderBase** class, 608, 618–621
- InitialValue property, RequiredFieldValidator control, 250–251**
- inline coding (code-inline model), 62, 63–65, 282–283**
- inline data binding, 429–431**
- InnerHtml property, HtmlContainerControl class, 129**
- InnerText property, HtmlContainerControl class, 129**
- in-place precompilation, 96**
- InProc provider, 564**
- in-process Session State provider**
 - accessing data in **Session** object, 881
 - definition of, 876, 877
 - disadvantages of, 877
 - page tracing during, 879–880
 - performance of, 883–884
 - public property for **Session** object, 881–883
 - storing data to **Session** object, 878–880
 - Web gardening used with, 877–878
- InProcSessionStateStore class, 585, 586**
- <input> element, HTML classes controlling, 129–130**

input/output (I/O) operations

input/output (I/O) operations. See also files; folders (directories); paths; Reader classes

classes for, diagram of, 998

network communications

with file:// protocol, 1020–1021

with FTP protocol, 1018–1020

with HTTP protocol, 1014–1018

sending e-mail, 1021–1022

reading operations

binary data, 1005

from files, 1000–1001, 1004

from network streams, 1002–1003

Reader classes, list of, 1003

shortcuts for, 1006–1007

streams for

compressing, 1008–1013

Stream classes, 999

using, 1000–1003

Writer classes

BinaryWriter class, 1003, 1005–1006

list of, 1003

StreamWriter class, 1003

StringWriter class, 1003

TextWriter class, 1003

XmlTextWriter class, 1003

XmlWriter class, 529–532

writing operations

binary data, 1005–1006

to files, 1001–1002, 1004

to memory streams, 1002

shortcuts for, 1007

Writer classes, list of, 1003

INSERT statement

configuration of

for ObjectDataSource control, 383–385

for SqlDataSource control, 370

executing with SqlDataAdapter, 450

InsertCommand property

SqlDataAdapter class, 450

SqlDataSource control, 421

InsertItemTemplate template,

TemplateField **control, 402, 405**

InsertParameters collection,

SqlDataSource **control, 421**

InstallCommon.sql script, 721

installer program

advantages of, 1388

cabinet files for, 1398

component dependencies, specifying,
1397–1398

compression of files by, 1398

creating, 1388–1392

Custom Actions Editor for, 1408–1409

definition of, 1386

dialogs, adding, 1407–1408

File System Editor for, 1400–1403

File Types Editor for, 1405–1406

folders for, specifying, 1402–1403

Launch Conditions Editor for, 1409–1410

menus for, specifying, 1403

output file name, specifying, 1396

packaging options, specifying, 1397

project properties for, 1396–1400

Registry Editor for, 1404–1405

running, 1392–1393

shortcut, creating, 1403

uninstalling using, 1394–1395, 1409

User Interface Editor for, 1406–1408

Windows Installer service for, 1386–1388

InstallPersonalization.sql script, 721

instances, default, 1428

<InstructionTextStyle> element, Login control, 753

instrumentation. See also health monitoring; tracing system

event logs

Application event log, 1306

displaying, 1303

health monitoring recorded in, 1319

list of, 1306

reading from, 1304–1306

Security event log, 1306

System event log, 1306

Windows event log, 588, 589–590

writing to, 1306–1309

- performance counters
 - accessing programmatically, 1312–1317
 - definition of, 1309
 - displaying, 1310
 - list of, 1311–1312
- IntelliSense**
 - in coding server controls, 115
 - in `Profile` class, 702–703
 - Visual Studio using, 14, 23, 26
 - in Visual Studio XML editor, 517
- Interface **attribute**, `@Implements`
 - directive**, 76
- interfaces, implementing**, 68, 76
- internal stylesheets, applying styles to server controls**, 124–125
- International .NET Association Web site**, 1462
- internationalization. See localization**
- Internet Information Service (IIS)**
 - ASP.NET Snap-In for IIS, 1302
 - debugging with, 957–958
 - domain name restrictions, 865–866
 - file extension mappings, 866–868
 - IP address restrictions, 865–866
 - location of Web application, 59–60
 - metabase, 1257
 - wildcard mappings for, 1111–1113
- Interop Type Library**, 1127, 1138–1139
- invariant culture definitions**, 1232–1233
- I/O (input/output) operations. See also files; folders (directories); paths; Reader classes**
 - classes for, diagram of, 998
 - network communications
 - with file:// protocol, 1020–1021
 - with FTP protocol, 1018–1020
 - with HTTP protocol, 1014–1018
 - sending e-mail, 1021–1022
 - reading operations
 - binary data, 1005
 - from files, 1000–1001, 1004
 - from network streams, 1002–1003
 - Reader classes, list of, 1003
 - shortcuts for, 1006–1007
 - streams for
 - compressing, 1008–1013
 - Stream classes, 999
 - using, 1000–1003
 - Writer classes
 - BinaryWriter class, 1003, 1005–1006
 - list of, 1003
 - StreamWriter class, 1003
 - StringWriter class, 1003
 - TextWriter class, 1003
 - XmlTextWriter class, 1003
 - XmlWriter class, 529–532
 - writing operations
 - binary data, 1005–1006
 - to files, 1001–1002, 1004
 - to memory streams, 1002
 - shortcuts for, 1007
 - Writer classes, list of, 1003
- IO namespace**
 - definition of, 972
 - Directory class, 976, 979–980
 - DirectoryInfo class, 976–979, 991
 - DriveInfo class, 972–975
 - File class, 982–986, 1004, 1006
 - FileInfo class
 - binding to GridView control, 982–986
 - definition of, 991–992
 - Path class, 987
 - Reader classes in, 1003
 - security regarding, 971
 - Stream classes in, 999
 - Writer classes in, 1003
- IO.Compression namespace**, 1008
- IO.Ports namespace**, 1013
- IOrderedDictionary interface**, 361
- IP address restrictions, IIS**, 865–866
- IPostBackDataHandler interface**, 1070–1071
- IPostBackEventHandler interface**, 1068–1069
- ISAPI extensions and filters**, 1101
- IsApplication property, File System Editor**, 1401

IsCompleted property, IAsyncResult interface

IsCompleted property, IAsyncResult interface, 489

IsEnabled property, Trace class, 942

IsInRole() method, User property, 858–859

IsLockedOut property, MembershipUser class, 758

IsNot operator, Visual Basic, 1432

IsPathRooted() method, Path class, 987

IsPostBack property, Page class, 81

IsReady property, DriveInfo class, 975

IsStartupScriptRegistered() method, ClientScript class, 1050

IsSynchronized property, ICollection interface, 344

IsUserInRole() method, Roles class, 781, 785

Item property

IDictionary interface, 346

IList interface, 345

ITemplate interface, 1081

Items collection, HttpContext class, 904–905

Items property, List mobile Web control, 1171

ItemsPerPage property, List mobile Web control, 1171

ItemTemplate template, TemplateField control, 402, 404–405, 423, 425–427

iterators, 1418–1419

IUSR_MachineName account, privileges for, 862

J

JavaScript

book about, 137

calling server-side events, 1445–1446

in client-side callbacks, 137–140

client-side JavaScript event, for Button control, 165–166

client-side scripts

custom server controls emitting, 1049–1053

used by TreeView control, 647–649

custom client-side validation using, 261–263

hard-coded JavaScript files, modifying, 1439

in Web pages, 132–137

Jet Data provider, using with Access databases, 379

JIT debug dialog, 956–957

Just My Code debugging, 963

K

Kernighan, Brian (quote regarding difficulty of debugging), 937

KeyedCollection generic class, 364

Keywords property, installer program, 1399

Kothari, Nikhil (blog by), 1461

L

Label control, 156–158

Label mobile Web control, 1161–1162

LabelField property, ObjectList mobile Web control, 1175

<LabelStyle> element, Login control, 753

Language attribute

@Control directive, 73

@Master directive, 72

@Page directive, 70, 1237

@WebService directive, 1199

languages, programming

multiple, in App_Code folder, 91–93

Visual Studio support for, 26

languages, spoken. See localization

Launch Conditions Editor, installer program, 1409–1410

Lawrence, Eric (Fiddler tool), 647

LayoutOrientation property,

WebPartZone control, 795, 816

LCID attribute, @Page directive, 70

leaf nodes, TreeView control, 651

LeafImageUrl property, TreeView control, 658

Length property, FileStream class, 1000

LimitedSqlRoleProvider provider example, 627–635

- LinePragmas **attribute**
 @Control directive, 73
 @Master directive, 72
 @Page directive, 70
 <link> **element, HTML class controlling, 130**
- Link **mobile Web control, 1169–1171, 1181–1182**
- LinkButton **control**
 in BulletedList control, 210–211
 definition of, 167
 postbacks using, 898
 validation caused by, 247
- LinkedList **generic class, 364**
- LinkedListNode **generic class, 364**
- links**
 behaving as buttons (LinkButton control), 167
 controlling with HyperLink control, 169
 in GridView control (as HyperLinkField control), 401, 402
 as items in BulletedList control, 210–211
- list controls. See data-bound list controls**
- List **generic class, 358–360, 363**
- List **mobile Web control, 1171–1174**
- ListBox **control**
 adding items to collection, 176–177
 definition of, 174
 multiple selections, enabling, 174–176
 new properties in, 427–428
 removing items from displayed collection, 172–173
- ListDictionary **class, 353, 362**
- <listeners> **element, configuration files, 949**
- lists. See also Array class; data-bound list controls**
 ArrayList class
 compared to generics, 345
 definition of, 340, 362
 using, 340–343
 when to use, 345
 generic lists, 358–360
 IList interface, 344–345
- Literal **control, 158–159**
- Load() **method, XslCompiledTransform class, 546**
- LoadControl() **method, Page class, 1028–1029**
- LoadControlState() **method, ControlState class, 1064–1066**
- LoadPostData() **method, IPostBackDataHandler interface, 1070–1071**
- local resources, 1247–1253**
- Localizable **attribute, for properties, 1040**
- localization**
 configuration of, 1371
 cultures
 associated with threads, 1233–1236
 changing, 1234–1236
 date and time differences, 1239–1240
 definition of, 1231–1232
 invariant culture definitions, 1232–1233
 neutral culture definitions, 1232–1233, 1253
 number and currency differences, 1241–1244
 sorting strings, differences in, 1244–1246
 specific culture definitions, 1232
 specified by client, 1238–1239
 specifying for application, 1236–1237
 specifying for page, 1237
 dates and times, differences in, 1239–1240
 features for, 18
 numbers and currencies, differences in, 1241–1244
 resource files for
 editor for, 1255–1256
 global resources, 1253–1255
 local resources, 1247–1253
 of site maps, 684–688
 sorting strings, differences in, 1244–1246
- Localization **property, installer program, 1399**
- LocalName **property, XmlReader class, 521**
- Location **attribute, @OutputCache directive, 78**

<location> element, configuration files

- file authorization, 1280, 1372
- master page specified in, 290
- role management settings, 773
- trust level settings, 1260–1261
- URL authorization settings, 856

Locations tab, MMC (Microsoft Management Console), 1372–1373

<LoggedInTemplate> element, LoginView control, 768

Login control

- definition of, 751
- help page for, 754
- password recovery page for, 754
- registration page for, 754
- remembering login information, 751–752
- styles for, 752–753
- using, 751–754

Login controls, 35

LoginName control, 760–761

LoginStatus control, 758–759

loginUrl attribute, <forms> element, 734, 846, 1277

LoginView control, 768–770

logLevel attribute, <processModel> element, 1288

logs. See also health monitoring

- blogs
 - about ASPNET, 1461–1462
 - displaying, 541–544
- event logs
 - Application event log, 1306
 - displaying, 1303
 - health monitoring recorded in, 1319
 - list of, 1306
 - reading from, 1304–1306
 - Security event log, 1306
 - System event log, 1306
 - Windows event log, 588, 589–590
 - writing to, 1306–1309

LogVisits property, File System Editor, 1401

M

machine.config file. See also configuration files

- definition of, 1259

- inheritance of, 1262–1263

- manipulating programmatically, 1294–1296

machine.config.comments file, 1259–1260

machine.config.default file, 1259–1260

<machineKey> element, configuration files, 903

MachineKeySection class, 1291

machine-wide configuration, 1259–1261

<MailDefinition> element,

- PasswordRecovery control, 765

<mailSettings> element, configuration files, 764–765

MaintainScrollPositionOnPostBack

- attribute, @Page directive, 70

Management (administration). See also membership management; role management; Web Site Administration Tool

- features for, 6–9

- MMC (Microsoft Management Console)

- accessing, 1362

- application, selecting, 1363

- Application tab, 1370–1371

- Authentication tab, 1368–1370

- Authorization tab, 1367–1368

- changing provider for sessions, 564

- Custom Errors tab, 1366–1367

- definition of, 6–7

- editing configuration files using, 868–869

- features of, 1364

- General tab, 1365–1366

- Locations tab, 1372–1373

- .NET Framework version, specifying, 1364

- State Management tab, 1371–1372

- upgrading applications, 1434–1435

- virtual path of application, specifying, 1364

- web.config file creation and modification dates, specifying, 1364

- web.config file location, specifying, 1364

- Manufacturer **property, installer program, 1399**
- ManufacturerUrl **property, installer program, 1399**
- Mariani, Rico (*The Pit of Success* coined by), 937**
- MARS (Multiple Active Result Sets)**
with asynchronous processing, 497
definition of, 481
example of, 482–487
- Master **class, 290–291**
- @Master **directive**
attributes for, list of, 71–72
definition of, 68, 71
format for, 283
- .master **files**
with code-behind model, 66
with code-inline model, 64
definition of, 279
- master pages. See also themes**
attributes for
in @Master directive, 68, 71–72, 283
in @MasterType directive, 68, 77
browser options for, 304–305
caching, 306
coding models used with
code-behind model, 66
code-inline model, 64, 282–283
mixing, 287–289
container-specific, 303–305
controls in, accessing from content page, 291–293
creating, 281–284
creating content page for, 284–287
default content in, 297–299
definition of, 19–20, 279–281
event ordering with, 305
nesting, 300–303
page title, specifying, 290–291
placeholder for content in, 283–284
programming languages used with, mixing, 289
properties in, accessing from content page, 294–297
reasons to use, 277–279
specifying for content page, 285, 289–290, 299–300
themes interacting with, 311–312
Web Part connections using, 833–834
WebPartManager control in, 790
.master.cs **files, 66**
- master-detail scenario, MARS (Multiple Active Result Sets) used for, 481**
- MasterPageFile **attribute**
@Master directive, 72
@Page directive, 70, 285, 289–290, 304
- masterPageFile **attribute, <pages> element, 1282**
- @MasterType **directive, 68, 77**
- .master.vb **files, 66**
- maxBatchGeneratedFileSize **attribute, <compilation> element, 1270**
- maxBatchSize **attribute, <compilation> element, 1270**
- MaximumValue **property, RangeValidator control, 256**
- maxInvalidPasswordAttempts **property, SqlMembershipProvider class, 755–756**
- maxIoThreads **attribute, <processModel> element, 1288**
- MaxLength **property, TextBox mobile Web control, 1163**
- maxRequestLength **property, <httpRuntime> element, 220, 1285**
- maxWorkerThreads **attribute, <processModel> element, 1288**
- .mdb **files**
Microsoft Access, 93, 379, 1436
SQL Server Express, 10
- Membership **class**
creating users, 744–746
locking out users supplying incorrect passwords, 755–758
logging in users, 754–755
methods for, 784
number of users online, obtaining, 761–762

membership management. See also authentication; role management

custom provider for, creating
application for, 609–610
class for, 610–614
configuration for, 615–616
data store for, 614–615
methods and properties for, 616–625
using, 625–626

definition of, 10, 731, 732–733

forms authentication for, enabling, 733–735

passwords for
changing, 763–764
generating random passwords, 767, 784
hashed, 738
number of attempts before lockout, 755–758
recovering, 754, 764–766
requirements for, 738–739

personalization properties, using with,
740–744

providers for
`ActiveDirectoryMembershipProvider`
class, 574, 576–577
list of, 566, 574
managing, 1369
`SqlMembershipProvider` class,
574–576, 603–609, 732–733, 735,
749–750

users for
adding programmatically, 744–749, 784
adding, with server controls, 735–737,
739–740
authentication of (logging in), 751–755
creating, 744–746
deleting, 784
finding, 784
locking out, because of bad passwords,
755–758
logging in, 754–755
logging in and out, link for, 758–759
name of, displaying, 760–761
number of online, displaying, 761–762, 784
registration process for, 740–744,
749–750, 754
storage location for, 737–739

unauthenticated, denying, 750–751
updating, 784
validating, 754–755, 784

`MembershipCreateStatus` **events, 748–749**

`MembershipCreateUserException`
exception, 746–747

`MembershipProvider` **class, 574, 608–609**

`MembershipSection` **class, 1291**

`memoryLimit` **attribute, <processModel>**
element, 1287

`MemoryStream` **class, 999, 1002**

`Menu` **control**
binding to `SiteMapDataSource` control,
668–669
binding to `XmlDataSource` control, 675–676
definition of, 429, 667–668
events for, 674–675
styles for
dynamic items, 671–672
image dividers for items, 673–674
layout of items, 672–673
pop-out symbol, 673
predefined, 669–670
static items, 670

`MenuEventArgs` **class, 675, 676**

`MenuItemClick` **event, Menu control,**
674–675

`MenuItemStyle` **property, WebPartZone**
class, 816

`MenuItemText` **property, WebPartZone**
class, 816

`MessageName` **property, WebMethod attribute,**
1202

`<meta>` **element**
caching using, 914
HTML class controlling, 130–131

`meta:resourcekey` **attribute, server**
controls, 1250, 1251

methods. See also specific methods
anonymous, 1420–1421
generic, 1416–1418

Microsoft Access
as data source, 368, 379
location of files for, 93, 1436

Microsoft Active Directory

membership provider using, 576–577
 role provider using, 578, 580–582

Microsoft Developer Centers Web site, 1462**Microsoft Forums Web site, 1462****Microsoft Management Console snap-in. See MMC snap-in****Microsoft Newsgroups Web site, 1462****Microsoft SharePoint, compared to Web Parts, 788****Microsoft's Classic ASP Web site, 1462**

Microsoft.VisualBasic.Collection
class, 354, 363

MigrateAnonymous **event**, ProfileModule
class, 715–717

migrating ASP.NET 1.x projects to ASP.NET 2.0

converting applications in Visual Studio,
 1439–1444

difficulty of, 1433

hard-coded JavaScript files, modifying, 1439

reserved folders for, 1436–1437

upgrading applications, 1434–1435

XHTML compliance, 1437–1439

minFreeThreads **attribute**, <httpRuntime>
element, 1285–1286

<MinimizeVerb> **element, 812**

MinimizeVerb **property**, WebPartZone
class, 816

MinimumValue **property**, RangeValidator
control, 256

minLocalRequestFreeThreads **attribute**,
 <httpRuntime> **element, 1286**

minRequiredNonalphanumericCharacters
property, SqlMembershipProvider
class, 739

minRequiredPasswordLength **property**,
 SqlMembershipProvider **class, 739**

Mitchell, Scott (blog by), 1461**MMC (Microsoft Management Console) snap-in**

accessing, 1362

application, selecting, 1363

Application tab, 1370–1371

Authentication tab, 1368–1370

Authorization tab, 1367–1368

changing provider for sessions, 564

Custom Errors tab, 1366–1367

definition of, 6–7

editing configuration files using, 868–869

features of, 1364

General tab, 1365–1366

Locations tab, 1372–1373

.NET Framework version, specifying, 1364

State Management tab, 1371–1372

upgrading applications, 1434–1435

virtual path of application, specifying, 1364

web.config file

creation and modification dates, specifying,
 1364

location, specifying, 1364

mobile: **prefix for controls, 1151**

mobile Web applications

Code view of, 1152

container controls for, 1153–1155

creating, 1149–1152

definition of, 1149

Design view of, 1152

device filters for, 1187–1189

emulators for testing, 1186

event handling with, 1153

hidden fields in, 1190–1192

HTML view of, 1152

navigating between forms in, 1181–1182

state management for, 1189–1192

StyleSheet control for, 1155–1157

Visual Studio support for, 26

mobile Web controls

AdRotator mobile Web control, 1157–1159

Calendar mobile Web control, 1160–1161

Command mobile Web control, 1166

container controls for, 1153–1155

definition of, 113

event handling with, 1153

Image mobile Web control, 1166–1167

Label mobile Web control, 1161–1162

Link mobile Web control, 1169–1171

List mobile Web control, 1171–1174

ObjectList mobile Web control, 1175

mobile Web controls (*continued*)

PhoneCall mobile Web control, 1167–1169
SelectionList mobile Web control,
1175–1179
specifying, 1151
TextBox mobile Web control, 1162–1164
TextView mobile Web control, 1164–1165
validation controls, 1179–1181

Mobile Web Forms, navigating between, 1181–1182

Mobile Web user controls

creating, 1182–1185
StyleSheet control used with, 1157

mode attribute

<authentication> element, 733, 837–838
<customErrors> element, 1274
<sessionState> element, 1266

Mode **property**, Literal **control**, **159**

money, differences between cultures, 1241–1244

MoveNext() **method**, IEnumerator
interface, **343**

MoveWebPart() **method**, WebPartManager
class, **815**

MSDN, support from, **46–47**

MSDN2 documentation, **347**

.msi **files**, **1391**, **1395**, **1396**. *See also*
Windows Installer service

Multiple Active Result Sets (MARS)

with asynchronous processing, 497
definition of, 481
example of, 482–487

multithreading

configuration of, 1285–1286
culture associated with, 1233–1236
ICollection interface properties for, 344

MultiView **control**, **225–229**

My **keyword**, Visual Basic, **1430–1432**

N

name attribute

<add> element, 929
<forms> element, 734, 846, 1277

Name **attribute**, @Assembly **directive**, **76**

Name **property**

ProviderBase class, 608
WebService attribute, 1202
XmlReader class, 521

Namespace **attribute**

@Import directive, 74–75
@Register directive, 76

Namespace **property**, WebService **attribute**,
1202

namespaces

aliases for, registering, 68, 76
Global namespace qualifiers, 1422–1423
importing, 68, 74–75
in XML
definition of, 513
not supported by XmlDataSource
control, 540
resolution of, 536
namespaces **attribute**, <pages> **element**,
1283

NameTable **class**, optimizing XmlReader
class using, **524–526**

NameValueCollection **class**, **353–354**, **362**

NavigateUrl **property**

HyperLink control, 169
Image mobile Web control, 1166
Link mobile Web control, 1169
TreeNode class, 665, 666

NavigateUrlKey **property**, AdRotator
mobile Web control, **1158**

navigation. *See also* site maps

breadcrumb navigation, 640
definition of, 637
features for, 12–14
images as (ImageMap control), 240–242
paging
DetailsView control, 416
GridView control, 396–399
QueryString state management for, 896–897
URL mapping for, 683–684

Navigation controls, **35**. *See also* Menu
control; SiteMapPath **control**; TreeView
control

NegotiateStream **class**, **999**

nesting site map files, 693–695**.NET 247 Web site, 1462****.NET business objects**

deploying with COM applications, 1146–1147

error handling for, 1144–1145

late binding with, 1143–1144

precompiled

 creating, 1122–1124

 using, 1124–1125

using from unmanaged code, 1137–1140

using within COM objects, 1140–1143

.NET CLR types, retrieving from XML, 526–527**.NET Framework**

multiple versions of, running simultaneously,
1288

version of, specifying, 1364

Whidbey codename for, 3

**.NET Framework interfaces, implementing,
68, 76****Net namespace, 1014****Net.Mail namespace, 1021****network communications**

with file:// protocol, 1020–1021

with FTP protocol, 1018–1020

with HTTP protocol, 1014–1018

sending e-mail, 1021–1022

NetworkStream class, 999, 1002–1003**neutral culture definitions, 1232–1233, 1253****NewPasswordRegularExpression property,
ChangePassword control, 763–764****NextButtonClick event, Wizard
control, 234****NextStepButtonText property, Wizard
control, 234****NextStepButtonType property, Wizard
control, 234****nodes, in TreeView control, 650–651**

<NodeStyle> element, 646

<NodeStyleTemplate> element, 646

**NoExpandImageUrl property, TreeView
control, 658****Nokia emulator, 1186****Normal mode, Portal Framework, 788****NoStore attribute, @OutputCache
directive, 78****NotifyAfter property, SqlBulkCopy
class, 465****NotifyDependencyChanged() method,
CacheDependency class, 918****NotifyParentProperty attribute, for
properties, 1039****null values, displaying, 399****NullDisplayText property, BoundField
control, 399****number representations, differences between
cultures, 1241–1244****numRecompilesBeforeAppRestart
attribute, <compilation> element, 1271****O****Obasanjo, Dare (opinion regarding RDX
databases), 554****Object Test Bench**

definition of, 49, 53–54

Visual Studio support for, 27

ObjectDataSource control

configuration of, 383–385

creating, 380–383

definition of, 368, 380

events for, 385

ObjectList mobile Web control, 1175**objects**

business objects, binding to data controls,
368, 380–385

comparing

 based on equivalence, 334, 335–336

 based on identity, 334–335

Equals() method for, overriding, 336

making comparable, 336–337

ODBC data source

ADO.NET classes for, 444

SqlDataSource control for, 368

ODP.NET data provider, 463

{Of T} declaration, Visual Basic, 1417

{Of type} declaration, Visual Basic, 1415

**Office development, Visual Studio support
for, 26**

OldValueParameterFormatString **property**, SqlDataSource **control**, **375**

OLE DB data source

ADO.NET classes for, 444

SqlDataSource control for, 368

OnClick **event**

Button control, 163

ImageButton control, 168

OnClickClientClick **event**, Button **control**, **166**

OnCommand **event**, Button **control**, **164–165**

OnDataBound **property**, TreeView **control**, **663–664**

123ASPX Directory Web site, **1462**

Onion, Fritz (ViewStateDecoder tool), **902**

online resources, **1461–1462**

OnServerValidate **property**,

CustomValidator **control**, **265**

OnTextChanged **event**, TextBox **control**, **161–162**

Open() **method**, File **class**, **1004**

OpenMachineConfiguration() **method**,
ConfigurationManager **class**, **1294**

OpenWave emulator, **1186**

operator overloading, **1421–1422**

Operator **property**, CompareValidator
control, **255**

optimistic concurrency, for SqlDataSource
control, **374**

Oracle 10g Client, **461**

Oracle database

connecting to, 461–463

SqlDataSource control for, 368, 376–378

OracleDataReader **class**, **463**

Orientation **property**, Menu **control**, **672**

out-of-process Session State provider

configuration of, 885

definition of, 585, 586–587, 876, 884

starting, 884–885

using, 886–889

for Web Farms, 1266–1269

OutOfProcSessionStateStore **class**, **585**,
586–587

output caching, **908–910**, **1286**

@OutputCache **directive**

attributes for, list of, 77–78

definition of, 68, 77, 908, 930

with master pages, 306

overloaded operators, **1421–1422**

P

<p> **element**, HTML **class controlling**, **130**

packaging applications. See **deployment**

Page **class**

ClientScript property, 133–137

IsPostBack property, 81

Theme property, 324

@Page **directive**

attributes for, list of, 69–71

changes during migration, 1443

CodeFile attribute, 67

culture, specifying, 1237

definition of, 68, 69

Inherits attribute, 67

page directives, list of, **68**. See also *specific directives*

page events

definition of, 78–80

list of, 79

using in server controls, 116

page exceptions, handling, **966**

page framework

features for, 18–20

master pages, 19–20

themes, 20

Page **property**, HtmlControl **class**, **128**

page recycling, **963**

page tabs, Visual Studio document
window, **30–31**

page templates. See **master pages**

page tracing system

Session State used with, 879–880

Web event provider using, 588, 593–594

pageBaseType **attribute**, <pages> **element**,
1282

PageCatalogPart **control**, **801–802**,
809, **811**

PageIndexChanged **event**, GridView
control, **399**

- PageIndexChanged **event**, GridView **control**, 399
- Page_Init **event**, 79, 80
- Page_InitComplete **event**, 79, 80
- page-level tracing**, 942
- Page_Load **event**, 79, 80, 270
- Page_LoadComplete **event**, 79, 80, 293
- Page_PreInit **event**, 79, 79–80, 300
- Page_PreLoad **event**, 79, 80
- Page_PreRender **event**, 79, 80, 228–229
- Page_PreRenderComplete **event**, 79, 80
- pages**. *See* **master pages**; **Web pages**
- <pages> **element**, **configuration files**, 1281–1283
- PagesSection **class**, 1291
- PagerSettings **property**, GridView **control**, 397–399
- PagerStyle **property**, GridView **control**, 397–399, 415
- Page_Unload **event**, 79, 80
- paging**
- DetailsView **control**, 416
 - GridView **control**, 396–399
- Panel **control**
- definition of, 202
 - disabling theming for controls in, 311
 - mobile controls in, 1154–1155
 - using, 202–204
- parameterized SQL commands**, 453–456
- ParameterName **property**, SqlParameter **class**, 453
- parent nodes**, TreeView **control**, 651
- Parent **property**, HtmlControl **class**, 128
- parentID **attribute**, <browser> **element**, 1273
- ParentLevelsDisplayed **property**, SiteMapPath **control**, 644–645
- ParentNodeImageUrl **property**, TreeView **control**, 658
- ParseChildren **attribute**, **for classes**, 1039
- ParseExpression() **method**, ExpressionBuilder **class**, 434–435
- partial classes**
- changes during migration, 1443
 - with code-behind model, 14, 63, 67, 1423
 - definition of, 14, 280, 1423–1425
- partial page caching**, 910–911
- Passport authentication**, 855, 1276
- <passport> **element**, **configuration files**, 1276
- password **attribute**, <processModel> **element**, 1287
- Password **property**, TextBox **mobile Web control**, 1162, 1163
- passwordAttemptWindow **property**, SqlMembershipProvider **class**, 755–756
- passwordFormat **property**, SqlMembershipProvider **class**, 750
- PasswordRecovery **control**, 764–766
- PasswordRecoveryIconUrl **property**, Login **control**, 754
- PasswordRecoveryText **property**, Login **control**, 754
- PasswordRecoveryUrl **property**, Login **control**, 754
- passwords, for membership management**
- changing, 763–764
 - generating random passwords, 767, 784
 - hashed, 738
 - number of attempts before lockout, 755–758
 - recovering, 754, 764–766
 - requirements for, 738–739
- path **attribute**
- <forms> **element**, 735, 846, 1277
 - <location> **element**, 1281
- Path **class**, 987
- PATH **keyword**, FOR XML **clause**, 556
- PathDirection **property**, SiteMapPath **control**, 644
- paths**
- changing extension of, 987
 - combining, 987
 - components of, determining, 987–990
 - information about, retrieving, 987
- PathSeparator **property**, SiteMapPath **control**, 642–644
- <PathSeparatorStyle> **element**, 643, 646
- <PathSeparatorTemplate> **element**, 642–644, 646
- .PDB **files**, 956. *See also* **debugging**

percent sign (%)

- <%\$ %> delimiters, enclosing expressions, 432
- <%@ %> delimiters, enclosing page directives, 68

performance. *See also* **caching; health monitoring**

- of `BinarySearch()` method for arrays, 338
- features for, 9
- generics affecting, 358
- of in-process Session State provider, 883–884
- of Session State methods, 895
- of `XmlReader` class, 524–526
- of XSLT transformations using `XPathDocument` class, 545

performance counters

- accessing programatically, 1312–1317
- definition of, 1309
- displaying, 1310
- list of, 1311–1312

`PerformanceCounter` **class**, **1312**, **1317**

`PerformanceCounterCategory` **class**, **1312**, **1317**

permissions. *See also* **ACLs (Access Control Lists); authorization**

- for configuration files (trust levels), 1260–1261
- for registry keys, 951
- for uploading files, 218–219

`PersistenceMode` **attribute**, **for properties**, **1040**

`PersistChildren` **attribute**, **for properties**, **1039**

`Personalizable` **attribute**, **custom property**, **822**

Personalization Services layer, **698**

personalization system. *See also* **Portal Framework; Web Parts**

- anonymous personalization authentication mode for, 710
- configuration of, 1278
- cookies for, 711–712
- enabling, 709–712
- events for, 713

- migrating to registered users, 715–717
- properties affected by, 713–714
- storage used by, 714–715
- automatic saves for, 718–719
- definition of, 697–698
- features for, 10
- incorporating into user registration, 740–744
- profile manager for
 - creating, 725–730
 - `ProfileManager` class for, 723–725
 - running, 730
- `ProfileCommon` class for, 715
- `ProfileModule` class for, 715
- profiles, personalizing, 717–718
- properties for
 - adding a group of, 704
 - as anonymous, 713–714
 - creating, 699–700
 - default values for, 709
 - early-bound access of, 702–703
 - late-bound access of, 703
 - read-only, 709
 - types for, custom, 706–708
 - types for, defining, 705–706
 - using, 700–703
 - using groups of, 705
- providers for, 582–583, 698, 719–723
- `PersonalizationProvider` **attribute**, `@Page` **directive**, **70**
- `PersonalizationProvider` **class**, **598**
- `Personalize` **event**, `ProfileModule` **class**, **715**, **717–718**
- `PhoneCall` **mobile Web control**, **1167–1169**
- `PhoneNumber` **property**, `PhoneCall` **mobile Web control**, **1167**, **1168**
- pictures. *See* images**
- The Pit of Success* (coined by Rico Mariani)**, **937**
- `Placeholder` **control**, **204**
- Poll approach for asynchronous commands**, **491–494**
- `polltime` **attribute**, `<add>` **element**, **928**, **929**
- polymorphism**, **1216**

Pope, Mike (blog by), 1462

PopulateNodesFromClient **property**,
 TreeView **control, 648**

Portal Framework. See also Web Parts

classes in, list of, 815–818
 definition of, 11–12, 788–789
 modes for
 list of, 788
 user changing, 797–800
 zones in
 CatalogZone control, 801–802, 804
 ConnectionsZone control, 808
 content of, allowable, 795
 content of, managing, 790, 815
 creating, 790–794
 definition of, 789
 EditorZone control, 804–805
 state of, managing, 790, 815

postbacks

on Button control, 166, 898
 on CheckBox control, 178
 compared to client-side callbacks, 137–140
 for custom server controls, 1066–1071
 definition of, 80–81
 on DropDownList control, 171, 172–173
 on ImageButton control, 898
 on ImageMap control, 241
 on LinkButton control, 898
 for paging in GridView control, 399
 on RadioButton control, 184
 sections (views) of page changed when,
 225–229
 in state management, 897–899
 on TextBox control, 161–162
 on TreeView control, 647–648
 user controls added after, tracking,
 1032–1033

PostBackUrl **property**, Button **control**,
166, 898

PostBuildEvent **property**, installer
program, 1399

post-cache substitution, 911–913

PostRequestHandlerExecute **event**,
 HttpApplication **class, 875, 1104**

PreBuildEvent **property**, installer
program, 1399

precompilation

definition of, 14
 for deployment, 96–98, 1384–1386

PreRequestHandlerExecute **event**,
 HttpApplication **class, 875, 1104**

PreSendRequestContent **event**,
 HttpApplication **class, 1104, 1106**

PreSendRequestHeaders **event**,
 HttpApplication **class, 1104**

PreviousButtonClick **event**, Wizard
control, 234

@PreviousPageType **directive, 68, 77**

PreviousStepButtonText **property**,
 Wizard **control, 234**

PreviousStepButtonType **property**,
 Wizard **control, 234**

private assemblies

deploying COM components with, 1135–1136
 deploying .NET components with, 1146

<processModel> **element**, configuration
files, 863, 1286–1288

ProcessModelSection **class, 1291**

processor affinity, **877**

processors supported, **9**

ProductCode **property**, installer **program**,
1399

productivity, features for, **3–6**

ProductName **property**, installer **program**,
1399

Profile API, **698**

Profile **class, 702–703. See also**
personalization system

<profile> **element**, configuration **files**,
699–700

profile system. See personalization system

ProfileAutoSaving **event**,
 ProfileModule **class, 715, 718–719**

ProfileBase **class, 715**

ProfileCommon **class, 715, 742**

ProfileManager **class, 723–725**

ProfileMigrateEventArgs **class, 715–716**

ProfileModule **class, 715**

<profiles> element, configuration files

<profiles> **element, configuration files, 1327–1328**

Program Files Folder, installer program, 1402

programming languages

multiple, in App_Code folder, 91–93

Visual Studio support for, 26

projects, 39–42. See also Web applications

<properties> **element, configuration files, 699–700**

Properties window, Visual Studio 2005, 38

property accessors, 1426–1427

property attributes, for server controls, 1039–1040

ProtectedConfigurationProvider **class, 595–596**

ProtectedConfigurationSection **class, 1290**

ProtectedDataSection **class, 1290**

protection **attribute, <forms> element, 735, 846, 1277**

<protocols> **element, configuration files, 1213–1214**

provider **attribute, <siteMapNode> element, 695**

Provider **property**

ProfileManager class, 724

SiteMap class, 680

Provider tab, Web Site Administration Tool, 1361–1362

provider Web Part, 824–828

ProviderBase **class, 607–609**

providers

architectural model for, 601–602

build providers

built-in build providers, 100

custom build providers, 100–106

definition of, 98–100

configuration of, 599–600, 1361–1362

configuration providers, 595–598

creating custom providers

application for, 609–610

class for, 610–614

configuration for, 615–616

data store for, 614–615

methods and properties for, 616–625
using, 625–626

data providers

classes for, 444–445

configuration of, 1361–1362

connection objects for, 445

list of, 367

listed in machine.config file, 370

for Oracle, 461–462, 463

for site maps, 677

extending, 626–635

list of, 566–567

membership management providers

ActiveDirectoryMembershipProvider
class, 574, 576–577

list of, 566, 574

managing, 1369

SqlMembershipProvider class,
574–576, 603–609, 732–733, 735,
749–750

modifying through attributes, 602–609

personalization providers, 582–583, 698,
719–723

role management providers, 578–582,
627–635

for session state

custom, 893–894, 1265, 1268–1269

in-process, 877–884

list of, 564–565, 585–587, 876

out-of-process, 884–889, 1266–1269

SQL-backed, 890–893

session state providers, 585–587

sitemap provider, 583–584

systems requiring, 565–566

Web event providers, 587–595, 1319–1320,
1329–1332

Web Parts provider, 598–599

<providers> **element, configuration files, 572–573, 604–607, 1324–1325, 1329–1330**

Providers **property**

ProfileManager class, 724

SiteMap class, 680

public assemblies

deploying COM components with, 1136–1137
 deploying .NET components with, 1146–1147

publications

Beginning JavaScript, Second Edition
 (Wilton), 137
*Beginning Web Programming with HTML,
 XHTML, and CSS* (Duckett), 120

**Publish Web Site dialog, Visual Studio,
1384–1386****publishing a Web site. See deployment****Q****queries (SELECT statement)**

in bulk copy operation, 469
 configuration of
 for ObjectDataSource control, 383–385
 for SqlDataSource control, 370
 FOR XML clause
 AUTO keyword, 550–553
 ELEMENTS keyword, 551, 556
 EXPLICIT keyword, 556
 PATH keyword, 556
 ROOT keyword, 556
 XSINIL keyword, 556

**Querystring Collection section, tracing
output, 945****QueryString, for state management**

advantages and disadvantages, 874
 definition of, 896–897

question mark (?)

in URL authorization, 1279
 in Visual Studio, 940

Queue class, 351–352, 362**queue for ASP.NET requests, configuring, 1286****Queue generic class, 361, 363****R****Rader, Devin (blog by), 1461****RadioButton control, 183–185****RadioButtonList control**

compared to RadioButton control, 184
 definition of, 185–186

new properties in, 427–428

removing items from displayed collection,
 172–173

**RaiseCallBackEvent() method,
ICallBackEventHandler interface,
1055–1056****RaisePostBackDataChangedEvent()
method, IPostBackDataHandler
interface, 1070–1071****RangeValidator control**

definition of, 246, 256
 in mobile Web applications, 1179
 validating
 against range of characters, 257
 against range of dates, 257–259
 against range of numbers, 256–257

RCW (Runtime Callable Wrapper), 1126–1127**Read() method**

DataReader class, 441
 FileStream class, 1000
 XmlReader class, 521

ReadAll() methods, File class, 1006**ReadContentAs() method, XmlReader
class, 526****ReadElementContentAs() method,
XmlReader class, 526****Reader classes**

BinaryReader class, 1003, 1005–1006
 DataReader class
 caching not supported by, 385
 closing connection after using, 447–448
 definition of, 439, 445, 447
 displaying results in GridView control,
 448–450
 selecting (reading) data using, 440–441,
 457–459
 SqlDataSource control using, 371
 when to use, 460
 DataTableReader class, 459
 list of, 1003
 OracleDataReader class, 463
 SqlDataReader class in, 469
 StreamReader class, 1003, 1004,
 1006, 1007

Reader classes (continued)

Reader **classes (continued)**

- StringReader class, 1003
- XmlReader class
 - compared to XmlDocument class, 520
 - definition of, 519–520
 - optimizing with NameTable class, 524–526
 - reading XML using, 520–521, 532
 - retrieving CLR types using, 526–527
 - retrieving complicated types using, 527–529
 - when to use, 520
- XmlTextReader class, 522–523, 1003
- XmlValidatingReader class, 522
- readOnly **attribute**, <add> **element**, 709
- read-only IList class**, 345
- ReadOnly **property**, BoundField **control**, 408
- ReadSubtree() **method**, XmlReader **class**, 528–529, 532
- ReadToDescendant() **method**, XmlReader **class**, 532
- ReadToEnd() **method**, StreamReader **class**, 1004
- ReadToNextSibling() **method**, XmlReader **class**, 532
- ReDim **statement**, VB, 334
- RedirectFromLoginPage() **method**, FormsAuthentication **class**, 855
- redirectUrl **attribute**, <passport> **element**, 1276
- @Reference **directive**, 68, 78
- references**, adding to projects, 39–42, 78
- regasm.exe **tool**, 1143
- RegExLib **Web site**, 1462
- #Region **element**, 63
- regions**, 1231–1232. *See also* localization
- @Register **directive**
 - attributes for, list of, 76
 - definition of, 68, 76
- RegisterClientScriptBlock() **method**
 - ClientScript class, 1050–1052
 - Page class, 133–135
- RegisterClientScriptInclude() **method**
 - ClientScript class, 1053
 - Page class, 136–137
- RegisterClientScriptResource() **method**, ClientScriptManager **class**, 1054
- RegisterRequiresControlState() **method**, Page **class**, 1066
- RegisterStartupScript() **method**
 - ClientScript class, 1049–1050
 - Page class, 135–136
- registertagprefixes **attribute**, <pages> **element**, 1283
- Registry Editor**, installer program, 1404–1405
- RegularExpressionValidator **control**
 - definition of, 246, 260
 - in mobile Web applications, 1179
 - validating for e-mail address, 260–261
- Relational-Object-XML (ROX) databases**, 554
- release configuration**, Visual Studio, 956
- Release mode**, for application, 1376
- ReleaseRequestState **event**, HttpApplication **class**, 875
- RememberMeSet **property**, Login **control**, 752
- RememberMeText **property**, Login **control**, 752
- remote debugging**, 959–961
- RemoteDebugger **folder**, 959
- RemoveAccessRule() **method**, FileSecurity **class**, 996
- RemoveAt() **method**, SqlBulkCopyColumnMapping **class**, 469
- RemovePreviousVersions **property**, installer program, 1399
- RemoveUserFromRole() **method**, Roles **class**, 780–781, 785
- RemoveUserFromRoles() **method**, Roles **class**, 785
- RemoveUsersFromRole() **method**, Roles **class**, 785
- RemoveUsersFromRoles() **method**, Roles **class**, 785
- Render() **method**, server controls, 1041–1042
- RenderBeginTag() **method**, server controls, 1042–1043

- `RenderEndTag()` **method, server controls, 1042–1043**
- `RenewTicketIfOld()` **method, FormsAuthentication class, 855**
- `RepeatColumns` **property**
 CheckBoxList control, 182
 RadioButtonList control, 186
- `RepeatDirection` **property**
 CheckBoxList control, 182–183
 RadioButtonList control, 186
- `Repeater` **control, 429–430**
- `Request` **class**
 AnonymousID property, 712
 attaching SQL Server cache dependencies to, 932
- Request Cookies section, tracing output, 945**
- Request Details section, tracing output, 944**
- Request Error Events Raised performance counter, 1311**
- Request Execution Time performance counter, 1311**
- Request For Comments (RFC) 1766, 1231**
- request length, configuring, 1285**
- request queue, configuring, 1286**
- request time-out, configuring, 1285**
- Request Wait Time performance counter, 1311**
- `requestLengthDiskThreshold` **attribute, <httpRuntime> element, 1285**
- `requestLimit` **attribute, <processModel> element, 1287**
- `requestQueueLimit` **attribute, <processModel> element, 1287**
- Requests Current performance counter, 1311**
- Requests Disconnected performance counter, 1311**
- requests, HTTP**
 events associated with, 874–876
 lifecycle of, 872–873
 performance counters associated with, 1311
 processing of
 controlling with `HttpHandler` class, 1101–1102, 1113–1119
 controlling with `HttpModule` class, 1101–1113
 default, 1101–1102
 storing state for a single request, 904–905
- Requests Queued performance counter, 1311**
- Requests Rejected performance counter, 1311**
- `RequiredFieldValidator` **control**
 associating with form element, 249
 client-side validation by, 249–250
 definition of, 246, 247–248
 with `DropDownList` control, 252
 error message for validation failure, 249
 initial value for, 250–251
 in mobile Web applications, 1179
 multiple, associated with one form element, 251
- `requiresQuestionAndAnswer` **property, SqlMembershipProvider class, 750**
- `requireSSL` **attribute, <forms> element, 735, 846, 1277**
- `RequireSSL` **property, FormsAuthentication class, 855**
- `requiresUniqueEmail` **property, SqlMembershipProvider class, 750**
- reserved folders, 1436–1437**
- `Reset()` **method, IEnumerator interface, 343**
- `ResolveRequestCache` **event, HttpApplication class, 875, 908**
- resource files (.resx files)**
 in `App_GlobalResources` folder, 93, 686, 1253, 1436
 in `App_LocalResources` folder, 93–94, 1248, 1436
 definition of, 18
 editor for, 1255–1256
 global resources, 1253–1255
 local resources, 1247–1253
 for site maps
 creating, 686–687
 key for, defining, 685
- `ResourceExpressionBuilder` **class, 432**
- `resourceKey` **attribute, <siteMapNode> element, 685**
- `ResourceKey` **property, resources, 1254–1255**
- resources, online, 1461–1462. See also publications**
- `Response` **class, WriteSubstitution() method, 912**

Response Cookies section, tracing output, 945

responseDeadlockInterval **attribute**,

<processModel> **element**, 1288

ResponseEncoding **attribute**, @Page

directive, 70

RestartWWWService **property**, installer

program, 1399

<RestoreVerb> **element**, Web pages, 812

RestoreVerb **property**, WebPartZone

class, 817

.resx **files**. See resource files

RFC (Request For Comments) 1766, 1231

rich controls, 113

role management. See also authorization;

membership management

caching for, 782–783

configuration of, 771–774

cookies for, 772–773, 782–783, 785

definition of, 10, 731, 768, 770–771

enabling, 772, 1369

page content, designating for authorized users, 768–770

providers for

AuthorizationStoreRoleProvider class, 578, 580–582

list of, 578

SqlRoleProvider class, 578–580, 627–635

WindowsTokenRoleProvider class, 578, 580

roles

adding, 774–776, 785

associating users with, 777, 785

authorization settings for, 841–842

checking if role exists, 785

checking if user is in a role, 781–782, 785

deleting, 776–777

listing roles of a user, 779–780

listing users in, 777–779, 785

removing users from, 780–781, 785

retrieving, 776

for security trimming, 688–693

Web Site Administration Tool for, 783–784

Wizard control steps based on roles, 239

RoleExists() **method**, Roles **class**, 785

RoleGroup **control**, 770

<RoleGroups> **element**, LoginView **control**, 769–770

<roleManager> **element**, machine.config.comments **file**, 771–773

roles **attribute**, <siteMapNode> **element**, 688, 691

Roles **class**

methods for, 784–785

using, 774–776

root **element**, XML, 513

ROOT **keyword**, FOR XML **clause**, 556

root **node**, TreeView **control**, 651

RootNode **property**, SiteMap **class**, 680

RootNodeImageUrl **property**, TreeView **control**, 658

<RootNodeStyle> **element**, 646

<RootNodeTemplate> **element**, 646

RowCreated **event**, GridView **control**, 391

RowDataBound **event**, GridView **control** definition of, 391

with Multiple Active Result Sets (MARS), 481, 486

using, 392, 410–411

RowDeleted **event**, GridView **control**, 413–414

RowState **property**, GridView **control**, 411–412

RowStyle **property**, GridView **control**, 415

RowUpdated **event**, GridView **control**, 409–410

RowUpdating **event**, GridView **control**, 412

ROX (Relational-Object-XML) databases, 554

RSA public-key encryption, 595, 597–598

RsaProtectedConfigurationProvider **class**, 595, 597–598

RSS blog feed, displaying, 541–544

<rules> **element**, configuration files, 1325–1327, 1330–1331

runat="server" **attribute**, 127–128

RunPostBuildEvent **property**, installer **program**, 1399

Runtime Callable Wrapper (RCW), 1126–1127

runtime settings, in configuration files, 1284–1286
 Runtime.InteropServices **namespace, 1127**

S

salted hash, 903

Save() **method**

ProfileBase class, 718

XmlDataSource control, 380

SaveAs() **method, FileUpload control, 217**

SaveControlState() **method, ControlState class, 1064–1066**

scalability, features for, 9

ScaleOut Software, StateServer product, 894, 1269

schemaLocation **attribute, XML root element, 516–517**

schemas, HTML, validating against, 44–46

schemas, XML. See also XSD (XML Schema Definition)

associating with XML column, 560

storing in SQL Server database, 558–560

screen scraping, 1014–1016

<script> **element, user controls, 1024**

scripts. See JavaScript

ScrollBars **property**

Panel control, 203

WebPart class, 818

SearchPath **property, installer program, 1399**

<sectionGroup> **element, configuration files, 1263**

Secure Sockets Layer (SSL), using with Basic authentication, 844

security. See also authentication; authorization

for accounts used by ASPNET, 862–864

of ASPNET Worker Process, 971

definition of, 835–836

denial of service attack, 219

encryption method used by forms

authentication, 1435–1436

encryption of configuration files, 8–9,

595–598, 1296–1300

encryption of ViewState, 903

IIS used for, 865–869

for site maps (security trimming), 688–693

SQL injection attacks, 453

Stream classes with security features, 999

in System.IO namespace, 971

of validation, 244–245, 266

Security event log, 1306

Security tab, Web Site Administration Tool

access rules, defining, 1350–1351, 1355–1356

authentication mode, specifying, 1343, 1345

provider, specifying, 1347

roles, defining, 1348–1349, 1354

Setup Wizard for, 1344–1351

users, defining, 1349–1350, 1352–1353

<securityPolicy> **element, configuration files, 864, 1260**

securityTrimmingEnabled **property,**

XmlSiteMapProvider **class, 691–692**

select boxes. See DropDownList control

<select> **element, HTML class controlling, 130**

SELECT **statement**

in bulk copy operation, 469

configuration of

for ObjectDataSource control, 383–385

for SqlDataSource control, 370

FOR XML clause

AUTO keyword, 550–553

ELEMENTS keyword, 551, 556

EXPLICIT keyword, 556

PATH keyword, 556

ROOT keyword, 556

XSQL keyword, 556

SelectCommand **property**

SqlDataAdapter class, 450, 452

SqlDataSource control, 371, 372–373

Selected **property, RadioButtonList control, 185**

SelectedDate **property, Calendar mobile Web control, 1160**

SelectedRowStyle **property, GridView control, 415**

- SelectedWebPart **property**,
 - WebPartManager **class**, 815
- SelectionChanged **event**, Calendar **control**, 192
- SelectionList **mobile Web control**, 1175–1179
- SelectionMode **property**
 - Calendar control, 193
 - Calendar mobile Web control, 1160
 - Listbox control, 174
- SelectParameters **collection**
 - ObjectDataSource control, 384
 - SqlDataSource control, 372–373, 420
- SelectSingleNode() **method**,
 - XmlDataDocument **class**, 539
- SelectType **property**, SelectionList **mobile Web control**, 1176
- serial ports, writing text to**, 1013–1014
- [Serializable] **attribute, for classes**, 885–886, 889
- serializeAs **attribute**, <add> **element**, 708
- SerialPort **component**, 1013
- server controls. See also custom server controls; mobile Web controls; user controls**
 - adding from code source, 114–115
 - adding on design surface, 113–114
 - adding to page dynamically, 204
 - attributes for, defining design-time behavior, 1038–1040
 - data controls, 35
 - definition of, 111–112, 1023
 - disabling theming for, 310–311
 - encapsulating with Panel control, 202–204, 1154–1155
 - events for
 - lifecycle of, 1040, 1041
 - using, 116–118
 - HTML server controls
 - classes for, 129–131
 - creating from HTML elements, 126–128
 - definition of, 34, 112–113, 126
 - properties for, common, 128–129
 - JavaScript in, 132–137
 - Login controls, 35
 - Navigation controls, 35
 - new, in ASPNET 2.0, 21
 - properties for, common, 119–120
 - smart tags for, 42–43
 - Standard controls, 35
 - styles, applying to
 - with Cascading Style Sheets, 120–125
 - with properties, 118–120
 - types of, 34–36, 112–113
 - Validation controls, 35
 - Web server controls
 - compared to HTML server controls, 112–113, 156
 - declaration for, 156
 - definition of, 113, 155–156
 - WebParts controls, 35
- Server Explorer, Visual Studio**
 - definition of, 37–38
 - Servers node in, 27
- Server Side Code Web site**, 1462
- Server Variables section, tracing output**, 945
- Servers node, in Server Explorer**, 27
- server-side methods for state management**, 873
- The ServerSide .NET Web site**, 1462
- server-side validation**, 244–245, 263–266
- ServerValidateEventArgs **class**, 265
- server-wide configuration**, 1259–1261
- Session **class. See Session State, for state management**
- Session **object**, 878–883
- Session State, for state management**
 - advantages and disadvantages, 873
 - configuration of, 876, 1265–1269, 1372
 - cookieless Session State, 894–895, 1372
 - custom provider for
 - creating, 893–894, 1265
 - third-party, 894
 - for Web Farms, 1268–1269
 - events associated with, 874–876
 - in-process Session State provider
 - accessing data in Session object, 881
 - definition of, 585, 586, 876, 877
 - disadvantages of, 877

- page tracing during, 879–880
- performance of, 883–884
- public property for *Session* object, 881–883
- storing data to *Session* object, 878–880
- Web gardening used with, 877–878
- for mobile Web applications, 1190
- out-of-process *Session State* provider
 - configuration of, 885
 - definition of, 585, 586–587, 876, 884
 - starting, 884–885
 - using, 886–889
 - for Web Farms, 1266–1269
- performance of, 883–884, 895
- providers for, 585–587
- SQL *Session State* provider
 - configuration of, 890–893
 - definition of, 585, 587, 876
- Session State section, tracing output, 945**
- Session_End* **event, 107**
- Session_Start* **event, 107**
- `<sessionState>` **element, configuration files**
 - attributes for, list of, 1265–1266
 - cookieless *Session State*, 894
 - custom provider, 893
 - mode of *Session State*, 564, 876
 - SQL-backed *Session State*, 892
- SessionStateStoreProviderBase* **class, 893–894**
- SetAuthCookie()* **method, FormsAuthentication class, 855**
- SetCurrentDirectory()* **method, Directory class, 980–982**
- SetFocusOnError* **property, validation controls, 274–275**
- SetTypedValue()* **method, XPathNavigator class, 536**
- Setup.exe* **file, 1391**
- SGML (Standard Generalized Markup Language), 1196**
- Shared* **attribute, @OutputCache directive, 911**
- Shared classes, 445**
- SharePoint (Microsoft), compared to Web Parts, 788**
- Sharkey, Kent (blog by), 1461**
- ShowCheckBoxes* **property, TreeView control, 654–657**
- ShowFooter* **property, GridView control, 414**
- ShowHeader* **property, GridView control, 414**
- ShowLines* **property, TreeView control, 659–661**
- ShowMessageBox* **property, ValidationSummary control, 268**
- ShowStartingNode* **property, SiteMapDataSource control, 677–678**
- ShowSummary* **property, ValidationSummary control, 268**
- ShowToolTips* **property, SiteMapPath control, 645**
- shutdownTimeout* **attribute, <processModel> element, 1287**
- SideBarButtonClick* **event, Wizard control, 234**
- SideBarEnabled* **property, Wizard control, 230–231**
- SignOut()* **method, FormsAuthentication class, 855**
- Simple Object Access Protocol (SOAP)**
 - definition of, 1196–1197, 1216
 - exposing data as, 1200–1203
 - SOAP headers, XML Web services using, 1220–1227
 - version 1.2, 1225–1227
- SimpleMailWebEventProvider* **class, 588, 590–591, 1320, 1334–1336**
- site maps. See also SiteMap class;**
 - SiteMapDataSource* **control;**
 - SiteMapPath* **control; TreeView control**
- creating, 638
- definition of, 13–14, 637–638
- displaying with *Menu* control, 668–669
- localization of, 684–688
- nesting, 693–695
- provider for, 583–584
- security trimming for, 688–693
- structure of, 639
- URL mapping for, 683–684

site navigation. See also site maps

- breadcrumb navigation, 640
- definition of, 637
- features for, 12–14
- images as (ImageMap control), 240–242
- paging
 - DetailsView control, 416
 - GridView control, 396–399
- QueryString state management for, 896–897
- URL mapping for, 683–684

Site property, HtmlControl class, 128

SiteMap class

- definition of, 680
- properties for, 680–683

<siteMap> element

- definition of, 639
- enabling localization in, 684

.sitemap files. See also site maps

- definition of, 638
- nesting, 693–695

SiteMapDataSource control

- binding to Menu control, 429, 668–669
- binding to TreeView control, 428, 648–649
- current node, starting from, 678–679
- definition of, 368, 385, 677
- root node, retrieving, 677–678
- starting point of hierarchy, specifying, 679–680

<siteMapNode> element

- definition of, 639
- key for resource file defined in, 685

SiteMapPath control

- child elements of, 645–646
- creating, 640–642
- definition of, 13–14, 640
- links in navigation
 - current link, 644, 645
 - direction of, 644
 - root link, 646
 - separators for, 642–644, 646
 - styles for, 645, 646
- number of levels displayed, 644–645
- tooltips defined in
 - enabling or disabling display of, 645
 - specifying, 641–642

64-bit processors, support for, 9, 27

Size property

- SqlParameter class, 453
 - TextBox mobile Web control, 1163
- .skin files. See also themes**
- creating, 313–314
 - for custom server controls, 1048–1049
 - multiple options for one control in, 322–324

SkinID property

- HtmlControl class, 128
- server controls, 119, 120, 322–325

slidingExpiration attribute, <forms> element, 735, 846, 1277

SlidingExpiration property,

- FormsAuthentication class, 855

.SLN files (Task list, Visual Studio), 940–941

smart controls, 112

smart tags, 42–43, 939, 1096–1098

SmartNavigation attribute, @Page

directive, 70

smartNavigation attribute, <pages>

element, 1282

Smith, Steve (blog by), 1461

SMTP configuration, 1357–1358

Snap-In, for IIS, 1302

Snap-In, for MMC (Microsoft Management Console)

- accessing, 1362
- application, selecting, 1363
- Application tab, 1370–1371
- Authentication tab, 1368–1370
- Authorization tab, 1367–1368
- changing provider for sessions, 564
- Custom Errors tab, 1366–1367
- definition of, 6–7
- editing configuration files using, 868–869
- features of, 1364
- General tab, 1365–1366
- Locations tab, 1372–1373
- .NET Framework version, specifying, 1364
- State Management tab, 1371–1372
- upgrading applications, 1434–1435
- virtual path of application, specifying, 1364

- web.config file
 - creation and modification dates, specifying, 1364
 - location, specifying, 1364
- snippets**
 - definition of, 47
 - listing, 47
 - using, 48–49
 - Visual Studio support for, 26
- <soap> **element, SOAP response, 1197**
- SOAP (Simple Object Access Protocol)**
 - definition of, 1196–1197, 1216
 - exposing data as, 1200–1203
 - SOAP headers, XML Web services using, 1220–1227
 - version 1.2, 1225–1227
- SoftKeyLabel **property, Link mobile Web control, 1170**
- Solution Explorer, Visual Studio 2005, 36–37**
- Sort() **method**
 - Array class, 339–340
 - ArrayList class, 342
 - GridView control, 395
- SortedDictionary **generic class, 361, 363**
- SortedList **class, 350–351, 362**
- SortExpression **property, GridView control, 395–396**
- sorting**
 - columns in GridView control, 394–396
 - differences between cultures, 1244–1246
 - objects in arrays, 338–340
- sounds, as error notifications for validation controls, 271**
- Source view, Visual Studio 2005, 28–29**
- SourceColumn **property**
 - SqlBulkCopyColumnMapping class, 467
 - SqlParameter class, 453
- SourceOrdinal **property, SqlBulkCopyColumnMapping class, 467**
- SourceSwitch **class, 954**
- spaghetti code in ASP pages, 2**
- **element, HTML class controlling, 130**
- specific culture definitions, 1232**
- SQL cache invalidation**
 - AspNet_SqlCacheTablesForChange Notification table created by, 924–925
 - attaching dependencies to Cache object, 932–936
 - attaching dependencies to Request object, 932
 - configuration of, 922–923
 - configuring application for, 928–929
 - definition of, 9
 - disabling databases for, 926
 - disabling tables for, 926
 - enabling databases for, 923–924
 - enabling tables for, 924, 925–926
 - for multiple tables, 931–932
 - for SQL Server 2005, 927–928
 - testing, 929–936
- SQL commands. See also asynchronous command execution**
 - DELETE statement
 - configuring, for ObjectDataSource control, 383–385
 - configuring, for SqlDataSource control, 370
 - executing with SqlDataAdapter, 450
 - executing
 - Command class for, 446–447
 - SqlCommand class for, 446–447
 - SqlDataAdapter class for, 450–452
 - INSERT statement
 - configuring, for ObjectDataSource control, 383–385
 - configuring, for SqlDataSource control, 370
 - executing with SqlDataAdapter, 450
 - parameterized, 453–456
 - SELECT statement
 - in bulk copy operation, 469
 - configuring, for ObjectDataSource control, 383–385
 - configuring, for SqlDataSource control, 370
 - FOR XML clause, 550–553, 556

SQL commands (*continued*)

UPDATE statement

- configuring, for `ObjectDataSource` control, 383–385
- configuring, for `SqlDataSource` control, 370, 405–406
- executing with `SqlDataAdapter`, 450
- inserting XML data using, 561

SQL Express files

- location of, 93, 1436
- storing error events in, 15–16

SQL injection attacks, 453

SQL Server

- ADO.NET classes for, 445
- associating XML schema with XML column in, 560
- generating XML from
 - using `FOR XML AUTO` clause, 550–553
 - using `FOR XML PATH` clause, 556–557
- providers using
 - for membership, 574, 575–576
 - for personalization, 582–583
 - for roles, 578–580
 - for session state, 585, 587
 - setup for, 567–573
 - for Web events, 588, 592–593, 1320, 1329–1332
- `SqlDataSource` control for
 - caching with, 385–386
 - configuring data connection for, 368–371
 - creating, 368
 - definition of, 21, 368
 - deleting data, enabling, 413
 - events for, 375–376
 - filtering retrieved data, 372–373
 - optimistic concurrency for, 374
 - retrieving data, mode used for, 371
 - updates by, conflict detection for, 373–375
 - updates by, enabling, 405–406
 - using Oracle with, 376–378
- stored procedure debugging, 964–965
- storing XML in database column, 557–558, 561
- storing XML schema in, 558–560
- XML data type, 554–556

SQL Server Cache Dependency. See **SQL cache invalidation**

SQL Server Express

- membership provider using, 10, 574–576, 1343
- personalization provider using, 582, 598–599, 719–720
- role provider using, 10, 578
- `SqlDataSource` control for, 368
- Web event provider using, 588, 592, 1320

SQL Server Setup Wizard

- command-line tool, 567–569
- GUI tool, 570–572

SQL Server 2005 integration, 27

SQL Session State provider, 890–893

SQL statements. See SQL commands

`SqlBulkCopy` class, 464–467

`SqlBulkCopyColumnMapping` class, 467–469

`SqlCacheDependency` class, 918, 932, 932–936

`SqlCacheDependency` property, `SqlDataSource` control, 386

`SqlCommand` class

- definition of, 441
- methods for asynchronous command execution, 487–489
- using, 446–447

`SqlConnection` class

- definition of, 441
- properties for asynchronous connections, 509
- using, 445–446

`sqlConnectionString` attribute, `<sessionState>` element, 1266

`SqlConnectionStringBuilder` class, 388

`SqlDataAdapter` class, 450–452

`SqlDataReader` class, in bulk copy operation, 469

`SqlDataSource` control

- caching with, 385–386
- configuring data connection for, 368–371
- creating, 368
- definition of, 21, 368
- deleting data, enabling, 413
- events for, 375–376

- filtering retrieved data, 372–373
- optimistic concurrency for, 374
- retrieving data, mode used for, 371
- updating data
 - conflict detection for, 373–375
 - enabling, 405–406
 - using Oracle with, 376–378
- SqlDbType **property**, SqlParameter **class**, 453
- SqlDependency **attribute**, @OutputCache **directive**, 78, 927, 930, 931–932
- SqlMembershipProvider **class**
 - definition of, 574, 732–733, 735
 - modifying through properties
 - for simpler password structures, 603–606
 - for stronger password structures, 606–609
 - properties for, 749–750
 - using, 575–576
- SqlParameter **class**, 453–456
- SqlPersonalizationProvider **class**, 598–599
- SqlProfileProvider **class**, 582–583
- SqlRoleProvider **class**
 - definition of, 578–580
 - extending, 627–635
- SqlRowsCopied **event**, SqlBulkCopy **class**, 474
- SQLServer **provider**
 - definition of, 564
 - for Web Farms, 1267–1268
- SqlSessionStateStore **class**, 585, 587
- SqlWebEventProvider **class**, 588, 592–593, 1320, 1329–1332
- SqlXml **class**, 555
- squiggles underlining code (syntax notifications)**, 938–940
- Src **attribute**
 - @Assembly directive, 76
 - @Control directive, 73
 - @Master directive, 72
 - @Page directive, 70
 - @Register directive, 76
- SSL (Secure Sockets Layer), using with Basic authentication**, 844
- SslStream **class**, 999
- Stack **class**, 351, 352–353, 362
- Stack **generic class**, 361, 363, 1413–1416
- Standard controls**, 35
- Standard Generalized Markup Language (SGML)**, 1196
- Start **event**, Session **class**, 875
- Start Page, Visual Studio 2005**, 27–28
- StartFromCurrentNode **property**, SiteMapDataSource **control**, 678–679
- StartingNodeOffset **property**, SiteMapDataSource **control**, 679–680
- StartingNodeUrl **property**, SiteMapDataSource **control**, 680
- StartStepNextButtonText **property**, Wizard **control**, 234
- StartStepNextButtonType **property**, Wizard **control**, 234
- state management. See also Session State, for state management**
 - advanced providers for, 564–565
 - Application State for
 - advantages and disadvantages, 873
 - definition of, 896
 - on client, 563–564
 - configuration of, 1371–1372
 - ControlState for
 - for custom server controls, 1064–1066
 - definition of, 874
 - when to use, 903–904
 - cross-page posting used with, 897–899
 - for custom server controls, 1061–1066
 - definition of, 871
 - hidden fields for, 213–214, 900–902
 - HttpContext.Current.Items collection, 904–905
 - life cycle of request for, 872–873
 - methods for
 - choosing, 895
 - client-side, 873–874
 - server-side, 873
 - for mobile Web applications, 1189–1192
 - postbacks used with, 897–899
 - QueryString for
 - advantages and disadvantages, 874
 - definition of, 896–897

state management (*continued*)

- on server, 563
- session providers for, 564–565
- systems requiring, 566
- ViewState for
 - for custom server controls, 1061–1066
 - definition of, 874
 - hidden fields with, 900–904
 - for mobile Web applications, 1189–1190
 - types of data in, 1064
- State Management tab, MMC (Microsoft Management Console), 1371–1372**
- State **property**, SqlConnection **class**, 446, 509
- State Server Sessions Abandoned performance counter, 1311**
- State Server Sessions Active performance counter, 1311**
- State Server Sessions Timed Out performance counter, 1311**
- State Server Sessions Total performance counter, 1311**
- State Service. See out-of-process Session State provider**
- stateConnectionString **attribute**, <sessionState> **element**, 1266
- stateNetworkTimeout **attribute**, <sessionState> **element**, 1266
- StateServer product, ScaleOut Software, 894, 1269**
- StateServer **provider**
 - definition of, 564
 - performance counters associated with, 1311
 - for Web Farms, 1266–1267
- static classes, 1426**
- StaticBottomSeparatorImageUrl **property**, Menu **control**, 673
- <StaticHoverStyle> **element**, Menu **control**, 670
- <StaticMenuItemStyle> **element**, Menu **control**, 670
- <StaticMenuStyle> **element**, Menu **control**, 670
- StaticPopOutImageUrl **property**, Menu **control**, 673

- <StaticSelectedStyle> **element**, Menu **control**, 670
- <StaticTemplate> **element**, Menu **control**, 670
- StaticTopSeparatorImageUrl **property**, Menu **control**, 673
- status codes, HTTP, 967–968**
- StepType **property**, Wizard **control**, 232
- stored procedure debugging, 964–965**
- Stream **classes**
 - BufferedStream class, 999
 - CryptoStream class, 999
 - DeflateStream class, 999, 1009
 - FileStream class, 999–1002, 1004, 1007
 - GZipStream class, 999, 1008
 - list of, 999
 - MemoryStream class, 999, 1002
 - moving contents to Byte array, 224
 - NegotiateStream class, 999
 - NetworkStream class, 999, 1002–1003
 - saving uploaded file to, 224
 - SslStream class, 999
 - UnmanagedMemoryStream class, 999
- StreamReader **class**
 - definition of, 1003
 - file encoding determined by, 1006
 - reading a FileStream using, 1004
 - shortcut operations using, 1007
- StreamWriter **class**, 1003
- Strict **attribute**
 - @Control directive, 73
 - @Master directive, 72
 - @Page directive, 70
- strict **attribute**, <compilation> **element**, 1271
- StringCollection **class**, 353–354, 362
- StringDictionary **class**, 353–354, 362
- StringReader **class**, 1003
- StringWriter **class**, 1003
- strongly typed collections, 354–357**
- Style Builder, applying styles to server controls, 121**
- Style **property**
 - HtmlControl class, 128
 - server controls, 119

- `<style>` tag, **125**
- styles for server controls. See also themes**
 - applying with Cascading Style Sheets in HTML elements, 120–121
 - using external stylesheets, 122–124
 - using internal stylesheets, 124–125
 - using Style Builder, 121
 - applying with properties, 118–120
- StyleSheet **control, 1155–1157**
- stylesheets. See CSS (Cascading Style Sheets)**
- StyleSheetTheme **attribute, @Page directive, 312**
- Subject **property, installer program, 1399**
- submaster pages, 300–303**
- Substitution **control, 912**
- .SUO **files (Task list, Visual Studio), 940–941**
- SupportPhone **property, installer program, 1399**
- SupportsEvaluate() **method,**
 - ExpressionBuilder **class, 435–437**
- SupportUrl **property, installer program, 1399**
- Sussman, Dave (blog by), 1462**
- Switch **class, 953**
- SyncRoot **class, ICollection interface, 344**
- syntax notifications, 937, 938–940**
- SysInternals, DbgView tool, 947**
- System event log, 1306**
- System Folder, installer program, 1402**
- system memory, Stream classes for**
 - MemoryStream class, 999, 1002
 - UnmanagedMemoryStream class, 999
- System.AccessControl **namespace, 993**
- System.Collections **namespace, 340. See also collections**
- System.Collections.Generic **namespace, 357. See also generics**
- System.Configuration **namespace, 1289–1290**
- System.Configuration.
 - DpapiProtectedConfigurationProvider **class, 595, 596–597**
 - System.Configuration.Provider **namespace, 607**
 - System.Configuration.
 - RsaProtectedConfigurationProvider **class, 595, 597–598**
 - System.Data **namespace, 444**
 - System.Data.Common **namespace, 444**
 - System.Data.Odbc **namespace, 444**
 - System.Data.OleDb **namespace, 444**
 - System.Data.OracleClient **namespace, 461–462**
 - System.Data.SqlClient **namespace, 445, 464**
 - System.Data.SqlTypes **namespace, 445**
 - System.Diagnostics **namespace, 1304, 1305, 1308, 1312**
 - System.Diagnostics.Debug **class, 947–948**
 - System.Diagnostics.Trace **class, 942, 946–948**
 - System.Globalization **namespace, 1234**
 - System.IO **namespace**
 - definition of, 972
 - Directory class, 976, 979–980
 - DirectoryInfo class, 976–979, 991
 - DriveInfo class, 972–975
 - File class, 982–986, 1004, 1006
 - FileInfo class
 - binding to GridView control, 982–986
 - definition of, 991–992
 - Path class, 987
 - Reader classes in, 1003
 - security regarding, 971
 - Stream classes in, 999
 - Writer classes in, 1003
 - System.IO.Compression **namespace, 1008**
 - System.IO.Ports **namespace, 1013**
 - System.Net **namespace, 1014**
 - System.Net.Mail **namespace, 1021**
 - System.Runtime.InteropServices **namespace, 1127**
 - System.Web.Configuration **namespace, 1289–1291**

System.Web.IHttpModule interface

System.Web.IHttpModule **interface**

events implemented with, 1104
implementing, 1102–1103

System.Web.Management.

EventLogWebEventProvider **class**,
588, 589–590, 1320

System.Web.Management.

SimpleMailWebEventProvider **class**,
588, 590–591, 1320, 1334–1336

System.Web.Management.

SqlWebEventProvider **class**, **588**,
592–593, 1320, 1329–1332

System.Web.Management.

TemplatedMailWebEventProvider
class, **588, 591–592, 1320, 1337–1339**

System.Web.Management.

TraceWebEventProvider **class**,
588, 593–594, 1320

System.Web.Management.

WmiWebEventProvider **class**,
588, 594–595, 1320

System.Web.Profile.

SqlProfileProvider **class**, **582–583**

System.Web.Security.

ActiveDirectoryMembershipProvider
class, **574, 576–577**

System.Web.Security.

AuthorizationStoreRoleProvider
class, **578, 580–582**

System.Web.Security.

SqlMembershipProvider **class**

definition of, 574

modifying through properties

for simpler password structures, 603–606

for stronger password structures, 606–609

using, 575–576

System.Web.Security.SqlRoleProvider
class

definition of, 578

extending, 627–635

using, 579–580

System.Web.Security.

WindowsTokenRoleProvider
class, **578, 580**

System.Web.SessionState.

InProcSessionStateStore
class, **585, 586**

System.Web.SessionState.

OutOfProcSessionStateStore
class, **585, 586–587**

System.Web.SessionState.

SqlSessionStateStore **class**,
585, 587

System.Web.UI.WebControls.WebParts.

SqlPersonalizationProvider **class**,
598–599

System.Web.XmlSiteMapProvider **class**,
583–584

T

<T> **declaration, C#, 1417**

TabIndex **property, server controls, 119**

Table **control**

caption for, 189–190

definition of, 188

dynamically adding rows, 188–189

header and footer for, 190

<table> **element**

HTML class controlling, 130

zones created using, 790–794

tables (in database). See also database

disabling for SQL cache invalidation, 926–927

enabling for SQL cache invalidation, 924

tables (in Web pages)

ASPNET 1.0 features for, 3–4

populating with callback feature, 147–153

server controls for, 112, 188–189

tag navigator, Visual Studio document window,
29–30

TagName **attribute, @Register directive, 76**

TagName **property, HtmlControl class, 128**

TagPrefix **attribute**

for classes, 1039

@Register directive, 76

TargetPlatform **property, installer program**,
1399

Task list, Visual Studio, 940–941

<td> **element, HTML class controlling, 130**

- tempDirectory **attribute**, <compilation> **element**, **1271, 1285**
- TemplateContainer **attribute**, for **properties**, **1040**
- templated controls**
- adding to Web page, 1079–1080
 - creating container class for, 1076–1079
 - creating inner control class for, 1075–1076
 - default template for, 1080–1081
 - definition of, 1074
- TemplatedMailWebEventProvider **class**, **588, 591–592, 1320, 1337–1339**
- TemplateField **control**, adding to GridView **control**, **402–405**
- templates for controls**
- FormView control, 423–427
 - GridView control, 393–394, 402–405
- templates for pages. See master pages**
- Text **property**
- Command mobile Web control, 1166
 - HyperLink control, 169
 - Label control, 156–157
 - Label mobile Web control, 1161
 - Link mobile Web control, 1169
 - Literal control, 159
 - PhoneCall mobile Web control, 1167, 1168
 - RadioButton control, 183
 - RequiredFieldValidator control, 249
 - TextBox mobile Web control, 1162, 1163
 - TreeNode class, 665, 666
- TextAlign **property**, CheckBox **control**, **180**
- <textarea> **element**, **HTML class controlling**, **130**
- TextBox **control**
- assigning focus to, 160–161
 - auto-completion for, 162–163
 - definition of, 159–160
 - Focus() method, 160–161
 - multiple lines entered into, allowing, 160
 - passwords entered into, format for, 159
 - postbacks on, 161–162
- TextBox **mobile Web control**, **1162–1164**
- <TextBoxStyle> **element**, Login **control**, **753**
- TextMode **property**, TextBox **control**, **159–160**
- TextView **mobile Web control**, **1164–1165**
- TextWriter **class**, **1003**
- Themable **attribute**, for **properties**, **1040**
- Theme **attribute**, @Page **directive**, **70, 308–309**
- Theme **property**, Page **class**, **324**
- Themeable **property**, custom controls, **325–327, 1048–1049**
- themes. See also Cascading Style Sheets (CSS); master pages**
- applying
 - to an application, 309–310
 - to a control programmatically, 324–325
 - to a page, 307–309
 - to a page programmatically, 324
 - without overriding control properties, 312
 - in App_Themes folder, 20, 93, 312–313, 1436
 - CSS files for, 315–318
 - for custom server controls, 1048–1049
 - defining custom controls in, 328–329
 - definition of, 20, 307
 - disabling
 - for custom controls, 325–327
 - for properties in custom controls, 327
 - from specific controls, 310–311
 - from specific pages, 311
 - images for, 318–321
 - master pages interacting with, 311–312
 - skin files for
 - creating, 313–314
 - multiple options for one control in, 322–324
 - style conflicts in, 317–318
- thick-client applications, 1–2**
- threads**
- configuration of, 1285–1286
 - culture associated with, 1233–1236
 - ICollection interface properties for, 344
- 3DES (Triple DES) encryption, 1435–1436**
- 304 Not Modified, status code, 967**
- 301 Moved Permanently, status code, 967**
- 307 Temporary Redirect, status code, 967**

302 Found, status code, 967

time specifications, differences between cultures, 1239–1240

timeout attribute

<forms> element, 735, 846, 1277

<processModel> element, 1287

<sessionState> element, 1266

Title attribute, @Page directive, 70

title attribute, <siteMapNode> element, 639

<title> element, HTML class controlling, 130

Title property

installer program, 1399

server controls, 796

WebPart class, 818

TitleIconImageUrl property, WebPart class, 818

<TitleTextStyle> element, Login control, 753

TitleUrl property, WebPart class, 818

.tlb files (Interop Type Library), 1127, 1138–1139

ToFileTime() method, Calendar control, 192

ToFileTimeUtc() method, Calendar control, 192

ToLocalTime() method, Calendar control, 192

ToLongDateString() method, Calendar control, 192

ToLongTimeString() method, Calendar control, 192

ToOADate() method, Calendar control, 192

Toolbox, Visual Studio

controls displayed in, 21, 34–35

customizing categories in, 36

icon view for, 35

ToolTip property, server controls, 119

tooltips

defined in site maps, 641–642

enabling or disabling display of, 645

syntax notifications in, 938–939

ToShortDateString() method, Calendar control, 192

ToShortTimeString() method, Calendar control, 192

ToString() method, Calendar control, 193

ToUniversalTime() method, Calendar control, 193

<tr> element, HTML class controlling, 130

Trace attribute, @Page directive, 71, 942

<trace> element, configuration files, 942–943, 948

Trace Information section, tracing output, 944

Trace property, Page class, 942

trace.axd page, 943, 945–946, 1317

TraceContext class, 942, 948

TraceListeners

configuration of, 949

definition of, 948–949

DelimitedListTraceListener class, 952

EventLogTraceListener class, 951

WebPageTraceListener class, 949, 950

XmlWriterTraceListener class, 952

TraceMode attribute, @Page directive, 71, 942

Tracepoints, 963–964

TraceSwitch class, 953

TraceWebEventProvider class, 588, 593–594, 1320

Trace.Write() method

Diagnostics class

compared to **Debug.Write() method, 947–948**

viewing results of, 950

Page class

using, 943

viewing results of, 944

Trace.WriteIf() method, Diagnostics class, 953–954

Trace.WriteLine() method, Diagnostics class, 955

tracing system

application tracing, 942–943

configuration of, 1359–1360

diagnostic switches for, 952–954

features for, 941–942

output from, viewing, 943–946

- page tracing system
 - Session State used with, 879–880
 - Web event provider using, 588, 593–594
 - page-level tracing, 942
 - System.Diagnostics.Trace class, 942, 946–948
 - trace forwarding, 948
 - Trace property, Page class, 942
 - TraceListeners, 948–952
 - tracing from components, 946–948
 - Transaction **attribute**, @Page **directive**, **71**
 - TransactionOption **property**, WebMethod **attribute**, **1203**
 - transactions, for bulk copy operation, 473–474**
 - Transform() **method**,
 - XslCompiledTransform **class**, **546**
 - TransformFile **property**, XmlDataSource **control**, **212**
 - Transforming **event**, XmlDataSource **control**, **380**
 - TreeLineImages **folder**, **661**
 - TreeNode **class**, **665**
 - <TreeNodeBinding> **element**, **652–653**
 - TreeView **control**
 - adding nodes to, 665–667
 - binding to SiteMapDataSource control, 648–649
 - binding to XmlDataSource control, 651–654
 - check boxes for nodes of, 654–657
 - client-side scripts used by, 647–649
 - custom icons in, 657–659
 - definition of, 13, 428, 646–647
 - expanding and collapsing nodes in, 661–665
 - lines connecting nodes in, 659–661
 - nodes in, types of, 650–651
 - postbacks used by, 647–648
 - predefined styles for, 650
 - selecting multiple options in, 654–657
 - terminology for, 650–651
 - Triple DES (3DES) encryption, 1435–1436**
 - <trust> **element**, **configuration files**, **1260**
 - trust level, for configuration files, 1260–1261**
 - TrustedXslt **property**, XsltSettings **class**, **546**
 - TryCast **statement**, Visual Basic, **1432**
 - Try/Catch **block**, **965**
 - 200 OK, status code, 967**
 - two-way data binding, 430–431**
 - type **attribute**, <add> **element**, **705**
 - type converters**
 - custom type converters, 1083–1086
 - using, 1082–1083
 - Type Library Exporter, 1139–1140**
 - Type Library Importer, 1127**
 - Type **property**
 - CompareValidator control, 255
 - RangeValidator control, 257
 - type safety, generics having, 358**
 - <type> **declaration**, Visual Basic, **1415**
 - TypeConverter **attribute**
 - for classes, 1039
 - server control properties, 1082–1083
 - TypeConverter **class**, **1082–1083**
 - typed DataSets**
 - creating, 461
 - location of, 88, 1431
 - TypeLibConverter **class**, **1127**
 - TypeName **attribute**
 - @MasterType directive, 77
 - @PreviousPageType directive, 77
- ## U
- UI type editors, 1098–1100**
 - uiCulture **attribute**, <globalization> **element**, **1237**
 - UICulture **attribute**, @Page **directive**, **71, 1237**
 - UITypeEditor **class**, **1098**
 - underlined code, squiggled (syntax notifications), 938–940**
 - unhandled exceptions, 965, 967**
 - UninstallPersonalization.sql **script**, **721**
 - UniqueID **property**, server controls, **1045**
 - unit testing, Visual Studio support for, 27**
 - UnlockUser() **method**, MembershipUser **class**, **758**

UnmanagedMemoryStream class

UnmanagedMemoryStream **class**, 999

unsigned types, 1427–1428

UPDATE **statement**

configuration of

for ObjectDataSource control, 383–385

for SqlDataSource control, 370, 405–406

executing with SqlDataAdapter, 450

inserting XML data using, 561

UpdateBatchSize **property**, DataAdapter **class**, 475

UpdateCommand **property**

SqlDataAdapter class, 450

SqlDataSource control, 405, 421

Updated **event**, SqlDataSource **control**, 375–376

UpdateParameters **collection**,

SqlDataSource **control**, 374, 406, 421

UpdateRequestCache **event**,

HttpApplication **class**, 875, 908

UpdateUser() **method**, Membership **class**, 784

UpgradeCode **property**, installer **program**, 1399

uploading files. See FileUpload **control**

url **attribute**, <siteMapNode> **element**, 639

URL authorization

allowing or denying access to HTTP methods, 1279–1280

allowing or denying access to parts of application, 855–856, 1279

URL mapping, 683–684

URL rewriting, 1107–1111

<urlMappings> **element**, **configuration files**, 683–684

URLs

construction of, 1215

fully qualified, requiring, 1284

useFullyQualifiedRedirectUrl

attribute, <httpRuntime> **element**, 1284

user controls

adding server controls to, 1024

adding to Web page, 1024–1025, 1028–1033

attributes for, in @Control directive, 68, 73–74, 1024

cached, detecting, 1030–1032

compared to master pages, 279

creating, 1024–1026

definition of, 113, 1023, 1024

events in, 1025–1026

exposing properties of, 1026–1028

files for, with code-behind model, 64, 66

Mobile Web user controls

creating, 1182–1185

StyleSheet control used with, 1157

populating properties from Web page, 1028

tracking after postbacks, 1032–1033

User Interface Editor, installer **program**, 1406–1408

User **property**, Page **class**

authorization using, 856–859

Identity property of, 857–858

IsInRole() method of, 858–859

UserControl caching (partial page caching), 910–911

userControlBaseType **attribute**, <pages> **element**, 1282

userIsOnlineTimeWindow **property**, Membership **class**, 762

username **attribute**, <processModel> **element**, 1287

users. See *also* **authentication**; **authorization**; **groups**

for membership management

adding programmatically, 744–749, 784

adding, with server controls, 735–737, 739–740

authentication of (logging in), 751–755

deleting, 784

finding, 784

locking out, because of bad passwords, 755–758

logging in and out, link for, 758–759

name of, displaying, 760–761

number of online, displaying, 761–762, 784

registration process for, 740–744, 749–750, 754

storage location for, 737–739

unauthenticated, denying, 750–751

- updating, 784
- validating, 754–755, 784
- roles for
 - associating users with roles, 777
 - checking if user is in a role, 781–782
 - listing roles of a user, 779–780
 - listing users in roles, 777–779
 - removing users from, 780–781
- for Windows-based authentication
 - authorization settings for, 840–842
 - creating, 838–840

User's Application Data Folder, installer program, 1402

User's Desktop Folder, installer program, 1403

User's Favorites Folder, installer program, 1403

User's Personal Data Folder, installer program, 1403

User's Programs Menu, installer program, 1403

User's Send To Menu, installer program, 1403

User's Start Menu, installer program, 1403

User's Startup Folder, installer program, 1403

User's Template Folder, installer program, 1403

Using keyword, Visual Basic, 1430

V

valid XML, 515

`Validate()` method, `XmlDocument` class, 533

`ValidateRequest` attribute, `@Page` directive, 71

`validateRequest` attribute, `<pages>` element, 1283

`ValidateUser()` method, `Membership` class, 754–755, 784

Validation and More (VAM) Web site (Peter Blum), 246

validation controls

- client-side validation, 244–245
- `CompareValidator` control
 - associating with form element, 254
 - definition of, 246, 252

- in mobile Web applications, 1179
- validating against data types, 254–255
- validating against other controls, 252–254
- validating against values, 255

`CustomValidator` control

- client-side validation with, 261–263, 266
- definition of, 246, 261

- in mobile Web applications, 1179
 - server-side validation with, 263–266
- definition of, 35, 113, 243–244

- enabling or disabling validation, 247
- events causing validation, 247
- grouping, 272–275

- images for error notification, 270–271

- list of, 246

- for mobile Web applications, 1179–1181

`RangeValidator` control

- definition of, 246, 256
- in mobile Web applications, 1179
- validating against range of characters, 257
- validating against range of dates, 257–259
- validating against range of numbers, 256–257

`RegularExpressionValidator` control

- definition of, 246, 260

- in mobile Web applications, 1179
- validating for e-mail address, 260–261

`RequiredFieldValidator` control

- associating with form element, 249
- client-side validation by, 249–250
- definition of, 246, 247–248
- with `DropDownList` control, 252
- error message for validation failure, 249
- initial value for, 250–251
- in mobile Web applications, 1179
- multiple, associated with one form element, 251

- server-side validation, 244–245
- sound for error notification, 271
- third-party, 246

`ValidationSummary` control

- definition of, 246, 266
- in mobile Web applications, 1180
- selecting format of, 268

validation controls (continued)

validation errors, listing in dialog box, 268–269

validation errors, listing on page, 266–268

ValidationGroup property, server controls, 272–275

ValidationSummary control

- definition of, 246, 266
- in mobile Web applications, 1180
- selecting format of, 268
- validation errors
 - listing in dialog box, 268–269
 - listing on page, 266–268

<ValidatorTextStyle> element, Login control, 753

Value property

- SqlParameter class, 453
- TreeNode class, 665

ValueChanged event, HiddenField control, 214

VAM (Validation and More) Web site (Peter Blum), 246

variable IList class, 345

VaryByControl attribute, @OutputCache directive, 78, 909

VaryByCustom attribute, @OutputCache directive, 78, 909–910

VaryByHeader attribute, @OutputCache directive, 78

VaryByParam attribute, @OutputCache directive, 78, 908–909

VB. See Visual Basic 8.0

.vb files, 66. See also XML Web services

vbc command, 1124

VerbButtonType property, WebPartZone class, 817

Version property, installer program, 1399

View control, 225–229

ViewState, for state management

- for custom server controls, 1061–1066
- definition of, 874
- hidden fields with, 900–904
- for mobile Web applications, 1189–1190
- types of data in, 1064

ViewStateDecoder tool (Fritz Onion), 902

ViewStateEncryptionMode attribute, <pages> element, 903

VirtualDirectory property, File System Editor, 1401

VirtualPath attribute

- @MasterType directive, 77
- @PreviousPageType directive, 77
- @Reference directive, 78

Visible property, HtmlControl class, 128

VisibleDate property, Calendar mobile Web control, 1160

Visual Basic Editor, syntax notifications in, 939

Visual Basic (VB) 8.0

- Continue statement, 1429–1430
- /debug switch, compiler, 956
- default instances, 1428
- generics
 - creating, 1413–1416
 - definition of, 1412–1413
 - generic methods, 1416–1418
- Global namespace qualifiers, 1422–1423
- history of, 1
- IsNot operator, 1432
- list of new features in, 1412
- My keyword, 1430–1432
- operator overloading, 1421–1422
- partial classes, 1423–1425
- property accessors, 1426–1427
- TryCast statement, 1432
- unsigned types, 1427–1428
- Using keyword, 1430
- XML documentation, creating from comments, 1425–1426

visual inheritance, master pages for, 19–20

Visual Studio 2005

- Class Designer, 27, 49–53
- Class View window, 39
- code editor, 26
- code snippets, 26, 47–49
- Command Window, debugging using, 940
- converting 1.x applications to 2.0, 1439–1444
- Copy Web Site dialog, 1380–1384

database design, 27
 debug configuration, 956
 debugging support, 27
 definition of, 22–23, 25–26
 document window
 code-change notification, 31–32
 error notifications, 32–33
 page tabs, 30–31
 tag navigator in, 29–30
 view options for, 28–29
 Dynamic Help window, 39
 editing configuration files using, 1301–1302
 error notifications in, 937–941
 HTML, validating, 44–46
 Immediate Window, debugging using, 940
 indentation of `XmlWriter` methods by,
 529, 530, 532
 IntelliSense support, 26
 Internet support for, 46–47
 mobile devices support, 26
 Object Test Bench, 27, 53–54
 Office development support, 26
 programming language support, 26
 projects, creating, 39–42
 Properties window, 38
 Publish Web Site dialog, 1384–1386
 release configuration, 956
 Server Explorer, 27, 37–38
 settings (options), importing and exporting,
 43–44
 smart tags, 42–43
 Solution Explorer, 36–37
 SQL Server 2005 integration support, 27
 Start Page, 27–28
 Style Builder, 121
 Task list, debugging using, 940–941
 Toolbox
 controls displayed in, 21, 34–35
 customizing categories in, 36
 icon view for, 35
 unit testing, 27
 versions of, 26–27
 Web Setup Project
 accessing, 1388
 creating installer program using, 1389–1392

definition of, 1387
 files created by, 1391
 Web Site Administration Tool, accessing, 1342
 XML editor, 27, 516–519
Visual Web Developer, 26

W

W3C (World Wide Web Consortium)

XML Schema Web site, 516
 XML Web site, 514

`w3wp.exe` process, **1286**

Wait approach for asynchronous commands

definition of, 494
 for multiple processes, 497–506
 for single process, 494–497

`WaitAll()` method, `WaitHandle` class,
491, 501

`WaitAny()` method, `WaitHandle` class,
490, 501–506

`WaitHandle` class, **490–491**

`WaitOne()` method, `WaitHandle` class,
490, 494

WAPIDE emulator, **1186**

`Warn()` method, `TraceContext` class, **942**

WarningLevel attribute

@Control directive, 73

@Master directive, 72

@Page directive, 71

Watermasysk, Scott (blog by), **1461**

Web applications. *See also* deployment

configuration of
 in `<appSettings>` element, 432, 1208,
 1264, 1289, 1290
 in Application tab, 1356–1360
 in MMC, 1364–1366, 1370–1371
 currently running, performance counter
 for, 1311
 enabling and disabling, 1284, 1360
 folders for, list of, 88–94
 installing with installer program, 1392–1393
 location of
 with built-in Web server, 57–59
 default, 58
 with IIS Web server, 59–60

Web applications (continued)

- with remote server using FTP, 60
- with server using FrontPage Extensions, 60–61
- mobile Web applications
 - Code view of, 1152
 - container controls for, 1153–1155
 - creating, 1149–1152
 - definition of, 1149
 - Design view of, 1152
 - device filters for, 1187–1189
 - emulators for testing, 1186
 - event handling with, 1153
 - hidden fields in, 1190–1192
 - HTML view of, 1152
 - navigating between forms in, 1181–1182
 - state management for, 1189–1192
 - StyleSheet control for, 1155–1157
- projects, creating, 39–42
- restarts, performance counter for, 1311
- thick-client applications, 1–2
- uninstalling, 1394–1395, 1409
- upgrading from 1.x to 2.0, 1434–1435
- version of .NET Framework used by, specifying, 1364
- virtual path of, specifying, 1364

Web Custom Folder, installer program, 1403

Web events

- buffering, 1332–1334
- for debugging, 954–955
- e-mailing, 1334–1339
- health monitoring using, 15–16, 1318
- list of, 1323–1324
- providers for
 - BufferedWebEventProvider class, 588, 1332–1334
 - EventLogWebEventProvider class, 588, 589–590, 1320
 - list of, 587–588, 1319–1320
 - SimpleMailWebEventProvider class, 588, 590–591, 1320, 1334–1336
 - specifying, 1324–1325
 - SqlWebEventProvider class, 588, 592–593, 1320, 1329–1332

- TemplatedMailWebEventProvider class, 588, 591–592, 1320, 1337–1339
- TraceWebEventProvider class, 588, 593–594, 1320
- WebEventProvider class, 588
- WmiWebEventProvider class, 588, 594–595, 1320
- specifying which events to record, 1325–1327

Web gardening, 877–878

Web logs (blogs)

- about ASPNET, 1461–1462
- displaying, 541–544

Web pages. See also master pages

- configuring default behaviors of, 1281–1283, 1370–1371
- cross-page posting
 - attributes for (@PreviousPageType directive), 68, 77
 - from Button control, 166
 - definition of, 81–87
 - in state management, 897–899
- displaying in sequence (wizard control)
 - buttons for steps, 232, 233, 234
 - definition of, 229–230
 - destination for Cancel or Finish buttons, 234
 - events for, using, 234–235
 - form elements in, 235–239
 - header for, 232–233
 - navigating backwards, enabling or disabling, 231
 - results of, storing, 235–236
 - side navigation for, 230–231
 - steps, adding dynamically, 237–239
- files for
 - with code-behind model, 66
 - with code-inline model, 64
- JavaScript in, 132–137
- page directives, list of, 68
- page events for
 - definition of, 78–80
 - list of, 79
 - using in server controls, 116

postbacks to

- on `Button` control, 166, 898
- on `CheckBox` control, 178
- compared to client-side callbacks, 137–140
- for custom server controls, 1066–1071
- definition of, 80–81
- on `DropDownList` control, 171, 172–173
- on `ImageButton` control, 898
- on `ImageMap` control, 241
- on `LinkButton` control, 898
- for paging in `GridView` control, 399
- on `RadioButton` control, 184
- sections (views) of page changed when, 225–229
- in state management, 897–899
- on `TextBox` control, 161–162
- on `TreeView` control, 647–648
- user controls added after, tracking, 1032–1033

posting data to, 1016–1018

scraping, 1014–1016

sections (views) of, turning on and off, 225–229

sending e-mail from, 1021–1022

structuring

- code-behind model, 62–63, 65–67
- code-inline model, 62, 63–65

tables in

- ASP.NET 1.0 features for, 3–4
- populating with callback feature, 147–153
- server controls for, 112, 188–189

Web Parts. See also personalization system; Portal Framework

- adding, by user, 797, 801–802, 809–811
- appearance of, user modifying, 806
- behavior of, user modifying, 806–807
- compared to Microsoft SharePoint, 788
- connecting
 - consumer Web Part for, 824–825, 828–830
 - making the connection, 830–833
 - master pages used with, 833–834
 - provider Web Part for, 824–828
 - by user, 797, 808
- custom, creating, 818–824

- default elements of, 796
- definition of, 788–789
- disabling, 808–809
- list of allowable Web Parts, 795
- modifying, by user, 797, 804–808
- moving, by user, 802–804
- provider for, 598–599
- titles of, 796
- verbs for allowable actions of, 812–814
- zones containing
 - `CatalogZone` control, 801–802, 804
 - `ConnectionsZone` control, 808
 - content of, allowable, 795
 - content of, managing, 790, 815
 - creating, 790–794
 - definition of, 789
 - disabling, 808–809
 - `EditorZone` control, 804–805
 - state of, managing, 790, 815

Web reference, for consuming XML Web services, 1207–1208

Web server

- built-in Web server, 57–59
- IIS, 59–60
- remote, accessing with FTP, 60
- using FrontPage Extensions, 60–61

Web server controls. See also server controls

- compared to HTML server controls, 112–113, 156
- declaration for, 156
- definition of, 113, 155–156

Web services, XML

- caching responses of, 1220
- client-side callbacks used with, 144–147
- consuming
 - asynchronously, 1227–1230
 - features for, 1206
 - invoking from client, 1208–1211
 - with SOAP headers, 1223–1225
 - Web reference for, 1207–1208
- creating
 - exposing data as SOAP, 1200–1203
 - interface for, 1203–1206
 - with SOAP headers, 1221–1223

Web services, XML (*continued*)

- Web site for, 1197–1198
- WebService class for, 1199–1200
- @WebService directive for, 1198–1199
- WSDL document for, 1203
- definition of, 1195–1197
- files for
 - with code-behind model, 66
 - with code-inline model, 64
- references to
 - adding, 41
 - in <appSettings> element, 1208
 - in App_WebReferences folder, 94, 1437
- SOAP headers for, 1220–1227
- transport protocols for
 - HTTP-GET protocol, 1213–1215
 - HTTP-POST protocol, 1215–1216
 - SOAP, 1196–1197, 1200–1203, 1216
 - using, 1211–1212
- WebMethods, overloading, 1216–1220

Web Services Description Language (WSDL) document, 1203

Web Setup Project

- accessing, 1388
- creating installer program using, 1389–1392
- definition of, 1387
- files created by, 1391

Web Site Administration Tool

- accessing, 1342
- Application tab
 - application settings, 1356–1357
 - disabling application, 1360
 - SMTP configuration, 1357–1358
 - tracing and debugging, 1359–1360
- definition of, 6–7, 1341–1342
- editing configuration files using, 1302
- Home tab, 1343
- membership management using, 10
- Provider tab, 1361–1362
- role management using, 10, 783–784
- Security tab
 - access rules, defining, 1350–1351, 1355–1356
 - authentication mode, specifying, 1343, 1345
 - provider, specifying, 1347

- roles, defining, 1348–1349, 1354
- Setup Wizard for, 1344–1351
- users, defining, 1349–1350, 1352–1353
- time out period for, 1343

Web sites. **See also** Web applications

- about ASP.NET, 1462
- generating with XSLT, 547–549
- about validation, 246
- about XML, 514
- about XML schema, 516

Web user controls

- adding server controls to, 1024
- adding to Web page, 1024–1025, 1028–1033
- attributes for, in @Control directive, 68, 73–74, 1024
- cached, detecting, 1030–1032
- compared to master pages, 279
- creating, 1024–1026
- definition of, 113, 1023, 1024
- events in, 1025–1026
- exposing properties of, 1026–1028
- files for, with code-behind model, 64, 66
- Mobile Web user controls
 - creating, 1182–1185
 - StyleSheet control used with, 1157
- populating properties from Web page, 1028
- tracking after postbacks, 1032–1033

WebApplicationLifetimeEvent

class, 1323

WebAuditEvent **class, 1324**

WebBaseErrorEvent **class, 1323**

WebBaseEvent **class, 1323**

WebBrowsable **attribute, custom property, 822**

web.config **file. See also** configuration files

- application-wide, definition of, 1261–1262
- creation and modification dates of,
 - specifying, 1364
- location of, specifying, 1364
- precompilation of, 98
- server-wide, definition of, 1259, 1260

web.config.comments **file**

- definition of, 1259, 1260

- imported namespaces in, 74–75

web.config.default **file, 1259, 1260**

- WebConfigurationManager **class**, **16–18**
- WebControl **class**
 creating custom server control from, 1034–1038
 ID properties for, 1045
 new properties in, 120
 server controls derived from, 118, 1033–1034
- WebErrorEvent **class**, **1324**
- WebEventProvider **class**, **588**
- WebFailureAuditEvent **class**, **1324**
- webGarden **attribute**, <processModel> **element**, **1288**
- WebHeartbeatEvent **class**, **1323**
- web_hightrust.config **file**, **1259**, **1260–1261**
- web_lowtrust.config **file**, **1259**, **1260–1261**
- web_mediumtrust.config **file**, **1259**, **1260–1261**, **1260–1261**
- WebMethod **attribute**, WebService **class**
 definition of, 1202–1203
 overloading WebMethods, 1216–1220
- WebPageTraceListener **class**, **949**, **950**
- WebPart **class**
 creating custom Web Parts using, 818–824
 properties for, list of, 817–818
- WebPartManager **class**
 methods for, list of, 815
 properties for, list of, 815
- WebPartManager **control**, **790**
- WebParts **controls**, **35**
- WebParts **property**
 WebPartManager class, 815
 WebPartZone class, 817
- WebPartsSection **class**, **1291**
- WebPartZone **class**, **816–817**
- WebPartZone **control**
 creating zones using, 793–794
 definition of, 794–795
 layout of, 795
 modes, user changing, 797–800
 template for, 795
 user capabilities allowed by, 797
 user modifications, disabling, 808–809
 Web Part verbs in, 812–814
- WebRequestErrorEvent **class**, **1324**
- WebRequestEvent **class**, **1323**
- WebService **attribute**, WebService **class**, **1201–1202**
- WebService **class**
 definition of, 1199–1200
 WebMethod attribute, 1202–1203
 WebService attribute, 1201–1202
- @WebService **directive**, **1198–1199**
- WebServiceBinding **attribute**, WebService **class**, **1200**
- well formed XML**, **513**
- Whidbey codename for .NET Framework 2.0**, **3**
- Width **property**
 Panel control, 202
 server controls, 119
 WebPartZone class, 817
- Wilton, Paul (Beginning JavaScript, Second Edition)**, **137**
- Windows event log**, **588**, **589–590**
- Windows Folder, installer program**, **1403**
- Windows Installer service**
 advantages of, 1388
 definition of, 1386–1387
 deployment options, 1387
- Windows Management Instrumentation (WMI)**, **588**, **594–595**, **1320**
- Windows security group**, **578**, **580**
- Windows SharePoint Services (WSS)**, **788**
- Windows XP**
 debugging on, 960–961
 filesystem used by, 992
- Windows-based authentication**
 for anonymous personalization, 710
 authentication mode, setting, 840
 configuration of, 840–843, 1275–1276
 creating users, 838–840
 definition of, 837, 838, 843–844
 for groups, 842–843
 for HTTP transmission methods, 843
 limitations of, 843
 Web Site Administration Tool specifying, 1343, 1345
- WindowsBuiltInRole **enumeration**, **859–860**

WindowsIdentity class

WindowsIdentity **class, 859–861**

WindowsTokenRoleProvider **class, 578, 580**

Wizard **control**

buttons for steps

choosing, 233

structure of, 232

style of, 234

definition of, 229–230

destination for Cancel or Finish buttons, 234

events for, using, 234–235

form elements in, 235–239

header for, 232–233

navigating backwards, enabling or disabling, 231

results of, storing, 235–236

side navigation for, 230–231

steps, adding dynamically, 237–239

WizardNavigationEventArgs **class, 239**

<WizardSteps> **element,**

CreateUserWizard **control, 742**

WMI (Windows Management Instrumentation), **588, 594–595, 1320**

WmiWebEventProvider **class, 588, 594–595, 1320**

Worker Process

configuration of, 1286–1288

identity settings for, 1371

performance counters associated with, 1311

security of, 971

Worker Process Restarts performance counter, **1311**

Worker Processes Running performance counter, **1311**

working directory, **980–982**

World Wide Web Consortium (W3C)

XML Schema Web site, 516

XML Web site, 514

Wrap **property**

Panel control, 202

TextBox control, 160

Wrapping **property**

Label mobile Web control, 1161, 1162

List mobile Web control, 1172

SelectionList mobile Web control, 1176

TextView mobile Web control, 1165

Write() **method**

FileStream class, 1001

TraceContext class, 942

Writer **classes**

BinaryWriter class, 1003, 1005–1006

list of, 1003

StreamWriter class, 1003

StringWriter class, 1003

TextWriter class, 1003

XmlTextWriter class, 1003

XmlWriter class, 529–532

WriteSubstitution() **method, Response class, 912**

writeToDiagnosticsTrace **attribute, <trace> element, 948**

WriteToServer() **method, SqlBulkCopy class, 467**

.wsdl **files**

adding references to, 41

in App_Code folder, 88, 98–99, 1436

WSDL (Web Services Description Language) document, **1203**

WS-I Basic Profile specification, conformance to, **1218**

WSS (Windows SharePoint Services), **788**

X

XCOPY command, deploying application using, **1377–1380**

XHTML

ASRNET 2.0 pages compliant with, 1437–1439

definition of, 939

Xml **control, 201, 547–549**

XML data binding, **431**

XML data type, SQL Server

adding column using, 557–558

definition of, 554–556

<?xml ?> **declaration, 512**

XML Diff Tool, **514**

XML documentation, creating from comments, **1425–1426**

XML Editor, Visual Studio

- definition of, 27
- DTD validation in, 938
- syntax checking in, 938
- using, 516–519
- XSD validation in, 938

XML (eXtensible Markup Language)

- comparison tool for, 514
- configuration files using, 1258
- creating, 529–532
- as data source (`XmlDataSource` control)
 - binding to `BulletedList` control, 212
 - binding to `DataList` control, 540–544
 - binding to `Menu` control, 429, 675–676
 - binding to `TreeView` control, 428, 651–654
- definition of, 368, 379–380, 540
- namespace qualifications in, 540
- `DataSet` classes represented as, 459–460
- definition of, 511
- editing in Visual Studio, 27, 516–519
- empty elements in, 513, 514
- generating from SQL Server
 - using `FOR XML AUTO` clause, 550–553
 - using `FOR XML PATH` clause, 556–557
- history of, 1196
- namespaces in, 513
- not precompiled, 98
- querying and editing, with `XmlDocument` class, 535–536
- querying, with `XPathDocument` class, 533–534
- reading, with `XmlReader` class, 520–521, 524–526
- resources for, 514, 516
- retrieving CLR types from, 526–527
- retrieving complicated types from, 527–529
- retrieving from SQL Server
 - using `DataSet` class, 536–537
 - using `XmlDataDocument` class, 537–540
- role provider using, 578, 580–582
- site maps defined using, 638–639
- sitemap provider using, 583–584
- storing in SQL Server column, 557–558, 561

- syntax for, 512–514
- transforming with XSLT, 545–547, 553–554
- valid, 515
- validating
 - against schema, with `XmlTextReader` class, 522–523
 - with `XmlDocument` class, 533
- well formed, 513
- white space in, 514

XML for ASP.NET Web site, 1462**XML InfoSet, 514****XML Schema. See also XSD (XML Schema Definition)**

- associating with XML column, 560
- storing in SQL Server database, 558–560

XML Schema Web site, 516**XML serialization, 527–529****XML Web services**

- caching responses of, 1220
- client-side callbacks used with, 144–147
- consuming
 - asynchronously, 1227–1230
 - features for, 1206
 - invoking from client, 1208–1211
 - with SOAP headers, 1223–1225
 - Web reference for, 1207–1208
- creating
 - exposing data as SOAP, 1200–1203
 - interface for, 1203–1206
 - with SOAP headers, 1221–1223
 - Web site for, 1197–1198
 - `WebService` class for, 1199–1200
 - `@WebService` directive for, 1198–1199
 - WSDL document for, 1203
- definition of, 1195–1197
- files for
 - with code-behind model, 66
 - with code-inline model, 64
- references to
 - adding, 41
 - in `<appSettings>` element, 1208
 - in `App_WebReferences` folder, 94, 1437
- SOAP headers for, 1220–1227

XML Web services (*continued*)

- transport protocols for
 - HTTP-GET protocol, 1213–1215
 - HTTP-POST protocol, 1215–1216
 - SOAP, 1196–1197, 1200–1203, 1216
 - using, 1211–1212
- WebMethods, overloading, 1216–1220
- XML Web site, 514**
- XmlConvert **class, 526**
- XmlDataDocument **class**
 - definition of, 537
 - manipulating DataSet classes using, 537–540
- XmlDataSource **control**
 - binding to
 - BulletedList control, 212
 - DataList control, 540–544
 - Menu control, 429, 675–676
 - TreeView control, 428, 651–654
 - definition of, 368, 379–380, 540
 - namespace qualifications in, 540
- XmlDocument **class**
 - compared to XmlReader class, 520
 - definition of, 532
 - exporting using, 380
 - in-memory validation by, 533
 - problems with, 532–533
 - querying and editing XML using, 535–536
 - when to use, 533
- XmlHttpRequest **class, 1445–1447**
- XmlNamespaceManager **class, 536**
- xmlns **attribute**
 - XML root element, 513
 - XSD root element, 515–516
- XmlReader **class**
 - compared to XmlDocument class, 520
 - definition of, 519–520
 - optimizing with NameTable class, 524–526
 - reading XML using, 520–521, 532
 - retrieving CLR types using, 526–527
 - retrieving complicated types using, 527–529
 - when to use, 520
- XmlReaderSettings **class, 520, 523**
- XmlSerializer **class, 528–529**
- XmlSiteMapProvider **class**
 - definition of, 583–584
 - enabling security trimming for, 691–692
- XmlTextReader **class, 522–523, 1003**
- XmlTextWriter **class, 1003**
- XmlValidatingReader **class, 522**
- XmlWriter **class, 529–532**
- XmlWriterSettings **class, 530**
- XmlWriterTraceListener **class, 952**
- XPath() **method, 431**
- XPath **property, XmlDataSource control, 540, 541**
- XPath query language, 533**
- XPathBinder **class, 431**
- XPathDocument **class**
 - problems with, 532–533
 - querying XML using, 533–534
 - using with XSLT, 545
 - when to use, 533
- XPathNavigator **class, 533, 535–536**
- XPathNodeIterator **class, 534**
- XpathSelect() **method, 431**
- XSD (XML Schema Definition)**
 - definition of, 515
 - designer layout file for, 518
 - editing in Visual Studio, 516–519
 - not precompiled, 98
 - resources for, 516
 - syntax for, 515–516
 - validating XML against, 522–523, 938
- XSINIL **keyword, FOR XML clause, 556**
- XSL style sheet, transforming XML using, 201, 547–549**
- XslArgumentList **class, 547**
- XslCompiledTransform **class**
 - debugging using, 549–550
 - definition of, 545
 - using, 545–547
- XSLT**
 - debugging, 549–550
 - definition of, 544–545
 - generating HTML using, 547–549

transforming XML using, 545–547, 553–554
version of used by .NET Framework, 545
XPathDocument class with, 545

XslTransform **class, 545**

XsltSettings **class, 546**

XSP methodology, 2

.aspx files, **518**. *See also* **XML Schema**

Z

Zone **property, WebPart class, 818**

zones, in Portal Framework

CatalogZone control, 801–802, 804

ConnectionsZone control, 808

content of, allowable, 795

content of, managing, 790, 815

creating, 790–794

definition of, 789

disabling, 808–809

EditorZone control, 804–805

state of, managing, 790, 815

Zones **property, WebPartManager class, 815**

<ZoneTemplate> **element, WebPartZone**

control, 795, 801–802