

## INDEX

- Actin regulation:  
  atomic force microscopic imaging, inverted optical microscopic assembly, 140–141  
  cell secretion and, 8–17  
Adenylate cyclase, signal transduction, 55–56  
Adhesion mapping:  
  microbial cell surface imaging, atomic force microscopy analysis, 81–82  
  sonicated unilamellar vesicle bilayers, 192–197  
Adsorption strategies:  
  microbial cell surface imaging, atomic force microscopy analysis, 71  
  polymer-based nanodrug delivery, 120–121  
Alkanethiol self-assembled monolayers,  
  microbial cell surface imaging:  
    atomic force microscopy analysis, 71  
    probe surface chemistry, 80–81  
Ambisome, nanodrug delivery with, 131–132  
Annexin A5 (AnxA5), antiphospholipid syndrome, 277–279  
  atomic force microscopy, 279–282  
Antibiotics, microbial cell surface effects, atomic force microscopy analysis, 78–79  
Anticoagulant effects, antiphospholipid syndrome, 275  
  annexin A5, 277–279  
Antigen presenting cell (APC), avidity modulation, basic principles, 169–171  
Antiphospholipid syndrome (APS), atomic force microscopic imaging:  
  annexin A5 shield, 277–279  
  aPL antibodies, anticoagulation effects, 275  
  clinical applications, 279–282  
   $\beta_2$ GPI cofactor, 275–277  
  hemostatic proteins, 274–275  
  lipid analysis, 273–274  
  theoretical background, 267–272  
Apolipoprotein (APL) antibodies:  
  anticoagulant effects, 275  
  antiphospholipid syndrome, annexin A5, 278–279  
Aquaporins:  
  microbial cell surface imaging, atomic force microscopy analysis, 74–75  
  immobilization strategies, 71  
  secretory vesicle content expulsion, basic principles, 37–38, 40  
Array detectors, atomic force microscopy cantilevers, 240–241  
Atomic-based membrane fusion processes,  
  calcium participation in, 27–34  
Atomic force microscopy (AFM):  
  antiphospholipid syndrome:  
    annexin A5 shield, 277–279  
    aPL antibodies, anticoagulation effects, 275  
    clinical applications, 279–282  
     $\beta_2$ GPI cofactor, 275–277  
    hemostatic proteins, 274–275  
    lipid analysis, 273–274  
    theoretical background, 267–272  
  biomolecular motion:  
    basic principles, 221–223  
    biological applications, 242–243  
    cantilever properties:  
      limits, 232  
      resonant frequency, 232–233  
      small cantilevers, 233–235  
      thermal noise, 235–237  
  fast, low-noise detector, 239–241  
  fast feedback loop, 242  
  fast scanner, 241–242  
  focused spot size, 237–239  
  imaging speed, 228–231  
    feedback limit, 231  
    lateral dimension reduction, 229–230  
    tracking mechanisms, 228–229  
    video-rate imaging, 231  
  time-resolved imaging, 223–228  
    alignment, 225–227  
    moving images, 227–228

- Atomic force microscopy (AFM) (*continued*)
- p53-DNA dynamic interactions, 224–225
  - recording sequences, 223–224
  - cytogenetics applications:
    - C-banding technique, 257
    - genetic material imaging techniques, 250–253
    - metaphase chromosome karyotyping, 253–257
    - metaphase chromosome three-dimensional analysis, 257–259
    - nanoextraction, 259–262
    - nanomanipulation and dissection, 259
    - theoretical background, 249–250
  - electrophysiological techniques, 137–150
    - inner ear tissue sections, 144–150
    - inverted optical microscope, 137–141
  - growth hormone fusion pore structure and dynamics, 59–60
  - growth hormone secretory vesicles, 61–63
  - historical evolution of, 2–3
  - leukocyte adhesion molecules, 160
    - avidity modulation:
      - adhesive force measurements, 172–173
      - basic principles, 169–171
      - cells and reagents, 171
      - clinical applications, 176–178
      - elasticity measurements, 173
      - integrin lateral redistribution, 173–175
      - ionomycin/thapsigargin stimulation, 175–176
      - protein immobilization, 172
      - 3A9 cell crosslinking, 171–172
    - integrin activation, 162–166
    - single-molecule unbinding, 160–166
  - lipid bilayers, thickness and micromechanical properties, 181–197
    - supported thickness, 182–183
  - lipid membrane preparation, porosome reconstitution, 4
  - microbial cell surface property analysis, 69–90
    - bacillus S-layers, 73
      - basic principles, 69–70
      - cell surface layer imaging, 73–75
      - elasticity, 85–89
        - layers stretching, 87
        - single cell stretching, 87–89
        - single macromolecules, 86–87
      - external agent effects, 78–79
      - future applications, 89–90
      - hexagonally packed intermediate layer, 73
    - imaging techniques, 70–79
      - immobilization strategies, 71
      - selection criteria, 71–72
      - substrate requirements, 70–71
    - microbial biofilms, 75–76
    - nanostructures, 76–78
    - physical properties measurement, 79–89
      - force-distance curves, 80
      - force measurements, 80–81
      - functionalized probes, 80–81
    - physicochemical properties and molecular interactions, 81–85
      - adhesion mapping, 81–82
      - cell probe technique, 85
      - surface charges and electrostatic interactions, 83–85
      - surface energy and solvation interactions, 82–83
    - physiological changes, 78
    - porin crystals, 74–75
    - purple membranes, 73–74
  - pancreatic acinar cell isolation, 3–4
  - pancreatic plasma membrane isolation, 4
  - plant cell wall imaging, 96–97
    - cellulose, 99–100
    - lignins, 103–108
    - pectins, 97–99
  - porosome imaging, 4–5
    - structural analysis, 6–17
  - secretory vesicle content expulsion, vesicle swelling in pancreatic acinar cells, 38–44
  - SNARE-induced membrane fusion, bilayer interaction and conducting channel formation, 26–27
  - soft tissue imaging, swollen polymer surfaces, 214–218
  - sonicated unilamellar vesicle:
    - bilayer thickness and morphology, 187–191
    - micromechanical properties, 191–197
  - synaptosome/synaptosomal/synaptic vesicle isolation, 4
- Avidity modulation, leukocyte adhesion molecules:
- adhesive force measurements, 172–173
  - basic principles, 169–171
  - cells and reagents, 171
  - clinical applications, 176–178
  - elasticity measurements, 173
  - integrin lateral redistribution, 173–175
  - ionomycin/thapsigargin stimulation, 175–176
  - protein immobilization, 172
  - 3A9 cell crosslinking, 171–172
- Bacillus* S-layers, microbial cell surface imaging, atomic force microscopy analysis, 73
- immobilization strategies, 71
- Bell single-molecule unbinding model, leukocyte adhesion molecules, 160–166
- integrin activation, 165–166
- Bending modulus, sonicated unilamellar vesicle bilayer micromechanics, 192–197
- “Bimetallic strip effect,” atomic force microscopy cantilevers, 233

- Biocompatibility, polymer-based nanodrug delivery, 131–132  
 Biocorrosion studies, microbial cell surface imaging, atomic force microscopy analysis, 76  
 Biofilms, microbial cell surface imaging, atomic force microscopy analysis, 75–76  
 Biomembrane force probe (BFP), leukocyte adhesion molecules, 160  
 Biomolecular motion, atomic force microscopy (AFM):  
   basic principles, 221–223  
   biological applications, 242–243  
   cantilever properties:  
     limits, 232  
     resonant frequency, 232–233  
     small cantilevers, 233–235  
     thermal noise, 235–237  
   fast, low-noise detector, 239–241  
   fast feedback loop, 242  
   fast scanner, 241–242  
   focused spot size, 237–239  
   imaging speed, 228–231  
     feedback limit, 231  
     lateral dimension reduction, 229–230  
     tracking mechanisms, 228–229  
     video-rate imaging, 231  
   time-resolved imaging, 223–228  
     alignment, 225–227  
     moving images, 227–228  
     p53-DNA dynamic interactions, 224–225  
     recording sequences, 223–224  
 Bis(sulfosuccinimidyl) suberate (BS<sup>3</sup>), avidity modulation:  
   integrin lateral redistribution, 174–175  
   LFA-1 receptor cross-linking, 176–178  
 Boltzmann constant:  
   atomic force microscopy, thermal cantilever noise, 236–237  
   leukocyte adhesion molecules, single-molecule unbinding theory, 160–166  
   photonic force microscopy, 152–157  
 Brownian motion, atomic force microscopy, thermal cantilever noise, 236–237  
 Buffered fluid environment, atomic force microscopy, antiphospholipid syndrome, 269–272  
  
 Calcium ions:  
   leukocyte adhesion:  
     avidity modulation, 170–172  
     ionomycin/thapsigargin stimulation, 175–176  
   signal transduction mechanisms, 55–56  
   SNARE-induced membrane fusion:  
     atomic levels for, 27–35  
     cell-based mechanisms, 27  
  
 Cancer pathophysiology, nanodrug delivery systems, 115–116  
   liposome structure, 117–118  
 Cantilever structures:  
   atomic force microscopy:  
     antiphospholipid syndrome, 268–272  
     biological applications, 242–243  
     conventional sizes, 232  
     fast, low-noise detector, 239–241  
     fast feedback loop, 242  
     fast scanner, 241–242  
     focused spot size, 237–239  
     inverted optical microscope schematic, 137–141  
     resonant frequency, 232–233  
     small cantilever properties, 233–235  
     thermal noise, 235–237  
   leukocyte adhesion molecules, avidity modulation, 172–173  
   microbial cell surfaces, atomic force microscopy analysis, imaging modes, 71–72  
   photonic force microscopy, 151–157  
   scanning probe microscopy, soft surface imaging, 203, 210–211  
   supported lipid bilayer thickness measurements, 184–186  
 Capacitance measurements, SNARE-induced membrane fusion, atomic-level calcium participation in, 30–34  
 C-banding technique, metaphase chromosomes, 257  
 Cell-based fusion machinery, SNARE and calcium for, 27  
 Cell clustering, leukocyte adhesion, 177–178  
 “Cell probe” technique, microbial cell surface imaging, atomic force microscopy analysis, 85  
 Cell secretion:  
   growth hormone secretory vesicles, 61–63  
   molecular mechanisms for, 17, 19–20  
   porosome functions, 1–3  
     AFM imaging of, 6–17  
   secretory vesicle content expulsion, molecular mechanisms:  
     basic principles, 37–38  
     swelling process in cellular secretion, 38–44  
     swelling process in neuron secretion, 44–46  
 Cell spreading, leukocyte adhesion, 177–178  
 Cellulolytic microorganisms, cellulose digestion, atomic force microscopic imaging, 99–100  
 Cellulose:  
   atomic force microscopic imaging, 99–100  
   plant cell walls, basic properties, 96

- Charge-coupled device (CCD) camera:  
 atomic force microscopy cantilevers, focused  
 spot dimensions, 238–239  
 time-resolved imaging, 227–228
- Chloride channels, porosome structural analysis,  
 11–17
- Cholesterol incorporation, sonicated unilamellar  
 vesicle bilayer micromechanics, 195–197
- Conductance measurements, SNARE-induced  
 membrane fusion, atomic-level calcium  
 participation in, 30–34
- Constant-deflection imaging, microbial cell  
 surfaces, atomic force microscopy analysis,  
 71–72
- Constant force mode, scanning probe  
 microscopy, soft surface imaging, 203
- Constant-height imaging:  
 antiphospholipid syndrome, 281–282  
 microbial cell surfaces, atomic force  
 microscopy analysis, 71–72  
 scanning probe microscopy, soft surface  
 imaging, 203–205  
 sonicated unilamellar vesicle bilayers,  
 thickness and morphology, 187–191
- Contact mode imaging:  
 cytogenetics research, 251–253  
 microbial cell surfaces, atomic force  
 microscopy analysis, 71–72  
 scanning probe microscopy:  
 liquid droplets, 212–214  
 soft surface imaging, 203–205  
 swollen polymer surfaces, 214–218  
 sonicated unilamellar vesicle bilayers,  
 thickness and morphology, 188–191
- Corticotropin-releasing hormone (CRH),  
 growth-hormone release and synthesis, 55
- Covalent immobilization, microbial cell surface  
 imaging, atomic force microscopy analysis,  
 71
- Critical micelle concentration (CMC), supported  
 lipid bilayer thickness measurements,  
 184–186
- Cross-correlation alignment:  
 real-time correction algorithm, 229  
 time-resolved imaging, 225–227
- Cross-linking mechanisms, leukocyte adhesion:  
 avidity modulation, 171–172  
 bis(sulfosuccinimidyl) suberate (BS<sup>3</sup>),  
 176–178
- Cyclic AMP (cAMP), signal transduction, 55–56
- Cyclooxygenase-2 (COX-2), nanodrug delivery  
 systems, dendrimer-ibuprofen nanodevices,  
 127
- Cytochalasin B, cell secretion and, 8–17
- Cytogenetics, atomic force microscopy:  
 C-banding technique, 257  
 genetic material imaging techniques, 250–253  
 metaphase chromosome karyotyping, 253–257  
 metaphase chromosome three-dimensional  
 analysis, 257–259  
 nanoextraction, 259–262  
 nanomanipulation and dissection, 259  
 theoretical background, 249–250
- Cytotoxic T-lymphocyte response (CTL),  
 nanodrug delivery systems, 129–130
- Daunoxome, nanodrug delivery with, 131–132
- De-adhesion, leukocyte adhesion,  
 ionomycin/thapsigargin stimulation,  
 175–176
- Degradation mechanisms, polymer-based  
 nanodrug delivery, 120–121
- Dendrimers, nanodrug delivery systems,  
 122–130  
 chemistry, 124  
 drug conjugation, 126–129  
 free dendrimer interactions, 124–126  
 ibuprofen nanodevices, 126–127  
 methyl prednisolone nanodevices, 127–129
- “Depression technique,” microbial cell surface  
 elasticity, atomic force microscopy imaging,  
 85–89
- Differential interference contrast (DIC) light  
 microscopy, inner ear tissue studies,  
 144–150
- Diffusion mechanisms:  
 membrane viscosity, thermal fluctuation  
 measurements, 155–157  
 polymer-based nanodrug delivery, 120–121
- Dioleoyl phosphatidyl ethanolamine (DOPE),  
 nanodrug delivery systems, 118–120
- Discrete Fourier transform (DFT), time-resolved  
 imaging, alignment techniques, 226–227
- DNA:  
 atomic force microscopic imaging, 243  
 cytogenetics research, 250–253  
 metaphase chromosome karyotyping,  
 255–257  
 enzymatic degradation, atomic force  
 microscopic imaging, 222–223  
 p53 protein-DNA interaction, time-resolved  
 imaging, 224–226
- Drift phenomena:  
 atomic force microscopy, real-time correction  
 algorithm, 229  
 biomolecular motion, time-resolved imaging,  
 223–228  
 time-resolved imaging:  
 alignment techniques, 226–227  
 thermal drift, 227–228
- Dynamic force spectroscopy, leukocyte adhesion  
 molecules:  
 integrin activation, 162–166  
 selectin/sLeX complexes, 162  
 single-molecule unbinding theory, 161–166

- Dynamic mode imaging. *See* Tapping mode atomic force microscopy (TMAFM)
- Egg yolk phosphatidylcholine (EggPC):  
sonicated unilamellar vesicle bilayers:  
micromechanical measurements, 192–197  
thickness and morphology, 187–191  
supported lipid bilayer thickness, 182–186
- Elasticity:  
atomic force microscopy imaging, inner ear tissue studies, 147–150  
leukocyte adhesion, avidity modulation, 173  
microbial cell surfaces, atomic force microscopy imaging, 85–89  
layers stretching, 87  
single cell stretching, 87–89  
single macromolecules, 86–87  
photon force microscopy, single molecules, 154–157  
sonicated unilamellar vesicle bilayer micromechanics, 192–197
- Electron beam deposition (EBD), atomic force microscopy cantilevers, 233  
nanoextraction, 262
- Electron microscopy:  
metaphase chromosome karyotyping, 255–257  
microbial cell surface imaging, nanostructures, 77–79  
plant cell wall imaging, 97
- Electrophysiology:  
atomic force microscopy and, 137–150  
inner ear tissue studies, 144–150  
inverted optical microscope schematic, 137–141  
patch-clamp integration into, 141–144  
microbial cell surface imaging, atomic force microscopy analysis, 83–85  
porosome structure and function, 17  
scanning probe microscopy, soft surface imaging, 211  
secretory vesicle content expulsion:  
basic principles, 37–38  
vesicle swelling in pancreatic acinar cells, 41–44  
SNARE-induced membrane fusion, atomic-level calcium participation in, 30–34
- Electrostatic interactions, microbial cell surface imaging, atomic force microscopy analysis, 83–85
- Encapsulation efficiency, polymer-based nanodrug delivery, 120–121
- Endocrine pancreas, porosome structure and function and, 8–17
- Endocytosis, nanodrug delivery systems, 114–116
- Enhanced permeability and retention (EPR), nanodrug delivery systems, liposome structure, 117–118
- Enzyme activity, atomic force microscopic imaging, 222–223
- ESEM imaging, lignin formation, 103–108
- Exocrine pancreas, porosome structure and function and, 8–17
- Exocytosis, atomic force microscopic imaging, inverted optical microscopic assembly, 140–141
- External agents, microbial cell surface effects, atomic force microscopy analysis, 78–79
- Extracellular polymeric substances (EPS), microbial cell surface imaging, atomic force microscopy, 76
- Extravasation, leukocyte adhesion molecules, 159
- Feedback limits, atomic force microscopy, 231  
fast feedback loop, 242
- Fibrinogen, atomic force microscopic imaging:  
anticoagulant effects, 275  
antiphospholipid syndrome, 274–275
- Field emission in lens scanning electron microscopy (FEISEM), metaphase chromosomes, 258–259
- Fluorescein isothiocyanate (FITC), nanodrug delivery systems:  
cellular interactions, 125–126  
dendrimer chemistry, 124  
methyl prednisolone-dendrimer nanodevices, 128–129
- Fluorescence *in situ* hybridization (FISH):  
cytogenetics research, 250  
nanoextraction, 261–262
- Fluorescence lifetime imaging (FLIM), plant cell walls, 108–109
- Fluorimetric fusion assays, SNARE-induced membrane fusion, atomic-level calcium participation in, 30–34
- Focused spot dimensions, atomic force microscopy cantilevers, 237–239
- Folate receptor ligand, nanodrug delivery systems, 119–120
- Force-distance curves:  
atomic force microscopy, low-noise detection, 240–241  
microbial cell surface imaging:  
atomic force microscopy analysis, 80–81  
elasticity measurements, 88  
layered surface applications, 87  
future applications, 89–90  
soft tissue imaging, swollen polymer surfaces, 214–218

- Force-distance curves (*continued*)  
 sonicated unilamellar vesicle bilayers, 192–197  
 supported lipid bilayer thickness, 183–186
- Force measurements:  
 atomic force microscopic imaging:  
 inner ear tissue studies, 148–150  
 lateral dimension reduction, 230–231  
 lipid bilayers and vesicles, 181–182  
 leukocyte adhesion molecules:  
 avidity modulation, 172–173  
 integrin lateral redistribution, 174–175  
 single-molecule unbinding theory, 161–166  
 microbial cell surface imaging, atomic force microscopy analysis, 80–81  
 sonicated unilamellar vesicle bilayers, 191–197
- Fourier Transform infrared (FTIR) imaging, lignin structures, 108
- Freely jointed chain (FJC), microbial cell surface elasticity, 87–88
- Friction force microscopy (FFM), soft surface imaging, 205
- Fusion pores. *See* Porosomes
- “Fusogenic liposomes,” nanodrug delivery systems, 118–120  
 cytotoxic T-lymphocyte response, 129–130
- Ghrelin:  
 growth-hormone release and synthesis, 53–54  
 signal transduction mechanisms, 55–56
- Glass substrates, microbial cell surface imaging, atomic force microscopy analysis, 70–71
- Glucosides, lignin synthesis, 100–108
- Gonadotropin-releasing hormone (GnRH), growth-hormone release and synthesis, 54
- $\beta_2$ GPI cofactor, antiphospholipid syndrome, atomic force microscopy, 275–277
- GroEL/GroES chaperonin proteins, atomic force microscopy, 230–231
- Growth-hormone (GH), cell fusion pores, pituitary gland:  
 atomic force microscopy analysis, 59–60  
 hypothalamic hormone control, 50–55  
 ghrelin, 53–54  
 growth-hormone-releasing factor, 50–52  
 peptide regulation, 54–55  
 somatostatin, 52–53  
 immunocytochemical somatotroph distribution, 57–58  
 overview, 49  
 post-secretion secretory vesicle amounts, 60–63  
 signal transduction mechanisms, 55–56  
*in vivo* neuroendocrine regulation, 49–50
- Growth-hormone-releasing hormone (GHRH):  
 growth hormone release and synthesis, 50–52  
 growth hormone secretory vesicles, secretion effects, 62–63  
 signal transduction mechanisms, 55–56
- GTG banding, atomic force microscopic imaging:  
 genetics research, 250–253  
 metaphase chromosome karyotyping, 253–257  
 nanoextraction, 261–263
- Guanosine triphosphate (GTP), secretory vesicle content expulsion:  
 basic principles, 37–38  
 vesicle swelling in neurons, 44–46  
 vesicle swelling in pancreatic acinar cells, 41–44
- Harmonic oscillation, atomic force microscopy, thermal cantilever noise, 235–237
- Hemicelluloses, plant cell walls, basic properties, 96
- Hemostatic proteins, atomic force microscopic imaging, antiphospholipid syndrome, 274–275
- Herzian model, sonicated unilamellar vesicle bilayers, force mechanics, 191–197
- Hexagonally packed intermediate layers, microbial cell surface imaging, atomic force microscopy analysis, 73  
 immobilization strategies, 71  
 layered surface applications, 87
- High-definition television, atomic force microscopy, 231
- Highly-oriented pyrolytic graphite, scanning tunneling microscopy, 242
- High-pass frequency filter, plant cell walls, atomic force microscopic imaging, 96–97
- Hooke’s law:  
 force-distance curves, microbial cell surface imaging, 80–81  
 scanning probe microscopy, soft surface imaging, 211
- Hydration mechanisms, SNARE-induced membrane fusion, atomic-level calcium participation in, 30–34
- Hydrogels, scanning probe microscopy, swollen polymer surfaces, 216–218
- Hydrophilic interactions, plant cell wall imaging, lignin structures, 106–108
- Hydrophobic interactions, plant cell wall imaging, lignin structures, 106–108
- Hydrophobic substrates, microbial cell surface imaging, atomic force microscopy analysis, 70–71
- Hypothalamic deafferentiation, *in vivo* growth-hormone secretion, 49–51

- Hypothalamic hormone control, growth-hormone release and synthesis, 50–55  
 ghrelin, 53–54  
 growth-hormone-releasing factor, 50–52  
 peptide regulation, 54–55  
 somatostatin, 52–53
- Ibuprofen, nanodrug delivery systems:  
 chemistry, 124  
 dendrimer-ibuprofen nanodevices, 126–127
- Image alignment techniques, time-resolved imaging, 225–227
- Image tracking techniques, atomic force microscopy, biomolecular motion, 228–229
- Imaging speed, atomic force microscopy:  
 biomolecular motion, 228–231  
 feedback limit, 231  
 lateral dimension reduction, 229–230  
 tracking mechanisms, 228–229  
 video-rate imaging, 231  
 cantilever resonant frequency, 232–233
- Immobilization strategies:  
 leukocyte adhesion, avidity modulation, 172  
 microbial cell surface imaging, atomic force microscopy analysis, 71
- Immuno-atomic force microscopy (ImmunoAFM):  
 fixed cells, 5  
 live cells, 5  
 secretory product imaging and, 10–17
- Immunocytochemistry, growth hormone cells, 57
- Immunogold localization, live pancreatic acinar cells, 5
- Immunoprecipitation:  
 pancreatic plasma membrane, 5–6  
 porosome structural analysis, 11–17
- Inner ear tissue, atomic force microscopy studies on, 144–150
- Integrins, leukocyte adhesion molecules:  
 activation analysis, 162–166  
 basic properties, 159–160  
 lateral redistribution, 173–175
- Intercellular adhesion molecule-1 (ICAM-1):  
 avidity modulation:  
 basic principles, 169–171  
 cells and reagents, 171  
 force measurements, 172–173  
 integrin lateral redistribution, 173–175  
 3A9 cell line adhesion, 176–178  
 ionomycin/thapsigargin stimulation, 175–176
- Intermolecular forces:  
 leukocyte adhesion molecules:  
 basic principles, 159–160  
 integrin activation, 162–166  
 selectin/sLeX complexes, 162  
 single-molecule unbinding, 160–166  
 plant cell wall imaging, lignin structures, 107–108
- Inverted optical microscope:  
 atomic force microscopy on, 137–141  
 photonic force microscopy and, 152–157
- In vivo* studies:  
 growth-hormone secretion, neuroendocrine regulation, 49–50  
 lignin synthesis, scanning probe microscopic imaging, 100–110  
 photon force microscopy, 154–157
- Ion channel formation:  
 atomic force microscopy, patch-clamp integration, 141–144  
 secretory vesicle content expulsion, basic principles, 37–38  
 SNARE-induced membrane fusion, 25–27
- Ionomycin, leukocyte adhesion and, 175–176
- Jump-in point, supported lipid bilayer thickness, 183–186
- Karyotyping, atomic force microscopic imaging, metaphase chromosomes, 253–257
- Kinesin structures, photonic force microscopy, single molecules, 153–157
- Laemmli sample preparation, pancreatic plasma membrane, 5–6
- Langmuir-Blodgett films, plant cell wall imaging, lignin structures, 108
- Laser instrumentation, photonic force microscopy, 152–155
- Lateral dimensions, atomic force microscopy, 229–230
- Lateral drift, biomolecular motion, time-resolved imaging, 223–228
- Lateral force microscopy (LFM), soft surface imaging, 205–206
- LCAO-MO calculations, lignin formation, 101–108
- Leptin, growth-hormone release and synthesis, 54
- Leukocyte adhesion molecules:  
 avidity modulation studies:  
 adhesive force measurements, 172–173  
 basic principles, 169–171  
 cells and reagents, 171  
 clinical applications, 176–178  
 elasticity measurements, 173  
 integrin lateral redistribution, 173–175  
 ionomycin/thapsigargin stimulation, 175–176

- Leukocyte adhesion molecules (*continued*)  
 protein immobilization, 172  
 3A9 cell crosslinking, 171–172  
 intermolecular forces:  
 basic principles, 159–160  
 integrin activation, 162–166  
 selectin/sLeX complexes, 162  
 single-molecule unbinding, 160–166
- Leukocyte function-associated antigen-1 (LFA-1):  
 avidity modulation:  
 basic principles, 169–171  
 ionomycin/thapsigargin stimulation, 175–176  
 results and discussion, 176–178  
 leukocyte adhesion molecules:  
 basic properties, 159–160  
 integrin activation, 162–166  
 lateral redistribution, 173–175
- Life mode, scanning probe microscopy, soft surface imaging, 210
- Ligand-decorated liposomes, nanodrug delivery systems, 119–120
- Light scattering analysis, SNARE-induced membrane fusion, atomic-level calcium participation in, 30–34
- Lignin:  
 plant cell walls, basic properties, 96  
 scanning probe microscopic imaging, 100–108
- Lipid bilayers:  
 atomic force microscopic imaging,  
 antiphospholipid syndrome, 273–274  
 secretory vesicle content expulsion, vesicle swelling in pancreatic acinar cells, 41–44  
 SNARE-induced membrane fusion, 25–27  
 atomic-level calcium participation in, 27–34  
 thickness and micromechanical properties:  
 atomic force microscopic imaging, 181–197  
 supported thickness, 182–183
- Lipid membrane:  
 porosome reconstitution on mica, 4  
 porosome structure and function and, 12–17  
 “raft” structures, viscosity measurements, 156–157  
 secretory vesicle content expulsion, vesicle swelling in pancreatic acinar cells, 42–44  
 SNARE-induced membrane fusion, bilayer interaction and conducting channel formation, 26–27
- Liposomes, nanodrug delivery systems:  
 conventional structures, 116–118  
 modified liposomes, 118–120
- Liquid droplets, scanning probe microscopy, soft surface imaging, 212–214
- Lithium chloride, microbial cell surface effects, atomic force microscopy analysis, 79
- Loading force measurements, sonicated unilamellar vesicle bilayers, micromechanical measurements, 192–197
- Low-noise detection, atomic force microscopy cantilevers, 239–241
- L-plastin, leukocyte adhesion, avidity modulation, 170–171
- Lupus anticoagulant (LA) phenomenon, antiphospholipid syndrome, 275  
 annexin A5, 278–279
- MacMARCKS substrate, leukocyte adhesion, avidity modulation, 170–171
- Macromolecules:  
 atomic force microscopic imaging, hemostasis and thrombosis, 267–283  
 microbial cell surface elasticity, atomic force microscopy imaging, 86–87  
 pectin “brush structure,” atomic force microscopic imaging, 97–98
- Macropinocytosis, nanodrug delivery systems, 114–116
- Madin-Darby canine kidney (MDCK) cells, nanodrug delivery systems, dendrimer structures, 124
- Major histocompatibility complex (MHC) molecules, nanodrug delivery systems, 129–130
- Mechanical drift, biomolecular motion, time-resolved imaging, 223–228
- Membrane fusion:  
 atomic force microscopic imaging, inverted optical microscopic assembly, 140–141  
 porosome functions, 1–3  
 SNARE-induced, molecular mechanisms, 25–34  
 bilayer interaction circular array, conducting channel formation, 25–27  
 calcium ion participation, 27–34  
 cell fusion machinery with, 27
- Membrane viscosity, photonic force microscopy, thermal fluctuation measurements, 155–157
- Metaphase chromosomes, atomic force microscopic imaging:  
 correlative three-dimensional morphological analysis, 257–259  
 genetic material, 250–253  
 GTG-banding patterns, 251–253  
 historical background, 249–250  
 karyotyping of, 253–257
- Methyl prednisolone nanodevices, nanodrug delivery systems, dendrimer conjugates, 127–129
- Mica substrates:  
 atomic force microscopic imaging,  
 antiphospholipid syndrome, 273–274

- microbial cell surface imaging, atomic force microscopy analysis, 70–71
- Micelles, polymer-based nanodrug delivery, 121–122
- Microbial cell surfaces, atomic force microscopy analysis, 69–90
  - bacillus S-layers, 73
  - basic principles, 69–70
  - cell surface layer imaging, 73–75
  - elasticity, 85–89
    - layers stretching, 87
    - single cell stretching, 87–89
    - single macromolecules, 86–87
  - external agent effects, 78–79
  - future applications, 89–90
  - hexagonally packed intermediate layer, 73
  - imaging techniques, 70–79
    - immobilization strategies, 71
    - selection criteria, 71–72
    - substrate requirements, 70–71
  - microbial biofilms, 75–76
  - nanostructures, 76–78
  - physical properties measurement, 79–89
    - force-distance curves, 80
    - force measurements, 80–81
    - functionalized probes, 80–81
  - physicochemical properties and molecular interactions, 81–85
    - adhesion mapping, 81–82
    - cell probe technique, 85
    - surface charges and electrostatic interactions, 83–85
    - surface energy and solvation interactions, 82–83
  - physiological changes, 78
  - porin crystals, 74–75
  - purple membranes, 73–74
- Microdissection, atomic force microscopy, 259–260
- Microfibrils, plant cell walls, basic properties, 95–96
- Micromechanical measurements:
  - atomic force microscopy imaging, inner ear tissue studies, 146–150
  - sonicated unilamellar vesicle bilayers, 191–197
- Molecular mechanisms:
  - cell secretion, porosome structure and function and, 17, 19–20
  - microbial cell surface imaging, atomic force microscopy analysis, 81–85
  - photonic force microscopy, thermal fluctuation measurements, 153–157
  - plant cell walls, atomic force microscopic imaging, 96–97
  - secretory vesicle content expulsion:
    - basic principles, 37–38
    - cellular secretion swelling, 38–44
    - neuron secretion swelling, 44–46
  - SNARE-induced membrane fusion, 25–34
  - bilayer interaction circular array,
    - conducting channel formation, 25–27
    - calcium ion participation, 27–34
    - cell fusion machinery with, 27
- Molecular weight calculations, lignin formation, 103–108
- Monoclonal antibodies, antiphospholipid syndrome, annexin A5, 278–279
- Motilin, growth-hormone release and synthesis, ghrelin mediation, 54
- Multilamellar vesicle (MLV) solution, sonicated unilamellar vesicle bilayers, thickness and morphology, 188–191
- Nanobioscience:
  - antiphospholipid syndrome, 268–272
  - atomic force microscopy, cytogenetic applications, 259–262
  - historical evolution of, 2–3
- Nanodrug delivery systems:
  - cellular interactions:
    - basic principles, 113–116
    - dendrimers, 122–130
      - chemistry, 124
      - drug conjugation, 126–129
      - free dendrimer interactions, 124–126
      - ibuprofen nanodevices, 126–127
      - methyl prednisolone nanodevices, 127–129
    - lipid-based systems, 116–120
    - polymer-based systems, 120–130
      - micelles, 121–122
      - nanoparticles, 120–121
  - clinical applications and future research, 130–132
- Nanoextraction, atomic force microscopy, 259–262
- Nanoparticles:
  - AFM manipulation and dissection, 259
  - polymer-based nanodrug delivery, 120–121
  - scanning probe microscopy, liquid droplets, 212–214
- Nanostructures:
  - microbial cell surface imaging, atomic force microscopy analysis, 76–79
  - physiological changes, 78
  - photonic force microscopy imaging, 151–157
- Near-field scanning optical microscopy (NSOM):
  - antiphospholipid syndrome, 268–272
  - lignin imaging, 104–108
  - plant cell wall imaging, 108–109
- Neuroendocrine regulation, *in vivo*
  - growth-hormone secretion, 49–50

- Neurons:  
 porosome structure and function in, 8–17  
 secretory vesicle content expulsion, 44–46
- Neuropeptide Y (NPY), growth-hormone release and synthesis, ghrelin mediation, 54
- Noncontact mode:  
 cytogenetics research, 252–253  
 scanning probe microscopy, soft surface imaging, 210
- NSF-ATP assays, SNARE-induced membrane fusion, atomic-level calcium participation in, 31–34
- Nyquist relation, atomic force microscopy, thermal cantilever noise, 236–237
- OmpF porin, microbial cell surface imaging, atomic force microscopy analysis, immobilization strategies, 71
- Opposing bilayers, SNARE-induced membrane fusion, 25–27
- Optical beam deflection, atomic force microscopy cantilevers, low-noise detection, 239–241
- Optical trapping techniques, photonic force microscopy, 151–157
- Pancreatic acinar cells:  
 immunogold localization, 5  
 isolation, 3–4  
 porosome structure in, 6–17  
 secretory vesicle content expulsion:  
 basic principles, 37–38  
 vesicle swelling during secretion, 38–44  
 transmission electron microscopy imaging, 5
- Pancreatic plasma membrane:  
 immunoprecipitation and Western blot analysis, 5–6  
 isolation, 4  
 porosome structural analysis, 10–17  
 secretory vesicle content expulsion, basic principles, 37–38
- Patch-clamp integration, atomic force microscopy, 141–144  
 inner ear tissue studies, 144–150
- Pectins:  
 atomic force microscopic imaging, 97–98  
 basic properties, 96
- PEO-b-poly(L-amino acids) (PLAA) block copolymers, polymer-based nanodrug delivery, 122  
 multidrug resistance and, 131
- Phagocytosis, nanodrug delivery systems, 114–116  
 liposome structure, 117–118
- Phase contrast microscopy, metaphase chromosome karyotyping, 254–257
- Phase shift detection, scanning probe microscopy, soft surface imaging, 209–210
- Phenolic alcohols, lignin synthesis, 100–108
- Phorbol myristate acetate (PMA), leukocyte adhesion:  
 avidity modulation, 170–171  
 cell spreading, 177–178  
 integrin lateral redistribution, 174–175
- Phosphatidylserine (PS), antiphospholipid syndrome, 276–277
- Phospholipase C-IP3-protein kinase C, signal transduction, 55–56
- Photodetection sensitivity, atomic force microscopy cantilevers, 240–241
- Photonic force microscopy (PFM):  
 development of, 151–157  
 position-sensing systems, 151–153  
 thermal fluctuation measurements:  
 membrane viscosity, 155–157  
 single molecules, 153–155
- Physicochemical properties, microbial cell surface imaging, atomic force microscopy, 81–85
- Physiological changes, microbial cell surface imaging, atomic force microscopy analysis, 78
- Phytohemagglutinin (PHA), cytogenetics applications, atomic force microscopy, 249
- Piezoelectric crystals:  
 atomic force microscopy:  
 antiphospholipid syndrome, 269–272  
 fast scanners, 241–242  
 scanning probe microscopy, soft surface imaging, 202–203
- Pipette structures, atomic force microscopy, 138–141
- Pituitary adenylate cyclase-activating peptide (PACAP):  
 growth-hormone release and synthesis, 54  
 signal transduction mechanisms, 55–56
- Pituitary gland, growth-hormone cell fusion pores:  
 atomic force microscopy analysis, 59–60  
 hypothalamic hormone control, 50–55  
 ghrelin, 53–54  
 growth-hormone-releasing factor, 50–52  
 peptide regulation, 54–55  
 somatostatin, 52–53  
 immunocytochemical somatotroph distribution, 57–58  
 overview, 49  
 post-secretion secretory vesicle amounts, 60–63  
 signal transduction mechanisms, 55–56  
*in vivo* neuroendocrine regulation, 49–50
- Pixel acquisition, time-resolved imaging, 227–228

- Planck's constant, leukocyte adhesion molecules, single-molecule unbinding theory, 160–166
- Plant cell wall:  
 atomic force microscopy (AFM), 96–97  
 cellulose, 99–100  
 pectins, 97–99  
 scanning probe microscopic imaging:  
 basic properties, 95–96  
 future research techniques, 108–109  
 lignin, 100–108
- Plasma membrane:  
 growth hormone secretory vesicles, secretion effects, 61–63  
 porosome structure and function and, 8–17
- Poisson's ratio, sonicated unilamellar vesicle bilayer micromechanics
- Poly(acrylic acid) (PAA), soft tissue imaging, swollen surfaces, 214–218
- Polyamidoamine (PAMAM) dendrimers, nanodrug delivery systems:  
 basic properties, 123–124  
 cellular interactions, 125–126  
 dendrimer-drug conjugates, 126–129
- Poly(DL-lactide-co-glycolide) (PLGA), polymer-based nanodrug delivery, 120–121
- Poly(ethylene oxide) (PEO):  
 polymer-based nanodrug delivery, 122  
 supported lipid bilayer micromechanics, 195–197  
 supported lipid bilayer thickness measurements, 184–186
- Polylactides, polymer-based nanodrug delivery, 120–121
- Polymer-based systems:  
 nanodrug delivery, cellular interactions, 120–130  
 micelles, 121–122  
 nanoparticles, 120–121  
 soft tissue imaging, swollen surfaces, 214–218
- Polysaccharides:  
 pectin macromolecules, atomic force microscopic imaging, 97–98  
 plant cell walls, basic properties, 95–96
- Porin crystals, microbial cell surface imaging, atomic force microscopy, 74–75
- Porosomes:  
 atomic force microscopy, 4–5  
 basic properties, 1–3  
 growth-hormone secretion in pituitary gland:  
 atomic force microscopy analysis, 59–60  
 hypothalamic hormone control, 50–55  
 ghrelin, 53–54  
 growth-hormone-releasing factor, 50–52  
 peptide regulation, 54–55  
 somatostatin, 52–53  
 immunocytochemical somatotroph distribution, 57–58  
 overview, 49  
 post-secretion secretory vesicle amounts, 60–63  
 signal transduction mechanisms, 55–56  
*in vivo* neuroendocrine regulation, 49–50
- immuno-atomic force microscopy:  
 fixed cells, 5  
 live cells, 5
- immunoprecipitation and Western blot analysis, 5–6
- lipid membrane reconstitution, mica-based, 4  
 molecular-based cell secretion, 17–22  
 pancreatic acinar cell isolation, 3–4  
 pancreatic plasma membrane preparation, 4  
 secretory vesicle content expulsion, vesicle swelling in pancreatic acinar cells, 41–44
- structural properties, 6–17  
 synaptosome/synaptosomal/synaptic vesicle isolation, 4  
 transmission electron microscopy, 5  
 zymogen granule isolation, 5
- PPO complexes, supported lipid bilayer micromechanics, 195–197
- p53 protein-DNA interaction, time-resolved imaging, 224–226
- Probe surface chemistry:  
 atomic force microscopy, antiphospholipid syndrome, 269–272  
 microbial cell surface imaging, atomic force microscopy, 81–82
- Proportional-integral-differential (PID) feedback loop, atomic force microscopy, 242
- Prostaglandin (PGE<sub>2</sub>), nanodrug delivery systems:  
 dendrimer-ibuprofen nanodevices, 127  
 methyl prednisolone-dendrimer nanodevices, 128–129
- Protein immobilization, leukocyte adhesion, avidity modulation, 172
- Protein kinase A, signal transduction, 55–56
- Protein kinase C:  
 leukocyte adhesion, avidity modulation, 170–171  
 signal transduction, 55–56
- Protein-protein interactions, atomic force microscopic imaging, 222–223
- Proton nuclear magnetic resonance, plant cell wall imaging, lignin structures, 106–108
- Pulronic copolymers, supported lipid bilayer thickness measurements, 184–186
- Purple membranes, microbial cell surface imaging, atomic force microscopy analysis, 73–74  
 immobilization strategies, 71
- Q-banding, cytogenetics research, 249–250

- Q* control:  
 atomic force microscopy:  
 cantilever resonant frequency, 232–233  
 thermal cantilever noise, 235–237  
 scanning probe microscopy:  
 liquid droplets, 214  
 soft surface imaging, 207–209
- Quantitative analysis, growth hormone cells, 57–58
- Rack1 phosphorylation, leukocyte adhesion, avidity modulation, 170–171
- “Raft” lipids, viscosity measurements, 156–157
- Raman spectroscopy, plant cell wall imaging, lignin structures, 106–108
- Rayleigh range, atomic force microscopy cantilevers, focused spot dimensions, 238–239
- Receptor affinity modulation, leukocyte adhesion, 169–171
- Receptor-mediated endocytosis, nanodrug delivery systems, 114–116
- Recrystallization techniques, microbial cell surface imaging, atomic force microscopy analysis, 71
- Repulsive force, sonicated unilamellar vesicle bilayer micromechanics, 195–197
- Resonant frequencies, atomic force microscopy cantilevers, 232–233
- Reverse hemolytic plaque assay, growth hormone fusion pore structure and dynamics, 59–60
- RMS-DC converter, atomic force microscopy: antiphospholipid syndrome, 270–272  
 fast feedback loop, 242
- RPMI 1640 medium, leukocyte adhesion, avidity modulation, 171
- Scanner design, atomic force microscopy, 241–242
- Scanning electron microscopy (SEM):  
 metaphase chromosomes, 257–258  
 simultaneous AFM/patch-clamp recordings, 145–147
- Scanning probe microscopy (SPM):  
 plant cell wall:  
 basic properties, 95–96  
 future research techniques, 108–109  
 lignin, 100–108  
 soft surface imaging:  
 basic principles, 201–202  
 cantilevers and probes, 210–211  
 contact mode, 203–205  
 dynamic mode, 205–209  
 experimental setup, 202–203  
 liquid droplets, 212–214  
 phase shift technique, 209–210  
 physics and methods, 202–211  
 swollen polymer surfaces, 214–218
- Scanning tunneling microscopy (STM):  
 antiphospholipid syndrome, 268–272  
 cytogenetics research, 250  
 lignin structure, 101–108  
 scanner speed, 242
- Secretagogue exposure, cell secretion and, 6–17
- Secretory vesicles:  
 content expulsion, molecular mechanisms:  
 basic principles, 37–38  
 swelling process in cellular secretion, 38–44  
 swelling process in neuron secretion, 44–46  
 growth hormone cells, secretion effects, 60–63
- Selectin/sLeX complexes, atomic force microscopic imaging, 162
- Signal-to-noise ratio, atomic force microscopy:  
 low-noise detection, 240–241  
 thermal cantilever noise, 236–237
- Signal transduction:  
 adenylate cyclase/cAMP/protein kinase A and phospholipase C-IP3-protein kinase C, 55–56  
 growth-hormone release and synthesis:  
 growth-hormone-releasing hormone, 51–52  
 somatostatin, 52–53
- Silicon nitride cantilevers:  
 atomic force microscopy:  
 antiphospholipid syndrome, 268–272  
 resonant frequency, 233  
 scanning probe microscopy, soft surface imaging, 210–211
- Silicon oxide substrates, microbial cell surface imaging, atomic force microscopy analysis, 70–71
- Single molecule force spectroscopy, microbial cell surface elasticity, 86–88
- Single-molecule unbinding theory, leukocyte adhesion molecules, 160–166
- SNARE complex:  
 membrane fusion, molecular mechanisms, 25–34  
 bilayer interaction circular array, conducting channel formation, 25–27  
 calcium ion participation, 27–34  
 cell fusion machinery with, 27  
 porosome structure and function and, 13–17
- Soft surface imaging, scanning probe microscopy:  
 basic principles, 201–202  
 cantilevers and probes, 210–211  
 contact mode, 203–205  
 dynamic mode, 205–209  
 experimental setup, 202–203  
 liquid droplets, 212–214

- phase shift technique, 209–210  
 physics and methods, 202–211  
 swollen polymer surfaces, 214–218
- Solvation interactions, microbial cell surface  
 imaging, atomic force microscopy analysis,  
 82–83
- Somatostatin (SRIF), growth-hormone release  
 and synthesis, 52–53
- Somatotrophs:  
 growth-hormone release and synthesis, 55  
 immunocytochemical distribution, 57–58
- Sonicated unilamellar vesicle (SUV) bilayers:  
 micromechanical properties, 191–197  
 thickness and morphology, 187–191
- Stalk sectioning techniques, *in vivo*  
 growth-hormone secretion, 49–50
- “Stealth” liposomes, nanodrug delivery systems,  
 118–120
- Stereocilia properties, atomic force microscopy  
 imaging, inner ear tissue studies, 144–150
- “Sterically stabilized” liposomes, nanodrug  
 delivery systems, 118–120
- Stiffness measurement, atomic force microscopy  
 imaging, inner ear tissue studies, 148–150
- Stokes drag, membrane viscosity, thermal  
 fluctuation measurements, 156–157
- Substrate requirements:  
 leukocyte adhesion, avidity modulation,  
 170–171  
 microbial cell surface imaging, atomic force  
 microscopy analysis, 70–71
- Supercritical fluids, polymer-based nanodrug  
 delivery, 120–121
- Supermodule structural unit, lignin formation,  
 101–108
- Supported lipid bilayer (SLB), thickness  
 measurements, 182–186
- Supramolecular activation clusters, leukocyte  
 adhesion, avidity modulation, 170–171
- Surface charges, microbial cell surface imaging,  
 atomic force microscopy analysis, 83–85
- Surface energy, microbial cell surface imaging,  
 atomic force microscopy analysis, 82–83
- Surface-enhanced Raman spectroscopy, plant  
 cell wall imaging, 108–109
- Synaptic vesicles:  
 isolation, 4  
 porosome structure and function in, 12–17
- Synaptosomal membrane:  
 isolation, 4  
 porosome structural analysis, 11–17
- Synaptosome:  
 isolation, 4  
 porosome structure and function in, 12–17
- Tapping mode atomic force microscopy  
 (TMAFM):
- antiphospholipid syndrome, 271–272  
 biomolecular motion, basic principles,  
 221–223  
 feedback limits, 231  
 genetic material imaging, 251–253  
 microbial cell surface imaging:  
 biofilms, 76  
 external agent effects, 79  
 purple membranes, 74  
 pancreatic acinar cells, 5  
 porosome imaging, 5  
 soft surface imaging, 205–209  
 swollen polymer surfaces, 216–218  
 sonicated unilamellar vesicle bilayers,  
 thickness and morphology, 188–191
- Thapsigargin, leukocyte adhesion stimulation,  
 175–176
- Thermal cantilever noise, atomic force  
 microscopy, 235–237  
 low-noise detection, 240–241
- Thermal fluctuation measurements, photonic  
 force microscopy, single molecules,  
 153–157
- 3A9 cell line, leukocyte adhesion:  
 avidity modulation, 171–172  
 force measurements, 172–173  
 integrin clustering, 176–178
- Three-dimensional morphological analysis,  
 atomic force microscopic imaging,  
 metaphase chromosomes, 257–259
- Three-dimensional topographic imaging,  
 supported lipid bilayer thickness, 183–186
- Thyrotropin-releasing hormone (TRH),  
 growth-hormone release and synthesis, 54
- Time-resolved imaging, biomolecular motion,  
 223–228  
 alignment, 225–227  
 moving images, 227–228  
 p53-DNA dynamic interactions, 224–225  
 recording sequences, 223–224
- Tip effect, sonicated unilamellar vesicle bilayers,  
 thickness and morphology, 190–191
- Topographic imaging, scanning probe  
 microscopy, soft surface imaging, 205
- Transmission electron microscopy (TEM):  
 growth hormone fusion pore structure and  
 dynamics, 59–60  
 growth hormone secretory vesicles, 61–63  
 metaphase chromosomes, 257–258  
 pancreatic acinar cell isolation, 5  
 plant cell walls, 97  
 porosome structure and function and, 10–17
- Ultraviolet (UV) radiation, plant cell wall  
 imaging, lignin structures, 106–108

- Vertical drift, biomolecular motion,  
time-resolved imaging, 223–228
- Very late antigen-4 (VLA-4), leukocyte adhesion molecules:  
basic properties, 159–160  
integrin activation, 165–166
- Vesicles:  
secretory vesicle content expulsion, swelling mechanisms:  
basic principles, 37–38  
cellular secretion, 38–44  
neuron secretion, 44–46  
sonicated unilamellar vesicle:  
bilayer thickness and morphology, 187–191  
micromechanical properties, 191–197  
synaptic vesicles:  
isolation, 4  
porosome structure and function in, 12–17
- Video-rate imaging, atomic force microscopy, 231
- “Virosome,” nanodrug delivery systems, 118–120
- Viscosity of membranes:  
photonic force microscopy, thermal fluctuation measurements, 155–157  
scanning probe microscopy, soft surface imaging, 212–214
- Viscous damping, atomic force microscopy, thermal cantilever noise, 235–237
- Water transport, plant cell wall imaging:  
basic properties, 96–97  
lignin mechanisms for, 105–108
- Western blot analysis, pancreatic plasma membrane, 5–6
- Worm-like chain (WLC) model, microbial cell surface elasticity, 87–88
- X-ray diffraction, SNARE-induced membrane fusion, atomic-level calcium participation in, 27–34
- Young’s modulus:  
leukocyte adhesion molecules:  
elasticity, 173  
integrin lateral redistribution, 174–175  
sonicated unilamellar vesicle bilayer micromechanics, 191–197
- Zymogen granules (ZG):  
isolation, 5  
porosome structure and function and, 10–17  
secretory vesicle content expulsion:  
basic principles, 37–39  
neuron vesicle swelling, 44–46  
pancreatic acinar cell vesicle swelling, 38–44