

Index

SYMBOLS

@ (at sign)

FooReader.NET string prefix, 142
XPath attribute prefix, 103

{ } (braces)

JSON object literal delimiters, 192, 194
XSLT variable delimiters, 113

[] (brackets, square)

JSON array literal delimiters, 191–192
XPath condition delimiters, 103

\$ (dollar sign) XSLT variable prefix, 113

% (percent sign) modulus operator, 100

|| (pipes) OR operator, 61

/ (slash) HTTP request element, 16

A

abort method, 53, 66

accessor, 145, 241

ActiveX Data Object (ADO), connecting to database using, 352, 353

ActiveXObject class, 33, 35, 82

Adaptive Path, LLC, 2, 13

add method, 160, 233, 377

AddAddress method, 301, 302

AddCC method, 301, 302

AdditionalLinks.txt file, 74, 75

AddMinutes method, 247

addObject method, 116, 117

addParameter method, 118

address book, preloading, 48

addslashes method, 290

ADO (ActiveX Data Object), connecting to database using, 352, 353

“Ajax: A New Approach to Web Applications” (Garrett), 2, 5, 6–7, 13

Ajax.dll file, 374

AjaxMail application

AddAddress method, 301, 302

AddCC method, 301, 302

address information sent to recipient, specifying, 285

AjaxMailAction.php file, 308–309, 329

AjaxMailAttachment class, 304

AjaxMailAttachmentHeader class, 296, 297–298, 300

AjaxMailbox class

addslashes method, 290

checkMail method, 287, 291, 292

clearAll method, 286–287

connect method, 286, 287

declaring, 285

deleteMessage method, 305, 309, 337–338, 345

disconnect method, 286, 287, 289

emptyTrash method, 306, 309, 338

getEmails method, 288

getFolderPage method, 292, 296, 299, 309, 310

getHTMLMessage method, 288

getMessage method, 296, 298, 311, 338–339

getTextMessage method, 288

getUnreadCount method, 294

login method, 287

logout method, 289

markMessageAsRead method, 307

mysql_error method, 296

mysql_insert_id method, 291

AjaxMail application (continued)

AjaxMail application (continued)

- mysql_query method, 290, 295
- restoreMessage method, 306, 309, 338, 345
- sprintf method, 290, 291
- strlen method, 291
- AjaxMail.css file, 314
- AjaxMail.inc.php file, 285, 308, 312
- AjaxMail.js file, 314
- AjaxMailMessage class, 296–297, 299
- AjaxMailNavigate.php file, 309–311, 340, 341
- AjaxMailSend.php file, 312
- appendChild method, 334
- attachment
 - AjaxMailAttachment class, 304
 - AjaxMailAttachment.php file, 312–313
 - AjaxMailAttachments table, 283, 284, 287, 291, 298
 - array, 288, 297
 - existence, determining, 290, 300
 - getAttachment method, 304, 305, 313
 - header, 296, 297–298, 300
 - ID, 284, 313
 - MIME type, 291
 - Pop3Attachment object, 291
 - rendering, 337
 - retrieving, 291, 304–305, 313, 319, 320
 - size, returning, 291
- authentication, 285
- cancelReply method, 340
- class.phpmailer.php file, 312
- class.smtp.php file, 312
- cleanupEmail function, 325, 334
- cloneNode method, 334
- config.inc.php file, 284–285, 303, 308, 312
- confirm function, 338
- count function, 293
- createTextNode method, 334
- CSS, 314, 315, 319, 323, 329
- database
 - adding e-mail to, 289–290
 - AjaxMailAttachments table, 283, 284, 287, 291, 298
 - AjaxMailFolders table, 283
 - AjaxMailMessages table, 283, 287, 298
 - clearing, 286–287
 - closing connection, 286, 289
 - opening connection, 284, 286
 - query string, formatting, 291, 308
 - role, 282
 - date formatting, 299
 - define method, 284
 - deleting message, 305–306, 309, 334, 337–338, 345
 - displayCompose method, 342
 - displayComposeMailForm method, 341, 342
 - displayFolder method, 340
 - displaying message, 294, 296–300, 338–339, 340
 - displayReply method, 342
 - displayReplyAll method, 342
 - event handling, 330, 331, 334, 342–343, 345
 - execute method, 338, 344
 - fnCallback function, 330
 - folder
 - AjaxMailFolders table, 283
 - counting messages in, 293
 - ID, 283, 305, 306
 - page in, accessing, 292, 293, 308, 309, 339
 - refreshing, 339
 - rendering, 332–333, 334–335, 340
 - server, returning folder information from, 338
 - switching, 343
 - user interface folder view, 313, 316–318, 326, 332
 - frame, use of hidden, 309, 316, 323, 329, 331
 - getAttachment method, 304, 305, 313
 - getRequestBody function, 325, 331
 - go method, 340
 - header
 - attachment, 296, 297–298, 300
 - Content-Type statement, 308
 - No-Cache statement, 308, 310
 - HTML message handling, 288, 310–311, 326, 329, 334
 - htmlEncode function, 326, 334
 - HTTP request handling, 323, 329–330
 - ID
 - attachment, 284, 313
 - folder, 283, 305, 306
 - message, 283, 291, 308
 - Inbox, 282, 343
 - index.php file, 313–314, 336
 - initializing, 342, 343, 346
 - IsError method, 304
 - iterating through e-mail, 289–290
 - JSON parser, 282, 308, 310–311, 328
 - JSONObject object, 292–293, 295
 - list of retrieved e-mail, generating, 292–296
 - load method, 343
 - loadAndRender function, 337, 338, 344
 - loadInfo method, 328

- loadMessage method, 328
 - mailbox component
 - info property, 326, 328
 - instance, 326
 - loading data, 327–328
 - message property, 326, 328
 - nextNotice property, 326
 - processing property, 326, 328–329
 - user interface, interaction with, 326
 - navigate method, 331, 338, 339–340
 - nextPage method, 339
 - notification display, 315, 316, 324, 328–332, 344
 - onreadystatechange event handler, 330, 331
 - parse method, 328
 - PHPMailer library, 301–302, 304
 - POP3, 282, 284–285, 287–288, 289, 291
 - preg_match function, 302
 - preg_split function, 302
 - prevPage method, 339
 - reading message, 307, 313, 319–320
 - readMail function, 345
 - readMessage method, 340, 345
 - rendering
 - attachment, 337
 - folder, 332–333, 334–335, 340, 344
 - message, 332, 335–337, 344
 - replying to message, 319, 320, 340, 342
 - request method, 329–330, 337, 338, 343
 - restoreMail method, 334, 345
 - retrieving e-mail, 287–292
 - sendConfirmation method, 344–345
 - sending e-mail, 301–304, 312, 343, 344
 - setProcessing method, 328–329, 330
 - setTimeout function, 329
 - showNotice method, 329, 330, 344
 - SMTP, 285, 303, 312
 - str_replace method, 302
 - switchFolder method, 343
 - testing, 346
 - text message handling, 288, 308, 319
 - Trash
 - emptying, 306, 309, 314, 338
 - event handling, 343
 - introduced, 282
 - moving message to, 305
 - restoring message from, 306, 309, 334, 338, 345
 - updateUnreadCount method, 335
 - user interface
 - compose view, 313, 320–322, 340, 341
 - folder view, 313, 316–318, 326, 332, 341
 - image, background, 315–316, 323–324
 - layout, 322–323
 - mailbox component, interaction with, 326
 - read view, 313, 319–320, 341
 - writing message, 313, 320–322, 340, 341
 - XMLHttpRequest object, use of, 282, 309, 325, 329–330
 - zXml library, use of, 282, 314
- Ajax.NET framework**
- add method, 377
 - Ajax.dll file, 374
 - class, returning custom from method, 383
 - client
 - code, client-side, 381–382
 - method, making available from, 376–378
 - Customer class, 378–380
 - Customer-AjaxNET.aspx file, 378, 382
 - data type, 382–384
 - database, working with, 379–380
 - e-mail address, working with, 378–379, 381–382
 - error handling, 377, 381
 - event handling, 380
 - fetchAddress function, 381
 - FetchCompletedTransactions function, 385
 - getAddressFromEmail method, 378, 379, 381
 - getAddressFromResponse function, 381–382
 - GetUserFromId method, 384
 - hashtable, 378, 381
 - HTTP
 - request handling, 375, 377
 - session state, 384–385
 - Index class, 376, 377
 - Index.aspx file, 376
 - installing, 374–375
 - IsDBNull method, 380
 - OleDbCommand object, 379
 - OleDbDataReader class, 379
 - Read method, 380
 - RegisterTypeForAjax method, 378
 - setTimeout method, 385
 - showAddress method, 381
 - StringBuilder class, 378, 379
 - transaction polling, 385
 - transactionsCompleteCallback function, 385
 - web page, creating in Ajax.NET environment, 376–382
 - web site, 374
 - web.config file, 375
- AjaxPatterns.org web site, 47**
- ajaxSiteSearch class, 274–277, 279, 280**
- ajaxSiteSearchButton class, 278**
- ajaxSiteSearchContainer class, 277**

ajaxSiteSearchForm class, 278

ajaxSiteSearchTextBox class, 278

AjaxTest application, 374

AjaxWeatherWidget class, 249, 254, 255

ajaxWebSearchBox class, 262

ajaxWebSearchHeading class, 263

ajaxWebSearchLink method, 264

ajaxWebSearchResults class, 263

alert method, 88

Alphamageloader DirectX filter, 252

Amazon.com A9 search engine, 10–11

appendChild

function, 31

method, 89, 90, 248, 334

Apple Developer Connection web site, 13

AppSettings collection, 272

Article.css class, 50

ArticleExample.php file, 48–49

ASP.NET

error reporting, 143

FooReader.NET server interaction with ASP.NET page,
140, 141

site search widget, adding to ASP.NET-enabled page, 279

weather widget, adding to ASP.NET-enabled page, 254

web service platform, as, 167, 172

web.config file, 271–272

asyncInvoke method, 180

at sign (@)

FooReader.NET string prefix, 142

XPath attribute prefix, 103

Atom syndication format

aggregator, 129

author element, 132

content element, 133

document structure, 128

Dublin Core extension, 133

entry element, 131, 136

HTML markup, handling, 128

issued element, 133

link element, 132, 135, 141, 146

parsing Atom feed into JavaScript
document root element, returning, 134

element attribute, 130, 131

extension, 133

FooReader.NET, 130–137, 144–147

item, 131–132, 136

node, 130–131, 135, 136–137

type of feed, identifying, 134

version of feed, identifying, 134

XMLHttpRequest, 133–134

RSS compared, 128, 132, 135

specification, 128

title element, 132

attributes collection, 131

autocomplete functionality using JSON, 200

autosuggest text box application using JSON

AutoSuggestControl class

autosuggest method, 204, 206–207, 213,
216, 221

constructor, 204, 209

createDropDown method, 210, 219

cur property, 215

getLeft method, 212, 213

getTop method, 212

goToSuggestion method, 215, 217

handleKeyDown method, 217, 218

handleKeyUp method, 207, 208–209, 214, 216–217,
219–220

hideSuggestions method, 210, 213, 217

highlightSuggestion method, 210, 212, 216

instantiating, 223

selectRange method, 206

showSuggestions method, 213

timeoutId property, 219

userText property, 215

control architecture, 203

createElement method, 210

createTextRange method, 205, 206

CSS, 201–202, 209, 223

database, 202–203, 222–223

drop-down list, 200–202, 209–213

event handling, 207–209, 211, 216–217, 218

fast-type support, 219–220

init method, 209, 218

keyboard functionality, 200, 207–209, 214, 215–218

layer display, 209–210, 211, 213

moveEnd method, 205

moveStart method, 205

processing

client-side, 223–225

server-side, 222–223

setSelectionRange method, 205, 206

SuggestionProvider class, 204, 220–222

suggestions.php file, 221

typeahead text box, 200, 204–206, 213

autosuggest.css file, 202, 223

autosuggest.js file, 223

Axis project, 167

B

Bean Scripted Framework (BSF) language, 372
BeanShell scripting language, 372
Beginning PHP, Apache, MySQL Web Development (Wiley Publishing), 24
Beginning XML, 3rd Edition (Wiley Publishing), 163
behavior, web service, 177
Berkman Center for the Internet & Society, 126
Bitflux
 Blog web site, 11–12
 LiveSearch technology, 11–12, 64, 266
BlogSearch Beta web site, 256
bookContainer class, 99
bookContainer-odd class, 99
bookstore application Best Picks feature, 96–102, 121–123
books.xml file, 96–97, 103, 106–107, 109, 111–113
books.xml file, 111
braces { }
 JSON object literal delimiters, 192, 194
 XSLT variable delimiters, 113
brackets, square []
 JSON array literal delimiters, 191–192
 XPath condition delimiters, 103
Broken-Notebook.com web site, 68
browser. *See specific browser*
BSF (Bean Scripted Framework) language, 372
business class, 347, 349, 352–355

C

C# language
 getter, 145
 JSON library, 199, 267, 268
 MSSQL database, connecting to using, 271
callback object, 356
callService method, 178
cancelReply method, 340
cascading style sheets. *See CSS*
CDF (Channel Definition Format), 125
CFJSON library, 199
changeList function, 122
checkComments function, 71–72, 76, 77–78
CheckComments.php file, 68–69, 72
checkIframe function, 30, 32
checkMail method, 287, 291, 292
childNodes collection, 85, 86, 98, 99
class. *See also specific class*
 Ajax.NET, returning custom class from method in, 383
 DWR
 calling method in another class, 371–372
 creating custom class in, 367–370
 method in class, excluding, 371
 web service, marking as, 171, 172
class.phpmailer.php file, 312
class.smtp.php file, 312
cleanupEmail function, 325, 334
clearAll method, 286–287
clearResults method, 275
clearTimeout function, 230
cloneNode method, 334
close method, 259, 261, 262
code-behind web page authoring, 140
Coggeshall, John (“E-mail validation with PHP 4”), 61
comment notification using communication pattern, 68–72
CompareTo method, 247
config.inc.php file, 284–285, 303, 308, 312
ConfigurationSettings object, 272
config.xml file, 241
confirm function, 338
connect method, 286, 287
contains function, 103
coreservlets.com web site, 363
count function, 293
CPAN web site, 199
Create method, 142
createDocument
 function, 82–83
 method, 91, 92, 95
createDropDown method, 210, 219
createElement method
 autosuggest text box, 210
 DOM, 89, 100, 148, 150, 248
 iframe object, creating using, 29
 input element, creating hidden using, 31
 weather widget, 248
 web search widget, 258
createIframe function, 29, 30
createProcessor method, 116
createRequest function, 35, 53
createTextNode method, 100, 151, 334
createTextRange method, 205, 206
createXMLHttpRequest function, 34–35
crockford.com web site, 195, 199
cross-site scripting (XSS), 184
csc.exe file, 172

CSS (cascading style sheets)

- AjaxMail application, 314, 315, 319, 323, 329
- autosuggest text box, 201–202, 209, 223
- book list, formatting using, 99, 101
- comment notifier, formatting using, 70
- display property, 74
- FooReader.NET, 151
- HTML document, loading into, 101
- iframe HTML element, using with, 4
- link, formatting using, 52, 74
- news ticker widget, 235, 236, 237–239
- overflow property, 238
- role within Ajax, 4
- site search widget, 277–279
- style property, 177
- weather widget, 251, 252
- web search widget, 262–264

current class, 50

Customer class

- Ajax.NET, 378–380
- DWR (Direct Web Remoting), 367–368, 369
- JPSpan framework, 351

Customer-AjaxNET.aspx file, 378, 382

CustomerClient-DWR.htm file, 370

CustomerClient-JPSpan.htm file, 358

Customer.cs file, 378

Customer.java file, 367, 369

CustomerServer-JPSpan.php file, 355

D

Data Source Name (DSN), 367

database

- ADO, connecting to using, 352, 353
- AjaxMail
 - adding e-mail, 289–290
 - AjaxMailAttachments table, 283, 284, 287, 291, 298
 - AjaxMailFolders table, 283
 - AjaxMailMessages table, 283, 287, 298
 - clearing, 286–287
 - closing connection, 286, 289
 - opening connection, 284, 286
 - query string, formatting, 291, 308
 - role of database in, 282
- Ajax.NET, working with in, 379–380
- autosuggest database, 202–203, 222–223
- comment notification query string, 68, 69
- connection string, 271
- DSN, 367

- DWR, working with in, 367, 368–369
- FooReader.NET feed query string, 141
- JPSpan, working with in, 352–354, 357
- MSSQL database, connecting to using C#, 271
- MySQL platform, 20
- news ticker widget query string, 229
- OleDb, 378
- site search widget
 - connection, 268, 269, 271–272
 - query, 267, 268, 270–271, 273
- user name storage in, 61

date

- AjaxMail date formatting, 299
- RSS date element, 133
- UNIX timestamp, converting to, 61

Date class, 365, 366, 371

DateTime structure, 246–247

decode method, 198

define method, 284

degradation, graceful, 73

deleteMail

- function, 345
- method, 334

deleteMessage method, 305, 309, 337–338, 345

DHTML (Dynamic HTML), 3, 4, 227

Direct Web Remoting. See DWR

DirectX AlphaImageLoader filter, 252

disconnect method, 286, 287, 289

displayClient method, 351

displayCompose method, 342

displayComposeMailForm method, 341, 342

displayCustomerInfo function, 22, 29

displayFolder method, 340

displayMessage method, 340

displayReply method, 342

displayReplyAll method, 342

divide method, 174

DLL (Dynamic-Link Library), web service, 172–173

document class

- createElement method
 - autosuggest text box, 210
 - DOM, 89, 100, 148, 150, 248
 - iframe object, creating using, 29
 - input element, creating hidden using, 31
- createTextNode method, 100, 151, 334
- forms collection, 31
- getElementById method, 21, 122, 148, 152, 225
- getElementsByTagName method, 327

Document Type Declaration (DTD), RSS, 126

dollar sign (\$) XSLT variable prefix, 113

DOM (Document Object Model). See also XML (eXtensible Markup Language)

attributes property, 84

browser support

- creating DOM object, 82–83, 91–92, 95, 101
- event handling in DOM-compliant browser, 61
- Mac platform, 82
- MSXML library, 81–82
- namespace, 91, 92
- traversing DOM document, 84–88

childNodes property, 84

createElement DOM method, 100, 148, 150

documentElement property, 84, 85, 93, 94

firstChild property, 84, 85, 99

FooReader, working with in, 130, 131, 134, 144, 146–147

lastChild property, 84

nextSibling property, 84, 86, 99

node

- appending, 90
- child, 84
- creating, 89, 100
- FooReader.NET node handling, 131–132
- inserting, 90
- looping through nodes, 98–99, 135
- parent, 84
- removing, 89–90
- replacing, 90
- RSS parsing into JavaScript, in, 130–131, 135, 136–137
- sibling, 84
- text node, 84, 86, 100
- type, returning, 84, 132
- value, returning, 84, 85, 86–88, 93
- XSLT, applying to, 114

nodeName property, 84

nodeType property, 84

nodeValue property, 84, 86–87

onreadystatechange event handler support, 83

ownerDocument property, 84

parentNode property, 84, 85

previousSibling property, 84, 86

root element, returning, 84, 93

structure provided by, 4

text property, 84, 86, 87, 93

xml property, 84, 93

XSLT

- document fragment, appending to DOM object, 119
- loading into DOM object, 114, 115–116, 119

zXml library, DOM functionality added by, 95–96, 131

DOMParser class, 92, 96

doSetTimeout function, 233, 235

doSpellingSuggestion method, 184, 186

doTimeout method, 250

downloadLinks function, 74–75, 78–79

drawResultBox method, 257, 258, 260, 261, 262

drop-down list, autosuggest, 200–202, 209–213

DSN (Data Source Name), 367

DTD (Document Type Declaration), RSS, 126

Dublin Core RSS/Atom extension, 133

DWR (Direct Web Remoting)

class

- creating custom, 367–370
- method in another, calling, 371–372
- method in, excluding, 371

Customer class, 367–368, 369

CustomerClient-DWR.htm file, 370

data type conversion, 372–373

database, working with, 367, 368–369

e-mail address, working with, 367–368, 370

enterprise bean, working with, 372

error handling, 371

executeQuery method, 369

folder structure, 363

getAddressFromEmail method, 367, 368, 370

getInstance method, 371

installing, 362–366

Java, use of, 362

namespace, 364

page, client-side, 366–367

ResultSet class, 369

scope, 372

servlet mapping, 364

showDate function, 366

spring creator, 372

test site, 363–366

toGMTString method, 366, 367, 371

util.js file, 366

web server support, 363

web.xml file, 363–364

dwr-invoker servlet, 364

dwr.jar file, 365

dwr.xml file, 363, 364, 370, 371–372

Dynamic HTML (DHTML), 3, 4, 227

Dynamic-Link Library (DLL), web service, 172–173

E

“E-mail validation with PHP 4” (Coggeshall), 61

EmailValidator class, 371

emptyTrash method, 306, 309, 338
encode method, 197
encodeURIComponent function, 276
encodeURIComponent function, 41, 62
engine, Ajax, 5
ErrorHandler.php file, 359
ESPN web site, 67
eval function, 194
evaluate method, 108, 110
event handling
 AjaxMail, 330, 331, 334, 342–343, 345
 Ajax.NET, 380
 autosuggest text box, 207–209, 211, 216–217, 218
 browser, DOM-compliant, 61
 FooReader.NET, 140, 146
 form
 onchange handler, 58, 64
 onload handler, 64
 onsubmit handler, 32, 41, 274–275
 keyboard
 keydown, 207, 217, 218
 keypress, 207, 266
 keyup, 207, 208–209, 214, 216, 219–220
 mouse
 onclick handler, 56, 122, 150, 259, 261–262
 ondblclick handler, 138
 ondblclick handler, 138, 150
 onmousedown handler, 211, 212
 onmouseout handler, 230
 onmouseover handler, 211, 212, 230
 onmouseup handler, 211
 news ticker widget, 230, 234, 239
 onblur handler, 218, 357
 onreadystatechange handler
 AjaxMail, 330, 331
 Firefox support, 92, 95
 news ticker widget, 234
 oXmlDom object, 83, 95, 97, 146
 XMLHttpRequest object, 35–36, 43, 53, 66, 133
 Page_Load handler, 140, 376, 380
 site search widget, 274–275
 web search widget, 257, 258, 259, 261–262, 265–266
 window
 onload handler, 22, 24, 101, 225
 page preloading, 56
execute method, 338, 344, 354
executeQuery method, 369
ExecuteReader method, 269
Exists function, 143

expression, regular, 61, 94, 325
eXtensible HyperText Markup Language (XHTML), 7, 251–252
eXtensible Markup Language. See XML

F

FeedsFile class, 141, 144, 145, 147
FeedsFileElement class, 145–146
FeedsFileLink object, 141, 144, 145
feedsfileparser.js file, 145
feeds.xml file, 141, 143, 145, 156
Fetch, Predictive, 48–56
fetchAddress
 function, 381
 method, 356, 357
FetchCompletedTransactions function, 385
field validation, incremental, 64–67
file_get_contents function, 229, 257
Firefox browser
 autocomplete support, 200
 DOM support
 creating DOM object, 91–92
 namespace, 91, 92
 zXml library, DOM functionality added by, 95–96, 131
 event handling, 61
 iframe HTML element support, 32
 load method support, 92
 onreadystatechange event handler support, 92, 95
 readystatechange property support, 92
 standards mode, 231
 text box support, 205
 text selection functionality, 205
 web service, 179–181
 XML support
 error handling, 94–95
 loading XML file, 92
 retrieving XML data, 93
 serialization, 93
 XMLHttpRequest support, 33, 34
 XPath support, 107–109
 XSLT support, 119–120
 zXml library, adding IE functionality to using, 95
fnCallback function, 330
fooreader.js file, 145, 147
FooReader.NET aggregator
 accessor, 145
 ASP.NET page, server interaction with, 140, 141
 CSS, 151
 delivery on demand model, 140

DOM, working with, 130, 131, 134, 144, 146–147
 entry point, 140, 147
 event handling, 140, 146
 feed
 caching, 140, 142–143
 determining feed to display, 141
 error handling, 143–144, 155
 list, 141, 148
 parsing feed file, 144–147
 query string, 141
 feeds pane, 138, 141
 FeedsFile class, 141, 144, 145, 147
 FeedsFileLink object, 141, 144, 145
 feedsfileparser.js file, 145
 feeds.xml file, 141, 143, 145, 156
 functionality provided by, 129
 getter, C#, 145
 HTTP
 header, 140
 request handling, 133–134, 139, 141–142, 143, 150
 IIS configuration, 152–155
 items pane, 138
 location, 152
 MIME content type, 140
 .NET Framework requirement, 152
 node handling, 131–132
 parsing, 130–137, 144–147
 reading pane, 138
 StreamReader class, 142
 string processing, 141–142, 143–144, 145
 testing, 155–156
 Uri object, 145
 usability considerations, 138–139
 user interface, 137–138, 147–152
 web.config file, 155–156
 XmlDocument object, 144

forgetfoo.com web site, 129**form**

button, disabling until validation, 63
 event
 onchange handler, 58, 64
 onload handler, 64
 onsubmit handler, 32, 41, 274–275
 frame, using with hidden, 25, 30–32
 Submission Throttling, 56–58, 64–65
 validation, incremental, 58–64
 XMLHttpRequest object, using with, 33, 41, 61–62, 64

Format method, 141, 144, 243, 268**formReady function, 31****forms collection, 31****frame**

border, 21
 display frame, filling with data, 22–24
 hidden
 advantages, 32–33
 AjaxMail, 309, 316, 323, 329, 331
 browser history support, 32
 browser variance in handling, accommodating, 29–30
 disadvantages, 32–33
 existence, checking, 30
 form, using with, 25, 30–32
 GET HTTP request, 20–24
 iframe HTML element, 4, 28–32, 309, 316
 introduced, 3
 JavaScript hidden frame handling, 19, 29
 null, checking if, 30
 pattern, 19–20
 POST HTTP request, 24–28, 30–32
 referencing, 21, 29
 retrieving data from, 21
 timeout, 30, 33
 URL, 21
 HTML, 21
 JavaScript frame handling, 3, 19, 29
 Netscape Navigator support, 3
 size adjustment by user, allowing and disallowing, 21
framework, 347–348. See also specific framework
FreeThreadedDOMDocument class, 115

G

Garrett, Jesse James (“Ajax: A New Approach to Web Applications”), 2, 5, 6–7, 13

GET HTTP request, 16–17, 20–24, 30, 35, 38–40

getAddressFromEmail method

Ajax.NET, 378, 379, 381

DWR, 367, 368, 370

JPSpan framework, 348, 352, 353, 357–358, 361

getAddressFromResponse function, 381–382**Getahead web site, 363****getAllResponseHeaders method, 37****getAttachment method, 304, 305, 313****getAttribute method, 87, 98, 135****getCachedWeather method, 246****getcustomerdata.php file, 22, 29****getElementById method, 21, 122, 148, 152, 225****getElementsByTagName**

function, 55

method, 87, 88, 136, 147, 327

getEmails method, 288**getFolderPage method, 292, 296, 299, 309, 310**

getHTMLMessage method

getHTMLMessage method, 288
getInstance method, 371
GetLastWriteTime method, 247
getLeft method, 212, 213
GetLinkByFileName method, 141, 144, 147
getListByFileName method, 149
GetLocalFile method, 143
getMessage method, 296, 298, 311, 338–339
getOutstandingOrders method, 348
getParameters method, 181
getRequest function, 182
getRequestBody function, 41–42, 325, 331
GetResponse method, 142
getResponseHeader method, 250
GetResponseStream method, 142
getter, C#, 145
getText function, 93
getTextMessage method, 288
getTop method, 212
getUnreadCount method, 294
getURLForPage function, 51, 52, 53
GetUserFromId method, 384
GetWeather method, 246, 247, 249–250
getWebWeather method, 242, 243, 244, 245
go method, 340
Google web site
 BlogSearch Beta feature, 256
 Gmail feature, 8, 9, 67, 281
 Maps feature, 8–10
 Suggest feature, 7–8, 64, 199
 web service API, 184
GoogleProxy class, 187
GoogleProxy.asmx file, 185, 187
GoogleSearchService class, 186
GoogleSearchService.dll file, 187
GoogleSearch.wsdl file, 186
goToSuggestion method, 215, 217

H

handleKeyDown method, 217, 218
handleKeyUp method, 207, 208–209, 214, 216–217, 219–220
handleResponse
 function, 180–181, 183
 method, 276
handleResponseFromBehavior function, 178, 179
hasChildNodes method, 275
Hashtable class, 378
header function, 41

hideSuggestions method, 210, 213, 217
highlightSuggestion method, 210, 212, 216
.htc files, 177
HTML (HyperText Markup Language)
 AjaxMail HTML message handling, 288, 310–311, 326, 329, 334
 Atom HTML markup handling, 128
 background, historical, 2
 CSS, loading into HTML document, 101
 div element, 21, 22
 drop-down list, autosuggest, 200–202
 frameset element, 21
 iframe element, 4, 28–32, 309, 316
 link element, 101
 logic, removing from HTML file using code-behind authoring, 140
 news ticker widget, 230, 232, 233, 237–238, 239
 script element, 101
 site search widget, 274
 typeahead text box, 200
 web search widget, 257, 258
 XSLT template, in, 112
htmlEncode function, 326, 334
HTTP (HyperText Transmission Protocol)
 Ajax.NET session state, 384–385
 body, 16
 header, 16, 17, 44, 140, 250
 query string, 17
 request
 AjaxMail, 323, 329–330
 Ajax.NET, 375, 377
 fallback pattern, canceling using, 76–78
 FooReader.NET, 133–134, 139, 141–142, 143, 150
 form validation, incremental, 61–62
 GET, 16–17, 20–24, 30, 35, 38–40
 introduced, 15
 JPSpan, 348
 news ticker widget, 228, 234
 POST, 17, 24–28, 30–32, 40–43, 330
 REST, using with, 163
 site search widget, 276
 timeout, 66, 78
 weather widget, 243, 250
 XMLHttp, 35–36, 38–43, 61–62, 133–134, 276
 response, 15, 18–19, 36, 140, 142
 syntax, 16, 18
 URL
 encoding, 17
 target, 25
HttpRequest class, 142

HttpWebResponse object, 142
HyperText Markup Language. See HTML
HyperText Transmission Protocol. See HTTP

I

IE (Internet Explorer) browser
 Active Channels feature, 125
 autocomplete support, 200
 caching, 140, 229
 DOM support
 Mac platform, 82
 MSXML library, 81–82
 traversing DOM document, 84–88
 event handling, 61
 Firefox, adding IE functionality to using zXml library, 95
 iframe HTML element support, 30, 32
 origin policy, 44
 standards mode, 231
 text box support, 205
 text selection functionality, 205
 web service, 177–179
 XML support
 error handling, 90–91
 loading XML file, 83–84
 retrieving XML data, 88
 serialization, 88
 XMLHttp object support, 43
 XPath support, 104
 XSLT support, 114–119

IIS (Internet Information Services), 152–155, 168–170, 185
implementation object, 91
importStylesheet method, 119
Index class, 376, 377
Index.aspx file, 376
indexOf function, 55
index.php file, 313–314, 336
info.txt file, 35, 36
init
 function, 101, 121, 122, 147, 356
 method, 209, 218, 342, 343

insertBefore method, 90
Internet Explorer browser. See IE browser
Internet Information Services (IIS), 152–155, 168–170, 185
isDBNull method, 380
isError method, 304
isFormValid function, 63
isset function, 61, 229, 257, 351

isSupported function, 54
itemClick function, 151–152
iterateNext method, 109, 110

J

Java language, 362, 372–373. See also specific class and method
JavaScript language. See also specific class and method
 ActiveX extension, 4
 background, historical, 2
 communication pattern, 47
 frame handling, 3, 19, 29
 Java
 data type conversion with, 372–373
 relation to, 362
 JPSpan JavaScript/PHP type translation, 360–361
 JSON definition, including in JavaScript file, 191
 Netscape Navigator, bundled with, 2
 origin policy, 43–44
 parsing RSS/Atom feed into
 document root element, returning, 134
 element attribute, 130, 131
 extension, 133
 FooReader.NET, 130–137, 144–147
 item, 131–132, 136
 node, 130–131, 135, 136–137
 type of feed, identifying, 134
 version of feed, identifying, 134
 XMLHttp request, 133–134
 XSLT stylesheet, adding JavaScript object to, 116

JavaScript Object Notation. See JSON
JavaServer Pages (JSP) web service environment, 167
java.sql package, 367
java.util package, 367
jehiah.com web site, 199
join method, 42
JPSpan framework
 business class implementation, 349, 352–355
 callback object, 356
 Customer class, 351
 CustomerClient-JPSpan.htm file, 358
 CustomerServer-JPSpan.php file, 355
 database, working with, 352–354, 357
 displayClient method, 351
 e-mail address, working with, 352–355, 356–358, 361
 entry point, 349
 error handling, 359–360
 execute method, 354

JPSpan framework (continued)

getAddressFromEmail method, 348, 352, 353, 357–358, 361

HTTP request handling, 348

installing, 348–349

isset function, 351

JPSpan type translation, 360–361

overhead, 348

processing

- client-side, 355–359
- server-side, 349–351

reflection, 348

replaceAllNull function, 358

require_once directive, 350–351

Serializer.php file, 360

serve method, 351

showAddress method, 356, 358

Strcasecmp function, 351

string comparison, 351

type translation, 360–361

Unserializer.php file, 360, 361

JPSpan.php file, 349

JPSpan_Server_PostOffice class, 351

JPSpan_Unserializer_PHP class, 361

JPSpan_Unserializer_XML class, 361

JSON (JavaScript Object Notation). See also auto-suggest text box application using JSON

AjaxMail application parser, 282, 308, 310–311, 328

array literal, 191–192, 193–194

autocomplete functionality, creating using, 200

bracket notation, 191–192

C# library, 199, 267, 268

CFJSON library, 199

data type, 192

defining JSON object, 191, 197

encoding/decoding, 195, 197–198

instance of JSON object, creating, 197

object literal, 192–194

parse method, 195, 276, 328

Perl library, 199

PHP library, 197–198, 222, 282

processing, server-side, 197–199, 222–223

Python library, 199

string, converting object to/from, 194, 195, 197–198

stringify method, 195

syntax, 194

typeahead functionality, creating using, 200

utility overview, 199

XML versus, 195–197

JSONArray class, 268, 270

json.js file, 223

JSONObject class, 268, 269, 270, 292–293, 295

json-py library, 199

JSP (JavaServer Pages) web service environment, 167

K

Konfabulator software, 227

L

LiveSearch technology, 11–12, 64, 266

load method

AjaxMail, 343

Firefox support, 92

MSXML library, 83, 84

weather widget, 244

XParser class, 133, 134

loadAndRender function, 337, 338, 344

loadFeed function, 149–151

loadInfo method, 328

loadMessage method, 328

loadNextPage function, 52, 53, 56

loadXML method

MSXML library, 83, 84, 92

weather widget, 244

XmlDocument class, 244

zXml library, 96, 121

login method, 287

logoff method, 289

M

machine.config file, 240

Magnetic Ajax web site, 68

MakeGoogleServiceDLL.bat file, 186

MakeService.bat file, 172

markMessageAsRead method, 307

method. See also specific method

Ajax.NET client, making method available from, 376–378

DWR

- calling method in another class, 371–372
- excluding method in specific class, 371

overloading, 366

web service, marking as, 171

Microsoft Developer's Network (MSDN) web site, 159, 168, 177

Microsoft XML Core Services Component, 82

Microsoft.XmlDom object, 82

MIME (Multipurpose Internet Mail Extensions), 140, 229, 291

moveEnd method, 205

moveStart method, 205

Mozilla project, 4, 33

MSDN (Microsoft Developer's Network) web site, 159, 168, 177

msnWebSearch object, 257, 260, 261, 262, 265

MSXML library

addObject method, 116, 117

alert method, 88

background, historical, 81–82

FreeThreadedDOMDocument class, 115

getAttribute method, 87, 98

getElementsByTagName method, 87, 88, 136, 147

load method, 83, 84

loadXML method, 83, 84, 92

parseError object, 90–91, 94

readyState property, 83–84, 92

selectNodes method, 104, 106, 110–111, 136

setProperty method, 107, 136

transformNode method, 114, 115

version signature, 33, 82

XSLT, using with, 114, 115

Multipurpose Internet Mail Extensions (MIME), 140, 229, 291

MySQL database platform, 20

mysql_error method, 296

mysql_insert_id

function, 27

method, 291

mysql_query

function, 27

method, 290, 295

N

na namespace, 107

namespace keyword, 171

NameValueCollection object, 141

navigate method, 331, 338, 339–340

NCZOnline web site, 35

.NET Framework

attribute, 374

background, historical, 166–167

data type considerations, 167

downloading, 152

FooReader.NET requirement, 152

header, handling missing/malformed, 167

interoperability, 167

SDK, 168

web service development in .NET Framework environment, 167–168, 173

Netscape

My Netscape portal, 125

Navigator browser, 2, 3, 179–181

network-world.com web site, 166

news ticker widget

add method, 233

animation, 230, 231–233, 237, 238

browser caching, 229

clearTimeout function, 230

CSS, 235, 236, 237–239

doSetTimeout function, 233, 235

event handling, 230, 234, 239

feed, 233–237

file_get_contents function, 229

functionality provided by, 227

hiding content, 238

HTML, 230, 232, 233, 237–238, 239

HTTP request handling, 228, 234

implementation, 239–240

initializing, 231

instantiating, 239

isset function, 229

MIME content type, 229

NewsTicker class, 229–231, 233

NewsTickerFeed class, 233–237

newsTickerFeedItem class, 236

onreadystatechange handler, 234

poll method, 234–235

populateTicker method, 234, 235–236, 237

positioning, 231, 238

processing

client-side, 229–237

server-side, 228–229

resetting, 232

setTimeout method, 235

tick method, 230, 231, 232, 233

timeout, 229, 230, 232, 233

update, automatic, 234–235

URL

feed, associating with, 233

query string, checking for, 229

XMLHttpRequest object, using in, 234, 235

XParser class, 235, 236, 240

nextPage method, 339

NFL Scoreboard web site, 67

NodeList object, 104

notification class, 70

nsResolver function, 109, 110

Object constructor

O

Object constructor, 193
oIFrame class, 31
OleDb (Object Linking and Embedding Database), 378
OleDbCommand object, 379
OleDbDataReader class, 379
open method, 35, 36, 44, 53
OpenRead method, 243
Opera browser, 33, 34, 37, 61
origin policy, 43–44
oXmlDom object, 83, 95–96, 97
oXmlHttp object, 66, 69

P

parse method, 195, 276, 328
parseBookInfo function, 98–101
parseError object, 90–91, 94
parseFromString method, 92
parseInt function, 55
pattern
 communication pattern
 comment notification using, 68–72
 Fetch, Predictive, 48–56
 Refresh, Periodic, 67–68, 72, 76
 Submission Throttling, 56–58, 64–65
 fallback pattern, 75–79
 field, validating incrementally using, 64–67
 form, validating incrementally using, 58–64
 HTTP request, canceling using, 76–78
 link download, postponing using, 73–75
 logical-to-assume criterion, 48
 Try Again pattern, 78–79
 web page
 multi-stage download using pattern, 72–73, 78
 preloading using pattern, 48–56
percent sign (%) modulus operator, 100
performOperation function, 177
performSpecificOperation function, 177, 178, 179, 180, 182–183
Periodic Refresh pattern, 67–68, 72, 76
Perl JSON library, 199
Person class, 197–198
PHP language. *See also specific script*
 JPSpan JavaScript/PHP type translation, 360–361
 JSON library, 197–198, 222, 282
 MySQL, using with, 20
 web service, 167
php-json utility, 199
PHPMailer library, 282, 301–302, 304

pipes (|) OR operator, 61
plasticshore.com web site, 68
PNG files, 252
poll method, 234–235
POP3 (Post Office Protocol version 3), 282, 284–285, 287–288, 289, 291
Pop3Attachment object, 291
POP3Lib mail interface, 282, 287
populateResults method, 261
populateTicker method, 234, 235–236, 237
POST HTTP request, 17, 24–28, 30–32, 40–43, 330
PostOffice.php file, 351
Predictive Fetch communication pattern, 48–56
preg_match function, 302
preg_split function, 302
prevPage method, 339
ProxyForm.htm file, 30–31
pub namespace, 107
push method, 109
put method, 269, 270
Python JSON library, 199

Q

QueryString collection, 270
QuirksMode.org web site, 201

R

RDF (Resource Description Framework), 125, 127
RDF Site Summary. *See* **RSS**
read method, 269, 380
readMail function, 345
readMessage method, 340, 345
ReadToEnd method, 243, 246
Really Simple Syndication (RSS), 126
reflection, 348
Refresh, Periodic, 67–68, 72, 76
RegisterTypeForAjax method, 378
regular expression, 61, 94, 325
remote procedure call (RPC), 158, 159–160
“Remote Scripting With IFRAME”, 13
removeChild method, 89–90
renderFolder method, 332–333, 334–335, 344
renderMessage method, 332, 335–337
replaceChild method, 90
replaceAllNull function, 358
Reply method, 340
Representational State Transfer (REST), 163–166
request method, 329–330, 337, 338, 343

- Request object, 141**
 - requestCustomerInfo function, 21, 30**
 - requestSuggestions method, 204, 209, 214, 221**
 - reset method, 118**
 - resolver, namespace, 109–110, 244**
 - Resource Description Framework (RDF), 125, 127**
 - REST (Representational State Transfer), 163–166**
 - restoreMail method, 334, 345**
 - restoreMessage method, 306, 309, 338, 345**
 - ResultSet class, 369**
 - RPC (remote procedure call), 158, 159–160**
 - RSS (RDF Site Summary)**
 - aggregator, 129
 - Atom compared, 128, 132, 135
 - author element, 128, 132
 - background, historical, 125–126
 - channel element, 126, 135
 - date element, 133
 - description element, 132
 - DTD, 126
 - Dublin Core extension, 133
 - item element, 127, 136
 - link element, 132, 135, 141, 146
 - My Netscape portal use of, 125
 - parsing RSS feed into JavaScript
 - document root element, returning, 134
 - element attribute, 130, 131
 - extension, 133
 - FooReader.NET, 130–137, 144–147
 - item, 131–132, 136
 - node, 130–131, 135, 136–137
 - type of feed, identifying, 134
 - version of feed, identifying, 134
 - XMLHttpRequest request, 133–134
 - pubdate element, 132
 - section element, 141, 146
 - Seq element, 127
 - specification, 126
 - title element, 132
 - version, 126, 127, 128
 - RSS (Really Simple Syndication), 126**
 - RSS-DEV mailing list, 126**
- S**
- Safari browser, 32, 33, 34, 61**
 - Sales.mdb file, 352, 367**
 - same origin policy, 43–44**
 - SaveCustomer.php file, 26, 32, 40–41**
 - saveResult function, 25, 32, 43**
 - SAX (Simple API for XML), 82**
 - ScriptingNews web site, 125**
 - SDK (Software Development Kit)**
 - Java, 362
 - .NET Framework, 168
 - Weather.com, 240, 252
 - search method**
 - site search widget, 268, 273, 275, 276
 - web search widget, 262, 265
 - select method, 205**
 - selectNode method, 136**
 - selectNodes method, 104, 106, 110–111, 136**
 - selectRange method, 206**
 - selectSingleNode method, 104, 106, 110, 144, 241**
 - send method, 36, 134, 222**
 - sendConfirmation method, 344–345**
 - sendMail method, 301, 312, 331, 343**
 - sendmail.org web site, 301**
 - sendRequest function, 41, 42**
 - Serializer.php file, 360**
 - serializeToString method, 93, 120**
 - serializeXml function, 93**
 - serve method, 351**
 - setParameter method, 120**
 - setProcessing method, 328–329, 330**
 - setProperty method, 107, 136**
 - setRequestHeader method, 38**
 - setSelectionRange method, 205, 206**
 - setTimeout**
 - function, 66, 329
 - method, 219, 220, 235, 385
 - setUIEnabled function, 176**
 - showAddress method, 356, 358, 381**
 - showDate function, 366**
 - showNotice method, 329, 330, 344**
 - showNotification function, 70**
 - showPage function, 51–52, 56**
 - showSoapResults function, 181**
 - showSuggestions method, 213**
 - Simple API for XML (SAX), 82**
 - Simple Mail Transfer Protocol (SMTP), 285, 303, 312**
 - site search widget**
 - AjaxSiteSearch class, 274–277, 279, 280
 - ajaxSiteSearchButton class, 278
 - ajaxSiteSearchContainer class, 277
 - ajaxSiteSearchForm class, 278
 - ajaxSiteSearchTextBox class, 278
 - AppSettings collection, 272
 - ASP.NET-enabled page, adding to, 279
 - C# JSON library, use of, 267, 268

site search widget (continued)

- clearResults method, 275
- color, 278
- ConfigurationSettings object, 272
- CSS, 277–279
- data structure returned, 267–268
- database
 - connection, 268, 269, 271–272
 - query, 267, 268, 270–271, 273
- encodeURI function, 276
- event handling, 274–275
- ExecuteReader method, 269
- font, 278
- Format method, 268
- handleResponse method, 276
- hasChildNodes method, 275
- HTML, 274
- HTTP request, 276
- implementation, 279–280
- JSONArray class, 268, 270
- JSONObject class, 268, 269, 270
- link styling, 279
- parse method, 276
- PHPMailer library, 282
- processing
 - client-side, 273–277
 - server-side, 267–273
- put method, 269, 270
- Read method, 269
- result display, 266, 269–270, 272, 275, 276–277
- search method, 268, 273, 275, 276
- search page, 270–273
- SiteSearch class, 268–270, 271
- SqlCommand class, 269
- SqlDataReader class, 269
- Submit button, 274
- ToString method, 270
- user interface, 273–274
- validation, 275
- zXml library, use of, 279

slash (/) HTTP request element, 16

SMTP (Simple Mail Transfer Protocol), 285, 303, 312

SOAP specification, 157–160, 162–163, 167, 179–181, 182

SOAPCall class, 179

SOAPParameter object, 180

SOAPResponse object, 180, 181

Software Development Kit. See SDK

split method, 38, 63

Spring framework, 372

sprintf method, 290, 291

SqlCommand class, 269

SqlDataReader class, 269

start.com web site, 73

StartFooReader method, 140

Strcasecmp function, 351

Stream object, 243

StreamReader class, 142, 243, 246

StreamWriter class, 244

string concatenation, browser, 42

String object, 379

StringBuilder class, 378, 379

stringify method, 195

StreamWriter object, 244

stripslashes function, 257

strlen method, 291

str_replace

- function, 354
- method, 302

strtotime function, 61

Submission Throttling, 56–58, 64–65

substring function, 56, 63

SuggestionProvider class, 204, 220–222

suggestions.php file, 221

Sun Microsystems web site, 362, 367

switchFolder method, 343

syndication, 125. See also Atom syndication format; RSS (RDF Site Summary)

System.Net namespace, 142

T

tecnotes web site, 197

test method, 94

text box

- browser support, 205
- database query string, adding text box value to, 21
- focus, 218
- offset properties, 212
- positioning, 212
- typeahead, 200, 204–206, 213

text function, 103

tick method, 230, 231, 232, 233

timestamp, converting date to, 61

toggleLoadingDiv function, 139, 149

toGMTString method, 366, 367, 371

Tomcat server, 363

ToString method, 270, 379

transactionsCompleteCallback function, 385

transform method, 116, 244

transformNode method, 114, 115
transformToDocument method, 119
transformToFragment method, 119
transformToText method, 120
transformXml function, 121
Try Again pattern, 78–79
typeahead text box, 200, 204–206, 213
Types.php file, 360, 361

U

UnauthorizedAccessException exception, 143
UNIX timestamp, converting date to, 61
Unserializer.php file, 360, 361
updateUnreadCount method, 335
URI (Uniform Resource Identifier), 145, 164
URL (Uniform Resource Locator)
 DWR servlet mapping, 364
 frame, hidden, 21
 HTTP
 encoding, 17
 target URL, 25
 news ticker widget
 feed, associating with, 233
 query string, checking for, 229
 weather widget feed URL, formatting, 243
 web page preloading, determining in, 51, 52
 XMLHttp encoding, 41, 43, 62
urlencode function, 257
useService method, 178
util.js file, 366

V

validateField function, 59, 61, 62, 65, 67
ValidateForm.php file, 59, 62, 66
validation
 e-mail address, 61
 field validation, incremental, 64–67
 form validation, incremental, 58–64
 site search widget, 275
ViewComment.php file, 70
Virtual Directory Creation Wizard (Windows), 168–169, 185
Visual Studio .NET editor, 374

W

weather widget
 accessor, 241
 AddMinutes method, 247
 AjaxWeatherWidget class, 249, 254, 255
 appendChild method, 248

ASP.NET-enabled page, adding to, 254
 caching, 244, 246, 248
 CompareTo method, 247
 createElement method, 248
 CSS, 251, 252
 DateTime structure, 246–247
 doTimeout method, 250
 error handling, 243, 247–248
 feed from remote host, 242–245, 246, 247, 253
 Format method, 243
 getCachedWeather method, 246
 GetLastWriteTime method, 247
 getResponseHeader method, 250
 GetWeather method, 246, 247, 249–250
 getWebWeather method, 242, 243, 244, 245
 HTTP request handling, 243, 250
 image files, 252
 implementation, 254–255
 license key, 243
 load method, 244
 loadXml method, 244
 location ID, 243
 OpenRead method, 243
 partner ID, 243
 positioning, 251–252, 253
 processing
 client-side, 249–250
 server-side, 240–249
 ReadToEnd method, 243, 246
 refresh rate, 240
 selectSingleNode method, 241
 settings member, 248
 Stream object, 243
 StreamReader class, 243, 246
 StreamWriter class, 244
 StringWriter object, 244
 temperature display, 253
 threading, 240
 timeout, 250
 transform method, 244
 update time display, 254
 UTF-8 encoding, 244
 WeatherInfo class, 242, 247, 248–249
 WeatherSettings class, 241
 WebClient object, 243
 writeErrorDoc method, 243, 247–248
 XHTML, 251–252
 XML, 241, 244, 248
 XMLHttp object, 249, 250
 XSLT, 243–244
 zXml library, use of, 255
weather.aspx file, 248, 254

weather_cache.xml file, 244

Weather.com SDK, 240, 252

web application model, 5–6

web page

Ajax.NET environment, creating in, 376–382

ASP.NET-enabled

site search widget, adding to, 279

weather widget, adding to, 254

authoring, code-behind, 140

download, multi-stage, 72–73, 78

preloading, 48–56

web search widget

ajaxWebSearchBox class, 262

ajaxWebSearchHeading class, 263

ajaxWebSearchLink method, 264

ajaxWebSearchResults class, 263

close method, 259, 261, 262

color, 263, 264

createElement method, 258

CSS, 262–264

drawResultBox method, 257, 258, 260, 261, 262

event handling, 257, 258, 259, 261–262, 265–266

file_get_contents function, 257

font, 263

HTML, 257, 258

implementation, 265–266

isset function, 257

link, coding, 258, 259, 261–262, 263, 264

MSN Search feed, 257, 260, 265

populateResults method, 261

positioning, 260–261, 262, 263

processing

client-side, 257–262

server-side, 256–257

query, 256, 257

result box, 257–262

search method, 262, 265

stripslashes function, 257

urlencode function, 257

XParser object, 261, 265

web service

ASP.NET-based, 167, 172

assembly, compiling source code into, 172–175

behavior, 177

browser

consistency, cross-browser, 182–184

Firefox, 179–181

IE, 177–179

Netscape Navigator, 179–181

class, marking as web service, 171, 172

coding, 170–172

consumer, 157, 168

debugging, 172

DLL, creating, 172–173

domain, calling web service on another, 184–188

Google API, 184

IIS configuration, 168–170, 185

JSP-based, 157

Math web service example, 170–175

method, marking as web service, 171

namespace, 170–171

.NET Framework, web service development in,

167–168, 173

PHP-based, 157

platform, choosing appropriate, 167

provider, 157

proxy, server-side, 184, 185–188

REST, 163–166

system requirement, 168

test harness, 173, 175–177

testing, 173

XMLHttpRequest object, using, 182–184

XSS, 184

Web Services Description Language (WSDL), 160–163, 171, 173–174, 180, 186

Web Services Interoperability Organization (WS-I), 167

WebClient object, 243

web.config file, 155–156, 271–272, 375

WebException object, 248

WebFX web site, 252

WebRequest class, 142

webservice.htc file, 179

web.xml file, 363–364

widget, 227. See also specific widget

Wiley Publishing

Beginning PHP, Apache, MySQL Web Development, 24

Beginning XML, 3rd Edition, 163

World Wide Web Consortium resources. See W3

resources

writeErrorDoc method, 243, 247–248

Wrox web site, 21

WSDL (Web Services Description Language), 160–163, 171, 173–174, 180, 186

WSDL.exe file, 186

WS-I (Web Services Interoperability Organization), 167

W3 Schools web site, 163

W3 (World Wide Web Consortium) resources

SOAP, 158

WSDL, 162

XML, 82, 162, 164

XPath, 82

X

XHTML (eXtensible HyperText Markup Language), 7, 251–252

XHTML Live Chat web site, 68

XLink (XML Linking Language), 164

XML (eXtensible Markup Language). See also DOM (Document Object Model)

browser support

- cross-browser XML, 95–96
- error handling, 90–91, 94–95
- loading XML file, 83–84, 92, 97–98
- retrieving XML data, 88, 93
- serialization, 88, 93

extensibility, 104

JSON versus, 195–197

Microsoft XML Core Services Component, 82

namespace, 104–107, 109–110, 244

parsing, 90–91, 92, 94–95, 98–101

schema, 82, 162, 163

serialization, 88, 93

weather widget, 241, 244, 248

W3 resources, 82, 162, 164

XPath

- context node, 103
- node, selecting using, 103–104, 106, 108, 110–111
- node set, iterating through using, 109, 110

XSLT XML declaration, 111

XML Linking Language (XLink), 164

XML Path Language. See XPath

xml.aspx file, 140

XmlDocument object, 144, 244

XmlDom object, 82

XMLHttpRequest object

- advantages/disadvantages, 43
- AjaxMail use of, 282, 309, 325, 329–330
- asynchronous, 35, 62
- browser support, 33, 34, 35, 37, 43
- comment notification, using in, 69, 72
- creating, 33–35
- existence, checking, 35
- field validation, using in incremental, 66
- form, using with, 33, 41, 61–62, 64
- header, 37–38, 41
- initializing, 35
- introduced, 4
- news ticker widget, using in, 234, 235
- onreadystatechange handler, 35–36, 43, 53, 66, 133
- origin policy, 44

readyState property, 83

request, 35–36, 38–43, 61–62, 133–134, 276

resetting, 53

response, 36

responseText property, 235

status, checking, 37

SuggestionProvider class, using with, 220, 221

synchronous, 38, 62

try...catch block, enclosing in, 33–34

URL encoding, 41, 43, 62

version, determining, 33

weather widget, 249, 250

web page preloading, using in, 55

web service using, 182–184

XMLHttpRequest class, 4, 35, 182, 348, 377

xmlns keyword, 105

XmlResolver object, 244

XML-RPC for PHP web site, 167

XMLSerializer class, 93, 120, 181

xmlsoap.org web site, 158

XParser class

- blsXml argument, 133
- constructor, 133, 150
- getAttribute method, 135
- hierarchy, 130
- load method, 133, 134
- news ticker widget, 235, 236, 240
- send method, 134
- sFileName argument, 133
- switch keyword, 133, 135
- web search widget, 261, 265
- XMLHttpRequest, 133–134
- zXml library, using with, 131

XParserAttribute class, 130, 131

XParserElement class, 130, 133, 135

XParserItem class, 131–132, 136

XPath (XML Path Language)

- browser support, 104, 107–109, 110–111
- case sensitivity, 103
- element text content, returning, 103
- expression
 - evaluating, 108
 - syntax, 103
- MSXML library support, 82
- namespace, 104–107, 109–110
- node
 - context node, 103
 - iterating through node set using XPath, 109, 110
 - selecting using XPath, 103–104, 106, 108, 110–111

XPath (XML Path Language) (continued)

XPath (XML Path Language) (continued)

- schema, 82
- selection pattern, 103
- W3 resources, 82
- XSLT template match value, as, 112

XPathEvaluator class, 107–109

XPathResult object, 107–108, 110

xsl namespace, 112, 113, 117, 118

XSL-FO (XSL Formatting Objects), 111

XSLProcessor object, 116, 117–118

XSLT (XSL Transformations)

- browser support, 114–120
- directive syntax, 113
- DOM object
 - document fragment, appending to, 119
 - loading XSLT into, 114, 115–116, 119
- element
 - document, 112
 - root, 111
 - value, returning, 117
- entry point, 112
- introduced, 111
- MSXML library, using with, 114, 115
- namespace, 112
- node, applying to, 114
- output of transformation, returning, 116
- parameter, 118, 120
- processor, 116, 117, 118–119
- resetting, 118
- string, returning transformation as, 120
- stylesheet
 - caching, 115–116
 - DOM object, loading into, 115–116
 - importing, 119
 - JavaScript object, adding to, 116
 - parameter, passing to, 118, 120

- specifying, 114
- speed considerations, 118–119
- template, 112, 115–116
- variable, working with, 113
- version, specifying, 112
- weather widget, 243–244
- XML declaration, 111

XSLTemplate class, 116

XSLTProcessor class, 119, 120

XslTransform object, 244

XSS (cross-site scripting), 184

Y

Yahoo! web site, 11, 155, 255–256

Z

Zend web site, 61

zXml library

- AjaxMail, 282, 314
- createDocument method, 91, 92, 95
- createRequest function, 35, 53
- cross-browser interfaces, 95
- DOM functionality added by, 95–96, 131
- downloading, 53
- Firefox, adding IE functionality to using, 95
- loadXML method, 96, 121
- site search widget, 279
- transformToText method, 120
- weather widget, 255
- xml property, 120
- XParser class, using with, 131

zXmlHttp object, 54, 134

zxml.js file, 223

zXPath object, 110

