

# Index

## • Symbols and Numerics •

- \* (asterisk) multiplication symbol, 200
- ... (ellipses), in menu commands, 26
- / (front slash) division symbol, 200
- (minus) subtraction symbol, 200
- + (plus) addition symbol, 200
- 2D Options tab (TextArt dialog box), 224
- 3-D Chart button (property bar), 227
- 3D Options tab (TextArt dialog box), 224

## • A •

- Acrobat (Adobe) PDF Web document format, 264–266
- action shapes, 221
- Activate Hyperlinks setting (Environment Settings dialog box), 259–260
- addition symbol (+), 200
- addresses
  - printing on envelopes, 238–239
  - printing on labels, 240–242
  - from Windows Address Book, 234, 282
- Advanced dialog box (Format Typesetting menu), 237
- Advanced tab (Print dialog box), 85, 90–91
- All Caps button (application bar), 30
- all justification, 122
- Alt+Ctrl+F1, 75–76
- Alt+F3 key combination, 174, 303
- Alt+F5 key combination, 81, 141–142, 148
- Alt+F8 key combination, 165
- Alt+F12 key combination, 200
- Alt+Shift+F1 key combination, 75
- Alt+Shift+F3 key combination, 113, 126
- application bar
  - accessing Go To dialog box, 41
  - buttons, 12, 29–31, 293
  - settings options, 325

## arrows

- adding to documents, 209
- on keyboard, 39
- on property bar, 29
- right arrows on menus, 26
- on scroll bars, 35
- shapes for, 221
- with Undo and Redo buttons, 57
- up/down cursor-control keys, 39
- Associate Form and Data dialog box (Merge dialog box), 281–282
- asterisk (\*) multiplication symbol, 200
- Auto Hyphen EOL code, 307
- autocorrect feature, 68–70
- automatic formatting, 166–167
- automatic save feature, 16
- Automatically number paragraphs button (toolbar), 28
- Autoscroll button, 37–38
- auto-select feature, 45
- axis lines (charts), 227, 228
- Axis Properties dialog box (Chart dialog box), 228

## • B •

- back tabs, 132–133
- background fill, 186
- backing up files, 327–329, 340–341
- Backspace key, 39, 54
- bad breaks, 143
- balanced newspaper columns, 188, 191
- barcodes, 238–239
- Baroudi, Carol (*Internet For Dummies*), 255
- basic shapes, 220–221
- beginning of document
  - moving to, 36, 40, 50
  - starting searches from, 59
- beginning of line, moving to, 50
- beginning of page, moving to, 41
- beginning of paragraph, moving to, 50

- bitmap graphics, 216, 222
- blank document, creating new, 23
- Block Pro code, 311
- Block Protect option (Keep Text Together dialog box), 144–145
- Bold button (property bar), 29
- Bold codes, 303, 308, 316
- bold property, 28, 97–98
- booklets, 243–244
- Bookmark dialog box (Tools menu), 257, 330
- bookmarks, 258–259, 266
- Border/Fill dialog box (Format menu), 184–185
- borders
  - for charts, 227
  - selecting and applying, 185
  - for text boxes, 202–203
  - for TextArt, 224
  - tips for using, 184, 186–187
  - turning off, 187
- Bot Mar code, 311
- Box Position/Box Size dialog boxes (Graphics menu), 204–206
- boxes. *See* drawing boxes; text boxes
- breaks
  - column, 191
  - page, 142–143
- Browse By options (scroll bar), 36
- browsers, previewing documents in, 262
- built-in styles, 169
- Bullet paragraphs button (toolbar), 28
- bulleted lists
  - adding bullets to existing paragraphs, 135
  - bullet display options, 136–137
  - creating new, 135–136
  - multileveled lists, 136–137
- Bullets & Numbering dialog box (Format menu), 136–137
- business letter
  - mail merge for, 275–288
  - templates for, 233–235
- buttons
  - adding to toolbars, 332–333
  - application bar, 29–31
  - Close, 10, 11
  - dialog boxes, 31
  - Maximize/Restore, 10, 11
  - Minimize, 10, 11
  - Position Hyphen dialog box, 125
  - property bar, 28–29, 103, 108, 121–122
  - scroll bars, 35–36
  - Tab Settings, 113
  - toolbar, 28, 56
  - turning on and off, 27
- C •
  - C (center) tab stop, 127
  - calculations (tables), 198–200
  - callout shapes, 221
  - Cancel button (dialog boxes), 31
  - Cancel Printing option
    - Print Status and History utility, 93
    - Printers folder, 94
  - capitalization changes, 109–110
  - Caption dialog box (Graphics menu), 207
  - captions, adding to text boxes, 207
  - case sensitivity
    - of filenames, 17
    - in searches, 60–61
  - Cell tab (Properties for Table Format dialog box), 196
  - cells (tables), deleting contents, 194
  - center (C) tab stop, 127
  - Center command (Format menu), 123
  - center justification, 122
  - Center Page(s) dialog box (Format menu), 146–147
  - chaining styles, 174
  - Change the Body button (PerfectExpert dialog box), 235
  - chapters, 244–247
  - character codes, 302
  - character formatting
    - copying, 53, 108–109
    - options for, 104–108
    - reveal codes, 308–309
    - styles for, 164, 168
    - subscripts and superscripts, 106
  - character styles
    - applying, 168
    - creating new, 164–165, 173
    - turning off, 176
  - Character with Automatic Update option (QuickStyle dialog box), 165
  - character-related reveal codes, 307–309
  - characters
    - in filenames, forbidden, 17
    - selecting using key combinations, 50
    - and text box positioning, 206
  - charts
    - components of, 226
    - creating, 226–227
    - formatting, 227–228
    - uses for, 225–226
  - check marks (menu commands), 26
  - Checking Styles option (Grammatik feature), 75

- clearing tab stops, 129
- click-and-drag action, 44–46
- clipart images
  - importing from the Internet, 215
  - inserting in documents, 213–215
  - resizing, 214
  - as vector graphics, 222
  - as watermarks, 158
- Clipboard
  - character formatting, 53
  - copying and pasting text, 51–53
  - copying text between documents, 54
- Close button
  - on dialog boxes, 31
  - File menu, 10, 11, 20
- closing
  - documents, 19–20, 294
  - Reveal Codes window, 305
  - styles, 171
- Cntr Cur Pg code, 311
- codes. *See* reveal codes
- Codes dialog box (Find and Replace dialog box), 312–314
- collating printed copies, 89
- color settings, 106
  - for charts, 227
  - for fonts, 106
  - for TextArt, 224
- columns, in tables, 193–196, 198
- columns, in text documents
  - adding, 188–189
  - formatting options, 188
  - hard column breaks, 191
  - placing line between, 187
  - turning off, 190
  - width settings/spacing, 189–190
- commands
  - choosing from menus, 24–27
  - executing, 24–32
- condensing documents, subdocuments, 246–248
- Conditional End of Page section (Keep Text Together dialog box), 145–146
- Cond1 EOP code, 311
- Contents option (Help menu), 20
- Contents window (Styles Editor dialog box), 173–175
- context-sensitive help, 21–22
- Continue Merge button (Merge dialog box), 286–287
- controls
  - on application bar, 12
  - in dialog boxes, 31
  - on document windows, 11
  - on property bar, 11
- Convert Case dialog box (Edit menu), 110
- Convert Settings dialog box (Settings dialog box), 325
- Copy button (toolbar), 28
- copying
  - character formatting, 108–109
  - from Dictionary tool, 78
  - files, 299–300
  - inter-document, 54, 293
  - using keyboard, 51–53
  - using mouse, 54–55
- Corel Knowledge Base option (Help menu), 21
- covers, for booklets, 243
- Ctrl key, 39–40, 54
- Ctrl+B key combination, 98
- Ctrl+C key combination, 52
- Ctrl+D key combination, 124, 237
- Ctrl+down arrow key combination, 39
- Ctrl+E key combination, 123
- Ctrl+End key combination, 40
- Ctrl+Enter key combination, 143, 191
- Ctrl+F1 key combination, 71
- Ctrl+F4 key combination, 294
- Ctrl+F5 key combination, 148
- Ctrl+F6 key combination, 292
- Ctrl+F7 key combination, 120–121
- Ctrl+F8 key combination, 117
- Ctrl+F11 key combination, 209
- Ctrl+F12 key combination, 196
- Ctrl+G key combination, 41
- Ctrl+Home key combination, 40, 117
- Ctrl+I key combination, 98
- Ctrl+J key combination, 123
- Ctrl+L key combination, 123
- Ctrl+left arrow key combination, 39
- Ctrl+O key combination, 17
- Ctrl+R key combination, 123
- Ctrl+right arrow key combination, 39
- Ctrl+S key combination, 14, 247
- Ctrl+Shift+F6 key combination, 292
- Ctrl+Shift+F7 key combination, 121
- Ctrl+Shift+F11 key combination, 209
- Ctrl+Shift+P key combination, 83
- Ctrl+Shift+Z keystroke combination, 56
- Ctrl+U key combination, 98
- Ctrl+up arrow key combination, 39
- Ctrl+V key combination, 52, 53
- Ctrl+X key combination, 52, 53
- Ctrl+Z key combination, 56
- Current Page option (Print dialog box), 81–82, 84

- cursors
    - cursor-control keys, 39
    - hourglass icon, 83
    - insertion points, 30, 33
    - mouse pointer, 13, 33
    - shadow cursor, 30, 34
    - tab stops, 113
  - curves, drawing in documents, 217
  - customizing
    - environment settings, 325
    - number formatting, 150–151
    - toolbars, 27, 332–333
    - Undo/Redo feature, 57–58
  - customizing templates, 232
  - Cut button (toolbar), 28
  - cutting text, 52, 53
- **D** •
- D (decimal) tab stop, 127
  - .dat (data) files, 16
  - data source file (mail merge), 274–275, 278–280
  - datasheets, 225, 226–227
  - DATE merge code, 282
  - dates
    - adding to business letters, 237
    - in headers/footers, 154
    - right flush justification, 124
  - decimal (D) tab stop, 127
  - defaults
    - auto-select feature, 45
    - document folder, 327
    - DocumentStyle settings, 169
    - file format, 270–271
    - fonts, 107, 324
    - insert mode, 13
    - property bar display, 29
    - templates, 177, 178–179
  - Define Table of Contents dialog box (Reference Tools dialog box), 250
  - Delete key, 54
  - deleting
    - backup files, 329
    - character formatting, 309
    - data from built-in charts, 226–227
    - files, 300
    - headers and footers, 156
    - reveal codes, 306–307, 318
    - styles, 175, 180
    - tab stops, 129
    - tables and cell contents, 194
    - text, 54–55
    - toolbars and property bars, 331
    - watermarks, 159
  - Demote button (property bar), 137
  - demoting list items, 136–137
  - Description box (QuickStyle dialog box), 165
  - diagonal lines, adding to table cells, 196
  - dialog boxes, 22, 31
  - dictionary (spell-checking tools), 67–74
  - Digital signature button (application bar), 30
  - discontinuing
    - headers and footers, 156
    - watermarks, 159
  - disk drives, saving files to, 15
  - Display Formula Toolbar button (property, bar), 199
  - Display Settings dialog box (Settings dialog box), 325, 326
  - displaying toolbars, 27
  - Divide Page section (Page Setup dialog box), 243
  - division symbol (/), 200
  - document area, 292
  - Document Default Font dialog box (File menu), 324
  - document formatting. *See also* styles
    - arrows, 209–210
    - borders, 184–187
    - bulleting paragraphs and lists, 135–137
    - business letters, 236–237
    - centering pages, 146–147
    - columns, 187–192
    - document styles, 164, 169
    - draw lines, 209
    - fitting to page, 159–160
    - headers and footers, 151–156
    - horizontal and vertical lines, 209
    - hyphenation option, 124–126
    - indenting paragraphs, 120–121, 130–131
    - justification, 121–124
    - line spacing, 133–134
    - margin settings, 112–120, 141–142
    - numbering pages, 148–151
    - numbering paragraphs and lists, 138
    - page breaks, 142–143
    - page size settings, 139–141
    - during printing, 82
    - property bar buttons, 28–29
    - removing reveal codes, 310–311
    - shading, patterns, 186
    - styles, 162–164, 177
    - tab settings, 112–114, 125–130, 131–132
    - tables of contents, 249
    - text boxes, 201–204

- watermarks, 156–159
  - WordPerfect 12 versus Microsoft Word, 120
  - Document menu, 93–94
  - Document on Disk option (Print dialog box), 90–91
  - Document Settings dialog box (Settings dialog box), 269–271
  - Document Summary Setup dialog box (Properties dialog box), 335
  - document window
    - components, controls, 10–12
    - typing text, 13
  - Document/Macro box (Hyperlink Properties dialog box), 258–259
  - document-related buttons (application bar), 30
  - documents. *See also* printing; templates; Web documents
    - blank, creating new, 23
    - booklets, 243
    - character formatting, 104–105
    - closing, 19, 294
    - copying styles from, 177–178
    - copying/cutting and pasting text, 51–53
    - data tables in, 191–198
    - deleting text, 54–55
    - entering text, 13
    - filenames and formats, 16–17
    - finding files, 296–297
    - finding text, 58–60
    - fonts, 100–104, 107
    - grammar checking tools, 67, 74–75
    - hyperlinks, 256
    - importing graphics into, 213–216
    - importing styles with, 170
    - insert and typeover modes, 55
    - master documents, 245–248
    - menus, 24–26
    - Microsoft Word, 268–270
    - multiple, working between, 54, 292–294
    - navigating, 33–40, 50
    - opening, 17–18
    - previewing, 80, 101
    - printing, 18–19, 81–92
    - Prompt-As-You-Go feature, 67–68
    - properties, 28
    - prototype, creating and saving, 237–238
    - QuickCorrect feature, 66, 68–70
    - QuickMenus for, 31–32
    - replacing text, 61–63
    - rulers, 32–33, 112–113
    - running Spell Checker, 72
    - saving, 14–16, 58, 270–271
    - scroll bars, 35–37
    - selecting text in, 44–51
    - spell-checking tools, 67–74
    - storing, 327
    - styles, 162–164, 175–177
    - summary pages, 335
    - tables of contents, 248–250
    - as templates, 233
    - text emphasis, 97–98
    - view options, 147–148
    - as watermarks, 158
    - Web documents, 263–264
    - word wrap feature, 13
  - DocumentStyle (built-in style), 169
  - DocumentStyle code, 306–307
  - dotted tab stops, 127
  - Double Indent command (Format menu), 121
  - double-click mouse action, 46–47
  - double-sided printing, 86–88, 244
  - double-spacing text, 133
  - Draft view, 147
  - drag-and-drop action, 201, 214
  - draw lines, adding to documents, 209
  - Draw Picture dialog box (Insert Graphics menu), 217
  - drawing boxes. *See also* text boxes
    - adding text to, 223
    - drawing in, 217
    - resizing, 204–206
    - selecting elements in, 217–220
  - drop-down menus, 25, 26, 29
  - duplex printing, 86–88, 244
- E •
- Edit menu commands, 25
  - editing, modifying
    - business letter template, 234
    - data source files, 279
    - data source records, 280–281
    - formatted text, 309
    - headers and footers, 153
    - horizontal and vertical lines, 209
    - master documents, 247–248
    - merged documents, 288
    - print settings, 87
    - return to last edit feature, 330
    - reveal codes, 306
    - shapes, 221
    - styles, 171–173
    - text, 55–59
    - text boxes, 203
    - TextArt images, 224
    - watermarks, 157–158

ellipses (. . .) in menu commands, 26  
 End key, 39, 40  
 end of document  
   moving to, 36, 40, 50  
   starting searches from, 59  
 end of line, paragraph, moving to, 50  
 end of page, moving to, 41  
 ENDFIELD merge code, 280  
 ENDRECORD merge code, 277, 280  
 Enlarge/Reduce option (Print dialog box), 89  
 Enter key, 168, 174, 339  
 envelopes  
   mail merge documents, 286–287  
   printing addresses on, 238–239  
 Environment Settings dialog box  
   (Settings dialog box)  
   accessing, using, 201, 325  
   address book options, 271  
   auto-select options, 45  
   hyperlink options, 260  
   interface options, 329  
   word selection options, 331  
 Equal button (Page Setup dialog box), 117  
 errors, spelling, correcting automatically,  
   68–70  
 Exit command (File menu), 19  
 expanding master documents, 246

## ● F ●

F1 key, 21, 26  
 F2 key, 26, 60, 62, 312  
 F3 key, 26  
 F4 key, 26  
 F5 key, 26, 81  
 F7 key, 120  
 F9 key, 26, 107  
 Fancy option (Page Border/Fill  
   dialog box), 187  
 faxes, 101  
 Field Codes (Microsoft Word), 305  
 FIELDNAMES merge code, 277  
 fields  
   in data source files, 275–278  
   in form files, inserting, 282–283  
 file formats  
   bitmap graphics, 222  
   data source files, 279  
   form files, 284  
   HTML documents, 264  
   text documents, 15, 327  
   vector graphics, 222  
   Web images, 264

file management, 298  
 File menu commands, 25  
 File Settings dialog box (Settings dialog box),  
   325, 327–328  
 filename rules, 16–17  
 files  
   backup settings, 327–329  
   finding, 296–297  
   moving, 298–299  
   naming, 15  
   opening, 17–18  
   saving styles with, 179  
 fills, patterns  
   adding to documents, 185–186  
   adding to text boxes, 203–204  
 Find and Replace dialog box (Edit menu)  
   exiting from, 339–340  
   finding, replacing reveal codes, 311–318  
   finding, replacing text, 58–63  
   match options, 60–61, 312–314  
   Word Forms feature, 63  
 Find option (Help menu), 21  
 Find Setup Wizard, 21  
 finding files, 17, 296–297  
 Finish button (PerfectExpert), 23  
 First Line Indent box (Paragraph Format  
   dialog box), 130–131  
 flowchart shapes, 221  
 Flush Right command (Format menu), 123–124  
 folders  
   creating new, 298  
   default, 327  
   finding files in, 17  
   saving files to, 15  
 Font codes, 308, 314–315  
 Font Face button (property bar), 102–103  
 Font Properties dialog box (Format menu),  
   31, 105–107  
 Font Size box (property box), 100–101  
 Font Size code, 308  
 fonts  
   in charts, 227  
   changing in selected text, 102–103  
   color settings, 106  
   default, 107, 324  
   embedding in documents, 104  
   formatting options, 105–107  
   for page numbers, 149  
   size settings, 100–101  
   special effects, 106  
   typefaces, 101–102  
   in Web documents, 263  
 Footer codes, 311

- footers
    - adding, editing text, 153–154
    - deleting, 156
    - discontinuing, 156
    - including in searches, 60
    - inserting in documents, 151–152
    - printing, 154–155
    - reveal codes, 311
  - footnotes, 60
  - form file (mail merge files), 275, 281–285
  - Format menu commands, 25
  - Format Records in a Table (Merge dialog box), 276–277
  - Format Typesetting menu,
  - formatting characters
    - copying, 53, 108–109
    - options for, 104–108
    - reveal codes, 308–309
    - styles for, 164, 168
    - subscripts and superscripts, 106
  - formatting charts, 226–228
  - formatting documents. *See also* styles
    - arrows, 209–210
    - borders, 184–187
    - bulleting paragraphs and lists, 135–137
    - business letters, 236–237
    - centering pages, 146–147
    - columns, 187–192
    - document styles, 164, 169
    - draw lines, 209
    - fitting to page, 159–160
    - headers and footers, 151–156
    - horizontal and vertical lines, 209
    - hyphenation option, 124–126
    - indenting paragraphs, 120–121, 130–131
    - justification, 121–124
    - line spacing, 133–134
    - margin settings, 112–120, 141–142
    - numbering pages, 148–151
    - numbering paragraphs and lists, 138
    - page breaks, 142–143
    - page size settings, 139–141
    - paragraph styles, 164
    - during printing, 82
    - property bar buttons, 28–29
    - removing reveal codes, 310–311
    - shading, patterns, 186
    - styles, 162–164, 177
    - tab settings, 112–114, 125–130, 131–132
    - table of contents, 249
    - text boxes, 201–204
    - watermarks, 156–159
  - WordPerfect 12 versus Microsoft Word, 120
  - formatting graphics, 203–204; 224
  - formatting paragraphs
    - borders, 184–185
    - columns, 187–192
    - indents, 120–121, 130–131
    - justification, 121–124
    - line spacing, 133–134
    - numbering paragraphs and lists, 138
    - reveal codes for, 309–310
    - ruler settings, 112–113
    - shading, 186
    - spacing, 134
    - styles, 164, 166–168, 176
    - tab settings, 125–132
  - formatting properties, 28–29
  - formatting tables, 196–200
  - formatting text
    - capitalization, 109
    - case conversions, 109–110
    - columns, 187–192
    - default font settings, 107
    - direct formatting versus styles, 163
    - embedding fonts, 104
    - emphasis, 97–98
    - font size, 100–101
    - font type, 101–104
    - hyphenation, 124–126
    - linking and unlinking formatting, 109
    - modifying formatting, 99
  - formatting text boxes, 202
  - forms, file format, 16
  - formulas, spreadsheets, 198–199
  - .frm files, 16
  - front slash (/) division symbol, 200
  - Full Document option (Print dialog box), 81–82
  - full justification, 122
  - Full Page view, 215
  - function keys, 26
- G •
- Generate dialog box (Reference Tools dialog box), 250
  - GIF file format, 264
  - Go To dialog box (Edit menu), 40–41
  - grammar tools
    - Grammar-As-You-Go feature, 67
    - Grammatik feature, 74–75
  - graphics
    - bitmap versus vector, 222
    - boxes for, 211–212, 217–220
    - built-in shapes, 220–222
    - charts, 225–228

graphics (*continued*)

- custom letterheads, 236
- file formats, 264
- formatting, 203–204
- in HTML documents, 263–264
- importing, 215–216
- lines and curves, 217
- TextArt images, 224
- in text boxes, selecting, 212
- types of, 216–217

Graphics menu, 204–207

Graphics tab (Environment Settings dialog box), 201

Graphics-formatting buttons (property bar), 203–204

green wavy line, 67

grouped items, selecting using mouse, 46–47

guidelines (margins), 115–116, 119, 141–142, 236

## • H •

handles

- built-in shapes, 220–221
- charts, 228
- drawing boxes, 217–219
- text boxes, 202–203, 212

Hanging Indent command (Format menu), 121

hard hyphens, 126

hard page breaks, 142–143, 307

hard return reveal code, 307

hard versus soft reveal codes, 308

Hd Back Tab code, 307, 310

Hd Center on Marg code, 310

Hd Flush Right code, 310

Hd Left Ind code, 309

Hd Right Ind code, 310

Header codes, 306, 311

Header/Footer placement button (property bar), 154–155

headers

- adding, editing text, 153–154
- deleting, 156
- discontinuing, 156
- including in searches, 60
- inserting in documents, 151–152
- print placement setting, 154–155
- reveal codes, 311
- suppressing printing of, 155

Headers/Footers dialog box (Insert menu), 152, 156

headings

- built-in styles for, 169
- keeping together with text, 145–146
- placing lines under, 187
- recommended font sizes, 101

Help menu commands, 25

help tools

- context-sensitive help, 21
- Help menu, 20–21
- PerfectExpert feature, 22–23
- toolbar button hints, 27

hiding toolbars, 27

highlighting text, 44–51

Home key, 39, 40

horizontal lines, drawing on documents, 208–209

hourglass icon, 83

HRt code, 307

HRt-SPg code, 307

HTML (Hypertext Markup Language), 261–264

hyperlinks

- activating and deactivating, 259–260
- adding to documents, 256
- linking bookmarks, 258–259
- managing using property bar, 260–261

hypertext, 256, 259

Hypertext Markup Language (HTML), 261–264

Hyph: On, Hyph: Off codes, 310

hyphenation, 124

## • I •

icons

- on application bar, 30
- Close button, 11
- hyperlink-related buttons, 260–261
- Insert key, 56
- justification buttons, 121–124
- Maximize/Restore button, 10, 11
- Minimize button, 10, 11
- Print button, 81
- QuickFonts button, 103
- QuickFormat button, 108
- on scroll bars, 35
- tab set icon, 128
- for tab stops, 127
- Undo button, 56
- watermark-related buttons, 158

Image button (property bar), 158

Image QuickMenu, 214

images. *See* graphics

- importing clipart, 215
- Indent code, 302
- Indent command (Format menu), 120
- indenting paragraphs, 120–121, 130–131, 310
- indents, on rules, 32–33
- Index option (Help menu), 20
- Initial Capitals option (Convert Case dialog box), 109–110
- Insert a table button (toolbar), 28
- Insert Charts menu, 225–226
- Insert Columns/Rows dialog box (Table menu), 194
- Insert command, 30
- Insert Field button (Merge dialog box), 286
- Insert Field Name or Number dialog box (Merge toolbar), 282
- Insert File dialog box (Insert menu), 295
- Insert Graphics menu, 213–217, 224–225
- Insert Hyphen button (Position Hyphen dialog box), 125
- Insert Image dialog box (Insert Graphics menu), 215–216
- Insert key, 56
- Insert menu
  - commands on, 25
  - Headers/Footers dialog box, 152
  - Insert File dialog box, 295
  - Lines command, 209
  - Shapes command, 209
  - Text Line and Text Box commands, 201, 223
  - Watermark dialog box, 157–158
- insert mode, 13, 55
- Insert option (Styles dialog box), 171
- Insert Shapes menu, 220–221
- Insert Space button (Position Hyphen dialog box), 125
- inserting documents into other documents, 295
- insertion points, 13, 33
- Insert/typeover mode button (application bar), 30
- Internet
  - obtaining clipart from, 215
  - Web documents, 261–266
- Internet For Dummies* (Levine, Baroudi, Young), 255
- inter-paragraph spacing, 134
- Italic button (property bar), 29
- Italic codes, 304, 308
- italics property, 97–98
- **J** •
  - JPG file format, 264
  - Just codes, 310
  - justifying text, 121–123, 310
- **K** •
  - Keep Text Together dialog box (Format menu), 144–145
  - key combinations, shortcuts
    - back tabs, 132
    - closing documents, 294
    - copying and pasting text, 52
    - Ctrl key combinations, 39
    - dates, 237
    - Draft view, 148
    - Find and Replace dialog box, 312
    - function keys, 26
    - Go To dialog box, 41
    - Grammatik feature, 75
    - hard column breaks, 191
    - help tools, 21–22
    - horizontal and vertical lines, 209
    - instant printing, 83
    - opening files, 17
    - Oxford Dictionary access, 76
    - page breaks, 143
    - Page Setup dialog box, 117, 141
    - Page view, 148
    - paragraph indents, 120–121
    - Properties for Table Format dialog box, 196
    - QuickStyle dialog box, 165
    - Redo command, 56–57
    - Reveal Codes window, 174, 303
    - ruler, 113, 126
    - saving files, 14, 247
    - selecting and highlighting text, 49–50
    - Spell Checker tool, 71
    - switching between documents, 292
    - text emphasis, 98–99
    - switching to Page view, 81
    - text justification, 123
    - today's date, 124
    - Undo command, 56
  - keyboard
    - deleting text using, 54
    - key definitions, customizing, 334–335
    - navigating documents using, 38–40

## • L •

L (left) tab stop, 127  
 labels  
   in charts, 226–227  
   mailing labels, 240–242  
 landscape orientation, 140, 141  
 Language command (Tools menu), 125  
 Layout preview pane, 90  
 layout, printing, set up for, 81–82, 87  
 Layout tab  
   Page Setup dialog box, 243  
   Print dialog box, 86–87, 89–90  
 left justification, 121  
 left (L) tab stop, 127  
 left-arrow key, 39  
 Left\Right Ind code, 310  
 legends (charts), 226–227  
 letters, business  
   dates and page numbers, 237  
   form templates for, 233–235  
   letterheads, 233–237  
   mail merge for, 275–288  
   as prototype document, 237–238  
 Levine, John (*Internet For Dummies*), 255  
 Lft Mrg code, 302, 310, 312  
 Limit Find Within Selection option (Find and Replace dialog box), 59  
 Limit Number of Changes dialog box (Find and Replace dialog box), 62–63  
 Line command (Format menu), 123–124, 128  
 Line Hyphenation dialog box (Tools menu), 125  
 line shapes, 220  
 line spacing, 133–134, 310  
 Line Spacing dialog box (Format menu), 133–134  
 Lines command (Insert menu), 209  
 lines, drawing, 216–217  
 links, hyperlinks  
   automatic creation of, 259  
   bookmarks, 258–259  
   for formatting, 109  
 lists, bulleted and numbers, 135–138  
 Ln Spacing codes, 310  
 logos, as watermarks, 156  
 lowercase characters, converting to uppercase, 110

## • M •

mail merge documents  
   data source, 274–275, 278–280  
   fields, 275  
   file format, 16  
   form file, 275, 281–285  
   merge process, 285–288  
   uses for, 273–274  
 mailing labels, 240–242  
 Main tab (Print dialog box), 87  
 Make It Fit dialog box (Format menu), 159–160  
 margin settings  
   for document pages, 141–142  
   for document sections, 118–119  
   Page Setup dialog box, 117–118  
   purpose, 114  
   reveal codes for, 310  
   using guidelines, 115  
   using ruler, 112–113  
 margin strip (ruler), 113, 118  
 Margins command (Format menu), 142  
 master documents, 244–247  
 Match options (Find and Replace dialog box), 60–61, 312–314  
 mathematical calculations, 200  
 Maximize/Restore button, 10, 11  
 Menu bar, 11, 25, 48  
 menus  
   accessing help from, 22  
   command symbols, 26  
   drop-down menus, 25  
   right-click menus, 31–32  
 merge codes, 275, 280, 286–287  
 Merge command (Tools menu), 242  
 Merge dialog box (Tools menu)  
   accessing, 274  
   Create Data File dialog box, 276  
   Create Form Document option, 281  
   Output options, 285–286  
 Merge toolbar, 277, 280  
 Microsoft Access files, 282  
 Microsoft Outlook, enabling support for, 271  
 Microsoft Word  
   documents from, using in WordPerfect, 268  
   enabling Word-like interface, 271–272  
   incompatibility issues, 269–270  
   Microsoft Word mode, 322

paragraph formatting, 120  
 reveal codes, 305  
 switching to WordPerfect from, 335  
 tables, 195  
 Minimize button, 10, 11  
 Minimum button (Page Setup dialog box), 117  
 minus sign (–) subtraction symbol, 200  
 modes, workspace, 322–324  
 mouse  
   accessing help, 22  
   accessing QuickMenus, 31–32  
   changing margin guidelines, 116, 119  
   extending lines, 209  
   extending text selections, 51  
   highlighting and selecting document  
     elements, 44–46  
   moving cursor, 13  
   navigating documents, 33–34  
   repositioning tab stops, 128–129  
   scrolling, 36–38  
   viewing reveal codes, 304  
 mouse pointer, 33  
 moving. *See also* navigating  
   text, 54–55, 292–293  
   files, 298–299  
   toolbars, 27  
 multiple documents, working with, 91–92,  
   292–294  
 Multiple Pages setting (Print dialog box), 85  
 multiplication symbol (\*), 200  
 My Documents folder, 15, 17

## • N •

Name a Field box (Merge dialog box), 276  
 naming  
   files, 15, 16–17  
   styles, 165  
 navigating  
   documents, 12, 33–41, 50  
   Reveal Codes window, 304  
 new documents, blank, creating, 23, 230  
 New from Project command (File menu),  
   23, 231–243  
 New menu option (File menu), 25  
 New Project/Existing Document button  
   (PerfectExpert), 23  
 Newspaper option (Columns dialog box),  
   188, 191

Next Page button (scroll bar), 36  
 normal template, 232  
 Number of Copies box (Print dialog box), 89  
 Numbering button (property bar), 138  
 numbering pages, 148–151  
 numbers, in tables, formatting, 200  
 Numeric Format dialog box (Table menu), 200

## • O •

Object Properties dialog box (Shapes  
   QuickMenu), 221  
 ODBC databases, 282  
 OfficeReady browser, 250–251  
 OK button (dialog boxes), 31  
 On Save options (Settings dialog box), 269  
 open documents, identifying, 293  
 Open File dialog box (File menu)  
   opening files, 17–18  
   opening Word documents, 268  
   selecting documents for printing, 92  
 Open Style code, 306–307  
 Options option (Find and Replace dialog box),  
   62–63  
 Orph code, 311  
 orphans, preventing, 143–144, 311  
 outlining TextArt, 224  
 Outlook (Microsoft), enabling support for, 271  
 Oxford Dictionary, accessing, 75–76

## • P •

Page Border/Fill dialog box, border  
   options, 187  
 page breaks, 142–144  
 Page Definition area (Page Setup dialog box),  
   140–141  
 page formatting, reveal codes, 311  
 page layout, 112–113  
 page numbers  
   adding to business letters, 237  
   formatting options, 148–150  
   for headers/footers, 154  
   manual numbering, 339  
   reveal codes, 311  
   roman numerals, 149–150  
   for table of contents, 249

- Page Setup dialog box (Format menu)
  - for booklets, 243
  - margin settings, 142
  - page sizes, 139–141
  - using, 116–118
  - WordPerfect 12 versus Microsoft Word, 120
- Page view (View menu)
  - changing margin guidelines, 116
  - features and uses, 81, 141, 147
  - for headers/footers, 151, 154
- pages
  - centering, 146–147
  - positioning text boxes, 205
  - printing, 84
  - selecting, 46–48
- paired codes, 302–303, 317–318
- palette form (toolbars), 333
- Paper Sz, Paper Typ codes, 311
- Para Spacing code, 306
- paragraph formatting
  - borders, 184–185
  - columns, 187–192
  - indents, 120–121, 130–131
  - justification, 121–124
  - line spacing, 133–134
  - numbering paragraphs and lists, 138
  - reveal codes for, 309–310
  - ruler settings, 112–113
  - shading, 186
  - spacing, 134
  - styles, 164, 166–168, 176
  - tab settings, 125–132
- paragraph styles, turning off, 176
- Paragraph with Automatic Update option (QuickStyle dialog box), 167
- paragraphs
  - fonts and font sizes, 101–102
  - navigating, 50
  - selecting, 46–48
  - text boxes, 205–206
- Parallel options (Columns dialog box), 188, 190, 191
- pasting text
  - from clipboard, 28
  - from Dictionary tool, 78
  - between multiple documents, 293
  - using keyboard, 51–53
- patterns
  - background, 186
  - for TextArt, 224
- PDF (Adobe Acrobat) documents, 264–266
- PerfectExpert dialog box
  - built-in templates, 22–23, 231
  - creating new templates, 232
  - OfficeReady templates, 251
  - personalizing templates, 234
- PerfectScript macros, 231, 234
- Pg Num Pos code, 311
- PgDn, PgUp keys, 39, 40
- picture wrapping, 264
- pixels, 222
- Placement dialog box (headers, footers), 154–155
- plus sign (+) addition symbol, 200
- pop-up menus, 31–32
- positioning
  - hyphens, 125
  - numbers, 149–149
  - text boxes, 204–206
- POSTNET Barcode dialog box (Envelope dialog box), 238–239
- predefined styles, 169
- previewing
  - documents, 80, 101
  - layout, 90
  - Web documents, 262
- Previous Page button (scroll bar), 36
- Print as Booklet checkbox (Print dialog box), 244
- Print button
  - application bar, 30
  - toolbar, 28, 81–83
- Print dialog box (File menu), 18–19, 81–82, 244
- Print Preview feature (File menu), 80
- Print Status and History utility, 92–93
- Print Summary option (Properties dialog box), 335
- printing
  - barcodes, 238–239
  - booklets, 244
  - canceling print jobs, 93–94
  - data source files, 288
  - from disks, 90–91
  - documents, 18–19
  - enlarged or reduced documents, 89–90
  - entire documents, 81–83
  - envelopes, 238–239
  - headers and footers, 154–155
  - individual or multiple pages, 84–85
  - mailing labels, 240–242
  - multiple copies, 88–89
  - page ranges, 84

page setup for, 139–141  
 preparing for, 79–81  
 reverse order, 85  
 selected text, 84  
 two-sided (duplex), 86–88  
 watermarks, 159  
 Promote button (property bar), 137  
 Prompt-As-You-Go feature, 67–68  
 proofreading tools  
   Grammar-As-You-Go feature, 67  
   Grammatik feature, 74–75  
   Oxford Dictionary, 75–76  
   Prompt-As-You-Go feature, 67–68  
   QuickCorrect feature, 66, 68–70  
   Spell-As-You-Go feature, 66–67  
   Thesaurus feature, 75–76  
 Properties dialog box (File menu), 335  
 Properties for Table Format dialog box  
   (Table menu), 196  
 Properties for Table Numeric Format dialog  
   box (Table menu), 200  
 property bar  
   adding and removing emphasis, 98–99  
   bookmark-related buttons, 257  
   Bullets button, 135  
   chart-related buttons, 227–228  
   customizing, 331–333  
   defaults, 29  
   Demote and Promote buttons, 137  
   Display Formula Toolbar button, 199  
   features and uses, 11, 27–29  
   font-related buttons, 100–103  
   Graphics menu, 204–207  
   header/footer buttons, 153  
   hyperlink-related buttons, 260–261  
   justification buttons, 121–122  
   line and arrow options, 209–210  
   Numbering button, 138  
   Prompt-As-You-Go box, 68  
   QuickFonts button, 103  
   QuickFormat button, 108  
   Select Style list, 165  
   table-related buttons, 29, 193  
   text box-related buttons, 203  
   text wrap button, 207–208  
   watermark-related buttons, 158  
 prototype documents, 237–238  
 publishing Web documents  
   HTML (Hypertext Markup Language) for,  
     261–264  
   hyperlinks, 256  
   PDF (Adobe Acrobat) for, 264–266

## • Q •

Quattro Pro spreadsheet program, 197, 200  
 Quick Data Entry dialog box (mail merge),  
   277–281  
 QuickCorrect dialog box (Tools menu),  
   66, 68–70  
 QuickFinder feature, 296–297  
 QuickFonts button (property bar), 103  
 QuickFormat feature  
   copying formatting, 108–109  
   linking and unlinking formatting, 109  
   versus QuickStyle, 166–167  
   versus SpeedFormat, 198  
 QuickMenus, 31–32  
 QuickStyle dialog box (Styles dialog box)  
   uses for, 164–166, 171  
   versus QuickFormat, 166–167  
 QuickSum button (Formula toolbar), 199–200

## • R •

R (right) tab stop, 127  
 Rathbone, Andy  
   *Windows ME For Dummies*, 81  
   *Windows XP For Dummies*, 81  
 Read-Only documents, 238  
 RealTime Preview feature, 101  
 records (data source files), 279–280  
 rectangles of text, selecting, 49  
 Recycle Bin, 300  
 red wavy line, 66  
 Redo feature, 28, 56–58  
 reference names (spreadsheet cells), 197  
 Reference Tools dialog box (Tools menu),  
   248–250  
 Relative Size setting (Font Properties  
   dialog box), 106  
 removing/deleting  
   backup files, 329  
   character formatting, 309  
   data from built-in charts, 226–227  
   files, 300  
   headers and footers, 156  
   reveal codes, 306–307, 318  
   styles, 175, 180  
   tab stops, 129  
   tables and cell contents, 194  
   text, 54–55  
   toolbars and property bars, 331  
   watermarks, 159

- renaming backup files, 329
  - Replace All option (Find and Replace dialog box), 62
  - Replace options (Spell Checker tool), 72
  - replacing text
    - tips, 62–63
    - using Find and Replace feature, 56, 58–63
    - using Spell Checker tool, 72
    - using Thesaurus feature, 75–76
    - word forms, 63
  - resizing
    - charts, 228
    - clipart images, 214
    - columns in tables, 195–196
    - fonts, 106
    - text boxes, 202–203, 206–207
  - restricting watermarks, 159
  - Retrieve Styles From dialog box (Styles dialog box), 177–178
  - reveal codes
    - Advance code, 237
    - Center Page(s) code, 147
    - for character formatting, 308–309
    - for character manipulation, 307–308
    - for column breaks, 192
    - finding and replacing, 311–318
    - for formatting changes, 99
    - function of, 61, 302
    - hard versus soft codes, 308
    - for headers and footers, 156
    - for indents, 121
    - modifying, 306, 315
    - for page formatting, 311
    - for sentence and paragraph formatting, 309–310
    - for styles, 163, 168, 171–172, 176
    - for tab stops, 128
    - types of, 302–303
    - viewing, 303, 306
  - Reveal Codes window
    - accessing, 37, 174, 303
    - closing, 305
    - navigating and managing, 304–305
    - viewing data source files, 277
  - reverse order printing, 85
  - reversible codes, 303
  - Rgt Mrg code, 302, 310
  - right arrows (menu commands), 26
  - right justification, 121
  - right (R) tab stop, 127
  - right-click action (mouse), 202
  - right-click menus
    - accessing properties using, 31–32
    - adding tab stops, 129–130
    - removing tab stops, 129
    - scroll bar, 37
  - roman numerals, 149–150
  - rows (tables), 193–194, 198
  - ruler
    - displaying/hiding, 114
    - features and uses, 32–33, 112–114
    - tab stops, 126, 128–130
- S ●
- Save As dialog box (File menu)
    - creating folders, 298
    - deleting files, 300
    - features and uses, 15–16, 237–238
    - moving files, 298–299
    - TrueDoc check box, 104
  - Save button (toolbar), 28
  - Save dialog box (File menu), 14, 246–247, 296
  - saving
    - data source file, 279
    - documents, 14–16
    - files, frequency of, 340–341
    - form files, 279
    - formats, 268–269
    - master documents, 246–247
    - Microsoft Word formatting, 268–269
    - styles, 179
    - Undo/redo items with documents, 58
  - scanners, 216
  - Scrapbook dialog box (Insert Clipart menu), 213–215
  - screen display
    - navigating using keyboard, 50
    - title bar, 10
  - scroll bars, boxes, 12, 35, 304
  - searching for files, documents, 58–60, 296–297. *See also* Find and Replace dialog box (Edit menu)
  - Select option (Edit menu), 48–49
  - Select Style list (property bar), 165, 168
  - Select Table button (property bar), 194
  - Selected Text option (Print dialog box), 81–82, 84

- selecting
  - labels for printing, 242
  - page number formats, 148–151
  - table elements, 195
  - text, 44–51, 331
  - text box elements, 202, 212
- sentences
  - formatting, 309–310
  - selecting, 46–48
- Set Value button (Select Page Number Format dialog box), 151
- Settings dialog box (Tools menu)
  - default file format, 270–271
  - disabling auto-select feature, 45
  - Environment Settings dialog box, 201
  - Keyboard Settings dialog box, 334–335
  - On Save, Keep Document's Original File
- shading
  - documents, 186
  - fonts, 106
  - TextArt, 224
  - watermarks, 158
- shadow cursor, 30, 34
- shapes, built-in, 220–221
- Shapes command (Insert menu), 209
- sharing documents, 266
- Shift key, 49, 51
- Shift+F1 key combination, 21–22
- Shift+F2 key combination, 26
- Shift+F3 key combination, 26
- Shift+Tab key combination, 132
- shutting down WordPerfect, 19–20
- single codes, 302
- sizing, resizing, text boxes, 206–207
- Skip in Document option (Spell-As-You-Go feature), 66–67
- Skip options (Spell Checker tool), 72
- soft hyphens, 126
- soft page breaks, 142–143, 307
- soft return reveal code, 307
- spaces, using sparingly, 338–339
- spacing
  - columns, 189–190
  - lines, 133–34
- special effects. *See also* fills, patterns; shading
  - adding to fonts, 106
  - built-in shapes, 220–221
- Specific Codes dialog box (Find and Replace dialog box), 314–317
- spelling correction tools
  - enabling/disabling, 67
  - QuickCorrect feature, 68–70
  - Spell Checker tool, 71–74
  - Spell-As-You-Go feature, 66–67
- spreadsheet-like tables, 198–200
- SrT code, 307
- SrT-SPg code, 307
- standard template, 230
- star shapes, 221
- Start button (PerfectExpert), 23
- starting WordPerfect, 9–10
- Status button (Print dialog box), 93
- Style Settings dialog box (Styles dialog box), 170
- Style Type area (QuickStyle dialog box), 165
- styles
  - applying, 168, 174, 196–198
  - character styles, 164–166
  - for columns, 188
  - copying, 177–179
  - creating new, 173–175
  - deleting, 175, 180
  - for documents, 164, 169, 175–176
  - editing, modifying, 171–175
  - for headings, 169
  - how they work, 163
  - importing with documents, 170
  - for paragraphs, 164
  - predefined, 169
  - property options, 170–171
  - retrieving, 177–178
  - reusing, 177
  - saving, 179
  - for text box elements, 203–204
  - turning off, 176
  - versus direct formatting, 162–163
- subdocuments, 245–246
- subscript characters, 106
- subtraction symbol (–), 200
- Summary page (Properties dialog box), 335
- Summary Settings dialog box (Settings dialog box), 325
- superscript characters, 106
- Suppress code, 311
- Suppress dialog box (Format menu), 155
- suppressing watermarks, 159
- switching between documents, 292
- symbols. *See also* icons
  - display settings for, 326
  - menu commands, 26
  - shadow cursor, 34

## • T •

- Tab code, 302
- Tab Set code, 309
- Tab Set dialog box (Format menu), 128
- tab settings
  - paragraph indents, 120–121
  - reveal codes, 302, 307
  - setting tab stops, 125–130
  - viewing on ruler, 32–33, 112–113
- tab stops
  - defined, 126
  - new, adding, 129–130
  - removing, 129
  - repositioning, 128–129
  - types and icons, 127
- tab strip (ruler), 113, 126, 128–130
- Table menu commands, 25
- Table of Contents dialog box (Reference Tools dialog box), 248–250
- Table SpeedFormat dialog box, 196–198
- tables
  - adding rows and columns, 193–194
  - calculations in, symbols or, 200
  - creating using QuickCreate feature, 192
  - deleting cell contents, 194
  - deleting entire table, 194
  - deleting rows and columns, 194
  - formatting, 196–200
  - property bar, 29
  - resizing columns, 195–196
  - spreadsheet-like, 198–200
  - versus columns, 193
  - versus tabs, 132
  - viewing data source files as, 279
- tables of contents
  - built-in styles for, 169
  - generating automatically, 248–250
- Tables QuickCreate button (toolbar), 192
- tabs
  - back tabs, 132–133
  - for indentation, 130–131
  - tab stops, 113
  - using effectively, 130–133
  - using sparingly, 338–339
  - versus tables, 132
- templates
  - built-in, 231
  - for business letters, 233–235
  - creating new, 232
  - default, modifying, 177, 178–179
  - documents as prototypes for, 233
  - OfficeReady browser, 251
  - standard template, 230
  - uses for, 229–230
- temporary soft return reveal code, 307
- text
  - blocks, 44–46
  - copying and pasting, 51–53
  - cutting and pasting, 53
  - deleting, 54–55
  - in drawing boxes, 218, 223
  - entering, 13
  - finding in documents, 58–59
  - as graphics, 217
  - in headers and footers, 153–154
  - inserting in columns, 191
  - keeping together, 143–146
  - line spacing options, 133–134
  - moving, 54–55, 292–293
  - printing text selections, 84
  - rectangles, 49
  - replacing, editing, 56, 61–63
  - scrolling, 36
  - saving selections in new document, 206, 296, 341
  - selecting, 44–51, 331
  - in text boxes, 202
  - TextArt images, 222, 223–225
  - word wrap feature, 13
- Text Box command (Insert menu), 223
- text boxes. *See also* drawing boxes
  - adding to documents, 201–204
  - adding to drawing boxes, 223
  - captions, 207
  - features and uses, 211–212
  - formatting, 202
  - positioning, 204–206
  - sizing, resizing, 206–207
  - text wrapping with, 207–208
- text cursor position indicator (application bar), 30
- text formatting
  - capitalization, 109
  - case conversions, 109–110
  - columns, 187–192
  - default font settings, 107
  - direct formatting versus styles, 163
  - embedding fonts, 104
  - emphasis, 97–98
  - font size, 100–101
  - font type, 101–104
  - hyphenation, 124–126
  - linking and unlinking formatting, 109
  - modifying formatting, 99

Text Line command (Insert menu), 223  
 text wrapping, 207–208  
 TextArt images, 222–225  
 Thesaurus feature, 75–76  
 3-D Chart button (property bar), 227  
 3D Options tab (TextArt dialog box), 224  
 thumbnails  
   clipart, 213–215  
   for previewing graphics, 216  
   printing out, 90  
 Timed Backup dialog box (File Settings dialog box), 329  
 timed backups, 329, 340  
 title bar (screen display), 10, 15  
 titles, 102  
 toolbar management  
   adding buttons to, 333  
   customizing, 27, 331–333  
   hiding/displaying, 27  
   hints feature, 27  
   moving, 27, 333–334  
   palette form, 333–334  
 toolbar (WordPerfect 12 toolbar), 11.  
   *See also* application bar; property bar  
   accessing, 11  
   Autoscroll button, 37–38  
   buttons on, 27–28  
   Columns button, 188  
   Open button, 17  
   Print button, 18–19  
   Save button, 14–15  
   Tables QuickCreate button, 192  
   Text Box button, 201  
   Thumbnail button, 216  
   Undo button, 56  
 Tools menu commands, 25  
 Top Mar code, 311  
 triple-click mouse action, 46–47  
 TSRT code, 307  
 Turn Hyphenation On check box (Tools menu), 125  
 Two Pages view, 147  
 2D Options tab (TextArt dialog box), 224  
 two-sided (duplex) printing, 86–88  
 Type of Columns section (Columns dialog box), 188, 189  
 Type, Specific Codes dialog box (Find and Replace dialog box), 314–315  
 Type, Word Forms option (Find and Replace dialog box), 63  
 typefaces, 101–106  
 typeover mode, 56

## • U •

Und codes, 308  
 Underline button (property bar), 29  
 underlining  
   adding to text, 29, 97–98  
   options for, 106–107  
 Undo button (toolbar), 56  
 Undo last action button (toolbar), 28  
 Undo/Redo feature, 56–58  
 unformatting text, 99  
 unlinking formatting, 109  
 updating tables of contents, 250  
 uppercase characters, converting to lowercase, 109–110  
 Use columns button (toolbar), 28

## • V •

VAdv (Advance code), 237  
 Values dialog box (Select Page Number Format dialog box), 151  
 vector graphics, 222  
 vertical lines, drawing in documents, 209  
 View menu commands, 25  
 viewing, data source files, 279–280  
 views  
   Full Page, 215  
   Page view, 81  
   types of, 147–148  
 vocabulary  
   adding words to, 73  
   correcting and customizing, 73–74

## • W •

Watermark dialog box (Insert menu), 157–158  
 watermarks  
   adding and editing, 157–158  
   placing on documents, 158  
   restricting or removing, 159  
   shading with, 158  
   uses for, 156–157  
 Web documents  
   HTML documents, 261–264  
   PDF documents, 264  
   previewing, 262  
   versus regular WordPerfect documents, 263–264  
 Web sites  
   Corel, 21  
   Corel clip art gallery, 215

- Web-ready documents, hyperlinks, 256
- wheel, mouse, scrolling using, 37
- Whole Word option (Find and Replace dialog box), 60
- Wid code, 311
- widows, preventing, 143–144, 311
- width of columns
  - resizing, 195–196
  - settings for, 189–190
- Window menu commands, 25
- window, WordPerfect. *See* document window
- Windows Address Book, as mail merge data source, 282
- Windows Explorer, file management using, 298
- Windows ME For Dummies* (Rathbone), 81
- Windows XP For Dummies* (Rathbone), 81
- Wizard, Find Setup, 21
- Word (Microsoft)
  - documents from, using in WordPerfect, 268
  - enabling Word-like interface, 271–272
  - incompatibility issues, 269–270
  - Microsoft Word mode, 322
  - paragraph formatting, 120
  - reveal codes, 305
  - switching to WordPerfect from, 335
  - tables, 195
- word forms, searching and replacing, 63
- word lists, 73
- word wrap feature, 13, 124
- WordPerfect 12 toolbar. *See* toolbar (WordPerfect 12 toolbar)
- WordPerfect 12 versus Microsoft Word
  - compatibility issues, 269–270
  - paragraph formatting, 120
  - reveal codes, 305
  - tables, 195
- WordPerfect Classic mode, 322
- WordPerfect Dictionary
  - adding words to, 67, 73
  - correcting and customizing, 73–74
- WordPerfect Legal mode, 322–323
- WordPerfect Office mode, 322
- words
  - copying from Dictionary, 76–78
  - selecting using key combinations, 50
  - selecting using mouse, 46–47
  - spelling tools, 66–67
  - viewing definitions for, 76–78
- word-wrap feature, 338
- Workspace Manager dialog box (Tools menu)
  - Word-like interface, 271–272
  - workspace modes, 322–324, 330
- .wpd files, 15
- WPDOS keyboard definitions, 334–335
- WPWin keyboard definitions, 334–335
- wrapping text, 13



Young, Margaret Levine (*Internet For Dummies*), 255



zoom settings, 128