

Index

Symbols and Numerics

α (alpha), angle measure designated by, 28
 \approx (approximately equals sign), 43
 β (beta), angle measure designated by, 28
first quadrant angle, 21
four-leaved rose polar graphs, 216–217
fourth quadrant angle, 23
one
 reciprocals and function value of, 81
 square root of negative (i), 217
 φ (phi), angle measure designated by, 28
 π (pi)
 periodic functions and, 66–67
 radian measurement and, 60
second quadrant angle, 22
 θ (theta), angle measure designated by, 28
third quadrant angle, 24
30-60-90 right triangle ratios (table), 36
three-leaved rose polar graphs, 215–216
zero
 reciprocals and function value
 approaching, 81
 zero vector, 183, 303

A

AAS (Angle-Angle-Side) triangles
 defined, 301, 303
 finding the area, 117
 solving the triangle, 111
abscissa (x-value)
 defined, 62, 301
 domain and, 63
 function definition and, 62, 241
absolute value
 of angles, 22
 of complex numbers, 219, 301
ACTS mnemonic for positive ratios, 40
acute reference angles, 41–42, 303
addition identities
 for cosine, 143, 295
 for sine, 143, 295
 for tangent, 150, 295
addition of vectors
 algebraic, 183
 components, 169, 183
 parallelogram of forces for, 172–173
 resultant, 169, 173
 tip-tail rule, 169, 303
 triangle representing, 169
adjacent side
 defined, 28
 in reciprocal functions, 30
 in trigonometric function definitions,
 28, 293
algebraic addition of vectors, 183
algebraic vectors, defined, 183, 301
alpha (α), angle measure designated by, 28
ambiguous case, 111–112
amplitude
 of complex numbers, 219
 cosine function amplitude shifts, 71
 cotangent function and, 79
 defined, 71, 301
 sine function amplitude shifts, 71
 tangent function and, 79
angle measure, 21
angle of depression, 96, 301
angle of elevation, 95, 301
Angle-Angle-Side (AAS) triangles
 defined, 301, 303
 finding the area, 117
 solving the triangle, 111
angles
 absolute value, 22
 coterminal, 25–26, 301
 defined, 21
 of depression, 96, 301
 double angle identities, 144, 150, 295
 of elevation, 95, 301
 half angle identities, 146, 150, 295
 initial side, 21
 negative, 302
 quadrantal, 23, 40, 303
 reference, 41–42, 303
 standard position, 21, 303
 terminal side, 21

- Angle-Side-Angle (ASA) triangles
 - defined, 301
 - finding the area, 117
 - solving the triangle, 111
 - angular velocity, 262, 301
 - approximately equals sign (\approx), 43
 - arccos function on scientific calculators, 45
 - Archimedes Spiral, 211
 - arcsin function on scientific calculators, 45
 - arctan function on scientific calculators, 45
 - area, defined, 301
 - area of triangles
 - common formula for, 116
 - formulas for ASA or SAA triangles, 117
 - formulas for SAS triangles, 116
 - Heron's formula for SSS triangles, 119, 302
 - argument of complex number, 219
 - arrows, vectors represented by, 167
 - ASA (Angle-Side-Angle) triangles
 - defined, 301
 - finding the area, 117
 - solving the triangle, 111
 - asymptotes
 - cosecant function, 81
 - cotangent function, 79
 - defined, 77, 301
 - secant function, 81
 - solving for, 79
 - tangent function, 77
- B**
- beta (β), angle measure designated by, 28
 - boldface for vectors, 167
- C**
- calculators, scientific, 45
 - cardoid
 - defined, 301
 - polar graphs, 213–214
 - Cartesian coordinate plane. *See also* quadrants
 - complex plane versus, 217–218
 - converting from polar to rectangular coordinates, 206
 - converting from rectangular to polar coordinates, 206
 - defined, 301
 - resolution of forces, 180
 - vectors in, 178–179
 - CAST mnemonic for positive ratios, 40
 - centered vector, 179
 - circle
 - arc subtended by 1 degree, 59
 - arc subtended by 1 radian, 59–60
 - polar graphs of, 211–212
 - radian measurement and, 60
 - unit circle and circular functions, 62–63
 - unit circle and periodic functions, 66–67
 - unit circle, defined, 303
 - circular functions
 - defined, 62, 301
 - domain versus range of, 63
 - periodic properties of, 66–67
 - circular motion, uniform
 - angular velocity, 262
 - central angle, 261
 - defined, 303
 - linear velocity, 262
 - negative velocities, 262
 - simple harmonic motion and, 261, 263
 - cofunction identities, 139, 294
 - cofunctions, defined, 34, 294. *See also specific cofunctions*
 - collecting terms, 258
 - commutative property of multiplication, 185
 - complex numbers
 - absolute value, 219, 301
 - amplitude, 219
 - argument, 219
 - conjugates of, 223, 301
 - DeMoivre's theorem, 225, 301
 - difference of two conjugates, 223
 - dividing, 224
 - equal, defined, 223
 - finding powers of, 225
 - modulus, 219
 - multiplying, 224
 - plotting on polar axis, 219–220
 - plotting on rectangular axes, 217–218
 - polar form, 219
 - sum of two conjugates, 223
 - trigonometric form, 219

- complex plane, 217–218, 301
- component vector, 301
- components of vector addition, 169, 183
- conditional equations
 - collecting terms, 258
 - defined, 137, 257, 301
 - general solution, 257
 - primary solutions, 257
 - solving, 258
- conjugates of complex numbers, 223, 301
- converting. *See also* phase shift
 - from polar to rectangular coordinates, 206
 - from rectangular to polar coordinates, 206
 - sine curve to and from cosine curve, 76
- coordinate systems. *See* polar coordinate system; rectangular coordinate system
- cosecant (csc)
 - asymptotes, 81
 - circular function, 62
 - cofunction, 34, 294
 - cofunction identities, 139
 - defined, 29–30, 293
 - finding with scientific calculators, 45
 - graphing sine on same axes, 80
 - identity for inverse cosecant, 253, 296
 - identity for negatives, 139, 294
 - inverse function, 253
 - period, 81
 - phase shift between secant and, 81
 - Pythagorean identities, 140, 294
 - for quadrantal angles (table), 40
 - reciprocal identity, 137, 293
 - sine as reciprocal function, 29–30
 - for special triangles (table), 36
 - values in increments of one degree (table), 297–300
- cosine (cos)
 - as basic circular function, 62
 - cofunction, 34, 294
 - cofunction identities, 139
 - defined, 28, 293
 - difference identity, 143, 295
 - double angle identities, 144, 295
 - finding with scientific calculators, 45
 - graphing amplitude shifts, 71
 - graphing one period, 69
 - graphing phase shifts, 76
 - graphing sine on same axes, 69
 - graphing various frequencies, 75
 - graphing vertical shifts, 70
 - half angle identity, 146, 295
 - identities for inverse cosine, 247, 296
 - identity for negatives, 139, 294
 - inverse function, 245–247
 - Law of Cosines, 105, 302
 - opposite angle identity, 295
 - as periodic function, 66–67
 - phase shift between sine and, 69, 75
 - product-sum identities, 152, 296
 - Pythagorean identities, 140, 294
 - for quadrantal angles (table), 40
 - ratio identities, 138, 294
 - reciprocal identity, 137, 293
 - restricted function, 246–247
 - restricted inverse function, 246–247
 - secant as reciprocal function, 29–30
 - for special triangles (table), 36
 - sum identity, 143, 295
 - sum-product identities, 153, 296
 - trigonometric identities, 32–33
 - turning into a sine, 76
 - values for points in one period (table), 68
 - values in increments of one degree (table), 297–300
- cotangent (cot)
 - asymptotes, 79
 - circular function, 62
 - cofunction, 34, 294
 - cofunction identities, 139
 - defined, 29–30, 293
 - graphing, 78–79
 - identities for inverse cotangent, 255, 296
 - identity for negatives, 139, 294
 - inverse function, 255
 - period, 79
 - phase shift, 79
 - Pythagorean identities, 140, 294
 - for quadrantal angles (table), 40
 - ratio identity, 138, 294
 - reciprocal identity, 137, 293
 - for special triangles (table), 36
 - tangent as reciprocal function, 29–30

cotangent (cot) (*continued*)
 trigonometric identity, 32
 values in increments of one degree (table), 297–300

coterminal angles
 defined, 25, 301
 equation for, 26

counterexamples, 137

csc (cosecant)
 asymptotes, 81
 circular function, 62
 cofunction, 34, 294
 cofunction identities, 139
 defined, 29–30, 293
 finding with scientific calculators, 45
 graphing sine on same axes, 80
 identity for inverse cosecant, 253, 296
 identity for negatives, 139, 294
 inverse function, 253
 period, 81
 phase shift between secant and, 81
 Pythagorean identities, 140, 294
 for quadrantal angles (table), 40
 reciprocal identity, 137, 293
 sine as reciprocal function, 29–30
 for special triangles (table), 36
 values in increments of one degree (table), 297–300

customized full-length exam, 275–292

D

degrees. *See also* radians
 arcs subtended by, 59
 common values (table), 60
 decimal parts of, 45
 defined, 59, 302
 traditional subdivisions (minutes and seconds), 45

DeMoivre, Abraham (mathematician), 225

DeMoivre's theorem, 225, 301

Descartes, Rene (mathematician), 301

difference identities
 for cosine, 143, 295
 for sine, 143, 295
 for tangent, 150, 295

difference of two complex conjugates, 223

direction
 of measure, negative angles and, 22, 23, 203
 as property of vectors, 168
 of rotation, negative velocity and, 262

dividing complex numbers, 224

domain
 defined, 301
 of functions, 63
 range and, 63

dot product, 185, 302

double angle identities
 for cosine, 144, 295
 for sine, 144, 295
 for tangent, 150, 295

E

electrical engineering notation for vectors, 180

equality of complex numbers, 223

equals sign, squiggly (\approx), 43

equations, trigonometric. *See also* formulas, trigonometric
 collecting terms, 258
 conditional, 137, 257–258, 301
 solving, 258
 trigonometric identities, 32

equivalent vectors, 168, 302

exams
 full-length exam, 275–292
 pretest, 1–20

F

first quadrant angle, 21

formulas, trigonometric. *See also* equations, trigonometric
 basic trigonometric functions, 28, 30, 293
 cofunction identities, 139, 294
 cofunctions, 34, 294
 cosecant, 30, 293
 cosine, 28, 293
 cotangent, 30, 293
 difference identities, 143, 150, 295
 double angle identities, 144, 150, 295
 half angle identities, 146, 150, 295

- Heron's formula, 119, 302
 - identities for negatives, 139, 294
 - inverse cosecant, 253, 296
 - inverse cosine, 247, 296
 - inverse cotangent, 255, 296
 - inverse secant, 254, 296
 - inverse sine, 245, 296
 - inverse tangent, 251, 296
 - opposite angle identities, 295
 - product-sum identities, 152, 296
 - Pythagorean identities, 140, 294
 - ratio identities, 138, 294
 - reciprocal identities, 137, 293
 - secant, 30, 293
 - sine, 28, 293
 - sum identities, 143, 150, 295
 - sum-product identities, 153, 296
 - tangent, 28, 293
 - tangent identities, 150
 - four-leaved rose polar graphs, 216–217
 - fourth quadrant angle, 23
 - free vector, 179
 - frequency
 - cosine function with various frequencies, 75
 - defined, 74, 302
 - sine function with various frequencies, 74
 - full-length exam, 275–292
 - functions. *See also* inverse functions; *specific functions*
 - basic functions, 293
 - circular functions, 62–63, 66–67, 301
 - cofunction identities, 139, 294
 - cofunctions, 34, 294
 - defined, 62, 241, 303
 - for isosceles right triangle, 35, 36
 - overview, 28–29
 - parabola, 241
 - periodic functions, 66–67, 70, 302
 - quadrants and, 38–40
 - reciprocal functions, 29–30, 34, 81, 137
 - SOHCAHTOA acronym for, 28, 303
 - table of values, 297–300
 - for 30-60-90 right triangle, 36
 - vertical line test for, 241, 242
 - fundamental identities. *See also* trigonometric identities
 - cofunction identities, 139, 294
 - for negatives, 139, 294
 - Pythagorean identities, 140, 294, 302
 - ratio identities, 138, 294, 303
 - reciprocal identities, 137, 293, 303
- ## G
- general solution of conditional equations, 257
 - general triangles
 - areas of, 116, 117, 119
 - defined, 302
 - solving ASA triangles, 111
 - solving SAA or AAS triangles, 111
 - solving SAS triangles, 109
 - solving SSA triangles (ambiguous case), 111–112
 - solving SSS triangles, 109
 - strategies for solving, 108
 - glossary, 301–303
 - graphs. *See also* graphs (cosine function); graphs (sine function)
 - asymptotes in, 77
 - circular functions, 62
 - cosecant function, 80–81
 - cotangent function, 78–79
 - parabola, 241
 - periodic functions, 66
 - polar graphs, 211–217
 - principles of reciprocal functions, 81
 - secant function, 80–81
 - tangent function, 77–78
 - unit circle, 62, 66
 - wavelength, 303
 - graphs (cosine function)
 - amplitude shifts, 71
 - cosine and inverse cosine function, 247–248
 - frequencies, 75
 - one period, 69
 - phase shifts, 76
 - with secant on same axes, 80
 - with sine on same axes, 69
 - vertical shifts, 70
 - graphs (sine function)
 - amplitude shifts, 71
 - circular motion and sine curve, 261
 - with cosecant on same axes, 80
 - with cosine on same axes, 69

graphs (sine function) (*continued*)
 frequencies, 74
 one period, 69
 phase shifts, 75
 sine and inverse sine function, 247–248
 vertical and amplitude shifts, 72
 vertical shifts, 70
 Greek letters, angle measure designated by, 28

H

half angle identities
 for cosine, 146, 295
 for sine, 146, 295
 for tangent, 150, 295
 harmonic motion, simple
 defined, 303
 overview, 263
 uniform circular motion and, 261, 263
 Heron's formula, 119, 302
 horizontal line, polar graph of, 212
 hypotenuse
 defined, 28
 of isosceles right triangle, 35
 in reciprocal functions, 30
 in trigonometric function definitions, 28, 293

I

i (square root of negative one), 217. *See also* complex numbers

identities
 cofunction identities, 139
 counterexamples, 137
 defined, 32, 137, 303
 difference identities, 143, 150, 295
 double angle identities, 144, 150, 295
 fundamental identities, 137–140
 half angle identities, 146, 150, 295
 for inverse cosecant, 253, 296
 for inverse cosine, 247, 296
 for inverse cotangent, 255, 296
 for inverse secant, 254, 296
 for inverse sine, 245, 296
 for inverse tangent, 251, 296

for negatives, 139, 294
 opposite angle identities, 295
 product-sum identities, 152, 296
 Pythagorean identities, 140, 294, 302
 ratio identities, 138, 294, 303
 reciprocal identities, 137, 293, 303
 sum identities, 143, 150, 295
 sum-product identities, 153, 296
 tangent identities, 150
 imaginary axis, 217, 218, 302
 infinity. *See also* asymptotes
 approached by reciprocals as function value approaches zero, 81
 approached in tangent graph, 77
 initial side of an angle, 21
 interpolation, 45–46, 302
 inverse functions
 circular functions, 62
 of cosecant function, 253
 of cosine function, 245–247
 of cotangent function, 255
 defined, 242
 of reciprocal functions, 253–255
 restricting, 242–244
 of secant function, 254
 of sine function, 244–245
 symmetry of, 247–248
 of tangent function, 249–251
 vertical line test and, 242
 inverse identities
 for cosecant, 253, 296
 for cosine, 247, 296
 for cotangent, 255, 296
 for secant, 254, 296
 for sine, 245, 296
 for tangent, 251, 296
 isosceles right triangle
 formula for hypotenuse, 35
 trigonometric ratios (table), 36

L

Law of Cosines
 defined, 105, 302
 Law of Sines versus, 105
 overview, 105
 parallelogram of forces and, 173

solving ASA triangles, 111
 solving SAS triangles, 109
 solving SSS triangles, 109
 Law of Sines
 defined, 100, 302
 Law of Cosines versus, 105
 overview, 100
 solving ASA triangles, 111
 solving SAA or AAS triangles, 111
 solving SAS triangles, 109
 solving SSS triangles, 109
 lemniscate polar graphs, 214–215
 line of sight
 angle of depression and, 96
 angle of elevation and, 95
 linear velocity, 262, 302
 lines
 polar graphs of, 212–213
 vertical line test for functions, 241, 242

M

magnitude
 of scalars, 167
 of vectors, 167, 180, 183
 of zero vector, 183, 303
 minutes, defined, 45
 modulus of complex number, 219
 motion
 simple harmonic, 261, 263, 303
 uniform circular, 261–262, 263, 303
 multiplying
 complex numbers, 224
 dot product, 185, 302
 vectors by scalars, 185

N

negatives
 angles, defined, 302
 angles, direction of measure and, 22, 23, 203
 cosine value in quadrant II, 39, 105, 109, 146
 domain values, 63
 function values in certain quadrants, 39
 identities of, 139, 294

reciprocal functions and, 81
 reference angles and, 41
 square root of negative one (i), 217
 velocity, direction of rotation and, 262

O

oblique triangles
 areas of, 116, 117, 119
 defined, 302
 solving ASA triangles, 111
 solving SAA or AAS triangles, 111
 solving SAS triangles, 109
 solving SSA triangles (ambiguous case), 111–112
 solving SSS triangles, 109
 strategies for solving, 108
 oblique vector, 180
 obtuse triangles, Law of Sines and, 100
 one
 reciprocals and function value of, 81
 square root of negative (i), 217
 opposite angle identities, 295
 opposite side
 in reciprocal functions, 30
 in trigonometric function definitions, 28, 293
 opposite vectors, 168
 ordinate (y -value)
 defined, 62, 302
 function definition and, 62, 241
 range and, 63
 origin in polar coordinate system, 203, 302

P

parabola, 241
 parallelogram of forces, 172–173, 302
 period
 of cosecant function, 81
 of cotangent function, 79
 defined, 66, 302
 of secant function, 81
 of tangent function, 77
 periodic functions
 amplitude, 70
 defined, 66, 302

periodic functions (*continued*)
 overview, 66–67
 period defined, 66, 302
 real-world applications, 67
 wavelength, 303
 phase shift
 converting sine curve to and from cosine curve, 76
 of cotangent function, 79
 defined, 302
 graphing cosine with two phase shifts, 76
 graphing sine with two phase shifts, 75
 between secant and cosecant, 81
 between sine and cosine, 69, 75
 of tangent function, 79
 phi (ϕ), angle measure designated by, 28
 pi (π)
 periodic functions and, 66–67
 radian measurement and, 60
 polar axis, 203, 302
 polar coordinate system
 converting from polar to rectangular coordinates, 206
 converting from rectangular to polar coordinates, 206
 defined, 203, 302
 plotting complex numbers on, 219–220
 polar axis, 203, 302
 polar coordinates, 203, 302
 polar graphs, 211–217
 pole or origin, 203, 302
 positive versus negative angles in, 203–204
 polar coordinates, 203, 302
 polar form of complex numbers, 219
 pole, 203, 302
 position vector, 179
 powers of complex numbers, finding, 225
 pretest, 1–20
 primary solutions of conditional equations, 257
 product-sum identities, 152, 296
 protractor, 59
 Pythagorean identities, 140, 294, 302
 Pythagorean theorem
 defined, 302
 Law of Cosines and, 105
 solving the triangle using, 93

Q

quadrantal angles
 defined, 23, 303
 trigonometric ratios (table), 40
 quadrants
 defined, 21, 302
 first quadrant angle, 21
 fourth quadrant negative angle, 23
 quadrantal angles, 23
 reference angles, 41–42
 second quadrant angle, 22
 second quadrant negative angle, 22
 standard position, 21
 third quadrant angle, 24
 trigonometric functions and, 38–40
 quotient (ratio) identities, 138, 294, 303

R

radians. *See also* degrees
 circular functions and, 62
 circular motion and, 261–262
 common values (table), 60
 defined, 60, 303
 pi and, 60
 radius vector, 179
 range, defined, 303
 range of functions, 63
 ratio identities, 138, 294, 303
 rays, vectors versus, 167
 real axis, 217, 218, 303
 reciprocal functions. *See also specific functions*
 circular functions, 34
 inverses of, 253–255
 overview, 29–30
 principles true of, 81
 reciprocal identities and, 137
 reciprocal identities, 137, 293, 303
 rectangular coordinate system. *See also* quadrants
 complex plane versus, 217–218
 converting from polar to rectangular coordinates, 206
 converting from rectangular to polar coordinates, 206

- plotting complex numbers on rectangular axes, 217–218
 - resolution of forces, 180
 - vectors in, 178–179
 - reference angles, 41–42, 303
 - resolution of vectors, 180, 303
 - restricting functions
 - cosine function, 246
 - inverse cosine function, 246–247
 - inverse functions, 242–244
 - inverse sine function, 245
 - inverse tangent function, 251
 - sine function, 244
 - tangent function, 249–250
 - resultant
 - for parallelogram of forces, 173
 - of vector addition, 169
 - of vector multiplication, 303
- S**
- SAA (Side-Angle-Angle) triangles
 - defined, 301, 303
 - finding the area, 117
 - solving the triangle, 111
 - SAS (Side-Angle-Side) triangles
 - defined, 303
 - finding the area, 116
 - solving the triangle, 109
 - scalar multiplication
 - as commutative, 185
 - dot product, 185, 302
 - multiplication by a scalar versus, 185
 - scalars
 - defined, 167, 303
 - multiplying vectors by, 185
 - speed as, 167
 - scientific calculators, 45
 - secant (sec)
 - asymptotes, 81
 - circular function, 62
 - cofunction, 34, 294
 - cofunction identities, 139
 - cosine as reciprocal function, 29–30
 - defined, 29–30, 293
 - graphing cosine on same axes, 80
 - identity for inverse secant, 254, 296
 - identity for negatives, 139, 294
 - inverse function, 254
 - period, 81
 - phase shift between cosecant and, 81
 - Pythagorean identities, 140, 294
 - for quadrantal angles (table), 40
 - reciprocal identity, 137, 293
 - for special triangles (table), 36
 - values in increments of one degree (table), 297–300
 - second quadrant angle, 22
 - seconds, defined, 45
 - Side-Angle-Angle (SAA) triangles
 - defined, 301, 303
 - finding the area, 117
 - solving the triangle, 111
 - Side-Angle-Side (SAS) triangles
 - defined, 303
 - finding the area, 116
 - solving the triangle, 109
 - Side-Side-Angle (SSA) triangles
 - defined, 303
 - solving the triangle, 111–112
 - Side-Side-Side (SSS) triangles
 - defined, 303
 - finding the area (Heron's formula), 119, 302
 - solving the triangle, 109
 - sign
 - cosine value negative in quadrant II, 39, 105, 109, 146
 - of function values in certain quadrants, 39
 - identities of negatives, 139, 294
 - negative angles and direction of measure, 22, 23, 203
 - negative angles defined, 302
 - negative domain values, 63
 - negative velocity and direction of rotation, 262
 - reciprocal functions and, 81
 - reference angles and, 41
 - square root of negative one (i), 217
 - similar triangles, 28
 - simple harmonic motion
 - defined, 303
 - overview, 263
 - uniform circular motion and, 261, 263

- sine (sin)
- as basic circular function, 62
 - circular motion and sine curve, 261
 - cofunction, 34, 294
 - cofunction identities, 139
 - cosecant reciprocal function, 29–30
 - defined, 28, 293
 - difference identity, 143, 295
 - double angle identity, 144, 295
 - finding with scientific calculators, 45
 - graphing amplitude shifts, 71
 - graphing cosine on same axes, 69
 - graphing one period, 69
 - graphing phase shifts, 75
 - graphing various frequencies, 74
 - graphing vertical and amplitude shifts, 72
 - graphing vertical shifts, 70
 - half angle identity, 146, 295
 - identities for inverse sine, 245, 296
 - identity for negatives, 139, 294
 - inverse function, 244–245
 - for isosceles right triangle, 36
 - Law of Sines, 100, 302
 - opposite angle identity, 295
 - as periodic function, 66–67
 - phase shift between cosine and, 69, 75
 - product-sum identities, 152, 296
 - Pythagorean identities, 140, 294
 - for quadrantal angles (table), 40
 - ratio identities, 138, 294
 - reciprocal identity, 137, 293
 - restricted function, 244
 - restricted inverse function, 245
 - for special triangles (table), 36
 - sum identity, 143, 295
 - sum-product identities, 153, 296
 - trigonometric identities, 32–33
 - turning into a cosine, 76
 - values for points in one period (table), 68
 - values in increments of one degree (table), 297–300
- SOHCAHTOA acronym, 28, 303
- solving triangles
- ambiguous case, 111–112
 - Law of Cosines, 105, 109
 - Law of Sines, 100, 109
 - oblique triangles, 108–109, 111–112
 - right triangles, 93–94
 - three sides known (SSS), 109
 - two angles and side known (ASA), 111
 - two angles and side known (SAA or AAS), 111
 - two sides and angle known (SAS), 109
 - two sides and angle known (SSA), 111–112
- square root of negative one (i), 217. *See also* complex numbers
- squiggly equals sign (\approx), 43
- SSA (Side-Side-Angle) triangles
- defined, 303
 - solving the triangle, 111–112
- SSS (Side-Side-Side) triangles
- defined, 303
 - finding the area (Heron's formula), 119, 302
 - solving the triangle, 109
- standard position of a vector, 178–179
- standard position of an angle
- defined, 21, 303
 - first quadrant angle in, 21
 - second quadrant angle in, 22
- standard vector, 179
- subtending
- defined, 59
 - degree definition and, 59
 - radian definition and, 60
- subtraction identities
- for cosine, 143, 295
 - for sine, 143, 295
 - for tangent, 150, 295
- sum identities
- for cosine, 143, 295
 - for sine, 143, 295
 - for tangent, 150, 295
- sum of two complex conjugates, 223
- sum-product identities, 153, 296
- symmetry of inverse functions, 247–248
- ## T
- table of degree/radian values, 60
- tables of trigonometric ratios
- for 30° , 45° , and 60° angles, 36
 - calculators versus, 45
 - in increments of one degree, 297–300
 - interpolation with, 45–46

- for quadrantal angles, 40
- sine and cosine for points in one period, 68
- using, 44–45
- tangent (tan)
 - asymptotes, 77
 - circular function, 62
 - cofunction, 34, 294
 - cofunction identities, 139
 - cotangent as reciprocal function, 29–30
 - defined, 28, 293
 - difference identity, 150, 295
 - double angle identity, 150, 295
 - finding with scientific calculators, 45
 - graphing, infinity approached in, 77
 - graphing several cycles, 78
 - half angle identity, 150, 295
 - identities for inverse tangent, 251, 296
 - identity for negatives, 139, 294
 - inverse function, 249–251
 - opposite angle identity, 295
 - period, 77
 - phase shift, 79
 - Pythagorean identities, 140, 294
 - for quadrantal angles (table), 40
 - ratio identity, 138, 294
 - reciprocal identity, 137, 293
 - restricted function, 249–250
 - restricted inverse function, 251
 - for special triangles (table), 36
 - sum identity, 150, 295
 - trigonometric identity, 32
 - values in increments of one degree (table), 297–300
- terminal side of an angle, 21
- terms, collecting, 258
- tests
 - full-length exam, 275–292
 - pretest, 1–20
- theta (θ), angle measure designated by, 28
- third quadrant angle, 24
- 30-60-90 right triangle ratios (table), 36
- three-leaved rose polar graphs, 215–216
- tip-tail rule, 169, 303
- triangle representing vector addition, 169
- triangles, finding the area
 - common formula for, 116
 - formulas for ASA or SAA triangles, 117
 - formulas for SAS triangles, 116
 - Heron's formula for SSS triangles, 119, 302
- triangles, solving
 - ambiguous case, 111–112
 - Law of Cosines, 105, 109
 - Law of Sines, 100, 109
 - oblique triangles, 108–109, 111–112
 - right triangles, 93–94
 - three sides known (SSS), 109
 - two angles and side known (ASA), 111
 - two angles and side known (SAA or AAS), 111
 - two sides and angle known (SAS), 109
 - two sides and angle known (SSA), 111–112
- trig tables
 - for 30°, 45°, and 60° angles, 36
 - calculators versus, 45
 - degree/radian values, 60
 - in increments of one degree, 297–300
 - interpolation with, 45–46
 - for quadrantal angles, 40
 - sine and cosine for points in one period, 68
 - using, 44–45
- trigonometric addition identities
 - for cosine, 143, 295
 - for sine, 143, 295
 - for tangent, 150, 295
- trigonometric equations. *See also*
 - trigonometric formulas
 - collecting terms, 258
 - conditional, 137, 257–258, 301
 - solving, 258
 - trigonometric identities, 32
- trigonometric form of complex numbers, 219
- trigonometric formulas. *See also*
 - trigonometric equations
 - basic trigonometric functions, 28, 30, 293
 - cofunction identities, 139, 294
 - cofunctions, 34, 294
 - cosecant, 30, 293
 - cosine, 28, 293
 - cotangent, 30, 293
 - difference identities, 143, 150, 295
 - double angle identities, 144, 150, 295
 - half angle identities, 146, 150, 295
 - Heron's formula, 119, 302
 - identities for negatives, 139, 294

trigonometric formulas (*continued*)

inverse cosecant, 253, 296
 inverse cosine, 247, 296
 inverse cotangent, 255, 296
 inverse secant, 254, 296
 inverse sine, 245, 296
 inverse tangent, 251, 296
 opposite angle identities, 295
 product-sum identities, 152, 296
 Pythagorean identities, 140, 294
 ratio identities, 138, 294
 reciprocal identities, 137, 293
 secant, 30, 293
 sine, 28, 293
 sum identities, 143, 150, 295
 sum-product identities, 153, 296
 tangent, 28, 293
 tangent identities, 150

trigonometric functions. *See also* inverse functions; *specific functions*

basic functions, 293
 circular functions, 62–63, 301
 cofunction identities, 139
 cofunctions, 34, 294
 defined, 62, 303
 function, defined, 241
 for isosceles right triangle, 35, 36
 overview, 28–29
 periodic functions, 66–67
 quadrants and, 38–40
 reciprocal functions, 29–30, 34, 81, 137
 SOHCAHTOA acronym for, 28, 303
 table of values, 297–300
 for 30-60-90 right triangle, 36
 vertical line test for, 241, 242

trigonometric identities

cofunction identities, 139
 counterexamples, 137
 defined, 32, 137, 303
 difference identities, 143, 150, 295
 double angle identities, 144, 150, 295
 fundamental identities, 137–140
 half angle identities, 146, 150, 295
 for inverse cosecant, 253, 296
 for inverse cosine, 247, 296
 for inverse cotangent, 255, 296
 for inverse secant, 254, 296
 for inverse sine, 245, 296

for inverse tangent, 251, 296

for negatives, 139, 294

opposite angle identities, 295

product-sum identities, 152, 296

Pythagorean identities, 140, 294, 302

ratio identities, 138, 294, 303

reciprocal identities, 137, 293, 303

sum identities, 143, 150, 295

sum-product identities, 153, 296

tangent identities, 150

trigonometric tables

for 30° , 45° , and 60° angles, 36

calculators versus, 45

degree/radian values, 60

in increments of one degree, 297–300

interpolation with, 45–46

for quadrantal angles, 40

sine and cosine for points in one period, 68

using, 44–45

trigonometry, defined, 21

u

uniform circular motion

angular velocity, 262

central angle, 261

defined, 303

linear velocity, 262

negative velocities, 262

simple harmonic motion and, 261, 263

unit circle

circular functions and, 62–63

circumference of, 66

defined, 62, 303

periodic functions and, 66–67

radius of, 62

v

vector resolution, 180, 303

vectors

addition triangle, 169

algebraic addition of, 183

algebraic, defined, 183, 301

arrows representing, 167

boldface for, 167

component vector, defined, 301

- components, 169, 183
 - defined, 167, 303
 - direction as property of, 168
 - dot product, 185, 302
 - electrical engineering notation for, 180
 - equivalent vectors, 168, 302
 - free vector, 179
 - magnitude, 167, 180, 183
 - multiplying by a scalar, 185
 - oblique vector, 180
 - opposite vector, 168
 - parallelogram of forces, 172–173, 302
 - rays versus, 167
 - in rectangular coordinate system, 178–179
 - resolution, 180, 303
 - resultant, 169, 303
 - scalar multiplication, 185
 - standard position, 178–179
 - standard vector (position, radius, or centered vector), 179
 - tip-tail rule, 169, 303
 - velocity as, 167
 - zero vector, 183, 303
- velocity
- angular, 262, 301
 - circular motion and, 262
 - linear, 262, 302
 - negative, direction of rotation and, 262
 - as a vector, 167
- vertical line
- polar graph of, 213
 - test for functions, 241, 242
- vertical shifts
- amplitude shifts and, for sine function, 72
 - of cosine function, 70
 - cotangent and, 79
 - of sine function, 70
- ## W
- wavelength, 303
- ## X
- x-value (abscissa)
- defined, 62, 301
 - domain and, 63
 - function definition and, 62, 241
- ## Y
- y-value (ordinate)
- defined, 62, 302
 - function definition and, 62, 241
 - range and, 63
- ## Z
- zero
- reciprocals and function value approaching, 81
 - zero vector, 183, 303

