

# Index

- abdominal injuries 120–32, 132
  - benefits of sport 128
  - decision making 127
  - ethics 128
  - implications 124–7
  - incidence
    - kidney 123
    - liver 122
    - spleen 122–3
    - testicular 124, 125, 131
  - risk assessment 124–6
  - risk calculation 126
  - search strategies 120–1
  - specific risks 126–7
- abduction stress test 445
- abductor digiti quinti 586
- Achilles bursitis 590
- Achilles tendinitis 590
  - NSAIDs in 225
- Achilles tendon rupture 562–79
  - complications 566, 575, 576
  - management 563–4, 567–9
    - conservative techniques 567
    - external fixation 569, 576–7
    - open techniques 568
    - percutaneous techniques 567–8
    - surgical versus nonsurgical 572
  - outcome assessment 573–4
  - postoperative immobilization 570–1
  - subjective scoring 574
- acquired immune response 109
- acromial impingement 327
- acromial irritation 328
- active compression test *see* O'Brien test
- activities of daily living 71, 142, 144, 145, 152, 156, 163, 467, 541, 551, 552
- acupuncture
  - epicondylitis 427, 430
  - shoulder pain 400
- adduction (varus) stress test 445
- adductor muscle strain 491, 495
  - management 500
    - corticosteroids 501
    - NSAIDs 501
- adductor tendinopathy 491
- Adenoma Prevention with Celecoxib trial 229
- adhesive capsulitis 391
- adolescents 16
  - asthma in 243, 252
  - groin pain 497
- iron deficiency in 26
- mortality and morbidity 19
- patellofemoral injury 441
- plantar fasciitis 596
- shoulder dislocation 365–6, 365, 382–3
- solitary kidney 120
- spondylolysis 281, 282, 283, 284, 287, 289, 290, 292, 293
- aerobic exercise capacity 109
- Aircast ankle support 213, 215–16, 527
- Alzheimer's Disease Anti-inflammatory Prevention Trial (ADAPT) trial 229
- amenorrhea 548
- American Medical Society for Sports Medicine 18
- American Orthopedic Society for Sports Medicine 18
- American Academy of Family Physicians 18
- American Academy of Pediatrics 18, 112, 122, 129
- American College of Sports Medicine 18, 259
- American football players
  - concussion 103
  - infection and fever 110
  - prophylactic compression 215–16
  - renal trauma 123
  - sudden cardiac death 19
- American Heart Association 19
- American Medical Association 18
- American Medical Society for Sports Medicine 129
- American Orthopedic Society for Sports Medicine 112
- American Osteopathic Academy of Sports Medicine 18
- American Shoulder and Elbow Surgeons 381–2
- Amsterdam-Maastricht Consensus List for Quality Assessment 393, 410
- angiofibroblastic hyperplasia 421
- ankle
  - clinical examination 513–17
  - instability 514
  - subtalar 515
  - NSAIDs 222, 227, 231, 236
- ankle-hindfoot scale 574
- ankle injury 21, 219
  - compression 197, 208, 212
  - contrast therapy 196
  - cryotherapy 196, 197–8, 199
  - electrical stimulation 196
  - physical diagnostic features 513–14
  - prophylactic compression 216–17
  - supination 513
  - thermotherapy 196

- ankle sprains 11, 14, 80, 83, 195, 199, 212, 213, 215–18  
 incidence 535  
 prevention 519–35, 520, 523–5  
   balance training 530, 531, 532  
   bracing 521, 524, 529, 531, 532  
   taping 521–2, 526, 529  
 treatment  
   compression 197, 208, 209, 210, 211–12  
   contrast bath 196  
   cryotherapy 191, 196  
   electrical stimulation 196  
   heat 196  
   *see also* ankle supports
- ankle supports 528–9  
 Aircast 213, 527  
 braces 12  
 elastic bandage 212–13  
 semi-rigid 212–13
- ankylosing spondylitis 590
- anterior apprehension test 314, 316
- anterior cruciate ligament 445–7, 447  
 examination 444–5
- anterior cruciate ligament injury 453–69  
 clinical implications 467  
 conservative management 458  
   with bracing 459, 459  
 early management 457–8  
 functional outcome 460–1, 460  
 interventions 454  
 meta-analyses 456  
 reconstructive technique 463–4  
   hamstring vs patellar tendon 464  
   rehabilitation 464, 465–6  
 surgical management 461–3  
   combined injuries 463  
   and osteoarthritis 461  
   protection of menisci 461–2  
   repair of meniscal tears 462  
   when to recommend 462–3
- anterior drawer test 447
- anterior slide test 314
- anterior talofibular ligament injury 513
- aortic stenosis 19
- ApoE gene, and brain injury 101
- Apley grind test 439, 450
- apprehension-location test 320
- apprehension test  
 patellofemoral injury 441  
 shoulder injury 312, 316, 318, 320, 324, 362
- aprotinin 482
- Arner and Lindholm scale 574
- arrhythmias 19
- arrhythmogenic right ventricular dysplasia 20
- arthroscopy  
 knee surgery 196, 204  
 shoulder dislocation 372, 379–80, 379
- asthma 243–55, 247–8, 255  
 ballet 255  
 exercise-induced 243  
 forced expiratory volume 245, 249, 250  
 forced vital capacity 245, 249, 250  
 maximum expiratory flow 245, 249, 250  
 maximum heart rate 245, 249  
 maximum oxygen consumption 245, 249  
 peak expiratory flow rate 245, 249, 251  
 search strategy 244  
 soccer players 254  
 work capacity 249
- athletic morbidity 19–20, 20
- athletic mortality 19–20, 20
- atrial septal defect 19
- Australian football players, groin pain 493
- avascular necrosis of femoral head 491  
 management 502
- back pain *see* low back pain
- balance training 530, 531, 532
- ballet, and asthma 255
- Bankart lesions 314
- Bankart procedure 377
- basketball players  
 knee injury 450  
 sudden cardiac death 19
- basketball shoes 538, 540
- belly-press test 307
- benefits of sport 128
- beta-adrenoceptor agonists 251
- betamethasone 397
- biceps brachii palpation 331
- biceps load test 314, 316
- biceps tendon  
 pathology 317, 319  
 sheath 328
- biomechanical foot orthoses 77
- bisphosphonates 168
- Bledsoe boot 211
- bone 167  
 growth, and NSAIDs 234, 235  
 remodeling 167
- bone density 546, 549  
 increasing 172–4
- bone mineral content 170
- bone mineral density 170, 179
- botulinum toxin, in epicondylitis 418, 426
- bracing  
 Achilles tendon rupture 570–1  
 ankle 12, 521, 524, 529, 531, 532  
 anterior cruciate ligament 459, 459  
 pneumatic air braces 538, 549–50  
 spine 290  
 stress fracture 540, 549–50
- bradycardia 23
- brain injury  
 genetic susceptibility 100–1  
 life-threatening, return to sport  
   101–2, 102  
*see also* concussion
- bronchoconstriction, exercise-induced 26
- Brugada syndrome 19
- bupivacaine 398, 400
- bursal reaction 327
- bursitis 327  
 iliopsoas muscle 491, 496

- calcaneal bursa 588
- calcaneofibular ligament 208, 513
  - rupture 515
- calcium supplements, stress fracture 538, 540
- calisthenics 260, 264, 265, 271
- cardiac abnormalities 19
- cardiovascular risk factors 22
- cardiovascular screening 23
- carpal tunnel release, cryotherapy 196–7
- cast immobilization
  - Achilles tendon rupture 570–1
  - plantar fasciitis 592–3
  - rigid casts 211
  - semi-rigid casts 211
- celecocixib 227
  - cost-effectiveness 230
- chronic obstructive pulmonary disease 252
- chronic traumatic encephalopathy 94
- CLASS trial 227
- clearance for participation
  - determination of 20
  - rates of 20
- Cochrane Airways Group 245
- Cochrane Collaboration 14, 162, 245, 260, 363
- Cochrane Musculoskeletal Injuries Group 13
- Cochrane Q test 393
- Cohen's kappa 335
- collagen 167
- Colles fracture 171
- compression 197–8, 209, 211
  - ankle injury 197, 208, 212
  - intermittent 213
  - as prophylaxis 214–17, 214
  - soccer players injuries 204
  - as treatment 210–13, 211
  - volleyball injuries 216–17
- computed tomography
  - Achilles tendon rupture 573
  - femoral anteversion 442
  - spleen 114
  - spondylolysis 285, 287, 287, 288
  - subtalar instability 515
- concussion
  - complex 95
  - definition of 94–5
  - genetic susceptibility to brain injury 100–1
  - neuropathology 97
  - neuropsychology 97–8
  - physiology of 96–7
  - postconcussion syndrome 98–9
  - published guidelines for return to sport 96, 96, 97
  - punch-drunk syndrome 94, 100–1, 103
  - recovery of neuropsychological function 98
  - repeated 93–104
    - cumulative damage 100
    - risk of 99–100
  - simple 95
  - three-strike rule 93
- congenital heart disease 19
- conjoint tendon lesion *see* inguinal hernia
- Constant score 362, 376, 380, 381
- contrast therapy 196
- coracoid impingement 327
- core strengthening/stability 59–72
  - low back pain 61–2, 262, 268, 272
  - prevention of injury 60–2, 66–9
  - and recovery from injury 62–4
  - search strategy 59–60, 60
- corticosteroids
  - adductor muscle strain 501
  - adverse reactions 409
  - epicondylitis 425–6
  - osteitis pubis 499
  - patellar tendinopathy 480, 482, 483
  - plantar fasciitis 593–4
  - shoulder pain 391–414
    - effectiveness 410–11, 413
    - long-term outcomes 408–9
    - methodological quality 394–5, 395
    - quality of data 393
    - randomized trials 395, 396
    - validity of trials 393
    - vs NSAIDs 402, 403
    - vs physiotherapy 403, 406–7, 408, 408
    - vs placebo 396–402, 397–401, 402
- COX-2 inhibitors 222, 227–30
  - cost-effectiveness 229, 230
  - efficacy 227, 228
  - gastrointestinal toxicity 228
  - side effects 227–9, 228
  - see also* NSAIDs
- coxibs 222, 227
  - cardiotoxic effects 227–9, 228
  - cost-effectiveness 229, 230
- coxsackievirus B 111
- crank test 314, 315, 318, 324, 362
  - shoulder dislocation 362, 376
- creep 38
- cricketers 125, 128
  - spondylolysis in 283
- cryotherapy 189–204, 203, 208–9
  - acute injury 200–1, 208–9
  - ankle injury 196, 197–8, 199
  - arthroscopic knee surgery 196, 204
  - barrier effect 199–200
  - carpal tunnel release 196–7
  - and compression 197–8
  - concomitant therapies 201
  - continuous versus intermittent 196–7
  - dosage 199
  - effectiveness of 191, 194–5, 196
  - with electrical stimulation 196
  - with exercise 196
  - rehabilitative treatment 200–1
  - search strategy 189–90
  - side effects 200
  - soccer players 204
  - study protocols 192–3
  - timing of 191
  - versus contrast therapy 196
  - versus thermotherapy 196
- Cumulative Index to Nursing and Allied Health Literature 4

- Dacron weave 562  
 decline board 480  
 deep water running 498, 544, 545  
 dexamethasone 400, 482  
 diagnostic imaging, spondylolysis 285–9,  
 285–8  
 dial test 445  
 diastolic murmurs 23  
 diclofenac 237  
 shoulder pain 397  
 side effects 226, 227, 233  
 topical 233, 233  
*see also* NSAIDs  
 diet 549  
 dislocation, shoulder 361–87  
 divers, spondylolysis in 282  
 drop-arm sign 305, 341  
 drop sign 309, 310, 341  
 dual-energy X-ray absorptiometry 546  
 dynamic stretching 37  
 dynamometer 334
- echocardiography 23, 24  
 educational programs 6–7  
 effect size 223  
 elastic wrap bandages 211, 212, 214, 217  
 elbow  
 anatomy 419  
 pain, NSAIDs in 225  
*see also* epicondylitis  
 elderly people  
 exercise programs 135–63  
 adherence to 156  
 adverse effects 157  
 component of multifactorial interventions  
 159  
 cost-effectiveness 152–3, 157  
 health-care resource use 160  
 negative studies 159  
 Otago Exercise Program 136, 156, 158  
 muscle properties 169  
 osteoporosis 167–80  
 electrical stimulation  
 ankle injury 196  
 stress fracture 542  
 electrocardiography 23–4  
 electromyography  
 obturator nerve entrapment 496  
 rotator cuff tears 307  
 electrotherapy  
 electrical stimulation  
 ankle injury 196  
 stress fracture 542  
 laser therapy 538–9  
 epicondylitis 423  
 stress fracture 538, 540, 542  
 low-intensity pulsed ultrasound 539, 540,  
 542–3  
 maintenance of fitness 543–4, 545  
 muscle strengthening 543  
 elevation 209–10  
 empty can test 306, 309, 310, 324, 336, 339
- epicondylitis 418–32  
 anatomy 419, 419  
 common extensor origin 420  
 extensor carpi radialis brevis 420  
 extensor carpi radialis longus 420  
 evidence-based treatment protocol 429  
 histopathology 420–2  
 initial pain symptoms 429  
 surgical options 427–8, 429  
 tenotomy 427–8  
 tissue excision 428  
 treatment options 422–7  
 acupuncture 427  
 botulinum toxin 426  
 extracorporeal shock-wave therapy 424–5  
 laser therapy 423  
 muscle exercises 429  
 oral anti-inflammatory tablets 423–4  
 physiotherapy 422–3  
 steroid injections 425–6  
 ultrasound 423  
 wait-and-see policy 425  
 Epstein-Barr virus 113  
 ethanol/methanol gel 199  
 ethical issues in abdominal injury 128  
 etodolac 227  
 etoricoxib 227  
 exercise  
 adverse effects 176–7  
 and bronchoconstriction 26  
 and fractures 169–70  
 high-impact 173–4  
 low-intensity repetitive 172–3  
 and menopause 174–5  
 exercise-induced asthma 243  
 exercise intervention 259  
 exercise programs  
 asthma 243–55, 247–8, 255  
 elderly people 135–63, 137–51  
 adherence to 156  
 adverse effects 157  
 component of multifactorial interventions  
 159  
 cost-effectiveness 152–3, 157  
 health-care resource use 160  
 negative studies 159  
 Otago Exercise Program 136, 156, 158  
 injury prevention 6, 7, 8, 9  
 low back pain 64, 257–77, 276–7  
 calisthenics 260, 264, 265, 271  
 leisure-time physical activity/self-  
 exercise/sport-specific programs 260, 261,  
 262, 263–4  
 McKenzie exercises 262, 265–6, 271  
 multimodal exercise programs/general  
 exercise therapy 261, 262, 264, 267–8,  
 271–2  
 spinal stabilization program/core  
 strengthening 61–2, 262, 268, 272  
 sport-specific programs 262–3  
 strengthening exercises 263, 268–9, 272–3  
 whole-body vibration 263, 270, 273

- Williams/lumbar flexion exercises 263, 270, 273
- osteoporosis 171–80, 171  
 adverse effects 176–7  
 increasing bone density at spine and hip 172–4  
 whole-body microvibration 175–6  
 wrist strengthening 171–2
- patellar tendinopathy 477–80, 478–9
- exercise stress testing 23, 24
- extensor carpi radialis brevis 420
- extensor carpi radialis longus 420
- external bone stimulators 290
- external fixation 569, 576–7
- external rotation lag sign 309, 310, 324, 341
- external rotation recurvatum test 445
- external rotation test 340
- extracorporeal shock-wave therapy  
 epicondylitis 418, 424–5  
 plantar fasciitis 593–4
- Extracorporeal Shock-Wave Therapy Clinical Trial Group 424
- falls, reduction of 135–63, 137–51  
 adherence to 156  
 adverse effects 157  
 as component of multifactorial interventions 159  
 components of 156  
 cost-effectiveness 152–3, 157  
 data extraction 136  
 health-care resource use 160  
 negative studies 159  
 Otago Exercise Program 136, 156, 158  
 quality assessment of studies 136  
 study designs 154  
 study quality 136  
 study samples and settings 154
- female athletes *see* women
- female athlete triad 176–7
- femoral neck, stress fractures 491, 497, 553
- femorotibial angle 441
- ferritin, serum levels 26
- fever 108–17, 117  
 and aerobic exercise capacity 109  
 definition 109  
 effects of 109  
 recommendations 110–11  
*see also* infection
- First World Conference on Sport-Related Concussion 27
- First World Congress on Sports Injury Prevention 3
- flamingo view 494
- flexibility 36
- footwear 538, 540, 545–6
- forced expiratory volume 245, 249, 250
- forced vital capacity 245, 249, 250
- fractures  
 Colles 171  
 and exercise 169–70  
 osteoporotic 167–80
- pubic ramus 491, 495, 501
- stress 76, 495  
 diagnosis 539–41, 540  
 femoral neck 491, 497, 553  
 healing 550  
 marathon runners 495  
 medial malleolus 553  
 metatarsals 553  
 navicular 553  
 pars interarticularis 553  
 patella 553  
 return to sport 541  
 sesamoid 553  
 talus 553  
 tibia 87, 553, 556  
 treatment 541–53
- friction rubs 480, 481
- fulcrum test 362
- full can test 307, 309, 310, 334, 336, 339
- gait analysis 588
- gastroprotectors 231  
 cost-effectiveness 230, 231  
 efficacy 231  
 side effects 231
- gender effect 171
- genetic predisposition effect 171
- genu recurvatum 548
- genu valgum 548
- genu varum 548
- glandular fever *see* infectious mononucleosis
- Glasgow Coma Scale 103
- glenohumeral joint *see* shoulder
- glenoid abrasion 372
- glide test *see* Sage test
- groin pain 491–505  
 background 492–3  
 causes 491  
 diagnosis 493–8  
 history and examination 493  
 management 498–502  
 provocation tests 493  
 referred 496  
 risk factors 502
- gymnasts  
 iron deficiency 26  
 spondylolysis 282, 283
- hamstring tendon  
 autograft 463–4  
 strain 65
- Hawkins test 304, 305, 324, 334, 336, 338
- heart  
 auscultation 23  
 murmurs 23  
*see also* cardiac
- heart rate, maximum 245, 249
- heel cord stretching 591
- heel pads  
 plantar fasciitis 591–2  
 stress fracture 540
- heel pain *see* plantar fasciitis

- hematological abnormalities 25–6
- hepatitis 108, 112–13
  - infectious mononucleosis 108, 113–16, 113
  - recommendations 111–12
- hepatitis A 112
- hepatosplenomegaly 123
- herniography 495
- high-impact exercise 173–4
- hip
  - abduction isometric strength 60–1
    - and low back pain 61
  - increasing bone density 172–4
- hip joint 492
  - arthroscopy 497
  - osteoarthritis 491, 497
  - synovitis 491, 497, 502
- histamine-2 antagonists 222
- Holz scale 574
- horizontal adduction cross body test 305, 339
- hormone replacement therapy 168, 174
- hydrocortisone 401
- hypertension 19
- hypertrophic cardiomyopathy 19–20, 21, 23, 24
  
- ibuprofen 237
  - cost-effectiveness 230
  - side effects 226, 227
  - see also* NSAIDs
- ice hockey players, shoulder dislocation 361, 366
- ice, in soft-tissue injuries *see* cryotherapy
- iliohypogastric nerve entrapment 496
- iliohypogastric neuropathy 491
- ilioinguinal nerve entrapment 496
  - management 501
- iliolumbar ligament lesion 491, 497
  - management 502
- iliopsoas muscle
  - bursitis 491, 496, 501
  - strain 491, 501
- iliotibial band syndrome 65, 73
- immobilization 208, 210
  - shoulder dislocation 371
- impingement
  - acromial 327
  - coracoid 327
  - internal 327
  - subacromial 330
  - Zlatkin staging 336
- impingement syndrome 396, 505
  - clinical tests 335
  - tests for 303–6
    - Hawkins test 324
    - internal rotation resistance stress test 305, 306
    - Neer sign 304, 305, 311, 324, 334, 336
- incremental cost-effectiveness ratio 224
- indomethacin
  - shoulder pain 401
  - side effects 226, 227
  - see also* NSAIDs
- infection 108–17, 117
  - catabolic effects of 110
  - hepatitis 108, 112–13
  - myocarditis 111–12
  - recommendations 110–11
  - see also* fever
- infectious mononucleosis 108, 113–16, 113
  - and aerobic capacity 113
  - hepatosplenomegaly 123
  - recommendations 114–16
  - splenic rupture 114, 115
  - symptoms 113
- infraspinatus atrophy 311
- infraspinatus tendon palpation 331
- inguinal canal 492
- inguinal hernia 491, 494
  - magnetic resonance imaging 495
  - management 500
  - soccer players 494
  - ultrasonography 495
- injections 198
  - epicondylitis 425–6
  - placebo 198
  - shoulder 334–5
  - see also* corticosteroids
- innate immune system 109
- insoles 546–7
  - polymer 540
  - shock-absorbing 538, 540
- instability
  - ankle 514
    - subtalar 515
  - shoulder 320–2, 322
    - apprehension-location test 320
    - apprehension test 320, 324
- intercondylar notch 442
- interleukin-1 $\beta$  328
- internal impingement 327
- internal rotation lag sign 309, 310, 324, 342
- internal rotation resistance strength test 340
- internal rotation resistance stress test 305, 306
- International Knee Documentation Committee 462
- iontophoresis 480, 482, 483
- iron deficiency 25–6
- isthmic spondylolysis 281, 284
  
- Jadad scale 4, 13
- J-curve theory 109
- Jobe relocation test 315
- Jobe's sign 306, 310
- jogging 37, 169, 247, 498, 551
- joints
  - ankle *see* ankle
  - elbow 225, 419
  - hip *see* hip joint
  - patellofemoral 441–3, 443
  - range of motion 548
  - sacroiliac 60, 494
  - shoulder *see* shoulder
  
- ketoprofen
  - side effects 226, 227
  - see also* NSAIDs

- kidney  
   injuries 120, 123  
   solitary 120, 123
- knee  
   biomechanics 443–4  
   laxity 444  
   osteoarthritis 237  
     NSAIDs in 224–5, 225, 226
- knee injuries 21, 437  
   anterior cruciate ligament *see* anterior cruciate ligament  
   lateral collateral ligament and posterolateral capsule 448  
   ligament examination 444–5  
   medial collateral ligament and medial capsule 447–8, 448  
   patellar tendinopathy 476–89  
     conservative treatment 477–83, 485  
     diagnostic criteria 485–6  
     duration of symptoms 486  
     outcome measures 486  
     recommendations 487  
     surgical treatment 483, 484, 485  
   physical examination 438–43  
     meniscal examination 438–40, 440  
     patellofemoral joint 441–3, 443  
   posterior cruciate ligament 445–7, 447
- labral tears 312–19, 313, 315–17  
   anterior apprehension test 314, 316  
   anterior slide test 314  
   biceps load test 314, 316  
   crank test 314, 315, 318, 324  
   Jobe relocation test 315  
   O'Brien test 314, 315, 316, 318, 324  
   Snyder's joint compression test 318  
   Speed's test 316, 319  
   Yergason's test 318, 319
- Lachman test 444, 445–6, 447
- lactic acid polymers 562
- laser therapy 538–9  
   epicondylitis 423  
   stress fracture 538, 540, 542
- lateral calcaneal nerve entrapment 590
- lateral collateral ligament 448
- lateral epicondylitis *see* epicondylitis
- lateral scapular slide test 330
- left ventricular hypertrophy 23, 24
- leg length discrepancy 547–8
- leisure-time physical activity 260, 261, 262, 263–4
- leptin 177
- lidocaine *see* lignocaine
- lift-off test 307, 310, 324
- ligaments  
   anterior cruciate *see* anterior cruciate ligament  
   calcaneofibular 208, 513  
     rupture 515  
   lumbal 491, 497, 502  
   injuries  
     prophylactic compression 214–17, 214  
     *see also individual ligaments*  
   lateral collateral 448  
   medial collateral 447–8, 448, 457, 458  
   posterior cruciate 445–7, 447  
   sacroiliac 491, 497, 502  
   talofibular 208, 513
- lignocaine 397, 398, 399, 400, 482
- likelihood ratio 336
- L'Insalata scale 375
- liver  
   enlargement 122  
   trauma 122
- load and shift test 320
- loss of consciousness 29–30, 98  
   *see also* concussion
- low back pain 60  
   acute 273  
   chronic 273–4  
   epidemiology 257  
   evidence-based medicine 258  
   exercise programs 64, 257–77, 276–7  
     calisthenics 260, 264, 265, 271  
     leisure-time physical activity/self-exercise/sport-specific programs 260, 261, 262, 263–4  
   McKenzie exercises 262, 265–6, 271  
   multimodal exercise programs/general exercise therapy 261, 262, 264, 267–8, 271–2  
   spinal stabilization program/core strengthening 61–2, 262, 268, 272  
   sport-specific programs 262–3  
   strengthening exercises 263, 268–9, 272–3  
   whole-body vibration 263, 270, 273  
   Williams/lumbar flexion exercises 263, 270, 273
- hip abduction isometric strength 61  
 and multifidus muscle weakness 62–3
- orthoses 73
- prevention  
   primary 257–8  
   secondary 264
- spondylolisthesis 63
- spondylolysis 63
- stabilization exercise program 64
- trunk muscle weakness 61
- lower urinary tract disorders 491
- low-intensity pulsed ultrasound, stress fracture 539, 540, 542–3
- low-intensity repetitive exercise 172–3
- lumbar flexion exercises 263, 270, 273
- lumiracoxib 227
- McKenzie exercises 262, 265–6, 271
- McMurray's test 439, 440, 440, 450
- macrophages 109
- magnetic resonance imaging  
   inguinal hernia 495  
   meniscal injury 440  
   shoulder 343, 345, 348–9, 350  
   spondylolysis 285, 288, 289  
   symphysis pubis 494
- Magnuson-Stack procedure 377, 380
- major histocompatibility complex 109

- Mandelbaum and Pavinini scale 574  
manipulation therapy 423  
marathon runners, stress fractures in 495  
Marlex mesh 562  
massage 480, 481  
maximum expiratory flow 245, 249, 250  
maximum oxygen consumption 245, 249  
maximum voluntary ventilation 245  
medial calcaneal nerve 586  
medial capsule 447–8, 448  
medial collateral ligament 447–8, 448  
tears 457, 458  
medial malleolus, stress fractures 553  
medial tibial stress syndrome 73, 76  
medical history 20–2, 21, 22  
Medical Society for Sports Medicine 112  
meloxicam 227  
meniscus  
injury 438–40, 440, 458  
repair 462  
protection of 461–2  
menopause 174–5  
menstrual status 548–9  
mepivacaine 401  
metatarsals, stress fractures 553  
methylprednisolone 398, 399, 400, 482  
misoprostol 222, 231, 237  
cost-effectiveness 230, 231  
efficacy 231  
side effects 231  
mitral valve prolapse 19  
modified Boyden score 574  
monocytes 109  
motion-controlling orthoses 80–2, 81,  
83–4  
randomized trials 82  
multifidus muscle weakness 62  
multimodal exercise programs 261, 262, 264,  
267–8, 271–2  
muscle atrophy, age-related 169  
muscle compliance 36, 52  
muscle exercises  
epicondylitis 429  
stress fracture 543  
muscle flexibility 548  
musculoskeletal evaluation 24–5, 25  
musculoskeletal injury 21–2  
myocarditis 108, 111–12  
return to activity 111–12  
myositis ossificans 497, 500, 501
- nabumetone 227  
naproxen 237  
cardioprotective effects 229  
shoulder pain 398  
side effects 226, 227  
*see also* NSAIDs  
National Sports Information  
Center Easy Search 492  
natural killer cells 109  
navicular, stress fractures 553  
Neer sign 304, 305, 311, 324, 334, 336, 338  
neovascularization 483  
nerve entrapment syndromes 496  
ilioinguinal nerve 496, 501  
lateral calcaneal nerve 590  
obturator nerve 491, 496  
posterior tibial nerve 590  
sural nerve 567  
neurogenic groin pain 496  
neutrophils 109  
night splints in plantar fasciitis 592  
nimesulide 227  
non-steroidal anti-inflammatory drugs  
*see* NSAIDs  
NSAIDs 222–37  
adductor muscle strain 501  
adverse effects 224  
and bone growth 234  
cost-effectiveness 224, 230  
efficacy 223–4  
epicondylitis 423–4  
gastrointestinal side-effects 222  
inclusion/exclusion criteria 223  
oral  
efficacy 224–5, 225, 226, 227  
side effects 225–7, 227  
outcome measures 223–4  
search strategy 222–3, 223  
shoulder pain 392–3  
stress fracture 542  
systematic literature search 222–3, 223  
topical 231–4  
efficacy 231–2, 232, 233, 233  
side effects 232, 233, 234  
vs corticosteroids 402, 403  
*see also* COX-2 inhibitors; NSAIDs  
number needed to treat 224, 394
- O'Brien test 314, 315, 316, 318, 324  
observation 330  
obturator nerve entrapment 491, 496  
oral anti-inflammatory tablets *see* NSAIDs  
orthoses 73–88, 85, 88  
biomechanical 77  
classification 73–4  
heel pads 540, 591–2  
insoles 538, 540, 546–7  
mechanism of action 74–5  
molded 77  
motion-controlling 80–2, 81, 83–4  
randomized trials 82  
plantar fasciitis 591–2  
prefabricated 77  
quality of trials 76  
search strategy 76  
shock-absorbing 77–80, 78–9  
randomized trials 80  
stress fracture 538, 540  
osteitis pubis 491, 493, 494  
bacterial 496  
flamingo view 494  
management 498–500  
surgery 499

- osteoarthritis
  - anterior cruciate ligament injury 461
  - hip joint 491
  - knee 237
    - NSAIDs in 224–5, 225, 226
- osteomyelitis 491, 539
  - bony pelvis 495
  - symphysis pubis 495
- osteoporosis 589
  - cross-sectional studies 170–1
  - definition of 167–8
  - exercise programs 171–80, 171
    - adverse effects 176–7
    - increasing bone density at spine and hip 172–4
    - whole-body microvibration 175–6
    - wrist strengthening 171–2
  - menopause 174–5
  - prophylaxis and treatment 168, 168
- Oswestry Disability Questionnaire 258
- Otago Exercise Program 136, 156, 158
- Oxford Centre for Evidence-based Medicine 7
- Oxford Shoulder Score 329, 352
- oxygen-ozone treatment 290
  
- Paget's disease 589
- painful arc test 305, 337
- pain-killing injection 198
- pain relief
  - adductor muscle strain 501
  - epicondylitis 425–6
  - osteitis pubis 499
  - patellar tendinopathy 480, 482, 483
  - shoulder pain 391–414
    - see also* corticosteroids; NSAIDs
- pain relief score 223
- palpation 330–1, 331
- pamidronate 499
- paracetamol 237
- parachuters, ankle sprains in 529
- parathyroid hormone 541–2
- pars interarticularis 284, 293
  - stress fractures 553
    - see also* spondylolysis
- passive elevation test 337
- passive external rotation 337
- patellar stress fractures 553
- patellar tendinopathy 476–89
  - conservative treatment 477–83, 485
    - exercise 477–80, 478–9
    - massage/frictions 480, 481
    - pharmacotherapy 480, 482, 483
  - diagnostic criteria 485–6
  - duration of symptoms 486
  - outcome measures 486
  - recommendations 487
  - surgical treatment 483, 484, 485
- patellar tendon
  - autograft 463, 464
  - palpation 330
- patellofemoral joint
  - injury 441–3, 443
  - pain 60, 65
    - NSAIDs in 225
  - orthoses 73
- patent ductus arteriosus 19
- peak bone mass 167, 171
- peak expiratory flow rate 245, 249, 251
- PEDro scores 76, 80
  - cryotherapy 190, 194–5
- pelvic disorders 491
- pelvic musculature 492
- Percy and Connochie scale 574
- Perthes disease 491, 497
  - management 501
- pes cavus 547, 588
- pes planus 547, 588
- phagocytes 109
- phonophoresis 480, 482, 483
- Physical Activity and Health: a Report from the Surgeon General* 13
- physical examination 22–7, 25
  - ankle 513–17
  - groin pain 493
  - knee injuries 437–50
    - anterior cruciate ligament 444–5
    - posterior cruciate ligament 445
  - plantar fasciitis 588–9
  - preparticipation 18–30, 25
    - athletic mortality and morbidity 19–20, 20
    - determination of clearance 27
    - disadvantages of 28
    - medical history 20–2, 21, 22
    - rates of clearance 20
- physiotherapy
  - epicondylitis 422–3
  - shoulder pain 391–414, 403, 404–5
    - effectiveness 410–11, 413
    - vs corticosteroids 403, 406–7, 408, 408
- Pilates, Joseph 59
- piroxicam
  - side effects 226, 227
    - see also* NSAIDs
- placebo injection 198
- plantar fascia 586
- plantar fasciitis 73, 75, 586–99, 596
  - anatomy 586
  - diagnosis 587
  - differential diagnosis 589–90, 589
    - musculoskeletal 589–90
    - neuralgia 590
    - systemic disease 590
  - etiology 587
  - history 588
  - physical examination 588–9
  - treatment 590–5
    - casting 592–3
    - extracorporeal shock-wave therapy 593–4
    - heel cord stretching 591
    - heel pads and orthotics 591–2
    - night splints 592
    - radiofrequency therapy 594

- plantar fasciitis (*Cont'd*)  
 rest 590–1  
 steroid therapy 593–4  
 surgery 594–5  
 taping 592  
 windlass effect 587
- plica syndrome 70
- pneumatic air braces 538  
 stress fractures 549–50  
*see also* bracing
- polidocanol 482
- polymer insoles for stress fracture 540
- pool running *see* deep water running
- postconcussion syndrome 94, 98–9  
 symptoms 99
- posterior abdominal wall deficiency 500
- posterior cruciate ligament 445–7, 447  
 examination 445
- posterior drawer test 320, 447
- posterior tibial nerve entrapment 590
- posterolateral capsule 448
- prednisolone 399
- preparticipation physical examination 18–30, 25  
 athletic mortality and morbidity 19–20, 20  
 determination of clearance 27  
 disadvantages of 28  
 medical history 20–2, 21, 22  
 rates of clearance 20
- Preparticipation Physical Examination Task Force 18–19, 20
- Prevention of Falls Network Europe 155
- prevention of injury 3–15  
 ankle sprains 519–35, 520, 523–5  
 core strengthening 60–2, 66–9  
 data abstraction 5–6  
 educational programs 6–7  
 effectiveness of programs 8–10  
 exercise programs 6, 7, 8, 9  
 low back pain 257–8  
 orthoses 73–88  
 protective/prophylactic equipment 6, 8, 9, 12  
 recommendations 14  
 retrieval of published studies 4  
 sequence of prevention 3  
 stretching 36–54, 40–51, 41, 42–5, 46–7, 50  
 study quality 4–5
- primary abdominal musculofascial abnormality 494
- proprioceptive neuromuscular facilitatory stretching 39
- prostacyclin 229
- protective equipment 6, 8, 9, 12
- proton pump inhibitors 222, 231
- pubalgia 494
- pubic ramus  
 fractures 491, 495, 501  
 osteomyelitis 491
- pubic symphysis 493
- pulmonic stenosis 19
- punch-drunk syndrome 94, 100–1, 103
- Putti-Platt procedure 377, 380
- Q angle 441, 548
- quadriceps active test 447
- quality-adjusted life-years 223  
 anterior cruciate injury 460
- radicular neuropathy 491
- radiofrequency therapy, plantar fasciitis 594
- radiography, in spondylolysis 285, 285, 286
- randomized trials  
 corticosteroids 395, 396  
 internal validity 393  
 prevention of injury 5–6, 5  
 range of movement 36–7, 38–9
- rectus femoris strain 491, 496–7  
 management 501
- regression analysis 48
- rehabilitation, cryotherapy 200–1
- Reiter's syndrome 590
- renal transplantation 126
- rent test 330, 342
- return to sport  
 concussion 96, 96, 97  
 life-threatening brain injury 101–2, 102  
 myocarditis 111–12  
 stress fracture 541
- RICE 201, 208, 209
- risedronate 538, 540
- risk factors  
 abdominal injuries 126–7  
 cardiovascular 22  
 groin pain 502  
 stress fracture 545–9, 546  
 stress fractures  
 biochemical abnormalities 547–8  
 dietary intake 549  
 footwear and insoles 546–7  
 menstrual status 548–9  
 muscle flexibility and joint range of motion 548  
 training 545–6
- rofecoxib 227, 228  
 cost-effectiveness 230
- Roland Morris Questionnaire 258
- rotator cuff strength 309  
 clinical tests 334–6  
 injections 334–5
- rotator cuff tears 306–12, 308–11  
 biopsy 328  
 diagnostic tests 327–55  
 for, search strategy 329  
 observation 330  
 palpation 330–1, 331
- infraspinatus atrophy 311
- pathology 328
- tests for 310  
 belly-press test 307  
 drop sign 309, 310  
 empty can test 306, 309, 310, 324, 336  
 external rotation lag sign 309, 310, 324  
 full can test 307, 309, 310, 334, 336  
 internal rotation lag sign 309, 310, 324  
 Jobe's sign 306, 310

- lift-off test 307, 310, 324
- Neer sign 304, 305, 311
- supraspinatus test 306, 311
- rotator cuff tendinitis 327, 328, 391, 396
- rotator cuff tendinosis 327
- rotator cuff tendon palpation 330
- Rowe rating scale 362, 374, 376
- rowers, spondylolysis in 283
- rugby players
  - hip lesions 497
  - osteitis pubis 499
- runners *see* track and field
- sacroiliac joint
  - pain 60
  - slip 494
- sacroiliac ligament lesion 491, 497
  - management 502
- Sage test 441, 442
- scintigraphy 539
- scrotal injury 126, 131
- self-exercise 260, 261, 262, 263–4
- semi-rigid braces 12
- semi-rigid casts 211
- sesamoid, stress fractures 553
- Sever's disease 589, 597
- shin splints 73, 87
- shock-absorbing orthoses 77–80, 78–9
  - heel pads
    - plantar fasciitis 591–2
    - stress fracture 540
  - insoles 538, 540
  - randomized trials 80
- shoe types, and ankle sprains 527
- shoulder 303–25
  - biceps tendon pathology 319
  - clinical tests 335–6, 337–42
    - drop-arm sign 305, 341
    - drop sign 309, 310, 341
    - empty can test 306, 309, 310, 324, 336, 339
    - external rotation 340
    - external rotation lag sign 309, 310, 324, 341
    - full can test 307, 309, 310, 334, 336, 339
    - Hawkins test 304, 305, 324, 334, 336, 338
    - horizontal adduction cross body test 305, 339
    - internal rotation lag sign 309, 310, 324, 342
    - internal rotation resistance strength test 340
    - Neer sign 304, 305, 311, 324, 334, 336, 338
    - painful arc test 305, 337
    - passive elevation test 337
    - passive external rotation 337
    - speed 339–40
    - transdeltoid palpation (rent test) 342
    - Yergason test *see* Yergason test
  - imaging 343–50
    - magnetic resonance imaging 343, 345, 348–9, 350
    - ultrasound 344–5, 346–7
  - impingement syndrome 303–6, 505
  - injections 334–5
  - labral tears 312–19, 313, 315–17
  - range of movement 331, 332–3
  - rotator cuff tears *see* rotator cuff tears
  - strength measurement 334
  - subacromial bursitis 304
  - subscapularis rupture 208
  - tendon palpation 330–1, 331
- shoulder dislocation 361–87
  - cost-benefit ratio 380, 382, 383, 384, 386
  - ice hockey players 361, 366
  - incidence 361
  - natural history 364–71
    - athletes 366–7, 368
    - general population 364–5, 365
    - need for surgery 367, 369–71, 370
    - young population 365–6, 365
  - recurrence rates 365, 370
  - study quality 363, 364
  - treatment
    - immobilization 371
    - surgery 372–82, 373, 378, 379
    - young athletes 382–3
- shoulder instability 320–2, 322
  - apprehension-location test 320
  - apprehension test 320, 324
- shoulder laxity 319–20, 321
  - load and shift test 320
  - posterior drawer test 320
- shoulder pain
  - acupuncture 400
  - corticosteroids 391–414
    - adverse reactions 409
    - long-term outcomes 408–9
    - randomized trials 395, 396
    - vs NSAIDs 402, 403
    - vs physiotherapy 403, 406–7, 408, 408
    - vs placebo 396–402, 397–401, 402
  - NSAIDs 392–3
  - physiotherapy 391–414, 403
- Shoulder Pain and Disability Index 329
- shoulder weakness 334
- Single Assessment Numeric Evaluation (SANE) 374, 382
- single photon emission computed tomography, spondylolysis 285–6, 286, 289
- sinus bradycardia 23
- skiers, anterior cruciate ligament injury 467, 469
- slipped capital femoral epiphysis 491, 497
  - management 502
- Slocum test 445
- snapping hip syndrome 491, 496
- Snyder's joint compression test 318
- soccer players
  - ankle injuries 517
  - anterior cruciate ligament injury 469
  - asthma 254
  - compression 204
  - cryotherapy 204
  - groin pain 493
  - hip lesions 497
  - inguinal hernia 494
  - spondylolysis 283
  - sudden cardiac death 19

- soft-tissue injuries 189–204  
*see also* knee injuries
- solitary kidney 120, 123
- solitary testicle 131
- South Manchester Back Pain Study 257
- Speed's test  
 labral tears 316, 319  
 rotator cuff tears 304, 305
- speed test 339–40
- spinal stabilization programs 262, 268, 272
- spine, increasing bone density 172–4
- splenic rupture 114, 115, 122
- splenic trauma 122–3
- spondylolisthesis 63, 283, 290
- spondylolysis 63, 281–96  
 clinical implications 294  
 clinical presentation 284  
 current management 292  
 diagnostic imaging 285–9, 285–8  
 disk degeneration 283–4  
 epidemiology 282–4, 282  
 genetic tendency 284  
 incidence 282  
 isthmic 281, 284  
 natural history 282–4, 282  
 pathophysiology 284  
 slip progression 283  
 treatment 289–91, 291
- SportDiscus database 492
- sports hernia *see* inguinal hernia
- sport-specific exercise programs 262–3, 263–4
- squash players, hip lesions in 497
- standardized mean differences 394
- Staphylococcus aureus* 495
- stirrup orthoses 12
- strengthening exercises 263, 268–9, 272–3
- strength training 173
- stress fractures 76, 495  
 diagnosis 539–41, 540  
 femoral neck 491, 497, 553  
 healing 550  
 marathon runners 495  
 medial malleolus 553  
 metatarsals 553  
 navicular 553  
 pars interarticularis 553  
 patella 553  
 return to sport 541  
 sesamoid 553  
 talus 553  
 tibia 87, 553, 556  
 treatment 541–53, 554  
 bracing 549–50  
 electrical stimulation 542  
 low-energy laser 542  
 low-intensity pulsed ultrasound 542–3  
 maintenance of fitness 543–4, 545  
 modification of risk factors 545–9, 546  
 muscle strengthening 543  
 pain relief 541  
 pharmaceutical therapies 541–2  
 specific 553, 553  
 surgery 552
- stress reactions 538
- stress tests 448
- stretch-induced hypertrophy 40
- stretching  
 dynamic stretching 37  
 improper technique 37  
 and injury prevention 40–51, 41, 42–5, 46–7, 50  
 conclusions 52–3  
 equivocal studies 49  
 negative studies 44–5, 48  
 positive studies 41, 42–3, 48, 50, 51  
 physiology 38–40  
 immediate effects 38–9  
 long-term effects 39–40  
 proprioceptive neuromuscular facilitatory 39  
 range of movement 36–7, 38–9
- stretch relaxation 38
- subacromial bursitis 304
- subacromial impingement 330
- subscapularis tendon  
 palpation 331  
 rupture 208
- substance P 329
- subtalar instability 515
- sudden cardiac death 19, 23, 29–30
- superior labrum anterior-posterior (SLAP) lesion 306, 312
- supraspinatus tendinitis 327
- supraspinatus tendon palpation 331
- supraspinatus test 306, 311
- sural nerve entrapment 567
- surgery  
 anterior cruciate ligament injury 461–3  
 arthroscopic knee surgery 196, 204  
 patellar tendinopathy 483, 484, 485  
 plantar fasciitis 594–5  
 shoulder dislocation 372–82, 373, 378, 379  
 complications 380–1  
 need for 367, 369–71, 370  
 outcomes assessment 381–2  
 technique 377–80, 378, 379  
 stress fracture 552  
*see also* arthroscopy
- symphysis pubis 492  
 magnetic resonance imaging 494  
 osteomyelitis 495
- systemic lupus erythematosus 590
- systolic murmurs 23
- talofibular ligaments 208
- talus, stress fractures 553
- taping 209, 210, 213–17  
 ankle injuries 516  
 ankle sprains 521–2, 526–7  
 plantar fasciitis 592
- Tegner's score 574
- tennis elbow *see* epicondylitis
- tennis players, knee injury 450
- tenotomy 427–8

- teres minor tendon palpation 331
- testicular injury 124, 125, 131
- thermotherapy, ankle injury 196
- three-strike rule 93
- thromboxane 229
- tibial stress fractures 87, 553, 556
- tibial torsion 548
- tilt test 442
- Tinel's sign 588
- T-lymphocytes 109
- tolmetin sodium 400
- track and field
  - groin pain 505
  - spondylolysis 282, 283
  - sudden cardiac death 19
- training duration effect 171
- training modification, stress fracture 540
- transdeltoid palpation *see* rent test
- triamcinolone 397, 398, 399, 401
- trunk muscle weakness 61
- Tubigrip 211, 212
- tumor necrosis factor- $\alpha$  328
  
- ultrasound
  - epicondylitis 423
  - inguinal hernia 495
  - low-intensity pulsed 539, 542–3
  - shoulder 344–5, 346–7
- upper respiratory tract infection 108
  
- Valsalva's maneuver 23
- vascular endothelial growth factor 328
- ventricular septal defect 19
- Victorian Institute of Sport Assessment (VISA)
  - score 480, 485
- VIGOR trial 227, 229
  
- Vioxx *see* rofecoxib
- viral hepatitis *see* hepatitis
- viscoelasticity 38, 39–40
- Visick's scale 574
- visual analogue scales 394, 480, 574
- vodalecoxib 227
- volleyball players
  - ankle sprains 529, 530–1
  - prophylactic compression 216–17
  - shoulder dislocation 387
  - spondylolysis 295–6
  
- walking 172
- warm-up 37
- weighted mean difference 223–4, 246
- weight lifters, spondylolysis in 282, 283
- Western Ontario Shoulder Instability Index 362, 375, 381
- wheeze 249, 251
- whole-body vibration 175–6
  - low back pain 263, 270, 273
- Williams flexion exercises 263, 270, 273
- windlass effect 587
- women
  - bone density 546, 549
  - female athlete triad 176–7
  - medical history 22
  - menstrual status 548–9
- wrestlers, spondylolysis 282
- wrist, strengthening 171–2
  
- xylocaine 397
  
- Yergason test 330, 340
  - labral tears 318, 319
  - rotator cuff tears 304, 305
- young people *see* adolescents