

# Contents of Volume 1 (Methods, Tables)

## Methods

|            |   |           |
|------------|---|-----------|
| <b>1</b>   | <b>Introduction</b>   | <b>3</b>  |
| <b>2</b>   | <b>Experimental Section</b>   | <b>4</b>  |
| <b>2.1</b> | <b>Origin and choice of samples</b>   | <b>4</b>  |
| <b>2.2</b> | <b>Sample preparation</b>   | <b>4</b>  |
| 2.2.1      | Standard extraction procedures  | 4         |
| 2.2.1.1    | Standard liquid-liquid extraction (LLE) for plasma, urine or gastric contents (P, U, G)   | 4         |
| 2.2.1.2    | STA procedure (hydrolysis, extraction and microwave-assisted acetylation) for urine (U+UHYAC)                                       | 5         |
| 2.2.1.3    | Extraction of urine after cleavage of conjugates by glucuronidase and arylsulfatase (UGLUC)   | 5         |
| 2.2.1.4    | Extractive methylation procedure for urine or plasma (UME, PME)   | 5         |
| 2.2.1.5    | Solid-phase extraction for plasma or urine (PSPE, USPE)   | 5         |
| 2.2.1.6    | LLE of plasma for determination of drugs for brain death diagnosis  | 6         |
| 2.2.1.7    | Extraction of ethylene glycol and other glycols from plasma or urine followed by microwave-assisted pivalylation (PEGPIV or UEGPIV) | 6         |
| 2.2.2      | Derivatization procedures   | 6         |
| 2.2.2.1    | Acetylation (AC)  | 7         |
| 2.2.2.2    | Methylation (ME)  | 7         |
| 2.2.2.3    | Ethylation (ET)   | 7         |
| 2.2.2.4    | tert.-Butyldimethylsilylation (TBDMS)   | 7         |
| 2.2.2.5    | Trimethylsilylation (TMS)   | 7         |
| 2.2.2.6    | Trimethylsilylation followed by trifluoroacetylation (TMSTFA)   | 7         |
| 2.2.2.7    | Trifluoroacetylation (TFA)  | 7         |
| 2.2.2.8    | Pentafluoropropionylation (PFP)   | 7         |
| 2.2.2.9    | Pentafluoropropylation (PFPOL)  | 7         |
| 2.2.2.10   | Heptafluorobutyrylation (HFB)   | 7         |
| 2.2.2.11   | Pivalylation (PIV)  | 8         |
| 2.2.2.12   | Heptafluorobutyrylpropylation (HFBP)  | 8         |
| <b>2.3</b> | <b>GC-MS Apparatus</b>  | <b>8</b>  |
| 2.3.1      | Apparatus and operation conditions  | 8         |
| 2.3.2      | Quality assurance of the apparatus performance  | 8         |
| <b>2.4</b> | <b>Determination of retention indices</b>   | <b>10</b> |
| <b>2.5</b> | <b>Systematic toxicological analysis (STA) of several classes of drugs and their metabolites by GC-MS</b>                           | <b>10</b> |
| 2.5.1      | Screening for 200 drugs in blood plasma after LLE   | 10        |
| 2.5.2      | Screening for most of the basic and neutral drugs in urine after acid hydrolysis, LLE and acetylation                               | 10        |
| 2.5.3      | Systematic toxicological analysis procedures for the detection of acidic drugs and/or their metabolites                             | 14        |
| 2.5.4      | General screening procedure for zwitterionic compounds after SPE and silylation   | 14        |
| <b>2.6</b> | <b>Application of the electronic version of this handbook</b>   | <b>15</b> |
| <b>2.7</b> | <b>Quantitative determination</b>   | <b>15</b> |
| <b>3</b>   | <b>Correlation between Structure and Fragmentation</b>  | <b>16</b> |
| <b>3.1</b> | <b>Principle of electron-ionization mass spectrometry (EI-MS)</b>   | <b>16</b> |
| <b>3.2</b> | <b>Correlation between fundamental structures or side chains and fragment ions</b>  | <b>16</b> |

|            |   |
|------------|---|
| <b>4</b>   | <b>Formation of Artifacts 17</b>  |
| <b>4.1</b> | <b>Artifacts formed by oxidation during extraction with diethyl ether 17</b>  |
| 4.1.1      | N-Oxidation of tertiary amines 17   |
| 4.1.2      | S-Oxidation of phenothiazines 17  |
| <b>4.2</b> | <b>Artifacts formed by thermolysis during GC (GC artifact) 17</b>   |
| 4.2.1      | Decarboxylation of carboxylic acids 17  |
| 4.2.2      | Cope elimination of N-oxides $-(\text{CH}_3)_2\text{NOH}$ , $-(\text{C}_2\text{H}_5)_2\text{NOH}$ , $-\text{C}_6\text{H}_{14}\text{N}_2\text{O}_2$ 17 |
| 4.2.3      | Rearrangement of bis-deethyl flurazepam $(-\text{H}_2\text{O})$ 17  |
| 4.2.4      | Elimination of various residues 17  |
| 4.2.5      | Methylation of carboxylic acids in methanol ((ME), ME in methanol) 18   |
| 4.2.6      | Formation of formaldehyde adducts using methanol as solvent (GC artifact in methanol) 18  |
| <b>4.3</b> | <b>Artifacts formed by thermolysis during GC and during acid hydrolysis (GC artifact, HY artifact) 18</b>   |
| 4.3.1      | Dehydration of alcohols $(-\text{H}_2\text{O})$ 18  |
| 4.3.2      | Decarbamylation of carbamates 18  |
| 4.3.3      | Cleavage of morazone to phenmetrazine 18  |
| <b>4.4</b> | <b>Artifacts formed during acid hydrolysis 18</b>   |
| 4.4.1      | Cleavage of the ether bridge in beta-blockers and alkanolamine antihistamines (HY) 18   |
| 4.4.2      | Cleavage of 1,4-benzodiazepines to aminobenzoyl derivatives (HY) 18   |
| 4.4.3      | Cleavage and rearrangement of N-demethyl metabolites of clobazam to benzimidazole derivatives (HY) 19   |
| 4.4.4      | Cleavage and rearrangement of bis-deethyl flurazepam (HY $-\text{H}_2\text{O}$ ) 19   |
| 4.4.5      | Cleavage and rearrangement of tetrazepam and its metabolites 19   |
| 4.4.6      | Dealkylation of ethylenediamine antihistamines (HY) 19  |
| 4.4.7      | Hydration of a double bond $(+\text{H}_2\text{O})$ 19   |

**5 Table of Atomic Masses 20**

**6 Abbreviations 21**

**7 References 24**

**Tables**

**8 Table of Compounds in Order of Names 35**

**8.1 Explanatory notes 35**

**8.2 Table of compounds in order of names 37**

**9 Table of Compounds in Order of Categories 189**

**9.1 Explanatory notes 189**

**9.2 Table of compounds in order of categories 189**

## **Contents of Volume 2 (Mass Spectra)**

|            |                               |          |
|------------|-------------------------------|----------|
| <b>1</b>   | <b>Explanatory Notes</b>      | <b>1</b> |
| <b>1.1</b> | <b>Arrangement of spectra</b> | <b>1</b> |
| <b>1.2</b> | <b>Lay-out of spectra</b>     | <b>1</b> |
| <b>2</b>   | <b>Abbreviations</b>          | <b>3</b> |
| <b>3</b>   | <b>Compound Index</b>         | <b>7</b> |

|  |                     |           |
|--|---------------------|-----------|
|  | <b>Mass Spectra</b> | <b>89</b> |
|--|---------------------|-----------|