

# Index

**Note to the reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## Symbols and Numbers

# (hash sign), for shell prompt, 637  
 %ACTV counter, 542  
 %ACTVF counter, 542  
 %ACTVN counter, 542  
 %ACTVS counter, 542  
 %WAIT counter, 541–542  
 / (slash), for Linux root, 23  
 000#.vmdk file, 273

## A

access port, 140, 160  
 acknowledged alarm, 529  
 active/active storage array, 227–228  
 Active Directory, 571–572  
   domain, 59  
   domain controllers  
     and hot migrations, 373  
     as LDAP server, 591  
   integration, 559–561  
   settings, 99  
   user accounts, 77  
 Active Directory Users And Groups snap-in, 393  
   user account for management cluster, 466  
 active/passive storage array, 227–228  
 adaptive scheme, planning best practices, 313  
 Add Adapter Wizard, Adapter Selection, 167  
 Add Hardware Wizard  
   Advanced Options page, 463  
   Create a Disk page, 279  
   Device Type page, 341  
   Network Type page, 341  
 Add Host To Distributed Virtual Switch Wizard  
   Ready to Complete, 186  
   Select host and physical adapters, 185  
 Add Network Wizard, 149–150, 158  
   Connection Type, 150  
   Service Console - Network Access, 151

Add New Role dialog, 388  
 Add Nodes Wizard, Analyzing Configuration, 469  
 Add Storage dialog, 252  
   Disk/LUN - Formatting, 253  
   Ready to Complete, 253  
 Add To Analysis dialog box, 368–369, 369  
 Add Virtual Adapter Wizard, 195  
 Address Resolution Protocol (ARP), 456  
 Administration menu  
   Roles command, 100  
   Sessions menu, 100  
   vCenter Server Settings command, 95  
 administrator password, 35  
 Administrator role  
   in ESX/ESXi host, 387  
   in vCenter Server, 398  
 Administrators group, 571  
 Advanced Options (HA) dialog box, 489–490  
 Advanced Settings dialog, 269  
 aggregate capacity, 7, 8  
 aggregates, 223  
 Alarm Settings dialog box, Triggers tab, 524  
 alarms, 520–529  
   built-in, 527  
   creating, 522–528  
   editing or deleting, 528  
   email for sending, 99  
   managing, 528–529  
   multiple trigger conditions, 527, 527  
   resetting status to green, 529, 529  
   scopes, 521–522  
 Alarms privilege, 399  
 Alarms tab  
   for dvPort group, 191  
   in vSphere Client window, 87  
   in Web Console, 406  
 alerts, 299, 300  
 aligning  
   virtual disks, 276–277  
   virtual machine file systems, 346–347  
   volumes in VMFS, 256  
 allocation size, of file systems, 252  
 AllowGroups attribute, for SSH, 562  
 AllowUsers attribute for SSH, 562  
   TCP wrappers and, 564  
 ALUA (Asymmetrical Logical Unit Access), 227  
   PSP for, 306  
 AMD, eXecute Disable (XD), 437  
 AMD-V, 437  
 answer script for unattended install, location for, 37  
 anti-affinity rule, creating DRS, 445–446  
 Apache Tomcat web service, 76, 406  
 application-level security, 555  
 arbitrated loop (FC-AL) mode, for Fibre Channel protocol, 229–230, 230  
 ARP (Address Resolution Protocol), 456  
 array integration, vStorage APIs for, 308–309  
 array software, 221  
 Assign Permissions dialog box, 389  
 Asymmetrical Logical Unit Access (ALUA), 227  
   PSP for, 306  
 asynchronous mode (SRDF/A), 516  
 attributes, custom, 94–95  
   as search criteria, 95, 96  
 auditing, Service Console files, 567–569  
 authentication, 556–561. *See also* Windows authentication  
   for connection to vCenter Server, 6  
   of users, centralizing, 59–60  
 automated data movement, by array software, 221  
 Automatic Availability Manager (AAM), 473–474, 486

automation. *See also* vCenter Orchestrator  
 with PowerShell and PowerCLI, **597–605**  
 reasons to use, **587–588**  
 availability  
 planning best practices, 313  
 storage infrastructure design and, 216  
 of vCenter Server, planning, **64–65**  
 of virtual machine, 218  
 average bandwidth, 177

## B

back-end database, 62  
 for vCenter Orchestrator, 589  
 setup, **592–593**  
 for vCenter Server, 4  
 configuring, **67–73**  
 retention policy, 99  
 backup strategy, 10  
 balloon driver, 413, 414, 418  
 bandwidth, 217  
 for large I/O sizes, 265  
 for shared storage, 222  
 for virtual machines, 146  
 for virtual network adapter, 177  
 bare-metal hypervisors, 2  
 baseline groups, 115–117, 116  
 baselines  
 for remediation, attaching and detaching, **121–123**  
 for VUM, 114  
 beacon probing failover detection setting, 172–174, 173, 174  
 best practices  
 published, 218  
 for security, 583  
 vendor, storage timeouts and, 269  
 VMware vSphere, **645–652**  
 disaster recovery and business continuity, **651**  
 ESX/ESXi installation, **645–646**  
 monitoring and troubleshooting, **652**  
 storage management, **649**  
 vCenter Server, **646–647**  
 virtual machines, **650**  
 virtual network, **648–649**  
 bidirectional CHAP, 235  
 binding  
 iSCSI initiator to multiple interfaces, **293–297**  
 physical network adapter, to vSwitch, 159

blade form factor  
 and limits on network interface cards, 21  
 physical memory constraints, 546  
 block-centric storage arrays, queues for, 257  
 block storage devices, 266  
 Blocked policy option, 193, 193  
 blue screen of death (BSOD), 25  
 boot CD for VMware Converter, downloading, 378  
 Boot Options command, 39  
 /boot partition, 24  
 booting, from CD/DVD drive, 333  
 Broadcom BN2 Gigabit Ethernet network ports, 147  
 Broadcom TG3 Gigabit Ethernet network ports, 147  
 “building bet-the-business Ethernet”, 243–244  
 burst size, 177  
 business continuity  
 back-end database and, 68  
 best practices, **651**  
 planning for, 64  
 BusLogic parallel SCSI controller, 325  
 BusyBox, 556

## C

C#, 588  
 cache memory, for array software, 222  
 calculator, online TCO, 14  
 capacity  
 in design process, 309  
 planning best practices, 312  
 case sensitivity, of port group names, 436–437  
 Cat6a cables, for iSCSI network, 243  
 cd command, 637  
 CD/DVD  
 ISO image as, 333  
 mounting drive in Linux, 338  
 Celerra Create Filesystem Wizard, 262  
 centralized restore, 508, 508  
 Challenge Authentication Protocol (CHAP), 235–236  
 CHAP (Challenge Authentication Protocol), 235–236  
 Chart Options link, 532, 533  
 CIFS (Common Internet File System), 509  
 Cisco, on Private VLANs, 199  
 Cisco Nexus 1000V distributed virtual switch, 199, **200–206**  
 configuring, **204–206**  
 installing, **201–204**  
 ISO image for, 201  
 major components, 200  
 support for multiple uplink groups, 204  
 updating, 103  
 Cisco switches, virtual switches on, 176  
 cisco\_nexus\_1000v\_extension.xml file, 202  
 Citrix, 408  
 Citrix XenServer, 2  
 vs. VMware vSphere, **11**  
 Client Device option, for mapping disk to virtual machine, 331  
 client-server architecture, 57  
 Clone To Template feature, 351, 352–354, 353  
 Clone Virtual Machine Disk Format wizard, 280  
 Clone Virtual Machine to Template Wizard  
 Disk Format page, 353  
 Name and Location page, 353  
 clones  
 of roles in vCenter Server, 399  
 of server, 66  
 virtual disk behavior change from, 279–280  
 of virtual machines, 358  
 cluster across boxes, 458  
 configurations, **460–469**, 462  
 first cluster node creation, **462–465**  
 management cluster creation, **466–467**, 468  
 second cluster node creation, **465–466**  
 second node added to management cluster, 468, 468–469  
 cluster feasibility analysis, 466  
 cluster in box, 458  
 scenarios, 459, **459–460**  
 cluster objects, Virtual Machine tab, performance summary, 519–520  
 Cluster Resources custom chart setting, 540  
 Cluster Services resource type, 538  
 cluster-wide rescan, **300**  
 clustered file system, 250  
 clusters, 7, **441–442**  
 attaching baselines, 122  
 CPU affinity and, 424  
 HA-enabled, for VMware Fault Tolerance, 492  
 limiting number of hosts in, 441  
 resource distribution within, 538

- and resource pools, 442, 442
- of virtual machines, 455–470
  - for Windows Server, 458–459
- cold migrations, 371, 378–379
- Common Internet File System (CIFS), 509
- community secondary VLAN, 198
- comparing files, diff command for, 569, 569
- compliance, with baseline, 124
- Computer Management, 465
- confidence level for analyzed systems, 370
- config.js file, 507–508
- Configuration tab, in vSphere
  - Client window, 87
- Configure Management Network menu, 156, 157
- Connect-VIServer command, 599
- connection
  - between iSCSI target and initiator, pinging, 239–240
  - between PowerCLI and vSphere environment, 599
  - to remote server with resxtop, 543
  - to vCenter Converter with vCenter Server, 363
  - for vCenter Orchestrator, 590–591
    - between vSphere Client and vCenter Server instance, 558
- console operating system (COS), 23. *See also* Service Console
- Console tab, in Web Console, 407, 408
- consolidated backup, 10, 10
- Consolidation Wizard, 370
  - Review Recommendations, 371
- continuous ping, 435
- controllers, 226
- converged enhanced Ethernet (CEE), 244
- conversion tools, 361–367
  - Guided Consolidation service, 361
    - confidence level for analyzed systems, 370
    - dedicated user account for, 366
    - domain and, 367
    - installing, 364–367, 366
    - integrating into vSphere Client, 367
    - permissions and privileges, 365–366
    - using, 367–371
  - vCenter Converter, 361, 371–379
    - cold migrations, 378–379
    - hot migrations, 373–378, 374, 375
    - installing, 361–364, 362
- Convert To Template feature, 351, 352
- copy run start command, 203
- copying kickstart file, 40
- COS (console operating system), 23. *See also* Service Console
- counters, 547. *See also* Customize Performance Chart dialog box descriptions, 534 variations in values, 523–524
- cp command, 638
- CPU
  - allocation, 420–425
    - assigning custom shares value, 423–425
    - default allocation, 421
    - setting custom limit, 422–423
  - cores, 63
  - esxtop to view interrupts, 542
  - graph for virtual machine, 544–545
  - performance monitoring, 543–546
  - point of diminishing returns
    - for adding, 20
  - requirements for VMotion, 437
- CPU affinity
  - avoiding settings, 425
  - clusters and, 424
- CPU Identification Mask dialog box, 450
- CPU masking, per-virtual machine, 448–450
- CPU Ready counter, 545
- CPU Reservation, in resource pool, 430
- CPU Used (%Used) counter, 541
- “crash consistent” behavior, 256
- Create A New Certificate Database And Server Certificate link, 593
- Create a New Data Source Wizard, 107
- Create Distributed Virtual Port Group Wizard, 188–189, 189
  - for dvPort group using PVLANS, 199, 199
- Create New Data Source To SQL Server dialog box, 72–73
- Create New Virtual Machine Wizard
  - Advanced Options page, 327, 327, 328
  - Configuration page, 321
  - CPUs page, 324
  - Datastore page, 322
  - Guest Operating System, 323
  - launching, 320
  - Memory page, 324
  - Name and Location page, 321
  - Network page, 325
  - Ready to Complete page, 328
  - Select a Disk page, 327
  - Virtual Machine Version page, 322
- Create Resource Pool dialog box, 426, 427, 428
- CREATE TABLESPACE statement, 69
- CREATE USER statement, 69, 70
- Create vNetwork Distributed Switch Wizard, 182
  - Add hosts and physical adapters, 183
  - General Properties, 183
  - Ready to Complete, 184
- Critical Host Patches baseline, 115
- Critical VM Patches baseline, 115
- cross-stack EtherChannel, for NFS, 246
- custom attributes, 94–95
  - as search criteria, 95, 96
- custom drivers, installing, 28, 29
- Customize Performance Chart dialog box, 533, 533, 545
  - chart settings, 538, 540
  - choosing resource type, 533–534
  - CPU performance objects and counters, 534, 535
  - disk performance objects and counters, 535, 537, 550–552
  - memory performance objects and counters, 534, 535
  - network performance objects and counters, 535, 538
  - setting custom interval, 534
  - system performance objects and counters, 535, 539

## D

- Data Center High Precedence rules, 580
- Data Center Low Precedence rules, 580
- data protection, vStorage APIs for, 308
- data transfers, balancing for large, 170
- database retention policy, for back-end database, 99
- database server
  - configuring, for vCenter Update Manager, 104–107
  - recovery plan and, 65

- for vCenter Server data, 62, 62
  - choosing, 63–64
- databases
  - estimated size change, 98
  - ownership by account for
    - vCenter Server connection, 72
    - for VUM, location, 105, 107
  - Datacenter Bridging (DCB), 244
  - Datacenter Consumer sample role, 399
  - datacenter Ethernet (DCE), 244
  - datacenter objects, 83
    - adding, 84
    - in vCenter Server hierarchy, 394
    - Virtual Machine Operations
      - resource type, 538
    - Virtual Machine tab,
      - performance summary, 519–520
  - Datacenter privilege, 399
  - datacenters, 80, 81
    - attaching baselines, 122, 123
  - Datastore Consumer sample role, privileges, 403
  - Datastore ISO file option, for
    - mapping disk to virtual machine, 331
  - datastore objects, 299–300, 300
  - Datastore privilege, 399
  - datastores, 249–251, 258–270
    - creating, 252–258
    - moving storage for running
      - virtual machine between, 7
      - name for, 265
    - NFS (Network File System)
      - adding to ESX server, 263–265
      - choices for configuring
        - highly available, 267
        - creating, 260–265
      - for server cluster, 456–457
  - DB2, and VUM support, 105
  - dd command, 50
  - decentralized restore, 508
  - Decision Support System Business
    - Intelligence database,
      - performance, 217
  - dedicated user account, for Guided
    - Consolidation service, 366
  - deduplicated destination storage, 515
  - Default Credentials dialog (Guided
    - Consolidation), 368
  - default gateway, assigning to
    - VMkernel port, 156
  - Default option, for DRS, 447
  - default permissions, in vCenter
    - Server installation, 393
  - default roles
    - in ESX/ESXi host, 387
    - privileges for, 402–403
    - in vCenter Server, 397
  - default security profile, for
    - vSwitches, 207, 207
  - “delayed write error”, 270
  - delegating ability to create virtual
    - machines, 401
  - deleting
    - alarms, 528
    - dvPort groups, 191
    - local groups, 558
    - port profiles, 205–206, 206
    - snapshots, 349
    - user accounts, from ESX host, 557–558
  - delta disk, 348
  - demilitarized zone (DMZ), 196
  - DenyGroups attribute, for SSH, 562
  - DenyUsers attribute, for SSH, 562
  - Deploy OVF Template Wizard, 575
    - Network Mapping page, 382, 575
    - Source page, 381
  - Deploy Template Wizard
    - Datastore page, 356
    - Name and Location page, 355
  - deploying
    - VMware ESX, 23–40
      - installing from DVD, 27–37
      - partitioning Service
        - Console, 23–27
        - unattended install, 37–40
    - VMware ESXi Embedded, 43, 44
    - VMware ESXi Installable, 40–43
  - deterministic replay, 490
  - DHCP server, virtual machine for, 411
  - dictionary (.vmsd) file, 273
  - diff command, for comparing files, 569, 569
  - directory
    - home, of user, deleting, 558
    - for VCB proxy backup, 500
  - dirty memory, 433
  - disaster recovery, 495–496
    - best practices, 651
    - Office in a Box and, 516
    - planning, 64
    - remote storage replication for, 221
  - disks
    - for array software, 222
    - performance monitoring, 550–552
  - seek times, and VMkernel
    - swap performance, 415
    - snapshot space requirements, 348
    - alarm to monitor, 522–525
  - Disk.SchedNumReqOutstanding
    - ESX setting, 257, 258
  - Display Template Wizard, Guest
    - Configuration page, 354
  - distributed locking mechanism, 250–251
  - Distributed Virtual Port Group
    - privilege, 399
  - Distributed Virtual Switch
    - privilege, 400
  - distributed virtual switches. *See also*
    - Cisco Nexus 1000V distributed
      - virtual switch
  - DMZ (demilitarized zone), 196
  - DNS server, editing settings in host
    - profile, 93, 93
  - domain, for Guided Consolidation
    - service, 367
  - Domain Admins group, removing
    - default permissions, 571–572
  - domain controllers, accessing, 560
  - Domain Name Service (DNS), and
    - host configuration for HA, 476
  - downloading
    - ESXi installation files, 40
    - latest vCenter Server version, 73
    - settings for patches,
      - configuring for VUM, 118, 118
    - VMware Converter boot CD, 378
  - downstream VLAN, 196
  - downtime
    - after server failure, 471
    - from remediation, planning
      - for, 132
  - drag-and-drop, to reconfigure
    - virtual machine networking, 187
  - drivers, within virtual machine, 318
  - DRS. *See* VMware Distributed
    - Resource Scheduler (DRS)
  - dual drive failure, mitigating risk
    - of, 225
  - dual-vCPU virtual machines, 421
  - DVD, installing VMware ESX from, 27–37
  - dvPort groups, 139
    - assigning virtual adapter to, 195, 195
    - changing access VLAN of, 206
    - changing name, 206
    - configuring, 188–193
    - deleting, 191
    - editing configuration, 191, 191

- editing security profile, 212
- getting information about, 190
- modifying NIC team and failover policies for, 192
- modifying VLAN settings, 192
- traffic shaping policy for, 193, 193
- Virtual Machine Properties dialog, 190
- dvSwitch. *See* vNetwork
- Distributed Switches (dvSwitch)
- dvSwitch Properties dialog, Security page, 207
- dvUplinks port group, adding physical network adapter, 195–196
- dynamic baselines, 114
  - creating, 115, 116
- dynamic discovery, configuring, 240
- Dynamic Host Configuration Protocol (DHCP), 30, 41
- Dynamic Trunking Protocol (DTP), 143

## E

- e1000 adapter, 140
- eagerzeroedthick disk format, 275, 275–276
  - converting thin disk format to, 280–281
  - vs. thin provisioning, 278–279
- Edit Annotations dialog, 95
- editions, 12
- effective MAC address, for virtual machine, 209, 210
- efficiency of storage capacity, 248
- eliminating resource excess, 377
- email notifications
  - configuring vCenter Server for, 525
  - SMTP server for, 119
- embedded hypervisor, 43
- EMC Celerra, 238
  - LUN masking on, 241, 242
- EMC CLARiiON, LUN masking on, 241, 242
- EMC PowerPath/VE, 307
- EMC Rainfinity, 286
- end of line, Linux vs. Windows, 38
- Enhanced VMotion Compatibility (EVC), 5, 450–451, 451
- enterprise flash disks, 222
- enterprise storage arrays, 226
- enterprise storage design, 226–228
- ESX/ESXi hosts
  - adding to vCenter Server, 84, 474
  - attaching baselines, 122

- attaching host profile to, 93
- clusters, 441, 472
- configuration maximums for networking components, 181
- default maximum number of datastores, 260, 261
- default permission assignments, 387
- dvSwitch and, 184
- high availability components, 473, 473
  - Automatic Availability Manager (AAM), 473–474
- importance of patching, 129
- installation, best practices, 645–646
- management tool. *See* vCenter Server
- maximum number per vCenter Server, 78
- Performance tab, 531, 531
  - Storage view, 532
- permissions, 385–393
- remediation, 127–128
- removing from dvSwitch, 186, 187
- Resource Allocation tab, 520
- roles, 387
  - creating custom, 387–389, 388
  - granting permissions, 389
- security for, 556–570
  - auditing Service Console files, 567–569
  - authentication, 556–561
    - patches, 570
    - Secure Shell access, 561–563
    - Service Console firewall, 564–567
    - TCP wrappers, 563–564
  - security-related patches, dynamic baseline for, 115, 116
- system running on. *See also* virtual machines
- upgrading, 133–136
- vSphere Client for logging on, 60
- VUM maintenance settings, 119
- Web Access page, installing vSphere Client from, 44–45
- ESX host firewall, iSCSI and, 237
- ESX iSCSI software initiator, enabling, 239
- ESX kickstart file, vs. Red Hat kickstart file, 38
- ESX server
  - adding NFS datastore, 263–265
    - root access to NFS export, 261
    - storage options, 219
- esxcfg-auth command, 559–560, 638–639
- esxcfg-firewall command, 52, 564–567, 639
- esxcfg-info command, 639
- esxcfg-mpath command, 639
- esxcfg-nas command, 607, 639–640
- esxcfg-nics command, 47, 47, 640
- esxcfg-route command, 156, 640
- esxcfg-swiscsi command, 640
- esxcfg-vmknic command, 155, 156, 640
  - shell script using, 606
- esxcfg-volume command, 641
- esxcfg-vswif command, 152, 640–641
  - output, 152
- esxcfg-vswitch command, 47, 48, 48, 142, 148, 151, 152, 155, 156, 159
  - to display dvSwitch, 184
  - options, 641
  - output, 151
  - for ports or port groups VLAN settings, 164
  - shell script using, 606
- esxcli nmp satp list command, 304
- esxcli swiscsi nic add command, 296
- ESXi. *See* VMware ESXi
- ESXi Embedded, 18
- ESXi Free, 12
- ESXi host, security for, 569–570
- ESXi Installable, 18
- esxtop tool, 541, 541–543
  - /etc/hosts file, 85, 479–480
  - /etc/hosts.allow file, 562
  - /etc/hosts.deny file, 562, 563
  - /etc/krb5.conf file, 560
  - /etc/resolv.conf file, 479
  - /etc/vmware/esx.conf file, 568
- Ethernet, 221
  - lossless, 244
- Ethernet adapter, adding to virtual machine, 340, 341
- Ethernet frames, iSCSI encapsulation in, 234
- EVC (Enhanced VMotion Compatibility), 5, 450–451, 451
- Events tab, in Web Console, 406
- Events view, in vCenter Server, 89, 90
- Exchange, web resources, 218
- expandable CPU reservation, 430
- expectations of performance, 544
- exporting vCenter Server events to text file, 90
- ext3 (Linux), VMFS vs., 250–251

Extension privilege, 400  
 extents, VMFS file systems  
   spanning, 256–257, 284  
 external connectivity, between  
   storage array and hosts, 221

## F

failover  
   of array, 228  
   modifying policies for dvPort  
     group, 192  
   for NAS device, vs. block  
     storage device, 268  
   storage choices and handling,  
     248  
 failover clustering, 455  
 fan-in-ratio, for iSCSI, 235  
 FastSCP, 510, 510  
 fault and error domains, zoning  
   for, 232  
 fault tolerance. *See also* VMware  
   Fault Tolerance  
     turning on, 491  
 FC-AL (arbitrated loop) mode, for  
   Fibre Channel protocol, 229–230,  
   230  
 FC-P2P (point-to-point) mode, for  
   Fibre Channel protocol, 229–230,  
   230  
 FC-SW (switched) mode, for Fibre  
   Channel protocol, 229–230  
 FCoE (Fibre Channel over  
   Ethernet), 244–245  
 fdisk command, 638  
 feasibility check, stall from error,  
   469  
 Fibre Channel, 221, 228–233, 229  
   bandwidth aggregation, 297  
   disks for, 222  
   vs. iSCSI, 234, 234–235, 247  
   most common configuration,  
     231  
   vs. NFS, 247  
   performance envelope, 248  
   VCB for, 498  
   worldwide name (WWN), 231  
   zoning, 232  
 Fibre Channel multimode duplex  
   LC/LC/ fiber-optic cable, 230  
 Fibre Channel over Ethernet  
   (FCoE), 244–245  
 file-level backups, VCB for,  
   505–506, 506, 508  
 file-level locking, NFS vs. VMFS,  
   259  
 file system, multiroot, 23  
 fileserv centric storage, queues  
   for, 257

firewall. *See* Service Console  
 firewall  
 Firewall Properties dialog box, 52,  
   53  
 fixed baselines, 114  
 Fixed PSP module, 304–305  
 floppy disk images, 388  
 floppy drives, 342  
 Flow Control, for iSCSI network,  
   243  
 .flp file extension, 388  
 Folder privilege, 400  
 folders  
   attaching baselines, 122  
   name in VMFS volume, 329  
   in vCenter Server hierarchy,  
     394–396, 395  
 forged transmits, 208–212, 210  
 fragmentation, in VMFS, 255  
 FreeBSD, VMware tools for, 335  
 Frequency parameters for alarms,  
   525–528  
 FTP server, for kickstart file, 40  
 full virtual machine backups  
   restoring, 509–511, 511  
   VCB for, 498–502, 499  
     results, 502  
     steps, 501–502

## G

Get- commands (PowerCLI), 601  
 Get-Help command (PowerCLI),  
   599  
 Get-NetworkAdapter command  
   (PowerCLI), 600  
 Get-ResourcePool command  
   (PowerCLI), 604  
 Get-VM command (PowerCLI),  
   599, 603  
 Get-VMHost command  
   (PowerCLI), 599, 603  
 Gigabit Ethernet  
   adapters, 147  
   bandwidth aggregation, 297  
 Global privilege, 400  
 graphical user interface (GUI),  
   vSphere Client and, 6  
 graphics hardware, acceleration for  
   console session performance,  
   336, 336  
 graphs, 529–540  
   layout  
     CPU performance  
       information, 534, 535  
       custom interval, 534  
     disk performance, 535, 537  
     memory performance  
       information, 534, 536  
       network performance  
         information, 535, 538  
         overview, 530, 530–531  
         resource type, 533–534  
         system performance  
           information, 535, 539  
     printing, 532  
     real-time, for host's memory  
       usage, 547  
     saving, 540  
 groupadd command, 558  
 groupdel command, 558  
 groups  
   granting access control to  
     virtual machine, 389  
   local management, 557–559  
   permissions, interaction,  
     404–405  
 growth, planning for, 412  
 guaranteed admission control, 482,  
   483  
 guaranteed memory, 416  
 guest I/O devices, bypassing  
   virtualization layer, 301  
 guest operating systems, 317  
   allowing customization of  
     Windows Server 2003, 354,  
     355  
   assigning permission to install,  
     404  
   and disk timeout, 269  
   failure, VMware Fault  
     Tolerance and, 494  
   to force non-VMware-assigned  
     MAC address, 209, 210  
   installing, 330–332, 401  
   installing VMware tools,  
     335–336  
   memory seen by, 412, 413  
   performance monitoring, 552  
   powering off vs. shutting  
     down, 342  
   remediating, 129–131  
   security, 573  
   shutdown for VM hardware  
     upgrade, 132  
   upgrading VMware tools,  
     339–340  
 Guided Consolidation service, 361  
   beginning analysis with, 368  
   confidence level for analyzed  
     systems, 370  
   configuring Service and  
     Default credentials, 368  
   dedicated user account for, 366  
   domain and, 367  
   installing, 364–367, 366  
   integrating into vSphere Client,  
     367

permissions and privileges, 365–366  
using, 367–371

## H

hard drive, for ESXi install, 40–41, 41  
hardware  
downtime for upgrades, 14  
sizing for vCenter Server, 61–63, 62  
Hardware Compatibility List (HCL), 19, 20, 21  
hardware iSCSI initiators, 235  
vs. software initiators, 237, 237  
Hardware Status tab, in vSphere Client window, 88  
hash sign (#), for shell prompt, 637  
heartbeat of cluster service, 269, 456  
AAM responsibility for, 473  
connecting network adapter for, 464  
loss of, 458  
high availability (HA), 455. *See also* VMware High Availability  
in NFS, 266, 266–270, 267  
real world scenario, 471–472  
testing for, 475  
and vCenter Server, 473  
VMotion and, 440  
high-throughput (IOPs) workloads, 265–266  
home directory of user, deleting, 558  
host baseline group, in orchestrated upgrade, 136  
host baselines, 114  
Host Device option, for mapping disk to virtual machine, 331  
host operating system, for Type 2 hypervisors, 2  
Host privilege, 400  
Host Profile privilege, 400  
host profiles in vCenter Server, 5, 92–94, 93  
attaching to ESX/ESXi hosts, 93  
hosts. *See* ESX/ESXi hosts  
Hosts And Clusters inventory view, 81–82, 122, 395  
based on departmental management style, 83, 83  
based on geographic management style, 82, 82  
to create cluster, 441  
navigating, 126  
for scan, 124  
Hosts tab, for dvPort group, 190  
hot-add of memory, 418

hot migrations, 371, 373–378, 374, 375  
performing, 372  
hot spares, 223, 225  
hot virtual disk, expansion, 284, 285  
HTTP over Secure Sockets Layer (HTTPS), 79  
hybrid storage designs, 226  
Hyper-V (Microsoft), 2  
vs. VMware vSphere, 11  
hyperlinks, in Events view, 89  
hypervisors, 2, 18, 301, 544  
embedded, 43  
and memory allocation, 418  
memory pages for, 414  
Type 1 and Type 2, 2

## I

I/O error, 270  
IBM DB2 v.9.5, 63  
IDE disks, in virtual machines, 327  
idle page reclamation, 413  
IEEE 802.1Q standard, 160  
ifconfig command, 152, 152, 637  
IGMP (Internet Group Management Protocol), 144  
Import Wizard  
Source Data page, 374, 375  
Source Login page, 374  
Source Type page, 374  
importing  
vCenter Server license, 593–594  
virtual appliances, 380–381  
virtual machines, into VMware vSphere, 372–373  
in-guest iSCSI initiators, 244  
inflating, 413  
InfiniBand-like CX cables, 244  
initiator, 229  
for iSCSI, 235, 293–297  
installing  
Cisco Nexus 1000V distributed virtual switch, 201–204  
custom drivers, 28, 29  
guest operating systems, 330–332, 401  
Guided Consolidation service, 364–367, 366  
PowerCLI, 597–598  
vCenter Converter, 361–364, 362  
vCenter Orchestrator, 595  
vCenter Update Manager (VUM), 104–113  
database server  
configuration, 104–107  
download service, 104  
install process, 108–110  
ODBC data source name, 107–108  
plug-in, 113, 113  
proxy settings, 110, 110  
VMware tools, 335–340  
on Linux, 338, 339  
vShield zones, 574–579  
vSphere Client, 44–45  
integrating Guided Consolidation, into vSphere Client, 367  
Intel I/O Acceleration Technology (Intel I/O AT), 301  
Intel NoExecute (NX), 437  
Intel Virtualization Technology (VT), 437  
intelligent placement, 443  
by DRS, 7  
internal-only vSwitch, 145  
virtual machines  
communicating through, 146  
and VMotion, 146  
International Organization for Standardization (ISO) 9660 file system standard, 332  
Internet Group Management Protocol (IGMP), 144  
Internet Information Services (IIS), vCenter Server and, 76  
Internet Relay Chat (IRC), Data Center High Precedence rule to block, 580–581  
Internet time server, 51  
intrusion detection system, and Promiscuous mode, 208, 208  
inventory  
logical vs. physical, 321  
of vCenter Server  
adding and creating objects, 83–86  
views and objects, 81–83  
inventory objects, limiting map scope to, 92  
IP address  
for cluster management, 467  
for Service Console port, 150  
for time server, 53  
for VMkernel port, 155  
for vShield Manager, 575  
IP-based storage, using failback with, 174  
IP hash load balancing, 170–176, 171  
IPsec (IP Security), 236  
IPv4, for VM networks, 244  
IPv6, for VM networks, 244  
iSCSI, 233–244, 234  
elements, 236  
encapsulation in TCP/IP and Ethernet frames, 234  
vs. Fibre Channel or NFS, 247

- LUN configuration, **237–242**
- maximum number of links, 296
- multipathing and availability, **243–244**
- qualified name, 240
- VCB support for, 498
- iSCSI initiator, binding to multiple interfaces, **293–297**
- iSCSI initiator properties page, Dynamic Discovery tab, 240
- iSCSI Naming Service, 236
- iSCSI software initiator, enabling, 239
- iSCSI-VMkernel Properties dialog, NIC Teaming tab, 294
- ISO files, 388
  - for installing guest operating system, 332
- ISO image, 332
  - as CD/DVD, 333
  - for VMware tools, 335
- isolated secondary VLAN, 198
- isolation response address, 486
  - configuring, **488–490**
- IT staff, experience with ESX and ESXi, 19

**J**

- Java, 588
- JavaScript, 588
- JPEG graphic, exporting chart as, 532
- jumbo frames
  - and creating VMkernel interfaces, **606–607**
  - for iSCSI network, 243

**K**

- kdc.conf file, 559
- Kerberos, 559
  - configuration file, 560
  - time synchronization and, 337–338
- keyboard layouts, 28, 28
- kickstart file, 37–38
  - copying, 40
  - customization with, 40
  - example, 38–39
  - location for, 39–40

**L**

- LACP (Link Aggregation Control Protocol), 170
- LAN mode, and consolidated backup, 498
- Layer 2 bridging software, 144
- LDAP connection, for vCenter Orchestrator, **591–592**

- LeftHand Networks, 26
- license key, for vCenter Server, 75
- licensing
  - assigning to ESX/ESXi host, 85
  - for backups, 497
  - configuring in vCenter Server, 96, 97
  - importing to vCenter Orchestrator, **593–594**
  - from Microsoft for virtual machines, **334–335**
  - VMware vSphere, **12–13**
- Link Aggregation Control Protocol (LACP), 170
- link state tracking, 172
- linked mode group, installing vCenter Server in, **77–79**, 79
- Linux
  - disk partitions, 23, 24
  - installing VMware tools, 338, 339
  - shell scripting, 587
  - single-root file system for, 23
  - vCenter Server for, 4
  - VMware tools for, 335
- live migration, 6
- load balancing
  - across NIC team, 167
  - Ethernet stack for, 243
  - IP hash, **170–176**, 171
  - with multiple uplinks, 165
  - for NFS, 246
  - policy, on vSwitches, **168–169**
  - source MAC, **169**, 169
  - storage choices and, 248
  - virtual switch policies for Microsoft network, 211
  - VMotion and, 432
- local disks, 26–27
  - on vCenter Server, 62
- local domain controllers, accessing, 560
- local groups, managing, 558
- local host file, 474
- local storage, 219
  - absence of, 219–220
  - making use of, 26
- local user accounts
  - creating, from Service Console command-line interface, 557
  - managing, 392
- lock, in multixtent VMFS configurations, 255
- log files, partition for, 25
- Logging Options page, 99, 100
- logical inventory, vs. physical inventory, 321
- logical units (LUNs), 216
  - 2TB boundary, 254

- changing count maximums, 258
- configuring, **237–242**
- connecting to ESX iSCSI initiator, 241
- identifying as Unknown and Unreadable, 503
- in iSCSI, 235
- masking, 232
- name in ESX configuration, 232, 233
- properties dialog box, 305–306
- for spanned VMFS configurations, 255
- login, to web console, 406
- logout command, 637
- lossless Ethernet, 244
- ls command, 637
- LSI Logic parallel SCSI controller, 325
- LUN ID, 282
- LUN queues, **257–258**

**M**

- MAC address
  - changes for virtual adapters, **208–212**, 210
  - for virtual machine initial, 209
  - manually setting, 209
- maintenance mode, for remediation, 128
- Maintenance Mode on host, 444
- man-in-the-middle security attacks, 236
- Manage Physical Adapters dialog, 196
- Manage Plug-Ins dialog box, 364
- Manage Virtual Adapters dialog, 194, 194–195
- managed objects, 299
- Management Agent resource type, 538
- management networking, configuring of ESXi, **156–157**
- Maps tab, in vSphere Client window, 88
- Maps view, 298–299, 299
- masking, 232
  - on iSCSI target, 241
  - per-virtual machine CPU, **448–450**
- memory
  - allocation, **412–420**, 413
  - addressing overhead, **419–420**
  - controlling, 414
  - overcommitment, 417
  - reclaiming pages, 413

- setting custom limit, **417–418**
    - setting custom reservation, **415–417**
    - setting custom shares value, **419**
  - for cold migration, 378
  - configuring virtual machine with, 323–324
  - hot-add of, 418
  - including in snapshot, 347
  - performance monitoring, **546–548**
    - with esxtop, 542
  - point of diminishing returns for adding, 20
  - for Service Console, adjusting, **49–51, 50**
  - speed of, **415**
  - memory bitmap, 433
  - Memory Swap Used (Average) counter, 547
  - message of the day (MOTD), 100
  - metadata
    - adding to objects, 95
    - updates, 251
  - metas, 223
  - Microsoft, licensing for virtual machines, **334–335**
  - Microsoft ADAM, 78
  - Microsoft Cluster Services (MSCS), **271, 455–458**
  - Microsoft clustering guide, 276
  - Microsoft Exchange Server 2007, and clusters, 469
  - Microsoft Hyper-V, 2
    - vs. VMware vSphere, **11**
  - Microsoft Network Load Balancing, 176
    - virtual switch policies for, 211
  - Microsoft PowerShell, 588
  - Microsoft SQL Server
    - and clusters, 469
    - for vCenter Orchestrator back-end database, 589
    - for vCenter Server data, 63, **70–73**
  - Microsoft Windows clusters, 271
  - midrange storage design, **226–228**
  - Migrate Virtual Machine
    - Networking tool, 196, 197
  - Migrate Virtual Machine tool, **438–440**
    - Select Datastore, 287
    - Select Destination, 439
  - migration. *See also* physical-to-virtual (P2V) operations; VMware VMotion of virtual machine, script for, 603
  - “mirrored” RAID, 223–224, 224
  - mirrored VM, 9
  - Mixed Mode authentication, vCenter Server 4.0 support for, 71
  - mkswap command, 51
  - Monad, 597
  - monitoring. *See* performance monitoring
  - MOTD (message of the day), 100
  - mount command, 638
  - mount point, 23
  - mounting
    - CD/DVD drive, in Linux, 338
    - NFS datastores, **607**
  - mountvm command (VCB), 511
    - for file-level backups, 505, 506
  - Move-ResourcePool command (PowerCLI), 602
  - Move-VM command (PowerCLI), 602
  - MRU PSP module, 304
  - MSCS (Microsoft Cluster Services), **271, 455–458**
  - MSDB database, permissions for VUM, 108
  - multi-vCPU virtual machines, 421
  - multipathing
    - Ethernet stack for, 243
    - for NFS, 246
    - vStorage APIs for, **303–307**
  - Multipathing plug-in (MPP), 307
  - Multiple Connections Per Session, 236–237
  - multiroot file system, 23
  - mv command, 638
  - MySQL, 589
- ## N
- naa (Network Address Authority) ID, 305
  - name resolution
    - high availability and, 474
    - testing, 84–85
  - nano editor, 53
  - NAS. *See* network attached storage (NAS)
  - NAS/NFS access, VMkernel ports for, 153
  - Native Multipathing plug-in (NMP) module, 303
  - native VLAN, 162
  - navigation bar, in vSphere Client, **81**
  - NetApp FAS arrays, 238
    - LUN masking on, 242
  - NetWare, VMware tools for, 335
  - Network Address Authority (naa) ID, 305
  - network attached storage (NAS), 216
    - best practices, **309–314**
    - configuring file system on, 216
  - Network Consumer sample role, 399
    - privileges, 403
  - Network File System. *See* NFS (Network File System)
  - network interface card team, 140
  - network interface cards (NICs)
    - blade form factor and limits on, 21
    - breakdown of traffic by, 549
    - changing association, 48
    - changing for Service Console, **45–49**
    - for Cisco Nexus 1000V, 201
    - deciding number to use, 22
    - PCI addresses of, 47
    - selecting wrong during installation, 36–37
    - for system tasks, selecting during install, 30
    - for VMware VMotion, 22, 438
  - network load balancing (NLB)
    - clusters, 455
    - architecture, 456
  - network portals, in iSCSI, 235, 236
  - Network privilege, 400
  - network security policies, **573–574**
  - Network Time Protocol (NTP), 34
    - configuring on ESX, 337
    - manually enabling client traffic through firewall, 52
  - Networking view, 82, 187
  - networks
    - actions to minimize delays, 176
    - basic hygiene, 263
    - configuring VUM for connectivity, 117
    - integrating infrastructure, **21–22**
    - performance monitoring, **548–550**
      - alarms for, 526
      - with esxtop, 542
    - reconfiguring virtual machine, with drag-and-drop, 187
    - storage for kickstart file, 39–40
    - Test Management Network option to verify connection, 49
  - New Baseline Group Wizard, 117
  - New Baseline Wizard, 116
  - New-Cluster command (PowerCLI), 602

- New Cluster Wizard, 441
  - New-HardDisk command
    - (PowerCLI), 602
  - New-NetworkAdapter command
    - (PowerCLI), 602
  - New-ResourcePool command
    - (PowerCLI), 602
  - New Server Cluster Wizard
    - Analyzing Configuration, 466
    - Creating the Cluster, 467
  - New-Snapshot command
    - (PowerCLI), 602
  - New-VM command (PowerCLI), 602
  - NFS (Network File System), 245–247, 246
    - configuring export, 263, 264
    - datastores, 258–270
      - choices for configuring highly available, 267
      - creating, 260–265
    - ESX server root access to export, 261
    - vs. Fibre Channel or iSCSI, 247
    - high availability (HA) design, 266, 266–270, 267
    - mounting datastores, 607
    - server, for kickstart file, 40
    - supporting large bandwidth (MBps) workloads, 265
    - supporting large throughput (IOps) workloads, 265–266
  - NFS.HeartbeatFrequency setting, 269
  - NIC team, 147, 166, 179, 180
    - configuring, 164–176
    - configuring Failover Order policy, 175, 175
    - constructing, 166
    - creating, 166–167
    - failover and failback of uplinks, 172
    - modifying policies for dvPort group, 192
  - NICs. *See* network interface cards (NICs)
  - NMP (Native Multipathing)
    - plug-in module, 303
  - No Access role
    - in ESX/ESXi host, 387
    - in vCenter Server, 397–398
  - Non-Critical Host Patches baseline, 115
  - Non-Critical VM Patches baseline, 115
  - noncompliance, with baseline, 124
  - nondeterministic events, 490
  - Notepad, 38
  - Notify Switches option, turning off, 176, 176
  - NTFS, VMFS vs., 250–251
  - NTP Daemon (Ntpd) Options
    - dialog, 51, 52
  - NTP (Network Time Protocol), 34
    - configuring on ESX, 337
    - manually enabling client traffic through firewall, 52
  - ntp.conf file, configuring for NTP
    - time synchronization, 52–54
  - .nvram (virtual machine BIOS configuration) file, 272
  - NX-OS, 204, 206
- O**
- objects
    - in PowerShell, 599–601
      - commands to manipulate, 602
      - commands to retrieve, 601
    - in vCenter Server
      - alarms, 520–521, 521
      - naming strategy, 82
  - ODBC Microsoft SQL Server Setup
    - dialog box, 108
  - Office in a Box, 515–516
  - Online Transaction Processing (OLTP) databases, performance, 217
  - Open Connection To Cluster dialog
    - box, 466
  - Open Database Connectivity (ODBC) data source name (DSN), 68, 75
    - for VUM, 107–108
  - Open Virtual Machine Format, 380
  - Open Virtualization Format (OVF), 380, 575
    - /opt partition, 26
  - optical disks, virtual machines'
    - access to, 331
  - Oracle, 68–70
    - JDBC driver, 69
    - multiple vCenter Server instances with, 78
    - patches needed for 10G release 2, 68
    - for vCenter Orchestrator back-end database, 589
    - for vCenter Server data, 63
    - web resources, 218
  - Oracle VM, 2
    - orchestrated upgrade, 136–137
  - original equipment manufacturer (OEM), VMware ESXi
    - installation, 43
  - out-IP policy, 170
  - “out-of-space” conditions, thin provisioning and, 281
  - over-subscription, of storage resources, 270
  - overcommitment of memory, 417
  - overflows, of queue, 257
- P**
- PAGP (Port Aggregation Protocol), 143, 170
  - pam.d file, 559
  - paravirtualize driver, 140
  - paravirtualize vSCSI, 290–291
  - parity RAID, 224, 224–226
  - partitioning Service Console, 23–27
    - custom, host upgrade baselines and, 136
  - partitions
    - aligning, 276
    - custom VMware ESX scheme, 26
    - customizing, 30
  - passwd command, 557, 637
  - passwords
    - enforcing policies, 559
    - for Service Console, 557
    - for vCenter Orchestrator authentication, 592
  - patch baselines, 114
  - patch metadata, database server to store, 104
  - patch repository, 120–121, 121
  - patches, 103
    - download settings, configuring for VUM, 118, 118
    - for ESX/ESXi hosts, 570
    - location for storing, 110, 111
    - staging, 126–127, 127
  - Path Selection plug-in (PSP), 304–305
  - peak bandwidth, hard-coded limits for, 177
  - per-virtual machine CPU masking, 448–450
  - per-virtual machine swap files, 415
  - performance
    - decline with growth, 423
    - determining requirements, 217–218
    - DRS cluster, 444–445
    - NFS vs. VMFS, 259
    - planning best practices, 311–312
    - snapshots and, 348
    - and storage choices, 248
    - storage infrastructure design and, 215
    - thin provisioning and, 282
    - performance-centered planning dynamic, 310–311
  - Performance Chart Legend, 532
  - performance monitoring
    - alarms, 520–529

- creating, 522–528
  - managing, 528–529
  - scopes, 521–522
- best practices, 652
- capturing data, 542–543
- command-line tools, 541–543
  - esxtop tool, 541, 541–543
  - resxtop tool, 543
- CPU usage, 543–546
- disk usage, 550–552
- graph layout
  - CPU performance
    - information, 534, 535
  - custom interval, 534
  - disk performance, 535, 537
  - memory performance
    - information, 534, 536
  - network performance
    - information, 535, 538
  - overview, 530, 530–531
  - resource type, 533–534
  - system performance
    - information, 535, 539
- graphs, 529–540
  - from inside and outside, 552
  - memory usage, 546–548
  - network usage, 548–550
  - overview, 519–520
  - saving graphs, 540
- Performance privilege, 400
- Performance tab, in vSphere Client window, 87
- Perl, 587
- permissions
  - on back-end database server, 68
  - for changing virtual media, 388
  - combining with privileges and roles, in vCenter Server, 401–405
  - default assignments for ESX/ESXi hosts, 387
  - in Guided Consolidation service, 365–366
  - identifying usage, 391–392
  - interaction in vCenter Server, 404–405
  - removing, 391
  - resource pools to assign, 390, 391
  - for roles, in ESX/ESXi host, 389
  - for SQL login to Microsoft SQL Server, 71
  - SQL Server 2005, 71
  - in vCenter Server, 393–405
  - for VUM, on MSDB database, 108
- Permissions privilege, 400
- Permissions tab
  - for dvPort group, 191
- in vSphere Client window, 88
- PermitRootLogin attribute, for SSH, 561
- Physical compatibility mode (pRDM), for raw device mapping, 270, 460–461
- physical computers, analyzing, 370
- physical ESX/ESXi hosts, migration between. *See* VMware VMotion
- physical host failure, VMware Fault Tolerance and, 9
- physical infrastructure, redundancy in, 488
- physical inventory, vs. logical inventory, 321
- physical network adapter
  - assigning to vSwitch, 153
  - binding to vSwitch, 159
  - connecting multiple to single vSwitch, 164–165, 165
  - connecting to port in dvUplinks port group, 195
  - information on those connected to dvUplinks port, 196
  - vSwitch configured to use, 146, 147
- physical switch ports, as trunk ports, 163
- physical switches
  - to support IP-based hash load-balancing policy, 171
  - vs. virtual switches, 143–144
- physical to virtual clustering, 458, 469–470, 470
- physical-to-virtual (P2V) operations, 361–367
  - eliminating resource excess, 377
  - importing virtual appliances, 380–381
  - with vCenter Converter, 371–379
- pinging
  - after missing heartbeat, 486
  - continuous, 435
  - iSCSI target from initiator, 239–240
  - to test vShield Manager connection, 576
  - between VMkernel IP address and NFS server, 263
- pipng commands, 599
- planning
  - for downtime from remediation, 132
  - for growth, 412
  - performance-centered dynamic, 310–311
- vCenter Server deployment, 61–66
  - availability, 64–65
  - VMware vSphere, 17–22
- Plug-in Manager dialog box, 202, 363
- plug-ins, in vCenter Orchestrator, 594
- Pluggable Storage Architecture (PSA), 296, 303
- point-to-point (FC-P2P) mode, for Fibre Channel protocol, 229–230, 230
- pool, 281
- Port Aggregation Protocol (PAgP), 143, 170
- port-based zoning, 232
- port flapping, 174
- port groups, 139, 144
  - dvPort, configuring, 188–193
  - editing security profile, 211
  - names for, 436
- port-profile vm-access-ipstorage command, 206
- port profiles
  - configuring, 206
  - deleting, 205–206, 206
  - for Nexus 1000V, 204–205
- PortFast mode, for Cisco devices, 176
- ports, 139, 144
  - for dvSwitches, 185
  - opening with esxcfg-firewall command, 566–567
  - vSwitches configuration with, 143
- Ports tab, for dvPort group, 190, 190
- post-backup.bat file, 507
- PostgreSQL, 589
- power-capping, 494
- PowerCLI
  - commands, 601
  - installing, 597–598
  - objects in, 599–601
  - running scripts, 601–605
    - for migrating virtual machines, 603
    - moving virtual machines between resource pools, 604–605
    - for snapshot manipulation, 603
    - virtual machine networking configuration, 603–604
    - startup screen, 599
- powering off guest system, vs. shutting down, 342
- PowerPC, 221

PowerShell (Microsoft), 588,  
 597–605  
   installing PowerCLI, 597–598  
   resources, 600–601  
   working with objects, 599–601  
 PowerShell Execution policy, 598  
 pre-backup.bat file, 507  
 Preboot Execution Environment (PXE) boot server, 37  
 predictive scheme, planning best practices, 313  
 primary VLAN, 196  
 printing graphs, 532  
 priority setting, for virtual machine, 419  
 Private VLANs, 189  
   setting up, 196–200, 197  
 privileged EXEC mode, 205  
 privileges  
   combining with roles and permissions, in vCenter Server, 401–405  
   for default roles, 402–403  
   in Guided Consolidation service, 365–366  
   in vCenter Server, 399–401  
 progress meter, for ESX installation, 36  
 Promiscuous mode, 207–208, 573–574  
 promiscuous port, 199  
 Propagate To Child Objects option, for roles, 389  
 Protected port group, for vShield appliance, 577  
 protocols for shared storage, 228–247  
   Fibre Channel, 228–233, 229  
   Fibre Channel over Ethernet, 244–245  
   iSCSI, 233–244, 234  
     elements, 236  
     LUN configuration, 237–242  
     multipathing and availability, 243–244  
   NFS (Network File System) protocol, 245–247, 246  
   support for Storage VMotion, 287  
 proxy settings, configuring, during VUM install, 110, 110  
 PSA (Pluggable Storage Architecture), 296, 303  
 purple screen of death (PSOD), 26

## Q

quad-core CPUs, for servers, 63

Qualified Name (IQN), in iSCSI, 235  
 queues, 257

## R

RAID technologies, 223–226  
   downside to RAID 5, 225  
   for installing ESX, 27  
   RAID 6 (RAID-IP), 225–226, 226  
 RAM. *See* memory  
 Range parameters for alarms, 525–528  
 RARP (Reverse Address Resolution Protocol), 176, 433  
 raw device mapping (RDM), 270–272, 460  
 RDM. *See* raw device mapping (RDM)  
 read cache, 222  
 Read-Only role  
   in ESX/ESXi host, 387  
   in vCenter Server, 398  
 Ready Time (%RDY) counter, 541  
 reboot command, 637  
 rebuild periods, minimizing, 225  
 recovery point objectives (RPOs), 221  
 Red Hat kickstart file, vs. ESX kickstart file, 38  
 red triangles, in vCenter Orchestrator Configuration interface, 590  
 redundancy  
   eliminating during snapshot streaming, 515  
   from multiple uplinks, 165  
   for paths to VCB server, 502–503, 503  
   in physical infrastructure, 488  
 reference architecture, web resources, 218  
 relaxed coscheduling algorithm, 421  
 reliability statistics, for hard disks, 223  
 Remediate dialog box, 127, 128  
 Remediate Wizard, 135, 135  
 remediation, 121–133  
   attaching and detaching baselines, 121–123  
   performing scan, 124–126, 125  
   planning for downtime, 132  
   remediating guest operating systems, 129–131  
   remediating hosts, 127–128  
   rollback, 130, 131  
   staging patches, 126–127, 127

remote computer, accessing server from, 36  
 remote console URLs, 409  
 Remote Desktop, 408  
 remote domain controllers, accessing, 560  
 remote management tools, 408  
 Remote Registry service, 365–366  
 remote server, connection with resxtp, 543  
 Remove All Snapshots workflow, 596  
 Remove-Snapshot command (PowerCLI), 602  
 removing permissions, 391  
 replicating storage area network (SAN), 516–517  
 Reports view, 298–299  
 Rescan Datacenter HBAs workflow, 596  
 reservation of memory, editing, 414  
 resource allocation  
   automatic distribution of, 7  
   CPU capacity, 420–425  
     assigning custom shares value, 423–425  
     default allocation, 421  
     setting custom limit, 422–423  
   memory, 412–420, 413  
     addressing overhead, 419–420  
     controlling, 414  
     overcommitment, 417  
     setting custom limit, 417–418  
     setting custom reservation, 415–417  
     setting custom shares value, 419  
   resource pools, 425–431  
     configuring, 426–429  
     for virtual machine, 411–412  
 resource consumption alarm, creating, 522–525  
 Resource Pool Administrator sample role, 398  
   privileges, 402  
 resource pools, 425–431, 429  
   to assign permissions, 390, 391  
   and clusters, 442, 442  
   configuring, 426–429  
   creating, 426, 426  
   moving virtual machines between, script for, 604–605  
   Resource Allocation tab, 520  
   in vCenter Server hierarchy, 396  
 Resource privilege, 400  
 resources, eliminating excess, 377

- Restart Management Network option, 158
  - restart priority, for VMware High Availability, 484–486, 485
  - Restart-VMGuest command (PowerCLI), 602
  - restoring with VMware Consolidated Backup (VCB), 508, 508–513
  - resxtool, 541, 543
  - Reverse Address Resolution Protocol (RARP), 176, 433
  - reverting to snapshot, 349, 351
  - rm command, 558, 638
  - rmdir command, 638
  - roles
    - combining with privileges and permissions, in vCenter Server, 401–405
    - editing and removing, 392
    - in ESX/ESXi host, 387
      - creating custom, 387–389, 388
      - granting permissions, 389
    - in vCenter Server, 397–399, 398
  - Roles command, 100
  - rollback
    - after failure, 134, 134
    - of remediation operations, 130, 131
  - root account, and SSH, 561
  - root (/) partition, 24–25
  - root password, 34–35, 35, 84
    - for ESX/ESXi host, 386
  - root permissions, 151
  - root squash command, 260
  - root username, for ESX/ESXi host, 386
  - Round-robin PSP module, 305
  - running physical computer, migration. *See* hot migrations
  - Runtime Settings, 99
- S**
- SAN. *See* storage area network (SAN)
  - SAP, web resources, 218
  - SATA, disks for, 222
  - SATP (Storage Array Type plug-in), 296
  - saving graphs, 540
  - scale, 228
  - scan, performing, 124–126, 125
  - schedule
    - for patch downloads, 118
    - for remediating virtual machines, 130
  - Scheduled Task privilege, 400
  - Scheduled Tasks, in vCenter Server, 88–89
  - ScratchConfig.ConfiguredScratch Location property, 219–220, 220
  - scripting. *See* PowerShell (Microsoft)
  - SCSI adapters
    - disk I/O statistics for, 542
    - paravirtualize, 291
    - virtual, 277, 277
    - for virtual machine, 325
  - SCSI devices, 319
    - disks in virtual machines, 327
    - VMkernel ports for, 153
  - search criteria, custom attributes as, 95, 96
  - secondary VLAN, 196, 198
  - Secure Shell (SSH)
    - controlling access, 561–563
    - restarting daemon, 562
  - Secure Sockets Layer (SSL) certificate, “untrusted” source of, 79
  - security
    - best practices, 85
    - for ESX/ESXi hosts, 556–570
      - auditing Service Console files, 567–569
      - authentication, 556–561
      - model for, 385, 386
      - patches, 570
      - secure shell access, 561–563
      - Service Console firewall, 564–567
      - TCP wrappers, 563–564
    - ESXi and, 18, 569–570
    - overview, 555–556
    - and root login, 151
    - for vCenter Server, 570–573
      - Active Directory and, 571–572
      - model, 385, 386
      - vpxuser account, 572–573
    - for virtual machines, 573–574
    - virtualization impact on, 582–583
    - VMsafe, 583–584
    - with vShield zones, 574–582
      - installing, 574–579
      - for virtual machine protection, 580–582
    - vShield appliances
      - deployment, 576–579
    - vShield Manager
      - configuration, 575–576
    - vShield Manager
      - deployment, 575
    - for vSwitches, 207–212
  - Security Accounts Manager (SAM) database, 59, 393
  - Security Warning dialog box, 79
  - Select command (PowerCLI), 600, 600
  - Select Users And Groups dialog box, 389
  - self-service restore, 508, 508
    - speed of, 509
  - send targets, adding iSCSI target to, 241
  - sender accounts, for notification, 525
  - SendTargets command, 236
  - serial number, for installation, 29
  - server clusters, 456, 457, 457
  - Server Message Block (SMB), 509
  - server platform, 19–21
  - servers, size vs. number of, 8
  - service account, 366
  - Service Console, 2
    - auditing files, 567–569
    - changing management NIC, 45–49
    - commands
      - esxcfg- commands, 638–641
      - for managing directories, files and disks, 638
      - for navigating, managing and monitoring, 637
    - Configuration tab, Security Profile area, 565
    - creating port, 149–150, 151
    - custom partitions, host
      - upgrade baselines and, 136
    - interface configuration, 30
    - launching, 112
    - memory for, 25, 49–51, 50
    - networking configuration, 147–153
    - NICs for, 22
    - partitioning, 23–27
      - default layout, 32, 33
    - processor 0 for, 545
    - reviewing configuration, 47, 48
    - running shell scripts, 605–608
    - storage for, 134
    - user accounts, 559
    - virtual switch, 46
      - for VMware ESX, 18
  - Service Console firewall, 564–567 and NTP traffic, 52
  - Service Console port (vswif), 140
    - interface, 148
    - limits for ESX support, 153
  - service mgmt-vmware restart command, 52, 153
  - service sshd restart command, 562
  - “Service Time”, of queues, 257

- services.xml file, 565
- Sessions privilege, 400, 400
- Set Authentication dialog box (Guided Consolidation), 370
- Set- commands (PowerCLI), 602
- set devmgr\_show\_nonpresent\_ devices command, 377
- Set-ExecutionPolicy RemoteSigned command (PowerShell), 598
- Set-NetworkAdapter cmdlet, 604
- setupcl.exe file, 355
- SHA1 fingerprint, 85
- Shadow Copies of Shared Folders, 513
- share system in VMware, 419
  - allocations, 430
  - editing memory share, 414
- shared storage, 216–249, 217
  - common storage array architectures, 220–222
  - midrange and enterprise storage design, 226–228
  - protocol choices, 228–247
  - RAID technologies, 223–226
- shares for CPU, 423
- shell prompt, hash sign (#) for, 637
- shell scripting
  - in UNIX/Linux, 587
  - using with VMware ESX, 605–608
  - variables in, 608
- Shutdown and Destroy VM workflow, 596
- Shutdown-VMGuest command (PowerCLI), 602
- shutting down guest system, vs. powering off, 342
- simple recovery model, implications, 75–76
- single host capacity, 7
- single-initiator zoning, 232, 233
- single point of failure, eliminating, 170
- single-root file system, for Linux, 23
- Single Root I/O Virtualization (SR-IOV), 302, 302
- Site Recovery Manager, vStorage APIs for, 308
- sizing initial array design, 309
- slash (/), for Linux root, 23
- “smart reboot”, 130
  - for vApps, 119–120
- SMTP server, for email notifications, 119
- Snapshot Manager, 349, 350
- snapshots, 14, 66, 221
  - and behavior, 348–350
  - default settings to enable, 119
  - deleting, 349
  - disk space for, 348
  - alarm to monitor, 522–525
  - eliminating redundancy during streaming, 515
  - reverting to, 349, 351
  - script for manipulating, 603
  - space for, 273
  - VCB use for full backup, 500, 500
  - of virtual machine, 130
    - creating, 347, 347
    - and VMFS locking, 501
    - in VShield Manager, 582
- SNMP, configuring in vCenter Server, 99, 525
- software iSCSI initiator
  - in ESX 3.x, 292
  - in ESX 4, 292
  - improvements, 291–293
- software patches, 103. *See also* patches
- Solaris, VMware tools for, 335
- source MAC load balancing, 169, 169
- source machine name resolution, for P2V process, 373
- Spanning Tree Protocol (STP), 143
  - for iSCSI network, 243
- “sparse file”, 274
- sp\_changedbowner stored procedure, 71
- spindle density, 248
- spindles, 222
- split-brained HA cluster, 486
- SQL login, server prompts for, 75
- SQL Native Client option, 72
- SQL Server
  - and cold migrations, 378
  - web resources, 218
- SQL Server 2005 Express Edition limitations, 63–64
  - for VUM, 105
- SQL Server Agent service, 75
- SR-IOV, 301–302
- SRDF (Symmetric Remote Data Facility), 516
- sshd\_config file, 561
  - backup of, 562
- SSL certificate, for vCenter Orchestrator, 593
- SSL settings, 100
- Stacked Graph chart type, 548–549
- stacked views, 550
- staging patches, 126–127, 127
- standby vCenter Server system, 65
- static/dynamic discovery in iSCSI, 236
- statistics, in vCenter Server, 97–98, 98
- status indicators, in vCenter Orchestrator Configuration interface, 590
- step-tickers file, configuring for NTP time synchronization, 52–54
- Storage Adapter screen, rescanning for devices, 242
- storage area network (SAN), 216, 228–229
  - best practices, 309–314
  - and disaster recovery, 496
  - LUN initialization, and lost data, 27
  - replicating, 516–517
- Storage Array Type plug-in (SATP), 296, 304
- storage devices
  - for ESX installation, 32
  - over-subscription of, 270
- storage infrastructure, 21, 215
  - basic choices, 247–249
  - best practices, 649
  - design, importance, 215–216
  - new features in vSphere 4, 277–308
- virtual machine-level configuration, 272–277
- for VMware ESX, 249–277
  - core concepts, 249, 250
  - datastore creation, 252–258
  - datastores, 249–251
  - NFS datastores, 258–270
  - raw device mapping, 270–272
- vSphere, 277–308
  - binding iSCSI initiator to multiple interfaces, 293–297
  - hot virtual disk expansion, 284, 285
  - management features, 298–300
  - paravirtualize vSCSI, 290–291
  - software iSCSI initiator improvements, 291–293
- Storage vMotion changes, 284–290
- thin provisioning, 278–282
- VMDirectPath I/O and SR-IOV, 301–302
- VMFS expansion, 282, 283
- VMFS resignature changes, 282–284
- vStorage APIs for multipathing, 303–307
- vStorage APIs for Site Recovery Manager, 308

- storage objects
  - best practices, 256
  - for virtual machine, 272, 272–273
- storage processors, 221
- storage timeouts, and vendor best practices, 269
- Storage Views privilege, 400
- Storage Views tab, in vSphere Client window, 88
- storage virtualization, defining, 286
- Storage VMotion, 6–7, 551
  - changes, 284–290
  - GUI interface, 286, 287
  - internal operations in vSphere 4, 289
  - internals with VMware Infrastructure 3.5, 288
  - limits on simultaneous, 289
  - moving parts of virtual machine, 288, 288
  - performance impact, 290
- streaming SIMD Extensions 2 (SSE2), 437
- strict admission control, 482, 482
- striped disks (RAID 0), 223, 224
- su command, 151, 156
- Summary tab
  - for dvPort group, 190
  - in vSphere Client window, 87
- Support and Subscription (SnS), 12
- Suspend-VMGuest command (PowerCLI), 602
- swap file, creating, 50–51
- swap partition, 25, 50
  - modifying size, 32
  - and performance, 415
- swapon command, 51
- SWCUR (current swap usage) counters, 542
- switched (FC-SW) mode, for Fibre Channel protocol, 229–230
- switchport access vlan statement, 205, 206
- switchport trunk allowed vlan command, 164, 165, 204
- switchport trunk native vlan 999 command, 162
- Symantec Backup Exec 11d, 507
- Symmetric Remote Data Facility (SRDF), 516
- synchronous mode (SRDF/S), 516
- sysprep, 354, 355
- System Center Data Protection Manager (SCDPM), 513
- System Customization menu (ESXi), 156, 157
  - Configure Management Network, 48

- system halt, partition for writing information about, 25–26
- system tray, VMware logo icon, 336, 337
- system uplink port profile, configuring, 203–204

**T**

- tagging, 160
- Take Virtual Machine Snapshot dialog, 347
- tape backups, and disaster recovery, 496
- target in iSCSI, 235
  - configuring, 238, 238
- .tar.gz extension, 338
- Tasks & Events tab
  - for dvPort group, 191
  - in vSphere Client window, 87
- Tasks privilege, 400
- Tasks tab, in Web Console, 407
- TCP/IP frame, iSCSI encapsulation in, 234
- TCP/IP stack, network access for VMkernel, 153
- TCP ports, for vCenter Server, 76
- TCP sessions per database, for VMware NFS client, 260, 260
- TCP wrappers, 563–564
- template objects, access to, 354
- templates, 351–357, 352
  - deploying virtual machine from, 355–357
  - virtual disk behavior change from, 279–280
- Terminal Services, 408
- text file, exporting vCenter Server events to, 90
- thick virtual disk format, 275, 275
- thin provisioning, 248, 274, 278–282, 312
  - in array or in VMware, 281–282
- thin virtual disk format, 274, 275
  - converting to eagerthick, fault tolerance and, 490
- thin virtualization clients, size of, 41
- third-party companies, additional products from, 61
- time synchronization, 51–54
  - in virtual environment, 337–338
  - VMware tools for, 337
- time zone, 33, 34
- Timeout Settings, 99
- timestamps of files, comparing, 568
- TNSNAMES.ORA file, 69, 70
- Tomcat (Apache web service), 76, 406

- topology maps, 91
- touch command, 638
- traffic shaping, 177–178
  - policy for dvPort group, 193, 193
- transaction log, back up, 75–76
- transparent page sharing, 413
- triangles, red, in vCenter Orchestrator Configuration interface, 590
- Triggered Alarms view, 528, 528–529
- triggers, for alarms, 523
- troubleshooting, best practices for, 652
- trunk ports, 140, 160
  - physical switch ports as, 163
  - and VLANs, 162
- Twinax, 244

**U**

- UDP ports, for vCenter Server, 76
- unattended install, VMware ESX, 37–40
- Universally Unique Identifier (UUID), of virtual machine, 208
- UNIX, shell scripting, 587
- unlinking NICs, 48
- Unprotected port group, for vShield appliance, 577
- “untrusted” source, of Secure Sockets Layer (SSL) certificate, 79
- Update Manager. *See* vCenter Update Manager (VUM)
- upgrade baselines, 114
  - creating, 133–134
  - used to upgrade ESX/ESXi host, 135
- upgrading ESX/EXSi hosts, 133–136
- upgrading virtual machine hardware, 132–133, 133
- upgrading VMware tools, 131–132
- uplink groups, multiple, 204
- uplinks, 144–147, 164
  - failover and failback of, 172
- upstream failures, detecting, 172
- upstream VLAN, 196
- URLs
  - remote console, 409
  - for virtual machines, 409
- USB-based flash device
  - for kickstart file, 39
  - running ESXi Embedded from, 18, 43
- user accounts
  - for administrators, centralizing authentication, 59–60

- authentication, against
    - Microsoft Active Directory, 559
  - dedicated, for Guided Consolidation service, 366
  - deleting, from ESX host, 557–558
  - ESX/EXSI host authentication with, 44
  - granting access control to virtual machine, 389
  - local management, 557–559
  - for Service Console, 559
  - for vCenter Collector, 365
  - for VUM services, 111–112
  - user data backups, in Windows, 513
  - useradd command, 557, 637
  - userdel command, 558
  - usermod command, 558
  - username
    - for Service Console, 557
    - for vCenter Orchestrator authentication, 592
    - for vCenter Server services, 76
  - UUID (Universally Unique Identifier), of virtual machine, 208
- V**
- VA Upgrade to Latest baseline, 115
  - VA Upgrade to Match Host baseline, 115
  - vApp privilege, 400
  - vApp Settings, for VUM, 119–120
  - /var/log partition, 25
  - variables, in shell scripting, 608
  - vcbExport command, for single VMDK backups, 504
  - vcbMounter command (VCB), 499–500
    - for file-level backups, 505, 506
    - for full virtual machine backups, 502
  - vcbSnapshot command, for single VMDK backups, 504
  - vcbVmName command (VCB), 499
    - for file-level backups, 505
    - for full virtual machine backups, 502
    - for single VMDK backups, 504
  - VCDR (VMware Data Recovery), 496, 514–515
  - vCenter cluster-level view, 298–299
    - Storage Views tab, 298
  - vCenter Converter, 361, 371–379
    - cold migrations, 378–379
    - hot migrations, 373–378, 374, 375
    - installing, 361–364, 362
  - vCenter Orchestrator, 10, 588–597
    - adding vCenter Server host, 594–595
    - back-end database setup, 592–593
    - configuring, 77, 588–595
    - displaying icons, 590
    - importing vCenter Server license, 593–594
    - installing and starting service, 595
    - LDAP connection, 591–592
    - missing icons, 74
    - network connection, 590–591
    - plug-ins configuration, 594
    - prerequisites, 589
    - server certificate configuration, 593
    - starting configuration service, 590
    - using workflows, 595–597, 596
  - vCenter Server, 4–5
    - adding ESX/ESXi host, 84
    - alarms, 519
    - authentication for connection, 6
    - basics, 57–61, 58
      - centralizing user authentication, 59–60
      - extensible framework, 60, 60–61
    - best practices, 646–647
    - combining privileges, roles and permissions, 401–405
    - configuring for email and SNMP notifications, 525
    - configuring VSM to connect to, 203
    - creating VSM-specific plug-in, 202, 202
    - deployment planning and design, 61–66
      - availability, 64–65
      - database server choices, 63–64
      - sizing hardware, 61–63, 62
    - disaster recovery plan, 66
    - downloading latest version, 73
    - exploring, 79–81
    - exporting events to text file, 90
    - hierarchy, 394–397
      - datacenter objects, 394
      - folders, 394–396, 395
      - putting together, 396–397
      - resource pools, 396
    - home screen, 80, 80–81
    - installing, 67–77
      - back-end database server configuration, 67–73
      - in linked mode group, 77–79, 79
      - running installer, 73–77, 74
    - installing guest operating system, 330–332
    - and Internet Information Services, 76
    - inventory
      - adding and creating objects, 83–86
      - baselines for, 122
      - views and objects, 81–83
    - management features, 86–94
      - basic host management, 86–88
      - Events view, 89, 90
      - host profiles, 92–94, 93
      - maps, 91, 91–92
      - scheduled tasks, 88–89
    - maximum number of hosts or VMs per, 78
    - navigation bar, 81
    - objects, alarms, 520–521, 521
    - Performance tab, 520
    - permissions, 393–405
      - interaction, 404–405
    - pre-installation tasks, 67
    - privileges, 399–401
    - Recent Tasks pane, 376
    - Resources pane, Summary tab, 519
    - roles, 397–399, 398
    - security for, 570–573
      - Active Directory and, 571–572
      - vpsuer account, 572–573
    - settings, 94–101
      - Active Directory, 99
      - advanced, 100
      - custom attributes, 94–95
      - database, 99
      - database retention policy, 99
      - licensing, 96, 97
      - logging options, 99, 100
      - mail, 99
      - runtime settings, 99
      - SNMP, 99
      - SSL settings, 100
      - statistics, 97–98, 98
      - timeout settings, 99
      - Web service, 99
    - standby system, 65
    - Users & Groups tab, 386
    - on virtual machine
      - installing, 65–66
      - running, 66, 67
    - for vNetwork Distributed Switches, 184

- Web Access page, 407
- workgroups for, vs. domain, 393
- vCenter Server Essentials, 5
- vCenter Server Foundation, 5
- vCenter Server objects, Virtual Machine tab, performance summary, 519–520
- vCenter Server Standard, 5
- vCenter Update Manager (VUM)
  - baselines and groups, **114–117**
  - calculating limits, 125–126
  - Configuration tab, **117–120**
  - configuring, **113–121**
    - baselines and groups, **114–117**
  - Database Information page, 109
  - Events tab, **120**
  - installing, **104–113**
    - database server
      - configuration, **104–107**
      - download service, 104
      - install process, **108–110**
      - ODBC data source name (DSN), **107–108**
      - plug-in, **113, 113**
      - proxy settings, **110, 110**
  - object compliance with baseline, 124
  - orchestrated upgrade, **136–137**
  - overview, **103–104**
  - Patch Repository tab, **120–121, 121**
  - remediation, **121–133**
    - attaching and detaching baselines, **121–123**
    - performing scan, **124–126, 125**
    - remediating guest operating systems, **129–131**
    - remediating hosts, **127–128**
    - staging patches, **126–127, 127**
  - schedules for remediating virtual machines, 130
  - services configuration, **111–112**
  - support for, 12
  - upgrading ESX/EXSi hosts, **133–136**
  - upgrading virtual machine hardware, **132–133, 133**
  - upgrading VMware tools, **131–132**
  - use only for ESX/EXSi hosts, 118
- Veeam fastSCP, 40
- VGT (virtual guest tagging), 160
- VI Toolkit Community Extensions, 597
- vicfg-mpath command, 642
- vicfg-nas command, 642
- vicfg-nics command, 642–643
- vicfg-ntp command, 644
- vicfg-rescan command, 642
- vicfg-route command, 644
- vicfg-vmknic command, 295, 643
- vicfg-vswitch command, 643–644
- vifg command, 641–642
- vipinit command, 642
- virtual adapters
  - assigning to dvPort groups, 195, 195
  - MAC address changes, **208–212**
  - managing, 194, 194
- Virtual Appliance Marketplace, 380
- virtual appliances, importing, **380–381**
- virtual clusters, raw device mapping in, 460–461
- Virtual Compatibility mode, for raw device mapping, 460–461
- virtual disk files, multiple on virtual machine, 329
- virtual disks, **274–276**
  - adding existing, 326
  - aligning, 276–277
  - change of behavior from clones and templates, 279–280
  - configuration for guest, 274
  - naming scheme, 329
  - for new virtual machine, 325–326, 326
  - shrinking, 281
  - size limits for, 319
- virtual environment, time synchronization in, 337–338
- Virtual Ethernet Module (VEM), 200
- virtual guest tagging (VGT), 160
- virtual hard disk (.vmdk) file, 319, 320
- virtual hardware, adding to virtual machine, 340
- virtual LAN, 140
- virtual machine BIOS configuration (.nvram) file, 272
- virtual machine configuration (.vmx) file, 272, 319–320
  - example, 342–345
- virtual machine file system partition, 27
- virtual machine link (.vmdk) file, 272
- virtual machine lock (.vmx.lck) file, 272
- virtual machine memory (.vmem) file, 273
- virtual machine monitor (VMM), 18
- Virtual Machine Operations
  - resource type, for datacenter objects, 538
- virtual machine port group, 140, 157
  - configuring, 163, 163
  - creating, 159
- Virtual Machine Power User
  - sample role, 398
  - privileges, 402
- Virtual Machine privilege, 401
- virtual machine Properties dialog
  - Hardware tab, 464
  - Resources tab, 414
  - memory reservation, 416, 422
- virtual machine suspend (.vmss) file, 273
- virtual machine swap, NFS and location, 246
- Virtual Machine tab, in vSphere Client window, 87
- Virtual Machine User sample role, 398
  - privileges, 402
- virtual machines. *See also* resource allocation
  - adding to virtual hardware, 340
  - aggregate performance requirements, 218
  - aligning file systems, 346–347
  - attaching baseline or baseline group, 122–123
  - backup agents in, 497, 497
  - bandwidth for, 146
  - baseline variations, 524
  - best practices, 650
  - for Cisco Nexus 1000V, 201
  - cleanup tasks after migration, 377
  - clones, 358
  - clustering, **455–470**
  - creating, **317–330**
    - from template, 351
  - delegating ability to create, 401
  - for DHCP server, 411
  - display name of, 329
  - forcing uniqueness, 354
  - generic hardware for, 317–318, 318, 319
  - granting access control to local user or group, 389
  - importing into VMware vSphere, 372–373
  - installing vCenter Server on, 65–66
  - isolation, 548
  - log in to desktop through web console, 408

- MAC address, initial, 209
- managing and modifying, 340–350
- maximum number per vCenter Server, 78
- memory configuration, 323–324
- Microsoft licensing, 334–335
- migration
  - to different ESX/ESXi host, 6
  - script for, 603
- moving between resource pools, script for, 604–605
- networking configuration, 157–159
  - script for, 603–604
- powering on after migration, 376
- priority setting for, 419
- provisioning, vs. provisioning physical machines, 330
- reconfiguring networking, with drag-and-drop, 187
- requirements for VMotion, 437–438
- running from previous versions of ESX/ESXi, 323
- running when host is isolated, 488
- SCSI adapters for, 325
- SCSI and IDE hard disks in, 327
- security for, 573–574
  - vShield zones, 580–582
- snapshot to capture status, 119
- space requirements, 273–274
- storage objects for, 272, 272–273
- Universally Unique Identifier (UUID) of, 208
- upgrading hardware, 132–133, 133
- URL generated for, 409
- Web Console for managing, 405–408
- Virtual Machines tab, for dvPort group, 190
- virtual media, permissions for changing, 388
- Virtual mode (vRDM), of RDMS, 270–271
- virtual network
  - best practices, 648–649
  - components, 139–140, 141
  - design, 139–142, 178–180, 179, 180
- virtual pools, 223
- virtual port storage system, 227
- virtual SCSI adapters, 277, 277
- virtual storage appliance (VSA), 26
- Virtual Supervisor Module (VSM), 200
- virtual switches. *See* vSwitches
- VirtualCenter, 347. *See also* VCenter Server
- virtualization, and security, 582–583
- Vizioncore vRanger Pro, 61, 513
- VLAN ID, 30, 150, 160
  - for dvPort group, 189
- VLAN ID 4095, 160
- VLAN Servers Settings dialog
  - Teaming And Failover, 192, 192
  - Traffic Shaping, 193
- VLAN trunking, 189
- vlane adapter, 140
- VLANs
  - benefits, 160–161, 161
  - configuring, 160, 160–164
  - modifying settings for dvPort groups, 192
  - private, 189
    - setting up, 196–200, 197
  - Service Console and, 160
  - type for dvPort group configuration, 189
  - vSwitches and uplinks requirements, 162
- vLockstep technology (VMware), 9, 490
- VM (Oracle), 2
- VM Activity custom chart setting, 540
- VM Hardware Upgrade to Match Host baseline, 115, 132
- vm-support command, 568
- VM/VA baseline group, in orchestrated upgrade, 136
- VM/VA baselines, 114
- VM wall, 580
- VMCapacity Planner, 311
- VMDirectPath I/O, 301–302
- VMDK backup, mounting into file system, 511–512, 512
- .vmdk (virtual machine link) file, 272, 345, 345
  - example, 346
- .vmem (virtual machine memory) file, 273
- VMFS 3 volume, 251
- VMFS file system
  - aligning volumes, 256
  - datastores, creating, 252–258
  - expansion, 282, 283
  - name of folder in volume, 329
  - partition name, 32
  - partitions or extents for, 254, 255
  - resignature changes, 282–284
- vmkcore partition, 25–26
- VMkernel, 2, 18, 143
  - load balancing, 546
  - networking configuration, 153–156
- VMkernel interfaces
  - creating with jumbo frames enabled, shell script for, 606–607
  - enabling for VMotion, 607–608
- VMkernel ports (vmknic), 140, 154
  - creating
    - with command line, 156
    - on existing vNetwork Distributed Switch, 436
  - on ESXi, 155
  - for iSCSI, 239, 239
  - for NFS, 262, 263
    - using fallback with, 174
- VMkernel swap, 415
- vmkfstools command, 281
- vmknic, 140. *See also* VMkernel ports (vmknic)
- VMM. *See* virtual machine monitor (VMM)
- VMotion, 6–7. *See also* Storage VMotion; VMware VMotion VMotion boundary, 448
- VMs and Templates inventory view, 82, 83, 122, 395, 395
- VMsafe APIs, 583–584
  - support for, 12
- .vmstd (dictionary) file, 273
- .vmstd file extension, 347
- .vmss (virtual machine suspend) file, 273
- VMware. *See also* vCenter Server
  - NLB support from, 456
  - website, 19, 64
- VMware Capacity Planner, 365
- VMware Consolidated Backup (VCB), 10, 10, 496–508
  - backup agents in virtual machine, 497, 497
  - for file-level backups, 505–506, 506, 508
  - for full virtual machine backups, 498–502, 499
    - results, 502
    - steps, 501–502
  - restoring with, 508, 508–513
  - for single VMDK backups, 504
  - with third-party products, 506–508
  - vs. VCDR, 515
- VMware Consolidated Backup User sample role, 398
  - privileges, 403

- VMware Converter boot CD, downloading, 378
- VMware Converter Enterprise, restoring VCB backups with, 513, 514
- VMware Data Recovery (VCDR), 496, 514–515
- VMware Distributed Resource Scheduler (DRS), 7–8, 443–448
  - datacenters and, 394
  - Default option, 447
  - enabling on cluster, 442
  - fully automated behavior, 444–448
    - DRS rules, 445–448
  - manual automation behavior, 443
  - partially automated behavior, 444
  - vCenter Server and, 4
- VMware ESX, 2
  - commands, 637–644
  - components, 3
  - deploying, 23–40
    - installing from DVD, 27–37
    - partitioning Service Console, 23–27
    - progress meter, 36
    - summary of installation settings, 35
    - unattended install, 37–40
  - vs. ESX 3.5, 3
  - fixing Service Console NIC in, 47–48
  - graphical installation mode vs. text-based, 28
  - migrating running virtual machine to different host, 6
  - post-installation configuration, 45–54
    - adjusting Service Console memory, 49–51, 50
    - changing Service Console/management NIC, 45–49
    - time synchronization, 51–54
  - storage infrastructure for, 249–277
    - core concepts, 249, 250
    - datastore creation, 252–258
    - datastores, 249–251
    - NFS datastores, 258–270
    - raw device mapping, 270–272
  - vs. VMware ESXi, 18
- VMware ESXi, 2
  - configuring management networking, 156–157
  - fixing management NIC in, 48–49
  - home screen, 48, 49
  - installation steps, 42–43
  - and management port, 148
  - tools not available, 386
  - using shell scripts with, 605–606
  - VMkernel ports on, 155
- VMware ESXi Embedded, deploying, 43, 44
- VMware ESXi Installable, deploying, 40–43
- VMware Fault Tolerance, 9, 490–495
  - checklist for success, 494
  - configuring virtual disk for, 278
  - eagerzeroedthick disk format for, 275
  - NICs for, 22
  - snapshots and, 349
  - task in progress, 492
  - vCenter client showing process in sync, 493
  - vCenter client showing start process, 493
  - vCenter Server and, 4
  - VMkernel ports for, 153
- VMware Fusion, 380
- VMware High Availability, 8–9, 247, 470–490, 471
  - configuring, 474–490
    - admission control settings, 482
    - failure, 476–480
    - host failures allowed, 476
    - isolation response, 486–487, 487, 490
    - restart priority, 484–486, 485
  - datacenters and, 394
  - overcommitment in cluster, 484
  - vCenter Server and, 4
- VMware logo, icon in system tray, 336, 337
- VMware management service, restarting, 153
- VMware Mount Service for Virtual Center, 77
- vmware port-group statement, 204, 205
  - for name change, 206
- VMware tools
  - determining existence, 339
  - installing, 335–340
    - on Linux, 338, 339, 339
    - outdated versions, 339
    - upgrading, 131–132
- VMware Tools Properties dialog box, 337, 337
- VMware Tools Upgrade to Match Host baseline, 115, 130
- VMware Update Manager Service Properties dialog, Log On tab, 112
- VMware vCenter Collector Service, for Guided Consolidation service, 365
- VMware vCenter Lab Manager, 2
- VMware vCenter Lifecycle Manager, 2
- VMware vCenter Server Heartbeat, 65
- VMware vCenter Site Recovery Manager, 2
- VMware vCenter Stage Manager, 2
- VMware vCenter Update Manager, 5
- VMware vCenter Update Manager privilege, 401
- VMware Virtual Symmetric Multi-Processing (vSMP), 3–4, 4
- VMware VirtualCenter Management Webservices, 77
- VMware VirtualCenter Server, 77
- VMware vLockstep technology, 9, 490
- VMware VMotion, 6–7, 247, 432–440
  - compatibility, 448–450
  - enhanced, 450–451
  - datacenters and, 394
  - enabling VMkernel interface for, 607–608
  - internal-only vSwitch and, 146, 579
  - and Microsoft licensing, 334
  - migration
    - performing, 438–440
    - step one, 432, 432
    - step two, 432, 433
    - step three, 433, 434
    - step four, 433, 434
    - step six, 435, 436
    - warning during, 438
  - NICs for, 22, 438
  - requirements, 435–438
  - vCenter Server and, 4
  - VMkernel ports for, 153
- VMware VMvisor Boot Menu screen, 40, 41
- VMware vSphere product suite, products included, 1
- VMware Workstation, 380
- VMwareVCMSSDS, 77

- .vmx (virtual machine configuration) file, 208, 272, 319–320
- .vmx.lck (virtual machine lock) file, 272
- vmxnet adapter, 140
- VNC, 408
- vNetwork Distributed Switches (dvSwitch), 5, 139, **182–200**. *See also* Cisco Nexus 1000V
  - distributed virtual switch
    - adding host to existing, 184–185
    - adding hosts, 182, 183
    - configuration maximums for, 200
    - creating, **182–188**
    - creating VMkernel port, 436
    - defining PVLAN entries on, 197–198, 198
    - editing security profile, 212
    - managing adapters, **194–196**
      - adding virtual adapter, 194
    - removing, 187–188
    - removing from ESX/ESXi hosts, 186, 187
    - security policies, 207
    - vs. standard vSwitch, 182
    - total ports and available ports, 185
    - and vShield appliance deployment, 578
  - vNetwork Standard Switch (vSwitch), 139. *See also* vSwitch
    - security policies, 207
  - volumes, 223
    - aligning in VMFS, 256
  - vpzd.cfg file, editing, 579
  - vpzuser account, **572–573**
  - vRanger Pro (Vizioncore), 61
  - VSA (virtual storage appliance), 26
  - vSCSI, paravirtualize, **290–291**
  - vShield zones, **10, 574–582**
    - installing, **574–579**
    - for virtual machine protection, **580–582**
  - vShield appliances
    - deployment, **576–579**
  - vShield Manager
    - configuration, **575–576**
    - deployment, 575
    - VM Flow tab, 581, 582
  - VSMgmt network, for vShield appliance, 577
  - vSphere
    - best practices, **645–652**
      - disaster recovery and business continuity, **651**
    - ESX/ESXi installation, **645–646**
    - monitoring and troubleshooting, **652**
    - storage management, **649**
    - vCenter Server, **646–647**
    - virtual machines, **650**
    - virtual network, **648–649**
    - deployment planning, **17–22**
    - editions, overview, 13
    - vs. Hyper-V and XenServer, **11**
    - importing virtual machines into, 372–373
    - licensing, **12–13**
    - new storage features, **277–308**
      - binding iSCSI initiator to multiple interfaces, **293–297**
      - hot virtual disk expansion, **284, 285**
      - management features, **298–300**
      - paravirtualize vSCSI, **290–291**
      - software iSCSI initiator improvements, **291–293**
    - Storage vMotion changes, **284–290**
    - thin provisioning, **278–282**
    - VMDirectPath I/O and SR-IOV, **301–302**
    - VMFS expansion, **282, 283**
    - VMFS resignation changes, **282–284**
    - vStorage APIs for multipathing, **303–307**
    - vStorage APIs for Site Recovery Manager, **308**
    - reasons to choose, **14**
  - vSphere Client, 6
    - to access vCenter Server, 79
    - adding virtual hardware to virtual machine, 340
    - connecting, to vCenter Server instance, 558
    - enabling NTP, 51
    - Getting Started tabs, removing, 80
    - installing, **44–45**
    - logging on to ESX/ESXi host using, 60
    - for managing local users and groups, 558
    - Roles view, 391
    - and SCSI-3 dependency, 251–252
    - storage stack, 250
    - and vCenter Converter, 363
  - vCenter Update Manager
    - Administration, main tabs, 114
    - VUM management in, 113
    - window tabs for host management features, 87, 87
  - vSphere Client Windows Guest Customization Wizard
    - Computer Name page, 357
    - Save Specification page, 358
  - vSphere environment, security, 555
  - vSphere Management Assistant (vMA), resxtool tool in, 543
  - vSphere PSA model, 303
  - vSphere Software Development Kit (SDK) for Perl, 587
  - vSphere VMkernel, 254
  - vSphere volume manager, volume partitioning by, 254
  - VSphere Web Services SDK, 588
  - vStorage APIs, 496
    - for array integration, 308–309
    - for data protection, 308
    - for multipathing, **303–307**
    - for Site Recovery Manager, **308**
    - support for, 12
  - vswif (Service Console port), 140
    - interface, 148
    - limits for ESX support, 153
  - vSwitch Properties dialog, 294
    - NIC Teaming tab, 172
    - Traffic Shaping tab, 177
  - vSwitches, 45, 139, 142, **142–180**
    - adding VMkernel port to existing, 154–155
    - binding physical network adapter to, 159
    - connection types, 145
    - creating, 145, 152
    - default security profile for, 207, 207
    - editing security profile, 211
    - failover event on, with NIC team, 176
    - number and configuration, factors impacting, 178
    - vs. physical switches, **143–144**
    - port load balancing policy, **168–169**
    - ports and port groups on, 160
    - security configuration, **207–212**
    - Service Console port type on, 149
    - size decisions, 180, 181
    - using NIC teaming, 148
    - virtual machine monopoly of, 548–549
    - with Virtual Machine port group, 158, 159

vSwitches Properties dialog,  
 Security tab, 207  
 .vswp extension, 415  
 VUM. *See* vCenter Update Manager  
 (VUM)

## W

W32Time service, 337  
 %WAIT counter, 541–542  
 warning, during VMotion  
 migration, 438  
 Web Access page, of ESX/EXSI  
 host, installing vSphere Client  
 from, 44–45  
 Web Console  
 for login to virtual machine  
 desktop, 408  
 for managing virtual machines,  
 405–408  
 requirements, 406  
 web resources  
 on custom CPU masks,  
 450  
 Shadow Copies of Shared  
 Folders, 513  
 on System Center Data  
 Protection Manager  
 (SCDPM), 513  
 vCenter Orchestrator  
 Developer's Guide, 597  
 on vCenter Orchestrator install,  
 589  
 vendor-specific documentation,  
 258–259  
 VI Toolkit Community  
 Extensions, 597  
 Virtual Appliance Marketplace,  
 380  
 virtual machine guest  
 operating systems, 332

on VMsafe APIs, 584  
 VMware best practices  
 documentation, 218  
 Web service, settings, 99  
 Welcome To The ESX Installer  
 screen, 28  
 Where-Object cmdlet, 604  
 who am i command, 637  
 whoami command, 637  
 Windows  
 blue screen of death (BSOD),  
 25  
 clustering storage architectures,  
 457  
 disk partitions, 23, 24  
 multiroot file system, 23  
 as reliable time server, 54  
 removing unnecessary drivers  
 from virtual machine, 377  
 user data backups in, 513  
 virtual machines, file-level  
 backups, 505–506, 508  
 VMware tools for, 335  
 Windows 2000, SCSI controller  
 support, 325  
 Windows activation, 334–335  
 after P2V migration, 372  
 Windows authentication  
 and vCenter Server services,  
 71, 74  
 for VUM database, 108  
 VUM services configuration to  
 support, 112  
 Windows-based guest operating  
 systems, upgrading VMware  
 tools, 339–340  
 Windows-based server, full C:  
 drive on, 23  
 Windows Server 2003, clustering  
 support, 457

Windows Server 2008  
 Datacenter Edition, licensing,  
 334  
 Enterprise Edition, licensing,  
 334  
 SCSI controller support, 325  
 Windows Server virtual machines,  
 clusters of, 458–459  
 Windows Services for Clusters  
 (WSFC), 271  
 Windows XP, SCSI controller  
 support, 325  
 WinSCP, 40, 510  
 WordPad, for editing kickstart files,  
 38  
 workflows  
 automated, 10  
 in vCenter Orchestrator,  
 595–597, 596  
 workgroups, for vCenter Server, vs.  
 domain, 393  
 worldwide name (WWN), for  
 objects, 230–232  
 write cache, 222  
 “write penalty”, for parity RAID,  
 224  
 WWN-based zoning, 232

## X

XenServer (Citrix), 2  
 vs. VMware vSphere, 11  
 XML-based answer file, creating,  
 for template deployment, 356

## Z

zeroedthick disk format, 275, 275  
 zoning  
 configuring, 233  
 by Fibre Channel, 232