

INDEX

- AAC audio, 392
- Absolute location, 442
- Access, generally
 - control, security services, 374
 - Internet service providers (ISPs), 109
 - offline, 144–145, 265
 - points, wireless LAN network, 142
 - workload characterization, 144–145
- Acknowledgments (ACKs)
 - negative, 95–98, 346
 - positive, 93, 95, 345
- ACME (architecture for content delivery in the mobile environment)
 - defined, 5–6
 - overview of, 183–185
 - performance analysis
 - in CDMA networks, 191, 196–197
 - slotted ALOHA system, 191–196
 - system description, 191
 - in radio resource management, 201
 - terminal power consumption in, 185–186, 198
 - user interest correlation:
 - algorithm, 197–198
 - simulations, 198–200
 - traces, 198
- ACME Director
 - characteristics of, 190–192, 197–198
 - development of, 185–186
 - effectiveness, 198–200
 - terminal power consumption, 198–199
- Active cache, 90
- Active handover, IP multicast system, 344
- ActiveX, 487
- Activity factor, defined, 141
- Adaptation
 - appearance, 217–219
 - quality, in multimedia streaming, 281–283
- Adapters, SOAP, 491
- Adaptive threshold, 121
- Adaptive TTL protocol, 120–122, 125
- Adaptive Web caching, 123–124
- Additive increase, multiplicative decrease (AIMD) algorithm, 281
- Administratively scoped multicast, 98
- ADSL (asymmetric digital subscriber line), 31
- Advanced encryption standard (AES), 378
- Advanced mobile phone system (AMPS), 9
- Agent-driven negotiations, 48
- AIM, 99
- Akamai, 91
- Alert protocol, WAP 1.0, 77
- AMR (adaptive multirate voice codec), 29, 208, 248, 308, 392

- Angle of arrival (AOA), location estimation, 449–450, 462
- Angulation, 447
- Antenna technologies, 23
- Antipiracy protection, 374
- AOL Anywhere, 135
- Apache Cocoon, 213
- Appearance adaptation, 217–219
- Application layer
 - defined, 3
 - multicast, *see* Application layer multicast
 - multimedia streaming, QoS control, 278, 280–284
 - overview of, 91–92
 - scalable content delivery, 91–92
- Application layer multicast
 - characteristics of, generally, 103–104, 330
 - functions of
 - content distribution, 111
 - end-user subscription, 111
 - overlay setup, 110
 - tree organization, 110–111
 - rationale for
 - application layer routing, 107
 - asynchronous delivery, 106
 - easy deployment, 105–106
 - effective transport, 104–105
 - versatility, 107
- Application-level multicast, 168, 174
- Application service provider (ASP), 466, 469
- Architecture, *see specific types of systems*
 - core network, 11–13
 - end-user performance, GSM/EDGE and WCDMA, 31–33
 - GSM/GPRS/EDGE, 24–27
 - IS-95 radio access, 27–29
 - operator performance, GSM/EDGE and WCDMA, 29–31
 - overview of, 9–10
 - standardization framework, 10
 - WCDMA radio access network
 - architecture, 13–14, 362–363
 - beyond 2Mbps with HSDPA, 20–21
 - evolution of, 22–24
 - layer 2/3, 14–18
 - physical layer, 18–20
- ARIB, 10
- ARM (active reliable multicast), 99
- ASCII, 208, 428
- ASF (advanced streaming format), 209
- Asymmetric encryption, 377–378
- Asynchronous delivery, 106
- Asynchronous multicast push (AMP), 119, 125
- AT&T, 138
- Atmospheric conditions, impact of, 277
- Attachments, 505–506
- Audio, streaming, 285, 338. *See also* Multicast content delivery; Multimedia streaming
- Audiovisual content
 - characteristics of, 208
 - nonscalable, 208–209
 - scalable, 209–210
- Authentication
 - digital rights management, 402–404
 - HTTP/1.1, 48
 - OMA data synchronization, 269
 - security services, 373, 375, 507
 - 3GPP MBMS system, 366
- Authentication, authorization, and accounting (AAA), 290, 430
- Automatic retransmission query (ARQ), 26
- Automesh, defined, 113
- Availability, security services, 374
- Avantgo, 144–145

- Backbone ISPs, 109
- Backend architecture, 143
- Band-segmented transmission-orthogonal frequency-division multiplex (BST-OFDM) modulation, 351
- Bandwidth
 - caching and, 126
 - distribution trees, 116
 - efficiency, 185, 190
 - IP multicast system, 107–108, 347
 - multicast content delivery, 333–334
 - multimedia streaming, 282–283
 - significance of, 2
 - streaming media, 283
 - wireless LAN network, 142
 - wireless mobile environment, 315
- Bandwidth Broker (BB), 285
- Bandwidth-on-demand services, 16
- Basestation controller (BSC), 26
- BAT system, location estimation, 456–457
- Bayesian network, location estimation, 452, 455
- Beamforming antenna, 23
- BEEP (block extensible exchange protocol), 499
- Beep Science
 - AS, 390
 - mobile DRM system, 392–393
- Berners-Lee, Tim, 39
- Bidirectional access networks, 347
- Bit error rate (BER), 183, 315
- Bit rate capability, 10
- Blogs (Web logs), 479
- Bloom filters, 123
- Bluetooth, 206, 232–233, 261, 264

- Body area network (BAN), 3
- Bottlenecks, 6, 123, 136, 184–185
- B-pictures, streaming video, 286
- Broadcast control channel (BCCH), 15
- Broadcast/multicast control (BMC) protocol, 15
- Browsing charges, 433, 435
- Bus cable, 261
- Business-to-business (B2B), 421, 478–479
- Byte-range operations, HTTP/1.1, 45, 48

- Cache, *see* Caching
 - applet, 90
 - consistency, 118, 120–122
 - HTTP/1.1, 48–50
 - mesh, 122, 126
 - miss, 117
 - radius, 125
 - router proposal, 99
- Caching
 - implications of, generally, 45, 48–50
 - proxy, 117–125
 - scalable content delivery, 91–92
 - servers, streaming media, 289–290, 311
 - web-based applications
 - information dissemination, 87–90
 - information exchange, 90
 - web proxy, 117–126
- Callback address, 135
- Call detail records (CDRs), 411–412, 424–425, 427–431
- CAMEL (customized application for mobile network enhanced logic), 425
- Canonical (CNAME), streaming media, 306
- CAP3 (CAMEL application Part 3), 425
- Carriage return and a linefeed (CRLF), 40
- Cascaded unicast, 97–98
- Cascading style sheets (CSS), 81, 210–211, 228–229
- CC/PP, *see* Composite capability/preference profiles (CC/PP)
- CCTrCH, 16
- CDMA (code-division multiple access)
 - characteristics of, generally, 11
 - classical near-far problem, 19
 - fast power control, 18–19
 - location estimation, 462–463
 - networks, ACME in, 191, 196–197
- cdma2000, 27, 196
- Cell broadcast service (CBS), 358
- Cellular digital packet data (CDPD) technology, 381
- Cellular phones, 66, 144–145, 153
- CGI (common gateway interface), 469
- Channels, error-prone, 315
- Characteristics adaptation, 217, 220, 239
- Charging
 - advice of charge, 429
 - architecture, 433
 - correlation, 428–429
 - differentiated, 425–426
 - fixed-line telephony, 411–414
 - flow-based, 426–428
 - information, 431–435
 - interfaces, 429–431
 - mediation, 428
 - mobile content features
 - business-to-business (B2B), 421
 - multiple access, 422
 - multiple services in delivery, 423–424
 - overview, 415–416
 - postpaid charging, 419–421
 - prepaid charging, 419–421, 432
 - records, source of, 422–423
 - revenue chain, 416–417
 - roaming, 422
 - subscription models, 417–419
 - mobile telephony, 414–415
 - rating, 429
 - records
 - creation of, 424–425
 - source of, 422–423
 - rules, 429
 - scenarios
 - browsing, 433, 435
 - downloads, 423, 436
 - person-to-person messaging, 435–436
 - streaming video, 436–437
 - scope of, 410–411
- CIBER, 421
- Circuit-switched (CS) domain, 11–13
- Cisco, 89, 103, 124
- Classical near-far problem, 19
- Client information request headers, 58–59
- Client response preferences request headers, 59–62
- CNN.com, 87–88
- Coded orthogonal frequency-division multiplex (COFDM) modulation, 351
- Common control channel (CCCH), 15
- Common packet channel (CPCH), 16–17
- Composers, SOAP, 491
- Composite capability/preference profiles (CC/PP)
 - content adaptation, 231–233
 - exchanges, 303–305, 313
 - repository, 304
 - streaming media, 299, 301–305
- Conditional request headers, 57–58
- Confidentiality, security services, 373, 507

- Conflict resolution, data synchronization, 260, 270
- Congestion
 - implications of, 47, 125
 - losses, 315–316
 - multicast content delivery, 333–334
 - multimedia streaming, 281–283
- Connections
 - IP multicast system, 337
 - persistent, HTTP/1.1, 46–47
- Connectivity, 3, 126
- Consumption
 - IP multicast system, 337
 - IPDC, 349–350
 - multicast content delivery, 334
- Content, generally
 - caching, 5
 - defined, 2
 - distribution, 111
 - IP multicast system, 337
 - metadata, 230, 236–237
 - negotiations, 45, 47–48
 - types, media
 - audiovisual content, 208–210, 222–223
 - nonaudiovisual content, 223–224
 - textual content, 207–208
 - value chain, 376–377
 - verification, 402–403
- Content adaptation
 - application scenarios
 - content selection, browsing, 241–244
 - transcoding, multimedia messaging service, 244–250
 - architectures
 - configurations, 239–240
 - location of adaptation, 237–239
 - capabilities
 - composite capability/preference profiles (CC/PP), 231–233
 - defined, 230
 - subscriber databases, 233
 - UAPProf, 233–235, 238–239, 248–249
 - user-agent information, 231
 - future directions for, 251–252
 - implications of, generally, 6
 - metadata, 230, 236–237
 - methods of
 - content selection, 225–228, 241–244
 - hybrid approaches, 230
 - multimedia transcoding, 221–225, 244–250
 - rendering at the client, 228–230
 - motivation for, 205–207
 - multimedia content types
 - application data, 214–215
 - media content, 207–210
 - presentation content, 210–214
 - procedural code, 215
 - standardization, 251
 - types of adaptation
 - appearance, 217–219
 - characteristics, 217, 239
 - encapsulation, 221, 239–240
 - format, 216–217, 239
 - size, 219–220, 239
- Content analysis, workload characterization
 - content modification pattern, 138–139
 - content popularity, 138
 - content size, 138
 - content types, 138
 - defined, 137
 - notification, 164–168, 176–179
 - web browsing, 145–149, 176–179
- Content control engine (CCE), 392
- Content delivery
 - multicast, *see* Multicast content delivery
 - web proxy coaching, 118–120
- Content delivery networks (CDNs)
 - characteristics of, 3, 187, 454, 457–459
 - end-system acceleration, 187–188
 - mobile, 189
 - network scaling, 187
 - optimization, content and protocol, 188–189
- Content networking, generally
 - characteristics of, 1–2
 - defined, 2
 - in the mobile internet, 2–4
- Content provisioning system (CPS)
 - IPDC system, 356
 - IP multicast system, 350
- Content scrambling system (CSS), 386
- Content servers (CS), 143, 310, 380
- Content synchronization
 - adoption of
 - constraints, adherence to, 262–263, 269–270
 - mobile device scenarios, 261–262
 - change detection, 260, 270
 - conflict detection/resolution, 260, 270
 - data storage and, 255–257
 - implications of, 6
 - need for, 257–258, 273–274
- OMA standards
 - data synchronization protocol, 268–273
 - overview of, 263–264
 - representation, 264–267
- types of
 - delta sync, 260
 - fast sync, 260

- full sync, 259–260
 - one-way, 258–259, 269
 - slow sync, 259–260
 - two-way, 258–259, 269
- Continuous multicast push (CMP), 119, 125
- Contributing source (CSRC), 305
- CONTROL, GPS system, 459
- Cookies, WAP 2.x, 82
- COPS (common open policy service), 285
- Copyright, 225
- CORBA, 478, 487
- Cricket system, location estimation, 456
- Crying baby problem, 94, 100
- Cumulative distribution function (CDF), 146, 149
- Curly, 54
- Customizer, 226–227
- CWTS (China Wireless Telecommunication Standard Group), 10

- DA delay, 97
- DAML-S, 483
- Database server, 144
- Data gathering, web workload characterization, 3, 144
- Datagroups, IP multicast, 110
- Data synchronization, defined, 257. *See also* Content synchronization
- DCE, 487
- DCOM, 478, 487
- DCT (discrete-cosine transform), 385, 396
- Debugging, 46
- DECE, 478
- Decryption, 380
- Dedicated channel (DCH), 16–17
- Dedicated control channel (DCCH), 15
- Dedicated physical control channel (DPCCH), 16–17, 19–20
- Dedicated physical data channel (DPDCH), 16–17, 19
- Dedicated traffic channel (CTCH), 15
- Deering, S., 93
- Degree/minutes/seconds (DMS) system, physical location, 441
- Delay, generally
 - budget, 284
 - DA, 97
 - jitter, 277–280
 - loss detection, 284
 - queuing, 184
 - spread, 444
- Delay-locked loop (DLL), 462
- Delta encoding, 120
- Delta synchronization, 260
- Denial of service (DoS), 372, 374

- Dependency graph, 118
- Deployment, multicast content delivery, 334
- Designated receivers (DRs), 96
- Desktop access, 144–145
- Desktop computers, 261
- Desktop users, web workload, 147, 178
- Destination, adaptation architecture, 238–240
- Device Independence, 252
- DHCP (dynamic host configuration protocol), 331
- Differential GPS (DGPS), 460
- Differentiated Services (DiffServ), 284–285, 310
- Diffraction
 - defined, 443
 - loss, 445
- Digest authentication, 45, 48
- DigiBox, 391
- Digital, 138
- Digital audio broadcast (DAB) system, 352
- Digital cameras, 217
- Digital fingerprinting, 378–379, 400–401
- Digital Fountain, 100, 102, 119
- Digital item adaptation (DIA), 251
- Digital rights locker, 383–384
- Digital rights management (DRM)
 - authentication, 373
 - content distribution business models
 - characteristics of, 380–381
 - floating licenses, 382
 - microtransactions/micropayments, 382
 - pay per view, 382–383
 - promotion models, 381
 - subscription-based, 381
 - superdistribution, 382
 - functional architecture, 376
 - information architecture, 376
 - mobile (MDRM), terminal requirements, 384–385
 - multicast content delivery, 338
 - multimedia services, 321
 - overview of, 375–381
 - security protocols, 373–374, 379–380, 384
 - significance of, 7
 - streaming media, 290
- Digital signatures, 377–378
- Digital video broadcasting terrestrial (DVB-T)
 - network, IPDC system, 348, 352–354
- Digital watermarking, 375, 377–379
- Dilution of precision (DOP), 463
- Direct-sequence spread-spectrum (DSSS) signal, 457
- Direction services, 147
- Director effectiveness, 198–200
- Directory-based volumes, 121
- Disconnection, 256

- Discovery protocols, 518–519
- Dispatchers, SOAP, 491
- Disseminate information, 5
- Distance-based location update strategy, 461–462
- Distributed computing, 478
- Distributed share memory (DSM), 117
- Distribution tree
 - application layer, 110–112
 - construction of:
 - maintenance, 116
 - neighbor selection, 113–114
 - parent selection, 114–116
 - peer discovery, 112–113
- DMDmobile, 390
- DNS (domain name service), 91
- DoCoMo location platform (DLP), 469
- Document object model (DOM), 223–224
- Document type definition (DTD), 266, 268
- DOM (Document Object Model), 522
- Doppler effects, 343
- Downlink shared channel (DSCH), 17
- Downlink signaling, unidirectional, 346–347
- Downloader program, 144
- Downloads
 - charges for, 423, 436
 - web services, 484
- Duplicate avoidance (DA), 95–97
- DVB-H (DVB handheld), 351–353, 357
- DVB-M (DVB mobile), 351
- DVB-S (DVB-satellite), 357
- DVB-T (DVB-terrestrial), 184, 197
- DVB-X, 351
- DVDs, intellectual property management, 386
- DVMRP (distance vector multicast routing protocol), 96, 115
- DWDM, 184
- Dynamic content, defined, 88–90
- Dynamic objects, 88–89, 125

- ECMAScript, 81
- E-commerce, 91, 356–357
- Edge caching, 184–185
- EdgeScape, 458
- Edge Side Includes (ESI), 189
- EDI/B2B industry, 474
- EFRC, 208
- Eight-level vestigial sideband (8-VSB)
 - modulation, 351
- Electronic data interchange (EDI), 478–480
- Electronic service guide (ESG), 353
- Email, 258, 297, 483–484. *See also* Mail service
- Encapsulation adaptation, 220–221, 239–240

- Encoding
 - chunked, 47
 - error-resilient, 283
- Encryption
 - characteristics of, 48, 375, 377–378
 - format compliant, 396–397
 - progressive, 397
 - scalable, 394–395, 397–398
 - selective, 395–396
 - SOAP Message Security, 508–510
- EncryptTix, 390
- End-system acceleration, 187–188
- End-to-end, generally
 - architecture, 288–290
 - congestion, 281
 - connection, 18
 - headers, HTTP/1.1, 50–51
- E-911 calls, 460–464
- Entity headers, HTTP/1.1, 51, 54–56
- Ericsson, 67, 263
- Error-concealment, 283
- Error control, multimedia streaming, 283–284
- Estimation, in location estimation process, 453–454
- Ethernet LANs, 108
- ETSI, 10
- EU IST, BRAIN, 321
- European Digital Video Broadcasting Terrestrial (DVB-T) system, 350–353, 357
- Event-based charging, 418
- EVRC, 218
- Exchange information, 5
- Expanding-ring search (ERS), 96, 112–113
- eXtensible Markup Language (XML)
 - characteristics of, 209, 265–267, 271–272, 480–485
 - XML-RPC, 494
 - XML/XML schema, 483
- eXtensible rights Markup Language (XrML), 379, 387, 509
- eXtensible Style Language Transformation (XSLT), 223–224, 229, 487
- Extensible Stylesheet Language (XSL)
 - Transformations (XSLT), 212–214, 228
- External functional interface (EFI), 83

- False-hit rate, 123
- Fast fading, 343
- Fast hit, 118
- Fast synchronization, 260
- Fault tolerance, 256
- Fcast, 100
- FDMA, 196

- FEC packets, 101–102. *See also* Forward error correction (FEC)
- Federal Communications Commission (FCC), 443, 460
- Feedback implosion, 94–95
- Fees, 7, 358. *See also* Charging
- Filecast
 - IPDC system, 355
 - IP multicast system, 338
- File delivery over unidirectional transport (FLUTE), 339
- Fine-grained scalable (FGS) compression, 394–395, 397
- Firewalls, 486
- First-hop router, 102
- Fixed-access networks, 1
- Fixed-line telephony, charges for, 411–414
- Fixed subscription, 417
- Fixed Web services, *see* Web services
- Flexible layer one (FLO), 26–27
- Flow-based charging, 426–428
- Format adaptation, 216–217, 239
- Format compliant encryption, MDRM, 396–397
- Forward access channel (FACH), 17
- Forward error correction (FEC)
 - ACME architecture and, 188
 - content caching, 100–102, 104
 - IPDC system, 355
 - IP multicast system, 346
 - multimedia streaming, 280, 283, 286, 317
- Free-space loss, 445
- Freeware organizations, 474
- Front-door server, 143
- FTAM, 428
- Full synchronization, 259–260
- Fusion tree, 96

- Gateway GPRS support node (GGSN), 13, 311, 320, 357, 361, 364–366, 415, 428–429
- Gateway mobile location center (GMLC), 465, 467–468
- Gateways, generally
 - SOAP, 491
 - wireless access, 144–145
- Gaussian minimum shift keying (GMSK), 25
- General headers, HTTP/1.1, 51–54
- Geographic locality, system load analysis, 162–163
- Geographic positioning, 275
- Geographic push caching, 120
- GeoPoint services, 458
- Geotargeting, 458–459
- GeoTraffic analysis services, 458–459
- GIF, 209, 216–218, 220, 222, 248, 250

- Global Mobile Suppliers Association, 10
- Global navigation satellite system (GNSS), 459
- Global positioning system (GPS), 459
- GLONASS system, 459
- GMSC (gateway MSC), 13
- Google.com, 88
- GPRS (general packet radio service), *see* GSM/GPRS/EDGE
 - characteristics of, generally, 83, 206
 - charging for, 415, 422–423, 426
 - network, 183
- GPRS RAN (GERAN), 320, 361–362
- GPRS SGSN, 414–415
- GPRS tunneling protocol (GTP), 364
- GPRS/WCDMA, 32–33
- Group key K_g , 383
- Group management hierarchy (GMH), digital rights management, 401
- G.723.1, 208
- G.729, 208
- GSM (global system for mobile communication), *see* GSM/EDGE; GSM/GPRS/EDGE
 - characteristics of, generally, 208
 - evolution of, 66
 - phones, 205
 - standardization, 13
- GSM (Group Spéciale Mobile), 414
- GSM Association, 10
- GSM/EDGE, 9–10
- GSM/GPRS/EDGE
 - end-user performance, 31–33
 - GSM principle, 24–26
 - operator performance, 29–31
 - radio access network architecture, 26
 - service creation principle, 26–27
- GSM/GPRS, synchronization, 261
- GSM MSC, 414
- GSM900, 29

- Hacks, 384
- Handheld Device Markup Language (HDML), 5, 67
- Handheld PCs, 205
- Handover (HO)/handoff, IP multicast system, 343–345
- Handover packet loss, 316–317
- Handshake protocol
 - DRM security, 379–380
 - WAP 1.0, 77
- HARQ, 28
- Harvest Web cache, 121–123
- Headers, HTTP/1.1
 - end-to-end, 50–51
 - entity, 51, 54–56

- Headers, HTTP/1.1 (*Continued*)
 - functions of, 50–51
 - general, 51–54
 - hop-to-hop, 50–53, 61, 65
 - request, 51, 56–63
 - response, 51, 63–65
- Heavy-tail distribution, 138–139
- Helix, 390–391
- Hierarchical caching, 117, 119, 122, 126
- High-definition television (HDTV), 350
- High-speed circuit-switched data (HSCSD), 24
- High-speed DSCH (HS-DSCH), 21
- HLR (home location register), 12
- Hop-by-hop headers, HTTP/1.1, 50–53, 61, 65
- Hop count, 107
- Host mobility, 315, 317–318
- Hot billing, 425
- Hotspots, 319, 361
- HSDPA (high-speed downlink packet access), 4, 20–22, 26, 29, 31–33
- HTTP/0.9, 40
- HTTP/1.0, 410
- HTTP/1.1
 - authentication, 43–44, 48
 - byte-range operation, 48
 - caching, 48–50
 - chunked encoding, 47
 - content negotiations, 47–48
 - goals of, 44
 - headers
 - end-to-end, 50–51
 - entity, 54–56
 - functions of, 50–51
 - general, 52–54
 - hop-to-hop, 50–52
 - request, 56–63
 - response, 63–65
 - persistent connections, 46–47
 - request methods, 45–46
 - response methods, 45
 - status code with description, 43
- HTTP/2.0, 53
- Human factors studies, 1
- Hybrid networks, 97–98, 347
- Hypertext Markup Language (HTML)
 - characteristics of, 210
 - macros, 188–189
 - multimedia transcoding, 222
- Hypertext Transfer Protocol (HTTP), *see* HTTP/0.9; HTTP/1.0; HTTP/1.1; HTTP/2.0
 - basic operation, 39
 - defined, 5, 38
 - evolution
 - HTTP/0.9, 40
 - HTTP/1.0, 41–44
 - HTTP/1.1, *see* HTTP1.1
 - general operation, 38–39
 - GET, 479, 486, 510–511
 - IP multicast systems, 338
 - OMA data synchronization, 264
 - popularity of, 188
 - POST, 467–468, 479, 486, 499, 511
 - scalable content delivery, 91
- IANA, 56
- IBM, 263, 508
- ICAP Forum, 251
- ICP (Internet caching protocol), 123
- Identifiers, content synchronization, 263, 270, 273
- Idle-mode reception, 363
- IGMP (Internet group management protocol), 97, 99, 365
- IMEI code, 233
- IMT-2000 technologies, 10, 23, 466
- Indoor location estimation system
 - infrared-based, 457
 - scene-analysis-based, 454–455
 - ultrasound-based, 455–457
- Infopyramid
 - characteristics of, 225–226
 - content selection application, 242–243
 - creation process, 227
- Information, generally
 - dissemination, 5, 87–90
 - exchange, 5, 89–91
 - security, *see* Security
- InfoSpace, 135
- Infrared, 264
- Infrared (IR) signals, location estimation, 445–446
- Initialization, OMA data synchronization, 269–270
- Inktomi
 - “Media Distribution Network,” 116
 - reverse proxy, 91
- Integrated cellular/WLAN environments, 319–321
- Integrated Services (IntServ), 284, 310
- Integrity, security services, 373, 507
- Intellectual property, 375. *See also* Moving Picture Experts Group (MPEG), intellectual property management
- Intelligent network (IN), 414
- Interference, 25, 277, 336, 445
- Interleaving, 280
- Intermediary, adaptation architecture, 238–240
- Internet, generally
 - access, 264

- infrastructure, 92
- TV broadcasts, 109
- Internet Engineering Task Force (IETF)
 - filecast, 339
 - functions of, 18, 290
 - group key management, 402
 - IP Multicast, 368
 - media discovery, 339–340
 - Multicast Security, 330
 - OPES Working Group, 187
 - RFC
 - 1889, 305, 308
 - 2326, 293
 - 2327, 297
 - streaming media, 284, 339
 - web services interoperability (WS-I), 519
- Internet Explorer (IE), 231, 238
- Internet media guides (IMGs), 340
- Internet multimedia system (IMS), 310
- Internet service providers (ISPs)
 - functions of, 109, 458
 - wireless, 164, 319
- InterTrust, 380
- Intranet, 264
- Invalidation, web proxy caching, 121
- IP datacast (IPDC)
 - characteristics of, 7
 - concept of, 347–348, 357–358
 - e-commerce for (e-CS), 356–357
 - IP infrastructure, 354–355
 - mobile wireless radio networks, 350–354
 - services and applications, 348–350
 - service system, 355–356
 - system architecture, 350
- I-pictures, streaming video, 285
- IP layer, scalable content delivery, 91–92
- IP multicast system, generic
 - common aspects, 336
 - networking procedure, 340–342
 - reference system model, 336–337
 - three-platform services, 337–340
- IP multimedia subsystem (IMS), 11, 13, 367
- IPMP-Ds, 386
- IPMP-ES, 387
- IP-PDN, 310–311, 320
- IPSec, 83
- IP unicast, 93, 345
- IPv4, 83, 91, 311, 365
- IPv6, 83, 91, 365
- IPv6 Forum, 10
- IRC/6.9, 53
- IrMC, 261
- IS-95
 - characteristics of, 9–10
 - evolution of, 10
 - radio access, 27–28
- ISO, 285, 290
- IS-2000, 27
- ITU-T
 - H.261, 223
 - H.263, 209, 217, 223, 285, 392
- Japanese Terrestrial Integrated Service Digital Broadcasting (ISDB-T) system, 350, 352–353, 357
- Java, RMI, 478
- Java Community Process (JCP), 522
- JavaEnabled, 232–233
- Java MIDP, 215
- Java Server Pages, 214
- Java Specification Request (JSR), 522
- Jini, 478
- JMS, 499
- JPEG, 209, 216–218, 220, 222–223, 248
- JPEG2000, 209, 216, 220, 223
- J2ME web services, 522
- JVMVersion, 232–233
- Kazaa, 381
- Kerberos, 478, 509
- k* nearest-neighbor averaging, 453
- Large-scale active middleware (LSAM), 124
- Large-scale path loss, 445
- Latency
 - implications of, 185, 190
 - reduction, 125, 185, 190
- Lateration, 447
- LGMP, 98
- Liberty Alliance, 522
- Limited-scope multicast (LSM), 98–99
- Limited subscription, 418
- Line of sight (LOS) path, 443–445
- Link layer, 2, 183
- LISAP (location information service access protocol), 469
- LLC/SNAP framing, 353
- Load balancing, 255–256
- Local synchronization, 261
- Local unique identifier (LUID), 273
- Location-based services
 - based on cellular systems
 - location service platform, 468–470
 - mobile location protocol (MLP), 467–468
 - system architecture, 465–467
 - characteristics of, generally, 7–8
 - location estimation algorithm
 - defined, 440

- Location-based services (*Continued*)
 - proximity, 454, 457–459
 - scene analysis, 450–454
 - triangulation, 447–450
- location estimation media
 - infrared (IR), 445–446, 457
 - radiofrequency (RF), 443–445
 - ultrasound, 446–447, 455–457
- location estimation system
 - defined, 440
 - indoor, 454–459
 - outdoor, 459–464
- location format transformation (LFT), 464–465
- location sensor infrastructure, 440
- location taxonomy
 - absolute location, 442
 - physical location, 441
 - relative location, 442
 - symbolic location, 441–442
- Location Interoperability Forum, 264
- Location service system (LCS), 465–467
- Log analyses, workload characterization, 161–163, 172–174
- Logical key hierarchy (LKH), digital rights management, 401
- Lookahead window, 118
- Loose coupling, 319–320
- Lorax, 98
- Loss detection delay, 284
- Loss rate, 107
- Lotus/Lotus Notes, 261, 263
- Low-end mobile phones, 264, 270
- Loyalty schemes, 419

- MAC (media access control) layer
 - functions of, 91
 - scalable content delivery, 91–92
 - WCDMA, 14
- Macrocell environment, 31
- Mail servers, 258
- Mail service, 147, 165
- Manual mesh, distribution tree, 113
- Mapping, data synchronization, 263, 270, 273
- Matching, location estimation, 451–453, 455
- Maximum transmission unit (MTU), 281, 353
- MBone, 89
- Media discovery
 - IPDC system, 356
 - IP multicast system, 338, 340–341
- Media gateway (MGW), 13
- Media gateway control function (MGCF), 13
- Mediation, charging issues, 428
- Media transcoder, architecture of, 218, 221–222

- Media transport protocols, 308
- Memory, 232–233
- Meridian lines, 441
- Mesh overlay network, 110, 113
- Message sequence chart (MSC), 268, 461
- Metadata
 - HTTP/1.0, 41
 - security strategies, 375, 377, 379
- Metropolitan area wireless network, workload characterization analysis, 141
- MFTP, 100
- Microcells, 278
- Micromobility protocols, 320
- Microsoft, 508
- Middleware, 2, 478
- MIME (multipurpose Internet mail extensions), 41, 231, 511, 512
- Mirror servers, 255
- MMS-IOP, 264
- Mobile cinema ticketing, 275–276
- Mobile clients, web workload, *see* Web workload
- Mobile content
 - charging for, 409–437
 - delivery, for the Internet, 189
 - digital rights management 371–404
 - security, 371–404
- Mobile DRM (MDRM)
 - state-of-the-art component technologies
 - efficient key management, 401–402
 - encryption, generally, 394–398
 - error concealment, 402–403
 - format compliant encryption, 396–397
 - multimedia content verification, 402–404
 - progressive encryption, 397
 - public key watermarking system, 398–401
 - scalable encryption, 394–395, 397–398
 - selective encryption, 395–396
 - state-of-the-art systems
 - components of, 388–389
 - Helix, 390–391
 - integrated model, 391
 - NEC VS-7810, 390–392
 - Nokia Music Player, 390–391
 - table of, 390
 - terminal requirements, 384–385, 392–393
- Mobile Information Device Profile (MIDP), 522
- Mobile Internet
 - architecture, overview of, 4, 9–33
 - characteristics of, generally, 2–4
 - content adaptation, 205–252
 - content networking, 1–8
 - protocols for, 35–84
- Mobile location protocol (MLP), 466–468
- Mobile phones, 197. *See also* Cellular phones

- Mobile terminals, web services, 520–521
- Mobile Web services, *see* Web services
- Mobile web users, 178–179
- Mobile wireless multicast
 - characteristics of, 335–336
 - mobility/movement of users, 342–345
 - radio transmission errors, 345–345
 - unidirectional downlink bearers, 346–347
- Mobile wireless networks, multimedia streaming
 - end-to-end architecture, 288–290
 - media delivery protocols, 291–305
 - multimedia services, 315–321
 - QoS control
 - application layer, 275–284
 - network layer, 284–285
 - streaming media codecs, 285–288
 - streaming media transport protocols, 305–308
 - 3GPP packed-switched streaming service, 308–315
- Mobile wireless radio networks, IPDC system
 - characteristics of, generally, 350–353
 - DVB-T/H, 352–354
- Modality axis, Infopyramid, 226
- Modulation, GSM, 25
- Modulo caching, 124–125
- Motorola, 67, 263
- Movement-based location update scheme, 461
- Moving Picture Experts Group (MPEG),
 - intellectual property management
 - MPEG-4 IPMP hook, 386–387
 - MPEG IMP extensions, 387
 - MPEG-21 (*Rights Data Dictionary*), 387
 - MPEG-2 videos, copy protection, 385–386
- Mozilla Windows, 145
- MP, 209
- MP3, 392
- MPEG
 - characteristics of, generally, 251
 - IMP extensions, 387
 - video, 395–396
- MPEG-4
 - AAC, 209, 285
 - AVC, 216
 - characteristics of, 107, 223, 286
 - IPMP hook, 386–387
 - video, 392
- MPEG-7, 299, 340
- MPEG-21 (*Rights Data Dictionary*), 251, 387
- MPEG-2
 - systems standards, 352
 - videos, copy protection, 385–386
- MSC/VLR (mobile services switching center/visitor location register), 12
- MSNBC server traces, 139–140
- MSN Mobile, 135
- Multicast
 - application layer, *see* Application layer
 - multicast
 - characteristics of, 5–7, 93
 - confinement, 96
 - content delivery, *see* Multicast content delivery
 - datagrams, 93
 - distribution tree, 113–116
 - FIB (forwarding information base), 93
 - gain, 333
 - IP
 - characteristics of, generally, 93–94
 - need for, 108–110
 - multigroup, 98
 - push, 118–120
 - reliable, *see* Reliable multicast (RM)
 - scalable content delivery, 91–92
 - streaming services, 321
 - Multicast content delivery
 - applications, generally, 327–328, 332–335
 - architecture, 188
 - as communication technique, 331–332
 - future directions for, 367–368
 - generic IP multicast system
 - common aspects, 336
 - networking procedure, 340–342
 - reference system model, 336–337
 - three-platform services, 337–340
 - IP datacast (IPDC)
 - concept of, 347–348, 357–358
 - e-commerce for, 356–357
 - IP infrastructure, 354–355
 - mobile wireless radio networks, 350–354
 - services and applications, 348–350
 - service system, 355–356
 - system architecture, 350
 - justification for, 328–330
 - mobile wireless multicast
 - characteristics of, 335–336
 - mobility/movement of users, 342–345
 - radio transmission errors, 345–345
 - unidirectional downlink bearers, 346–347
 - multimedia broadcast multicast service (MBMS)
 - commercial interfaces, 366
 - concept of, 358–360, 366–367
 - in core network, 364–365
 - data sources, 365–366
 - radio access networks, 362–364
 - service center (BM–SC), 361, 365–366

- Multicast content delivery (*Continued*)
 - services and applications, 360–361
 - standardization, 359
 - system architecture, 361–362
 - perspectives of, 330–331
- Multicast content distribution, digital rights management, 381
- Multicast distributed virtual cache, 124
- Multicast expanding-ring search, distribution tree, 112–113
- Multifrequency network (MFN), 351
- Multigroup multicast, 98
- Multihit sessions, 154
- Multihoming, 347
- Multimedia broadcast multicast service (MBMS)
 - characteristics of, generally, 7, 24, 184, 197
 - commercial interfaces, 366
 - concept of, 358–360, 366–367
 - in core network, 364–365
 - data sources, 365–366
 - radio access networks, 362–364
 - release schedule, 360
 - service center (BM-SC), 361, 365–366
 - services and applications, 360–361
 - standardization, 359
 - system architecture, 361–362
- Multimedia data streams (MDS), 394
- Multimedia message adaptation (MMA), 246
- Multimedia messaging service (MMS)
 - charging, 426
 - content adaptation, 217, 219, 221, 239
 - multimedia transcoding, 222, 244–250
 - wireless access protocol (WAP), 81
- Multimedia messaging service center (MMSC), 239–240, 244, 246, 248–250, 426
- Multimedia streaming
 - architecture
 - integrated schemes, 319–321
 - logical, 288–290
 - overview of, 276–278, 288
 - benefits of, 276
 - characteristics of, generally, 6
 - challenges for, 277–278, 282
 - codecs
 - audio compression, 286
 - in 3GPP, 286–287
 - video compression, 285–286
 - defined, 276
 - delivery protocols
 - session control, 291–305
 - transport protocols, 305–308
 - future directions for, 321–322
 - QoS
 - application layer, 278, 280–284
 - network layer, 284–285, 316–317
 - overview of, 278–280
 - seamless, 320
- 3GPP packet-switched streaming service
 - characteristics of, 308–310
 - domain architecture, 310–312
 - PSS framework, 312–314
 - wireless environment
 - congestion losses, 315–316
 - handover packet loss, 316–317
 - integrated cellular/WLAN environments, 319–321
 - mobility-aware server selection, 318
 - request routing, 318
 - transmission error loss, 315–316
- Multimedia transcoding
 - advantages of, 224
 - architecture, 221–222
 - audiovisual content, 222–223
 - drawbacks of, 224–225
 - nonaudiovisual content, 223–224
 - procedural code, 224
- Multimedia units (MMUs), content adaptation, 216, 219–221
- Multiparty multimedia session control (MMUSIC), 340
- Multipath fading, 277, 444
- Multiple description coding (MDC), 283
- Multiple-input multiple-output (MIMO), 23
- Multipoint-to-multipoint (m-t-m) multicast, 331
- Multipoint-to-point (m-t-p) multicast, 331–332
- Multiprogram transport streams, 354
- Multiprotocol encapsulation (MPE)
 - digital video broadcasting (DVB), 353–354
 - IPDC system, 348, 350, 354–355, 357
- Multiuse sensor environment (MUSE), 455
- Negative acknowledgment (NAK)
 - characteristics of, 95–98
 - implosion, 95
- Napster, 107, 381
- Narrowband systems, 29
- Navigational service, WAP 2.x, 83
- Nearest-neighbor averaging, 453
- NEC VS-7810, 371, 390–392
- Negative acknowledgments (NAKs), 95–98
- Neighbor selection, distribution tree, 113–114
- Netscape, 231, 238
- Network infrastructure, 2–3
- Networking, defined, 2
- Network layers
 - multicast, 330, 332

- multimedia streaming, QoS control, 284–285, 316–317
 - overview of, 91–92
 - Network scaling, 187
 - Nibble system, 452–455
 - NLANR trace, 198, 200
 - NMT, 9
 - Nokia
 - Music Player, 371, 390–391
 - Series 60 platform, 521
 - synchronization standards, 263
 - wireless access protocol (WAP), 67
 - Non-line of sight (NLOS) path, 443–444
 - Nonmesh overlay network, 110
 - Nonrepudiation, 374
 - Notification document, 163
 - Notification messages, 163–164, 364. *See also* Notification workload
 - Notification server, 143
 - Notification workload, characterization of content analysis
 - message popularity analysis, 167–168
 - notification message, 164–168
 - popular categories, 164–167, 176–178
 - log analyses, 172–174
 - significance of, 163–164
 - system load analysis, 171–172
 - user behavior analysis
 - load distribution, 168–169
 - spatial locality, 168–171
 - web browsing correlations, 174–178
- Oasis, 475, 508, 520
 - OBEX, 264
 - Observed time difference (OTD), 464
 - Offline, generally
 - access, 144–145, 265
 - charging, 421
 - users
 - content analysis, 147
 - system load analysis, 160, 162
 - user behavior analysis, 151–152
 - Offloading TCP processing, 188
 - On-demand, *see* Video on demand
 - caching, 126
 - request-response, 118
 - One-way synchronization, 258–259, 269
 - Online charging, 421
 - Open GIS (geographic information system) Consortium (OGC), 440, 465
 - Open Mobile Alliance (OMA)
 - content adaptation, 245, 251
 - content synchronization
 - data synchronization protocol, 268–273
 - representation, 264–267
 - functions of, 6, 84, 410
 - web services, 522
 - Open-source organizations, 474
 - Open System Interconnection (OSI), 1, 92
 - Openwave, 66
 - Orchestrators, SOAP, 491
 - Origin server
 - charging records, 422
 - streaming media, 288
 - OSA (Open Service Access), 431
 - OSPF (open shortest path first), 115
 - OTDOA, 467
 - OTERS, 98
 - Outdoor location estimation systems
 - cellular-based system, 460–464
 - GPS-based system, 459–460
 - Outlook Express, 261
 - Overcast, 116, 111, 114
 - Overlay networks, 103, 108, 458
 - Over-the-air synchronization, 261
- Packager, digital rights management, 380
 - Packed-switch (PS) domain, 11, 13, 24
 - Packet(s), generally
 - decoding failure, 26
 - loss, 184, 315–317
 - retransmission, 283–284
 - Packet data convergence protocol (PDCP), 15
 - Packet data protocol (PDP), 364
 - Packet-switched streaming service (PSS), 3GPP
 - characteristics of, 308–310
 - domain architecture, 310–312
 - framework, overview, 312–314
 - setup procedures, 313–314
 - Paging channel (PCH), 16
 - Paging control channel (PCCH), 15
 - Palm Inc., 263
 - Palm OS, 215
 - Parent selection, distribution tree, 114–116
 - Passive attacks, 372
 - Passive caching, 289
 - Passive handover, IP multicast system, 344
 - Path loss exponent, 445
 - Payload
 - DRM system, 378–379
 - format, 339
 - PCM, u-law/A-law, 208
 - Peak loads, 125
 - Peer discovery, distribution tree, 112–113
 - Peer-to-peer (P2P), generally
 - applications, 479
 - file sharing systems, 381, 383

- Personal area network (PAN), 3
- Personal devices, 3
- Personal digital assistants (PDAs), 66, 144, 151, 153, 160–161, 163, 165, 197, 205, 215, 228, 261, 264, 383
- Personal information management (PIM), 214–215, 262–263
- Person-to-person messaging, charges for, 435–436
- PGM, 99, 103
- Phone.com, 66
- Physical common packet channel (PCPCH), 17
- Physical layer
 - functions of, 2, 10, 91
 - multicast, 331
 - 1X, IS-95, 27–28
 - scalable content delivery, 91–92
 - WCDMA radio access network, 18–20
- Physical location, 441
- Piezoelectric ceramics, location estimation, 456
- Piggyback cache invalidation (PCI), 119, 121
- Piggyback cache validation (PCV), 119, 121
- Piggybacking, 117
- PIM-DM, 96
- PING roundtrip time, 183
- Plane earth loss, 445
- Playback rate, multimedia streaming, 276, 282–284
- Playout buffer, streaming media, 279–280, 282
- PNG format, 209, 216
- Point of contact, distribution tree, 112
- Points of presence (POPs), 107, 110
- Point-to-multipoint (p-t-m) multicast, 331–332, 358, 361–364
- Point-to-point multicast, 362–363
- Policy enforcement server (PES), 392
- Polling every time protocol, 120, 122, 125
- Portals, packet-switched streaming service, 311
- Postpaid charging, 419–421
- P-pictures, streaming video, 286
- Precise positioning service (PPS), 459–460
- Prefetch threshold, 118
- Prefetching, 118, 125, 151, 190
- Prepaid charging, 419–421, 432
- Presentation content
 - device-independent, 214
 - overview of, 210
 - stylesheets, 210–213
- Presentation layer, scalable content delivery, 92
- Primary common control physical channel (P-CCPCH), 17
- Private key watermarking, 398–399
- Proactive caching, 289–290
- Proactive multicast, 126
- Probability-based volumes, 121
- Profile servers, packet-switched streaming service, 311
- Profiling, location estimation, 451
- Program service information (PSI), 353–354
- Progressive encryption, 378, 397
- Protocol data units (PDUs), 75
- Provisioning service, WAP 2.x, 83
- Proximity, location estimation algorithm, 454, 457–459
- Proxy, generally
 - caching
 - basics of, 117–118
 - cache consistency, 120–122
 - cache cooperation, 117, 122–125
 - content delivery, 118–120
 - limitations of, 125–126
 - clients, IPDC system, 354
 - filters, 119, 121
 - server, streaming media, 289, 310
 - SOAP, 491
- Psion, 264
- PSVP signaling, 284–285
- Public key infrastructure (PKI), 404, 478
- Public key watermarking, 398–400
- Public land mobile network (PLMN), 361
- Public safety answering point (PSAP), 460–464
- Public switched telephony network (PSTN), 411
- Push
 - multicast, 118–120
 - wireless session protocol (WSP), 74, 81, 233
- Push-pull scheme, 190
- QCELP, 208
- QPSK modulation, 28
- Quality of service (QoS)
 - ACME, 184
 - importance of, 3, 6, 8, 10
 - multimedia streaming, 278–285
- Queuing delay, 184
- QuickTime, 107, 111
- RADAR, 454–455
- Radio access bearer (RAB), 312
- Radio access network (RAN), 11, 320, 361–365
- Radio bearers (RBs), 362–363
- Radio frequencies, WCDMA, 23
- Radiofrequency (RF) signals, location estimation
 - generally, 443
 - interference factors, 445
 - multipath propagation, 443–444

- Radio modulation, types of, 351
- Radio network controllers (RNCs), 11, 14, 357, 461
- Radio propagation
 - implications of, 336
 - models, 444
- Radio resource control (RRC), 16, 311
- Radio resource management, 201
- Radio traffic engineering, 201
- Radio transmission errors, IP multicast system, 345–346
- RADIUS (remote authentication dial-in user service), 424, 430–431
- RAMP (reliable adaptive multicast protocol), 103
- RAN/GERAN, 312
- Random access control channel (RACH), 16–17
- Random hopping, 25
- Rayleigh fading, 343
- Rayleigh propagation, 444
- RDF (resource definition framework), 223, 232
- RealAudio, 392
- Real Audio G2, 209
- Real Networks, 89
- RealServer 8, 116
- Real-time packet-based services, 32
- Real-time streaming protocol (RTSP):
 - IP multicast system, 339
 - streaming media
 - characteristics of, 291–292, 305
 - messages, 293
 - packet-switched streaming, 313
 - request messages, 293–295
 - response messages, 295–296
 - session setup, 296
- Real-time transport control protocol (RTCP)
 - IP multicast system, 339
 - streaming media, 305–306, 315–316
- Real-time transport protocol (RTP)
 - IP multicast system, 339
 - streaming media, 305–308, 316
- RealVideo, 392
- Received signal strength (RSS), 444
- Receiver-driven reliability, 95
- Redundant transmissions, 280
- Reed-Solomon code, 101–102, 317
- Relative location, 442
- Reliable multicast (RM)
 - active (ARM), 99
 - challenges of, 94–95
 - characteristics of, 93–94
 - distributed recovery, 95–98
 - FEC-based recovery, 100–102
 - NAK-based recovery, 95
 - router-assisted recovery, 98–100
 - state of the art software, 102–103
- Reliable multicast transport (RMT), 339
- Remote procedure call (RPC), SOAP, 501, 503–504, 504
- Remote synchronization, 261
- Repeated unicast model, 117
- Replication, 255–256, 258
- Representational state transfer (REST), 484, 486–487
- Requantization, 283
- Request headers, HTTP/1.1, 51, 56–63
- Request line, 293
- Request routing, multimedia streaming, 318
- Resolution
 - adaptation, 217–219, 239
 - axis, Infopyramid, 226
- Response headers, HTTP/1.1, 51, 63–65
- Retransmission, 26, 74–75, 283
- Revenue chain, 416–417
- Revenue sharing, 7
- Reverse proxy, 91
- RFC, generally
 - 1458, 103
 - 1945, 40, 42–43
 - 2068, 44
 - 2616, 44
- Rich calls, 32
- Rician propagation, 444
- Rights fulfillment server (RFS), 380–381
- Rights issuer server (RIS), 392
- RLC (radio link control) layer, WCDMA, 14
- RMDP, 100, 119
- Roaming charges, 422
- Roundtrip times (RTTs), 31–32, 95–96, 107, 281
- Routers
 - multicast-capable, 93
 - SOAP, 491
- Routing
 - application layer, 107
 - IP multicast system, 340–342
 - protocols, distribution trees, 115
- RTP/UDP traffic, 308
- SAML, 509
- Sandpiper, 91
- Satellite Internet services, 190
- SAX, 223–224, 522
- Scalable encryption, MDRM, 394–395, 397–398
- Scalable vector graphics (SVG), 209–210
- Scattering, 443
- SCE (single-connection emulation), 93, 95

- Scene analysis, location estimation algorithm
 - estimation, 453–454
 - indoor systems, 454–455
 - matching, 451–453, 455
 - profiling, 451
 - RF-based, rationale for, 450–451
- SDES packets, 307
- SDPng, 340
- Second-generation (2G) cellular communications, 36, 257, 335
- Secure electronic transaction (SET), 374
- Secure Interactive Broadcast Infotainment Services (SBIS) project, 383
- Secure socket layer (SSL), 44, 68, 384, 469, 508
- Security
 - attacks, types of, 372, 507
 - content-based media security, 374–375
 - emerging technologies
 - state-of-the-art MDRM component technologies, 394–404
 - state-of-the-art MDRM systems, 387–384
 - importance of, 7
 - information, *see* Information security
 - intellectual property, *see* Moving Picture Expert Group (MPEG), intellectual property management
 - mechanism, 373
 - overview of, 371–374
 - services, types of, 373
 - SOAP messages, 507–510
- Selective encryption, 378, 395–396
- Semantic Web, 479–480
- Server architecture
 - accesses, types of, 144–145
 - components of, 143–144
 - content server, 143
 - database server, 144
 - data log description, 144
 - front-door server, 143
 - notification server, 143
 - significance of, 142–143
- Server-driven negotiations, 47
- Server selection, mobility-aware, 318
- Server volumes, 119
- Service and delivery management system (SDMS), 356
- Service lookup, WAP 2.x, 83
- Service-oriented architecture (SOA), 475–477
- Serving GPRS support node (SGSN), 13, 311, 357, 361, 364–365
- Session announcement protocol (SAP), IP multicast systems, 338–304
- Session-based charging, 418
- Session control, streaming media
 - description languages, 298–302
 - H.323 protocol, 298
 - real-time streaming protocols, 292–296
 - session description protocol (SDP), 297–298
 - SIP protocol, 298
 - UAProf specification, 303–305
 - wireless session protocol (WSP), 298
- Session description protocol (SDP)
 - IP multicast systems, 338–340
 - streaming media, 292, 297–298
- Session duration, 137
- Session inactivity period, 153–154
- Session initiation protocol (SIP), 310
- Session layer, scalable content delivery, 92
- Shadowing, 445
- Short message service (SMS), 24, 221, 244, 357, 414
- Short message service center (SMSC), 357, 414, 423
- Siblings, 122
- Signal-to-interference ratio (SIR), 23, 196–197
- Simple object access protocol (SOAP)
 - attachments and, 505–506
 - bindings, 490, 499–500, 516–517
 - characteristics of, generally, 8, 318, 481–482, 489
 - defined, 481, 489
 - deployment environments, 490–491
 - encoding, 500, 504–505
 - example of, 492–494
 - HTTP binding, 499–500
 - message security, 507–510
 - mobile terminals, 521
 - 1.2, changes to, 510
 - processing
 - body, 496
 - fault message, 497–499
 - header, 496–498
 - structure, 494–496, 498–499
 - styles
 - document, 500–502
 - RPC-style, 501, 503–504
- Single-hit sessions, 154
- Single-source multicast (SSM), 93
- Size adaptation, 219–220, 239
- Sleep, 342, 363
- Slotted ALOHA system, ACME performance
 - analysis, 191–196
- Slow hit, 118
- Slow synchronization, 259–260
- Smallest k -vertex polygon, 453
- Smart phones, 205, 264
- SMTP (simple mail transport protocol), 91, 499

- SNMP trace, wireless LAN network, 141
- Soft handover, 19
- Source, adaptation architecture, 237–238, 240
- SPACE, GPS system, 459
- Spatial locality analysis, 140, 158–160
- Spatial redundancy, 285
- Spectral efficiency, 29–30
- Speech compression, 208–209
- Split-proxy architecture, 189–190
- Sponsorship, 418–419
- Spreading factor (SF), 16
- Squid Web cache, 121
- SRM (scalable reliable multicast), 103
- SSL/TLS, SOAP Message Security, 508–509
- Standard positioning service (SPS), 459
- Standard transcoding interface (STI), 251
- Starfish Software, 264
- Static content, defined, 88, 90
- Status line, 293
- Stock quotes, 147, 161, 166, 174
- Streaming, generally
 - IP multicast system, 338
 - IPDC system, 355
 - media, 89
 - video, charging for, 436–437
- Stream thinning, 109
- Stylesheets, 210–213, 223
- Subcast ERS, 96–98
- Subcasting, 96–97
- Subcast repair, 98
- Subscriber databases, 233
- Subscription charges, 417–419
- Summary cache, 123–124
- Sun XML LDI Extensions tag library, 214
- Surrogate server, 290
- SVG, 216, 223
- Symbolic location, 441–442
- Symmetric encryption, 377–378, 380
- Synchronization, *see specific types of synchronization*
 - multimedia streaming, 277
 - protocol, PDAs, 151, 160–161
- Synchronization source (SSRC), streaming media, 305
- Synchronized Multimedia Integration Language (SMIL)
 - characteristics of, generally, 210, 222–223
 - streaming media, 292, 298–301, 308–309, 312–313
- SyncML Initiative, 262–264
- SyncML synchronization, 215, 262
- Systematic hopping, 25
- System load analysis, workload characterization
 - defined, 137, 140
 - notification, 171–172
 - web browsing, 160–161
- TACS, 9
- Talarian, 103
- TAP, 421
- Tau-dither loop (TDL), 462
- TCP (transmission control protocol), *see* TCP/IP
 - based invalidation, 121–122
 - connections, 125, 164
 - defined, 32
 - IP multicast system, 345–346
- tcpdump, 141
- TCP/IP, *see* Transmission control protocol/Internet protocol (TCP/IP)
- TDMA (time division multiple access), 196
- Telecommunications market, 1
- Television broadcasts, preprogrammed, 349
- Temporal redundancy, 285
- Temporal stability analysis, 137, 139, 155–158
- Third-generation (3G) cellular, generally
 - communications, 335
 - multicast service, *see* Multimedia broadcast multicast service (MBMS)
- Third Generation Partnership Project (3GPP)
 - on charging, 410
 - generally, 10, 13, 18, 22–24, 197, 244
 - packet-switched streaming service
 - characteristics of, 308–310, 321
 - domain architecture, 310–312
 - PSS framework, 312–314
 - streaming media, 286–287, 308–314
- Third-party search service, 466–467
- 13K, 208
- 3GPP2, 10, 13, 290
- Three mile system, multicast services, 328
- Tibco, 103
- Tight coupling, 319–320
- Time difference of arrival (TDOA), location
 - estimation, 447–449, 462, 464
- Time-division multiple access (TDMA) system, 24, 26, 462, 464
- Timeliness, in security, 507
- Time of arrival (TOA), location estimation, 447–448, 460, 462, 464
- Time-to-live (TTL) values, 96, 112, 117–118
- Tivoli NetView “Distribution Manager”/“Software Distribution,” 116
- TMTP, 97–98
- TIP1, 10
- Tornado code, 101–102
- Trace-driven simulations, 122
- Traffic, content synchronization and, 255
- Transaction-based charging, 418

- Transaction identifier (TID), WAP 1.0, 74–75
- Transcoding, 109. *See also* Multimedia transcoding
- Transmission, generally
 - error loss, 315–316
 - primitives, 514
- Transmission control protocol/Internet protocol (TCP/IP), 2–3, 5, 38, 41, 83–84, 185, 261
- Transmission power control (TPC), 20
- Transparent caching, 117, 122, 124, 126
- Transport format combination indication (TFCI), 19–20
- Transport layer, scalable content delivery, 91–92
- Transport layer security (TLS)
 - characteristics of, 469, 508
 - wireless, 69, 76–77, 83
- Transport protocols
 - implications of, 136
 - streaming media
 - HTTP tunneling, 291, 308
 - real-time, 305–308
 - RTSP tunneling, 291, 308
- Triangulation, location estimation algorithm, 447–450
- TTA, 10
- TTC, 10
- Tunneling
 - GPRS protocol, 364
 - HTTP, 291, 308
 - IP, 89
 - RTSP, 291, 308
- Turbo coding, 19
- Two-way synchronization, 258–259, 269

- UA header, 221–222, 231, 248
- UAProf
 - content adaptation, 233–235, 238, 240, 248–249
 - streaming media, 302–303
- UDP
 - charging for, 427
 - streaming media, 307–308
- Ultrasound signals, location estimation, 446–447
- UMTS (universal mobile telecommunications system)
 - architecture, 10, 206, 310–311
 - charging, 419
 - QoS classes, 311, 314
- UMTS Forum, 10
- UMTS PLMN (public land mobile network), 13
- UMTS terrestrial RAN (UTRAN), 11, 16, 310, 320, 361–362
- UMTS/WLAN architecture, 319
- Unicode (UTF-8/UTF-16), 208
- Uniform resource identifier (URI), 38, 41, 292, 313–314, 480, 484, 487, 494–495, 509, 511
- Uniform resource locator (URL), 61, 64, 74, 112, 122, 144, 146–147, 149, 248–249, 292, 519
- U.S. Advanced Television System Committee (ATSC) system, 350–351, 357
- Universal Description, Discovery, and Integration (UDDI), 518
- Universal transverse mercator (UTM), 441
- Universal Wireless Communications Consortium (UWCC), 10
- Unwired Planet (UP), 66–67
- UP.Browser, 145
- Uplink, generally
 - dedicated channel, 22–23
 - signaling, 346–347
- URI RFC, 41
- Usage shaping, multicast content delivery, 334
- User agent profiling (UAProf), 81
- User behavior analysis, workload characterization
 - defined, 137
 - load distribution, 150–153
 - notification workload, 168–171
 - spatial locality, 140, 158–160
 - temporal locality, 139
 - temporal stability, 139, 155–158
 - user request arrival and duration, 139
 - wireless user sessions, distribution of, 153–156
 - wireline web and mobile web compared, 170, 178–179
- User, generally
 - behavior analysis, *see* User behavior analysis
 - interest correlation, 186
 - level granularity, 152–153
 - load distribution, 137
 - location notification service, 467
 - servers, packet-switched streaming service, 311
- USER, GPS system, 459
- User equipment (UE), 11–12, 15, 22, 311, 363–365
- User interest correlation
 - algorithm, 197–198
 - simulations, 198–200
 - traces, 198
- Username, 509
- UTRA (universal terrestrial radio access),
 - standardization of, 10
- UTRA FDD, 15
- UTRAN FDD, 16

- Value-added services (VASs), 2, 413–414
- Variable-length coding (VLC), 286, 396–397
- Verizon, 508
- versit vCard, 270
- Video, generally
 - splitters, 89
 - streaming, 285–286, 338. *See also* Multicast content delivery; Multimedia streaming
- Videoconferencing, interactive, 288
- Video on demand (VoD), 109, 349–350
- Video transmission, multicast content delivery, 332–333
- Vindigo, 144
- Virtual hosting support, 45
- VLR (visitor location register), 12–13
- Voice over IP (VoIP), 32, 331
- Volume leases, 121–122

- Walled garden, 338
- WAP 1.0
 - bearer layer, 77, 83
 - components of, overview, 69–70
 - wireless application environment (WAE) layer, 69, 71–73
 - wireless datagram protocol (WDP), 69, 73, 76–77, 82
 - wireless session layer (WSP), 69, 73–74, 82
 - wireless transaction protocol (WTP), 69, 73–76, 82
 - wireless transport layer security (WTLS), 69, 76–77, 83
- WAP Forum, 264
- Watermarked content, 379
- Watermarking
 - digital, 375, 377–379
 - dual watermarking-fingerprinting system, 400–401
 - public key vs. private key, 398–399
- WBMP, 209, 248
- WCCP (Web Cache Control Protocol), 124
- WCDMA (wideband code-division multiple access) radio access network
 - architecture, 13–14, 362–363
 - beyond 2Mbps with HSDPA, 20–21
 - evolution of
 - advanced antenna technologies, 23
 - enhanced uplink dedicated channel, 22–23
 - multimedia broadcast and multicast service (MBMS), 24
 - new frequency variants, 23
 - layer 2/3, 14–18
 - physical layer, 18–20
- WCDMA (wideband code-division multiple access) technology
 - architecture, generally, 9–10, 196
 - core network, 10–11
 - radio access network, *see* WCDMA radio access network
 - standardization, 12
- Weak cache consistency, 118
- Weather service, MMS adaptation, 249–250
- Web-based applications
 - classification of, 116–117
 - information dissemination, 87–90
 - information exchange, 89–91
- Web browsing workload, characterization of
 - content analysis
 - content size, 146
 - document popularity, 148–149
 - overview, 145
 - popular content categories, 146–148
 - correlation with notification workload, 174–178
 - log analyses, 161–163
 - system load analysis, 160–161
 - user behavior analysis
 - load distribution, 150–153
 - overview, 149–150
 - spatial locality, 158–160
 - temporal stability, 155–158
 - wireless user sessions, distribution of, 153–155
- Web retailers, digital rights management, 381
- Web services
 - core technologies, 480–482
 - defined, 473–475
 - foundation technologies
 - discovery protocols, 518–519
 - simple object access protocol (SOAP), 489–511
 - the Web, 483–487
 - Web Services Description Language (WSDL), 511–518
 - XML/XML schema, 483
 - hype, 482–483
 - identity management, 522–523
 - mobile terminal, 520–522
 - motivating technologies, 477–480
 - privacy, 522–523
 - service-oriented architectures (SOA), 475–477
 - standards, 487–489
 - Web Services Interoperability Organization (WS-I), 519–520
- Web Services Description Language (WSDL)
 - bindings, 515–516

- Web Services Description Language (WSDL)
 - (*Continued*)
 - characteristics of, generally, 8, 481–482, 511–512
 - defined, 481
 - message data, 512–514
 - 1.2, 516–518
 - operations, 512, 514–515
- Web Services Inspection Language (WS-IL), 519
- Web Services Interoperability Organization (WS-I), 475, 519–520
- Web workload, *see* Web browsing workload
 - characterization of, generally
 - analysis, types of, 137
 - motivation for, 136
 - impact of, 5, 135–136
 - notification workload, characterization of
 - content analysis, 164–168
 - log analyses, 172–174
 - significance of, 163–164
 - system load, 171–172
 - user behavior analysis, 168–171
 - server architecture
 - accesses, types of, 144–145
 - components of, 143–144
 - data log description, 144
 - significance of, 142–143
 - web browsing workload, characterization of
 - content analysis, 145–149
 - log analyses, 161–163
 - system load analysis, 160–161
 - user behavior analysis, 149–160
 - web browsing correlated with notification
 - amount of usage, 174–176
 - popular content categories, 176–178
 - wireless user workload characterization, 140–142
 - wireline user workload characterization
 - content analysis, 138–139
 - overview of, 137–138
 - system load analysis, 140
 - user behavior analysis, 139–140
 - wireline web compared with mobile web
 - system load, 179
 - user behavior, 179
 - web content, 178–179
- Wide area network (WAN), 3
- Wireless access, 144–145
- Wireless Access Protocol (WAP)
 - charging for, 414, 423–424, 427
 - defined, 5, 66
 - evolution of
 - architecture, 67–69
 - overview, 66–67
 - future directions for, 83–84
 - mobile content delivery, 189
 - synchronization, 261
 - traffic analysis at Bell Mobility's PCS, 141
 - WAP 1.0 components, 69–77
 - WAP 2.0, architecture overview, 78–80
 - WAP 2.x components
 - application framework, 80–81
 - bearer networks, 83
 - security services, 83
 - service discovery, 83
 - session services, 81–82
 - transfer services, 82
 - transport services, 82–83
- Wireless environments, constraints in, 277
- Wireless identity module (WIM), 83
- Wireless Internet service provider (WISPs), 164, 319
- Wireless LAN (WLAN)
 - charging, 422
 - content adaptation, 206
 - radiofrequency signals, 443
 - relative location, 442
 - streaming media, 275, 319–321
 - synchronization, 261
 - workload characterization study, 141–142
- Wireless Markup Language (WML), 5, 210, 214, 223, 225, 228
- Wireless profiled TCP (WP-TCP), 82
- Wireless public key infrastructure (WPKI), 83
- Wireless session protocol (WSP), 69, 73–74, 82, 264–265
- Wireless transport layer security (TLS), 69, 76–77, 83
- Wireless transport security layer (WTSL), 83
- Wireless users
 - content analysis, 147
 - notification workload, 178
 - system load analysis, 162
 - user behavior analysis, 151–159
 - web browsing workload, 177–178
- Wireless Village, 264
- Wireline Internet, 184
- Wireline users, 178–179
- WML language, 71–73
- WMLScript, 71, 73, 81
- World Wide Web (WWW), *see* Web services
 - current status of, 37
 - future directions for, 37–38
 - historical perspectives, 35–37
 - impact of, generally, 5, 473
 - protocols for, *see* HyperText Transfer Protocol; Wireless Access Protocol (WAP)

- World Wide Web Consortium (W3C)
 - composite capability/preference profiles (CC/PP) working group, 231, 252
 - functions of, generally, 81–82, 251–252, 290, 474–475
 - Web Services Architecture working group, 474
- WS-Security, 508
- WTA (wireless telephony application), 71

- Xbone, 116
- xDSL, 422
- X.509, 509

- XForms, 211
- XHTML 2.0, 210–211, 214, 216
- XHTML mobile profile markup languages (XHTML MP), 81, 223
- XML/XML schema, 483
- XML-RPC, 494
- XSD, 512

- Yahoo.com, 88
- Yahoo Mobile, 135
- Yellow Pages, 147, 161