

Index

Note to the Reader: Page numbers in **bold** indicate the principle discussion of a topic or the definition of a term. Page numbers in *italic* indicate illustrations.

A

- Account Policies, 188, 234–235
- “Action on server disconnect” setting, **412**
- Active Directory, 36, 51–52, *See also* domain; OU; site
- Active Directory Users and Computers
 - Computers folder, 36
 - creating new OUs, 133
 - delegating control using
 - adding users to Server Operators groups, 38
 - GPO linking, 40–41, 41
 - GPOs, 37–38, 37
 - OU Admins access to create GPOs, 41–42
 - versus GPMC, 20–22, 21
 - integrating with GPMC in MMC, 19, 21
 - moving users/computers into OUs, 47–48, 47, 133
 - Users folder, 36
- Active Directory-based Group Policy. *See* GPOs
- “Add Administrators security group to roaming user profiles” setting, **356**, 362
- Add/Remove Programs, 465, 470, 472
- Administrative Templates, 207–231
 - admX (ADM template comparison) utility, 529
 - custom ADM templates, 210, 219–221, 221
 - default ADM templates, 209, 210–211
 - defined, 207
 - filtering scope of, 55–57, 56
 - how clients process, 177–178
 - InetESC.adm template, 530
 - managing
 - automatic updates, 228–230
 - to ensure proper GPMC reports, 227–228, 228, 229
 - GPO creation and, 225
 - GPO edits/updates and, 225–227
 - options for, 224
 - overview, 223–224, 224
 - third-party tools for, 535
 - use of local ADM files for GPO Editor, 228–230
 - Windows 2000 SP4/XP SP1 and, 226
 - with Windows XP management workstations, 227–228, 228
 - not to use with Windows 2000/2003
 - Office 2000 NT/95 templates, 217–218
 - overview, 217
 - Windows NT templates, 218–219
 - old-style preferences in
 - defined, 208
 - versus policies, 208–209
 - viewing, 221–223, 221–223
 - over slow links, 119
 - overview, 179, 231
 - troubleshooting, 230–231, 230
 - vendor-supplied ADM templates
 - defined, 209–210
 - Microsoft Corporate Error Reporting, 216
 - in Microsoft Office, 211–215, 214–215
 - Microsoft Software Update Services, 216
 - Raxco PerfectDisk 6, 217
 - Troglodite SendTo, 216–217
 - warning, 212
 - WinAbility AB Commander, 217
 - warnings, 220, 222
 - where stored, 178
- “Administratively assigned offline files” setting, **413–414**, 414–415
- ADSI Edit snap-in, 510
- “Allow Admin to install from Terminal Services session” setting, 479
- “Allow cross-forest user policy/roaming user profiles” setting, **137–144**, 138, 143–n 144, 351
- “Allow or disallow use of Offline Files” setting, **417–418**
- “Allow processing across a slow network connection” setting, 125–129, 127, 469, 470
- “Always install with elevated privileges” setting, **476–477**, 481, 481
- “Always use local ADM files for GPO Editor” setting, **129**, 228–230
- “Always wait for network at computer startup/logon” setting, 110
- Anderson, Christa, 137
- Application Data folder, 385–386
- “Apply policy to removable media” setting, 430
- assigning applications. *See* GPSI
- asynchronous processing, 104, 110
- “At logoff delete local copy of user’s Offline Files” setting, **419**

538 auditing – delegating control

auditing. *See* security
 Authenticated Users, computers as, 70
 Authentication modes in cross-forest trusts,
 143–144, 143–144
 Auto-Install, 433, 444, 447
 “Automatically log off users when logon time
 expires” setting, 235

B

background refresh. *See* Group Policy processing
 backing up GPOs, *See also* GPMC
 GPO links warning, 93
 overview, 90–92, 91
 and restoring, 92–94, 94
 and restoring via scripts, 314–317
 using scripts, 312–313
 backing up WMI filters, 94
 BIGINFO tool, 137
 blocking GPO inheritance, 65, 65–66, 180
 Boswell, Bill, 70, 291

C

“Cache transforms in secure location on
 workstation” setting, 479
 Cachemov.exe, 409
 calculating RSoP. *See* RSoP
 CCM (Change and Configuration Management),
 370, 371, 493–494
 CER (Corporate Error Reporting) ADM
 templates, 216
 Certificate rules, 264
 client-side extensions (CSEs), 163, 174, 174–177
 CNs (Common Names), 157
 Cogswell, Bryce, 326
 Computer Configuration node GPO settings,
 See also Group Policy
 processing; Offline Files; User node
 for changing GP processing behavior, 122–144,
 127, 138, 143–144
 Computer node, defined, 3, 4–5
 Enabled/Disabled options, 46, 49, 179–180, 180
 filtering in Administrative Templates, 55–57, 56
 Not Configured option, 46, 49
 for Offline Files, 410–421, 411, 413–417
 for reverting Windows XP to 2000 processing, 110
 for Roaming Profiles, 351–357, 352, 358
 tools for finding, 532
 for Windows Installer Service, 475–480, 476

computers, *See also* Active Directory Users and
 Computers
 assigning applications to, 439
 as Authenticated Users, 70
 limit on users adding, 508–510
 moving to other OUs
 finding and, 47–48, 47, 133
 GP processing when, 102–103, 117
 overview, 87
 troubleshooting, 185–186, 186
 permissions for, 509
 setting for specific printers, 132–133
 “Configure slow link speed” setting, 421
 “Connect home directory to root of the share”
 setting, 361–362
 “Create new GPO links disabled by default”
 setting, 121
 cross-domain GPO linking, 11, 154
 cross-forest trusts. *See* Group Policy processing
 CSEs (client-side extensions), 163, 174, 174–177

D

DCs (Domain Controllers), 168–169
 “Default cache size” setting, 418
 Default Domain Controllers Policy. *See* security
 Default Domain Policy. *See* security
 Default Domain User Profile, 338–339, 338–339
 Default Local User Profile, 334–337, 336–337
 “Default name for GPOs” setting, 121
 “Default quota limit and warning level” setting,
 429, 429
 The Definitive Guide to Windows Installer
 Technology for System Administrators
 (Moskowitz), 438
 delegating control, *See also* permissions
 using AD Users and Computers
 adding users to Server Operators groups, 38
 GPO linking, 40–41, 41
 GPOs, 37–38, 37
 granting OU Admins access to create GPOs,
 41–42
 using GPMC
 filtering GPO scope, 69–77, 71–73, 75–76
 GPO creation rights in domains, 78–79, 79
 GPO operation permissions, 79–81, 79
 overview, 68–69
 testing delegation, 39–40, 40
 user permissions on existing GPOs, 77–78, 77
 who can apply WMI filters to GPOs, 81,
 82, 82
 WMI filter creation, 81–82, 81

Delegation of Control Wizard, 37–38, 37
 Delegation tab in GPMC, 55, 73, 73–74, 77, 77–81, 79
 “Delete cached copies of roaming profiles” setting, 353–354
 deleting
 GPOs, 62, 63–65, 63–64
 links to GPOs, 62–63, 63
 OUs, warning, 21
 Delprof tool, Microsoft, 531
 Deny attribute
 filtering GPO scope with, 74–77, 75–76
 in troubleshooting GP, 181
 warning, 142
 Desktop folder redirection, 384–385, 385
 Details tab in GPMC, 54
 Dfs (Distributed File System), 436
 diagnostic logging, 201
 digitally signed.EXEs, Software Restriction Policies and, 266–267
 “Disable IE security for Windows Installer scripts” setting, 477
 “Disable Windows Installer” setting, 476, 476
 Disabled option for policy settings, 46, 49, 179–180, 180
 disabling
 GPO links, 60, 60
 GPOs, 60–62, 62
 loopbacks, 141–142
 “Disallow interactive users from generating RSOP data” setting, 122, 124
 “Disk Quota policy processing” setting, 129
 Disk Quotas. *See* Intellimirror
 Display Names, 157
 DNS configuration in troubleshooting GP, 183, 188
 DNS (Distinguished Names), 157
 DNS names, getting via scripts, 297–298
 “Do not allow Windows Messenger to be run” setting, 3, 3
 “Do not apply during periodic background processing” setting, 124–129
 “Do not automatically make redirected folders available offline” setting, 417
 “Do not check for user ownership of Roaming Profile folders” setting, 352–353
 “Do not detect slow network connection” setting, 354, 355
 document invocation, 433, 444, 447
 documenting
 GPO linking using scripts, 303–305, 307
 GPO settings using scripts, 308–310
 GPOs/GPO links, 93, 98, 99
 WMI filter links, 303, 306–307

domain level, *See also* Active Directory
 applying GPOs at, 6, 31–34, 32, 34
 checking computer trust to, 186
 delegating GPO creation rights at, 78–79, 79
 getting DNS names using scripts, 297–298
 getting information using scripts, 298–299
 inside GPOs at, 154
 overview, 5
 root domains, 153

E

“effective” policies, 241–243, 242, 244
 “EFS recovery policy processing” setting, 128
 “Enable disk quotas” setting, 428
 “Enable user to browse for source while elevated” setting, 478
 “Enable user control over installs” setting, 478
 “Enable user to patch elevated products” setting, 478
 “Enable user to use media source while elevated” setting, 478
 Enabled option for policy settings, 46, 49, 179–180, 180
 “Encrypt the Offline Files cache” setting, 420
 “Enforce disk quota limit” setting, 429
 “Enforce show policies only” setting, 122
 Enforced function, 66, 66–67, 180, *See also* forcing
 forcing
 “Event logging level” setting, 416, 416
 Event Viewer logs, 200, 200–201
 “Excluding directories in roaming profile” setting, 360–361, 361

F

Fast Boot. *See* Windows XP Fast Boot
 fast connectivity, 121, 123
 “Files not cached” setting, 418–419
 Filtering dialog box, 221–222, 221
 filtering GPO scope, *See also* GPMC; WMI
 Administrative Templates GPOs, 55–57, 56
 choosing approaches to, 76
 using Deny permission, 74–77, 75–76
 overview, 69–71
 using Security groups, 71–74, 71–73, 75–77, 76, 169
 testing filters, 72–73
 warning, 74

540 finding – GPMC

finding, *See also* searching
 GUIDs, 508
 policy settings, 532
 users/computers, 47–48, 47, 133
 “Folder Redirection policy processing” setting,
 126, *See also* Redirected Folders
 forcing, *See also* enforce
 background refresh, 111–112
 background wallpaper, 136–137
 GPO refresh using scripts, 326–327
 Mandatory Profiles, 366–367, 367
 security GPOs on clients, 116–117
 Windows XP to act like 2000, 110
 Ford, Jerry Lee, 292

G

Globally Unique Identifiers. *See* GUIDs
 GP.CHM help file, 532
 GPCs (Group Policy Containers)
 attributes, 157, 163–165
 defined, 156
 overview, 155
 troubleshooting replication of, 182–183
 verifying in sync with GPTs, 167–172, 170–171
 viewing using AD Users and Computers,
 157–159, 158
 viewing using LDP tool, 163–165
 GPInventory tool, 530, 530
 GPMC (Group Policy Management Console),
 12–29, 53–99, *See also* GPOs; scripting
 versus AD Users and Computers, 20–22, 21
 adjusting views within, 22–23, 22
 backing up GPOs
 GPO links warning, 93
 overview, 90–92, 91
 and restoring, 92–94, 94
 backing up WMI filters, 94
 changing GPO precedence, 57–58, 58
 “clean up” older GPOs message, 18
 computers as Authenticated Users and, 70
 creating GPOs with
 and linking at OU level, 42–44, 43
 new GPOs in OUs, 45–46, 46
 using new interface, 14, 26–29, 27–29
 using old interface, 12–14, 12–13
 creating OUs in, 35
 defined, 6, 15
 delegating control
 applying WMI filters to GPOs, 81, 82, 82
 filtering GPO scope, 69–77, 71–73, 75–76
 GPO creation rights in domains, 78–79, 79

GPO operation permissions, 79–81, 79
 overview, 68–69
 user permissions on existing GPOs, 77–78, 77
 WMI filter creation, 81–82, 81
 documenting GPOs/links, 93, 98, 99
 ensuring proper GPMC reports, 227–228, 228,
 229
 filtering GPO scope
 Administrative Templates GPOs, 55–57, 56
 choosing approaches to, 76
 using Deny permission, 74–77, 75–76
 overview, 69–71
 using Security groups, 71–74, 71–73,
 75–77, 76, 169
 testing filters, 72–73
 warning, 74
 function compatibility table, 97
 GPO/link tabs
 defined, 53
 Delegation, 55, 73–74, 73, 77–81, 77, 79
 Details, 54
 Scope, 53–54, 71–73, 71–72, 75–77, 76
 Settings, 54–55
 warnings, 54, 55
 GPOs/links, what can be done on, 67–68
 Group Policy Inheritance tab, 83, 83
 Group Policy Modeling Wizard, 87–90, 89
 Group Policy Results Wizard
 defined, 84, 85
 Policy Events tab, 86, 87
 requirements, 85
 Settings tab, 86, 86
 Summary tab, 85, 85
 icons, 96
 installing
 overview, 15–16
 prerequisites, 17–18
 results of, 18–20, 20
 with SP1, 16
 warning, 16
 on Windows 2003, 17–18
 on Windows XP, 17–18
 integrating with AD Users/Computers in
 MMC, 19, 21
 link warning message, 26, 59, 59
 migrating GPOs between domains
 copy operation, 522–523, 522–523
 copy/import with migration tables,
 527–528, 527
 drag-and-drop and, 524–525
 import operation, 524–526, 526
 overview, 521
 warnings, 523, 524–525

- overview, 1, 7, 12, 20
- RSoP calculations with
 - overview, 83–84, 83
 - warnings, 87, 88
 - what-if calculations, 87–90, 89
 - whats-going-on calculations, 84–87, 85–86
- searching for GPOs with, 95–96, 95
- stopping GPOs from applying
 - by blocking inheritance, 65–66, 65
 - by deleting GPOs, 62, 63–65, 63–64
 - by deleting links to, 62–63, 63
 - by disabling, 60–62, 62
 - by disabling links to, 60, 60
 - overview, 60
 - reasons for, 61
 - trumping stops, 66–67, 66
 - warnings, 63, 64
- tips, 98–99
- viewing GPOs in, 23–24, 23–24
- warnings, 21, 26, 59, 59
- GPMonitor tool, 529, 529–530
- GPO Editor
 - applying settings, 25
 - filtering settings, 55–57, 56
 - loading by hand, 2–3, 3
 - using local ADM files for, 228–230
 - opening, 4, 13, 13, 28, 28
- GPO version numbers
 - defined, 106, 157
 - overview, 116
 - troubleshooting GPCs/GPTs with, 167–168, 171–172
- GPOs (Group Policy Objects), *See also* GPMC; scripting; troubleshooting
 - applying at domain level, 31–34, 32, 34
 - applying at OU level
 - adding users to Server Operators groups, 38
 - creating/linking GPOs, 42–46, 43, 46
 - delegating GPO linking, 40–41, 41
 - delegating management control, 37–38, 37
 - finding/moving computers/users into OUs, 47–48, 47
 - granting OU Admins access to create GPOs, 41–42
 - overview, 34
 - preparing to delegate control, 34–37, 35
 - redirecting new users/computers to OUs, 36
 - strategies for, 44–45
 - testing GP management delegation, 39, 40
 - warning, 48
 - applying at site level, 29–31, 30
 - changing DCs to write GPOs to, 168–169
 - creating
 - ADM templates and, 225
 - with GPMC, 26–29, 27–29
 - in Loopback-Replace mode, 134, 134
 - using scripts, 310–312
 - default GPOs, 13, 24
 - defined, 6
 - delegating control of, *See also* GPMC
 - using AD Users and Computers, 37–38, 37
 - GPO linking, 40–41, 41
 - editing, 225–227
 - examples, 8–9, 8, 23–26, 23–25
 - GPO containers, 151–152, 152
 - inheritance, 6–7, 11
 - linking
 - cross-domain linking, 11, 154
 - defined, 7–8
 - delegating, 40–41, 41
 - deleting, 62–63, 63
 - disabling, 60, 60
 - documenting, 93, 98, 99
 - documenting using scripts, 303–305, 307
 - Linking GPOs permission, 79, 80
 - at OU level, 42–44, 43
 - using scripts, 310–312
 - warnings, 26, 93
 - Local GPOs, 2–4, 3, 6, 150–151
 - overview, 2
 - Resultant Set of Policy
 - defined, 9
 - at domain level, 10
 - examples, 11
 - at OU level, 10
 - at site level, 10
 - updating, 225–227
 - verifying changes to, 48
 - warnings, 30, 31
- Gpoutil.exe, 169–171, 170, 529
- GPRresult.exe, *See also* Group Policy Results Wizard
 - troubleshooting Redirected Folders, 387–388, 387
- troubleshooting RSoP calculation
 - overview, 189
 - remote calculation, 196–197
 - warnings, 190, 191, 196, 197
 - for Windows 2000 clients, 189–190
 - for Windows 2003/XP, 190–197
- GPSI (Group Policy Software Installation), 431–491, *See also* Intellimirror
 - Advanced (assign/publish) Properties
 - Categories tab, 457
 - Deployment tab, 451–456, 451–454

542 GPTs – Group Policy

- General tab, 450–451
- Modifications tab, 458–461, 458, 460
- overview, 450
- Security tab, 461, 462
- Upgrades tab, 456–457, 457
- warnings, 455, 461
- by assigning or publishing
 - assigning to computers/users, 439
 - assigning over slow links, 470–472, 471
 - creating .zap files, 446–447
 - creating/editing GPOs for, 441–444, 443–444
 - isolating for intended use, 449–450, 450
 - licensing agreements and, 442
 - .msi package-targeting strategy, 441
 - .msi versus .zap files, 446
 - .mst files and, 458–461, 458, 460
 - overview, 439
 - publishing to users, 440
 - publishing .zap files, 447
 - rules for, 440
 - testing assigning, 444–446, 445
 - testing publishing, 448–449, 448
 - testing .zap files, 447, 448
 - warnings, 443, 445, 449
- Auto-install, 433, 444, 447
- background refresh exemption, 106–107
- defined, 431–432
- document invocation, 433, 444, 447
- using over slow links
 - options for, 469–470, 469
 - overview, 119, 469
 - warning, 470, 472
 - in Windows 2000, 470–472, 471
 - in Windows 2003/XP, 472
- overview, 431, 490–491
- removing applications
 - automatically, 465–466
 - forcefully, 466–468, 467
 - manually, 465, 472
 - .msi applications, 465–468, 466–467
 - overview, 465
 - troubleshooting, 468–469, 469
 - warning, 468, 472
 - .zap applications, 468
- Software Installation policy processing setting, 125–126, 469, 470
- Software Installation Properties
 - Advanced tab, 463–464, 463
 - Categories tab, 465
 - File Extensions tab, 464, 464
 - General tab, 462, 463
 - overview, 461–462
- versus Systems Management Server
 - and coexisting, 490
 - overview, 487–488
 - patch management, 490
 - remote control, 488
 - software deployment, 489
 - software inventory, 488
 - software metering, 489
- using Windows Installer Service
 - Administrative Installations, 435–436, 437
 - Computer node GPO settings, 475–480, 476
 - creating .msi packages, 438
 - defined, 432–433
 - installation rollback, 433–434
 - installing .msi packages, 434–436, 437, 473
 - .msi repackaging tools, 536.msi packages, defined, 433–434
 - .msi versus .zap files, 446
 - MSIEXEC tool, 473–475, 475
 - normal shares versus Dfs, 436
 - patching distribution points, 474–475, 475
 - removing .msi files, 465–468, 466–467
 - repairing applications, 473–474
 - securing shared folders, 436
 - software distribution share setup, 434–435
 - uninstalling .msi files, 433–434, 467
 - User node GPO settings, 475, 480–481, 481
 - warning, 478
- Windows XP Fast Boot and, 108–109
- GPTs (Group Policy Templates)
 - defined, 156
 - troubleshooting replication of, 182–183
 - verifying in sync with GPCs, 167–172, 170–171
 - viewing in SYSVOL, 165–167, 165
- GPOupdate command, 111–112, 116–117
- Group Policy, *See also* Computer node; GPOs; User node
 - categories, 1–2, 174
 - Disabled option, 46, 49
 - Enabled option, 46, 49
 - levels of, 6
 - Local Group Policy, 2–4, 3, 6, 150–151
 - Not Configured option, 46, 49
 - overview, 1
 - versus preferences, 208–209
 - third-party tools for, 533–536
 - tips, 51–52
 - tools from Microsoft
 - Active Directory Monitor, 529
 - admX, 529
 - Delprof, 531
 - GPInventory, 530, 530
 - GPMonitor, 529–530, 529

“Group Policy Domain Controller selection” – Group Policy processing behavior **543**

- GPOTOOL, 169–171, 170, 529
- InetESC.adm template, 530
- overview, 528
- WinPolicies, 531, 531
- warning, 2
- what looks like but is not, 50–51, 51
- versus Windows NT 4 System Policy, 208–209
- “Group Policy Domain Controller selection”
 - setting, 121, 169
- Group Policy Inheritance tab, 83, 83
- Group Policy Modeling Wizard, 87–90, 89
- Group Policy processing behavior, 101–148
 - asynchronous processing, 104
 - background refresh processing
 - checking GPO version numbers, 106
 - defined, 104–105
 - forcing using scripts, 326–327
 - forcing on Windows 2000 clients, 111
 - forcing on Windows XP/2003 clients, 111–112
 - preventing, 105
 - refresh exemptions, 106–107
 - refresh intervals, 104
 - for Windows 2000/2003 Domain Controllers, 102, 106
 - for Windows 2000/2003 member servers, 102, 105–106
 - for Windows XP member servers, 107–110
 - Computer node settings to affect
 - Allow cross-forest user policy/roaming user profiles, 137–144, 138, 143–144
 - Always use local ADM files for GPO Editor, 129
 - Disallow interactive users from generating RSoP data, 124
 - Disk Quota policy processing, 129
 - EFS recovery policy processing, 128
 - Folder Redirection policy processing, 126
 - GP refresh interval for computers, 123
 - GP refresh interval for Domain Controllers, 123
 - GP slow link detection, 123
 - Internet Explorer Maintenance policy processing, 125
 - IP Security policy processing, 127–128, 127
 - loopback processing mode, 123, 130–137, 134–135
 - overview, 122
 - Registry policy processing, 124–125
 - Remove users ability to invoke machine policy refresh, 124
 - Scripts policy processing, 126
 - Security policy processing, 127
 - Software Installation policy processing, 125–126
 - Turn off background refresh of GP, 122
 - Turn off RSoP logging, 123
 - warning, 125
 - Wireless policy processing, 128–129
 - in cross-forest trusts
 - Authentication modes, 143–144, 143–144
 - defined, 137–138, 138
 - disabling loopbacks during, 141–142
 - limitations, 138
 - loopbacks across, 140
 - warning, 142
 - in Windows 2000, 140–141, 142
 - in Windows 2003 Server, 139–140, 143
 - in Windows XP (no SP/with SP1), 139, 142
 - in Windows XP (with SP2), 141, 143
 - Windows XP/2003 additions, 351, 351
 - initial policy processing
 - defined, 102
 - overview, 103
 - in Windows 2000, 103–104
 - in Windows XP, 104
 - loopback processing
 - in cross-forest trusts, 139–142
 - defined, 130
 - disabling, 141–142
 - forcing background wallpaper, 136–137
 - Merge mode, 131, 132–133
 - Replace mode, creating GPOs with, 134, 134
 - Replace mode, defined, 131
 - Replace mode example, 136–137
 - Replace mode for Terminal Services, 135, 135, 137
 - Replace mode, verifying, 134–135
 - setting computers to printers, 132–133
 - troubleshooting, 186
 - warning, 133
 - overview, 101–103, 147–148
 - via remote access or slow links, 118–120, 118
 - security policy processing
 - background refresh, 114
 - defined, 102, 127
 - exploit examples, 113–114, 114
 - forcing on clients manually, 116–117
 - GPO version numbers and, 116
 - nonsecurity GPOs mandatory reapply, 115–116
 - overview, 112–113
 - for Windows 2000/2003/XP, 114–115
 - synchronous processing, 103–104
 - User node settings to affect
 - Create new GPO links disabled by default, 121
 - Default name for GPOs, 121
 - Disallow interactive users from generating RSoP data, 122

544 "Group Policy refresh interval..." – "Log event when quota..."

Enforce show policies only, 122
 GP Domain Controller selection, 121, 169
 GP refresh interval for users, 121
 GP slow link detection, 121
 overview, 120
 Turn off automatic update of ADM files, 122
 warnings, 117, 118
 when intermixing with NT 4 System Policy, 145–147, 146
 when moving users/computers to other OUs, 102–103, 117
 "Group Policy refresh interval for computers" setting, 123
 "Group Policy refresh interval for Domain Controllers" setting, 123
 "Group Policy refresh interval for users" setting, 121
 Group Policy Results Wizard, *See also* GPMC;
 GPRresult
 defined, 84, 85
 Policy Events tab, 86, 87
 requirements, 85
 Settings tab, 86, 86
 Summary tab, 85, 85
 Group Policy Settings Reference, 99
 "Group Policy slow link detection" setting, 121, 123, 469
 Guest account profiles, 351
 GUIDs (Globally Unique Identifiers)
 finding, 508
 overview, 156, 156, 157
 reason for, 518
 of RIS machines, 501

H

Hash rules, 264, 264
 "Help and Support System" in Windows XP, 197–198, 198

I

importing GPOs, 318–319
 InetESC.adm template, 530
 inheritance of GPOs
 blocking, 65–66, 65, 180
 overview, 6–7, 11
 troubleshooting, 180

initial policy processing. *See* Group Policy processing
 "Initial reminder balloon lifetime" setting, 415
 Installation Services, Remote. *See* RIS
 Installation, Software. *See* GPSI
 Installer Service, Windows. *See* GPSI
 installing GPMC, 15–20, 20
 Intellimirror, 369–491, *See also* GPSI; Offline Files;
 Redirected Folders; user profiles, Roaming
 Disk Quotas
 background refresh exemption, 107
 changing for specific users, 426–427, 427
 defined, 421
 exempting users from, 426–427, 427
 file ownership and, 422–424
 using GPOs to affect, 428–430, 428–429
 groups and, 424
 importing/exporting entries, 427–428
 limit/warning options, 425–426, 425–426
 over slow links, 119
 strategies, 424–427, 425–427
 evolution of, 369–370
 limitations, 493
 overview, 369, 430
 Internet Explorer Maintenance policies, 119, 125, 255–256
 "IP Security policy processing" setting, 127, 127–128

K

keying files, 438

L

LDP tool, 163–165
 licensing agreements, 442
 "Limit profile size" setting, 357, 359–360, 359–360, 532
 linking GPOs. *See* GPMC; GPOs
 Local Group Policy, *See also* Group Policy
 defined, 2, 150
 editing, 2–4, 3
 GPOs and, 6, 150
 tips, 151
 Local Profiles. *See* user profiles
 local security policy, 241–243, 242
 "Log event when quota limit exceeded" setting, 430

"Log event when quota warning level exceeded" setting, 430
 log files. *See* troubleshooting
 "Log users off when roaming profile fails" setting, 356
 "Logging" setting, 479
 logon status, in troubleshooting GP, 183–185, 184–185
 logon/logoff scripts, 254–255
 loopback processing. *See* Group Policy processing

M

Manage Group Policy links task, 37–38, 37
 Mandatory Profiles. *See* user profiles
 Mastering Windows Server 2003 (Minasi), 436
 "Maximum retries to unload and update user profile" setting, 356
 Merge mode, Loopback, 131
 Microsoft
 ADM templates
 Corporate Error Reporting, 216
 in Office, 211–215, 214–215
 Software Update Services, 216
 application removal tools, 468–469, 469
 Group Policy tools
 Active Directory Monitor, 529
 admX, 529
 Delprof, 531
 for finding GP settings, 532
 GPInventory, 530, 530
 GPMonitor, 529–530, 529
 GPOTool, 169–171, 170, 529
 InetESC.adm template, 530
 overview, 528
 WinPolicies, 531, 531
 .msi management tool, 473–475, 475
 Office Resource Kit, 459
 scripts, 328–329
 user profile tools, 531–532
 Microsoft Transform Files. *See* MST
 Microsoft Windows 2000 Scripting Guide, 292
 Microsoft Windows Installer Service. *See* GPSI
 Microsoft Windows. *See* Windows
 Microsoft WSH and VBScript Programming for the Absolute Beginner (Ford), 292
 Minasi, Mark, 436
 MMC (Microsoft Management Console)
 integrating GPMC with AD Users and Computers in, 19, 21
 loading Group Policy Snap-In, 2–3, 3
 RSOP MMC Snap-In, 198–200, 198–199

Moskowitz, Jeremy, 291, 329
 moving
 client-side cache, 409
 users/computers to other OUs
 finding and, 47–48, 47, 133
 GP processing when, 102–103, 117
 overview, 87
 troubleshooting, 185–186, 186
 .msi packages. *See* GPSI
 MSICUU tool, 468, 469
 MSIEXEC tool, 473–475, 475
 MSIZAP tool, 468
 MST (Microsoft Transform Files), *See also* GPSI
 applying to deployments, 460, 461
 creating, 459, 460
 defined, 458
 removing from deployments, 460–461
 My Documents. *See* Redirected Folders

N

nesting domain groups, 260
 "Nondefault server disconnect actions" setting, 412, 413
 Not Configured option for policy settings, 46, 49
 NTUSER.DAT files, 332, 332, 340

O

Office Resource Kit websites, 459
 Offline Files, 388–405, *See also* Intellimirror
 auto caching shares to use, 394–398, 396–397
 client configuration of
 the "do nothing" approach, 394–398, 396–397
 manually on each client, 399–403, 399–401, 403
 overview, 394
 Roaming Profile shares and, 395
 Computer node GPO settings, 410, 411, 417–421
 defined, 388–389
 handler, 390
 interface, 399–402, 399–401
 making available, 390–394, 390–392
 using over slow links
 overview, 405
 synching with public shares, 406–407
 synching with redirected My Documents, 406
 in Windows 2000, 407
 Windows XP Synchronization Manager, 407–409, 407

546 Offline Settings button – “Prohibit user installs” setting

- Synchronization Manager and
 - defined, 389, 389–390
 - interaction with, 404–405
 - interface, 402–403, 403
 - limitations, 420
 - state transitions, 408
 - User/Computer node GPO settings
 - Action on server disconnect, 412
 - Administratively assigned offline files, 413–414, 414–415
 - Do not automatically make redirected folders available offline, 417
 - Event logging level, 416, 416
 - Initial reminder balloon lifetime, 415
 - Nondefault server disconnect actions, 412, 413
 - overview, 410–411, 410–411
 - Prevent use of Offline Files folder, 413
 - Prohibit “Make Available Offline”, 416, 417
 - Prohibit user configuration of Offline Files, 411
 - Reminder balloon frequency, 415
 - Reminder balloon lifetime, 415
 - Remove “Make Available Offline”, 412
 - Synchronize all offline files before suspend, 411
 - Synchronize all offline files when logging off, 411
 - Turn off reminder balloons, 414
 - warnings, 393, 418
 - Windows 2000/2003 servers and, 402
 - Offline Settings button, warning, 341, 341
 - “Only allow local user profiles” setting, 357
 - “Only show configured policy settings”, 56–57, 56, 56–57
 - “Only show policy settings that can be fully managed”, 56, 57, 122, 221–222, 221
 - OUs (organizational units), *See also* Active Directory
 - applying GPOs at OU level
 - adding users to Server Operators groups, 38
 - creating/linking GPOs, 42–46, 43, 46
 - delegating GP management, 37–38, 37
 - delegating GPO linking, 40–41, 41
 - granting access to create GPOs, 41–42
 - and looking inside, 154
 - overview, 5, 6, 34
 - password/account policy, 188
 - preparing to delegate, 34–37, 35
 - redirecting users/computers to, 36
 - strategies for, 44–45
 - testing GP delegation, 39, 40
 - warning, 48
 - creating using AD Users and Computers, 133
 - creating using GPMC, 35
 - deleting, warning, 21
 - moving users/computers to other
 - finding and, 47–48, 47
 - GP processing when, 102–103, 117
 - overview, 87
 - troubleshooting, 185–186, 186
 - target computers/users in correct, 188–189
-
- ## P
- Password Policy, 188, 243–244, 243–244
 - Path rules, 264
 - PC Card adaptors, 501
 - PDC Emulator, 155–156, 155
 - permissions, *See also* delegating control
 - to create GPOs, 159–161, 160
 - to edit GPOs, 161–162, 161–162
 - Perform Group Policy Modeling Analyses, 79, 80
 - scripting, 319–325
 - in troubleshooting GP, 181, 387, 387
 - Policies keys in Registry, 208–209
 - PolicySettings.xls, 532, *See also* Computer node; User node
 - Pre-boot eXecution Environment (PXE), 500–501
 - precedence of GPOs
 - changing, 57–58, 58
 - over Default Domain Policies, 236–238, 237
 - troubleshooting, 180
 - preferences
 - defined, 208
 - versus policies, 208–209
 - viewing in ADM templates, 221–223, 221–223
 - “Prevent removable media source for any install” setting, 481
 - “Prevent use of Offline Files folder” setting, 413
 - “Preventing roaming profile changes from propagating to server” setting, 357
 - printers, setting computers to use, 132–133
 - “Process even if the GPOs have not changed”, 125–129
 - profiles. *See* user profiles
 - “Prohibit “Make Available Offline”” setting, 416, 417
 - “Prohibit new task creation” setting, 46, 46
 - “Prohibit patching” setting, 477
 - “Prohibit rollback” setting, 477, 481
 - “Prohibit user configuration of Offline Files” setting, 411
 - “Prohibit user installs” setting, 480

"Prompt user when slow link is detected" setting, 355
 publishing applications. *See* GPSI
 PXE (Pre-boot eXecution Environment), 500–501

R

Raxco PerfectDisk 6 ADM templates, 217
 Read Group Policy Results Data permission, 79, 80–81
 Redirected Folders, 371–388, *See also* Intellimirror
 Advanced redirection, 109, 381–383
 Application Data folder, 385–386
 background refresh exemption, 106–107
 Basic redirection, 109, 372, 373–376, 374–376
 defined, 371–372
 Desktop folder, 384–385, 385
 granting admin access to, 380–381
 My Documents folder
 overview, 372
 redirecting, 373–376, 374–376
 Roaming Profiles and, 345
 synching with Offline Files, 406
 testing, 383–384, 383–384
 warning, 373
 over slow links, 119
 Settings tab options, 377–379, 378
 share permissions, 373–374
 Start Menu folder, 384–385, 385
 Target tab options, 376–377, 376
 troubleshooting
 using GPResult, 387–388, 387
 using log files, 388
 overview, 386
 permission problems, 387, 387
 Windows XP Fast Boot and, 108–109, 386, 386
 warnings, 373, 377, 378
 refresh. *See* Group Policy processing
 Registry
 hacks for troubleshooting, 201–202, 202
 Local Group Policy and, 151
 modifying ADM templates in, 220–221, 221
 NTUSER.DAT files in, 332, 332, 340
 policies versus preferences and, 208–209
 Software Restriction Policies in, 269–270, 270
 "Registry policy processing" setting, 124–125
 "Reminder balloon frequency" setting, 415
 "Reminder balloon lifetime" setting, 415
 remote access, GP processing via, 118, 118–120
 Remote Access (RRAS), Routing and, 50–51, 51

remote control in GPSI versus SUS, 488
 Remote Installation Services. *See* RIS
 remote RSoP calculation, troubleshooting, 196–197
 remote scripting, enabling, 326–327
 "Remove dialog box for new source" setting, 477
 "Remove "Make Available Offline"" setting, 412
 "Remove users ability to invoke machine policy refresh" setting, 124
 removing applications. *See* GPSI
 "Rename Administrator account" setting, 235
 "Rename Guest account" setting, 235
 Replace mode, Loopback, *See also* Group Policy processing, loopback
 creating GPOs with, 134, 134
 defined, 131
 example, 136–137
 for Terminal Services, 135, 135, 137
 verifying, 134–135
 Replmon (Replication Monitor) tool, 171–172
 restoring, Shadow Copies, 496–499, 497–498
 restoring GPO backups, 92–94, 94, 314–317
 Restricted Groups. *See* security rights. *See* delegating control; permissions
 RIS (Remote Installation Services)
 automated RIS answer files
 associating with images, 514–516, 515
 creating, 513–514, 514
 overview, 513
 client components, 500–501
 defined, 499
 installing first clients
 creating remote boot disks, 507
 limit problem, 508–510
 overview, 506
 RIPrep tool and, 511–512, 512
 steps in, 507–508
 warning, 507
 managing RIS servers
 on Images tab, 505–506
 on New Clients tab, 505, 506
 overview, 505
 on Tools tab, 506
 overview, 493–494, 519
 versus PXE, 507
 PXE Boot ROM and, 500–501
 server components, 499–500
 setting up RIS servers
 and authorizing, 504–505, 505
 installing base images, 502–504, 503–504
 loading RIS, 502
 overview, 501–502

548 Roaming Profiles – securing workstations with templates

- User policy options
 - Automatic Setup section, 516–517, 517
 - Custom Setup section, 517–518
 - overview, 516, 517
 - Restart Setup section, 518
 - Tools section, 518–519
 - warnings, 500, 510
 - in Windows 2003, 500
- Roaming Profiles. *See* user profiles
- RRAS (Routing and Remote Access Service), 50–51, 51
- RSoP (Resultant Set of Policy), *See also* GPOs
 - calculating with GPMC
 - overview, 83–84, 83
 - warnings, 87, 88
 - what-if calculations, 87–90, 89
 - what's-going-on calculations, 84–87, 85–86
 - defined, 9
 - at domain level, 10
 - examples, 11
 - at OU level, 10
 - at site level, 10
 - troubleshooting calculation
 - using GPREsult, 189–197
 - overview, 189
 - using RSoP MMC Snap-In, 198–200, 198–199
 - remote calculation, 196–197
 - warnings, 190, 191, 196, 197
 - for Windows 2000, 189–190
 - for Windows 2003/XP, 190–197
 - using XP "Help & Support System", 197–198, 198
- Russinovitch, Mark, 326

S

- Scope of Management (SOM), 69, 295, *See also* filtering
- Scope tab in GPMC, 53–54, 71–73, 71–72, 75–77, 76
- scripting GPMC operations, 291–329, *See also* GPMC
 - backing up GPOs, 312–313
 - using built-in scripts, 328–329
 - caveats on, 292
 - changing GPO permissions, 319–325
 - creating/linking new GPOs, 310–312
 - documenting GPO links, 303–305, 307
 - documenting GPO settings, 308–310
 - documenting WMI filter links, 303, 306–307
 - examples of, 299–302
 - forcing GPO refresh, 326–327
 - getting DNS names, 297–298
 - getting domain/site information, 298–299
 - GPMC scripting object model, 294–295, 294
 - importing GPOs, 318–319
 - initial requirements for, 295–297
 - overview of, 15, 291–292, 329
 - references on, 292–293
 - remote scripting, 326–327
 - restoring GPOs, 314–317
 - tools for, 293
 - warnings on, 291, 310
- scripts, *See also* security
 - background refresh exemption, 107
 - logon/logoff scripts, 254–255
 - running over slow links, 119, 120
 - startup/shutdown scripts, 253–254, 254
 - "Scripts policy processing" setting, 126, 127
 - "Search order" setting, 481
 - searching, *See also* finding
 - for GPOs with GPMC, 95–96, 95
- SECEDIT command
 - analyzing results, 284, 284
 - applying templates, 282, 283
 - configuring machines, 285–286
 - creating rollback templates, 285
 - forcing GPO refresh for Windows 2000, 111
 - forcing security GPOs for Windows 2000, 116
- securing shared folders in Windows Installer Service, 436
- securing workstations with templates, 271–288
 - using Security Configuration and Analysis tool
 - analyzing results, 281–282, 283, 284, 284
 - applying templates, 282, 283
 - configuring machines, 285–286
 - creating baselines, 280
 - creating rollback templates, 285
 - defined, 280
 - loading MMC snap-in, 271–272, 272
 - overview, 271
 - running analyses, 280–281, 281
 - secedit tool and, 282, 283–286, 284
 - warnings, 280, 282
 - using Security Templates
 - applying with GPOs, 287–288, 288
 - built-in, modifying, 276, 277–279, 278–279
 - compatws template, 274–275
 - creating from scratch, 277, 277
 - DC security.inf template, 275
 - defaults, copying, 277
 - defaults, in Windows 2003/XP, 273–276

- defined, 272
- to disable services, 278, 278
- Domain Controller .inf templates, 274
 - hiseccd template, 274
 - hisecws template, 275
 - incremental templates, 273–275
 - loading MMC snap-in, 271–272, 272
 - overview, 271, 273
 - to protect folder access, 278–279, 279
 - securedc template, 274
 - securews template, 275
 - security.inf template, 275
 - third-party sources of, 272, 276
 - warnings, 273, 274, 279
 - XP Pro .inf templates, 274–275
- security descriptors, 320
- security exploits, 188
- Security groups, filtering GPO scope, 71–74, 71–73, 75–77, 76, 169
- security, implementing with Group Policy, 233–271
 - auditing
 - auditable events, 245–248
 - centralizing audit logs, 245
 - default settings, 245, 245
 - file access, 251–252, 252
 - GPO change events, 248–251, 249–250
 - overview, 244–245
 - Default Domain Controllers Policy
 - linked to DC OUs, 238–240, 239
 - overview, 233–234
 - repairing after modifying, 240–241, 241
 - security settings, 239–240, 239
 - Default Domain Policy
 - Account Policies in, 234–235
 - creating GPOs with precedence over, 236–238, 237
 - linked at domain level, 234–238
 - modifying, 235–236, 236, 237, 238
 - overview, 233–234
 - purpose of, 234
 - repairing after modifying, 240–241, 241
 - security settings, 235
 - warning, 236
 - designing versus implementing, 289–290
 - "effective" policies, 241–243, 242, 244
 - Internet Explorer Maintenance policy, 255–256
 - local security policy, 241–243, 242
 - overview, 233, 288
 - Password Policy, 243–244, 243–244
 - resources on, 289
 - Restricted Groups
 - AD group membership, 257–258, 258
 - local group membership, 259
 - nesting domain groups, 260
 - overview, 256, 261
 - warnings, 258, 260
 - when settings get refreshed, 258–259
 - when settings take effect, 258
 - scripts
 - logon/logoff scripts, 254–255
 - overview, 252–253
 - startup/shutdown scripts, 253–254, 254
 - warnings, 253
 - Software Restriction policy
 - advanced logging, 270
 - defined, 261–262, 262
 - digitally signed.EXEs and, 266–267
 - over slow links, 119
 - Registry location, 269–270, 270
 - rules, 263–265, 264–265
 - security levels, 262–263, 263
 - setting up, 265, 265
 - testing on Windows XP, 266, 266
 - troubleshooting, 269–271, 270
 - undoing system lockout, 271
 - when Windows clients apply, 267–269, 268
 - Wireless Network policy, 256
- security policy processing. *See* Group Policy processing
- Settings tab in GPMC, 54–55
- Shadow Copies
 - defined, 494
 - delivering to clients, 496
 - overview, 493
 - restoring files, 496–499, 497–498
 - setting up on servers, 494–496, 495
- shutdown/startup scripts, 253–254, 254
- Single Instance Storage Groveler, 502
- site level, *See also* Active Directory
 - applying GPOs at, 6, 29–31, 30
 - checking configuration of, 187
 - defined, 5
 - getting info on via scripts, 298–299
 - inside GPOs at, 152–153
- slow links
 - assigning applications over, 470–472, 471
 - GP processing via, 118–120, 118
 - using GPSI over
 - tweaking, 469–470, 469
 - warnings, 470, 472
 - in Windows 2000, 470–472, 471
 - in Windows 2003/XP, 472
 - using Offline Files over
 - overview, 405
 - synching with public shares, 406–407
 - synching with redirected My Documents, 406
 - in Windows 2000, 407
 - in troubleshooting GP, 186–187, 187

550 "Slow network connection timeout for user profiles" setting – troubleshooting

- "Slow network connection timeout for user profiles" setting, 354–355
 - SMS (Systems Management Server). *See* GPSI
 - "Software Installation policy processing" setting, 125–126, 469, 470
 - Software Installation. *See* GPSI
 - Software Restriction policies. *See* security
 - Software Update Services (SUS), 216, 490
 - SOM (Scope of Management), *See also* filtering
 - defined, 69, 295
 - in documenting GPO links, 303–305
 - removing software outside, 465–466
 - SPOLSCONCEPTS.CHN help file, 55, 532
 - Start Menu folder redirection, 384–385, 385
 - startup/shutdown scripts, 253–254, 254
 - stopping GPO application. *See* GPMC
 - "Subfolders always available offline" setting, 419
 - Synchronization Manager. *See* Offline Files
 - "Synchronize all offline files before suspend" setting, 411
 - "Synchronize all offline files when logging off" setting, 411
 - synchronous processing, 103–104, 110
 - Systems Management Server. *See* GPSI
 - SYSVOL, viewing GPTs in, 165, 165–167
-
- T**
- TCO (Total Cost of Management), 370, 493
 - templates. *See* Administrative Templates; GPTs; securing
 - Terminal Services
 - versus Group Policy, 50
 - Loopback-Replace mode for, 135, 135, 137
 - magazine article on, 137
 - policy setting, 479
 - Windows XP/2003 support, 349–350
 - testing
 - delegation, 39–40, 40
 - filters, 72–73
 - My Documents redirection, 383–384, 383–384
 - Roaming Profiles, 344–345, 345
 - software assigning, 444–446, 445
 - software publishing, 448–449, 448
 - Software Restriction policy, 266, 266
 - .zap files, 447, 448
 - third-party sources
 - ADM management tools, 535
 - for GP management tools, 533–535
 - MSI repackaging tools, 536
 - Security Templates, 272, 276
 - web resource, 532
 - "Timeout for dialog boxes" setting, 355
 - Troglodite SendTo ADM templates, 216–217
 - troubleshooting, 149–205
 - adding computer accounts, 508–510
 - Administrative Templates, 230–231, 230
 - application removal, 468–469, 469
 - client-side RSoP calculation
 - using GPResult, 189–197
 - overview, 189
 - remote calculation, 196–197
 - using RSoP MMC Snap-In, 198–200, 198–199
 - warnings, 190, 191, 196, 197
 - for Windows 2000, 189–190
 - for Windows 2003/XP, 190–197
 - using XP "Help & Support System", 197–198, 198
 - how client systems get GPOs
 - Administrative Templates, 177–179
 - client-side extensions, 174–177, 174
 - overview, 173
 - warning, 176
 - how GPOs are "born", 155–156, 156
 - how GPOs "die", 173
 - how GPOs "live"
 - Group Policy Containers, 155, 156–159, 158, 163–165
 - Group Policy Templates, 156, 165–167, 165
 - GUIDs, 156, 156, 157
 - permissions to create GPOs, 159–161, 160
 - permissions to edit existing GPOs, 161–162, 161–162
 - verifying GPCs/GPTs in sync, 167–172, 170–171
 - viewing GPO attributes with LDP, 163–165
 - inside Active Directory GPOs
 - cross-domain GPO linking, 154
 - from domain perspective, 154
 - GPO containers, 151–152, 152
 - from OU perspective, 154
 - overview, 151–152, 152
 - from site perspective, 152–153
 - warning, 153
 - inside Local GPOs, 150–151
 - using log files
 - diagnostic logging, 201
 - Event Viewer logs, 200–201, 200
 - overview, 200
 - Redirected Folders policies, 388
 - Software Restriction Policies, 270

- verbose logging, 201–204, 202
- warnings, 201
- overview, 149–150
- Redirected Folders
 - using GpResult, 387–388, 387
 - using log files, 388
 - overview, 386
 - permission problems, 387, 387
 - Windows XP Fast Boot and, 108–109, 386, 386
- Software Restriction Policies, 269–271, 270
- tips for, 204–205
- verifying GPCs/GPTs in sync
 - defined, 167
 - using Gpoutil.exe, 169–171, 170
 - isolating replication problems, 172
 - using Replmon tool, 171–172
 - version numbers, 167–168, 171–172
- what to check if GPOs not applying
 - AD site configuration, 187
 - Block Inheritance, 180
 - computer trust to domains, 186
 - computers/users in correct OUs, 188–189
 - computers/users moved to other OUs, 185–186, 186
 - date/time differences, 187
 - Deny bits, 181
 - DNS configuration, 183, 188
 - Enabled/Disabled status, 179–180, 180
 - Enforced directives, 180
 - GPC/GPT replication, 182–183
 - logon status, 183–185, 184–185
 - loopback policy, 186
 - overview, 179
 - password/account policy, 188
 - permissions, 181
 - precedence, 180
 - security exploits, 188
 - slow links, 186–187, 187
 - warnings about, 181, 183
 - Windows 2000 processing, 182
 - Windows XP Fast Boot, 181–182
- "Turn off automatic update of ADM files" setting, 122, 228–230
- "Turn off background refresh of Group Policy" setting, 122
- "Turn off creation of System Restore Checkpoints" setting, 480
- "Turn off reminder balloons" setting, 414
- "Turn off RSoP logging" setting, 123

U

- User Configuration node GPO settings, *See also* Computer node; Offline Files
 - for changing GP processing behavior, 120–122
 - Enabled/Disabled options, 46, 49, 179–180, 180
 - filtering in Administrative Templates, 55–57, 56
 - for Local Group Policy, 3–4, 3
 - Not Configured option, 46, 49
 - for Offline Files, 410–417, 410–411
 - for Roaming Profiles, 357–362, 359–361
 - tools for finding, 532
- User node, defined, 3, 4–5
 - for Windows Installer Service, 475, 480–481, 481
- User GP loopback. *See* Group Policy processing, loopback
- user profiles, 331–368
 - defined, 331
 - Local Profiles
 - changing Roaming type to, 347
 - creating Mandatory Profiles from, 362, 363–365, 364–365
 - Default Domain User Profile, 338–339, 338–339
 - Default Local User Profile, 334–337, 336–337
 - defined, 331
 - merging with Roaming Profiles, 350–351
 - migrating to Roaming Profiles, 346–347, 346
 - NTUSER.DAT files, 332, 332, 340
 - profile folders, 333–334, 333, 335
 - Mandatory Profiles
 - creating from Local Profiles, 362, 363–365, 364–365
 - creating from Roaming Profiles, 362, 365–366, 366
 - defined, 331, 362
 - forcing, 366–367, 367
 - Microsoft tools for, 531–532
 - overview, 368
 - Roaming Profiles
 - Computer node GPOs, 351–357, 352, 358
 - creating folders for, 340–341, 341
 - creating Mandatory Profiles from, 362, 365–366, 366
 - cross-forest trust options, 351, 351
 - defined, 331, 339–340

552 users – Zone rules

Fast Boot on by default, 350
 GPO settings flowchart, 357, 358
 Guest account profiles, 351
 merging with Local Profiles, 350–351
 migrating Local Profiles to, 346–347, 346
 modifying user paths to, 343–344
 My Documents and, 345
 nonroaming folders, 347
 roaming folders, 347–348
 setting up, 340–342, 341–342
 shares, Offline Files and, 395
 system profiles, 348–349, 349
 testing, 344–345, 345
 User node GPOs, 357–362, 359–361
 warnings, 340, 341, 353, 354, 360
 in Windows XP/2003, 348–351, 349, 351
 users, *See also* Active Directory Users and Computers
 adding computer accounts, 508–510
 assigning applications to, 439
 moving to other OUs
 finding and, 47–48, 47, 133
 GP processing when, 102–103, 117
 overview, 87
 troubleshooting, 185–186, 186
 publishing applications to, 440
 “Using GPOs to Configure Terminal Services”
 article (Anderson), 137

V

verbose logging, 201–204, 202
 version numbers. *See* GPO version numbers

W

“Wait for remote user profile” setting, 355
 wallpaper, forcing background, 136–137
 WinAbility AB Commander ADM templates, 217
 Windows & .NET Magazine article (Anderson),
 137
 Windows Installer Clean Up tool, 468, 469

Windows Installer Service. *See* GPSI
 Windows Messenger folder, 3, 3
 Windows NT 4 System Policy, mixing with GP,
 145–147, 146
 Windows XP Fast Boot
 Folder Redirection and, 108–109, 386, 386
 Group Policy processing, 107–109
 Roaming Profiles and, 350
 Software Distribution and, 108–109
 troubleshooting, 181–182
 turning off, 109–110
 user-account attribute processing, 109
 Windows XP, forcing to act like 2000, 110
 Windows XP Setup Manager, 513, 514
 WinINSTALL LE (Light Edition), 438
 WinPolicies tool, 531, 531
 Wireless Network policies, 119, 256
 “Wireless policy processing” setting, 128–129
 WMI filters
 applying to GPOs, 486, 487
 creating, 485–486, 486
 defined, 482–483
 delegating to create, 81–82, 81
 links, documenting, 303, 306–307
 overview, 487, 491
 performance impact, 486
 references, 483
 syntax, 484
 Windows 2000 and, 486–487
 WMI CIM Studio tool, 483
 WMI Scriptomatic tool, 483–484, 484

Z

ZAK (Zero Administration for Windows Kit), 370
 .zap files
 creating, 446–447
 versus .msi files, 446
 publishing, 447
 removing, 468
 Zimmerman, Richard, 133
 Zone rules, 264