

INDEX

- Accounting architecture approach, 193–197
 - centralized approach, 194–195
 - distributed approach, 195–196
 - advantages/disadvantages, 196
 - hierarchical approach, 196–197
 - schematic examples, 194
- Accounting process, 190, 199, 206
 - data, 200, 202
 - normalization, 200–202
 - standardization, 202–205
 - features, 206
 - vs. monitoring, 191–192
 - records collection, frequencies, 193
 - scalability, 199
 - simplified layered model, 190
- Admittance capacity measurements, 410, 411
 - Cornell theory centre trace, 410, 411
- Advanced research projects agency network (ARPANET), 4
- Agent's risk premium, 82
- Agreement
 - creation process, steps, 268
 - definition, 268
 - template, 280, 281
- Allocation mechanism, 55, 56, 59, 569, 514, 574, 577, 581
 - algorithm, 518
 - efficiency, 52, 58
 - goal, 59
 - obligation grid services set, 569
 - policy, 530, 535, 620
 - profile, 57
 - service, 604–606
- Altruism, 33, 34
- Aneka, 602–611, 612
 - allocating advanced reservations, 605–606
 - container, design of, 603
 - coordinator, 612
 - design of, 602
 - federation software system, 612, 614
 - grid, configuration, 607
 - performance evaluation, 606
 - resource management architecture, 604
 - SLA-based resource provisioning, 602
- Application program interface (API), 50
- Application providers, 144
- Arbitrage equilibrium, 107

- Argonne National Laboratory (ANL), 391
- Artificial-intelligence systems, 225
 - adaptability of, 225
- Artificial slack, 413
 - impact, 413–414
- AssessGrid project, 233, 336, 339–342, 347
 - architectural overview, 340–341, 348
 - actors, 340
 - broker role, 348
 - component interaction, 341–342, 350
 - economy aspects, 347–350
 - end-user layer, 347–348
 - grid fabric layer, 349–350
 - SLA agreement process, semantics, 342
 - usage scenarios, 340
- ASTRO, astronomical application, 478
- Auction-based model, 43, 44, 55, 286, 500, 517, 532
 - circuit, 546
 - design, 500
 - funny money, *see* Virtual money
 - graph, 546, 552, 557
 - market model, 286
 - second-price, 44
 - types, 274
- Auction-based resource allocation, 495
 - design objectives, 496
 - domain-specific requirements, 497–498
 - evaluation, 507–509
 - mechanism design theory, 51, 496
 - use, 51
 - economic properties, 496–497
 - multiattribute combinatorial exchange, 499–507
 - bidding language, 500–501
 - winner determination, 501–505
 - pricing, 505–507
 - work, 498–499
- Auction market, 287, 294
 - bids, 302
 - controller, 295
 - depending on, 287
 - mean price distribution, 300
 - mean utilization distribution, 302
 - share, 169
 - storage machines, 294
 - timeline, 560
- Auction protocol, 542, 543, 545, 559, 561
 - case studies, 545–558
 - combinatorial auctions representation, 545–547
 - cryptographic techniques, 559
 - garbled circuits, 547–550
 - auction protocol, 549
 - homomorphic encryption, 554–558
 - bid vector addition, 555
 - bid vector comparison, 555
 - bid vector representation, 555
 - homomorphic auction protocol, 556
 - performance comparison, 561
 - polynomial protocol, 550–554
 - taxonomy, 543
- Australian scheduling experiment, 394, 396
 - off-peak time, 396
 - cost of resources, 396
 - resources, number of, 396
 - peak-time, 394
 - behavior, 395
 - computational nodes, 394
 - cost of resources, 395
 - resources, number of, 394
- Austrian grid testbed, 488, 489
- Authentication, authorization, and accounting (AAA) infrastructure, 189
- Autonomous agents, implementations, 68
- Bag-of-tasks (BoT) applications, 365
 - characteristic, 365
 - types, 365
- Bargaining game, 156–164, 287
 - auction market, limitations, 287
 - bilateral, 157–158
 - discount factor, 160–161
 - input parameters, 159, 160, 162
 - membership function, 159–160
 - pricing schema, 157
 - validation, 162–164
- Bellagio, 43, 518, 521–526, 530, 535
 - allocation decisions, 535
 - architecture, 522–525
 - bidding language, 524
 - currency policy, 525
 - resource discovery, 522
 - deployment, 525–526
 - design, 518
 - goal of, 530
 - SWORD, use, 523
 - target platform, 521–522

- Bid-broker approach, 411
 - high-level, flowchart, 412
- Bid-butler software, 404
- Bidder, perspective, 39
- Bidding, 500–502
 - evaluation, 61
 - filtering, classifications, 559
 - strategy, 56–57, 61
 - time restrictions, 504
 - value, 60
 - vectors, 564
- Bid privacy trust model, privacy levels, 543
- Bilateral negotiation models, 148, 274
 - components, 274
- Billing, simplified layered model, 190
- BioInformatics Research Network (BIRN), 9
- Black–Scholes model, 105–110
 - option pricing on financial markets, 105
- Black–Scholes partial differential equation, 109
- Boolean circuit, 546, 547
 - gate, 547
- BREIN project, 216, 217, 225, 233
- Broker, 14, 117, 340
 - discount factor, 163, 164
 - grid state, 163
 - time-remaining period, 163
 - workflow urgency, 164
- function, 117
- goal, 340
- layer, 341, 344, 345
 - confidence service, 341
 - responsibilities, 344
 - risk awareness, 344–347
 - service, 341
- Budget-constrained scheduling methods, 398, 436, 444
 - execution cost/time, 444
 - heuristic, 436
 - budget distribution, 436–437
 - greedy time-cost distribution, 437–438
 - ranking strategies, structure application, 448
 - time optimization scheduling, resource selection, 398
- Budget distribution process, 436
- Business, 127, 131, 133, 135, 137, 139, 168
 - motivations for, 127, 131, 133, 135, 137, 139
 - objectives, 232
 - rule engines, types, 168
- Business model, 124–127, 130, 132, 134, 136, 138, 140, 143–145, 149–152, 254
 - definition, 124, 145
 - evaluation, 143, 144
 - future research directions, 143
 - questionnaire, 126–130
 - functions, 124
 - grid-based workflow model, 149
 - applications, 439–440
 - definition, 149
 - planning, 322
 - reduction, 322, 323
 - scenario, 150
 - grid service model, 149–150
 - iteration/adaptation, 126
 - risks in, 130, 132, 134, 136, 138, 140
 - software as a service (SaaS), 254
 - value proposition, 127
- Business process execution language (BPEL), 310, 315
- Business-to-business (B2B) scenario, 228, 229, 232
 - perspectives, 228
 - prerequisites, 232
- Business-to-consumer (B2C), perspectives, 228
- Call/Put option, 45, 103–105, 108–110
 - holder, 103
 - payoff diagram, 108
 - types, 103, 104, 105
 - writer, 103
- Candidate business model analysis, 123, 130–141
 - applications/computation, 139–141
 - compute resources, 131–132
 - flexible licensing, 136–138
 - hosting, 133–134
 - practitioners, visionary thoughts, 141–143
 - flexible software licensing, 142
 - payment/consumption models, 143
 - pricing, 141
 - service specification/quality, 141
 - software license reseller/broker, 134–136
- Catallactic access point (CAP), 278

- Catalactic collaborative virtual teams
 - (Cat-COVITE), 277–280
 - elements, 277
 - middleware, integration, 278
 - prototype application, 277, 278–281
- Catalactic grid markets, 278–281
 - catalactic agents, 278
 - middleware, 278
- Catastrophic system failure, 100
- CatNet, 43–44
- Centralized network architecture approach,
 - 194–195, 604
 - advantages, 194
 - disadvantages, 195
- Central processing unit (CPU), 12, 91, 201, 248
 - cycles, 12, 91
 - related computing benchmarks, 201
 - resources, accounting, 205–206
- Client max price function, 76
- Client price boundary function, *see* Client max price function
- Client ranking function, 80
- Client reservation price function, *see* Client max price function
- Coallocation process, 578
- Coallocative oversubscribing resource
 - allocation (CORA), 578
- Collaboration, definition, 171
- Collaborative/cooperative awareness
 - management (CAM) model, 168, 170, 171, 173–175, 177, 178, 183
 - components, 177
 - concepts, 171–173, 177
 - data extension, 177
 - services, 175
- Collaborative resolution history (CRH), 176
- Combinatorial allocation problem (CAP), 62, 505, 560
- Command-control subsystem (CCS), 150
- Commodity market model, 614
 - economy, competitive, 391
- Communication resources, 101
 - communication bandwidth, 101
 - CPU cycles, 101
- Community scheduler framework (CSF), 571
- Competitive economic models, 13
- Computational economy, 188, 372, 380, 390, 590
 - advantages, 372
 - economic approaches, 188
 - integration of, 380
 - methodology, 590
 - parameters of, 381
 - resource usage accounting, importance, 188–189
 - scheduling decision, 380–381
 - parameters, 380
 - supply and demand, 372
 - World Wide Grid, 389
- Computational grids models, 3, 50, 187
- Computational scheduling, 393
 - Australian off-peak time, 393
 - Australian peak time, 393
 - experimentation, execution, 394
 - nodes, 394
- Compute-intensive processing operations, 596
- Compute power market, 593
- Computer resources
 - commodity markets, option pricing, 110–111
- Computer-supported cooperative work (CSCW), 170, 172
 - unidirectional awareness scheme, 172
- Computer systems, 68
 - distributed control, 68
 - economic mechanisms, 68
- Computing resources, 89, 101, 102, 110
 - commodity markets, 89, 110
 - CPU cycles/bandwidth, 101, 102
 - options, 89, 103–105
- Condor project, 9
 - high-throughput computing
 - mechanisms, 9
 - i Rule Oriented Data Systems (iRODS), 9
- Conservative time optimization algorithm, 388
- Consumer satisfaction function, 113
- Consumer surplus, 31
- Contract-net protocol, advantages, 232
- Cooperative game theory, 456
 - bargaining, 456
 - formulation, 481–484
- Cooperative resource-sharing mechanism, 614

- Core grid middleware layer, 592
- Cost-based data-intensive scheduling, 597
 - evaluation resources, 597
- Cost minimization, 398, 435
 - solution, 435
- Cost of negotiation, 243–245
 - determining factors, 244
- Cost optimization algorithm, 441, 480, 484
 - game-cost, 480
 - space complexity, 484
 - time complexity, 484
- Cost optimization model, 477–481, 487
 - application model, 478–479
 - cooperative game formulation, 481–484
 - game-cost algorithm, 484–487
 - game phases, 481
 - grid model, 479–480
 - performance measurement, average
 - normalized cost, 446
 - real world application, 477–478
 - scheduling experiment, 395, 398
 - using local/remote resources, 395–399
 - workflow partitioning, 480–481
 - deadline assignment, 481
 - steps, 480
- Cost-time algorithm, 248, 596
 - objective, 248
- Cost-time minimization strategy, 251
- Critical success factors (CSFs), 239
- Cryptographic techniques, 542, 554
 - privacy-preserving scheme, 542
 - use, 554
- Cumulative distribution function, 106
- Cumulative prospect theory, 83
 - people's risk behavior models, 83
- Currency policy, design, 519
- CyberShake project, 572–573

- Database search services (DSSs), 277
- Data-centric approach, 571
- Data-intensive computing environment,
 - application, 596
- Deadline assignment method, 481
- Deadline/budget-constrained (DBC)
 - algorithms, 381
- Deadline/budget-constrained cost
 - optimization scheduling, 399
 - resource selection, 399
- Deadline-constrained ranking strategies, 447
 - scheduling overhead, 447
- Deadline-constrained scheduling methods,
 - 432, 443
 - execution cost, 445, 446
 - execution time, 437, 445
 - heuristic, 432
 - deadline distribution, 433–435
 - greedy cost-time distribution, 435–436
 - workflow task partitioning, 432–433
 - structure application, 443, 444
- Decay function, 508
- Derivative-following (DF) pricing
 - algorithms, 296, 297
- Directed acyclic graph (DAG), 149
 - manager, Condor project, 476
- Discount factor, 158, 161, 164
 - determination, using fuzzy logic, 158–162
 - urgency effect, 161
 - variables, 158
- Discrete-offer approach, 243
- Distributed European Infrastructure for
 - Supercomputing Applications (DEISA), 153, 156
- Distributed grid accounting system (DGAS),
 - 195, 196, 200
 - RUDA, 196
- Distributed hash table (DHT) methods,
 - overlay, 612, 616
- Distributed resource infrastructure for a
 - virtual economy (DRIVE), 569, 571, 574, 580, 581, 583, 586
- architecture, 575–583
 - advanced reservation, 578
 - architectural components, 576
 - coallocation, 578
 - contract structure, 577
 - high-level description, 575
 - interaction phases, 580–583
 - job description, 579
 - VO security, 579
- auction protocols, use, 569
- designing process, 571
- job submission/execution, 583
- plug-in auction mechanism, uses of, 586
- prototype, 583–585
 - evaluation, 583
 - number of bidders, 583
 - number of goods, 585

- Distributed resource (*Continued*)
 - resource allocation, 581
 - resource provider registration, 580
- Distributed system, 49, 54
 - definition, 54
 - resource allocation auctions, single-bid auctions, 570
- DRIVE, *see* Distributed resource infrastructure for a virtual economy
- Drools, production rule system, 168
- Dynamic optimization strategy, 325
- Dynamic pricing, 273–274
 - auctions, 274
 - goal, 273
 - tâtonnement method, 273–274
- Dynamic value-aware QoS (DVQoS)
 - algorithm, 415, 418–422
 - flowchart, 421
 - performance analysis, 420–423
 - sensitivity, 419–420
 - stability, 419–420
- Dynamic workflow planning, 325, 328
 - experimental results, 328
 - workflow execution, 325
- Economic allocation mechanisms, 570
- Economics-based computer system, 32
- Economics, paradigms, 30
- Economy-based grid systems, 13, 41, 43, 116
 - architectural functionalities, 41–42
 - requirements, 13–14
 - resource management, 12, 13
 - benefits, 13
 - need for, 12
- Economy-driven market mechanisms, use, 12
- Efficient market hypothesis (EMH), 101, 105
- Electrical power grid, 3, 93
- Electric battery, invention, 3
- Electronic business (*e-business*), 215, 216
 - advent of, 215
 - service-level agreements use, 216
- Electronic service-based marketplaces, 241, 272
- Electronic Signatures in Global and National Commerce Act, 227
- Enabling grids for E-science (EGEE) project, 9, 202
 - GOC web portal, 207
 - infrastructure, 202, 205
- End-user layer, 340, 347
 - risk awareness issues, 347
- European-funded project, 9, 229
 - GridLab, 9
 - TrustCoM, 229
- European Organisation for Nuclear Research, 9
- European Union (EU), 227
 - Community Framework for Electronic Signatures Directive, 227
 - Electronic Commerce Directive, 227
- Ex post incentive compatibility (EPIC)
 - mechanism, 35–37
 - budget-balanced, 37
 - Groves mechanism, 37
 - Vickrey auction mechanism, 36, 37, 454, 498, 542
- Ex post individual rationality (EPIR), 36
- Extended parametric modeling language (XPML) format, 594, 595
 - user requirement specification, 594
- Extensible markup language (XML), 10, 203, 326, 579, 595
 - based language, 204, 310, 314, 315, 579
 - based negotiation, 595
- Externality, types, 34
- Federal Aviation Administration, 520
- Federated systems, characteristics, 513
- File-sharing system, 92, 363, 364
- FIPA protocol, 232
- First come-first served (FCFS) strategy, 439, 445, 447, 517, 531
 - allocation, 517
- First-price auction protocol, 572
- Fixed pricing mechanisms, 610
- FixedTime mechanism, 609, 610
- Focus and nimbus rules, 182
- Fully qualified attribute name (FQAN), 197
- Fuzzy-logic system, 46, 162
 - engine, 158
 - membership function, 162
- f* values, 545, 552–554
 - evaluator shares, 553, 554
- Game-cost algorithm, 480, 484–487, 489–491

- comparison, 491
- complexity, 488
- cooperative game formulation steps, 481–484
- data, 486
- execution time, 487, 488
- experimental results, 487–491
- Gantt chart, 490
- simulation-based comparison, 490–491
- time complexity, 487
- workflow partitioning steps, 480–481
- Game-theoretic algorithm, 476, 477
- Game-theoretic job allocation system, 457–468
 - auctions, 453–454, 469
 - bargaining, 454–457
 - bidding-based grid load balancing, 457–458
 - cooperative game, 454–457
 - execution problems, 461
 - formulation, notation, 463
 - game theory, 452
 - GameMosix, 468
 - G-commerce, 468
 - intergrid site communication factors, 458
 - intersite bidding, 462
 - intrasite bidding, 461
 - jobs execution, auditing, 458–459
 - load-balancing problem, 457
 - mechanism design, 453–454
 - noncooperative game, 452–453
 - research and development, 470
 - resource allocation, 468, 452
 - problems, scheduling, 451
 - selfish grids machines, 459–468
 - game-theoretic scheduling strategies, 459
 - hierarchical semiselfish grid model, 459–462
 - semiselfish mechanisms/mixed strategies, 462–468
- Game theory, 40, 41, 47
 - benefits, 41
 - definition, 40
 - player, 40
 - strategy, 40
- Garbled circuit, 547–550, 559
 - auction protocol, 549, 559, 585
 - circuit executor, steps, 548
 - interaction diagram, 549
 - wire, 548
- General auction framework (GAF), use of, 575
- Genetic algorithms (GAs), 488
- Global access to secondary storage (GASS), 384
- Global constraints (GCs), 315, 321, 325
- Globus project, 5, 390
 - Toolkit version, 4 570
- Globus resource allocation manager (GRAM), 264, 384
- Globus security infrastructure (GSI), 384
- GRACE, *see* Grid architecture for computational economy
- Greedy cost, 441, 444
 - backtracking, 444
 - time distribution heuristic, 432, 435, 436, 438
- Greedy pricing, 300, 301
 - algorithm, 296, 297
 - mean price distribution, 301
 - volume migration rates, 302–303
- Greedy randomized adaptive search procedure (GRASP), 448
- Greedy time, 445, 446
 - backtracking, 445, 446
 - cost distribution, 445, 446
- Grid accounting system, 189, 197–200, 202, 206–208
 - definition, 189
 - difficulties, 200–202
 - information, 197–199
 - association, 197–198
 - availability, 198–199
 - granularity, 198–199
 - grid entities, 197–198
 - privacy, 198–199
 - reliability and consistency, 199–200
 - interfaces, standardization, 208
 - purpose, 198
 - requirements, 197–200
 - services architecture, 205
- Grid administrators, 452
 - game-theoretic job allocation, 457
 - bidding-based grid load balancing, 457–458

- Grid Application Development Software (GrADS) project, 476
- Grid architecture for computational economy, 42, 169
 - components, 42
- GridBank, 205, 592, 593, 601–602
- Grid-based mechanisms, 29, 35–40
 - advantages, 35
 - auctions with funny money, 39
 - budget balance, 37
 - class, 35
 - combinatorial auctions, 38
 - double auctions, 38
 - groves mechanisms, 36
 - incentive compatibility, 35
 - individual rationality, 36
 - revelation principle, 36
 - Vickrey auctions mechanisms, 36
- Grid-based workflow model, 149, 150, 154
 - characteristic, 149
 - monetary value, 154
 - utility, 154
- Grid brokering system, 21, 398
 - goals, 21
- Grid business model, 123, 149–152. *See also* Business models
 - background, 124
 - evaluation, 123
 - grid-based workflow model, 149–150
 - principles, 123
- Gridbus project, 169, 590, 618, 620
 - broker, 571, 593, 595
 - middleware, layered view, 591
 - software stack, 591, 592
 - software technologies, 590
- Grid computing approach, 4–6, 8, 17, 22, 29, 90, 167, 285, 335, 367
 - accounting system, 469
 - challenges, 286
 - commodities, 45, 46
 - control flow, 460
 - drawbacks, 476
 - economic methods, 29, 285
 - emergence, 22
 - environments, 5, 7, 16
 - capabilities, 7
 - challenges, 16
 - killer application, 16
 - execution auditing, 469
 - future trends, 585
 - gigantic distribution, 459
 - goal of, 451
 - internal reputation system, 469
 - micro/macro economic principles, 17
 - model, 285, 460
 - organization, 29, 30, 34
 - market principles, 30
 - peer-to-peer system, 451
 - poll tolerance, 458
 - possibilities, 8
 - projects, 33
 - resource management, 285
 - service-oriented architecture, 4
 - World Wide Grid, 389
- Grid-Federation system, 593, 611–618
 - agent, 612, 615
 - budget, 614
 - characteristics, 611
 - deadline, 614
 - network, 616
 - performance evaluation, 616
 - resource discovery, 612
 - resource market, 614
 - resource sharing model, 612
 - scheduling, 615
- Grid Information Service (GIS), 390, 593
 - Globus Grid Information Indexing Service (GIIS), 593
 - middleware systems, 390
- Grid market(s), 29–35, 272, 273, 619
 - aim, 247
 - altruism, 33
 - basic tools, 31
 - directory, 593, 595, 599–601
 - architecture/components, 600
 - efficiency, 32
 - externalities, 34
 - indivisibility/complementarity, 34
 - manager, 277
 - mechanism, objective, 496
 - monopoly, 33
 - price adjustment, 31
 - rationing, 32
 - registries, 599
- Grid middleware systems, 6, 10, 169, 398
 - Gridbus project, 10
 - Grid Datafarm project, 10
 - Nimrod/G project, 10

- Ninf project, 10
 - services, 620
 - technologies, 590
- Grid model, 461, 477–480
 - application model, 478–479
 - real-world application, 477–478
 - ASTRO/WIEN2k, 477
- Grid operations center (GOC), 205
- Grid resource(s), 6, 44, 46, 90, 270–272, 317, 502
 - advance reservation, 270–272
 - allocation service, 570
 - auctions, 541
 - performance comparison, 559–562
 - privacy-preserving properties, comparison, 558–559
 - trust in, 541
 - availability, 6
 - handling, 6
 - management service, 269–270, 570, 619
 - market-efficient strategies, 53
 - performance, 6
 - pricing problem, 46
- Grid resource allocation agreement protocol (GRAAP), 216, 272, 337
 - open grid forum (OGF), 272, 337
- Grid resource broker (GRB), 15, 20, 571, 591, 593–599
 - architecture, 594
 - components, 15
 - discovery/negotiation/scheduling, 595
 - input, 594
- Grid scheduling, 269, 271, 470
 - algorithm, 491
 - game-cost, 491
 - levels of, 470
 - reserving slots, 271
- Grid service consumers (GSCs), 599, 601
- Grid service model, 132, 149–150, 498, 590
 - commoditization levels, 590
 - market, 53, 618
 - allocation components, 53
 - middleware, 42
- Grid service providers (GSPs), 14, 15, 17, 20, 42, 599
 - application service provider (ASP) catalog, 17
 - grid market directory (GMD), 601
 - grid trading service (GTS), 601
 - needs, 15
- GridSim, 247, 375
 - toolkit, 247
- GridSim index service (GIS), 441
 - ranking strategy, 438
- Grid site, 463
 - execution deadline, 464
 - global scheduler, 464
 - reputation index (RI), 463
- Grid state, 159–161, 163
 - broker discount factor effect, 160
 - discount factor effect, 163
 - levels, 159
 - membership function, 159
 - user discount factor effect, 161
- Grid system, 46, 202, 286, 467, 585
 - academic community, 241
 - advantage, 8, 255
 - applications, 311, 312
 - architecture, 8, 41–43, 543
 - aspects, resource management, 169
 - asymmetric information issue, 153–154
 - solutions, 154–156
 - auction model, 64
 - broker and service providers, business obligations, 151
 - case studies, 43–44
 - Bellagio, 43
 - CatNet, 43
 - G-commerce, 44
 - components, 6–8
 - cooperation, synergies, 589
 - definition, 5
 - development, 5, 255
 - distributed grid computing infrastructures, 202
 - distributed metascheduler building, 569
 - using secure auctions, 569
 - dominance/rationalizability, 40
 - dual-market models, 53
 - environment, 6, 204, 215, 216
 - fabric layer, risk awareness, 341–344
 - projects, 204
 - services, 6
- future research directions, 44–46
 - factor influencing option value, 45

- Grid system (*Continued*)
- pricing grid commodities, real options, 46
 - primer options, 45
 - games theory, 29, 40–41
 - Nash equilibrium, 41
 - grid workflow, 309, 311, 313, 315–322, 325, 327, 329, 330
 - Amadeus, 310, 315
 - application-level, 309
 - execution, 325–327, 330, 429
 - location affinity, 319
 - MFSS simulation, 329
 - planning, 322–325, 327
 - project, objective, 148
 - quality of service, 309
 - resources, 429
 - sharing models, 309
 - specification, 315–322
 - variables, 317
 - XML-based language, 310
 - infrastructures, 9, 187, 336
 - risk management, 336
 - initiatives, 8–10
 - in Asia-Pacific, 10
 - in Europe, 9
 - standardization efforts, 10
 - in United States of America (USA), 9
 - interaction of services, 605
 - job scheduling, 462
 - execution, 467, 470
 - game-theoretic study, 462
 - price, subutility function, 275
 - mapping solution, cost, 153
 - metaschedulers, 586
 - nodes, 603, 604
 - overview, 479
 - projects, 8, 10
 - grid infrastructure development, 8
 - grid middleware research, 8
 - LCG, 10
 - resource allocation, objective, 188
 - resource providers, disadvantages, 150
 - secure auction protocols, 543
 - service-level agreements (SLAs), 215, 337–338
 - specification of, 309
 - user and broker, business obligations, 152
 - utility computing models, challenges, 21
 - virtual organization, 167
- Grid trade server (GTS), 391
- GridTrust, objective, 339
- Grid workflow management system, 428–429
 - advantages, 429
 - procedures, automation of, 428
- Groves mechanisms, 37
- Guarantee terms, definition, 268
- Hard quality-of-service, 404–411, 415–423
 - approaches, 411
 - guarantees techniques, 404–411
 - opportunity cost, 415–423
- Heterogeneity, 6
- Heterogeneous earliest finish time (HEFT), 441
 - algorithm, 448, 488
 - ranking, 447
- Hierarchical architecture approach, 196–197
- Highly predictable cluster for Internet grids (HPC4U) project, 343
- High-performance computing center (HPCC) services, 148–150
 - advantages, 149
 - resource management system (RMS), 150
- High-performance computing (HPC)-type problems, 140
- High-urgency requests, price/revenue ratio, 610
- H-Map algorithm, 156, 159
- Homomorphic auction protocol, 556–557, 559, 563
 - scales, 562
 - shift/randomize technique, 563
 - steps, 556–557
- Homomorphic cryptosystems, 554
- Homomorphic vector approach, 555
- ICENI project, 477
- Incentive compatibility mechanism, 35, 60, 358, 497
 - Bayesian incentive compatibility (BIC), 35, 52
 - ex post incentive compatibility (EPIC), 35
 - market-based mechanism, 358
 - reciprocation mechanisms, 358

- INFN production grid, 200, 205
 - distributed grid accounting system (DGAS), 200
 - National grid initiative, 205
- Information Sciences Institute (ISI), 391
- Information society technologies (IST) project, 225
- Information technology (IT), evolution, 4
- Infrastructure as a service (IaaS), 237
- Innovation fulcrum, 242
- Integrated bid vector (IBV), 564
- Intel Research Berkeley (IRB) lab, 526
 - sensor network testbed, 527, 531
 - testbed layout, 526, 527
 - MICA2DOT series sensor nodes, 526
 - notes, 527
- IntercontinentalExchange (ICE), 238
- Internet, 89, 227, 287, 289, 458, 602
- Internet Engineering Task Force (IETF), 10
- Internet-scale computational grids, 12
- Internet service provider (ISP), 134
- Internet small-computer systems interface (iSCSI) servers, 289
- Iterated contract-net interaction protocol (ICNIP), 232
- Job, 403, 415
 - execution game, 467
 - execution time, 464
 - lifecycle, 250
 - opportunity cost, 415
 - priority, definition, 344
 - scheduling, quality of service, 403
 - slots, 202
 - turnaround time, 403
 - waiting time, subutility function, 275
 - workload characteristics, 415, 416
- Job submission definition language (JSDL), 264, 579, 581
 - open grid forum, 264
 - working group, 579
 - XML-based language, 579
- Job submission process, 582
- Key performance indicators (KPIs), 239
- K*-factor, 408, 409
- K*-points, 478
- K*-pricing schema, 83, 506–510
 - application, 507
 - utility gain, 509
- Lagrange multipliers, 155
- Lagrange polynomial, 553
- Large Hadron Collider (LHC) experiments, 9
 - computing grid, 9, 198
 - petabyte range data, 9
- Law of demand, 273
- Law of supply, 273
- Layered grid architecture, 7
 - core grid middleware, services, 8
 - grid applications/portals, 8
 - grid fabric layer, 7
 - user-level grid middleware, 8
- License enforcement technology, 138
- Linearized augmented plane-wave (LAPW) method, 478
- Local resource managers (LRMs), 279, 569
- Lognormal distribution, probability density function, 107
- Lognormal random walk, 106, 109
- Macroeconomic model, 111–118
 - pricing functions, types, 111–113
 - role of broker, 116–118
 - satisfaction function, 113–116
 - utility function, 113
- Market(s), 90, 100, 130, 132, 134, 136, 138, 140, 287
 - auction, 287
 - bargaining, 287
 - bid-based models, 288
 - characteristics, 130, 132, 134, 136, 138, 140
 - creation of, 130
 - equilibrium, 32
 - exchange, 287
 - mechanism, 262, 350, 359, 496
 - design objectives, 496–497
 - domain-specific requirements, 497–498
 - theory, 31, 33, 47
 - trading time window, 287
- Market-based grid system, 23, 169, 513, 517, 619
 - advantages, 297
 - auction-based mechanisms, 517
 - based methods, use of, 532

- Market-based grid system (*Continued*)
 - case studies, 514
 - goal of, 518
 - pricing mechanisms, 517
 - Spawn, 169
 - use of, 513
- Market-based resource allocation system,
 - 285, 514, 524, 535
 - Bellagio, 514
 - evaluations, 298–306
 - availability goals, 304–306
 - budgeted priorities, 304–306
 - machine counts, 299
 - machines availability, 298
 - price and allocation stability, 300–304
 - key obstacles, 536
 - Mirage program, 514
 - observations, 535–536
 - quality service levels, 285
- Market-oriented computing grids, 3, 589
 - architecture, 590–593
 - elements, 591
 - Gridbus middleware, 589
- Market-oriented grid systems, 3, 14–21, 90,
 - 267, 595, 619
 - key players, 14
 - operational flow, 16–17
 - resource management, 10–13, 618
 - assessing needs, 11
 - computational economy,
 - benefits, 11
 - strategies, 618
 - service-driven grid middleware
 - infrastructure, 15
 - service-oriented architecture, 14–16
- Market Authority (MA), 94, 96, 99
- Markov process, 106
- Mashups, Web application, 100
- Master grid service (MGS), 277, 280
- Matrix of distribution, 482
- Maxillofacial surgery simulation (MFSS),
 - 329, 330
 - planning, 429
- Max-Min algorithm, 488, 490
- Mean price distribution, derivative-following
 - pricing, 301
- Metacomputing directory service (MDS),
 - 379, 384
- Metadata flow analyzer (MDFA), 322
- Metadata variables (MDVs), 322
- Microeconomics, demand curve, 73
- Middleware layer, 267–268
 - GRIA, 267
- Min-Min algorithm, 488–491
 - Gantt chart, 489
 - MCT algorithm, 487, 491
 - MET algorithm, 487
- Mirage, 518, 526–530, 532–536
 - allocation decisions, 535
 - architecture, 527–530
 - bidding language, 528
 - currency policy, 528–529
 - resource discovery, 527–528
 - auction-clearing period, 532
 - data, 531
 - deployment, 529–530, 532–534
 - bidding behaviors, 532–534
 - design, 518
 - goal of, 530
 - implementation, 529
 - target platform, 526–527
- Modified real-time (MRT) approach,
 - 406–408
 - admission control mechanism, 407
 - algorithm, 408
- Modified slack-based scheme,
 - 405–406
 - admission control mechanism, 406
 - QoPS algorithms, 408
- Monitoring activity, classification, 192
- Monitoring and discovery system (MDS),
 - 570
- Monte Carlo simulations models, 73
- Moral hazard, 83, 84
 - risk, 84
- Multiattribute combinatorial exchange
 - (MACE), 496, 499–507
 - allocation problem, 505, 505
 - formulation, 502
 - atomic bid, 501, 502
 - buyers bid, 287
 - design, 500
 - winner determination, 502–505
- Multiattribute utility theory (MAUT), 75
- Multicriteria decisionmaking (MCDM)
 - mechanisms, 325

- Multidomain grid systems, 20
 - gridbus brokers, 20
 - Nimrod/G, 20
- Multigrained quality of service (QoS),
 - bid-broker approaches, 411–414
- Multiinstitutional production-scale grid
 - infrastructure, 601
 - TeraGrid facility, 601
- Myerson–Satterthwaite theorem, 507

- Nash bargaining solution, 456, 457
- Nash equilibrium, 41, 452, 453,
 - 465, 466
 - assumptions, 41
 - strategy, 465
 - utility, 466
 - values, 467
- National Grid Service (NGS), 206
- National research grid initiative (NAREGI),
 - 10
- Negotiation process, 78–84, 156, 157, 244,
 - 274
 - expected utility/risk, 81
 - goals, 78
 - human-to-human, 79, 85
 - incentive-compatible, 80
 - information, 156
 - losses/penalties, 83
 - protocol, SLA-based, 615
 - strategy, goal, 79
 - transaction cost, 244
- .NET-based enterprise grid framework,
 - 592
- .NET-based service-oriented platform, 602
- Network of favors, 358, 359, 365
 - assumptions, 360–361
 - incentive mechanism implementation,
 - 365
 - policies, 363–364
 - consequences, 364–365
 - PosInt prioritization policy, 361, 362
 - PosInt selection policy, 361
 - positive interactions, 361
- Nimbus, 171
- Nimrod/G grid resource broker, 371, 380,
 - 384, 386, 571
 - agents, 379–380
 - application-level scheduler, 382
 - architecture, 375–376
 - budget-based scheduling, 372
 - components of, 376, 384
 - cost-time optimization, 382, 392
 - discrete-event simulation tools, GridSim,
 - 386
 - dispatcher/actuators, 379, 390
 - economics models, use, 371, 372
 - goals/objectives, 373
 - grid services, role of, 384–385
 - implementation issues/technologies used,
 - 384–385
 - job execution, 392
 - scheduler, 379
 - services/end users, 373–375
 - soft-deadline, 372
 - spreadsheet processing, 377
 - task-farming engine (TFE), 373, 378–379
- Nimrod/G project, 10, 373
 - clients, 376–377
 - customized end-user applications,
 - 376–377
 - feature of, 376
 - monitoring and steering client snapshot,
 - 376
 - parameter sweep applications, creation
 - of, 376
 - execution, 377
 - languages, 385
 - runtime machinery, 378
 - grid services, interaction, 378
 - environment, work flow, 378
 - tools, 374, 385
 - domain experts, 374
 - end users benefit, 374
 - GridSim, 375
 - problem-solving environments
 - developers, 374
 - scheduling researchers, 375
- Nimrod/G system, 375
 - architecture of, 375
 - grid middleware systems, 375
 - Globus, 375
 - Legion, 375
 - job management services, 377
 - monitoring, 376, 385
 - parameter sweep processing, 392
 - simulated test queues, scheduling
 - evaluation, 386–389
 - task-farming engine, 378

- n*-Phase negotiation protocol, 221
- Numerical aerodynamic simulation (NAS), 467
- Obligation services, 575
- Offer validity period, 251, 253
 - service provider types, 251–253
 - utilization, 253
- Off-peak time scheduling, 393
 - jobs execution/queued, 393
 - resources, 394
- On-demand services assembly, 16
- Open Grid Forum (OGF), 10, 203
 - resource usage service, 204–205
 - usage record, 203–204
- Open grid service infrastructure (OGSI) specification, 10
- Open grid services architecture (OGSA), 170, 571
 - basic execution service, 264
- Open Science Grid (OSG), 203, 205
 - accounting tool, 205
- Opportunistic load balancing (OLB) algorithms, 487, 490
- Opportunity cost (OC) factor, 415, 416, 419, 420
 - revenue improvement, 418
- Optimal strategy values, 467
- Optimization agent, 174
- Optimization problem, Lagrange multipliers, 483
- Organization for Advancement of Structured Information Standards (OASIS), 10
- OurGrid system, 365–366
 - middleware, 367
 - software, 366
- Outcome-based pricing, 70, 71, 77
 - characteristics, 71
 - tenet, 77
- Overprovisioning, 110
- Pairwise reciprocation mechanism, 359
- Parameter sweep application (PSA), 392, 467
- Pareto efficiency, 32
- Pareto-optimal solution, 456
 - definition of, 456
 - vector, 456
- Payload variables (PVs), 322
- Payment model, 128, 129, 143
- Payoff function, 452
 - diagrams, 108
- Payoff price, 45
- Pay-per-use licensing models, 139, 142
 - floating licenses, 142
 - software as a service (SaaS), 142
- Peer-to-peer grids system, 43, 91, 92, 359, 360, 364, 367, 620
 - attributes, 91
 - coordination/cooperation space, 614
 - market system, 619
 - network, 12, 456, 590
 - commercial computational grid infrastructure, 12
 - types, 360
- Penetrating pricing, 101
- Perl scripting language, 385
- Pilot jobs, 208
- Planet Lab Central (PLC), 521
 - Sliver machine, 521
- PlanetLab research network, 514, 521–526, 536
 - machines, distribution, 521–526, 536
 - organization, 525
 - users, 521, 525, 526
 - community, 526
 - scenario for, 521
- Pleiades system, 92, 96, 99, 103
 - architecture, conceptual organization, 97
 - market authority, components, 99
 - service provider, 103
- Plug-in auction protocol, 575
- Polynomial auction protocol, 551, 560
 - steps, 551
 - vs. time, 561
- Posted-price market model, 286, 287, 288, 294, 296, 300
- PostgreSQL database system, 385
- Preemptive service model, 62
 - greedy-like allocation scheme, 62
- Prepaid models, 129
- Price-at-risk methodology, 73
- Price determination algorithm, 162
- Price function model, 70–73, 78, 73, 112
 - expressive power, 72
 - linear, 112
 - setting prices, 72
 - sublinear/superlinear, 112
 - what-if prices, 72

- Price model, *see* Price function model
- Price negotiation process, 158
fuzzy logic architecture, 158
- Prices, 128, 131, 133, 135, 137, 139
setting of, 128, 131, 133, 135, 137, 139
skimming, 101
- Pricing mechanisms, 607, 609–611
algorithm, 294, 304
oversupply/undersupply case, 304
dynamics, 350
function, 111–113, 609
layered model, 190
product-line pricing, 102
strategies, 101, 102
types, 609
- Pricing strategy, 117
encourage/discourage linear (EDL), 117
encourage/discourage nonlinear (EDN), 117
- Prisoner's dilemma game, 453
payoff matrix of, 453
- Privacy-Preserving Auction Protocols, 562, 566
implementation techniques, 562
taxonomy, 544
- Private value model, 55
- Probabilistic seismic hazard analysis (PSHA)
maps, 573
calculation, 573
- Probability density function (pdf), 106
- Probability of failure (PoF), 153, 336, 342, 343, 345
price-penalty matrix, 348
- Producer surplus, 31
- Production rule system, Drools, 168
- Profit-sharing policy, 520, 529
fixed-rate savings tax, 520
- Program calc, parameter, 392
- Proportional-share resource allocation
policy, 522
- Proprietary programming models, 20
- Provider-broker-consumer models, 116
- QoS-aware grid workflows, 310, 316, 317, 326
Amadeus environment, 310, 312–315, 326
architecture of, 314
components, 313, 326
feature of, 310
lifecycle, 313
preliminaries, 312–314
annotation strategies, 320–322
concrete workflow, 318
element, 316, 329
execution, experimental results, 326–328
global constraints, annotation, 321
hierarchical workflow specification, 321
language, 315
location affinity, specification of, 317–320
negotiation process, 323–324
optimization strategy, 322
dynamic optimization, 325
static optimization, 324–325
practitioners, visionary thoughts, 328–330
reduction, 322–323
research and development, 330–331
scheduling, 431
budget-constrained scheduling, 436–438
deadline-constrained scheduling, 432–436
parallel tasks, ranking strategy, 438–439
performance estimation, 431–432
problem, 431
structure of, 316
Teuta, 314, 320, 329
XML-based specification, 315–317
- QoS for parallel job scheduling (QoPS)
scheme, 404, 409
admission control mechanism, 409
algorithm, 408–410
aspects, 404
- Quality of experience (QoE), 141, 230
- Quality of service (QoS), 6, 55, 91, 100, 110, 131, 132, 141, 221, 231, 233, 285, 296, 373, 570, 578
aspects, 8
constraints, 315, 324
geographic affinity, 319
global constraints, 315
grid site affinity, 318
local constraints, 315
location affinity, 319
organization affinity, 318
tradeoffs, 296
variables, 317
guarantees, 127, 131
integer programming (IP) method, 324

- Quality of service (QoS) (*Continued*)
 - market-based resource allocation, 285
 - negotiation, 316
 - performance/economy, 329
 - policy documents, 291
 - properties, 293
 - requirements, 229
 - resource management, 374
 - security/law, 329
 - service-level agreement (SLA), 6, 216, 431
 - Vienna grid environment (VGE), 310
 - virtual organization (VO), 319
 - While loop, 314
- Query job service, goal, 279
- Random coefficients, 552
- Random function, 548
- Random walk, *see* Lognormal random walk
- Rationality, definition, 40, 41
- Real-time algorithm, 406, 407
 - modifications, 406
- Real-world scientific workflow applications, 477, 478, 488
 - ASTRO/WIEN2k, 477, 488
- Registry, 312, 600
 - deployment, 327
- Reliability estimation, approaches, 346
- Remote procedure call (RPC) system,
 - grid-based, 10
- Reputation-based incentive mechanisms, 359
- Request-processing service, 75
 - job execution service, 75
 - web service, 75
- Research systems, 14, 17
 - application domains, 20
 - economic models, use, 17
 - QoS-based resource, 14
 - testbeds, 12
 - Condor pool, 12
 - SETI@Home, 12
 - TeraGrid, 12
- Reservation service, 571, 577, 579, 582, 604–606
- Resource allocation mechanisms, 49, 272, 500, 513, 515, 615
 - Bellagio, 521–526
 - decentralization issues, 49
 - design goal, 51, 513
 - economic approaches, 516–518
 - experiences, 530–535
 - grid services markets contributions, 52
 - job utility functions, 516
 - market models, 53, 272–277
 - dynamic pricing, 273–274
 - participants, 50
 - penalties and rewards, 275–277
 - SLA negotiation strategies, 274–275
 - matrix, 482, 483
 - Mirage, 526–530
 - ownership decentralization, 49, 59–63
 - grid–market auction design, 60–61
 - market efficiency supporting
 - infrastructure, 63
 - resource manager’s allocation strategy, 62–63
 - spatial decentralization, 54
 - agent model, 55
 - simulation model/experiments, 58
 - WS-auction design, 55
 - system design, 518–521
 - currency, 519
 - system architecture, 518
 - two auction-based environments, 513
 - design/experience, 513
- Resource Allocation Policy, 522
- Resource consumers, utility model, 10, 13, 20
 - needs of, 11
- Resource cost database, 391, 392
- Resource discovery service, 518, 528
- Resource lookup query (RLQ), 612
 - interarrival delay, 617, 618
- Resource management systems (RMSs), 19, 20, 265, 342, 495
 - computational economy based, 18–19
 - state-of-the-art systems, 495
- Resource Negotiation Protocol, steps, 116
- Resource owners, 10, 13, 14, 20, 21
 - needs, 11
 - price generation schemes, 14
- Resource provider(s), 94, 99, 272, 274, 340, 542, 603, 609
 - local system configuration, 99
 - objective, 272, 274
 - security for, 94
- Resource producers, *see* Resource owners
- Resource selection service (RSS), 269
- Resources reservation, 270–272
 - increasing reliability, 270

- objective, 270
- orchestration/coallocation, 271
- SLAs renegotiation, 270
- usage, planning, 270
- Resource update query (RUQ), 612, 617
- Resource usage service (RUS), working group, 204
- Resource users, *see* Resource consumers
- Resource virtualization process, 97
- Return on investment (ROI), 131
- Revelation mechanisms, 36
- Revenue, 38, 61, 100, 111, 116, 117, 139, 144, 276, 294, 372, 411, 413, 415, 416, 418–420, 423, 610, 611, 618
- Risk, 81, 85, 339
 - assessment, modeling tools, 338
 - aversion, 82, 83
 - decision support parameter, 339
 - manifestations, 81
 - module, 345
 - risk assessor, 342, 343, 345
 - workflow assessor, 345
 - related behavior, 83
 - seeking agent, 82
 - workflow mapping, 336
- Risk management (RM) process, 85, 338, 619
 - definition, 338
 - modeling tools, 338
 - steps, 619
- Rollback interval, 420
- Rollback window, 419, 420
 - impact, 419, 420
 - size, 420
- San Diego Supercomputing Center (SDSC), 516, 606
- Scheduling algorithm, 381–383, 386, 394, 597
 - budgets, 387, 388
 - comparison, 410–411
 - conservative time optimization, 383, 388
 - cost optimization, 383, 387, 394, 410
 - grid, behavior of, 387
- Scheduling system, 12, 446, 516
 - balanced/unbalanced-structure application, 446
 - budget-constrained workflow, 447
 - execution, comparison of, 447
 - need for, 12
 - overhead, 446
- Sealed-bid auction, 287, 454
 - second-price, 454
- Secure Sockets Layer (SSL) Protocol, 529
- Self-managing systems, 68, 85, 359
 - flock of condors, 359
 - guiding principle, 85
- Sensor-network testbed, users, 527
- Sequential cooperative game, 483
 - termination condition, 483
- Service-based computing, 89, 90, 101
 - economy, 89, 92
 - infrastructure, 90
 - markets, applicability, 101
- Service-based distributed system, 92
- Service description terms (SDTs), 268
- Service discovery process, 231
- Service-level agreements (SLAs), 22, 68–70, 75, 80, 82, 83, 147, 151, 215, 216, 222, 227, 238–240, 242, 245, 246, 248, 250, 261, 262, 265, 266, 271, 274, 275, 335–337, 339, 348, 578, 615
 - action manager, 240
 - allocation, 5
 - business tool, 239
 - challenges, 233
 - characteristics, 240–241
 - discovery, 219
 - future research directions, 231–233
 - grid client interaction, 266
 - job scheduling approach, advantages, 615
 - legal implications, 227
 - legal validity, 222
 - lifecycle, 216–226, 234, 262
 - implications, 217
 - negotiation, 219–222
 - phases of, 217, 219, 262–265
 - puzzle format, 218
 - multiagent system, monitoring/ negotiation, 232
 - negotiation process, 78, 155–156, 221, 271–272, 274–275, 340, 348
 - practitioners, visionary thoughts, 227–231
 - properties, 262
 - protocols, WS-agreement, 497
 - QoS requirements, 22
 - risk-aware architecture, 339–347
 - role, 238–241

- Service-level agreements (*Continued*)
 - selection strategies, 22
 - services, 218, 223, 224, 226, 238–241, 246, 248
 - architectures, 246
 - assessment, 223
 - corrective action, 223–226
 - decommission, 226
 - development, 218
 - evaluation, 224
 - execution, 223
 - monitoring, 223
 - providers, category, 248
 - provisioning/deployment, 222–223
 - termination, 226
 - simulation analysis, 250–252
 - template, 218, 219, 269, 270, 349
 - use, 215, 231
 - web services agreement specification, 68–69
 - workflow, 147, 150, 156, 160
 - broker service, 156
 - entities, 150
 - grid business models, 147
 - levels, 160
 - membership function, 160
- Service-level agreement-based resource management, 254, 261, 265–268
 - allocation architecture, 261, 266–268
 - middleware layer, 267
 - service layer, 267
 - stakeholders and services, 266–267
 - web services agreement, 268
- challenges, 245–247
- Service-level indicators (SLIs), 69
- Service-level objectives (SLOs), 69, 70, 151, 262, 263
 - violation, 69
- Service offering, costs of, 127
- Service-oriented system, 92
 - architecture, 144, 237
 - computing economy, 118
 - infrastructure, 237
 - resource virtualization based, 92–100, 118
 - security/trust management, 94
 - self-organization, 93
 - virtual organizations, 93
- Service provider(s), 67, 71, 72, 76, 77, 80, 81, 83, 84, 96, 98, 110, 111, 134, 140, 152, 218, 230
 - amount of resources, 110
 - aspects, 152
 - categories, 77
 - future research directions, 84
 - operating principle, 250
 - organization, 96, 230
 - pricing function, structure, 72
 - profile parameters, 249
 - utility function, 77
- Shamir's algorithm, 550
- Simple Object Access Protocol (SOAP), messages, 204
- Single-program multiple-data (SPMD) model, 381
- Slack-based (SB) algorithm, 405
 - backfilling algorithm, 405
- Slack factor (SF), variation, 414
- Sliding-window-based allocation mechanism, use of, 515
- Smale's method, 44
- Social surplus, 31
- Software as a service (SaaS), 142, 237, 254, 256
 - licensing pattern, 144
- Software systems, 50, 90, 244
 - evolution, 50
- Solaris workstation, 390
- Southern California earthquake center (SCEC), 572
- Space-shared systems, 515
 - batch scheduling, 515
- Spatial model of interaction (SMI) concept, 170, 171
- Spawn, market-based system, 169
- Standard Globus services, 576
 - GRAM/MDS, 576
- Standard Performance Evaluation Corporation (SPEC), 201
- Standard virtual machine (SVM), 96, 98–100, 102
 - guest partitions (GPs), 98
- Stock Exchange model
 - prices/bids, 288
 - storage exchange, 288
- Storage accounting for grid environments (SAGE) project, 207

- Storage@desk (SD), 286, 288–293, 296, 306
 - architecture, 289–290
 - ISCSI servers, 289
 - machine counts, 299
 - QoS model, 290–292
 - research and development, 306
 - storage scavenging system, 296
 - virtual storage grid, 286
- Storage grid, 286, 306
 - research and development, 306
 - storage resource allocation, 306
 - study, 306
- Storage market model, 292–298
 - assumptions, 293
 - budget-based system, 293
 - posted-price market, 293
 - storage consumers, 294–296
 - resource allocation process, 295
 - volume controllers, 294
 - storage providers, 294
 - storage resource pricing, 296–298
 - virtual volumes, 293–294
- Storage resources, accounting, 206–207
- Strain green tensor (SGT), 573
 - generation stages, 573
- Suffrage algorithm, 488, 491

- Target-oriented decisions analysis, 85
- Target systems, 358
- Task-farming engine (TFE), 376, 378
- Task partition graph, 434
- Tâtonnement method, 273–274
- Time-cost factor, 244
- Time optimization performance
 - measurement, average normalized time (ANT), 447
- Time optimization scheduling, 395, 398
 - algorithm, 383
 - local/remote resources, 395–399
 - resource selection, 398
- Time-remaining period, 159, 161, 163, 164
 - discount factor, 164
 - effect, 161
 - levels, 159
 - membership function, 159
 - user discount factor, 161
- Time-shared systems, 515
 - natural resource allocation scheme, 515
- Tolerance factor, impact of, 412
- Tower of Babel, 229, 230, 231
- Trade, 287, 372
 - currency, 372
- Traditional scheduling policy, 531
 - FCFS, 531
 - proportional-share schedulers, 531
- Transmission Control Protocol/Internet Protocol (TCP/IP), 289
- Trust, 338
 - behavior trust, 338
 - definition, 338
 - identity trust, 338
- TrustCoM framework, 339
- TrustCoM project, 222
- Trustworthy resource auctions, 542
 - requirements for, 542
- Truth-revealing mechanism, auctions, 454
- Tutte polynomial, 572
 - graph theory, 572
- Tycoon, goal, 68, 169

- UML extension, 320
- Uniform Computer Information Transaction Act (UCITA), 227
- Uniform Electronic Transaction Act (UETA), 227
- United Nations Commission on International Trade Law (UNCITRAL), 227, 228
- UNIX workstation, 327
- Urgent–normal jobs, 422, 423
 - revenue improvement, 422, 423
- Usability, definition, 181
- Usage metering
 - definition, 193
 - frequencies, 193
- US Environmental Protection Agency, 131
- User-based validation, 180–183
 - population distribution, 181
- User interface (UI) tools, 292
- User tolerance, impact, 411–413
- Utility, 73–78, 85, 516
 - client perspective, 75, 77
 - expected, 81, 82
 - function, 64, 67, 73–76, 113, 114, 117
 - fixed-utility providers, 64
 - mutual exploration, 79
 - sigmoid curve, 113, 114
 - variable-utility providers, 64
 - negotiation, 67

- Utility (*Continued*)
 - prices, 67
 - service provider perspective, 76, 77
 - supply models, 143
 - use, 85
- Utility computing models, 4, 21, 22, 427, 573
 - adoption, 21, 22
 - financial risk management factors, 22
 - service provisioning model, 4, 427
 - wholesale markets, 573
- Utility grids, 16, 427
 - vs. community grids, 428
 - deadline optimization algorithms, 440
 - execution cost/time, 443
 - greedy cost/time, 440
 - heterogeneous earliest finish time (HEFT), 429
 - parallel tasks, ranking strategy, strategies, 438–439
 - performance evaluation, 441–448
 - budget-constrained heuristics, 444–445
 - cost optimization within set deadline, 443–444
 - experimental setup, 441–442
 - ranking strategy, impact, 45–48
 - results, 442–448
 - price bandwidth, 442
 - scheduling algorithms, 430
 - selfish behavior, 462
 - service providers, 428
 - charge, 428, 430
 - reservation, 428
 - service level agreements (SLA)
 - negotiation, 348, 428
 - task executing, price, 442
 - transmission bandwidth, 442
 - workflows, 427, 439–440
 - applications, 439–440
 - scheduling heuristics, 429–432, 438–441, 448
 - task partition, 433
- Utility theory, 67, 85
 - hidden assumptions, 67
 - use, 67
- Value-added services, 189
- Value-aware QoS (VQoS), 415, 416, 418, 420, 423
 - algorithm flowchart, 417
- Verifiable auction protocols, 562–566
 - bid vector validity, 564
 - homomorphic combinatorial auction, 565
 - protocol, execution steps, 565
 - set of bids, 564
 - zero-knowledge proofs, 562
- Verifiable proxy oblivious transfer (VPOT) protocol, 547
- Verifiable secure generalized Vickrey auction (vSGVA), 577
- Verification process, operations, 563
- Vickrey auction mechanism, 36, 37
- Vickrey–Clarke–Groves (VCG) model, 52, 62, 505
- Video-on-demand, 92
- Virtual currency policy, 514, 519, 520
 - principles, 519
- Virtual machines (VMs), 96
 - first-level virtual machine (FLVM), 96, 100
 - hierarchy, 96
 - second-level virtual machines (SLVMs), 96
 - standard virtual machines (SVMs), 102
 - third-level virtual machine (TLVM), 100
- Virtual money, 39
- Virtual organization (VO), 5, 6, 93–95, 110, 171, 188, 229, 569, 570, 575, 586, 599
 - average matching level, 95
 - benefits, 94
 - formation, 5, 110
 - grid architecture, economic principles, 6
 - incentives/rewards/penalties, 95
 - management system, 5, 586
 - market authority, 94
 - members lifecycle, 580
 - job submission, 582
 - membership service, 570, 579
 - registration phase, 580
 - resource allocation, 581
 - resources
 - availability, 6
 - sharing, 94
 - virtualization, 95
 - structure of, 570
- Volatility, 16, 45, 46, 105, 106
- Web service, 576
 - auction, 63
 - information, 58

- mechanism, 52, 56, 62
 - performance, 58
- consumers, 54
- contract service, 577
- market, 56
- obligation services, 577
- participation services, 577
- providers, 54, 90
- schema, 232
- technologies, 311, 600
 - Simple Object Access Protocol (SOAP), 600
 - XML, 600
- tools, 459
- trusted core services, 576
- Web service-cooperative awareness
 - management, 170, 177
 - design principles, 170
 - key concepts, 177
 - management
 - application, 177–180
 - architecture, 173–174
 - areas, 174–177
 - self-configuration, 175–176
 - self-awareness, 175
 - self-deployment of services, 175
 - self-healing, 176
 - self-optimization, 176
 - self-parameter configuration, 175–176
- Web service level agreement (WSLA), 216, 232, 314
 - language specification, 241, 337
 - negotiation, 231
 - objective of, 216
 - specification, elements, 337
 - template, 277
- Web services agreement specification (WSAS), 173, 216, 268, 268
- Open Grid Forum (OGF), 268
- Web services resource framework (WSRF), 10, 341
 - interface, 342
 - resource, 584
- WF negotiation process, 323
- WIEN2k program package, 478
- WiFi networks, 470
- Wireless access point (WAP), 458
- Workflow management coalition (WfMC), 149
- Work queue (WQ), 488
- World Wide Grid (WWG), 372, 385, 389, 397
 - computational resources, 391–392
 - cost optimization scheduling, 389
 - competitive commodity market economy, 391
 - parameter sweep application (PSA), 392
 - resources, Australian peak, 391
 - scheduling experiments, 389–399
 - testbed resources, 389–391, 397
 - experiment, 391
 - condor systems, 390
 - Globus system, 390
 - Legion system, 390
 - Linux cluster, 390
 - scheduling experiments/job execution/costing, 397
 - subset of resources, 397
 - time optimization scheduling, 389
- Worldwide Large Hadron Collider computing grid, 202
- World Wide Web, 89, 93
- World Wide Web Consortium, 10
- Yield management challenges, 243–245
- Zero-sum calculation, 104

