

INDEX

- AAE, *see* Auxiliary algebraic evaluations
- Absorbing boundaries, 260, 267
- Absorbing media (Monte Carlo methods), 281–283
- Accuracy:
 - of discretization, 926–929
 - of numerical solution procedures, 17
- Acoustic mismatch model (AMM), 646, 649
- Adaptive grids, 483–489
 - coarsening, 486
 - data compression and mining, 487
 - hybrid, 487–488
 - moving boundary problems, 486–487
 - parallel extensions, 488–489
- Adaptive mesh refinement (AMR), 484–485, 488–490
- Adaptive mesh-refinement and mesh-coarsening (AMRC), 486, 488
- Added-dissipation schemes, 41, 42
- Adiabatic (zero normal derivative) boundary conditions, 78
- ADI technique, *see* Alternating direction implicit technique
- Adjoint forms of equations, 932
- Adjoint method:
 - sensitivity analysis, 458–460
 - stochastic inverse problems, 534–535
- Algebraic multigrid (AMG) method, 36–37
- All-speed pressure-based algorithms, 383–341
- Alternating direction explicit schemes, 76
- Alternating direction implicit (ADI) technique:
 - for manufacturing processes modeling, 739
 - overrelaxation with, 68
 - for structured meshes, 33
 - for two and three dimensions, 82–83
- AMBER force field, 666
- AMG method, *see* Algebraic multigrid method
- AMM, *see* Acoustic mismatch model
- Amorphous silicon, crystallization of, 680
- AMR, *see* Adaptive mesh refinement
- AMRC, *see* Adaptive mesh-refinement and mesh-coarsening
- Anderson method, 670
- Anisotropic grids, 480–481
- Anisotropic scattering, Monte Carlo application to, 285
- ANN, *see* Artificial neural networks
- Annealing, thermal process for, 748
- Anomalous diffusion, 631–632, 639–641
- A posteriori series convergence acceleration schemes, 500
- Apparent rate of convergence, 423, 424
- Approximate factoring, 83
- Area coordinates, 103
- Artificial compressibility methods:
 - for continuity and momentum equations, 43
 - for incompressible flow, 85
- Artificial neural networks (ANN), 802–804
- Artificial supertriangle approach, 477–478
- Artificial viscosity, 28

- Astronomy, high-performance computing for, 900
- Autohesion (thermoplastics), 792
- Auxiliary algebraic evaluations (AAE), 433–435
- Axisymmetric contraction, 704
- Axisymmetric expansion, 704

- Backdiffusion, 610–613
- Backward-facing step flow, DNS of, 713–716
- Backward-implicit-Galerkin method, 114
- Bayesian approach (inverse heat conduction), 542–553
 - with Gibbs sampler, 546–547
 - inverse problem transformation in, 544–546
 - numerical results with, 548–553
 - and stochastic inverse heat-conduction problem, 542–544
 - work using, 553
- Beam-warming scheme, 30
- BEM, *see* Boundary-element method
- Beowulf computer, 898
- Bernoulli distribution, 294
- Bernoulli trials, 294
- Biased Monte Carlo methods, 276, 278–281, 294.
 - See also* Importance sampling
- BI-CGSTAB, 38
- Biconjugate gradients, 38
- BIE (boundary integral equation), 128
- BIEM (boundary-integral equation method), 128
- Bilinear element, 97–98
- Binary eutectic alloy:
 - benchmark problem, 613–617
 - diagram, 609
- Bioheat transfer, 851–887
 - background for analysis of, 852–854
 - blood vessel tissue-interactive numerical thermal models, 864–866
 - burn injury modeling, 868–870
 - Chen and Holmes bioheat equation, 857–860
 - continuum models of heat transfer, 861
 - effective thermal conductivity, 855–856
 - freezing of biological materials, 872–884
 - bioheat equation for, 877–882
 - imaging-assisted numerical analysis, 882–884
 - heating of living tissue, 868–872
 - hyperthermic treatment of cancer modeling, 870–872
 - imaging-assisted numerical analysis, 882–884
 - medical imaging interactive numerical analysis, 866–868
 - nomenclature related to, 885–887
 - Pennes equation, 856–857
 - finite-difference solution of, 863–864
 - finite-element solution of, 861–863
 - Weinbaum-Jiji bioheat equation, 860–861
- Block iterative methods, 66–67
- Block-structured meshes (grids), 8, 9, 476
- Blood and blood vessels, *see* Bioheat transfer
- Blood perfusion rate, 855
- Body-fitted meshes, 8
 - for irregular geometry, 314
 - velocity storage for, 41
- Boltzmann transport equation (BTE), 672, 936
- Boundary conditions:
 - absorbing, 260
 - adiabatic (zero normal derivative), 78
 - appropriate, 56
 - convective, 79
 - for direct problems, 525–526
 - finite-difference methods, 55–56
 - finite-element methods, 96–97
 - of the first kind, 55
 - floating random walk, 267–268
 - flux, 78–79
 - high-performance computing, 912–913
 - manufacturing processes modeling, 738, 740–741
 - molecular dynamics method, 669–670
 - in Monte Carlo method, 260
 - moving, *see* Moving-boundary problems
 - with multigrid method, 71–72
 - partially absorbing, 260
 - pressure-based algorithms, 343–348
 - radiative heat transfer, 299–300
 - and random walk, 258
 - reflecting, 260
 - of the second kind, 56
 - in sensitivity analysis, 452–457
 - of the third kind, 56
 - unsteady conduction, 75–79
- Boundary-element method (BEM), 125–159, 924
 - discretization of, 10
 - error estimation with, 158
 - for large-scale problems, 156–157
 - major advantage of, 225
 - nomenclature related to, 158–159
 - radiative heat transfer, 155–156
 - for steady heat conduction, 126–134
 - for steady heat conduction with generation, 134–139
 - for transient conduction, 139–155
- Boundary integral equation (BIE), 128
- Boundary-integral equation method (BIEM), 128
- Boundary problems (IHCP), 526
- Boundary treatments:
 - control-volume-based finite-difference methods, 212–215
 - control-volume-based finite-element methods, 215–217
- Boussinesq approximations, 735

- Brick element, 110–112
- BTE, *see* Boltzmann transport equation
- Buoyancy effects:
 - in continuous processing, 771
 - data center airflow modeling, 826
 - in manufacturing processes modeling, 734–735
 - under microgravity conditions, 775
- Burn injury modeling, 868–870

- C (programming language), 903
- C++ (programming language), 903
- CAD software, 474, 487
- Calculations, Verification of, 419–422
- Cancer, hyperthermic treatment of, 870–872
- Capacitance matrix, 113
- Carbon nanotubes, 681–689
 - with fluids, 683–684
 - formation of, 681–682
 - heat conduction of, 684–687
 - thermal boundary resistance between surrounding materials and, 687–689
- Carman-Kozeny relationship, 600, 603
- Carravetta-Clementi (CC) potentials, 664–665
- Carrier phase (two-phase flows), 699–700
- CASA, *see* Collaborative Adaptive Sensing of the Atmosphere
- Casting process, numerical modeling of, 767–770
- Cattaneo-Vernotte thermal wave model, 625–626, 634
- CC potentials, *see* Carravetta-Clementi potentials
- Cell (mesh), 7, 9
- Cell-based schemes, 9. *See also* Finite-volume methods
- Cell-centered FVMs, 192–193
- Cell centroid, 7
- Central limit theorem, 294
- Central moment, 294
- Certainty, level of, 422
- CFD, *see* Computational fluid dynamics
- CGM, *see* Conjugate gradient method
- CGSTAB, 38
- Checkerboarding, 39, 41, 47
- Chemically reactive flows, numerical modeling of, 736–738
- Chemical vapor deposition (CVD), 732, 771–774
- Chen and Holmes (CH) bioheat equation, 857–860
- Choice of solvers, 927
- CHT (computational heat transfer), 4
- CIM, *see* Continuous interface method
- Circumcircle test, 476–477
- Clausius-Clapeyron relation, 702
- Coarse-grid correction schemes, 69
- Coarsening, 473
 - adaptive grids, 486
 - adaptive mesh-refinement and mesh-coarsening, 486, 488
 - phase-change problems, 611–613
- Coating process, optical fiber, 765, 767–768
- Codes for numerical heat transfer, 936–941
 - commercial, 940–941
 - data exchange standards for, 938
 - data structures for, 936–937
 - programming languages and paradigms for, 937
 - public domain software resources for, 939
 - scripting language interface for, 938
 - Verification of, 419–422, 438, 939–940
- Collaborative Adaptive Sensing of the Atmosphere (CASA), 906–907
- Collocated equal-order CVFDMs/DVFEMs, 193
- Collocated interpolation schemes, 41–42
- Collocated SIMPLE algorithm, 334–336
- Columnar solidification in static casting, 600–602, 606
- Combustion systems, high-performance computing for, 900
- Commercial codes, 940–941
- Complex-step method, 450–451
- Complex systems, Monte Carlo methods for, 274
- Composite materials:
 - polymer-matrix, 786–801
 - thermoplastic-matrix, 792–801
 - consolidation stage, 792
 - fabrication of, 792–793
 - heat transfer, 793–797
 - prepregging stage, 792
 - spherulitic crystal microstructure evolution, 797–801
 - thermosetting-matrix, 786–792
 - liquid composite molding, 767–789
 - pultrusion, 789–792
- Compressible flow:
 - finite-difference methods, 85–88
 - multidomain spectral element method, 709–713
 - pressure-based algorithms, 337–342
 - at subsonic inlet, 345–347
 - at subsonic outlet, 347–348
- Computational fluid dynamics (CFD), 4
 - false diffusion in, 318
 - gradient-search techniques in, 37–38
 - iterative solution methods in, 31
- Computational grids, 907
- Computational heat transfer (CHT), 4
- Computer room air conditioning (CRAC), 823, 825, 831
- Computing:
 - grid, 899, 906–911
 - improvement in, 896–897. *See also* High-performance computing
 - parallel, 896
- Condensation coefficient, 674–675

- Conditional filtered diffusion, 173
- Conduction:
 - carbon nanotubes, 684–687
 - inverse problem for, 529–542
 - meshless methods for, 235–238
 - molecular dynamics method, 671–672
 - Monte Carlo methods, 254
 - in solids, 672
 - steady, 61–73
 - boundary-element method, 126–139
 - discrete equations for, 458–460
 - finite-difference method, 61–73
 - finite-element method, 92–102
 - Monte Carlo method, 263–265
 - unsteady, 73–79
 - adiabatic boundary conditions, 78
 - convective boundary condition, 79
 - Dirichlet boundary conditions, 77–78
 - implicit schemes, 77–79
 - simple explicit scheme, 74–76
 - specified boundary flux condition, 78–79
 - in two and three dimensions, 81–84
 - unsteady conduction equation, 73–74
- Confidence, level of, 422
- Conformal meshes, 9
- Conjugate gradient method (CGM), 38
 - in high-performance computing, 914
 - for stochastic inverse heat-conduction problem, 536–538
- Conservation principles, 54
- Consistency of numerical solution procedures, 17
- Consistent mass matrix, 113
- Consolidation (thermoplastics), 792
- Constant, 294
- Constitutional supercooling, 874
- Constitutive relations models, 490, 624
- Continuity equation, 5
 - discrete, 42
 - pressure-based methods for solving, 43–45
 - solution methods, 43–45
- Continuous distribution function, 294
- Continuous interface method (CIM), 569–572, 581–586
 - assignment of material properties in phases, 570
 - immersed-boundary treatment, 570–572
 - for impact of liquid drop on polycarbonate surface, 585–586
 - for interfacial characteristics of static drops, 581–585
- Continuous processing, numerical modeling of, 769–772
- Continuum stochastic sensitivity method (CSSM), 533–534
- Control-angle overlap (radiative heat transfer), 316–317
- Control-volume-based finite-difference methods (CVFDMs):
 - boundary treatments, 212–215
 - as cell-centered FVMs, 192
 - discretized equations:
 - momentum, 208
 - for pressure, 210
 - for θ , 205–206
 - domain discretization, 194–196
 - features of, 192
 - formulations of, 192–193
 - governing differential equations, 193–194
 - integral conservation equations, 197
 - interpolation functions, 198–201
 - mass-conserving velocity field equation, 209–210
 - nomenclature related to, 220–222
 - sequential iterative variable adjustment procedure, 217–219
 - steady-state conduction, 62–64
 - unsteady conduction, 73–74
- Control-volume-based finite-element methods (CVFEMs):
 - boundary treatments, 215–217
 - discretized equations:
 - momentum, 208–209
 - for pressure, 211–212
 - for θ , 206–207
 - domain discretization, 196
 - as element-based vertex-centered FVMs, 193
 - features of, 192, 193
 - formulations of, 192
 - governing differential equations, 193–194
 - integral conservation equations, 197
 - interpolation functions, 201–205
 - mass-conserving velocity field equation, 211
 - nomenclature related to, 220–222
 - sequential iterative variable adjustment procedure, 217–219
 - unequal-order interpolation of pressure-velocity, 41–42
 - as vertex-centered FVMs, 193
- Control-volume equations (phase-change problems):
 - general equations, 602–604
 - using finite-difference approximations, 605, 606
- Control volume methods, 59. *See also* Finite-volume methods
- Convection-diffusion equation:
 - discretization of, 18–22
 - finite-element method, 115–117
 - for natural convection in porous media, 513–518
 - transient radiative transfer equation vs., 300–301
- Convection operators:
 - control of spatial oscillations, 28–31
 - higher-order schemes for, 25–28
 - upwind-weighted higher-order schemes, 26–28

- Convective boundary condition:
 - one-dimensional steady conduction, 96–97
 - two-dimensional steady conduction, 99–102
- Convective heat transfer:
 - finite-difference method, 84–88
 - finite-element method, 115–119
 - meshless methods, 238–244
 - Monte Carlo methods, 274–275
- Convergence:
 - acceleration of, 929–931
 - analytical filtering solutions for, 499
 - apparent rate of, 423, 424
 - degraded convergence rate, 426
 - and diagonal dominance, 64
 - with Jacobi and Gauss-Seidel techniques, 34–36
 - with multigrid method, 72
 - noisy convergence rate, 425–426, 429–430
 - of numerical solution procedures, 18
 - observed rate of, 423–425
 - in original SIMPLE algorithm, 333
 - oscillatory, 425
- Correction storage (CS) scheme, 69
- Coupling, 17, 45
 - for compressible flow, 87–88
 - for convective flows, 84–85
 - pressure-velocity, 931
 - thermal-solutal, 607–609
 - two-way, 702
- CRAC, *see* Computer room air conditioning
- Crank-Nicolson-Galerkin method, 114
- Crank-Nicolson scheme, 74, 77, 82–83
- Cray computers, 897–898
- Crystal growing, 775
- Crystallization:
 - of amorphous silicon, 680
 - in thermoplastic-matrix composites, 797–801
- CS (correction storage) scheme, 69
- CSSM, *see* Continuum stochastic sensitivity method
- Cubic nonlinear eddy viscosity model, 382–395
- Cumulative distribution function, 250, 295
- Cure (thermosetting polymers), 786
- Cut-cell technique, *see* Sharp interface method
- CVD, *see* Chemical vapor deposition
- CVFDMs, *see* Control-volume-based finite-difference methods
- CVFEMs, *see* Control-volume-based finite-element methods
- Czochralski process, 732, 775

- Damped Newton descent scheme, 482
- Darcy flow, 390, 514
- Darcy-Forchheimer flow, 390
- Darcy's law, 390, 391
- Darcy source treatment, 600

- Data centers, 821–849
 - cooling strategy for, 823, 824
 - CRAC modeling, 831
 - mesh generation, 832
 - model data center, 832–839
 - global results, 834–836
 - local results, 836–839
 - parametric results, 839
 - modeling framework for, 825–827
 - modeling issues for, 823, 825
 - nomenclature related to, 847–849
 - objectives of modeling, 825
 - performance metrics for, 840–842
 - plenum modeling, 830, 831
 - rack-level modeling, 820
 - racks in, 823
 - servers, 822–823
 - system-level thermal modeling, 827–829
 - thermal design methodology for, 839–847
 - cooling configurations, 843–847
 - cooling scheme map for, 847
 - performance metrics, 840–842
- Data compression and mining (adaptive grids), 487
- Data exchange standards, 938
- Data grids, 907
- Data structures (numerical heat transfer), 936–937
- Decimation of grids, *see* Coarsening
- Definite integrals (Monte Carlo), 253–254
- Degraded convergence rate, 426
- Degree, vertex, 476, 482
- Delaunay triangulation, 476–480, 483, 489
- Delta form of equation, 69
- Dense plant canopies, turbulent flow through, 394–395
- Density-based methods, 45–46
 - for continuity and momentum equations, 43
 - and incompressible flows, 47
- Density functional theory (DFT), 668
- Design optimization, recommendations for, 931–936
- DFT (density functional theory), 668
- Diagonal dominance, convergence and, 64
- Diagonally dominant matrices, 16
- Diagonally dominant systems, 65
- Differentiation of analytical solutions, 444–448
- Diffusion:
 - anomalous, 631–632, 639–641
 - in irregular geometries, 510–513
 - moving-boundary problems, 566–569
 - time-dependent, 112–115
- Diffusion equation, 55. *See also* Unsteady conduction equation
- Diffusive mismatch model (DMM), 646, 649
- Diffusivity, temperature-dependent, 152–153
- Dimensionless sensitivity coefficients, 445–447
- Direct microstructure (DMS) simulations, 595–596

- Direct numerical simulation (DNS), 698, 702–703, 927
 - backward-facing step flow, 713–716
 - defined, 167
 - homogeneous shear flow, 721–724
 - homogeneous turbulence, 703–709
 - inhomogeneous turbulence, 709–716
 - in turbulent HMT computational analysis, 168
 - vortical structures preservation, 929
- Direct problems, 525–526
- Direct simulation. *See also* Direct numerical simulation
 - defined, 276, 295
 - DSMC (using Monte Carlo technique), 661
 - Monte Carlo methods, 276–278
- Direct solution methods:
 - for continuity and momentum equations, 43
 - linear equations, 16
- Dirichlet boundary condition, *see* Fixed-value boundary conditions
- Dirichlet tessellation, 478
- Discrete distribution function, 295
- Discrete equations (steady conduction), 458–460
- Discrete level assumption, 608
- Discrete numerical methods, 493–494
- Discrete-ordinates (DO) method, 298–299, 303, 305
- Discrete random variable, 295
- Discretization, 923–924. *See also* Domain discretization; Meshes
 - accuracy of, 926–929
 - of convection-diffusion equation, 18–22
 - finite-difference methods, 10–11
 - finite-element methods, 11–14
 - finite-volume methods, 14–15, 59–61
 - of governing equation, 10–15
 - isoparametric, 130
 - pressure-based algorithms:
 - for multifluid flows, 332
 - for single-fluid flow, 329–332
 - radiative heat transfer, 306–313
 - subparametric, 130
 - superparametric, 130
- Discretized equations:
 - momentum:
 - control-volume-based finite-difference methods, 208
 - control-volume-based finite-element methods, 208–209
 - for pressure:
 - control-volume-based finite-difference methods, 210
 - control-volume-based finite-element methods, 211–212
 - for θ :
 - control-volume-based finite-difference methods, 205–206
 - control-volume-based finite-element methods, 206–207
- Dispersed phase (two-phase flows), 700–702
- Distributed heat source, temperature distribution with, 259
- Divergence, oscillatory, 425
- DMM, *see* Diffusive mismatch model
- DMS simulations, *see* Direct microstructure simulations
- DNS, *see* Direct numerical simulation
- Domain discretization, 7–9
 - and boundary-element method, 135
 - control-volume-based finite-difference methods, 194–196
 - control-volume-based finite-element methods, 196
 - moving boundary problems, 562–563
 - radiative heat transfer, 306
 - two-dimensional, 97
- DO method, *see* Discrete-ordinates method
- Donor-cell scheme, 204
- Double-decomposition methodology models, 393–394
- DRM, *see* Dual-reciprocity methods
- Droplets:
 - liquid, on polycarbonate surface, 585–586
 - on platinum solid surface, 676–677
 - radius of, 673–674
 - static, interfacial characteristics of, 581–585
- Drug design, high-performance computing for, 900
- DSMC (direct simulation using Monte Carlo technique), 661
- Dual-phase-lag model, 633
 - anomalous diffusion, 639–641
 - thermal lagging, 636–639
- Dual-reciprocity methods (DRM):
 - steady heat conduction with generation, 135–136
 - for transient heat conduction, 154–155
 - transient heat conduction in solids, 142–143
- DuFort-Frankel scheme, 76
- EAM, *see* Embedded-atom method
- Earthquake simulation, high-performance computing for, 900
- Earth Simulator, 901
- Eckert number, 744
- Eddy viscosity models (EVMs):
 - cubic nonlinear, 382–395
 - zero-equation, 392
- Edges (mesh), 7
- Effective pair potential for water, 663–665
- Effective thermal conductivity (bioheat transfer), 855–856
- Electron heating, 628

- Electronics cooling, 827–829. *See also* Data centers
- Element (mesh), 7
- Element-based vertex-centered FVMs, 193
- Element equations, 96
- Element libraries, 487
- Elliptic partial differential equations, 54
- Embedded-atom method (EAM), 667–669
- Emitting media, Monte Carlo methods for, 283–285
- Energy conservation equation, 5–6
- ENIAC, 897
- EnSight, 917
- Entropy generation, 828
- Equal-order interpolation schemes, 41
- Equilibrium problems, 54
- Errors, 418–419
 - defined, 295
 - incomplete iteration, 424
 - modeling, 17, 489–490
 - pollution, 435
 - standard, 295
- Error bounds, 422
- Error estimation:
 - auxiliary algebraic evaluations, 433–435
 - boundary-element method, 158
 - error bar in, 422
 - error evaluation vs., 418
 - $F_5; U_{95}$ empirical correlation, 428, 431, 437–438
 - Grid-Convergence Index vs., 430–431
 - grid-convergence studies for, 423
 - Monte Carlo methods, 286–288
 - single-grid, 431–435
 - and superconvergent results, 932
 - surrogate estimators, 433
 - Zhu-Zienkiewicz estimators, 433–437
- Error transport equation, 432
- Ethernet, 897
- Euler equations, 46
- Euler-Galerkin method, 114
- Eulerian-Eularian methods, 177, 178
- Eulerian-Lagrangian methods, 697–726
 - direct numerical simulation (DNS) studies, 702–703
 - for homogeneous turbulence, 703–709
 - for inhomogeneous turbulence, 709–716
 - governing equations, 699–702
 - interface representation in, 560
 - large-eddy simulation, 177, 178
 - moving-boundary problems, 562
 - nomenclature related to, 724–726
 - stochastic modeling, 716–724
- Eulerian methods:
 - boundary condition in, 562
 - continuous interface method, 572, 581–586
 - assignment of material properties in phases, 570
 - immersed-boundary treatment, 570–572
 - for impact of liquid drop on polycarbonate surface, 585–586
 - for interfacial characteristics of static drops, 581–585
 - diffusion, 566–569
 - domain discretization, 563
 - interface in, 562
 - moving-boundary problems, 561, 569–586
 - continuous interface method, 569–572, 581–586
 - sharp interface method, 572–586
 - sharp interface method, 572–586
 - computational procedure, 580–581
 - finite-volume formulation, 575–580
 - for impact of liquid drop on polycarbonate surface, 585–586
 - inclusion of immersed boundaries, 573–575
 - interface as discontinuity in, 561
 - for interfacial characteristics of static drops, 581–585
 - topological changes in, 563
- Euler-Maruyama approximation, 175
- Events, 295
- EVMs, *see* Eddy viscosity models
- Ewald sum method, 669
- Exodus method, 273
- Expectation:
 - defined, 295
 - in Monte Carlo simulations, 286
- Explicit schemes, 21
 - for solution of continuity and momentum equations, 46–47
 - unsteady conduction, 74–76
- Extended simple point charge (SPC/E), 663–665
- Faces (mesh), 7
- False diffusion, 318
- False scattering, 313, 318–319
- FAS (full approximation storage), 36
- FDF, *see* Filtered density function
- FDMs, *see* Finite-difference methods
- Feature-based adaptations, 436
- Federal High-Performance Computing Program (HPCP), 899
- FEMs, *see* Finite-element methods
- FIELDVIEW, 917
- Filtered density function (FDF), 171–177
 - determining, 171–172
 - numerical solution of, 175–177
 - specific capability of, 172
- Filtering solutions, 498–500
- Fine-grained density, 171
- Fine-grid solution, 69

- Finite-difference methods (FDMs), 53–90, 923.
See also Control-volume-based finite-difference methods
 conservation principles, 54
 convective flows, 84–88
 discretization, 10–11
 domain discretization, 225
 finite-volume discretization, 59–61
 forming finite differences, 56–59
 high-performance computing, 912
 microscale heat transfer, 641–645
 nomenclature related to, 88–90
 partial differential equations, 54–56
 Pennes equation, 863–864
 stability analysis, 79–81
 steady conduction, 61–73
 unsteady conduction, 73–79
 unsteady conduction in two and three dimensions, 81–84
- Finite-difference methods (parameter space), 448–450
- Finite-element methods (FEMs), 91–120, 923, 924.
See also Control-volume-based finite-element methods
 application example, 119–120
 cell and element shapes, 9
 convection-diffusion equation, 115–117
 convective heat transfer, 115–119
 discretization, 10–14
 domain discretization, 225
 high-performance computing, 912
 isoparametric transformations, 106–109
 meshless methods vs., 225–228
 Navier-Stokes equations, 117–119
 node-based, 9
 numerical integration, 109–110
 one-dimensional steady-state conduction, 92–97
 Pennes equation, 861–863
 rectangular elements, 104–105
 θ method, 113–115
 three-dimensional elements, 110–112
 time-dependent heat diffusion, 112–115
 triangular elements, 102–104
 two-dimensional steady-state conduction, 97–102
- Finite integral methods, 229
- Finite series representations, 229
- Finite-volume (FV) methods, 298, 923–924. *See also*
 Control-volume-based finite-difference methods;
 Control-volume-based finite-element methods
 cell and element shapes, 9
 cell-based, 9
 discretization, 10, 14–15
 domain discretization, 225
 and finite-difference methods, 53. *See also*
 Finite-difference methods
 high-performance computing, 912
 meshless methods vs., 225–228
 node-based, 9
 radiative heat transfer, 304–305
 sharp interface method, 575–580
 steady conduction, 62–64
- Fixed-grid methods, *see* Eulerian methods
- Fixed random walk, 268–269. *See also* Random walk
- Fixed-value (Dirichlet) boundary condition, 55, 56
 and optimum overrelaxation factor, 71
 overrelaxation with, 67–68
 unsteady conduction, 75, 77–78
- FLO, *see* Flow-oriented upwind scheme
- Floating-point operations (FLOPS), 156, 896
- Floating random walk, 263–268, 295
- FLOPS, *see* Floating-point operations
- Flow-oriented upwind scheme (FLO), 202–204
- Fluid dynamics, high-performance computing for, 900
- Flux boundary conditions (unsteady conduction), 78–79
- Flux limiters, 29–30
- Flux method (radiative heat transfer), 302–303
- Flux-splitting methods, 46
- Fokker-Planck equation, 173
- Forchheimer flow, 390, 391
- Forchheimer-modified Darcy law, 406–407
- FORTRAN, 903
- Forward problems, 526
- Fourier diffusion, 625, 626
- Fourier spectral method, 703
- Fractional-step finite-element method, 119
- Free energy, functional of, 630–631
- Free-space Green's function, 127, 144
- Freezing of biological materials, 872–884
 bioheat equation for, 877–882
 biophysics of, 873–877
 imaging-assisted numerical analysis, 882–884
- $F_s:U_{95}$ empirical correlation, 428, 431, 437–438
- Full approximation storage (FAS), 36
- Full-width-at-half-time (FWHM), 647
- Fully turbulent flow, 390
- Functional of the free energy, 630–631
- Fundamental solution, 127
- Future time method, 528
- FV methods, *see* Finite-volume methods
- FWHM (full-width-at-half-time), 647
- Galerkin approximation:
 obtaining, 95
 semidiscrete, 113
- Galerkin finite-element method, 12–14
- Gauss grid, 711, 712

- Gauss-Seidel methods, 16–17
 - convergence behavior of, 34–36
 - coupled, 45
 - line, 32–33
 - with multigrid method, 68–72
 - red-black, 913
 - steady conduction, 65–66
 - steady conduction, with overrelaxation, 66–68, 71–72
- GCBA (geometric conservation-based algorithms), 353
- GCI, *see* Grid-Convergence Index
- Generalized integral transform technique (GITT), 495–498, 502
 - computational procedure and convergence acceleration, 498–500
 - Mathematica* results vs., 506–510
- General kernel reproduction methods (GKR), 229
- General Purpose Solver (GPS), 905, 915
- General scalar transport equation:
 - conservative form, 6–7
 - discretization of, 10–15
 - domain discretization, 7–9
 - nonconservative form, 7
 - for pressure-based algorithms, 329
 - solution of, 15–17
- Geometric conservation-based algorithms (GCBA), 353
- Geometric conservation law, 564–568
- Geometric design, 473
- Geometric multigrid approach, 36
- Gibbs sampler, 546–547
- GITT, *see* Generalized integral transform technique
- GKR (general kernel reproduction methods), 229
- Glass, 746, 747. *See also* Optical fiber drawing
- Globus, 908–909
- Globus Toolkit, 908, 909
- GMRES, 38, 156
- “Golden rule” of computational physics, 68
- GPS, *see* General Purpose Solver
- Gradient calculation:
 - spectral methods for stochastic inverse problems, 535
 - unstructured mesh technique, 22–25
- Gradient-search techniques, 37–38
- Gradient theorem, 22–23
- Grand challenge problems (HPC), 899–901
- Grashof number, 744
- Green-Kubo formula, 671
- Green’s-function method, 128
- Grids, 471–472
 - adaptive, 483–489
 - adaptive meshing and modeling, 489–490
 - anisotropic, 480–481
 - computational, 906–911
 - defects in, 474
 - generation of, 472–473
 - and geometric design, 473
 - hybrid, 487–488
 - isotropic, 480
 - modification and smoothing of, 481–483
- Grid computing, 899, 906–911
 - benefits of, 907
 - definition of, 907
 - enabling applications for, 908–910
 - limitations of, 910
 - TeraGrid, 910–911
- Grid-Convergence Index (GCI), 423–431
 - confirmations of, 426–428
 - error estimation vs., 430–431
 - noisy and degraded convergence, 425–426
 - observed rate of convergence, 424–425
 - oscillatory convergence, 425
 - and Richardson Extrapolation, 431
 - single-grid error estimators vs., 434–435
 - within solution adaptation, 435–437
 - statistical significance, 429
 - theoretical expectations for, 431
 - U_{95} correlation for error estimators, 437–438
 - U_{95} empirical correlation, 428
 - for unstructured grids and noisy convergence rate, 429–430
- Grid generation, 472–473
 - with CAD software, 474
 - and geometric design, 473
 - radiative heat transfer, 306
 - solution-adaptive, 435–437
 - structured, 475–476
 - unstructured, 476–480
- Grid independence, 419
- Group iterative methods, 66–67
- Gurtin-Pipkins internal energy relaxation model, 634
- HAL (computer), 897
- Healing (thermoplastics), 792
- Heat flux profile:
 - impulse, 540–541
 - triangular, 538–540, 548–551
- Heating of living tissue, 868–872
- Hermite polynomials, 540
- Heterogeneous nucleation, 678
- Hexahedral elements, 487–488
- HIFU (high-intensity focused ultrasound), 871
- High-energy physics, high-performance computing for, 900
- Higher-order schemes, 924–925
 - boundary-element method, 133
 - convection operators, 20, 25–28
 - CVFDM/CVFEM interpolation functions, 200–201

- spatial oscillation control, 28
- unstructured meshes, 28
- upwind-weighted, 26–28
- High-intensity focused ultrasound (HIFU), 871
- High-performance computing (HPC), 896–919
 - achieving petaflop performance, 905–906
 - architecture for, 901–906
 - for fluid flow, 916
 - future of, 917–918
 - governing equations in, 911–915
 - grand challenge problems in, 899–901
 - grid computing, 899, 906–911
 - benefits of, 907
 - definition of, 907
 - enabling applications for, 908–910
 - limitations of, 910
 - TeraGrid, 910–911
 - history of, 897–899
 - meshing methods in, 915
 - MIMD vs. SIMD in, 902–904
 - nomenclature related to, 918–919
 - parallel computers in, 901–902
 - programming languages for, 903–905
 - systems for, 896–897
 - visualization in, 916–917
- HiPco, 683
- Homeland security, high-performance computing for, 900
- Homogeneous flows:
 - assessment of shear flow, 721–724
 - classification of, 704–706
- Homogeneous medium, Monte Carlo methods for, 273
- Homogeneous nucleation, 677–678
- Homogeneous turbulence, direct numerical simulation of, 703–709
- HPC, *see* High-performance computing
- HPCP (Federal High-Performance Computing Program), 899
- Hsu method, 335
- HVAC, 827–829. *See also* Data centers
- Hybrid adaptive grids, 487–488
- Hybrid grids, 487–488
- Hybrid methods, 192, 493–520. *See also*
 - Eulerian-Lagrangian methods
 - control-volume-based FDMs, *see*
 - Control-volume-based finite-difference methods
 - control-volume-based FEMs, *see*
 - Control-volume-based finite-element methods
 - convection-diffusion for natural convection in porous media, 513–518
 - diffusion in irregular geometries, 510–513
 - mixed symbolic-numerical algorithms, 494, 500–510
 - integral transform with *Mathematica*, 502–510
 - Mathematica* system, 501
 - Monte Carlo, 273
 - nomenclature related to, 518–520
 - numerical-analytical, 494–500
 - computational procedure and convergence acceleration, 498–500
 - integral transform method, 495–498
 - Hyglac (computer), 898
 - Hyperbolic two-step model, 629–630
 - Hyperbolic partial differential equations, 54
 - Hypersonic flows, 341, 342
 - Hyperthermic treatment of cancer modeling, 870–872
- Identification problems (IHCP), 526
- IHCPs, *see* Inverse problems of heat conduction
- ILLIAC IV, 897
- Ill-posed problems, 526, 527
- ILU (incomplete lower-upper) decomposition, 33
- Imaging:
 - high-performance computing for, 900
 - medical, *see* Medical imaging
- Immersed-boundary treatment:
 - continuous interface method, 570–572
 - sharp interface method, 573–575
- Immersed objects, fixed-grid methods for, 569
- Implicit schemes, 21
 - alternating direction implicit technique:
 - for manufacturing processes modeling, 739
 - overrelaxation with, 68
 - for structured meshes, 33
 - for two and three dimensions, 82–83
 - solution of continuity and momentum equations, 47
 - unsteady conduction, 77–79
- Importance factors, 461, 464
- Importance sampling, 271–273, 275–276, 278–281
- Impulse heat flux profile, 540–541
- Incomplete iteration error, 424
- Incomplete lower-upper (ILU) decomposition, 33
- Incompressible flow:
 - finite-difference methods, 85
 - high-performance computing, 916
 - SIMPLE algorithm for, 85, 336–337
 - at subsonic inlet, 344–347
 - at subsonic outlet, 347–348
 - turbulent upward bubbly flow in a pipe, 356–358
- Independent sample, 295
- Independent variable, 295
- Information technology management, *see* Data centers
- Inhomogeneous turbulence, direct numerical simulation of, 709–716

- Initial conditions:
 - manufacturing processes modeling, 738
 - molecular dynamics method, 670
 - sensitivity analysis, 453, 457
 - transient heat conduction in solids, 150–151
- Integral conservation equations, 197
- Integral transform method (ITM), 495–498
 - algorithm optimization schemes, 517–518
 - with *Mathematica*, 501–510
 - with WorldData routine, 512–513
- Interactive effects of uncertainties, 808–809
- Interface definition (moving-boundary problems), 560, 562
- Interfacial characteristics of static drop, 581–585
- Interfacial resistance (microscale heat transfer), 645–651
- Internal heat generation in solids, 152
- Interpolation functions:
 - control-volume-based finite-difference methods, 198–201
 - control-volume-based finite-element methods, 201–205
- Intimate contact process (thermoplastics), 792
- Inverse problems, 525–526
 - Mach number for particular exit velocity profile, 933–936
 - recommendations for future research, 931–936
- Inverse problems of heat conduction (IHCPs), 526–555
 - Bayesian approach, 542–553
 - with Gibbs sampler, 546–547
 - inverse problem transformation in, 544–546
 - numerical results with, 548–553
 - and stochastic inverse heat-conduction problem, 542–544
 - work using, 553
 - categories of, 526
 - methodologies for, 526–529
 - nomenclature related to, 554–555
 - spectral stochastic approach, 529–542
 - adjoint problem, 534–535
 - developments in use of, 541–542
 - gradient calculations, 535
 - numerical implementation, 536–538
 - numerical results with, 538–541
 - representation of random variables, 530–531
 - stochastic inverse heat-conduction problem, 531–534
- IPSA, 353
- Irregular geometries:
 - diffusion in, 510–513
 - radiative heat transfer, 313–316
- Isoparametric discretizations, 130
- Isoparametric elements:
 - rectangular, 104–105
 - transformations of, 106–109
 - triangular, 102–104
- Isotropic grids, 480
- Isotropic scattering:
 - probability functions for, 285
 - radiative heat transfer, 285
- Iterative methods:
 - Gauss-Seidel procedure, 65–66
 - linear equations, 16–17
 - multigrid, 68–73
 - steady conduction, 64
- ITM, *see* Integral transform method
- Jacobi technique, 34–36
- Jayatilke pee-function, 373
- Karhunen-Loève (KL) expansion, 530
- Kirchoff transform, 133
- KL (Karhunen-Loève) expansion, 530
- Lagrangian elements, 104
- Lagrangian-Lagrangian methods, 177
- Lagrangian methods:
 - boundary condition in, 562
 - combined with Eulerian methods, *see* Eulerian-Lagrangian methods
 - diffusion, 566–569
 - domain discretization, 562–563
 - geometric conservation law, 564–568
 - interface in, 562
 - interface movement in, 560
 - moving-boundary problems, 561, 563–569
 - time-stepping scheme, 566
 - topological changes in, 563
 - transformed governing equations, 563–564
- Lagrangian Monte Carlo schemes, 175–177
- Laplace equation, 54, 55, 69
- Laplace transforms, 140–142
- Large eddy simulation (LES), 167–180, 927
 - filtered density function (fdf), 171–177
 - determining, 171–172
 - numerical solution of, 175–177
 - specific capability of, 172
 - governing equations, 169–170
 - high-performance computing, 916
 - nomenclature related to, 178–180
 - numerical solution of fdf, 175–177
 - subgrid scale modeling, 170–171
 - in turbulent HMT computational analysis, 168
 - two-phase flows, 177–178, 698, 699
 - vortical structures preservation, 929
- Large numbers, law of, 295

- Large-scale problems, boundary-element method for, 156–157
- LASL algorithms, 353
- Latin hypercube sampling (LHS), 419, 462–466, 809
- Lattice-Boltzman model, 177
- Law of large numbers, 295
- $\kappa - \varepsilon$ model, 392–393, 395
- Least-squares approach:
 - gradient in unstructured meshes, 23–25
 - grid convergence, 427–428
- Lennard-Jones model, 675–676
- Lennard-Jones potential, 662–664
- LEPP (longest-edge propagating path), 483
- LES, *see* Large eddy simulation
- Level-set approaches, 487
- LGS, *see* Line Gauss-Seidel technique
- LHS, *see* Latin hypercube sampling
- LIF, *see* Local-instantaneous filtering
- Limiter functions, 29–30
- Linear equations, large systems of, 64
- Linear solvers, 15–17, 31, 924
 - direct, 16
 - gradient-search techniques, 37–38
 - iterative, 16–17
 - line Gauss-Seidel technique, 32–33
 - multigrid methods, 33–37
- Line-by-line TDMA, 32–33
- Line Gauss-Seidel (LGS) technique, 32–33
- LINUX, 898
- Liquid composite molding, 787–780
- Liquid drop on polycarbonate surface, impact of, 585–586
- Liquid-vapor interface, 673–675
- Living tissue, heat transfer in, *see* Bioheat transfer
- Lobatto grid, 711, 712
- Local-instantaneous filtering (LIF), 499–500
- Local radial point interpolation methods (LRPIM), 230
- Loki (computer), 898
- Longest-edge propagating path (LEPP), 483
- Low-Reynolds-number models, 370
- Low-temperature hyperthermia (LTH), 870–871
- Low-temperature scanning electron microscopy (LTSEM), 877
- LRN $\kappa - \varepsilon$ model, 382
- LRN model, 382–385
- LRPIM (local radial point interpolation methods), 230
- LTH, *see* Low-temperature hyperthermia
- LTSEM (low-temperature scanning electron microscopy), 877
- Macro-micro approach, 595–596. *See also* Phase-change problems
- Macroscopic pressure gradient, 406–408
- Macroscopic turbulence models, 393
- Magnetic resonance angiography, 867–868
- Manufacturing processes, 729–778. *See also* Materials processing
 - boundary conditions, 738, 740–741
 - buoyancy effects, 734–735
 - casting, 767–770
 - chemically reactive flows, 736–738
 - chemical vapor deposition, 771–774
 - continuous processing, 769–772
 - general equations, 733–734
 - governing equations, 733–738
 - governing parameters, 744
 - idealizations and simplifications, 739–744
 - initial conditions, 738
 - link between transport processes and material characteristics, 747–750
 - with moving material or source, 741–743
 - and new materials, 730
 - nomenclature related to, 777–778
 - optical fiber drawing, 732, 759, 761–768
 - coating, 765, 767–768
 - feasible domain, 765, 766
 - molecular-level changes in, 748–749
 - neck-down region, 761–764
 - numerical modeling of, 759, 761–768
 - preform diameter, 759
 - viscous dissipation in, 759
 - with phase change, 735–737
 - polymer extrusion, 732, 750–760
 - chemical conversion in, 756–758
 - feasibility of, 759–760
 - residence time distribution in, 750–753
 - twin-screw, 753–756
 - solution of governing equations, 738–739
 - system simulation, design, and optimization for, 775–776
 - thermal materials processing, 730–733
 - and variable properties of materials, 744–747
 - with very viscous flow, 743–744
 - viscous dissipation in, 735
- Many-body potential for carbon and silicon, 666–668
- MAP, *see* Maximum a posteriori estimator
- Marching problems, 55–56
 - compressible flow, 86–87
 - time-marching, 86
 - high-performance computing, 912
 - RBFs in, 233–234
 - transient flow in solids, 146, 149–150
- Markov chain, 254
- Markov Chain Monte Carlo (MCMC), 542, 546–547
- Markov random field (MRF), 545
- Mass conservation-based algorithms (MCBA), 353, 354

- Mass-conserving velocity field equation:
 - control-volume-based finite-difference methods, 209–210
 - control-volume-based finite-element methods, 211
- Mass lumping, 114
- Mass-weighted upwind scheme (MAW), 204–205
- Materials, manufacturing:
 - link between transport processes and characteristics of, 747–750
 - under microgravity conditions, 775
 - new, 730
 - thermal processing of, 730–733
 - variable properties of, 744–747
- Materials processing, 785–815
 - model-based process control, 801–808
 - artificial neural networks, 802–804
 - complex mold geometrics, 807–808
 - controller architecture, 803–804
 - example of, 805–806
 - online flow-control schemes, 801–802
 - optimization problem, 804
 - racetracking in, 806
 - nomenclature related to, 814–815
 - polymer-matrix composites, 786–801
 - thermoplastic, 792–801
 - thermosetting, 786–792
 - thermal, 730–733
 - thermoplastic-matrix composites, 792–801
 - consolidation stage, 792
 - fabrication of, 792–793
 - heat transfer, 793–797
 - prepregging stage, 792
 - spherulitic crystal microstructure evolution, 797–801
 - thermosetting-matrix composites, 786–792
 - liquid composite molding, 767–789
 - pultrusion, 789–792
 - under uncertainty, 808–813
- Materials sciences, high-performance computing for, 899
- MATCAD, Monte Carlo evaluation with, 281, 282
- Mathematica* system, 494, 501
 - codes for fully transient two-dimensional case, 516
 - difference-differential equations, 653
 - DIVPAG subroutine, 516
 - DSolve function, 503
 - integral transform, 502–510
 - Integrate function, 505
 - NDSolve function, 502, 505–510, 516, 645
 - random number generation, 252
 - Reimann sum approximation, 652
 - WorldData routine, 512–513
- Mathematica* Technical Center, 501
- MathReader, 502
- MATLAB PDE toolkit, 479–480
- Matrices, diagonally dominant, 16
- MAW, *see* Mass-weighted upwind scheme
- Maximum a posteriori (MAP) estimator, 545–547
- Maximum likelihood estimator (MLE) framework, 529
- Max-in angle (circumcircle) test, 476–477
- Maxwell-Boltzmann velocity distribution, 670
- MCBA, *see* Mass conservation-based algorithms
- MCBA-SIMPLE, 355
- MCMC, *see* Markov Chain Monte Carlo
- MC methods, *see* Monte Carlo methods
- MEAM (modified embedded-atom method), 668
- Mean, in Monte Carlo simulations, 286
- Mean value method, 460
- Median, 295
- Medical imaging:
 - imaging-assisted numerical analysis, 882–884
 - interactive numerical analysis, 866–868
- Meshes. *See also* Grids; Unstructured meshes
 - block-structured, 8, 9
 - body-fitted, 8
 - conformal, 9
 - for domain discretization, 7–9
 - finite-difference, 56–58
 - high-performance computing methods, 915
 - nonconformal, 9
 - regular, 8
 - stair-stepped, 8
 - structured, 9
 - terminology used with, 7
 - unstructured, 9
 - discretization of convection-diffusion equation, 18–22
 - generation of, 476–480
 - gradient calculation, 22–25
 - Grid-Convergence Index for, 429–430
 - pressure-velocity staggering for, 41
- Mesh agglomeration strategies, 37
- Mesh generation:
 - data centers, 832
 - recommendations for future research, 928
 - resources for, 939
 - use of, 926
- Meshless local Petrov-Galerkin (MLPG) method, 226
- Meshless methods, 225–246, 924
 - FEM and FDM/FVM vs., 225–228
 - local radial point interpolation methods, 230
 - meshless Petrov-Galerkin methods, 229–230
 - in natural convection, 238–244
 - nomenclature related to, 245–246
 - radial basis functions, 230–235
 - in simple heat-conduction problem, 235–238
 - smoothed particle hydrodynamics techniques, 229

- Meshless Petrov-Galerkin (MLPG) methods, 229–230
- Mesh parameter, 95
- Message Passing Interface (MPI), 904–905
- Metal alloy solidification models, theoretical basis for, 594–596
- Method of Manufactured Solutions (MMS), 420–422
- Method of weighted residuals (MWR), 192
- Mfree2D, 226
- Microchannels, turbulence modeling with, 393
- Microgravity conditions, materials processing under, 775
- Microscale heat transfer, 623–655
 - anomalous diffusion, 631–632
 - difference-differential equations by *Mathematica*, 653
 - finite differencing, 641–645
 - functional of the free energy, 630–631
 - heat equations in, 624–632
 - interfacial resistance, 645–651
 - molecular dynamics method in, 660. *See also* Molecular dynamics method
 - nomenclature related to, 653–655
 - phonon scattering, 626–628
 - Reimann sum approximation by *Mathematica*, 652
 - semianalytical computational methods, 636–641
 - thermal lagging, 633–636
 - thermal waves, 625–626
 - two-step heating:
 - hyperbolic, 629–630
 - parabolic, 628–629
- MIMD (multiple instruction, multiple data), 901–904
- Minimod limiter, 29, 30
- Mixed condition, 56
- Mixed symbolic-numerical algorithms, 494, 500–510
 - integral transform with *Mathematica*, 502–510
 - Mathematica* system, 501
- MLE (maximum likelihood estimator) framework, 529
- MLPG (meshless local Petrov-Galerkin) method, 226
- MLPG (meshless Petrov-Galerkin) methods, 229–230
- MLSQ (moving least-squares) methods, 924
- MMS, *see* Method of Manufactured Solutions
- Model-based process control, 801–808
 - artificial neural networks, 802–804
 - complex mold geometrics, 807–808
 - controller architecture, 803–804
 - example of, 805–806
 - online flow-control schemes, 801–802
 - optimization problem, 804
 - racetracking in, 806
- Modeling errors, 17, 489–490
- Modification of grids, 481–483
- Modified embedded-atom method (MEAM), 668
- Molecular dynamics method, 659–689
 - boundary conditions, 669–670
 - control of temperature/pressure, 670
 - crystallization of amorphous silicon, 680
 - effective pair potential for water, 663–665
 - equations of motion and potential functions, 661–662
 - formation of clusters/fullerene/carbon nanotubes, 681–682
 - heat conduction and heat transfer, 671–672
 - heat transfer of carbon nanotubes, 682–689
 - initial conditions, 670
 - integration of Newtonian equation, 669
 - Lennard-Jones potential, 662–664
 - liquid-vapor interface, 673–675
 - many-body potential for carbon and silicon, 666–668
 - nucleation:
 - and phase change, 677–678
 - and stability of nanobubbles in confined system, 678–680
 - pair potential and EAM for solid metal, 667–669
 - for phase interface and phase change, 673–682
 - potential for larger molecules in liquid phase, 665–666
 - solid-liquid-vapor interactions, 675–676
 - thermophysical and dynamic properties, 671
- Momentum equations, 5
 - discretized:
 - CVFDM, 208
 - CVFEM, 208–209
 - pressure-based methods for solving, 43–45
 - solution methods, 43–45
 - staggered control volumes for, 40
- Momentum interpolation, 42
- Monotonicity-preserving schemes, 925
- Monte Carlo (MC) methods, 249–291
 - for absorbing and emitting media, 281–285
 - biased, 278–281
 - convection problems, 274–275
 - defined, 295
 - definite integrals, 253–254
 - direct simulation, 276–278
 - estimation of error, 286–288
 - estimation of thermophysical properties of complex systems, 274
 - and exodus method, 273
 - historical background of, 250
 - for homogeneous medium, 273
 - hybrid, 273
 - importance sampling, 271–273, 278–281
 - nomenclature related to, 289–291
 - numerical solution of FDF, 175–177
 - for optically thick media, 286
 - radiation problems, 275–276

- Monte Carlo (MC) methods, (*continued*)
 - random and pseudo-random numbers, 251–253
 - random walk:
 - in two-dimensional geometries, 255–262
 - with variable step size, 263–268
 - and shrinking boundary method, 273
 - simplicity of, 273
 - stratified, 419
 - in thermal conduction problems, 254
 - transient problems:
 - with fixed step size, 268–269
 - with variable step size, 269–271
 - unbiased simulation, 276–278
 - in uncertainty analysis, 462
- Morphology-oriented models, 394, 398
- Moving-boundary problems, 559–589
 - adaptive grids, 486–487
 - combined Eulerian-Lagrangian methods, 562
 - domain discretization, 562–563
 - fixed-grid (Eulerian) methods, 561, 569–586
 - continuous interface method, 569–572, 581–586
 - sharp interface method, 572–586
 - interface definition, 562
 - interfacial boundary conditions, 562
 - domain discretization, 562–563
 - movement and deformation of interface, 563
 - moving-grid (Lagrangian) methods, 561, 563–569
 - nomenclature related to, 587–589
- Moving-grid methods, *see* Lagrangian methods
- Moving least-squares (MLSQ) methods, 924
- Moving materials or sources:
 - and continuous processing, 769–772
 - numerical modeling of, 741–743
- MPI, *see* Message Passing Interface
- MRF (Markov random field), 545
- MRM (multiple-reciprocity method), 135
- Multidomain spectral element method (compressible flow), 709–713
- Multigrid methods, 33–37, 68–73
- Multiple-reciprocity method (MRM), 135
- Multiplicative generator, 252, 253
- Multiscale modeling, high-performance computing for, 900
- Multiscale simulation of thermal phenomena, 936
- Multiwalled carbon nanotubes (MWNTs):
 - geometry of, 682
 - water in, 683–684
- “Mushy region” (bioheat freezing of tissue), 881
- MWNTs, *see* Multiwalled carbon nanotubes
- MWR (method of weighted residuals), 192
- Nanoscale heat transfer, molecular dynamics method in, 660. *See also* Molecular dynamics method
- Natural convection:
 - meshless methods in, 238–244
 - in porous media, convection-diffusion for, 513–518
- Natural coordinates, 103
- Natural-element method (NEM), 924
- Navier-Stokes equations:
 - finite-element method, 117–119
 - finite-volume discretization of, 575
 - high-performance computing, 912
 - for high-performance computing, 915
 - one-dimensional, 84–85
 - three-dimensional, 513–514
- Near-net shape structured materials, thermal sprays for, 775
- NEM (natural-element method), 924
- NEMD (nonequilibrium molecular dynamics), 671
- Neumann condition, 56
- Newmark algorithm, 115
- Newtonian equation, integration of, 669
- Newton-Raphson scheme, 154
- Nip region (thermoplastics), 792
- NLEVMs (nonlinear eddy-viscosity models), 370
- Node-based schemes, 9. *See also* Finite-element methods
- Nodes (mesh), 7
- Noise, 114
- Noisy convergence rate, 425–426, 429–430
- Nonconformal meshes, 9
- Nonequilibrium molecular dynamics (NEMD), 671
- Nonisothermal flows, direct numerical simulation of, 708–709
- Nonlinear eddy-viscosity models (NLEVMs), 370
- Nosé-Hoover method, 670
- Nucleation:
 - in freezing of biological materials, 874
 - heterogeneous, 678
 - homogeneous, 677–678
 - and phase change, 677–678
 - and stability of nanobubbles in confined system, 678–680
- Numerical-analytical methods, 494–500
- Numerical diffusion, 318. *See also* False scattering
- Numerical error, 418–419
- Numerical integration, 109–110
- Numerically exact (as term), 419
- Numerical methods:
 - hybrid, 494–500
 - computational procedure and convergence acceleration, 498–500
 - integral transform method, 495–498
 - recommendations for future research, 928–931
- Numerical scattering, 319
- Numerical simulation, 4
- Numerical solution procedures, 7–19
 - accuracy of, 17

- consistency of, 17
- convergence in, 18
- coupling, 17
- discretization of governing equation, 10–15
- domain discretization, 7–9
- for linear equations, 15–17
- nomenclature related to, 48–49
- nonlinearity, 17
- stability of, 18
- Nusselt number, 378–381
 - for three-dimensional cavity center, 517, 518
 - for two-dimensional vertical cavity, 516–517
- Observations, 295
- Observed rate of convergence, 423–425
- Octree graphs, 485, 487
- ODE solvers, *see* Ordinary differential equations solvers
- One-dimensional diffusion equation, 11–12
- One-dimensional steady-state conduction, 92–97
- One-level rule, 485–486
- OPLS potential, 665–666
- Optical fiber drawing, 732
 - coating, 765, 767–768
 - feasible domain, 765, 766
 - molecular-level changes in, 748–749
 - neck-down region, 761–764
 - numerical modeling of, 759, 761–768
 - preform diameter, 759
 - viscous dissipation in, 759
- Optically thick media, Monte Carlo methods for, 286
- Optimal order of integration, 109
- Ordinary differential equations (ODE) solvers, 644, 645
- Oscillatory convergence, 425
- Oscillatory divergence, 425
- Overrelaxation:
 - with alternating direction implicit technique, 68
 - with Dirichlet boundary condition, 67–68, 71
 - with Gauss-Seidel method, 66–67, 71
 - with pressure-based algorithms, 330
 - successive, 66–67
 - successive line, 66–67
 - with tridiagonal matrix algorithm, 67
- Parabolic partial differential equations, 54
- Parabolic two-step model, 628–629
- Parallel computers (HPC), 896, 901–904
- Parallel extensions (adaptive grids), 488–489
- Parallel Virtual Machine (PVM), 904–905
- Parameter uncertainty, 419, 436, 444, 460–462
- Partial differential equations (PDEs):
 - analytical approaches to solving, 493
 - in finite-difference methods, 54–56
 - in grid smoothing, 482
 - in hierarchic model systems, 490
 - truncation error for, 59
 - types and classification of, 54–56
- Partially absorbing boundaries, 260
- Particle-tracking algorithm, 713
- Path to solution (linear equations), 15
- PC clusters, 897–899
- PCE, *see* Polynomial chaos expansion
- PDEs, *see* Partial differential equations
- PDF, *see* Probability density function
- Péclet number, 115
- Penalty finite-element method, 118–119
- Pennes equation:
 - finite-difference solution of, 863–864
 - finite-element solution of, 861–863
- Petrov-Galerkin formulation, 116–117, 226
- Phase change:
 - manufacturing processes with, 735–737
 - molecular dynamics of, 673–682
- Phase-change problems, 593–619
 - backdiffusion, 610–613
 - benchmark problem, 613–617
 - coarsening, 611–613
 - columnar solidification in static casting, 600–602
 - control-volume equations using finite-difference approximations, 605, 606
 - general control-volume equations, 602–604
 - governing macroscopic equations, 596–602
 - nomenclature related to, 618–619
 - numerical solution of, 602–613
 - phase diagram, 609–610
 - theoretical basis for metal alloy solidification models, 594–596
 - thermal-solutal coupling, 607–609
- Phase diagram, 609–610
- Phase interface, molecular dynamics of, 673–682
- Phonon Boltzmann transport equation, 672, 936
- Phonon scattering, 626–628
- Physical models:
 - recommendations for future research, 927–928
 - use of, 925–926
- Piecewise-linear interpolant, 92–94
- PISO algorithm, 349–350, 353, 356
- Plane strain, 704
- Planetary sciences, high-performance computing for, 899
- Plenum modeling (data centers), 830, 831
- Poisson equation, 54
- Pollution errors, 435
- Polycarbonate surface, impact of liquid drop on, 585–586
- Polymer extrusion, 732, 750–760
 - chemical conversion in, 756–758
 - feasibility of, 759–760

- Polymer extrusion, (*continued*)
 - residence time distribution in, 750–753
 - twin-screw, 753–756
- Polymer-matrix composites, 786–801
 - thermoplastic, 792–801
 - consolidation stage, 792
 - fabrication of, 792–793
 - heat transfer, 793–797
 - prepregging stage, 792
 - spherulitic crystal microstructure evolution, 797–801
 - thermosetting, 786–792
 - liquid composite molding, 767–789
 - pultrusion, 789–792
- Polynomial chaos expansion (PCE), 530–531
- Population, 295
- Porous media:
 - natural convection in, 513–518
 - turbulent transport through, *see* Turbulent transport through porous media
- Posterior probability density function (PPDF), 545
- Potential functions:
 - effective pair potential for water, 663–665
 - and equations of motion, 661–662
 - for large molecules in liquid phase, 665–666
 - Lennard-Jones potential, 662–664
 - many-body potential for carbon and silicon, 666–668
 - molecular dynamics method, 661–669
 - pair potential and EAM for solid metal, 667–669
- PPDF (posterior probability density function), 545
- Prandtl number, 373, 744
- Prepregging (thermoplastics), 792
- Pressure, 210
 - discretized equations for:
 - CVFDM, 210
 - CVFEM, 211–212
 - storage of, 38–42, 931
- Pressure-based algorithms, 325–364
 - all-speed single-fluid flow algorithm, 338–341
 - boundary conditions, 343–348
 - continuity and momentum equations, 43–45
 - discretization:
 - of k th scalar equation for multifluid flow, 332
 - for single-fluid flow, 329–332
 - extension to compressible flow, 337–342
 - general scalar equation, 329
 - governing equations, 327–329
 - improving Rhie-Chow interpolation, 359–362
 - for multifluid flow, 353–354
 - nomenclature related to, 362–364
 - performance assessment:
 - of multifluid flow algorithms, 356–359
 - of single-fluid flow algorithms, 351–353
 - PISO, 349–350
 - pressure-correction equation, 354–356
 - SIMPLE, 333–337
 - SIMPLEC, 349
 - SIMPLE variants, 348–349
 - subsonic inlet, 344–347
 - subsonic outlet, 347–348
 - supersonic inlet, 347
 - supersonic outlet, 348
 - wall boundary condition, 344
- Pressure-correction equation, 354–356
- PRESTO (pressure staggering option) scheme, 827
- PRIME algorithm, 353, 356
- Primitive variables formulation, 193
- Prior probability density function, 545
- Probability, 295
- Probability density function (PDF), 171
 - posterior, 545
 - prior, 545
- Probability distribution, 295
- Probability distribution function, 250
- Programming languages, 903–905, 937
- Pseudo-random numbers, 251–253
- Pseudo-random sequence, 295
- Public domain software resources, 939
- Pultrusion, 789–792
- Pure congruential generator, 252
- PVM, *see* Parallel Virtual Machine
- Quadrature formulas, 109
- Quadrilateral elements, 487, 488
- Quadtree graphs, 485
- QUICK scheme, 27, 201
- Racetracking (RTM), 806
- Racks (data centers), 823, 826
- Rack-level modeling (data centers), 820
- Radial basis functions (RBFs), 136–137, 230–235
- Radiative heat transfer, 297–320
 - boundary conditions, 299–300
 - boundary-element method, 155–156
 - control-angle overlap, 316–317
 - convection-diffusion equation, 300–301
 - discrete-ordinates method, 303
 - discretization equation, 306–313
 - domain discretization, 306
 - false scattering, 318–319
 - finite-volume method, 304–305
 - flux method, 302–303
 - governing equations, 299–300
 - importance sampling, 275–276
 - irregular geometries, 313–316
 - Monte Carlo methods for, 275–276
 - nomenclature related to, 319–320
 - ray effect, 317–318

- representative works, 319
- scattering phase function, 300
- spatial differencing schemes, 313
- transient radiative transfer equation, 299–301
- Radiative transfer equation (RTE), 301, 303–305
- Random event, 295
- Random flight, 250
- Random numbers, 251–253, 295
- Random variables:
 - discrete, 295
 - in Monte Carlo methods, 250–251
 - in spectral methods for stochastic inverse problems, 530
- Random vector, 295
- Random vortex model, 177
- Random walk, 250
 - defined, 295
 - fixed, 268–269
 - floating, 263–268, 295
 - and importance sampling, 271–273
 - for transient problems, 269–271
 - in two-dimensional geometries, 255–262
 - with variable step size, 263–268
- RANS, *see* Reynolds-averaged Navier-Stokes
- RAS, *see* Reynolds averaged simulation
- Ray effect, 317–318
- Rayleigh-Benard convention, 171
- RBFs, *see* Radial basis functions
- RE, *see* Richardson Extrapolation
- Rectangular elements, 104–105
- Red-black Gauss-Seidel method, 913
- Reflecting boundaries, 260, 268
- Regression analysis, 463–464
- Regularity conditions, 526
- Regular meshes, 8
- Reimann sum approximation by *Mathematica*, 652
- Relaxation parameter, 113
- Reliability recommendations for future research, 931–936
- Representative elementary volume (REV), 391, 595–596
- Reproducing kernel particle methods (RKPM), 229, 924
- Residence time distribution (RTD), 750–753
- Resin transfer molding (RTM) process:
 - and model-based process control, 801–807
 - thermosetting-matrix composites, 787–789
- Resolved-volume simulations, 178
- Resource management grids, 907
- Retrospective problems (IHCP), 526
- REV, *see* Representative elementary volume
- Reynolds-averaged governing equations:
 - conservation, 6
 - gas-phase momentum, 5
 - mixture continuity, 5
- Reynolds-averaged Navier-Stokes (RANS), 716
 - data center airflow modeling, 825
 - high-performance computing, 916
- Reynolds averaged simulation (RAS), 167–168
 - defined, 167
 - in turbulent HMT computational analysis, 168
- Reynolds number, 391, 744
- Reynolds transport theorem, 54
- Rhie-Chow interpolation, 331, 333–336, 359–362
- Richardson Extrapolation (RE), 423, 431, 436
- RKPM, *see* Reproducing kernel particle methods
- Robins condition, 56
- RTD, *see* Residence time distribution
- RTE, *see* Radiative transfer equation
- RTM process, *see* Resin transfer molding process
- Runge-Kutta method, 46–47
- SAGE, 897
- Sample, 295
- Sampling error (Monte Carlo method), 287–288
- Sampling methods (sensitivity analysis), 462–466
- SAR, *see* Specific absorption rate
- Scalar filtered mass density function (SF MDF), 172–173
- Scalar transport equation:
 - conservative form of, 14–15
 - general, 6–7
 - conservative form, 6–7
 - discretization of, 10–15
 - domain discretization, 7–9
 - nonconservative form, 7
 - for pressure-based algorithms, 329
 - solution of, 15–17
- Scaled sensitivity coefficient, 458–459
- Scattering phase function, 285, 300
- Scripting language interface, 938
- SEM, *see* Sensitivity equation method
- Semianalytical computational methods, 636–641
- Semidiscrete Galerkin approximation, 113
- Sensitivity, 419
- Sensitivity analysis, 443–460, 462, 466
 - adjoint method, 458–460
 - complex-step method, 450–451
 - continuum stochastic sensitivity method, 533–534
 - differentiation of analytical solutions, 444–448
 - finite-difference methods, 448–450
 - sampling methods for, 462–466
 - sensitivity coefficient computation, 444–460
 - complex-step method, 450–451
 - differentiation of analytical solutions, 444–448
 - finite-difference methods, 448–450
 - and importance of parameters, 460
 - scaled, 458–459

- Sensitivity analysis, (*continued*)
 - sensitivity equation method, 452–457
 - sensitivity equation method for
 - multidimensional problems, 458
 - software-differentiation method, 451
 - sensitivity equation method, 452–457
 - sensitivity equation method for multidimensional problems, 458
 - software-differentiation method, 451
- Sensitivity equation method (SEM), 452–457
 - adjoint methods vs., 458–460
 - for multidimensional problems, 458
- Sequential iterative variable adjustment procedure (SIVA), 217–219
- Sequential solution procedure, 17
- Serendipity elements, 105
- Servers (data centers), 822–823
- SFC, *see* Space-filling curves
- SFMD, *see* Scalar filtered mass density function
- SGI-Cray computers, 898
- SGS closure problem, *see* Subgrid scales closure problem
- SHAKE algorithm, 669
- Shape functions:
 - finite-element methods, 12, 97–98
 - isoparametric transformations of, 106–109
 - one-dimensional steady conduction, 93–94
- Sharp interface method (SIM), 572–586
 - computational procedure, 580–581
 - finite-volume formulation, 575–580
 - for impact of liquid drop on polycarbonate surface, 585–586
 - inclusion of immersed boundaries, 573–575
 - interface as discontinuity in, 561
 - for interfacial characteristics of static drops, 581–585
- Shear flow, homogeneous, 704, 721–724
- Shrinking boundary method, 273
- SIHCP, *see* Stochastic inverse heat-conduction problem
- SIM, *see* Sharp interface method
- SIMD (single instruction, multiple data), 901–904
- SIMPLE algorithm, 43–45, 333–337
 - collocated, 334–336
 - for double-decomposition turbulence models, 393–394
 - for incompressible flow, 85, 336–337, 356–358
 - for inviscid transonic dusty flow, 359
 - multifluid version of, 355
 - original, 333–334
 - performance assessment of, 351–353, 356–359
 - and pressure-based algorithms, 326
 - for pressure-velocity coupling, 392
 - for turbulent flow field within spatially periodic array, 392
 - variants of, 348–349, 353
- SIMPLEC algorithm, 349, 353, 356, 359, 834
- Simple explicit scheme (unsteady conduction), 74–76
- Simple implicit scheme (unsteady conduction), 74
- SIMPLEM algorithm, 356
- Simple Monte Carlo simulation, 276–278
- Simple point charge (SPC), 663–665
- Simple random variable, 295
- SIMPLEST algorithm, 356, 359
- SIMPLEX algorithm, 353, 356, 359
- Single-grid a posteriori error estimators, 431–435
- Single-walled carbon nanotubes (SWNTs):
 - applications for, 682
 - formation of, 681–682
 - geometry of, 682–683
 - heat conduction along, 684–687
 - hydrogen absorption with, 683
 - thermal boundary resistance of, 687–689
 - water in, 683–684
- SIP, *see* Strongly implicit procedure
- SIVA, *see* Sequential iterative variable adjustment procedure
- Skew upstream differencing scheme (SUDES), 200–201
- SLOR, *see* Successive line overrelaxation
- Smagorinsky based SGS viscosity closure, 170
- Smoothing of grids, 481–483
- Smooth particle hydrodynamics (SPH), 229, 924
- Software-differentiation method (sensitivity analysis), 451
- Solidification:
 - columnar, in static casting, 600–602, 606
 - metal alloy models of, 594–596
 - microscopic phenomena associated with, 747
- Solid-liquid-vapor interactions, 675–676
- Solution-adaptive grid generation, 435–437
- SOR, *see* Successive overrelaxation
- Space-filling curves (SFC), 488–489
- Sparse Cholesky matrix solver, 905
- Sparse coefficient matrix, 64–65
- Spatial differencing schemes (radiative heat transfer), 313
- Spatial-multiblock procedure (radiative heat transfer), 314–315
- Spatial oscillations (steady problems), 28–31
- SPC, *see* Simple point charge
- SPC/E, *see* Extended simple point charge
- Species transport, 6, 395–396
- Specific absorption rate (SAR), 871–872
- Spectral methods:
 - multidomain spectral element method for compressible flow, 709–713
 - for stochastic inverse problems, 529–542
 - adjoint problem, 534–535
 - developments in use of, 541–542
 - gradient calculations, 535

- numerical implementation, 536–538
- numerical results with, 538–541
- representation of random variables, 530–531
- stochastic inverse heat-conduction problem, 531–534
- for turbulent convection in porous medium, 395
- SPH, *see* Smooth particle hydrodynamics techniques
- Spherulitic morphology evolution (thermoplastic-matrix composites), 797–801
- SQUIDS (superconducting quantum interference devices), 906
- Stability analysis, 79–81, 641–644
- Stability constraint, 75, 82
- Stability of numerical solution procedures, 18
- Staggered storage of pressure and velocity, 39–41
- Stair-stepped meshes, 8
- Standard error, 295
- “Standard Man” data, 861–862
- Starches, chemical conversion of, 747–748
- Static casting, columnar solidification in, 600–602
- Static drop, interfacial characteristics of, 581–585
- Statistical significance, 429
- Steady conduction:
 - boundary-element method, 126–139
 - discrete equations for, 458–460
 - finite-difference method, 61–73
 - direct methods, 64
 - Gauss-Seidel procedure, 65–66
 - Gauss-Seidel procedure with overrelaxation, 66–68
 - iterative methods, 64
 - multigrid method, 68–73
 - obtaining algebraic representations, 61–64
 - solving system of algebraic equations, 64–73
 - finite-element method, 92–102
 - one-dimensional conduction, 92–97
 - two-dimensional conduction, 97–102
 - Monte Carlo method, 263–265
- Steady-state transient radiative transfer equation (RTE), 301, 303–305
- Steepest descent, method of, 38
- Stochastic inverse heat-conduction problem (SIHCP), 529
 - Bayesian approach to, 542–544
 - continuum stochastic sensitivity method, 533–534
 - problem definition, 531–533
 - spectral approach to, 529–542
 - adjoint problem, 534–535
 - developments in use of, 541–542
 - gradient calculations, 535
 - numerical implementation, 536–538
 - numerical results with, 538–541
 - representation of random variables, 530–531
 - stochastic inverse heat-conduction problem, 531–534
- Stochastic modeling:
 - Eulerian-Lagrangian methods, 716–724
 - inverse, 529
 - materials processing under uncertainty, 809–811
- Stochastic process, 254
- Stokes hypothesis, 710
- Storage of pressure and velocity, 38–42, 931
- Stratified Monte Carlo, 419
- Strongly implicit procedure (SIP):
 - in high-performance computing, 913
 - for structured meshes, 33
- Strouhal number, 744
- Structured grid generation, 475–476
- Structured meshes, 9
- Sturm-Liouville system, 510
- Subgrid scales (SGS) closure problem, 168, 170–171
- Submicron thermal transport, 936
- Subparametric discretizations, 130
- Subsonic inlet, pressure-based algorithms for, 344–347
- Subsonic outlet, pressure-based algorithms for, 347–348
- Successive line overrelaxation (SLOR), 66–67
- Successive overrelaxation (SOR), 66–67
- SUDS, *see* Skew upstream differencing scheme
- Superbee limiter, 29–31
- Supercomputers, 898–899. *See also*
 - High-performance computing
- Superconducting quantum interference devices (SQUIDS), 906
- Superconductivity, high-performance computing for, 899
- Superparametric discretizations, 130
- Supersonic flows, pressure-based algorithms for, 341, 342
 - inlet, 347
 - outlet, 348
- Surrogate estimators, 433
- SWNTs, *see* Single-walled carbon nanotubes
- Symbolic-numerical algorithms, *see* Mixed symbolic-numerical algorithms
- Systems biology, high-performance computing for, 900
- System-level thermal modeling (data centers), 827–829
- Tangent forms of equations, 932
- Taylor series expansions:
 - finite-difference methods, 10–11, 57, 58
 - upwind scheme, 26–27
- TDMA, *see* Tridiagonal matrix algorithm
- TE, *see* Truncation error
- Technology infrastructure facilities, *see* Data centers

- TECPLOT, 917
- TeraGrid, 910–911
- Ternary eutectic alloy diagram, 610
- Tersoff potential, 666–667
- Tetrahedral elements, 110, 111, 487, 488
- Thermal boundary resistance:
 - between carbon nanotube and surrounding materials, 687–689
 - in small systems, 672
- Thermal cycle in materials, 749–750
- Thermal lagging, 633–639
 - dual-phase-lag model, 633–636
 - general behavior of, 636–639
- Thermal materials processing, 730–733
- Thermal-solutal coupling, 607–609
- Thermal sprays, for near-net shape structured materials, 775
- Thermal therapy (TT), 870–871
- Thermal waves, 625–626
- Thermoplastic-matrix composites, 792–801
 - consolidation stage, 792
 - fabrication of, 792–793
 - heat transfer, 793–797
 - prepregging stage, 792
 - spherulitic crystal microstructure evolution, 797–801
- Thermoplastic polymers, 786
- Thermosetting-matrix composites, 786–792
 - liquid composite molding, 767–789
 - pultrusion, 789–792
- Thermosetting polymers, 786
- θ , discretized equations for:
 - CVFDM, 205–206
 - CVFEM, 106–107
- θ method, 113–115
- 3D:
 - discretization of surfaces in, 225
 - hexahedra and tetrahedra with, 488
- Three-dimensional elements, 110–112
- Tikhonov regularization, 527, 542
- Time-advancement strategy, 17
- Time-dependent problems:
 - AAE applied to, 434–435
 - heat diffusion, 112–115
 - transient heat conduction in solids, 144–155
- Time-marching problems, 86
 - high-performance computing, 912
 - RBFs in, 233–234
 - transient flow in solids, 146, 149–150
- Time-splitting method, 739
- Time-stepping scheme, 566
- TIP4P, 664–665
- Tissue engineering, 873
- Transient conduction:
 - boundary-element method for, 139–155
 - Monte Carlo methods for:
 - with fixed step size, 268–269
 - with variable step size, 269–271
 - in solids, 139–155
 - dual-reciprocity method, 142–143
 - Laplace transforms, 140–142
 - time-dependent fundamental solution, 144–155
- Transient radiative transfer equation (TRTE), 299–301
 - convection-diffusion equation vs., 300–301
 - linearized, 308–309
 - steady-state form of, 301
- Transition flow, 390
- Transonic flows, 341, 342
- Transport equations:
 - development approaches for, 410–412
 - filtered density function, 172
 - time averaging, for porous medium model, 392–393
 - for truncation error, 432
- Triangular elements, 102–104, 487, 488
- Triangular heat flux profile, 538–540, 548–551
- Triangulation, Delaunay, 476–480, 483, 489
- Tridiagonal matrix algorithm (TDMA), 32
 - line, 32
 - overrelaxation with, 67
- Trilinear hexahedron, 110–112
- TRTE, *see* Transient radiative transfer equation
- Truncation error (TE), 17
 - finite-difference methods, 58–59
 - transport equation for, 432
- TT, *see* Thermal therapy
- Turbulence modeling, 369–386. *See also* Turbulent
 - transport through porous media and grid convergence, 427
 - heat transfer through porous media, 407–409
 - high-performance computing, 916
 - low-Reynolds-number, 370
 - nomenclature related to, 385–386
 - UMIST-A scheme, 375–381
 - capabilities of, 378
 - flows with intense wall heating, 376
 - kinetic energy dissipation rate next to wall, 377
 - upflow in vertical pipe, 378–381
 - UMIST-N scheme, 381–385
 - LRN and cubic nonlinear EVM vs., 382–395
 - mildly heated disk spinning about its own axis, 382–385
 - skewing of velocity profile across sublayer, 381–382
 - viscosity-affected sublayer, 370–375
 - wall-function approaches, 375
- Turbulent flows:
 - Eulerian-Lagrangian simulations for, 697–726

- large eddy simulation for, 167–180
- Reynolds-averaged governing equations for, 5
- Turbulent Prandtl number, 373
- Turbulent transport through porous media, 389–414
 - macroscopic pressure gradient determination, 406–407
 - models for, 400–405
 - based on double-decomposition, 399
 - based on morphology, 398
 - based on time averaging, 396
 - based on volume averaging, 394, 397, 398
 - comprehensive synthesis of, 396–406
 - double-decomposition methodology, 393–394
 - heat transfer, 407–409
 - morphology-oriented, based on
 - volume-averaged theory, 394, 398
 - volume-averaging Reynolds-averaged governing equations, 391–392
 - nomenclature related to, 412–414
 - species transport, turbulent equation for, 395–396
 - through dense plant canopies, 394–395
 - time averaging the transport equations for porous medium model, 392–393
 - transport equations development approaches, 410–412
- Twin-screw extrusion, 753–756
- Two-dimensional steady-state conduction, 97–102
- Two-level rule, 484
- Two-phase (two-fluid) flows:
 - carrier phase, 699–700
 - dispersed phase, 700–702
 - Eulerian-Lagrangian simulations for, 697–726
 - large eddy simulation, 177–178
 - two-way coupling, 702
- Two-step heating:
 - hyperbolic, 629–630
 - parabolic, 628–629
- UMIST-A scheme, 375–381
 - capabilities of, 378
 - flows with intense wall heating, 376
 - kinetic energy dissipation rate next to wall, 377
 - upflow in vertical pipe, 378–381
- UMIST-N scheme, 381–385
 - LRN and cubic nonlinear EVM vs., 382–395
 - mildly heated disk spinning about its own axis, 382–385
 - skewing of velocity profile across sublayer, 381–382
- UMIST scheme, 201
- Unbiased Monte Carlo simulation, 276–278, 295
- Uncertainty, 444, 460–466
 - conservatism of estimators, 429
 - GCI estimation of, 430–431
 - importance factors, 461, 464
 - in inverse problems, 528
 - materials processing computation under, 808–813
 - optimization, 809–813
 - stochastic model for, 809–811
 - numerical vs. parameter, 419
 - parameter, 436, 444
 - sampling methods for, 462–466
 - use of term, 418
- Unequal-order interpolation schemes, 41
- Uniform distribution, 295
- UNIVAC, 897
- UNIX, 898
- Unsteady conduction, 73–79
 - adiabatic boundary conditions, 78
 - convective boundary condition, 79
 - fixed-value boundary conditions, 77–78
 - implicit schemes, 77–79
 - simple explicit scheme, 74–76
 - specified boundary flux condition, 78–79
 - in two and three dimensions, 81–84
 - unsteady conduction (diffusion) equation, 73–74
- Unsteady conduction (diffusion) equation, 73–74
- Unstructured meshes (grids), 9
 - discretization of convection-diffusion equation, 18–22
 - generation of, 476–480
 - gradient calculation, 22–25
 - Grid-Convergence Index for, 429–430
 - pressure-velocity staggering for, 41
 - radiative heat transfer, 315–316
- Upwind differencing, 116
- Upwind scheme, 20
 - flow-oriented, 202–204
 - higher-order schemes, 26–28
 - mass-weighted, 204–205
 - in pressure-based algorithms, 340–341
 - second-order, 27
 - third-order, 27
- Valence, vertex, 476, 482
- Validation, 419–420, 438. *See also* Verification and Validation
- Variance, in Monte Carlo simulations, 286
- Variance of distribution, second central moment, 295
- VAT, *see* Volume-averaged theory
- VAX computers, 897
- Velocity:
 - in original SIMPLE algorithm, 333
 - storage of, 38–42, 931
- Velocity-scalar filtered density function (VSFDF), 173–175

- Velocity-scalar filtered mass density function (VSFMDF), 171–175
- Verification and Validation (V&V), 418–439
 - calculating observed rate of convergence, 424–425
 - Calculation Verification, 422–423
 - Code Verification, 420–422
 - degraded convergence rate, 426
 - $F_5:U_{05}$ empirical correlation, 428, 431, 437–438
 - Grid-Convergence Index, 423–424, 429–431, 434–435
 - confirmations of, 426–428
 - error estimation vs., 430–431
 - for unstructured grids and noisy convergence rate, 429–430
 - grid-convergence studies, 423
 - Method of Manufactured Solutions, 420–422
 - noisy convergence rate, 425–426
 - oscillatory convergence, 425
 - resources, 939–940
 - Richardson extrapolation, 431
 - sequence of, 418–420
 - single-grid error estimators, 431–435
 - statistical significance, 429
 - terminology of, 418–419
 - Validation, 438
 - Zhu-Zienkiewicz estimators, 433–437
- Vertex-based schemes, 9
- Vertex-centered FVMs, 193
- Vertex valence (degree), 476, 482
- Vertices (mesh), 7
- Viscosity, artificial, 28
- Viscosity-affected sublayer (VSL), 370–375
- Viscous dissipation:
 - in manufacturing processes, 735
 - in optical fiber drawing, 759
 - in polymer extrusion, 750
- Viscous flow, manufacturing process modeling of, 743–744
- Visualization, in high-performance computing, 916–917
- Volume-averaged theory (VAT), 304, 398
- Von Karman constant, 372
- Von Neumann necessary condition, 81
- Von Neumann stability analysis, 79–81, 641–644
- Voronoi diagram, 478
- VSFDF, *see* Velocity-scalar filtered density function
- VSFMDF, *see* Velocity-scalar filtered mass density function
- VSL, *see* Viscosity-affected sublayer (VSL)
- V&V, *see* Verification and Validation
- Wall boundary condition, 344
- Wall functions:
 - turbulence modeling, 370–375
 - UMIST-A scheme, 375–381
 - UMIST-N scheme, 381–385
- Wave equation, 55
- Weight function, 12
- Weinbaum-Jiji (WJ) bioheat equation, 860–861
- Well-posed problems, 526–527
- WJ equation, *see* Weinbaum-Jiji bioheat equation
- Work units, 71
- Young-Laplace equation, 673
- Zero-equation eddy viscosity model, 392
- Zero normal derivative boundary conditions, 78
- Zhu-Zienkiewicz (ZZ) estimators, 433–437