

Index

- 2*2 contingency tables 38–9
- ABC *see* antecedent-behaviour-consequence analysis
- Abel Assessment 96–7
- achievements, primary goods
concepts 190–1
- acquaintance rapes 7–8
see also rapists
- active offenders 32–3
- actuarial risk assessments
see also risk assessments; static risk factors
- accuracy statistics 170–5
- base rates 44–9, 79–80, 114–15, 126, 172–82
- clinical judgements 34–5, 37–52, 69–70, 80–7, 91–104, 129–31, 142–4, 178–82
- concepts 34–5, 37–52, 55–68, 69–87, 109–10, 129–31, 169–83
- critique 52, 69–70, 78–80, 84–7, 109–10, 129–31, 169–83
- factor structure of scales 84–7, 171–2, 176–82
- improved risk assessment
estimates 170–1, 175–83
- scales 49–52, 57, 63–4, 66, 70–87, 129–31, 169–83
- ACUTE... 102–3, 108–9, 131
- acute risk factors
see also dynamic...
assessment issues 108–9, 177–83
- concepts 55–7, 83–4, 91, 102–3, 107–10, 129–44, 177–83, 185–6
- identification 107–8
- adolescence, hormones 133–4
- adversarial sexual attitudes 97–110
- adverse circumstances, resilience
concepts 185–99
- aetiologies
risk 12–13, 15–18, 129–44
- risk-aetiological model 129–44
- sexual offenders 12–13, 15–18, 129–44
- affective factors
aetiological model of risk 142–4
- dynamic risk factors 84, 93–110, 115–26, 130–44
- age factors
age bands 62–7
- child molesters 10–11, 44, 56–7, 61–8, 74–87
- concepts 10–11, 44, 56–7, 61–8, 106
- general criminality 86
- passage of time since last offence 67–8
- rapists 56–7, 62–8
- reconviction rates 44, 56–7, 61–8, 74–87, 106
- statistics 56–7, 61–8, 74–87, 151–2
- aggression 6, 38–43, 49–52, 57, 61–2, 69–87, 133–4, 150, 160–3, 171–83, 194–5
- pornography correlations 6
- sex links 133–4
- Aggression and Violent Behaviour* (Beech & Ward) 136

- AIM model *see* Assessment, Interventions and Moving on model
- alcohol 8, 18, 107–9
see also substance misuse
- Allam, Middleton and Browne six core themes of treatment 18, 20
- amygdala 134
- anger rapists 7–8, 9–10, 93, 99–110, 130–1, 133
see also rapists
- antecedent-behaviour-consequence analysis (ABC)
concepts 23, 28–33
definition 28
- anti-social behaviours 25, 34, 56–68, 70, 78, 84–6, 94–110, 134–44, 148–9, 181–2
see also conduct disorder
- anti-social personality disorder 84–6, 94–110, 181–2
see also conduct disorder; psychopathy
- anxiety 99–110, 112–14
- apology letters 122
- applied behavioural analysis,
concepts 26–7
- approach goal sexual offenders 32–3, 196–7
- approach strategies of child molesters 14
- area under the curve (AUC), concepts 45–9, 70–87, 104–7, 174–7, 194–5
- ARMIDILO *see* Assessment of Risk Manageability for Individuals with Developmental and Intellectual Limitations Who Offend
- arrest powers, the police 158
- assertiveness training, treatment theme 20
- Assessment, Interventions and Moving on model (AIM model)
AIM2 model 194–5
concepts 186, 194–5
- Assessment of Risk Manageability for Individuals with Developmental and Intellectual Limitations Who Offend (ARMIDILO), concepts 82–4
- assessments 18–21, 23–35, 37–52, 55–7, 197–9
see also diagnosis; risk...
behavioural frameworks 23–35
functional analysis 27, 28–30, 31–3, 180–2, 197–9
locus of control 197–9
psychopathy 117–20
treatment-suitability assessments 120
- ASSET 165
- assets, strengths-based approaches 186–99
- ATSA journal 136
- attachment problems, developmental factors 132–44
- AUC *see* area under the curve
- aversion treatments 112
- avoidant goal sexual offenders 32–3, 196–7
- Barratt Impulsivity Scale (BIS-II) 101
- base rates 38–43, 44–9, 79–80, 114–15, 126, 172–82
- behavioural analysis
concepts 23–35
functional analysis 27, 28–30, 31–3, 133–6, 180–2, 197–9
- behavioural frameworks, concepts 23, 27–35
- behavioural modifications, concepts 27, 112–14
- behavioural therapy, concepts 111–14, 125–6
- behavioural triggering factors, aetiological model of risk 142–4, 185–6
- behaviours in ABC model, concepts 28, 30
- beliefs 20–1, 28, 30, 80–7, 97–110, 112–26, 130–44
- best practices, risk assessments 34, 70
- binomial distributions 49–50
- biological parents, child molesters 11–12, 13–15, 18, 20, 192–3
- BIS-II *see* Barratt Impulsivity Scale
- BR *see* base rates

- brain functioning 28–9, 133–4
 British Crime Survey 7
 burden of proof, police evidence 155
 Burt Rape Scales 98
- California Actuarial Risk Assessment
 Tables for Rapists and Child Molesters
 (CARAT) 87
 California Psychological Profile 58
 calming cognitions, treatments 121–2
 CARAT *see* California Actuarial Risk
 Assessment Tables for Rapists and
 Child Molesters
 CASPARS *see* Clinical Assessment
 Package for Risks and Strengths
 Catholic priests, child molesters 12
 causal factors
 ABC analysis 30–1
 ontogenesis of behaviour is rule-based
 assumption 24–5
 CBT *see* cognitive-behavioural therapy
 CEOP *see* Child Exploitation and Online
 Protection
 change-corrected predictive accuracy
 concepts 39–42
 changeable risk factors *see* dynamic risk
 factors
 changing-behaviours assumption,
 behavioural analysis assumption
 24, 27
 chemical castration 125–6
 child abuse supportive beliefs, dynamic risk
 factors 84, 98–110, 115–26, 130–44
 Child Exploitation and Online Protection
 (CEOP) 156–7, 166
 child molesters 4–6, 10–21, 38–52,
 56–68, 69–87, 92–110, 118–19, 125–6,
 134–44, 149–54, 160–2, 171–83
see also paedophiles
 age factors 10–11, 44, 56–7, 61–8,
 74–87
 approach strategies of perpetrators 14
 biological parents 11–12, 13–15, 18,
 20, 192–3
 categories 10–13, 32
 characteristics 10–13, 44, 96–110
 cycle of offending 15, 32, 193
 definitions 10–11
 extrafamilial child sex offenders 11–12,
 38–9, 56–68, 74–87, 102–4, 118–19,
 149–50, 171–83
 fantasies 5–6, 15, 107–9, 121–2, 134,
 137–44
 first abusive actions 14, 56–68
 gender of the victim 11–12
 grooming 13–15, 84, 149–50, 162
 Internet offenders 4–5, 152–4, 158,
 162–3
 intrafamilial child sex (incest)
 offenders 11–12, 13–15, 18, 20,
 38–9, 43–4, 58–68, 73–87, 102–4,
 118–19, 149–50, 152–4, 171–83
 location of abuse 14
 pornography 4–6, 62–3, 152–4, 158
 preparation for the abuse 15
 psychopathy 34, 57–68, 70, 87, 95
 rapists 10
 recidivism 45, 55–68
 recruitment-of-victim methods 13–14
 relapse prevention 13, 18, 84, 107–9,
 112–26
 reluctant victims 14–15
 selection-of-victim criteria 13
 statistics 10–15, 20–1, 38–52, 71–87,
 92–110, 125–6, 150–2, 160–2,
 171–83
 STEP 101–4, 160–2
 strangers to the child victim 11–12, 15
 surveys 13–14
 theories 12–13, 15–18
 treatments 125–6, 161–2
 types 10–13, 32–3, 96
 Child Protection Teams/Units
 (CPUs) 155–8
 Child and Sex: Emotional Congruence
 Scale 100
 child sexual abuse (CSA) 151–7
 Childhood and Adolescent Psychopathy
 Taxon scale 78
see also Juvenile. . .

- children 4–6, 10–15, 78, 152–4, 158, 162–3, 185–99
see also paedophiles
 exhibitionists 4
 Internet offenders 4–5, 152–4, 158, 162–3
 resilience concepts 185–99
 young people who sexually offend 78, 191–9
- Children Act 1989 154
 Children Act 1999 166
 Children Act 2004 150, 154, 166
 Children's Trusts 150
 CID *see* Criminal Investigation Departments
- Circles of Support and Accountability (CSA) 199
- CIs *see* confidence intervals
- classical conditioning, concepts 26–7, 112–14
- Climbie, Victoria 150
- Clinical Assessment Package for Risks and Strengths (CASPARS) 186, 193–4
- clinical factors
 dynamic risk factors 84, 93–110, 130–1, 142–4, 179–82
 static risk factors 34, 55–68, 70
- clinical judgements
 actuarial risk assessments 34–5, 37–52, 69–70, 80–7, 91–110, 129–31, 142–4, 178–82
 ARMIDILO 82–3
 concepts 34–5, 37–52, 69–70, 80–7, 91–4, 100, 129–31, 142–4, 171–2, 178–82, 193–4
 critique 37, 69–70, 79–80, 86–7, 129–31, 144
 MnSOST-R 63, 72, 76–8, 84–6, 91–2, 130, 141–2, 170–1
 resilience concepts 193–4
 RSVP 81–2, 181–2
 SACJ... 71–4, 75, 84–6, 171–2, 180–1
 scales 80–7
 SIR 81
 SVR-20 72, 80–6, 91–2, 130, 141–2, 181–2
- clinical risk factors, concepts 34, 55–68, 70
- cognitive distortions 20–1, 28, 30, 80–7, 97–110, 112–26, 130–44, 160–2, 177–83, 197–9
- cognitive therapy, concepts 112–14, 121–6
- cognitive triggering factors, aetiological model of risk 142–4, 185–6
- cognitive-behavioural modifications, concepts 27, 111–14, 121–6, 148–9, 161–2, 191
- cognitive-behavioural therapy (CBT)
 concepts 111–14, 124–6, 148–9, 161–2, 191
 effectiveness measures 124–6, 161–2, 191
 groups 112–14, 124–5
 synopsis 112–13
- Cohen's *d* 70
- collaborative approaches, risk assessments 195–9
- 'commitment class' sexual offenders, concepts 47–8
- community issues
 notifications 156–7, 165–7
 primary goods concepts 190–1, 199
 resilience concepts 193–4, 199
 treatments 122–3, 148–9, 160–2
- concerns factors, AIM2 model 194–5
- conditioning principles
see also learning...
 concepts 26–7, 30–1, 112–14
- conduct disorder 56–68, 78, 84–6, 94–110
see also anti-social personality disorder
- confidence intervals (CIs) 49–50
- consequences in ABC model, concepts 28, 30–1, 33, 196–7
- contact sexual offenders 3–21, 56–7, 151–2, 172–5
see also rapists; sexual offenders
- contacts, paedophile networks 4–5, 15

- contextual antecedent risk factors,
 concepts 34, 70, 79–80, 137–44, 183
- contingency tables, risk assessments
 38–9, 41–2
- control models, risk appraisals 79–80
- convictions 4, 5, 30–1, 148, 150–67, 172
see also reconviction rates; sentences
- coping strategies 32, 84, 123
- Core SOTP, concepts 120–2
- CPS *see* Crown Prosecution Service
- CPUs *see* Child Protection Teams/Units
- creativity, primary goods concepts 190–1
- Crime and Disorder Act 1998 148
- Crime and Punishment Act 1997 148
- Crime Sentences Act 1998 148
- Criminal Investigation Departments
 (CID) 155–7
- Criminal Justice Act 1991 148
- Criminal Justice and Court Services Act
 2000 147–8, 162–3
- Criminal Justice and Police Act 2001 149,
 158–9
- Criminal Justice and Public Order Act
 1994 165
- Criminal Justice (Scotland) Act 2003 150
- criminal records 148–9, 151, 156–7
- Criminal Records Bureau 149
- Crown Prosecution Service (CPS) 154–5
- CSA *see* child sexual abuse; Circles of
 Support and Accountability
- Cullen, Lord 149
- Curfew orders 148
- custodial time factors, static risk
 factors 56–68
- cycle of offending, child molesters 15, 32,
 193
- dangerousness
 concepts 34, 38–52, 70
 definition 34
- date rapes 7–8
see also rapists
- death threats 57
- decision chain model, functional
 analysis 32–3
- delinquency 25, 56–68, 78, 84–6, 94–110,
 133–8
- denials, sexual offenders 31–2, 95, 112,
 120–1, 131–2, 197–9
- depression 99–110, 112–14
- desistence factors 187–8, 199
see also resilience
- detached predatory behaviour 85–6
- developmental factors
 concepts 15, 17, 25, 55–68, 70, 82–7,
 132–44, 178–83, 193–5
 ontogenesis of behaviour is rule-based
 assumption 25
 psychological risk factors 138–44,
 178–83, 193–5
 rejection 132–44
 static risk factors 55–68, 70, 82–7
- deviant sexual scripts, pathways
 model 17–18, 133–6
- diagnosis 55–7, 117–18
see also assessments
- disclosures, policy issues 156–7, 165–7
- discoverer Internet offenders 5
see also Internet offenders
- discretionary life sentences 148
- discriminant function analysis 70–1
- dispositional risk factors, concepts
 34, 70
- disqualification orders 149
- distal antecedent events, ABC
 concepts 28, 29
- distal consequences, ABC concepts 28,
 30–1
- distorted attitudes domain, dynamic risk
 factors 84, 93–5, 97–110, 115–26,
 130–44, 160–2, 185–6, 197–9
- distorted intimacy balance aspects,
 socio-affective functioning domain
 99–110, 115–26, 130–44, 160–2,
 185–6
- diversification mechanism, delinquent
 activities 25
- DNA samples 148, 159
- Domestic Violence, Crime and Victims Act
 2004 150

- downgraded sexual offences, reconviction rates 43–4, 73
- drop-out rates, treatments 21, 70, 73–87, 107–9, 132, 160
- DSM-IV 56
- dual dimension, sexual offenders 76, 84–7
- Dunblane Inquiry Report 149
- dynamic psychological processes, behavioural analysis assumption 23–4, 25, 30
- dynamic risk factors 35, 55–68, 73–4, 83–4, 87, 91–126, 129–44, 169–70, 175–83, 185–6, 192–3, 195–6
see also acute...; stable...
ACUTE... 102–3, 108–9, 131
- clinical factors 84, 93–110, 130–1, 142–4, 179–82
- concepts 35, 55–68, 73–4, 83–4, 87, 91–110, 113–14, 115–26, 129–44, 169–70, 175–83, 192–3, 195–6
- critique 91–4, 129–31, 169–70, 175–83
- distorted attitudes domain 84, 93–5, 97–110, 115–26, 130–44, 160–2, 185–6, 197–9
- examples 55–6, 83–4, 87, 91–5, 129–31
- MSI 97–8, 106, 116
- PDI 106–7, 178
- pro-sexual assault attitudes 84, 93–110, 115–26, 175–83, 185–6
- recidivism 35, 55–68, 73–4, 83–4, 87, 91–126, 129–44
- SARN 95–104, 120, 177–8
- self-management issues 84, 91–4, 100–10, 113–14, 115–26, 130–44, 193, 196–9
- sexual interests domain 84, 93–110, 115–26, 130–44, 185–6
- socio-affective problems 84, 91–110, 115–26, 130–44, 160–2, 185–6
- STABLE 83, 102–9
- static risk factors 91–2, 109–10, 169–70, 175–83, 185–6
- statistics 104–10
- STEP 101–4, 160–2
- treatments 115–26, 130–1
- early intervention needs 18
- effectiveness statistics, treatments 20–1, 123–6, 161–2, 170, 191, 198–9
- emotions 17–18, 20, 84, 91–110, 115–26, 130–44, 160–2, 177–83, 185–6, 189
see also empathy
- pathways model 17–18, 133–6
- socio-affective functioning domain 84, 91–110, 115–26, 130–44, 160–2, 185–6
- empathy 20, 93–110, 112–26, 131–2, 189
see also emotions
- dynamic risk factors 93–110, 115–26, 131–2
- treatment theme 20, 112–26, 131–2
- TV-SOGP 123
- emphatic concerns for children, Internet offenders 5
- employment factors 86, 95, 107–9, 176–7
- English and Welsh Prison Service 96, 101–4
- environmental factors 23–5, 56–68, 132–44, 185–6, 192–3
- Estimate of Risk of Adolescent Sexual Offender Recidivism (ERASOR) 192–3
- ethics 123–4, 186–7, 190
- evidence-based practice 21, 123–6
- excellence in agency, primary goods concepts 190–1
- exclusion orders 148
- exhibitionists 3–4, 18, 125–6
see also non-contact sexual offenders
- definition 4
- statistics 4
- treatments 4, 125–6
- experiences
- life experiences 28–33
- positive psychology 188–99
- Extended SOTP Programme, treatments 121–2
- extrafamilial child sex offenders 11–12, 38–9, 56–68, 74–87, 102–4, 118–19, 149–50, 171–83
see also child molesters

- factor structure of scales, actuarial risk assessments 84–7, 171–2, 176–82
- false negatives (FNs) 38–43, 45–9
- false positives (FPs) 38–43, 45–9
- Family Law Act 1996 150
- Family Protection Units 157–8
- fantasies 5–6, 15, 20, 107–9, 121–2, 134, 137–44, 152–4, 158
- FBI 8–9
- female sexual offenders, statistics 3–4
- FINDS, behaviours in ABC model 28, 30
- Finkelhor's precondition model of sexual offending 15–16, 32, 133–6, 140
- first abusive actions, child molesters 14, 56–68
- Fisher z transformation 93–4
- forensic factors, static risk factors 55–68, 79–80
- foster care 176–7
- friendships
 primary goods concepts 190–1
 resilience concepts 193–4
- 'fully functioning person' approach 187
see also positive psychology
- functional analysis
 concepts 27, 28–30, 31–3, 133–6, 180–2, 197–9
 critique 33
 decision chain model 32–3
 definition 28, 30, 31
 diagrammatic overview 29
 goals of offenders 32–3, 196–7
- functional responses, behaviours in ABC model 30
- future plans, SVR-20 scale 80–1
- gang rapes 8
see also rapists
- gender of the victim, child molesters 11–12
- general criminality/antisocial-violence drives, recidivism 84–6, 106, 129–31, 137–44, 185–6
- genetic factors, ontogenesis of behaviour is rule-based assumption 23–5
- GLM *see* Good Lives Model
- goals
 sexual offenders 32–3, 196–7
 treatments 113–14
- Good Lives Model (GLM) 113–14, 132, 186, 189–92, 196–9
- 'Got It' scale 116
- gratification proximal consequences, ABC concepts 28, 30–1, 196–7
- grievance thinking aspects, socio-affective functioning domain 99–110, 115–26, 130–44
- grooming, child molesters 13–15, 84, 149–50, 162
- Groth's categories of rapists 7, 9–10
- group data
 'individual risk' 51–2
 risk assessments 49–52
- groups
 CBT 112–14, 124–5
 treatments 111–14, 198–9
- Hall and Hirschman's quadripartite model of sexual offenders 15, 16, 133–6, 140
- happiness 188–91, 196–7
see also positive psychology
- Hare's Psychopathy Checklist-Revised
see Psychopathy Checklist-Revised
- HCR-20 69, 81
- health problems, aetiological model of risk 143–4
- 'healthy mindedness' 186–7
see also positive psychology
- hebephiles, definition 10
- historical risk factors, concepts 34, 55–68, 70–87, 91–2, 97, 109–10, 129–31, 132, 136–44, 170–83, 185
- Home Office
 Offenders Index (OI) 44, 172
 risk assessment guidelines 163–5
 sexual offences statistics 150–1
- homelessness 107–9, 142–3, 148
- homicides 3–4, 71–3, 80–1
- homosexuals, rapists 7

- hormones 133–4
- hostility, dynamic risk factors 84, 93–110, 131–44
- humanistic approaches 187–99
see also positive psychology
- hypothalamus 134
- IDA *see* Initial Deviancy Assessment
- idiographic risk assessments
see also clinical judgements
 definition 178–9
- imitation learning, SLT concepts 26–7
- Implicit Association Task 98
- improved risk assessment estimates 169–83
- impulsivity, dynamic risk factors 84, 93–110, 115–26, 130–44, 194–5
- inadequacy aspects, socio-affective functioning domain 99–110, 115–26, 130–44
- incremental validity issues, risk assessments 169–70, 182–3
- indirect sexual offenders, Internet offenders 5
- ‘individual risk’, group data 51–2
- inhibitors, sexual offenders 15–18
- Initial Deviancy Assessment (IDA) 181–2
- inner peace, primary goods concepts 190–1
- insight-oriented treatments, concepts 111–14
- integrated theory of sexual offenders 15, 17, 133–44
- Internet offenders 3–6, 18, 152–4, 158, 162–3, 172–3
see also non-contact sexual offenders; pornography
- emphatic concerns for children 5
- indirect sexual offenders 5
- offence categories 153–4, 162–3
- paedophiles 4–5, 152–4, 158
- policy issues 152–4, 158, 162–3
- self esteem 5
- sentences 5, 152–4
- statistics 4–6, 152–4
- types 5
- interventions 4, 18–21, 193, 196–7
see also treatments
- early intervention needs 18
- exhibitionists 4
- multi-disciplinary approaches 21
- self-efficacy 196–7
- interviews
 the police 156
- strengths-based approaches 195–6
- intimate relations
 pathways model 17–18, 133–6
- socio-affective functioning domain 99–110, 115–26, 130–44
- intrafamilial child sex (incest)
 offenders 11–12, 13–15, 18, 20, 38–9, 43–4, 58–68, 73–87, 102–4, 118–19, 149–50, 171–83
see also child molesters
- IQ levels 56–68
- J-SOAP *see* Juvenile Sex Offender Assessment Protocol
- James, William 186–7
- Joint Prison and Probation Services Accreditation Panel for England and Wales 122–3
- joint public protection unit (JPPU) 163
- JPPU *see* joint public protection unit
- JSORRAT-II *see* Juvenile Sexual Offence Recidivism Risk Assessment Tool-II
- Juvenile Sex Offender Assessment Protocol (J-SOAP), concepts 78, 192–3
- Juvenile Sexual Offence Recidivism Risk Assessment Tool-II (JSORRAT-II) 192–3
- Kanka, Megan 165–6
- knowledge, primary goods concepts 190–1
- learning
 CBT 112–14
- difficulties/disabilities 78–9, 82–4, 120, 171–2
- vicarious learning 26–7, 188–9

- learning principles
see also conditioning...
 behavioural analysis assumption 23–4,
 25–7
 concepts 25–7
 treatments 25–6
- legislation 6–7, 147–67
see also individual Acts; policy issues
- lesbians 7
- Level of Service Inventory-Revised 81
- life, primary goods concepts 190–1
- life experiences 28–33, 190–1
- life skills, TV-SOGP 123
- life-course patterns, ontogenesis of
 behaviour is rule-based
 assumption 24–5
- lifestyle impulsiveness/impulsive unstable
 lifestyle category, self-management
 domain 100–10, 113–14, 115–26,
 130–44, 193
- Local Safeguarding Children Boards 150
- location of abuse, child molesters 14
- locus of control
 assessments 197–9
 concepts 188, 191, 193–4, 195,
 197–9
 definition 188
 internal/external aspects 188, 197
- LSI-R 177–8
- maintenance of offending behaviours,
 ontogenesis of behaviour is rule-based
 assumption 25
- Malamuth's confluence model of sexual
 aggression 15, 16
- males, sexual offenders 3–4
- MAPPAs *see* Multi Agency Public
 Protection Arrangements
- MAPPs *see* Multi Agency Public
 Protection Panels
- MARA model *see* multiaxial risk appraisal
 model
- margins of error, concepts 49–50
- marital rapes 7–8, 149
see also rapists
- marital status 56, 61–2, 73, 76–87, 137–8,
 141, 177–8
- Marshall and Barbaree's integrated theory
 of sexual offenders 15, 17, 133–44
- Masculinity-Femininity scale, MMPI
 94–5
- MASORR 72
- mastery experiences, self-efficacy
 development source 188–9
- masturbation 134
- meaning, behaviours in ABC model
 28, 30
- measures
see also individual scales
 risk assessments 49–52, 57, 63–4, 66,
 70–87, 92–110, 129–31, 169–83
- Megan's Law 165–6
- Mennonite Church Canada 199
- mental health needs, sexual offenders 18
- meta-analyses, treatment effectiveness
 measures 123–6, 169–70, 191
- methodological considerations,
 predictions 37–52, 69–87, 91–110
- Minnesota Multiphasic Personality
 Inventory (MMPI) 94–5
- Minnesota Sex Offender Screening Tool-
 Revised (MnSOST-R) 63, 72, 76–8,
 84–6, 91–2, 130, 141–2, 170–1
- MMPI *see* Minnesota Multiphasic
 Personality Inventory
- MnSOST-R *see* Minnesota Sex Offender
 Screening Tool-Revised
- MOLEST scale 98
- morals 123–4, 186–7, 190
- motivational interviewing, concepts
 118–19
- motivations
 building processes 197–9
 exhibitionists 4
 strengths-based approaches 191, 197–9
 treatments 95, 116, 118–26, 191, 195–9
- MSI *see* Multiphasic Sex Inventory
- Multi Agency Public Protection
 Arrangements (MAPPAs) 148,
 162–3, 166–7

- Multi Agency Public Protection Panels (MAPPPs) 163–4, 166–7
- multi-disciplinary approaches, interventions 21
- multi-factorial nature of behaviour *see also* functional analysis concepts 23–4, 27, 133–6
- multiaxial risk appraisal model (MARA model), concepts 178–82, 195–6
- Multiphasic Sex Inventory (MSI) 97–8, 106, 116
- multisystemic theory 125–6
- myths, rapists 8
- narcissistic types, exhibitionists 4
- National Criminal Intelligence Service (NCIS) 156–8
- National Offender Management System (NOMS) 97–8, 101–4, 165
- National Society for the Protection of Cruelty to Children (NSPCC) 155
- NCIS *see* National Criminal Intelligence Service
- need principle, treatments 114, 185, 191
- negative predictive accuracy (NPA), concepts 40–3, 175
- neo-behaviourism, concepts 26–7
- nomothetic risk assessments *see also* actuarial... concepts 178–82
- NOMS *see* National Offender Management System
- non-contact sexual offenders 3–21, 56–7, 67–8, 78, 152, 172–5 *see also* exhibitionists; Internet offenders; sexual offenders
- Northumbria Pathfinder Programme 122–3
- NPA *see* negative predictive accuracy
- Obscene Publications Act 1956 152
- Offender Assessment System (OAS) 165
- OI *see* Home Office Offenders Index
- ontogenesis of behaviour is rule-based, behavioural analysis assumption 23–5
- operant conditioning, concepts 26–7
- Operation Ore 153
- optimism 187–8 *see also* positive psychology
- organism variables, ABC analysis 28–33
- PACE *see* Police and Criminal Evidence Act 1984
- Paedophile Intelligence Officers 156–8
- paedophile-aggressive type of child molestor 12–13
- paedophile-fixated type of child molestor 12–13
- paedophile-regressed type of child molestor 12–13
- paedophiles 3–6, 10–21, 38–9, 43–4, 56–68, 69–87, 92–110, 118–19, 125–6, 152–4 *see also* child molesters; children; sexual offenders
- age factors 10–11, 44, 56–7, 61–8, 74–87
- characteristics 10–13, 44, 96–110
- contact networks 4–5, 15
- definition 10
- Internet offenders 4–5, 152–4, 158, 162–3
- ‘scrap books’ 6
- statistics 10–15, 20–1, 38–52, 71–87, 92–110
- types 10–12
- paedophilic deviance/sexual repetitiveness drives, recidivism 84–6
- paraphilias 56–68, 93–110
- parents 11–12, 13–15, 18, 20, 25, 133–9, 192–4
- participant modelling, concepts 26–7
- passage of time since last offence, age factors 67–8
- passive offenders 32–3
- pathways model 17–18, 133–6
- Pavlovian conditioning 26–7
- Payne, Sarah 162, 165–6
- PCL-R *see* Psychopathy Checklist-Revised
- PDI *see* Psychological Deviance Index

- Penile Plethysmograph (PPG) 93, 96–7
- personality disorders 15, 16, 18, 56–68, 84–7, 93–110, 134–44
- concepts 15, 16, 56–62, 84–7, 93–110, 134–44
 - dynamic risk factors 93–110, 136–44
 - static risk factors 56–68, 84–7
- personality traits 28, 134–44, 178–9, 180–3
- PFS *see* Protective Factors Scale
- phallometric tests 62, 93–7, 116
- philosophy 186–7
- plea-bargaining issues 43–4, 73
- PNC *see* Police National Computer
- the police 154–60
- arrest powers 158
 - burden of proof 155
 - CEOP 156–7, 166
 - intelligence gathering 159
 - interviews 156
 - MAPPAs 148, 162–3, 166–7
 - NCIS 156–8
 - proactive approaches 157–9
 - roles 154–5
 - search warrants 158–9
 - specialist units 155–7
 - surveillance/tracking uses 159
- Police Act 1997 148
- Police and Criminal Evidence Act 1984 (PACE) 150, 158
- Police and Justice Act 2006 150
- Police National Computer (PNC) 44, 172
- policy issues
- community notifications 156–7, 165–7
 - concepts 147–67
 - convictions 4, 5, 30–1, 148, 150–67
 - disclosures 156–7, 165–7
 - Internet offences 152–4, 158, 162–3
 - legislation overview 147–50, 162–3
 - MAPPAs 148, 162–3, 166–7
 - NOMS 97–8, 101–4, 165
 - the police 154–60
 - Probation Services 101–4, 122–3, 150, 159, 160–3
 - risk assessments 163–7
- polygraphs 96–7
- poor emotional control category, self-management domain 101–10, 113–14, 115–26, 130–44, 193
- poor problem solving category, self-management domain 100–10, 113–14, 115–26, 130–44, 193
- pornography 4–6, 62–3, 150, 152–4, 158
- see also* Internet offenders
 - aggression correlations 6
 - child molesters 4–6, 62–3, 152–4, 158
 - fantasies 5–6, 15, 107–9, 152–4, 158
 - policy issues 152–4, 158
 - recidivism 6, 62–3, 153–4
 - ‘scrap books’ 6
 - statistics 4–6, 152–4
- Porteus mazes 101
- positive predictive accuracy (PPA), concepts 40–3, 175
- positive psychology
- see also* strengths-based approaches
 - aspects 189
 - concepts 113–14, 121–6, 186–99
 - definition 188–9
 - Good Lives Model 113–14, 132, 186, 189–92, 196–9
 - resilience concepts 185–99
 - self-efficacy 188–99
 - treatments 113–14, 121–6, 186–99
 - young people who sexually offend 191, 193–9
- power rapists 7–8, 9–10
- see also* rapists
- PPA *see* positive predictive accuracy
- PPG *see* Penile Plethysmograph
- pre-disposed Internet offenders 5
- see also* Internet offenders
- precondition model of sexual offending 15–16, 32, 133–6
- predictions 37–52, 57–68, 69–87, 92–110, 115–26, 169–83
- see also* risk assessments
 - AUC 45–9, 70–87, 104–7, 174–7, 194–5
 - delinquency predictors 25, 133–8

- predictions (*Continued*)
 improved estimates 169–83
 methodological considerations 37–52, 69–87, 92–110
 scales 49–52, 57, 63–4, 66, 70–87, 98, 100, 129–31
 preparation for the abuse, child molesters 15
 primary goods, positive psychology 189–91, 196–9
 principle component analysis 85
 ‘prison-release class’ sexual offenders, concepts 47–8
 prisons
 sexual offenders 3–4, 96, 101–4, 120–2, 148–9, 150–4
 treatments 120–2, 148–9
 pro-sexual assault attitudes, dynamic risk factors 84, 93–110, 115–26, 175–83, 185–6
 Probation Services, UK 101–4, 122–3, 150, 159, 160–3
 probation-based treatment 122–3, 150, 160–3
 profiles, rapists 8–10
 Protection of Children Act 1978 150
 Protection of Children Act 1999 149
 Protective Factors Scale (PFS), concepts 194–5
 proximal antecedent events, ABC concepts 28, 29
 proximal consequences, ABC concepts 28, 30–1, 196–7
 pseudo-unselfish rapists 9–10
 see also rapists
 psychoanalysis 111–14, 198–9
 Psychological Deviance Index (PDI) 106–7, 178
 psychological risk factors, developmental factors 138–44, 178–83, 193–5
 psychopathy 34, 57–68, 70, 73–87, 95, 116–20, 178–82
 see also anti-social personality disorder assessments 117–20, 178–9
 concepts 58–62, 87, 95, 116–20
 definition 117
 rapists 58–62
 static risk factors 57–68
 treatments 58–62, 116–20
 untreatability issues 60–1, 111–12, 117–20
 Psychopathy Checklist-Revised (PCL-R) 56, 58–62, 84–6, 87, 100–1, 117–18, 120, 181
 psychosis 8, 120

 quadripartite model of sexual offenders 15, 16, 133–6

r 70–87, 92–5
 randomised clinical trials (RCTs) 21, 124–5
 RAPE scale 98
 rape-supportive (justifying) beliefs, dynamic risk factors 84, 98–110, 116–26, 130–44
 Rapid Risk Assessment for Sexual Offence Recidivism (RRASOR) 57, 63, 66, 71, 74–87, 170–1, 180–1
 see also Static-99
 concepts 71, 74–87, 170–1, 180–1
 factor structure 84–7, 170–1
 rapists 3–4, 6–10, 15–18, 38–44, 58–68, 69–87, 125–6, 150–2, 161–2, 177–83
 see also contact sexual offenders
 age factors 56–7, 62–8
 alcohol 8
 characteristics 8, 44
 child molesters 10
 date rapes 7–8
 definition 6–7
 gang rapes 8
 Groth’s categories of rapists 7, 9–10
 homosexuals 7
 lesbians 7
 marital rapes 7–8, 149
 myths 8
 profiles 8–10
 psychopathy 58–62
 psychosis 8, 120

- statistics 3–4, 7–10, 38–52, 58–62, 92–110, 125–6, 150–2, 161–2
- theories 15–18
- treatments 125–6, 161–2
- types 7–8, 9–10
- RCTs *see* randomised clinical trials
- receiver operating characteristic (ROC), concepts 45–9, 70–87, 174–6
- recidivism 6, 18, 20–1, 33–5, 38–52, 55–68, 70–87, 111–26, 129–44, 152–4, 193–9
- see also* reconviction rates; risk assessments
- affecting factors 43–4, 70–87
- AUC 45–9, 70–87, 104–7, 174–7, 194–5
- base rates 38–43, 44–9, 79–80, 114–15, 126, 172–82
- definitions 87, 172
- dynamic risk factors 35, 55–68, 73–4, 83–4, 87, 91–126, 129–44
- functional analysis 33, 180–2, 197–9
- general criminality/antisocial-violence drives 84–6, 106, 129–31, 137–44, 185–6
- paedophilic deviance/sexual repetitiveness drives 84–6
- passage of time since last offence 67–8
- pornography 6, 62–3, 153–4
- psychopathy 34, 57–68, 70, 95, 116–20, 178–82
- resilience concepts 193–9
- RRASOR 57, 63, 66, 71, 74–87, 170–1, 180–1
- sampling effects 63–8
- SIR 81
- static risk factors 49–52, 55–68, 69–87, 104–7, 114–15, 129–32
- statistics 20–1, 38–52, 55–68, 92–110, 114–15, 152–4, 160–2, 169–83
- treatments 111–26
- unofficial/official rates 44
- reconviction rates 20–1, 38–52, 55–68, 70–87, 92–110, 114–15, 152–4, 160–2, 171–83
- see also* recidivism
- affecting factors 43–4, 70–87, 171–2
- age factors 44, 56–7, 61–8, 74–87, 106
- downgraded sexual offences 43–4, 73
- statistics 20–1, 38–52, 55–68, 92–110, 114–15, 152–4, 160–2, 169–83
- unofficial/official rates 44
- recruitment-of-victim methods, child molesters 13–14
- redemptive scripts, concepts 187–8
- redundancy issues, risk assessments 169–70, 182–3
- references 201–30
- reinforced behaviours, conditioning principles 26–7, 30–1, 112–14
- rejection, developmental factors 132–44
- relapse prevention 13, 18, 20, 84, 107–9, 112–26, 197–9
- treatment theme 20, 112–26, 197–9
- TV-SOGP 123
- reluctant victims, child molesters 14–15
- resilience concepts 185–99
- see also* strengths-based approaches
- desistence factors 187–8, 199
- PFS 194–5
- supportive factors 193–4
- young people who sexually offend 191, 193–9
- responses
- behaviours in ABC model 30–1
- conditioning principles 26–7, 30–1, 112–14
- responsivity principle, treatments 114, 116–20, 185, 191
- risk
- aetiological model of risk 134–44
- definition 33, 132
- risk assessments 18–21, 33–5, 37–52, 55–68, 69–87, 91–126, 129–44, 163–7, 169–83, 185–99
- see also* actuarial...; dynamic...; predictions; static...
- 2*2 contingency tables 38–9
- accuracy statistics 170–5
- ACUTE... 102–3, 108–9, 131

risk assessments (*Continued*)

- aetiology 12–13, 15–18, 129–44
- AIM models 186, 194–5
- approaches 33–5, 163–7, 169–83
- ARMIDILO 82–3
- AUC 45–9, 70–87, 104–7, 174–7, 194–5
- base rates 38–43, 44–9, 79–80, 114–15, 126, 172–82
- best practices 34, 70
- CARAT 87
- CIIs 49–50
- clinical judgements 34–5, 37–52, 69–70, 80–7, 91–110, 129–31, 142–4, 178–82
- collaborative approaches 195–9
- concepts 33–5, 37–52, 69–87, 129–44, 163–7, 169–83
- contingency tables 38–9, 41–2
- critique 37, 52, 69–70, 78–80, 84–7, 91–4, 109–10, 129–31, 169–83
- current concepts 129–44, 195–6
- definition 33
- ERASOR 192–3
- factors 34, 55–68, 70–87, 91–110
- group data 49–52
- Home Office guidelines 163–5
- improved estimates 169–71, 175–83
- incremental validity issues 169–70, 182–3
- J-SOAP 78, 192–3
- JSORRAT-II 192–3
- MARA model 178–82, 195–6
- methodological considerations 37–52, 69–87, 92–110
- MnSOST-R 63, 72, 76–8, 84–6, 91–2, 130, 141–2, 170–1
- MSI 97–8, 106, 116
- PDI 106–7, 178
- policy issues 163–7
- recidivism 45, 55–68
- redundancy issues 169–70, 182–3
- RM2000... 63, 72, 75–7, 84–6, 120, 129, 165, 171–2, 176–7, 180–1
- RRASOR 57, 63, 66, 71, 74–87, 170–1, 180–1
- RSVP 81–2, 181–2
- SACJ... 71–4, 75, 84–6, 171–2, 180–1
- SARN 95–104, 120, 177–8
- scales 49–52, 57, 63–4, 66, 70–87, 98, 100, 129–31, 169–83
- SIR 81
- SORAG 71–3, 77, 85–6, 87, 129–31, 141–2, 170–1, 180–1
- SRs 38–43
- STABLE 83, 102–9
- Static-99 49–52, 63–4, 66, 71–2, 74, 75, 76–7, 84–7, 104–7, 129, 139–42, 170–2, 177, 180–1
- STEP 101–4, 160–2
- strengths-based approaches 185–99
- SVR-20 72, 80–6, 91–2, 130, 141–2, 181–2
- VRAG 49–51, 69–87, 169–70, 182–3
- young people who sexually offend 78, 191–3
- ‘risk checklist’, sexual offenders 48–9
- risk factors
 - see also* dynamic...; static...
 - concepts 55–68, 70–87, 91–110
 - types 55–7, 70, 91–4
- risk management
 - ARMIDILO 82–4
 - concepts 18–21, 81–2, 180–3
 - policy issues 147–67
 - RSVP 81–2, 181–2
- Risk Matrix 2000 (RM2000) 63, 72, 75–7, 84–6, 120, 129, 165, 171–2, 176–7, 180–1
- risk principle, treatments 114–15, 185, 191
- risk ratios (RRs) 41–3
- Risk for Sexual Violence Protocol (RSVP),
 - concepts 81–2, 181–2
- RM2000... *see* Risk Matrix 2000...
- ROC *see* receiver operating characteristic
- role models 26–7, 188–9, 194–5
- Rolling SOTP Programme, treatments 122
- RP *see* relapse prevention

- RRASOR *see* Rapid Risk Assessment for Sexual Offence Recidivism
- RRs *see* risk ratios
- RSVP *see* Risk for Sexual Violence Protocol
- rules, ontogenesis of behaviour is rule-based assumption 23–5
- SACJ *see* Structured Anchored Clinical Judgement Scale
- SACJ-Min 71–4, 84–6, 171–2, 180–1
- sadistic exhibitionists 4
- sadistic rapists 7–8, 9–10
see also rapists
- samples, critique 49–50, 63–8, 79–80, 124–6
- ‘Sarah’s Law’ 165–6
- SARN *see* Structured Assessment of Risk and Need
- scales, risk assessments 49–52, 57, 63–4, 66, 70–87, 98, 100, 129–31, 169–83
- Schedule 1 offender classifications 165–6
- schemata, behaviours in ABC model 28, 30
- school experiences, resilience concepts 193–4
- ‘scrap books’, paedophiles 6
- search warrants, the police 158–9
- selection ratios (SRs), concepts 38–43
- selection-of-victim criteria, child molesters 13
- self esteem 5, 20, 84, 93–110, 113–14, 131–6, 189–99
Internet offenders 5
treatment theme 20, 113–14, 131–2, 189–99
- self-efficacy
concepts 84, 188–99
development processes 188–9, 196–7, 199
treatments 188–99
- self-instruction, CBT 112–14
- self-management issues
CBT 112–14
dynamic risk factors 84, 91–4, 100–10, 113–14, 115–26, 130–44, 193, 196–9
strengths-based approaches 187–8
- self-monitoring issues, CBT 112–14
- ‘self-realizing person’ approach 187
see also positive psychology
- self-regulation issues 84, 91–4, 100–10, 113–14, 115–26, 133–6
- selfish rapists 9–10
see also rapists
- sentences 4, 5, 30–1, 148, 150–67
see also convictions
exhibitionists 4
Internet offenders 5, 152–4
- septum 134
- Sex Offences Act 1956 162
- Sex Offences Act 2003 6–7, 147, 149, 162–3
- sex offender orders 148, 167
- sex offender register 148, 151, 156–7
- Sex Offender Risk Appraisal Guide (SORAG) 71–3, 77, 85–6, 87, 129–31, 141–2, 170–1, 180–1
- Sex Offender Treatment Evaluation Project (STEP), concepts 101–4, 160–2
- Sex Offender Treatment Programme (SOTP), concepts 120–2, 160–2
- Sex Offenders Act 1997 148, 151, 152, 162–4
- Sexual Deviance 56, 58–62, 69–87, 91–110, 115–26, 131–2, 137–44, 177, 180–1, 185–6
definition 56
dynamic risk factor assessments 101–4, 115–26, 131–2, 137–44, 180–1, 185–6
- sexual entitlement beliefs, dynamic risk factors 84, 98–110, 115–26, 130–44
- sexual interest factors, static risk factors 55–68
- sexual interests domain, dynamic risk factors 84, 93–110, 115–26, 130–44, 185–6, 192–3
- Sexual Offences (amendment) Act 2000 162

- sexual offences prevention orders (SOPOs) 149
- sexual offenders
see also assessments; child molesters; contact. . .; non-contact. . .; rapists; treatments
 aetiologies 12–13, 15–18, 129–44
 alcohol 8, 18, 107–9
 characteristics 3–21, 44, 96–110
 collaborative approaches 195–9
 convictions 4, 5, 30–1, 148, 150–67
 denials 31–2, 95, 112, 120–1, 131–2, 197–9
 developmental factors 15, 17, 25, 55–68, 70, 82–7, 132–44, 178–83
 dual dimension 76, 84–7
 female offenders 3–4
 Finkelhor's precondition model 15–16, 32, 133–6, 140
 goals 32–3, 196–7
 Hall and Hirschman's quadripartite model 15, 16, 133–6, 140
 inhibitors 15–18
 learning difficulties/disabilities 78–9, 82–4, 120, 171–2
 levels of theory 132–6
 Malamuth's confluence model of sexual aggression 15, 16
 males 3–4
 Marshall and Barbaree's integrated theory 15, 17, 133–44
 mental health needs 18
 prisons 3–4, 96, 101–4, 120–2, 148–9, 150–4
 recidivism 6, 18, 20–1, 33–5, 38–52, 55–68
 'risk checklist' 48–9
 statistics 3–21, 38–52, 55–6, 71–87, 92–110, 114–26, 150–67, 169–83
 theories 12–13, 15–18, 132–44
 Thornhill and Palmer's evolutionary theory 15, 17
 trends 150–4
 types 4–13, 32–3, 172–5
 understanding offenders 12–13, 15–18
 unified theory 18–19
 Ward and Siegert's pathways model 17–18, 133–6, 140–1
 'sexual predator' laws 47–8
 sexual preoccupation, dynamic risk factors 84, 93–110, 131–44, 192–3
 sexual psychopaths
see also psychopathy
 definition 60
 Sexual Risk Behaviour (SRB) 177–8
 Sexual Violence Risk-20 (SVR-20)
 concepts 72, 80–6, 91–2, 130, 141–2, 181–2
 RSVP 81–2, 181–2
 sexuality, treatment theme 20
 sexually compulsive Internet offenders 5–6
see also Internet offenders
 SHAPS *see* Special Hospitals Assessment of Personality and Socialisation
 SIR *see* Statistics Information on Recidivism Scale
 skill hierarchies, behaviours in ABC model 30
 social learning theory (SLT), concepts 26–7
 social networks 34, 70, 75–87, 107–9, 111–14, 115–26, 131, 137–44, 185–6, 193–4, 199
 social persuasion, self-efficacy development source 188–9
 Social Services 155–6, 166–7
 social skills 20, 57, 70, 75–87, 91–110, 112–26, 134–6, 198–9
 stable dynamic items 91–110
 treatment theme 20, 112–26, 198–9
 social/societal distal consequences, ABC concepts 28, 30–1
 socio-affective problems, stable dynamic items 84, 91–110, 115–26, 130–44, 160–2, 185–6
 SONAR 83, 102
see also ACUTE. . .; STABLE. . .
 SOPOs *see* sexual offences prevention orders

- SORAG *see* Sex Offender Risk Appraisal Guide
- SOTP *see* Sex Offender Treatment Programme
- Special Hospitals Assessment of Personality and Socialisation (SHAPS) 106
- specialist units, the police 155–7
- spirituality, primary goods concepts 190–1
- SRB *see* Sexual Risk Behaviour
- SRs *see* selection ratios
- stabilisation mechanism, delinquent activities 25
- STABLE... 83, 102–9
- stable risk factors
see also dynamic...
 concepts 55–7, 83–4, 91–110, 115–26, 129–44, 177–83, 185–6
 definition 139
 treatments 115–26
 usefulness evidence 104–7
- staff, ARMIDILO 83–4
- static risk factors
see also actuarial risk assessments
 clinical factors 34, 55–68, 70
 concepts 49–52, 55–68, 69–87, 104–7, 109–10, 114–15, 129–32, 136–44, 169–83, 185–6, 195–6
 dynamic risk factors 91–2, 109–10, 169–70, 175–83, 185–6
 examples 55–6, 137
 recidivism 55–68, 104–7, 114–15, 129–31
 statistics 55–6, 104–7, 169–83
 treatments 114–15
- Static-99
see also Rapid Risk Assessment...;
 Structured Anchored Clinical Judgement Scale
 concepts 49–52, 63–4, 66, 71–2, 74, 75, 76–7, 84–7, 104–7, 129, 139–42, 170–2, 177, 180–1
 factor structure 84–6, 170–2, 177
- statistical fallacy effect, concepts 45
- statistics, sexual offenders 3–21, 38–52, 55–6, 71–87, 92–110, 114–26, 150–67, 169–83
- Statistics Information on Recidivism Scale (SIR), concepts 81
- STEP *see* Sex Offender Treatment Evaluation Project
- stepwise regression technique 70–1, 73–87
- stimuli *see* antecedent...
- strangers to the child victim 11–12, 15
see also child molesters
- strengths-based approaches 185–99
see also positive psychology; resilience...
 adult offenders 195–9
 concepts 185–9
 historical background 186–8
 interviews 195–6
 locus of control 188, 191, 193–4, 195, 197–9
 motivations 191, 197–9
 primary goods 189–91, 196–9
 redemptive scripts 187–8
 young people who sexually offend 191, 193–9
- stress reactions, self-efficacy development source 188–9
- Structured Anchored Clinical Judgement Scale (SACJ)
see also Static-99
 concepts 71–4, 75, 84–6, 171–2, 180–1
- Structured Assessment of Risk and Need (SARN), concepts 95–104, 120, 177–8
- substance misuse 55–6, 61–2, 84, 107–9, 131, 137–44, 176–83, 185–6
see also alcohol
- suicides 80–1
- supervision 21, 84, 108–10, 130–1, 137–44, 147–67
- surveillance/tracking uses, the police 159
- surveys, child molesters 13–14
- SVR-20 *see* Sexual Violence Risk-20
- symbolic modelling, concepts 26–7

- Thames Valley Pathfinder Programme
(TV-SOGP) 122–3
- theories
 levels 132–6
 sexual offenders 12–13, 15–18, 132–44
- ‘theory knitting’ processes 133–6
- therapeutic alliance, concepts 198–9
- therapists
 training issues 119
 treatment styles 119, 198–9
- Thornhill and Palmer’s evolutionary theory
 and sexual offending 15, 17
- Thornton Self Esteem Questionnaire 100
- training issues, therapists 119
- transient states of high risk, aetiological
 model of risk 137, 142–4
- treatments 4, 18–21, 27, 58–62, 70,
 107–9, 111–26, 131–2, 147–67,
 185–99
- Allam, Middleton and Browne six core
 themes 18, 20
- approaches 20, 111–14, 131–2
- behavioural therapy 111–14, 125–6
- calming cognitions 121–2
- CBT 111–14, 124–6, 148–9, 161–2,
 191
- chemical castration 125–6
- child molesters 125–6, 161–2
- cognitive distortions 20–1, 112–26,
 160–2, 197–9
- collaborative approaches 195–9
- community treatments 122–3, 148–9,
 160–2
- concepts 18–21, 27, 58–62, 111–26,
 131–2
- Core SOTP 120–2
- core themes 20, 131–2
- critique 123–6, 131–2
- drop-out rates 21, 70, 73–87, 107–9,
 132, 160
- dynamic risk factors 115–26, 130–1
- effectiveness statistics 20–1, 123–6,
 161–2, 170, 191, 198–9
- empathy themes 20, 112–26, 131–2
- exhibitionists 4, 125–6
- Extended SOTP Programme 121–2
- fantasies 20, 121–2
- goals 113–14
- Good Lives Model 113–14, 132, 186,
 189–92, 196–9
- groups 111–14, 198–9
- historical background 111–12
- insight-oriented approaches 111–14
- learning difficulties/disabilities 120
- long-term/short-term contrasts 20
- motivational interviewing 118–19
- motivations 95, 116, 118–26, 191,
 195–9
- multisystemic theory 125–6
- need principle 114, 185, 191
- overview 111–26
- positive psychology 113–14, 121–6,
 186–99
- primary goods 189–91
- prison treatments 120–2
- probation-based treatment 122–3, 150,
 160–3
- psychoanalysis 111–14, 198–9
- psychopathy 58–62, 116–20
- rapists 125–6, 161–2
- relapse prevention 20, 112–26, 197–9
- responsivity principle 114, 116–20,
 185, 191
- risk principle 114–15, 185, 191
- Rolling SOTP Programme 122
- self esteem 20, 113–14, 131–2
- self-efficacy 188–99
- social skills 20, 112–26, 198–9
- SOTP 120–2, 160–2
- static risk factors 114–15
- statistics 20–1, 111–26, 160–2
- strengths-based approaches 185–99
- styles 116, 119, 198–9
- suitability assessments 120
- therapists 119, 198–9
- types 111–14, 160–2, 186–99
- untreatability issues 60–1, 111–12,
 117–19
- ‘What Works’ literature 111–12,
 114–19, 126, 185–6, 190–1

- triggering factors, aetiological model of
 - risk 137, 142–4, 185–6
- true negatives (TNs) 38–43, 45–9
- true positives (TPs) 38–43, 45–9
- trust positions 149–50
- TV-SOGP *see* Thames Valley Pathfinder Programme

- UCLA Loneliness scale 100
- unified theory, sexual offenders 18–19
- unofficial/official rates, recidivism 44
- untreatability issues 60–1, 111–12, 117–19

- values 28, 126
- VASOR 85
- vicarious learning, concepts 26–7, 188–9
- victim access behaviours, acute
 - predictors 130–1, 142–4
- victim empathy *see* empathy
- victim factors
 - disclosures 165–7
 - static risk factors 55–68
- violence 38–43, 49–52, 57, 61–2, 69–87, 150, 160–3, 169–70, 171–83, 194–5
- Violence Risk Appraisal Guide (VRAG) 49–51, 69–87, 169–70, 182–3
- volumetric phallometry tests
 - 62, 93–7, 116
- VRAG *see* Violence Risk Appraisal Guide
- vulnerability factors section, aetiological model of risk 137–44

- Ward and Siegert's pathways model of sexual offenders 17–18, 133–6, 140–1
- weapons 57, 80–1
- well-being 188–99
 - see also* positive psychology
- West Midlands Pathfinder Programme 122–3, 160–1, 166–7
- 'What Works' literature, treatments 111–12, 114–19, 126, 185–6, 190–1
- Whiting, Roy 162
- Wolf's cycle of offending, child molesters 15, 32
- women are deceitful beliefs, dynamic risk factors 98–110, 134
- 'Working Together to Safeguard Children' 154–5

- young people who sexually offend
 - risk assessments 78, 191–3
 - strengths-based approaches 191, 193–9
- Youth Justice Board 165

