

Index

- 2^s-ary weight of an integer, 54
- A posteriori probability (APP), 144, 159
- Add-compare-select, 145
- Algebraic-geometry codes, 73
- Array code, 132
- Asymptotic coding gain, 207, 225
 - greater than, with block partitioning, 225
- Augmented code, 122
- Automatic repeat request (ARQ), 116
- AWGN channel, 17, 144
 - metric, 145
- BCH bound, 53
- BCH code, 52
 - extended, 65
 - general decoder, 56
 - performance AWGN channel, 66
 - Specified by zeros, 53
- BCH decoder
 - Berlekamp–Massey algorithm, 55
 - Euclidean algorithm, 55
 - general, 56
 - Massey algorithm, 75
 - PGZ algorithm, 56
- BCJR algorithm, 161
- BEC channel, 64
- Belief-propagation decoding, 196
- Berlekamp–Massey algorithm, 55, 57–60
 - Chien search, 63
 - discrepancy, 57
 - errors-and-erasures
 - errata evaluator, 80
 - errata locator, 80
 - modified discrepancy, 80
 - modified Forney algorithm, 80
- Bit error probability
 - AWGN, 1
 - Rayleigh fading channel, 21
- Block code concept, 4
- Boolean function, 31
- Bound
 - BCH, 53
 - bit error probability, AWGN channel, 66
 - Chernoff, 21
 - Hamming, 13
 - nonbinary case, 13
 - RS decoder, 84
 - union
 - AWGN channel, 18
 - convolutional code, 100
 - multilevel modulation code for UEP, 225
- Branch metric, 145
- Burst error-correcting capability, 132
- Chase algorithm
 - soft-output, 186
 - correction factor, 187
 - scaling factor, 187
- Chase type-II algorithm, 151
- Code
 - Algebraic geometry, 73
 - Array, 132
 - Augmenting, 122
 - BCH, 52
 - Binary cyclic, 39
 - Binary image, 74

Code (*continued*)

- Concatenated, 134
- Construction X, 127
- Convolutional, 87
 - Direct-truncation, 95
 - Tail-biting, 95
 - Zero-tail, 94
- CRC, 44, 45
- Difference set, 70
- Direct sum, 125
- Euclidean geometry, 54
- Expurgating, 122
- Extending, 121
- Fire, 45
- Generalized concatenated, 132, 136
- Golay, 29
- Hamming, 27
- Hsiao, 44
- Interleaved, 133
- Interleaved and shortened, 134
- Lengthening, 122
- Linear, 7
- Low-density parity check, 190
- Low-density parity check (LDPC), 169
- Maximum distance separable (MDS), 74
- Maximum-length-sequence (MLS), 43
- Nonprimitive BCH, 71
- Nonprimitive Hamming, 86
- Optimal rate-1/4 and rate-1/6, 129
- Parallel concatenated, 174
- Perfect, 13
- Polynomial, 53
- Product, 128, 169
- Projective geometry, 54
- Punctured convolutional, 112
- Puncturing, 122
- Reed–Muller (RM), 31, 126, 139
- Reed–Solomon, 73
- Repeat-and-accumulate, 184
- Reversible, 70
- Self-dual, 9, 34
- Serially concatenated, 183
- Shortened cyclic, 44
- Shortening, 119
- Simple repetition, 5
- Time sharing, 124
- Turbo, 170, 174
- Turbo product code, 185
- Unequal error protection, 137
- Unequal error protection (UEP), 12
 - $|u|u + v|$ construction, 126
- Coded modulation, 203
 - bit-interleaved (BICM), 226
 - main idea, 3
 - MCM, 3, 207, 217
 - multistage decoding, 218
 - parallel decoding, 223
 - unequal error protection, 221
 - Pragmatic TCM
 - symbol transformation, 213
 - two-stage decoding, 213
 - TCM, 3, 207, 209
 - example modified state diagram, 212
 - MLD decoding, 211
 - turbo trellis(TTCM), 227
- Coding gain, 3, 18
 - asymptotic, 207, 225
- Complementary error function (erfc), 3
- Concatenated code, 134
- Concatenated coding, 3
- Conjugate elements, 51
- Constellation, 205
- Construction X3, 127
- Convolutional code, 3
 - block code obtained from, 94
 - catastrophic, 89
 - complete weight enumerator sequence, 98
 - constraint length, 88
 - finite-state machine, 87
 - generator sequences, 89
 - polynomial generator matrix, 92
 - recursive systematic (RSC code), 92
 - state diagram, 88
 - union bound over BSC and AWGN channel, 100

- weight distribution block codes
 - from, 95–99
 - weight enumerating sequence, 97
- Convolutional codes
 - optimal, 129
- Correlation discrepancy, 157
- Correlation metric equivalence to
 - changing sign, 144
- Coset, 122
 - decomposition, 123, 128, 138
 - leader, 11
 - representative, 138, 165
- CRC code, 44, 45
- Cycle set, 51
- Cyclic code, 39
 - definition, 40
 - encoding by division by $\bar{g}(x)$, 43
 - extended, 65
 - general decoder, 47
 - MLS code, 43
 - RM code, 34
 - shortened, 44
 - syndrome decoding, error-trapping, 46
 - zeros of, 40
- Cyclic shift, 40
- Cyclotomic coset, 51
- Decoding
 - BCH codes general, 56
 - BCJR algorithm, 161
 - Belief-propagation, 196
 - Berlekamp–Massey algorithm, 55, 57–60
 - Bit-flip, 192
 - Chase algorithm, 150
 - soft-output, 186
 - Chien search, 63
 - Depth, 107
 - Errors-and-erasures, 64
 - Euclidean algorithm, 55, 61–62
 - Forney algorithm for RS codes, 75
 - GMD algorithm, 156
 - Log-MAP algorithm, 163
 - look-up table, 11
 - MAP algorithm, 161
 - Massey algorithm, 75
 - Max-Log-MAP algorithm, 164
 - Maximum likelihood, 101
 - MLD, 211
 - Modified Forney algorithm, 80
 - ordered statistics algorithm, 153
 - soft-output, 164
 - Parallel for multilevel codes, 223
 - PGZ algorithm, 55, 60–61
 - Soft-decision, 143
 - SOVA algorithm, 158
 - Sudan algorithm, 79, 158
 - SW-SOVA algorithm, 160
 - two-stage, 134, 213
 - Viterbi algorithm, 101–112
 - with standard array, 10
- Decoding region, 12
- Decomposable code, 126, 136
- Difference-set code, 70
- Direct-truncation code, 95
- Discrepancy Berlekamp–Massey algorithm, 57
- Disjunctive normal form, 32
- Distance
 - designed of BCH code, 52
 - free, 94
 - Hamming, 5
 - minimum Hamming, 5
 - minimum squared Euclidean, 207
 - squared Euclidean, 17
- Dual code, 8
 - example, 9
 - of cyclic code, 43
 - of RM code, 33
- Encoding
 - nonsystematic, 41
 - recursive with parity-check matrix, 43
 - systematic, 19, 41
 - with generator matrix, 9
 - with parity-check matrix, 9
- Erasure, 64
 - value, 79
- Erasure correction for binary linear codes, 64
- Erasure locator polynomial, 79

- Error, 1
 - positions, 55
 - values, 55
- Error bursts, 3
- Error correcting capability, 6
- Error correcting code
 - as subset, 5
 - defined, 4
 - minimum Hamming distance, 5
- Error evaluator polynomial, 75
- Error-locator polynomial, 55
- Error polynomial, 55
- Error propagation, 224
- Error-trapping decoder, 46
- Euclidean algorithm, 55, 61–62
 - polynomials same up to a constant, 78
- Euclidean geometry (EG) code, 53
- Extended BCH code
 - Weight distribution, 66
- Extended code, 121
- Factoring polynomials in $GF(2^m)$ is
 - hard, 63
- Field
 - Galois, 48
 - arithmetic, 48
 - element order, 51
 - representations, 49
- Finding factors of $x^{2^m-1} + 1$, 51
- Finite geometry, 33
- Fire codes, 45
- Forney algorithm, 75
- Fourier transform
 - BCH decoding with, 79
- Free distance, 94
- Gallager code, 191
- Galois field, 48
- Generalized concatenated code, 136
 - array codes, 132
- Generator matrix, 8
- Generator polynomial, 40
 - of BCH code, 52
 - of RS code, 74
- GMD decoding, 156
- Golay code, 29
- Greatest common divisor (GCD), 62
- Hamming code, 27
 - shortened (3,64,71) code, 44
- Hamming space, 3, 5
- Hamming weight, 8
- Hard-decision decoding, 18
 - general structure, 23
- Hsiao code, 44
- Incidence matrix, 190
- Incidence vector, 33
- Inner code, 129
- Interleaver, 182
 - block, 129
 - convolutional, 135
 - cyclic, 133
 - Ramsey, 129, 135
- Interleavers for turbo codes, 182
- Interleaving
 - Symbol in Turbo TCM, 228
- Irreducible factors, 40
- Irregular LDPC code
 - record performance, 4
- Iterative belief-propagation algorithm
 - message passing, 197
- Iterative belief-propagation decoding, 196
- Iterative bit-flip decoding, 192
- Iterative decoding convergence, 182
- Key equation, 55
- LDPC code, 190
 - error detection capability, 199
- Least common multiple (LCM), 46
- Likelihood, 101
- Linear code, 7
- Linear feedback shift register (LFSR), 57
- List decoding, 158
- Log and antilog tables, 49
- Log-likelihood metric, 144
- Log-likelihood ratio (LLR), 171
 - extrinsic, 173

- Log-MAP algorithm, 163
- Low-density parity-check code, 190
- MacWilliams identity, 65
- MAP algorithm, 161
- Massey algorithm, 75
- Matrix
 - generator and parity-check, 7
 - Vandermonde, 53
- Max-Log-MAP algorithm, 164
- Maximum-a posteriori probability, 161
- Maximum distance separable (MDS) code, 74
 - weight distribution, 84
- Maximum-length-sequence (MLS) code, 43
- Meggitt decoder, 46
- Memory devices, 45
- Message passing, 197
- Metric
 - Euclidean, 18
 - log-likelihood, 144
- Metric normalization, 108
- Minimal polynomial, 50
- Minimum Hamming distance, 5
- Minimum squared Euclidean distance, 207
- MLD decoding, 211
 - defined, 17
 - Viterbi algorithm, 101
- Modified Forney syndrome, 80
- Modified syndrome polynomial, 80
- Modulation as mapping, 205
- Monte Carlo integration, 21
- Most reliable information positions, 153
- MSED, 207
- Multilevel coding, 217
- Multilevel modulation code
 - definition, 218
- Multistage decoding, 218, 223
- Natural labeling, 209
- Nonprimitive BCH codes, 71
- Nonsystematic cyclic code, 41
- Nyquist bandwidth, 203
- Order of an element in $GF(2^m)$, 51
- Ordered statistics decoding, 153
- Orthogonal checks, 34
- Outer code, 129
- Parallel concatenated code, 174
- Parity node, 190
- Parity submatrix, 8
- Parity-check matrix, 8
 - of BCH code, 53
 - of cyclic code, 42
- Partition level, 136–137
- Path memory, 103, 104
- Pearl's algorithm, 196
- Perfect code
 - definition, 13
- Permutation, 129
- Permutation matrix, 174
- PGZ algorithm, 55, 60–61
- Polynomial
 - associated with vector, 39
 - erasure locator, 79
 - errata locator, 80
 - error, 55
 - error evaluator, 75
 - error-locator, 55
 - generator, 40
 - minimal, 50
 - modified syndrome, 80
 - parity-check, 42
 - primitive, 49
 - syndrome, 46
- Polynomial code, 31, 53
- Pragmatic turbo TCM, 228
- Primitive
 - element, 49
 - polynomial, 49
- Probability
 - a posteriori, 159
 - bit error, 18
 - bit error, BPSK over AWGN, 1
 - correct decoding, 16
 - incorrect decoding, 16
 - undetected error, 14
- Product code, 128
 - decoding, 134
- Projective geometry (PG) code, 53

- Punctured code, 122
- Punctured convolutional codes, 112
- Puncturing
 - as shortening the dual code, 122
- Q-function, 3
- Ramsey Interleaver, 182
- Random Interleaver, 182
- Rayleigh fading channel, 19
 - bound, 21
- RCPC codes, 116
- Redundancy, 4
- Reed–Muller (RM) code, 31, 53, 138
 - decoder for cyclic code, 37
 - majority-logic decoding, 35
 - Number of minimum-weight code words, 33
- Reed–Solomon (RS) code, 3
 - as polynomial code, 73
 - binary image of, 74
 - encoding as a polynomial evaluation, 73
 - generator polynomial, 74
 - weight distribution, 84
- Reliability, 64
- Reliability values, 151
- Repeat-and-accumulate code, 184
- Repetition code
 - example, 5, 6, 13
 - probability decoding error, 16
- RS decoder
 - bound bit error probability, 84
 - bound word error probability, 84
 - error evaluator polynomial, 75
 - errors-and-erasures, 79
 - direct solution, 83
 - errata evaluator, 80
 - errata locator, 80
 - modified discrepancy, 80
 - modified Forney algorithm, 80
 - modified Forney syndrome, 80
 - Forney algorithm, 75
 - Massey algorithm, 75
- Self-dual code, 121
- Set partitioning, 209
 - block for unequal error protection, 222
 - hybrid, 222
- Shannon limit, 87
- Shortened code, 119
 - additional correctable error patterns, 121
- Shortening depth, 44
- Signal point, 205
- Simulation of BPSK modulation, 24
- Sliding window SOVA algorithm, 160
- Soft-decision decoding, 18
- Soft-output Chase algorithm, 186
- Soft-output ordered statistics algorithm, 164
- SOVA algorithm, 158
- Spectral efficiency, 203
- Squared Euclidean distances, 144
- Squaring construction, 126
- Standard array
 - as look-up table, 11
 - construction, 11
 - decoding, 10
- State diagram
 - convolutional code, 88
 - for computing weight distribution, 96
 - for computing weight-enumerating sequence, 212
 - for computing WES, 97
- Subcode property, 138
- Sudan algorithm, 158
- Sum-product algorithm, 196
- Supercode, 122
- Syndrome
 - as evaluation of zeros of code, 55
 - as vector, 10
 - circuit for computing, 57
- Syndrome polynomial, 46
- Syndrome trellis, 146
- Systematic cyclic code, 41
- Systematic encoding, 4
- Tail-biting code, 95
- Tanner graph, 190
- Time-sharing code, 124
- Trellis diagram, 90

- Trellis structure
 - example 3-level coded 8-PSK modulation, 218
 - of array codes, 132
 - of block and convolutional codes, 5
 - Ungerboeck mapping, 208
- Turbo code, 124, 170, 174
 - as a punctured product code, 175
 - component RSC code, 170
- Turbo TCM, 229
- Two-dimensional code, 129
- Two-stage decoding, 134, 213
- Two-step majority-logic decoding, 35
- Unequal error protection
 - multilevel modulation code, 221
- Unequal error protection code, 116, 137
 - constructions X and X3, 128
 - example, 12
- Union bound
 - AWGN channel, 18
 - Rayleigh fading channel, 21
- Vandermonde matrix, 53
- Variable node, 190
- Viterbi algorithm, 102–112, 145
 - ACS, 111
 - branch synchronization, 107
 - traceback, 109
 - traceback memory, 90
- Viterbi decoder
 - off the shelf, 213
- Weight distribution, 65
 - convolutional codes, 95–99
 - defined, 14
 - extended BCH codes, 65
- Weight enumerating sequence, 97
- Zero-tail code, 94