

---

# Index

---

*Italic page numbers refer to diagrams and tables.*

- A-Si:H, 183, 328, 336–7
- Absorbing films, 155–6, 265
  - thickness, 155, 158
- Absorbing media, 22–3
- Absorption coefficients, 23, 29
  - free-carrier absorption, 173
  - measurement precision, 137–8
- Ac electric fields, 160
- Achromatic, 91, 92
- Advantages, ellipsometry techniques, 91–2
- Advantages, spectroscopic ellipsometry, 2–3
- Air, refractive index, 19, 36
- Air/sample interfaces, 147
- Al, 279, 280
- Alloy composition, semiconductors, 268, 275–6
- Amorphous materials, 170–2
- Ampère's law, 349
- Amplitude, electromagnetic waves, 14, 22
- Amplitude reflection coefficients, 35, 36, 82–3
  - optical interference, 45, 46
  - total amplitude reflection coefficients, 193
- Amplitude transmission coefficients, 35, 46
  - optical interference, 46
- Analyzers, 53
  - Jones matrices, 66, 67
  - Mueller matrices, 67
  - see also* Polarizers
- Angular frequency, waves, 14
- Anisotropic materials, 111, 209–46, 294–301
  - biaxial materials, 210, 214, 224, 245
  - data analysis, 243–6
  - dielectric tensors, 213, 215–17, 237
  - electric displacements, 213, 215
  - exit matrices, 233
  - Fresnel equations, 209, 222–4, 235
  - incident matrices, 234
  - index ellipsoids, 213–15
  - insulators, 295–6
  - Jones matrices, 111, 209, 217–22, 224, 228, 230, 237, 243–5
  - Mueller matrices, 111
  - organic materials, 299–301
  - principal dielectric constants, 214
  - refractive indices, 210, 215
    - complex refractive indices, 210
    - principal refractive indices, 214
  - rotating-analyzer ellipsometry (RAE), 243, 244, 245
  - rotating-compensator ellipsometry (RCE), 245
  - semiconductors, 296–9
  - transfer matrices, 230
    - partial transfer matrices, 232–3
  - uniaxial materials, 210–11, 214, 243, 245
  - see also* Optical anisotropy
- Anisotropic substrates, 222, 231, 237–9
  - exit matrices, 235
  - Jones matrices, 240, 241
- Anisotropic thin films, 224, 228, 241–3
  - Jones matrices, 243
- Applications, spectroscopic ellipsometry, 3–5
- Ashcroft–Sturm model, 279
- Atomic force microscopy (AFM), 184, 197, 203
- Atomic plates, 162–4, 168
- Atomic polarization, 24, 25, 288
  - resonant oscillation, 30

- Attenuated total reflection (ATR), 43, 110, 322
- Backside reflection, 141, 192–3, 301
- Bandgap, 4, 257
- Beer's law, 22, 194
- Bereman's equations, 226–7, 232, 347
- Biased estimator, 199, 251, 253
- Biaxial materials, 210, 214, 224, 245  
crystals, 245
- Biomaterials, 287–94
- Birefringence, 53, 57, 58
- Birefringent crystal, 57, 59–60
- Brewster angles, 40–1, 118, 238  
p-polarized light, 40  
pseudo-Brewster angles, 39, 40, 149  
s-polarized light, 41  
Snell's law, 41
- Brewster's law, 41
- Bulk layers, 188  
dielectric functions, 191  
SiO<sub>2</sub>, 254, 255
- Burstein–Moss effect, 282
- C-Si, 5, 334–6  
*see also* Si
- Calcite, 53–5, 211  
critical angle, 54  
refractive index, 55
- Calibration, ellipsometry instruments, 117, 122–7  
infrared spectroscopic ellipsometry, 130  
regression calibration method, 125–7, 126  
residual calibration method, 125–6  
rotating-analyzer ellipsometry (RAE), 122  
rotating-compensator ellipsometry (RCE), 126  
zone-difference calibration method, 125, 126
- Calibration, film thickness, 115–16
- Capacitors, 25–7, 177
- Cartesian coordinates (Jones vectors), 65
- Cascade arc lamps, 110
- Cauchy model, 170, 176, 200, 250–1, 259, 263, 301  
free-carrier absorption, 282
- CCD cameras, 115
- CdTe layers, 341
- Chromatic, 91, 92
- Circular-polarized light, 52, 53  
conversion to/from linear-polarized light, 57
- Jones vectors, 63, 65  
left-circular-polarized light, 63, 64, 72, 85, 347
- Poincaré sphere, 72  
right-circular-polarized light, 52, 63, 64, 72, 85, 347
- Stokes parameters/vectors, 63, 85
- Clausius–Mossotti relation, 178
- Cody–Lorentz model, 172
- Cody model, 257
- Coherency vectors, 354
- Coherent condition, 141
- Color-imaging ellipsometry, 117
- Compensators, 57  
Jones matrices, 66–7  
MgF<sub>2</sub> compensators, 58, 127  
Mueller matrices, 67  
photoelastic modulators, 58–9, 110, 127  
rotating compensators, 58
- Complex dielectric constants, 29, 347, 350
- Complex numbers, 16–17
- Complex refractive indices, 22, 181, 184, 210, 252, 347, 351  
anisotropic materials, 210  
interface layers, 184  
SiO<sub>2</sub>, 252  
Snell's law, 33, 36, 41, 43, 44  
surface roughness layers, 181, 184
- Confidence limits, 198, 254
- Conjugated polymer film, 300, 303
- Conversion units for light, 20
- Coordinate systems  
ellipsometry, 84  
rotations, 62, 68–70, 216
- Cornu prisms, 60
- Corrections, 127–30  
*see also* Measurement errors
- Critical angles, 42, 54  
calcite, 54
- Critical point (CP) analysis, 268–9, 270
- Critical thickness, semiconductors, 273
- Dark signal corrections, 127
- Data analysis, 5–7, 147–203, 249–303  
anisotropic materials, 243–6  
confidence limits, 198, 254  
GaN, 262–4  
insulators, 249–55  
anisotropic insulators, 295–6  
polycrystalline Si, 264, 265  
process control, 334  
semiconductors, 256–76  
SiO<sub>2</sub>, 249–55

- Degree of polarization, 76–7, 92, 139, 191–6
- Depolarization, 76, 92, 139–41, 191–6
  - infrared spectroscopic ellipsometry, 140
  - optical models, 191–6
  - phase-modulation ellipsometry (PME), 139
  - rotating-analyzer ellipsometry (RAE), 139, 140
  - rotating-compensator ellipsometry (RCE), 139
- Depolarizers, 59–60
  - Jones matrices, 67
  - Mueller matrices, 67
- Dichroism, 57
- Dielectric constants, 25–9, 179–80, 190, 290
  - complex dielectric constants, 29, 347, 350
  - ordinary rays, 299
- Dielectric dispersion, 31
- Dielectric functions, 29–31, 158–60, 185, 196, 200–3
  - Al, 280
  - amorphous materials, 170–2
  - Ashcroft–Sturm model, 279
  - bulk layers, 191
  - critical point analysis, 269
  - doping of semiconductors, 272–3
  - Drude model, 174, 276
  - GaAs, 259, 266, 276
  - $\gamma$ -globulin protein, 292
  - interface layers, 189
  - Lorentz model, 165, 296
  - Lorentz–Drude model, 279–80
  - metals, 276–80
  - parameterized dielectric functions, 201, 266–8
  - poly-arylene ether film, 289, 290
  - poly-pyrrole film, 287
  - pseudo-dielectric functions, 189–90, 196, 317, 324, 347
  - semiconductors, 256–62
  - SiO<sub>2</sub>, 252
  - surface roughness layers, 183, 188
  - Tauc–Lorentz model, 170–2
  - temperature dependence, 270, 271, 312–13
- Dielectric polarization, 24–5, 26–7, 53, 160–1
- Dielectric susceptibility, 27
- Dielectric tensors, 213, 215–17, 237
  - isotropic materials, 215
- Dielectrics, 24–31
  - permittivity, 25–6
    - spherical dielectrics, 177–9
  - Dipole moments, 25
- Direct bandgap semiconductors, 257
- Disadvantages, ellipsometry techniques, 91–2
- Disadvantages, spectroscopic ellipsometry, 2–3, 197
- DNA chips, 117, 293, 294
- Doping, semiconductors, 272–3
- Drift mobility, 174
- Drude model, 7, 173–6, 276, 281, 347
  - dielectric functions, 174, 279
- $E_1$ , transition, 258, 261, 270
- Effective mass, 173–6, 282–4
- Effective medium approximation (EMA), 177, 179, 181, 264–6
  - surface roughness layers, 182–3, 184, 264
- Effective medium theories, 184–5
- Electric dipole radiation, 27, 40
  - uniaxial materials, 211–12
- Electric dipoles, 25
- Electric displacements, 26
  - anisotropic materials, 213, 215
- Electric polarization, 24, 25, 178
  - resonant oscillation, 30
- Electromagnetic waves, 18
  - amplitude, 14, 22
  - angular frequency, 14
  - evanescent waves, 42, 43
  - frequency, 14
  - Maxwell's equations, 18, 226–8, 349–51
  - one-dimensional waves, 13–17
  - phases, 49–50, 347–8
  - propagation, 13–19, 350
  - temporal period, waves, 14
  - transverse waves, 18
- Electron volts, 19
- Ellipsometers, *see* Installation, ellipsometry instruments
- Ellipsometry, 1, 81
  - see also* Spectroscopic ellipsometry
- Elliptical-polarized light, 52
  - Jones vectors, 63, 65
  - Stokes parameters/vectors, 63, 85
- Ellipticity angle, 73
- En– $\mathbf{K}$  space, 256–7
- Errors, *see* Fitting errors; Measurement errors
- Etching process, 189, 337
- Euler angles, 215, 238–40, 243, 245, 297
- Evanescent waves, 42, 43

- Exit matrices, 233
  - anisotropic substrates, 235
- Extinction coefficients, 22
  - metals, 149
- Extraordinary rays, uniaxial materials, 53, 211, 212, 213
  - dielectric constants, 299
- Faraday's induction law, 349
- Fast axis, 53, 67, 99
- Feedback control, 334, 335, 340
- Film thickness
  - absorbing films, 155, 158
  - calibration, 115–16
  - inhomogeneous thickness, 140–1, 192, 195
  - measurement precision, 137
  - transparent films, 154
- Fitting errors, 196, 199, 324
- Formation, thin films, 328–31
- Forouhi–Bloomer model, 172, 282
- Fourier analysis, 120–1
- Fourier-transform infrared ellipsometry, 107–10, 130
- Free-carrier absorption, 31, 173–4, 281–5
  - Cauchy model, 282
  - Lorentz model, 282
- Frequency, light waves, 14
- Fresnel equations, 35–6
  - anisotropic materials, 209, 222–4, 235
  - optical interference, 45, 47
  - reflectances, 39, 82
- Fused silica, 253
- Future prospects, spectroscopic ellipsometry, 9–10
- GaAs, 31, 259, 266, 276
- GaN, 262–4
- Gaussian units, 228, 233
- Gauss's law, 26, 349
- Glan–Taylor prisms, 54–5
- Glan–Thompson prisms, 55
- Global error minimization (GEM), 311, 312, 317–23
- $\gamma$ -globulin protein, 292
- Graded layer, 312, 323
- Grain size, 274
- Grating-type spectrographs, 90
- Group-IV semiconductor crystals, 158–60
- Harmonic oscillator approximation (HOA), 259, 260
- High-concentration free carriers, 272
- High-frequency dielectric constant, 30–1, 174, 264, 290
- High-pressure xenon lamps, 120
- History, spectroscopic ellipsometry, 7–8
- Homoeptaxial layers, 188
- Hook's law, 161
- Huygens's principle, 28
- Hydrogenated amorphous silicon, 155
- III-V semiconductors, 31, 266, 296
- Image persistence, 127
- Imaging ellipsometry, 115–17
  - color-imaging ellipsometry, 117
  - film-thickness calibration, 115–16
- Incident angles, ellipsometry
  - measurement, 118
- Incident matrices, 234
- Incoherent condition, 141, 193
- Index ellipsoids, 213–15
  - positive uniaxial materials, 211, 221
- Indices of refraction, *see* Refractive indices
- Indirect bandgap semiconductors, 257
- Infrared spectroscopic ellipsometry, 56, 106–10
  - calibration, 130
  - depolarization, 140
  - Fourier-transform infrared (FTIR) ellipsometry, 107–10, 130
  - measurement errors, 130
  - Michelson interferometer, 107, 109, 110
  - phase-modulation ellipsometry (PME), 107, 108, 109
  - rotating-compensator ellipsometry (RCE), 108
  - rotating-polarizer ellipsometry, 108
- Inhomogeneous film thickness, 140–1, 192, 195
- Installation, ellipsometry instruments, 117–20
  - optical windows, 118–19
- Instruments, spectroscopic ellipsometry
  - advantages, 91–2
  - calibration, 117, 122–7
  - disadvantages, 91–2
  - installation, 117–20
  - optical alignment, 120
- Insulators, 249–55
  - anisotropic insulators, 295–6
- Interface layers, 184
  - dielectric functions, 189
  - SiO<sub>2</sub>, 254, 255
- Interference, *see* Optical interference
- Ionic crystals, 24

- Ionic polarization, 24
- Island-film model, 187, 338, 339
- Isotropic materials, 111
  - dielectric tensors, 215
  - Jones matrices, 220
  - Mueller matrices, 111
- Isotropic substrates, 224, 228
  - exit matrices, 235
- Joint density of state, 257
- Jones matrices, 60, 64–9
  - analyzers, 66, 67
  - anisotropic materials, 111, 209, 217–22, 224, 228, 230, 237, 243–5
  - anisotropic substrates, 240, 241
  - anisotropic thin films, 243
  - compensators, 66–7
  - conversion to Mueller matrices, 77, 353–5
  - depolarizers, 67
  - isotropic materials, 220
  - null ellipsometry, 113–14
  - phase-modulation ellipsometry, 104
  - photoelastic modulators, 67, 68
  - polarizers, 66, 67
  - rotating-analyzer ellipsometry (RAE), 93
  - rotating-analyzer ellipsometry with compensator, 97
  - rotating-compensator ellipsometry (RCE), 99
  - samples, 67, 86, 87
- Jones vectors, 60–1, 62–4, 74
  - circular-polarized light, 63, 65
  - elliptical-polarized light, 63, 65
  - linear-polarized light, 61, 63, 65
  - polar coordinates, 64–5
- Kramers–Kronig relations, 176, 259, 290, 357–9
- Langmuir–Blodgett (LB) films, 287, 288
- Law of reflection, 33
- Layer thicknesses, 203
- Layers, semiconductors, 264, 276
- Left-circular-polarized light, 63, 64, 72, 85, 347
- Levenberg–Marquardt method, 198
- Light intensity ratios, 23
- Light waves, *see* Electromagnetic waves
- Linear-polarized light, 51
  - conversion to/from circular-polarized light, 57
  - extraction from unpolarized light, 53, 54
- Jones vectors, 61, 63, 65
  - optical activity, 56
  - Poincaré sphere, 72, 73
  - Stokes parameters/vectors, 63, 70–1, 77, 85
- Linear regression analysis (LRA), 197–8, 246
  - process control, 334–40
  - real-time monitoring, 311, 312, 313–17
- Liquid crystal, 287, 299
- Lorentz cavity fields, 177
- Lorentz model, 160–70, 176, 347
  - atomic plates, 162–4, 168
  - dielectric functions, 165, 296
  - free-carrier absorption, 281
- Lorentz oscillators, 279
- Lorentz–Drude model, 278, 279, 280
- Lorentz–Lorenz relation, 178
- Low-pressure chemical vapor decomposition (LPCVD), 265
- LSI devices, 337–40
- Malus’s law, 69, 78
- Mathematical inversion, 200–3, 268, 298, 301
- Maxwell–Garnett model, 179, 280
- Maxwell’s equations, 18, 226–8, 349–51
  - Gaussian units, 228
- Measurement, ellipsometry, 118–19, 120
- Measurement errors, 90, 119, 127–35, 199–200
  - corrections, 127–30
  - infrared spectroscopic ellipsometry, 130
  - phase-modulation ellipsometry (PME), 127, 129, 131, 133
  - Poincaré sphere, 132–3
  - rotating-analyzer ellipsometry (RAE), 91, 131, 132–5, 140
  - rotating-analyzer ellipsometry with compensator, 132
  - rotating-compensator ellipsometry (RCE), 128, 133
- Measurement precision, 135–6, 254
  - absorption coefficients, 137–8
  - film thickness, 137
- Measurement ranges, 90–1
- Measurement wavelengths, 91
- Mercury cadmium telluride detectors, 130
- Metals, 149
  - dielectric functions, 276–80
- MgF<sub>2</sub> compensators, 58, 128
- Michelson interferometer, 107, 109, 110

- Minimum measurement times, 91
- Mobility, 4, 174, 284
- Model dielectric functions (MDFs), 158, 172, 260–1
- Mueller matrices, 77–8
  - analyzers, 67
  - anisotropic samples, 111
  - compensators, 67
  - conversion from Jones matrices, 77, 353–5
  - depolarizers, 67
  - isotropic samples, 111
  - photoelastic modulators, 67
  - polarizers, 67
  - rotating-compensator ellipsometry (RCE), 100, 102
  - samples, 67, 86
- Mueller matrix ellipsometry, 87, 111–13
  - photoelastic modulators, 112–13
  - rotating-compensator ellipsometry (RCE), 111
- Multilayer structures
  - dielectric functions, 313
  - optical interference, 46–7, 265
  - propagation of electromagnetic waves, 230
- Natural (unpolarized) light, 39, 63
  - extraction of linear-polarized light, 53, 54
  - Stokes parameters/vector, 63, 78
- Nd product, 152, 254
- Nebraska convention, 348
- Negative uniaxial materials, 211
- Newton's method, 198
- Newton's second law, 161
- Null ellipsometry, 87, 113–15, 289
  - Jones matrices, 113–14
- One-dimensional waves, 13–17
- Optical activity, 56
- Optical alignment, ellipsometry
  - instruments, 119
- Optical anisotropy, 53, 57, 119
  - see also* Anisotropic materials
- Optical axis, 53, 211
- Optical constants, 3, 347–8
- Optical interference, 43, 152, 154, 347
  - Fresnel equations, 45, 47
  - multilayer structures, 46–7, 265
  - p- and s-polarized light, 45
  - secondary beams, 44, 45
  - Snell's law, 44
  - thin films, 43–5
- Optical models, 187–9, 191, 203
  - depolarization, 191–6
- Optical thickness, 152
- Optical transitions, 256–8, 256
- Optical windows, 118–19, 130
- Optics, 13
- Ordinary rays, uniaxial materials, 53, 211, 212, 213
  - dielectric constants, 299
- Organic materials, 287–92
  - anisotropic organic materials, 299–301
- Oriental polarization, 25
  - resonant oscillation, 30
- Oscillator strength, 162
- P-doped, poly-Si, 272
- p-polarized light, 33–5, 38, 123
  - Brewster angles, 40–1
  - ellipsometry, 81–3
  - optical interference, 45
  - reflectances, 41, 42, 46
  - Snell's law, 36
  - transmittances, 39
- Parameterized dielectric functions, 201, 266–8
- Parametric semiconductor model, 261, 263
- Partial transfer matrices, 232–3
- Partially polarized light, 75–6
  - Poincaré sphere, 75, 76
  - Stokes parameters/vectors, 77
- Penetration depth, light, 23, 155
- Permittivity, dielectrics, 26
- Phase-modulation ellipsometry (PME), 88, 90, 104–6
  - advantages, 92–3
  - depolarization, 139
  - disadvantages, 93
  - infrared ellipsometry, 107, 108, 109
  - Jones matrices, 104
  - measurement errors, 127–9, 129, 131, 133
  - measurement range, 91
  - measurement wavelengths, 91
  - minimum measurement time, 91
  - Stokes parameters, 104–5
- Phases, electromagnetic waves, 49–50, 347–8
- Photodiode arrays, 89, 121, 127, 129
- Photoelastic modulators, 58–9, 110, 127
  - Jones matrices, 67, 68
  - Mueller matrices, 67
  - Mueller matrix ellipsometry, 112–13
  - optical alignment, 105

- Photoelasticity, 58  
 Photolithography technique, 56  
 Photoluminescence measurement, 258  
 Photomultiplier tubes, 89, 121, 127, 128  
 Photon energy, 19  
 Photons, 18–19  
 Piezo transducers, 58–9  
 Planck's constant, 19  
 Plane of incidence, 33, 122  
 Plane wave, 32  
 Plasma angular frequency, 31, 174  
 Plasma-enhanced chemical vapor deposition (PECVD), 328–9, 337  
 Plasma etching process, 334, 337–9  
 PME, *see* Phase-modulation ellipsometry (PME)  
 Poincaré sphere, 72–4, 84  
   circular-polarized light, 72  
   linear-polarized light, 72, 73  
   measurement errors, 132–3  
   partially polarized light, 75, 76  
   Stokes parameters/vectors, 72–4, 84  
   totally polarized light, 75, 76  
 Polar coordinates  
   complex numbers, 16–17  
   Jones vectors, 64–5  
 Polarizability, 178  
 Polarized light, 49–52  
   circular-polarized light, 52, 53  
   elliptical-polarized light, 52  
   linear-polarized light, 51  
   p-polarized light, 33–6, 38, 81, 123  
   partially polarized light, 75–6  
   s-polarized light, 33–6, 38, 81–3, 123  
   totally polarized light, 75–6  
 Polarizers, 52, 53, 69–70  
   Jones matrices, 66, 67  
   Mueller matrices, 67  
   wire-grid polarizers, 56–7, 130  
 Poly-arylene ether film, 289, 290  
 Poly-pyrrole film, 287  
 Poly-Si (polycrystalline Si), 264, 265, 275  
   P-doped, poly-Si, 272  
 Polycrystalline semiconductors, 274–5  
 Polycrystalline Si, 264, 265, 275  
 Polymer films, 287, 299  
 Positive uniaxial materials, 211, 222  
   index ellipsoids, 221  
 Precision, *see* Measurement precision  
 Primary beams, optical interference, 44, 45  
 Principal angle, 149  
 Principal dielectric constants (anisotropic materials), 214  
 Principal refractive indices (anisotropic materials), 214  
 Prism-type spectrographs, 90  
 Process control, 333–42  
   data analysis, 334  
   linear regression analysis (LRA), 334–40  
   virtual substrate approximation (VSA), 340–2  
 Propagation, electromagnetic waves, 13–19, 350  
   multilayer structures, 230  
 Propagation numbers, 14, 21  
 Protein absorption, 293  
 Pseudo-Brewster angles, 39, 149  
 Pseudo-dielectric functions, 189–90, 196, 317, 324, 347  
 Publications about spectroscopic ellipsometry, 9–10  
 Quantum effect, 185, 276  
 Quarter-wave plates, 57  
 Quartz, 53, 58, 128  
 Quasi-depolarization, 76, 139  
 Quasi-monochromatic light, 141  
 RAE, *see* Rotating-analyzer ellipsometry (RAE)  
 RCE, *see* Rotating-compensator ellipsometry (RCE)  
 Real-time ellipsometry instruments, 89, 135  
 Real-time monitoring, 89–91, 311–42  
   global error minimization (GEM), 311, 312, 317–23  
   linear regression analysis (LRA), 311, 312, 313–17  
   process control, 333–42  
   temperature variation of dielectric functions, 312–13  
   thin-film formation, 328  
   virtual substrate approximation (VSA), 312, 323–8  
 Reflectances, 39  
   Fresnel equations, 39, 82  
   metals, 149  
   p- and s-polarized light, 41, 42, 46  
 Refraction, 32–3  
 Refractive indices, 19–24, 28, 53  
   anisotropic materials, 210, 215  
   principal refractive indices, 214  
   calcite, 55

- Refractive indices (*Continued*)  
 complex refractive indices, 22, 181, 184, 210, 252, 347, 351  
 interface layers, 184  
 metals, 149  
 SiO<sub>2</sub>, 252  
 Snell's law, 33, 36, 41, 43, 44  
 surface roughness layers, 181, 184  
 Regression calibration method, 125–7  
 Residual calibration method, 123–6  
 Resonant oscillation, 30  
 Retarders, 57  
*see also* Compensators  
 Right-circular-polarized light, 52, 63, 64, 72, 85, 347  
 Rochon prisms, 55–6, 124  
 Root mean square roughness, 184  
 Rotating-analyzer ellipsometry (RAE), 87, 88, 89, 90, 93–7  
 advantages, 91  
 anisotropic materials, 243, 244, 245  
 calibration of instruments, 122  
 depolarization, 139, 140  
 Fourier analysis, 120  
 Jones matrices, 93  
 measurement errors, 91, 131, 132–5, 140  
 measurement range, 90  
 measurement wavelengths, 91  
 Stokes parameters/vectors, 94  
 Rotating-analyzer ellipsometry with compensator, 88, 90, 91–2, 97–9  
 advantages, 92  
 disadvantages, 92  
 Jones matrices, 97  
 measurement errors, 132  
 Stokes parameters/vectors, 97, 98  
 Rotating-compensator ellipsometry (RCE), 88, 89, 90, 99–104  
 advantages, 92  
 anisotropic materials, 245  
 calibration of instruments, 126  
 depolarization, 139  
 disadvantages, 92  
 Fourier analysis, 121  
 infrared ellipsometry, 108  
 installation of instruments, 117–20  
 Jones matrices, 99  
 measurement errors, 127, 133  
 measurement ranges, 91  
 Mueller matrices, 100, 102  
 Mueller matrix ellipsometry, 111  
 Stokes parameters/vectors, 100  
 Rotating compensators, 58  
 Rotating-element ellipsometry, 87  
 Mueller matrix ellipsometry, 112  
 Rotating-polarizer ellipsometry, 108  
 Rotations, coordinate systems, 62, 68–70, 216  
 s-polarized light, 33–6, 38, 81–3, 119  
 Brewster angles, 40–1  
 ellipsometry, 81–3  
 optical interference, 45  
 reflectances, 41, 42, 46  
 Snell's law, 36  
 transmittances, 39  
 Sapphire, 262  
 Screening factor, 180  
 Secondary beams, optical interference, 44, 45  
 Self-assembled layers, 287  
 Sellmeier model, 170, 176, 250–2, 255, 259  
 Semiconductors, 173–4, 256–76  
 alloy composition, 268, 275–6  
 anisotropic semiconductors, 296–9  
 critical thickness, 273  
 dielectric functions, 258–62  
 direct bandgap semiconductors, 257  
 doping, 272–3  
 III-V semiconductors, 266  
 indirect bandgap semiconductors, 257  
 layers, 276  
 parametric semiconductor model, 261, 263  
 strain, 273–4  
 Si, 151, 159, 258, 262, 270  
 Single-wavelength ellipsometry, 89, 314  
 SiO<sub>2</sub>, 249–55  
 bulk layers, 254, 255  
 complex refractive index, 252  
 dielectric functions, 252  
 interface layers, 254, 255  
 refractive index, 252  
 Slow axis, 53  
 Snell's law, refraction, 33  
 Brewster angles, 41  
 optical interference, 44  
 p- and s-polarized light, 35  
 total reflection, 42–3  
 Source polarization, 59, 128  
 Spectroscopic ellipsometers, *see* Instruments  
 Spectroscopic ellipsometry  
 advantages, 2–3  
 applications, 4–5  
 data analysis, 5–7

- disadvantages, 2–3, 197
- future prospects, 9–10
- history, 7–8
- publications about, 9
- Spherical dielectrics, 177–9
- Static dielectric constant, 29–31, 160, 290
- Stokes parameters/vectors, 63, 70–5, 77, 84, 86, 90
  - circular-polarized light, 63, 85
  - elliptical-polarized light, 63, 85
  - Fourier analysis, 120
  - linear-polarized light, 63, 70–1, 77, 85
  - natural (unpolarized) light, 63, 78
  - partially polarized light, 77
  - phase-modulation ellipsometry, 104–5
  - Poincaré sphere, 72–4, 84
  - rotating-analyzer ellipsometry (RAE), 94
  - rotating-analyzer ellipsometry with compensator, 97, 98
  - rotating-compensator ellipsometry (RCE), 100
- Strain, semiconductors, 273–4
- Substrates
  - anisotropic substrates, 222, 231, 237–9
  - isotropic substrates, 224, 228
- Surface roughness layers, 181–4, 186–7, 263, 264, 325
  - complex refractive indices, 181, 184
  - dielectric functions, 183, 188
  - effective medium approximation (EMA), 182–3, 184, 264
  - refractive indices, 181, 184
- Susceptibility, 27, 165, 357
- Synchrotron radiation, 27
  
- Tauc model, 257
- Tauc–Lorentz model, 170–2, 176, 281, 326
- Temperature dependence, dielectric functions, 270–1
  - multilayer structures, 313
  - real-time monitoring, 312–13
- Temporal period, waves, 14
- Textured substrate, 189
- Thermal oxide, *see* SiO<sub>2</sub>
- Thin films
  - anisotropic thin films, 224, 228, 241–3
  - formation, 328–32
  - optical interference, 43–5
  - transparent films, 154
- TiN, 337–9
- TiO<sub>2</sub>, 297–9
- Total amplitude reflection coefficients, 193
- Total reflection, 42–3
  - attenuated total reflection (ATR), 43, 110, 322
  - critical angle, 42, 54
  - Snell's law, 43
- Totally polarized light, 75–6
  - Poincaré sphere, 75, 76
- Trajectory,  $\psi - \Delta$ , 156–8
- Transfer matrices, 230
  - partial transfer matrices, 232–3
- Transformations, coordinate systems, 62
- Transmission axis, 54
- Transmission electron microscopes (TEMs), 7, 330–1, 333, 336
- Transmittances, 39
- Transparent conductive oxides (TCOs), 281
- Transparent films, 150, 154, 186
  - thickness, 154
- Transparent media, 21
- Transverse waves, 18
- Trigonometrical functions, 345–6
- Two-dimensional island growth, 187
  
- Unbiased estimator, 199, 251
- Uniaxial materials, 210–11, 214, 243, 245
  - crystals, 237
  - electric dipole radiation, 211–12
  - extraordinary rays, 211, 212, 213, 299
  - negative uniaxial materials, 211
  - ordinary rays, 211, 212, 213
  - positive uniaxial materials, 211, 221, 222
- Uniaxial polymer films, 300–3
- Uniaxial  $\alpha$ -quartz, 295
- Uniaxial TiO<sub>2</sub>, 297–9
- Unpolarized light, *see* Natural (unpolarized) light
- Urbach tails, 259
  
- Virtual substrate approximation (VSA), 312, 323–8
  - process control, 340–2
  
- Wave number, 19
- Wavelengths, 14
- Waves, *see* Electromagnetic waves
- Wire-grid polarizers, 56–7, 107, 130
  
- Xenon lamps, 120
  
- Zone-difference calibration method, 125, 126









